

عم API لال خ نم تامل الكمل تاليجست ليزنت رفومك Webex

تايوت حمل

[عمدق م](#)

[قيساس الابل طتم](#)

[تابل طتم](#)

[عمدختس م تانوك م](#)

[قيساس تامول عم](#)

[عمل الكمل ليجست ليزنت تاوطخ](#)

[قلص تاذا تامول عم](#)

عمدق م

ليزنت "قفاوتل فظوم" رود مهيدل نيذلا ني لوؤس مملل نكمي فيك دنتس مالا اذه حضوي تاقي بطتل اجه رب هجاو عم ني مدختس مالا ويره اظلا طوطخلل ايدر ف تامل الكمل تاليجست (API).

قيساس الابل طتم

تابل طتم

- Control Hub في لوؤس مالا لوصو.
- لاثت مالا فظوم رود.

عمدختس م تانوك م

ةيلاتل اذي مالا تانوك مالا وجم اربل تارادصل الى دنتس مالا اذه في ادراول تامول عم مالا دنتس ت:

- Webex ربع لاصتالا.
- Webex ربع لاصتالا تاقي بطت اجه رب تاهجاو.

ةصاخ اذي لم عم ائيبي في اذوومالا ازهجال نم دنتس مالا اذه في ادراول تامول عم مالا عاشن اذ م تنك اذ. (يضارتفا) حوسم نيوكتب دنتس مالا اذه في اذوومالا ازهجال اذي م اذب رماي ال لم حمل ريثا تلل كم هف نم دكأتف، ليجشتال دي قكتك بش


قيساس تامول عم

تامل الكمل تاليجست ليجست رفومك Webex مادختس الى نكمي، Webex ربع لاصتالا في قيساس الابل Webex ماطن لخاله وهسب اهنيزختو كتامل الكمل ليجست كلذ كل حيتي

اهذو تاليجست ليزنت "قفاوتل فظوم" رود مهيدل نيذلا ني لوؤس مملل طقف نكمي

(API) تاقېبېطتاللا ةجمرب ةهجاورب ع مئاد لكشب

ةهجاو بولسأ ربع تاملاكملال ليجست ليزنتل ةمزاللا تاوطلال لياتلا لاثملا اذه حضوي روطملا قئاثول [ةجمملا تاليجستلا](#) مادختساب تاقېبېطتاللا ةجمرب



[ل روطملا معد](#) يف روطملا معدب لصتا، لكاشم يا ةهجاوم وأ مدقتملا شحب لل: ةظحالم [Webex](#).

ةملاكملال ليجست ليزنت تاوطلال

لوؤسملا دامتعا تانايب مادختساب [Webex روطم لخدم](#) ىلا لوخدلا ليجستب مق 1. ةوطلاللا ةجمملا تاليجستللا نع شحبا م، كيدل

Converged Recordings API

<https://developer.webex.com/docs/api/v1/converged-recordings>

-Callingwbxch_t_manage-call-recording_selecting-call-recording-provider). **Converged Recordings** Collection [/admin/convergedRecordings] ... can use the same recording API to fetch call **recordings** and/or meeting **recordings**. This convergence... details for call **recordings** but will later be extended to...

ةبراقتم ال تاليجست ال راخي ددح

قفاوت ال فظوم ل GET ب ل ط ةمئاق تاليجست ددح ،قرطال ةمئاق نم 2. ةوطخال

Method		Description
GET	https://webexapis.com/v1/admin/convergedRecordings	List Recordings for Compliance officer
GET	https://webexapis.com/v1/convergedRecordings/{recordingId}	Get Recording Details
DELETE	https://webexapis.com/v1/convergedRecordings/{recordingId}	Delete a Recording
GET	https://webexapis.com/v1/convergedRecordings/{recordingId}/metadata	Get Recording metadata

قفاوت ال فظوم راخ ل تاليجست ال درس

ل يغشت رزلا قوف رقناو شح بل ا تام ل عم ل خ د ا ،م ال عت سال ا تام ل عم م س ق ي ف 3. ةوطخال بل ل ط ال ذي فن تل .

The list returned is sorted in descending order by the date and time that the recordings were created.

Long result sets are split into pages.

List recordings requires the spark-compliance:recordings_read scope.

Request Header

- `timezone` : *Time zone in conformance with the IANA time zone database. The default is UTC if `timezone` is not defined.*

GET /v1/admin/convergedRecordings

Query Parameters

max
number

Maximum number of recordings to return in a single page. max must be equal to or greater than 1 and equal to or less than 100.

Default: 10

from
string

Starting date and time (inclusive) for recordings to return, in any ISO 8601 compliant format. from cannot be after to.

Default:

If only `to` is specified, the default `from` value is 7 days before `to`; if no `to` or `from` is specified, the default `from` value is 7 days before the current date and time.

to
string

Ending date and time (exclusive) for List recordings to return, in any ISO 8601 compliant format. to cannot be before from.

Default:

If `from` is specified, the default value is 7 days after `from`; if `from` is not specified, the default value is the current date and time.

status
string

Recording's status. If not specified or available, retrieves recordings that are available. Otherwise, if specified as deleted, retrieves recordings that have been moved into the recycle bin.

Possible values: available, deleted

Default: available

GET /v1/admin/convergedRecordings?max=10&from=2024-06-24T00:00:00+00:00

Header

Authorization

Use personal access token

Bearer

This limited-duration personal access token is hidden for your security.

timezone

UTC

Query Parameters

max

10

from

2024-06-24T00:00:00+00:00

to

2024-06-25T23:59:59+00:00

status

e.g. available

serviceType

calling

format

MP3

ownerId

e.g. 24683d6c-5529-4b60-a6c7-91e

ownerEmail

e.g. john.andersen@example.com

ownerType

virtualLine

storageRegion


e.g. US

locationId

eeeeeeeeee-xxxx-0000-eeee-


Run

ليغش التلا رزو مالعت سالا تام لعم



نم ديزم ىلع لوصحلل نميألا عزجلا في ةدوجوملا تامولعمللا مدختسأ: ةظحالم
نم locationID ىلع لوصحلل نمي، لاثملا لىبس ىلع، لقح لك لوح لىصافتلا
Webex Control Hub ب صاخلا "عقاوملا" مسق

ساوقاً لخاد يدرف لىجست لك جاردإ متي. ةباجتساللا عبرم في ةباجتساللا رهظت 4. ةوطخللا
عوجرلل يصن فلم ىلا جئاتنللا خسنا. لىجستللا فرعم لثمت يتلا id ةمس عم، { } ةفتلم
لله.



ةباجتسالا ع برم رضانع

```
{ "items": [ { "id": "00060000-0300-0b00-0500-ab0000000000", "topic": "Call with +000000000000-20240625 1916", "createTime": "2024-06-25T19:16:41Z", "timeRecorded": "2024-06-25T19:15:48Z", "ownerId": "0000000d-0000-0000-0000-00000000000d", "ownerType": "virtualLine", "format": "MP3", "durationSeconds": 40, "sizeBytes": 122419, "serviceType": "calling", "storageRegion": "US", "status": "available", "serviceData": { "locationId": "eeeeeeee-xxxx-0000-eeee-000000000000", "callSessionId": "00000000-xxxx-0000-0000-000000000000" } }, { "id": "0005n000-0400-0c00-05600-cd0000000000", "topic": "Call with +000000000000-20240625 1914", "createTime": "2024-06-25T19:14:20Z", "timeRecorded": "2024-06-25T19:13:45Z", "ownerId": "0000000c-0000-0000-0000-00000000000e", "ownerType": "virtualLine", "format": "MP3", "durationSeconds": 15, "sizeBytes": 49195, "serviceType": "calling", "storageRegion": "US", "status": "available", "serviceData": { "locationId": "eeeeeeee-xxxx-0000-eeee-000000000000", "callSessionId": "00000000-xxxx-0000-0000-00000000000x" } }
```

لي جيس تال لي صافت ي ل ع ل ص حا و GET ب ل ط د ح و و ق ر ط ل ا ة م ئ ا ق ي ل ا ع ج ر ا ، د ح م ل ل ي ج س ت ل ل ي ز ن ت ل 5 ة و ط خ ل ا

Method	Description
GET https://webexapis.com/v1/admin/convergedRecordings	List Recordings for Compliance officer
GET https://webexapis.com/v1/convergedRecordings/{recordingId}	Get Recording Details
DELETE https://webexapis.com/v1/convergedRecordings/{recordingId}	Delete a Recording
GET https://webexapis.com/v1/convergedRecordings/{recordingId}/metadata	Get Recording metadata

ل ي ج س ت ل ل ل ي ص ا ف ت ي ل ع ل و ص ح ل ا

ق و ف ر ق ن ا م ث . ه ل ي ز ن ت د ي ر ت ي ذ ل ا ي ل ع ف ل ل ل ي ج س ت ل ا ف ر ع م ب ل ل ي ج س ت ل ا ف ر ع م ل د ب ت س ا ، GET ب ص ا خ ل ا URL ن ا و ن ع ي ف 6 ة و ط خ ل ا ب ل ط ل ا ل ذ ي ف ن ت ل ل ي غ ش ت ر ز ل ا

Try it

Example



GET

/v1/convergedRecordings/

recordingId



Header

Content-Type


application/json

Authorization



Use personal access token

Bearer



This limited-duration personal access token is hidden for your security.

timezone

UTC

loggingId. رزلا قوف رقنا

converged recordings

AN

Try it

Example



GET

/v1/convergedRecordings/

00060000-0300-0b00-0500-ab0000000000

Content-Type

application/json

Authorization



Use personal access token

Bearer

.....

This limited-duration personal access token is hidden for your security.

timezone

UTC



Run


لي غشبتلا رزو لي جستلا فرعم

audioDownloadLink. ةمس ىلع فرعتو يصرن فلم ىلإ جارخالإ خسنا. شحبلا جئاتن ىلع قباجتسالا ع برم يوتحي 7. ةوطخلال


{ "id": "0005n000-0400-0c00-05600-cd0000000000", "topic": "Call with +000000000000-20240625 1914", "createTime": "2024-06-


```
25T19:14:20Z", "timeRecorded": "2024-06-25T19:13:45Z", "temporaryDirectDownloadLinks": { "audioDownloadLink": "url-xxxxx",  
"expiration": "2024-06-25T23:18:11Z" }, "ownerId": "000000000-0000-0000-xxxx-000000xxxxxx", "ownerType": "virtualLine", "format":  
"MP3", "durationSeconds": 15, "sizeBytes": 49195, "serviceType": "calling", "storageRegion": "US", "status": "available", "serviceData": {  
"locationId": "eeeeeeee-xxxx-0000-eeee-000000000000", "callSessionId": "xxxxxxxx-0000-0000-xxxx-0000xxxxxx" } }
```

لك نيمضت نم دك أت. بي وضرعتسم في هقصلو audioDownloadLink نمض دوجومال هلمكأب URL ناونع خسنا 8 ةوطخال
MP3 فلمك كزاهج لى لىجستال لىزنتم تي. لىزنتمال ادبل Enter لىع طغضا. صيصنتمال تامال ع نىب فورخال



MP3 فلم تاليزنت



[Webex لروطم لاء معد](#) في API بة قولع تم لاء لئاس م لاء اولئس لاء Webex يروطم معدب لصتا :تظالم

ةلص تاذا تام ولعم

- [Webex ربع لاء لصتا لاء يوت حمل يميظن ت لاء قفاوت لاء نامض](#)
- [Webex ربع لاء لصتا لاء تام لاء كمل لاء لئجست قرادا](#)

ةمچرتل هذه ل و ح

ةلأل تاي نقتل ن م ة و مچ م ادخت ساب دن تسم ل ا اذ ه Cisco ت مچرت
م ل ا ل ا ا ن ا ع مچ ي ف ن ي م د خ ت س م ل ل م ع د ي و ت ح م م ي د ق ت ل ة ي ر ش ب ل و
ا م ك ة ق ي ق د ن و ك ت ن ل ة ل ا ة مچرت ل ض ف ا ن ا ة ظ ح ا ل م ي ج ر ي . ة ص ا خ ل ا م ه ت غ ل ب
Cisco ي ل خ ت . ف ر ت ح م مچرت م ا ه م د ق ي ي ت ل ا ة ي ف ا ر ت ح ا ل ا ة مچرت ل ا ع م ل ا ح ل ا و ه
ي ل ا م ا ة ا د ع و ج ر ل ا ب ي ص و ت و ت ا مچرت ل ا ه ذ ه ة ق د ن ع ا ه ت ي ل و ئ س م Cisco
Systems (ر ف و ت م ط ب ا ر ل ا) ي ل ص ا ل ا ي ز ي ل ج ن ا ل ا دن ت س م ل ا