



# Open Source Used In AppDynamics\_Cloud\_Analytics\_Agent 22.11.1

**Cisco Systems, Inc.**

[www.cisco.com](http://www.cisco.com)

Cisco has more than 200 offices worldwide.  
Addresses, phone numbers, and fax numbers  
are listed on the Cisco website at  
[www.cisco.com/go/offices](http://www.cisco.com/go/offices).

Text Part Number: 78EE117C99-1475918407

This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this [form](#).

In your requests please include the following reference number 78EE117C99-1475918407

## Contents

### **1.1 java-concurrency-in-practice-book-annotations 1.0**

1.1.1 Available under license

### **1.2 apache-commons-lang 2.6**

1.2.1 Available under license

### **1.3 apache-commons-lang 3.4**

1.3.1 Available under license

### **1.4 commons-logging 1.1.3**

1.4.1 Available under license

### **1.5 jetbrains-annotations 13.0**

1.5.1 Available under license

### **1.6 kotlin-reflect 1.2.71**

### **1.7 guava-retrying 2.0.0**

### **1.8 json-java 20160212**

1.8.1 Available under license

### **1.9 javax-annotation-api 1.3.2**

1.9.1 Available under license

### **1.10 apache-httpmime 4.5.5**

1.10.1 Available under license

### **1.11 hamcrest 1.3**

1.11.1 Available under license

### **1.12 objenesis 2.6**

1.12.1 Available under license

### **1.13 google-guice 4.0**

1.13.1 Available under license

### **1.14 apache-commons-collections 3.2.2**

1.14.1 Available under license

- 1.15 findbugs-jsr305 2.0.3**
  - 1.15.1 Available under license
- 1.16 aop-alliance 1.0**
  - 1.16.1 Available under license
- 1.17 findbugs-jsr305 3.0.2**
  - 1.17.1 Available under license
- 1.18 jline-java-console-input-library 2.14.6**
  - 1.18.1 Available under license
- 1.19 apache-commons-beanutils 1.9.4**
  - 1.19.1 Available under license
- 1.20 aopalliance-version-repackaged-as-a-module 2.6.1**
  - 1.20.1 Available under license
- 1.21 apache-commons-configuration 1.8**
  - 1.21.1 Available under license
- 1.22 hk2-implementation-utilities 2.6.1**
  - 1.22.1 Available under license
- 1.23 hk2-api-module 2.6.1**
  - 1.23.1 Available under license
- 1.24 servicelocator-default-implementation 2.6.1**
  - 1.24.1 Available under license
- 1.25 hamcrest 2.1**
  - 1.25.1 Available under license
- 1.26 qdox 1.12.1**
  - 1.26.1 Available under license
- 1.27 javax-ws-rs-api 2.0.1**
  - 1.27.1 Available under license
- 1.28 joda-time 2.9**
  - 1.28.1 Available under license
- 1.29 java-architecture-for-xml-binding 2.3.1**
  - 1.29.1 Available under license
- 1.30 jboss-logging 3.4.1.Final**
  - 1.30.1 Available under license
- 1.31 apache-httpcomponents-core 4.4.5**
  - 1.31.1 Available under license
- 1.32 jansi 1.16**
  - 1.32.1 Available under license
- 1.33 apache-commons-collections 4.1**
  - 1.33.1 Available under license
- 1.34 javassist rel\_3\_25\_0\_ga**

- 1.34.1 Available under license
- 1.35 dom4j-flexible-xml-framework-for-java 2.1.3**
  - 1.35.1 Available under license
- 1.36 json-java 20200518**
  - 1.36.1 Available under license
- 1.37 java-classmate 1.1.0**
  - 1.37.1 Available under license
- 1.38 snake-yaml 1.26**
  - 1.38.1 Available under license
- 1.39 bean-validation-api 2.0.2**
  - 1.39.1 Available under license
- 1.40 asm 8.0.1**
  - 1.40.1 Available under license
- 1.41 apache-httpcomponents-asyncclient 4.1.4**
  - 1.41.1 Available under license
- 1.42 scala-xml 1.0.6**
  - 1.42.1 Available under license
- 1.43 bean-validation-api 2.0.1**
  - 1.43.1 Available under license
- 1.44 jmes-path-query-library 1.0**
  - 1.44.1 Available under license
- 1.45 asm-commons 8.0.1**
  - 1.45.1 Available under license
- 1.46 asm-tree 8.0.1**
  - 1.46.1 Available under license
- 1.47 commons-io 2.8.0**
  - 1.47.1 Available under license
- 1.48 asm-analysis 8.0.1**
  - 1.48.1 Available under license
- 1.49 apache-http-client 4.5.13**
  - 1.49.1 Available under license
- 1.50 scala-java8-compat\_2.12 0.8.0**
  - 1.50.1 Available under license
- 1.51 metrics-core 3.2.5**
  - 1.51.1 Available under license
- 1.52 guava-internalfuturefailureaccess-and-internalfutures 1.0.1**
  - 1.52.1 Available under license
- 1.53 opentest4j-opentest4j 1.2.0**
  - 1.53.1 Available under license

- 1.54 java-diff-utils 1.3.0**
  - 1.54.1 Available under license
- 1.55 j2objc-annotations 1.3**
  - 1.55.1 Available under license
- 1.56 jakarta-annotations-api 1.3.5**
  - 1.56.1 Available under license
- 1.57 javax-inject1-as-osgi-bundle 2.6.1**
  - 1.57.1 Available under license
- 1.58 checker-qual 3.1.0**
  - 1.58.1 Available under license
- 1.59 junit 4.13.2**
  - 1.59.1 Available under license
- 1.60 guava v30.0**
  - 1.60.1 Available under license
- 1.61 asm 9.1**
  - 1.61.1 Available under license
- 1.62 apache-httpcomponents-core 4.4.14**
  - 1.62.1 Available under license
- 1.63 iterators 1.5**
  - 1.63.1 Available under license
- 1.64 kotson 2.5.0**
  - 1.64.1 Available under license
- 1.65 dmfs/optional 0.3**
  - 1.65.1 Available under license
- 1.66 rfc3986-uri 0.8**
  - 1.66.1 Available under license
- 1.67 automation 1.11-8**
  - 1.67.1 Available under license
- 1.68 jakarta-ws-rs-api 2.1.6**
  - 1.68.1 Available under license
- 1.69 scala 2.12.5**
  - 1.69.1 Available under license
- 1.70 picocli 4.6.1**
  - 1.70.1 Available under license
- 1.71 jcommander-library 1.78**
  - 1.71.1 Available under license
- 1.72 reflections 0.9.12**
  - 1.72.1 Available under license
- 1.73 asm-tree 9.1**

- 1.73.1 Available under license
- 1.74 project-lombok 1.18.20**
  - 1.74.1 Available under license
- 1.75 asm-commons 9.1**
  - 1.75.1 Available under license
- 1.76 hibernate-validator 6.2.0.Final**
  - 1.76.1 Available under license
- 1.77 asm-analysis 9.1**
  - 1.77.1 Available under license
- 1.78 jacoco 0.8.7**
  - 1.78.1 Available under license
- 1.79 java-architecture-for-xml-binding 2.3.3**
  - 1.79.1 Available under license
- 1.80 commons-codec 1.14**
  - 1.80.1 Available under license
- 1.81 apache-commons-lang 3.12.0**
  - 1.81.1 Available under license
- 1.82 testng 7.5**
  - 1.82.1 Available under license
- 1.83 generex 1.0.1**
  - 1.83.1 Available under license
- 1.84 scala-logging\_2.12 3.7.2**
  - 1.84.1 Available under license
- 1.85 netty-project 4.1.9.Final**
  - 1.85.1 Available under license
- 1.86 feign-jackson 8.15.1**
  - 1.86.1 Available under license
- 1.87 slf4j-simple-binding 1.8.0-beta4**
  - 1.87.1 Available under license
- 1.88 unfiltered-netty-server 0.9.1**
  - 1.88.1 Available under license
- 1.89 argparse 0.8.1**
  - 1.89.1 Available under license
- 1.90 jackson-datatype-joda 2.7.9**
  - 1.90.1 Available under license
- 1.91 unfiltered-netty 0.9.1**
  - 1.91.1 Available under license
- 1.92 rxjava 1.1.2**
  - 1.92.1 Available under license

### **1.93 java-semver 0.9.0**

1.93.1 Available under license

### **1.94 json-path 0.6.9**

1.94.1 Available under license

### **1.95 metrics---dropwizard 4.0.2**

1.95.1 Available under license

### **1.96 unfiltered-util 0.9.1**

1.96.1 Available under license

### **1.97 slf4j-api-module 1.8.0-beta4**

1.97.1 Available under license

### **1.98 metrics-integration-for-apache-httpasyncclient 3.2.5**

1.98.1 Available under license

### **1.99 unfiltered 0.9.1**

1.99.1 Available under license

### **1.100 expression-language 3.0.0**

1.100.1 Available under license

### **1.101 kotlin-logging 1.4.4**

1.101.1 Available under license

### **1.102 scala-parser-combinators 1.0.5**

1.102.1 Available under license

### **1.103 feign-core 8.15.1**

1.103.1 Available under license

### **1.104 caffeine-cache 2.8.1**

1.104.1 Available under license

### **1.105 log4j-over-slf4j 1.7.36**

1.105.1 Available under license

### **1.106 guava-listenablefuture-only 9999.0-empty-to-avoid-conflict-with-guava**

1.106.1 Available under license

### **1.107 jackson-datatype-jsr310 2.13.2**

1.107.1 Available under license

### **1.108 hibernate-validator 6.1.6.Final**

1.108.1 Available under license

### **1.109 apache-ant 1.10.12**

1.109.1 Available under license

### **1.110 jackson-jaxrs-base 2.13.2**

1.110.1 Available under license

### **1.111 jackson-xc 2.13.2**

1.111.1 Available under license

### **1.112 jool 0.9.11**

- 1.112.1 Available under license
- 1.113 spotbugs 4.1.1**
  - 1.113.1 Available under license
- 1.114 spotbugs-annotations 4.1.1**
  - 1.114.1 Available under license
- 1.115 asm-util 8.0.1**
  - 1.115.1 Available under license
- 1.116 saxon-xslt-and-xquery-processor 10.1**
  - 1.116.1 Available under license
- 1.117 mockito v2.24.5**
  - 1.117.1 Available under license
- 1.118 jakarta-expression-language-3.0-implementation 3.0.4**
  - 1.118.1 Available under license
- 1.119 jakarta-mail 1.5.0-b01**
  - 1.119.1 Available under license
- 1.120 kotlin-stdlib-common 1.2.51**
  - 1.120.1 Available under license
- 1.121 error\_prone\_annotations 2.0.2**
  - 1.121.1 Available under license
- 1.122 archunit 0.22.0**
  - 1.122.1 Available under license
- 1.123 byte-buddy-agent 1.9.7**
  - 1.123.1 Available under license
- 1.124 jna 5.9.0**
  - 1.124.1 Available under license
- 1.125 byte-buddy byte-buddy-1.9.7**
  - 1.125.1 Available under license
- 1.126 jetty-toolchain 1.0.4**
  - 1.126.1 Available under license
- 1.127 jakarta-activation 1.1**
  - 1.127.1 Available under license
- 1.128 jakarta-expression-language-3.0-api 3.0.3**
  - 1.128.1 Available under license
- 1.129 javax.inject:javax.inject 1**
  - 1.129.1 Available under license
- 1.130 jersey-core-server 2.35**
  - 1.130.1 Available under license
- 1.131 jersey-inject-hk2 2.35**
  - 1.131.1 Available under license

- 1.132 jcl-1-2-implemented-over-slf4j 1.7.32**
  - 1.132.1 Available under license
- 1.133 jersey-container-servlet 2.35**
  - 1.133.1 Available under license
- 1.134 jersey-container-servlet-core 2.35**
  - 1.134.1 Available under license
- 1.135 jaxen 1.1.6**
  - 1.135.1 Available under license
- 1.136 jackson-bom 2.13.2**
  - 1.136.1 Available under license
- 1.137 junit-platform-junit-platform-commons 1.8.2**
  - 1.137.1 Available under license
- 1.138 junit-5-bill-of-materials 5.8.2**
  - 1.138.1 Available under license
- 1.139 junit-jupiter-junit-jupiter-api 5.8.2**
  - 1.139.1 Available under license
- 1.140 jackson-core 2.13.2**
  - 1.140.1 Available under license
- 1.141 jackson-datatype-jdk8 2.13.2**
  - 1.141.1 Available under license
- 1.142 jackson-databind 2.13.2.2**
  - 1.142.1 Available under license
- 1.143 junit-platform-junit-platform-engine 1.8.2**
  - 1.143.1 Available under license
- 1.144 jackson-annotations 2.13.2**
  - 1.144.1 Available under license
- 1.145 junit-jupiter-junit-jupiter-engine 5.8.2**
  - 1.145.1 Available under license
- 1.146 slf4j-api-module 1.7.36**
  - 1.146.1 Available under license
- 1.147 jackson-dataformat-yaml 2.13.2**
  - 1.147.1 Available under license
- 1.148 metrics-health-checks 4.1.31**
  - 1.148.1 Available under license
- 1.149 logback-access-module 1.2.11**
  - 1.149.1 Available under license
- 1.150 metrics-jetty 4.1.31**
  - 1.150.1 Available under license
- 1.151 jul-to-slf4j-bridge 1.7.36**

- 1.151.1 Available under license
- 1.152 metrics-integration-for-logback 4.1.31**
  - 1.152.1 Available under license
- 1.153 jackson-integration-for-metrics 4.1.31**
  - 1.153.1 Available under license
- 1.154 annotations-for-metrics 4.1.31**
  - 1.154.1 Available under license
- 1.155 metrics-utility-servlets 4.1.31**
  - 1.155.1 Available under license
- 1.156 metrics-integration-with-jmx 4.1.31**
  - 1.156.1 Available under license
- 1.157 logback-core 1.2.11**
  - 1.157.1 Available under license
- 1.158 jersey's-jersey 2.35**
  - 1.158.1 Available under license
- 1.159 metrics-integration-for-jersey-2.x 4.1.31**
  - 1.159.1 Available under license
- 1.160 google-gson 2.9.0**
  - 1.160.1 Available under license
- 1.161 jackson-module-afterburner 2.13.2**
  - 1.161.1 Available under license
- 1.162 jackson-datatype-guava 2.13.2**
  - 1.162.1 Available under license
- 1.163 jackson-module-parameter-names 2.13.2**
  - 1.163.1 Available under license
- 1.164 jackson-jaxrs 2.13.2**
  - 1.164.1 Available under license
- 1.165 osgi-resource-locator-bundle 1.0.3**
  - 1.165.1 Available under license
- 1.166 prometheus-java-simpleclient-common 0.15.0**
  - 1.166.1 Available under license
- 1.167 prometheus-java-simpleclient 0.15.0**
  - 1.167.1 Available under license
- 1.168 jersey-ext-bean-validation 2.35**
  - 1.168.1 Available under license
- 1.169 jersey-ext-metainf-services 2.35**
  - 1.169.1 Available under license
- 1.170 jna 5.11.0**
  - 1.170.1 Available under license

- 1.171 junit-platform-junit-platform-launcher 1.8.2**
  - 1.171.1 Available under license
- 1.172 jcl-1-2-implemented-over-slf4j 1.7.36**
  - 1.172.1 Available under license
- 1.173 archaius-core 0.7.1**
  - 1.173.1 Available under license
- 1.174 dropwizard-utility-classes 2.0.29**
  - 1.174.1 Available under license
- 1.175 zt-process 1.3**
  - 1.175.1 Available under license
- 1.176 dropwizard 2.0.29**
  - 1.176.1 Available under license
- 1.177 dropwizard-request-logging-support 2.0.29**
  - 1.177.1 Available under license
- 1.178 jetbrains-kotlin-kotlin-stdlib-jdk8 1.2.71**
  - 1.178.1 Available under license
- 1.179 args4j 2.32**
  - 1.179.1 Available under license
- 1.180 pact-jvm-pact-broker 3.5.25**
  - 1.180.1 Available under license
- 1.181 compiler-com-github-spullara-mustache-java-compiler 0.8.15**
  - 1.181.1 Available under license
- 1.182 prometheus-java-simpleclient-dropwizard 0.15.0**
  - 1.182.1 Available under license
- 1.183 dropwizard-validation-support 2.0.29**
  - 1.183.1 Available under license
- 1.184 pact-jvm-provider-junit\_2.12 3.5.25**
  - 1.184.1 Available under license
- 1.185 simpleclient-servlet 0.15.0**
  - 1.185.1 Available under license
- 1.186 pact-jvm-model 3.5.25**
  - 1.186.1 Available under license
- 1.187 jackson-dataformats-binary 2.13.2**
  - 1.187.1 Available under license
- 1.188 dropwizard-configuration-support 2.0.29**
  - 1.188.1 Available under license
- 1.189 pact-jvm-consumer\_2.12 3.5.25**
  - 1.189.1 Available under license
- 1.190 dropwizard-servlet-support 2.0.29**

- 1.190.1 Available under license
- 1.191 dropwizard-jetty-support 2.0.29**
  - 1.191.1 Available under license
- 1.192 dropwizard-jackson-support 2.0.29**
  - 1.192.1 Available under license
- 1.193 dropwizard-metrics-support 2.0.29**
  - 1.193.1 Available under license
- 1.194 jetbrains-kotlin-kotlin-stdlib-jdk7 1.2.71**
  - 1.194.1 Available under license
- 1.195 dropwizard-lifecycle-support 2.0.29**
  - 1.195.1 Available under license
- 1.196 pact-jvm-consumer-junit 3.5.25**
  - 1.196.1 Available under license
- 1.197 jvm-integration-for-metrics 4.1.31**
  - 1.197.1 Available under license
- 1.198 pact-jvm-consumer-java8\_2.12 3.5.25**
  - 1.198.1 Available under license
- 1.199 pact-jvm-matchers\_2.12 3.5.25**
  - 1.199.1 Available under license
- 1.200 throttling-appender 1.1.9**
  - 1.200.1 Available under license
- 1.201 pact-jvm-provider\_2.12 3.5.25**
  - 1.201.1 Available under license
- 1.202 dropwizard-jersey-support 2.0.29**
  - 1.202.1 Available under license
- 1.203 dropwizard-logging-support 2.0.29**
  - 1.203.1 Available under license
- 1.204 netty-transport-native-unix-common 4.1.78.Final**
  - 1.204.1 Available under license
- 1.205 netty/transport/classes/kqueue 4.1.78.Final**
  - 1.205.1 Available under license
- 1.206 ant-antlr 1.10.12**
  - 1.206.1 Available under license
- 1.207 netty/transport/classes/epoll 4.1.78.Final**
  - 1.207.1 Available under license
- 1.208 apache-groovy 3.0.11**
  - 1.208.1 Available under license
- 1.209 netty-codec-redis 4.1.78.Final**
  - 1.209.1 Available under license

## **1.210 netty/resolver/dns/classes/macos 4.1.78.Final**

1.210.1 Available under license

## **1.211 netty-codec-smtp 4.1.78.Final**

1.211.1 Available under license

## **1.212 apache-groovy 3.0.11**

1.212.1 Available under license

## **1.213 netty-project 4.1.78.Final**

1.213.1 Available under license

## **1.214 javaparser-core 3.24.2**

## **1.215 javabeans-activation-framework-api 1.2.2**

1.215.1 Available under license

## **1.216 javabeans-activation-framework-api 1.2.0**

1.216.1 Available under license

## **1.217 jetty-java-based-http-1-x-http-2-servlet-websocket-server 9.4.48.v20220622**

1.217.1 Available under license

## **1.218 kotlin 1.2.51**

1.218.1 Available under license

## **1.219 nuprocess 2.0.5**

1.219.1 Available under license

## **1.220 apache-commons-text 1.10.0**

1.220.1 Available under license

## **1.221 commons-bcel 6.5.0**

1.221.1 Available under license

## **1.222 java-servlet-api 4.0.4**

1.222.1 Available under license

## **1.223 aws-java-sdk 1.11.30**

1.223.1 Available under license

# **1.1 java-concurrency-in-practice-book- annotations 1.0**

## **1.1.1 Available under license :**

Creative Commons Legal Code

Attribution 2.5

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS LICENSE DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE INFORMATION PROVIDED, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM ITS USE.

## License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

### 1. Definitions

"Collective Work" means a work, such as a periodical issue, anthology or encyclopedia, in which the Work in its entirety in unmodified form, along with a number of other contributions, constituting separate and independent works in themselves, are assembled into a collective whole. A work that constitutes a Collective Work will not be considered a Derivative Work (as defined below) for the purposes of this License.

"Derivative Work" means a work based upon the Work or upon the Work and other pre-existing works, such as a translation, musical arrangement, dramatization, fictionalization, motion picture version, sound recording, art reproduction, abridgment, condensation, or any other form in which the Work may be recast, transformed, or adapted, except that a work that constitutes a Collective Work will not be considered a Derivative Work for the purpose of this License. For the avoidance of doubt, where the Work is a musical composition or sound recording, the synchronization of the Work in timed-relation with a moving image ("synching") will be considered a Derivative Work for the purpose of this License.

"Licensor" means the individual or entity that offers the Work under the terms of this License.

"Original Author" means the individual or entity who created the Work.

"Work" means the copyrightable work of authorship offered under the terms of this License.

"You" means an individual or entity exercising rights under this License who has not previously violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.

2. Fair Use Rights. Nothing in this license is intended to reduce, limit, or restrict any rights arising from fair use, first sale or other limitations on the exclusive rights of the copyright owner under copyright law or other applicable laws.

3. License Grant. Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

to reproduce the Work, to incorporate the Work into one or more Collective Works, and to reproduce the Work as incorporated in the Collective Works;

to create and reproduce Derivative Works;

to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission the Work including as incorporated in Collective Works;

to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission Derivative Works.

For the avoidance of doubt, where the work is a musical composition:

**Performance Royalties Under Blanket Licenses.** Licensor waives the exclusive right to collect, whether individually or via a performance rights society (e.g. ASCAP, BMI, SESAC), royalties for the public performance or public digital performance (e.g. webcast) of the Work.

**Mechanical Rights and Statutory Royalties.** Licensor waives the exclusive right to collect, whether individually or via a music rights agency or designated agent (e.g. Harry Fox Agency), royalties for any phonorecord You create from the Work ("cover version") and distribute, subject to the compulsory license created by 17 USC Section 115 of the US Copyright Act (or the equivalent in other jurisdictions).

**Webcasting Rights and Statutory Royalties.** For the avoidance of doubt, where the Work is a sound recording, Licensor waives the exclusive right to collect, whether individually or via a performance-rights society (e.g. SoundExchange), royalties for the public digital performance (e.g. webcast) of the Work, subject to the compulsory license created by 17 USC Section 114 of the US Copyright Act (or the equivalent in other jurisdictions).

The above rights may be exercised in all media and formats

whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. All rights not expressly granted by Licensor are hereby reserved.

4. Restrictions. The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:

You may distribute, publicly display, publicly perform, or publicly digitally perform the Work only under the terms of this License, and You must include a copy of, or the Uniform Resource Identifier for, this License with every copy or phonorecord of the Work You distribute, publicly display, publicly perform, or publicly digitally perform. You may not offer or impose any terms on the Work that alter or restrict the terms of this License or the recipients' exercise of the rights granted hereunder. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer

of warranties. You may not distribute, publicly display, publicly perform, or publicly digitally perform the Work with any technological measures that control access or use of the Work in a manner inconsistent with the terms of this License Agreement. The above applies to the Work as incorporated in a Collective Work, but this does not require the Collective Work apart from the Work itself to be made subject to the terms of this License. If You create a Collective Work, upon notice from any Licensor You must, to the extent practicable, remove from the Collective Work any credit as required by clause 4(b), as requested. If You create a Derivative Work, upon notice from any Licensor You must, to the extent practicable, remove from the Derivative Work any credit as required by clause 4(b), as requested.

If you distribute, publicly display, publicly perform, or publicly digitally perform the Work or any Derivative Works or Collective Works, You must keep intact all copyright notices for the Work and provide, reasonable to the medium or means You are utilizing: (i) the name of the Original Author (or pseudonym, if applicable) if supplied, and/or (ii) if the Original Author and/or Licensor designate another party or parties (e.g. a sponsor institute, publishing entity, journal) for attribution in Licensor's copyright notice, terms of service or by other reasonable means, the name of such party or parties; the title of the Work if supplied; to the extent reasonably practicable, the Uniform Resource Identifier, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing information for the Work; and in the case of a Derivative Work, a credit identifying the use of the Work in the Derivative Work (e.g., "French translation of the Work by Original Author," or "Screenplay based on original Work by Original Author"). Such credit may be implemented in any reasonable manner; provided, however, that in

the case of a Derivative Work or Collective Work, at a minimum such credit will appear where any other comparable authorship credit appears and in a manner at least as prominent as such other comparable authorship credit.

#### 5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

6. Limitation on Liability. EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. Termination

This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Derivative Works or Collective Works from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.

Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this License will continue in full force and effect unless terminated as stated above.

#### 8. Miscellaneous

Each time You distribute or publicly digitally perform the Work or a Collective Work, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License.

Each time You distribute or publicly digitally perform a Derivative Work, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You under this License.

If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.

This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License may not be

modified without the mutual written agreement of the Licensor and You.

Creative Commons is not a party to this License, and makes no warranty whatsoever in connection with the Work. Creative Commons will not be liable to You or any party on any legal theory for any damages whatsoever, including without limitation any general, special, incidental or consequential damages arising in connection to this license. Notwithstanding the foregoing two (2) sentences, if Creative Commons has expressly identified itself as the Licensor hereunder, it shall have all rights and obligations of Licensor.

Except for the limited purpose of indicating to the public that the Work is licensed under the CCPL, neither party will use the trademark "Creative Commons" or any related trademark or logo of Creative Commons without the prior written consent of Creative Commons. Any permitted use will be in compliance with Creative Commons' then-current trademark usage guidelines, as may be published on its website or otherwise made available upon request from time to time.

Creative Commons may be contacted at <https://creativecommons.org/>.

/\*

- \* Copyright (c) 2005 Brian Goetz and Tim Peierls
- \* Released under the Creative Commons Attribution License
- \* (<http://creativecommons.org/licenses/by/2.5>)
- \* Official home: <http://www.jcip.net>
- \*
- \* Any republication or derived work distributed in source code form
- \* must include this copyright and license notice.
- \*/

## 1.2 apache-commons-lang 2.6

### 1.2.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"  
(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations,  
or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
  
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
  
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.3 apache-commons-lang 3.4

## 1.3.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Lang  
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes software from the Spring Framework,  
under the Apache License 2.0 (see: `StringUtils.containsWhitespace()`)

## 1.4 commons-logging 1.1.3

### 1.4.1 Available under license :

Apache Commons Logging (for Apache Directory Studio)  
Copyright 2003-2013 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.5 jetbrains-annotations 13.0

### 1.5.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2000-2013 JetBrains s.r.o.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-  
jar/org/jetbrains/annotations/Contract.java  
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-  
jar/org/intellij/lang/annotations/Flow.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2000-2009 JetBrains s.r.o.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-
jar/org/jetbrains/annotations/NonNls.java
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-
jar/org/jetbrains/annotations/Nullable.java
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-
jar/org/jetbrains/annotations/PropertyKey.java
*
/opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-
jar/org/jetbrains/annotations/Nls.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2006 Sascha Weinreuter
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/Identifier.java
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-
```

```
jar/org/intellij/lang/annotations/Language.java
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/Subst.java
*
/opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/RegExp.java
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/PrintFormat.java
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/Pattern.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2000-2012 JetBrains s.r.o.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/JdkConstants.java
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/MagicConstant.java
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-
jar/org/jetbrains/annotations/NotNull.java
*
/opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-
jar/org/jetbrains/annotations/TestOnly.java
```

## 1.6 kotlin-reflect 1.2.71

## 1.7 guava-retrying 2.0.0

# 1.8 json-java 20160212

## 1.8.1 Available under license :

---

Copyright (c) 2002 JSON.org

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

The Software shall be used for Good, not Evil.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.9 javax-annotation-api 1.3.2

## 1.9.1 Available under license :

```
/*
 * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
 *
 * Copyright (c) 2005-2018 Oracle and/or its affiliates. All rights reserved.
 *
 * The contents of this file are subject to the terms of either the GNU
 * General Public License Version 2 only ("GPL") or the Common Development
 * and Distribution License("CDDL") (collectively, the "License"). You
 * may not use this file except in compliance with the License. You can
 * obtain a copy of the License at
 * https://oss.oracle.com/licenses/CDDL+GPL-1.1
 * or LICENSE.txt. See the License for the specific
 * language governing permissions and limitations under the License.
```

- \*
  - \* When distributing the software, include this License Header Notice in each
  - \* file and include the License file at LICENSE.txt.
- \*
  - \* GPL Classpath Exception:
  - \* Oracle designates this particular file as subject to the "Classpath"
  - \* exception as provided by Oracle in the GPL Version 2 section of the License
  - \* file that accompanied this code.

Modifications:

- \* If applicable, add the following below the License Header, with the fields
- \* enclosed by brackets [] replaced by your own identifying information:
- \* "Portions Copyright [year] [name of copyright owner]"

\* Contributor(s):

- \* If you wish your version of this file to be governed by only the CDDL or
- \* only the GPL Version 2, indicate your decision by adding "[Contributor]
- \* elects to include this software in this distribution under the [CDDL or GPL
- \* Version 2] license." If you don't indicate a single choice of license, a
- \* recipient has the option to distribute your version of this file under
- \* either the CDDL, the GPL Version 2 or to extend the choice of license to
- \* its licensees as provided above. However, if you add GPL Version 2 code
- \* and therefore, elected the GPL Version 2 license, then the option applies
- \* only if the new code is made subject to such option by the copyright
- \* holder.

\*/

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under

intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

#### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

### 4. Versions of the License.

#### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

#### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION

OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any

program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

**NO WARRANTY**

**11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE**

STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These

Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

## 1.10 apache-httpmime 4.5.5

## 1.10.1 Available under license :

Apache HttpClient Mime  
Copyright 1999-2018 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.11 hamcrest 1.3

### 1.11.1 Available under license :

Copyright (c) 2000-2003, jMock.org  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of jMock nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

## WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

BSD License

Copyright (c) 2000-2006, www.hamcrest.org  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.12 objenesis 2.6

### 1.12.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
// -----  
// NOTICE file corresponding to the section 4d of The Apache License,  
// Version 2.0, in this case for Objenesis  
// -----
```

Objenesis  
Copyright 2006-2017 Joe Walnes, Henri Tremblay, Leonardo Mesquita

# 1.13 google-guice 4.0

## 1.13.1 Available under license :

Struts 2 Core

Copyright 2000-2010 Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii)

beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

### 3. Grant

of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed

under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

/\*\*

\* Copyright (C) 2006 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.

\*/

Apache Commons Lang

Copyright 2001-2008 The Apache Software Foundation

This product includes software developed by

The Apache Software Foundation (<http://www.apache.org/>).

XWork: Core

Copyright 2000-2010 Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

FreeMarker 1.x was released under the LGPL license. Later, by community consensus, we have switched over to a BSD-style license. As of FreeMarker 2.2pre1, the original author, Benjamin Geer, has relinquished the copyright in behalf of Visigoth Software Society. The current copyright holder is the Visigoth Software Society.

-----  
Copyright (c) 2003 The Visigoth Software Society. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The end-user documentation included with the redistribution, if any, must include the following acknowledgement:  
"This product includes software developed by the  
Visigoth Software Society (<http://www.visigoths.org/>)."  
Alternately,  
this acknowledgement may appear in the software itself, if and  
wherever such third-party acknowledgements normally appear.
3. Neither the name "FreeMarker", "Visigoth", nor any of the names of the project contributors may be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [visigoths@visigoths.org](mailto:visigoths@visigoths.org).
4. Products derived from this software may not be called "FreeMarker" or "Visigoth" nor may "FreeMarker" or "Visigoth" appear in their names

without prior written permission of the Visigoth Software Society.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE VISIGOTH SOFTWARE SOCIETY OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
This software consists of voluntary contributions made by many individuals on behalf of the Visigoth Software Society. For more information on the Visigoth Software Society, please see <http://www.visigoths.org/>  
This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).  
ASM: a very small and fast Java bytecode manipulation framework  
Copyright (c) 2000,2002,2003 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright 2001-2005 (C) MetaStuff, Ltd. All Rights Reserved.

Redistribution and use of this software and associated documentation ("Software"), with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain copyright statements and notices. Redistributions must also contain a copy of this document.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name "DOM4J" must not be used to endorse or promote products derived from this Software without prior written permission of MetaStuff, Ltd. For written permission, please contact [dom4j-info@metastuff.com](mailto:dom4j-info@metastuff.com).
4. Products derived from this Software may not be called "DOM4J" nor may "DOM4J" appear in their names without prior written permission of MetaStuff, Ltd. DOM4J is a registered trademark of MetaStuff, Ltd.
5. Due credit should be given to the DOM4J Project - <http://www.dom4j.org>

THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Specification: JSR-000220 Enterprise JavaBeans v.3.0 ("Specification")

Version: 3.0

Status: Final Release

Release: 8 May 2006

Copyright 2006 SUN MICROSYSTEMS, INC.

4150 Network Circle, Santa Clara, California 95054, U.S.A

All rights reserved.

#### LIMITED LICENSE GRANTS

1. License for Evaluation Purposes. Sun hereby grants you a fully-paid, non-exclusive, non-transferable, worldwide, limited license (without the right to sublicense), under Sun's applicable intellectual property rights to view, download, use and reproduce the Specification only for the purpose of internal evaluation. This includes (i) developing applications intended to run on an implementation of the Specification, provided that such applications do not themselves implement any portion(s) of the Specification, and (ii) discussing the Specification with any third party; and (iii) excerpting brief portions of the Specification in oral or written communications which discuss the Specification provided that such excerpts do not

in the aggregate constitute a significant portion of the Specification.

2. License for the Distribution of Compliant Implementations. Sun also grants you a perpetual, nonexclusive, non-transferable, worldwide, fully paid-up, royalty free, limited license (without the right to sublicense) under any applicable copyrights or, subject to the provisions of subsection 4 below, patent rights it may have covering the Specification to create and/or distribute an Independent Implementation of the Specification that: (a) fully implements the Specification including all its required interfaces and functionality; (b) does not modify, subset, superset or otherwise extend the Licensor Name Space, or include any public or protected packages, classes, Java interfaces, fields or methods within the Licensor Name Space other than those required/authorized by the Specification or Specifications being implemented; and (c) passes the Technology Compatibility Kit (including satisfying the requirements of the applicable

TCK Users Guide) for such Specification ("Compliant Implementation"). In addition, the foregoing license is expressly conditioned on your not acting outside its scope. No license is granted hereunder for any other purpose (including, for example, modifying the Specification, other than to the extent of your fair use rights, or distributing the Specification to third parties). Also, no right, title, or interest in or to any trademarks, service marks, or trade names of Sun or Sun's licensors is granted hereunder. Java, and Java-related logos, marks and names are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries.

3. Pass-through Conditions. You need not include limitations (a)-(c) from the previous paragraph or any other particular "pass through" requirements in any license You grant concerning the use of your Independent

Implementation or products derived from it. However, except with respect to Independent Implementations (and products

derived from them) that satisfy limitations (a)-(c) from the previous paragraph, You may neither: (a) grant or otherwise pass through to your licensees any licenses under Suns applicable intellectual property rights; nor (b) authorize your licensees to make any claims concerning their implementations compliance with the Specification in question.

#### 4. Reciprocity Concerning Patent Licenses.

a. With respect to any patent claims covered by the license granted under subparagraph 2 above that would be infringed by all technically feasible implementations of the Specification, such license is conditioned upon your offering on fair, reasonable and non-discriminatory terms, to any party seeking it from You, a perpetual, non-exclusive, non-transferable, worldwide license under Your patent rights which are or would be infringed by all technically feasible implementations of the Specification to develop, distribute and use a Compliant Implementation.

b With respect to any patent claims owned

by Sun and covered by the license granted under subparagraph

2, whether or not their infringement can be avoided in a technically feasible manner when implementing the Specification, such license shall terminate with respect to such claims if You initiate a claim against Sun that it has, in the course of performing its responsibilities as the Specification Lead, induced any other entity to infringe Your patent rights.

c Also with respect to any patent claims owned by Sun and covered by the license granted under subparagraph 2 above, where the infringement of such claims can be avoided in a technically feasible manner when implementing the Specification such license, with respect to such claims, shall terminate if You initiate a claim against Sun that its making, having made, using, offering to sell, selling or importing a Compliant Implementation infringes Your patent rights.

#### 5. Definitions. For the purposes of this Agreement: "Independent Implementation" shall mean an implementation of

the Specification that neither derives from any of Suns source code or binary code materials nor, except with an appropriate and separate license from Sun, includes any of Suns source code or binary code materials; "Licensor Name Space" shall mean the public class or interface declarations whose names begin with "java", "javax", "com.sun" or their equivalents in any subsequent naming convention adopted by Sun through the Java Community Process, or any recognized successors or replacements thereof; and "Technology Compatibility Kit" or "TCK" shall mean the test suite and accompanying TCK Users Guide provided by Sun which corresponds to the Specification and that was available either (i) from Sun 120 days before the first release of Your Independent Implementation that allows its use for commercial purposes, or (ii) more recently than 120 days from such release but against which You elect to test Your implementation of the Specification.

This Agreement will terminate immediately

without notice from Sun if you breach the Agreement or act

outside the scope of the licenses granted above.

#### **DISCLAIMER OF WARRANTIES**

**THE SPECIFICATION IS PROVIDED "AS IS". SUN MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT (INCLUDING AS A CONSEQUENCE OF ANY PRACTICE OR IMPLEMENTATION OF THE SPECIFICATION), OR THAT THE CONTENTS OF THE SPECIFICATION ARE SUITABLE FOR ANY PURPOSE. This document does not represent any commitment to release or implement any portion of the Specification in any product. In addition, the Specification could include technical inaccuracies or typographical errors.**

#### LIMITATION OF LIABILITY

TO THE EXTENT NOT PROHIBITED BY LAW, IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY DAMAGES, INCLUDING WITHOUT LIMITATION, LOST REVENUE, PROFITS OR DATA, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED

AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF OR RELATED IN ANY WAY TO YOUR HAVING, IMPLEMENTING OR OTHERWISE USING THE SPECIFICATION, EVEN IF SUN AND/OR ITS LICENSORS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

You will indemnify, hold harmless, and defend Sun and its licensors from any claims arising or resulting from: (i) your use of the Specification; (ii) the use or distribution of your Java application, applet and/or implementation; and/or (iii) any claims that later versions or releases of any Specification furnished to you are incompatible with the Specification provided to you under this license.

#### RESTRICTED RIGHTS LEGEND

U.S. Government: If this Specification is being acquired by or on behalf of the U.S. Government or by a U.S. Government prime contractor or subcontractor (at any tier), then the Governments rights in the Software and accompanying documentation shall be only as set forth in this license; this is in accordance with 48 C.F.R. 227.7201 through

227.7202-4 (for Department of Defense (DoD) acquisitions) and with 48 C.F.R. 2.101 and 12.212 (for non-DoD acquisitions).

#### REPORT

If you provide Sun with any comments or suggestions concerning the Specification ("Feedback"), you hereby: (i) agree that such Feedback is provided on a non-proprietary and non-confidential basis, and (ii) grant Sun a perpetual, non-exclusive, worldwide, fully paid-up, irrevocable license, with the right to sublicense through multiple levels of sublicensees, to incorporate, disclose, and use without limitation the Feedback for any purpose.

#### GENERAL TERMS

Any action related to this Agreement will be governed by California law and controlling U.S. federal law. The U.N. Convention for the International Sale of Goods and the choice of law rules of any jurisdiction will not apply.

The Specification is subject to U.S. export control laws and may be subject to export or import regulations in other countries. Licensee agrees to comply strictly with all such laws and regulations and acknowledges

that it has the responsibility to obtain such licenses to export, re-export or import as may be required after delivery to Licensee.

This Agreement is the parties entire agreement relating to its subject matter. It supersedes all prior or contemporaneous oral or written communications, proposals, conditions, representations and warranties and prevails over any conflicting or additional terms of any quote, order, acknowledgment, or other communication between the parties relating to its subject matter during the term of this Agreement. No modification to this Agreement will be binding, unless in writing and signed by an authorized representative of each party.

Rev. April, 2006

Sun/Final/Full

Apache Struts

Copyright 2000-2007 The Apache Software Foundation

This product includes software developed by

The Apache Software Foundation (<http://www.apache.org/>).  
domTT (<http://www.mojavelinux.com/projects/domtooltip/>).

The binary distributions includes the following third party software:

FreeMarker (<http://freemarker.org/>).  
OGNL (<http://www.opensymphony.com/ognl/>).  
XWork (<http://www.opensymphony.com/xwork/>).  
Apache Jakarta Commons IO

Copyright 2001-2007 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

```
=====
== NOTICE file corresponding to the section 4 d of           ==
== the Apache License, Version 2.0,                          ==
== in this case for the Apache Ant distribution.              ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes also software developed by :

- the W3C consortium (<http://www.w3c.org/>),
- the SAX project (<http://www.saxproject.org/>)

Please read the different LICENSE files present in the root directory of  
this distribution.

Apache Felix Main  
Copyright 2010 The Apache Software Foundation

## I. Included Software

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
Licensed under the Apache License 2.0.

This product includes software developed at  
The OSGi Alliance (<http://www.osgi.org/>).  
Copyright (c) OSGi Alliance (2000, 2009).  
Licensed under the Apache License 2.0.

## II. Used Software

This product uses software developed at  
The OSGi Alliance (<http://www.osgi.org/>).  
Copyright (c) OSGi Alliance (2000, 2009).

Licensed under the Apache License 2.0.

This product uses software developed at  
The Codehaus (<http://www.codehaus.org>)  
Licensed under the Apache License 2.0.

### III. License Summary

- Apache License 2.0

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

/\* =====

- \* The OpenSymphony Software License, Version 1.1
- \*
- \* (this license is derived and fully compatible with the Apache Software License - see <http://www.apache.org/LICENSE.txt>)
- \*
- \* Copyright (c) 2001-2004 The OpenSymphony Group. All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \*
- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*  
 \* 3. The end-user documentation included with the redistribution,  
 \* if any, must include the following acknowledgment:  
 \* "This product  
 includes software developed by the  
 \* OpenSymphony Group (<http://www.opensymphony.com/>)."  
 \* Alternately, this acknowledgment may appear in the software itself,  
 \* if and wherever such third-party acknowledgments normally appear.  
 \*  
 \* 4. The names "OpenSymphony" and "The OpenSymphony Group"  
 \* must not be used to endorse or promote products derived from this  
 \* software without prior written permission. For written  
 \* permission, please contact [license@opensymphony.com](mailto:license@opensymphony.com) .  
 \*  
 \* 5. Products derived from this software may not be called "OpenSymphony"  
 \* or "XWork", nor may "OpenSymphony" or "XWork" appear in their  
 \* name, without prior written permission of the OpenSymphony Group.  
 \*  
 \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
 \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
 \* ITS CONTRIBUTORS  
 BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
 \* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
 \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
 \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
 \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
 \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
 \* SUCH DAMAGE.  
 \* =====  
 \*/

Apache License  
 Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
 and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
 the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons FileUpload

Copyright 2002-2008 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

/\*

\* Apache License  
\* Version 2.0, January 2004  
\* <http://www.apache.org/licenses/>

\* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

\*

\* 1. Definitions.

\*

\* "License" shall mean the terms and conditions for use, reproduction,  
\* and distribution as defined by Sections 1 through 9 of this document.

\*

\* "Licensor" shall mean the copyright owner or entity authorized by  
\* the copyright owner that is granting the License.

\*

\* "Legal Entity" shall mean the union of the acting entity and all  
\* other entities that control, are controlled by, or are under common  
\* control with that entity. For the purposes of this definition,  
\* "control" means (i) the power, direct or indirect, to cause the  
\* direction or management of such entity, whether by contract or  
\* otherwise, or (ii) ownership of fifty percent (50%) or more of the

\*

outstanding shares, or (iii) beneficial ownership of such entity.

\*

\* "You" (or "Your") shall mean an individual or Legal Entity  
\* exercising permissions granted by this License.

\*

\* "Source" form shall mean the preferred form for making modifications,  
\* including but not limited to software source code, documentation  
\* source, and configuration files.

\*

\* "Object" form shall mean any form resulting from mechanical  
\* transformation or translation of a Source form, including but  
\* not limited to compiled object code, generated documentation,  
\* and conversions to other media types.

\*

\* "Work" shall mean the work of authorship, whether in Source or  
\* Object form, made available under the License, as indicated by a

\* copyright notice that is included in or attached to the work  
\* (an example is provided in the Appendix below).

\* "Derivative Works" shall mean any work, whether in Source or Object  
\* form, that is based on (or derived from) the Work and for which the  
\* editorial revisions, annotations, elaborations, or other modifications  
\* represent, as a whole, an original work of authorship. For the purposes  
\* of this License, Derivative Works shall not include works that remain  
\* separable from, or merely link (or bind by name) to the interfaces of,  
\* the Work and Derivative Works thereof.

\* "Contribution" shall mean any work of authorship, including  
\* the original version of the Work and any modifications or additions  
\* to that Work or Derivative Works thereof, that is intentionally  
\* submitted to Licensor for inclusion in the Work by the copyright owner  
\* or by an individual or Legal Entity authorized to submit on behalf of  
\* the copyright owner. For the purposes of this definition, "submitted"  
\* means any form of electronic, verbal, or written communication sent  
\* to the Licensor or its representatives,  
\* including but not limited to  
\* communication on electronic mailing lists, source code control systems,  
\* and issue tracking systems that are managed by, or on behalf of, the  
\* Licensor for the purpose of discussing and improving the Work, but  
\* excluding communication that is conspicuously marked or otherwise  
\* designated in writing by the copyright owner as "Not a Contribution."

\* "Contributor" shall mean Licensor and any individual or Legal Entity  
\* on behalf of whom a Contribution has been received by Licensor and  
\* subsequently incorporated within the Work.

\* 2. Grant of Copyright License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* copyright license to reproduce, prepare Derivative Works of,  
\* publicly display, publicly perform, sublicense, and distribute the  
\* Work and such Derivative Works in Source or Object form.

\* 3. Grant of Patent License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* (except as stated in this section) patent license to make, have made,  
\* use, offer to sell, sell, import, and otherwise transfer the Work,  
\* where such license applies only to those patent claims licensable  
\* by such Contributor that are necessarily infringed by their  
\* Contribution(s) alone or by combination of their Contribution(s)  
\* with the Work to which such Contribution(s) was submitted. If You

\* institute patent litigation against any entity (including a  
\* cross-claim or counterclaim in a lawsuit) alleging that the Work  
\* or a Contribution incorporated within the Work constitutes direct  
\* or contributory patent infringement, then any patent licenses  
\* granted to You under this License for that Work shall terminate  
\* as of the date such litigation is filed.

\*

\* 4. Redistribution. You may reproduce and distribute copies of the  
\* Work or Derivative Works thereof in any medium, with or without  
\* modifications, and in Source or Object form, provided that You  
\* meet the following conditions:

\*

\* (a) You must give any other recipients of the Work or  
\* Derivative Works a copy of this License; and

\*

\* (b) You must cause any modified files to carry prominent notices  
\* stating that You changed the files; and

\*

\* (c) You must retain, in the Source form of any Derivative Works  
\* that You distribute, all copyright, patent, trademark, and  
\* attribution notices from the Source form of the Work,  
\* excluding those notices that do not pertain to any part of  
\* the Derivative Works; and

\*

\* (d) If the Work includes a "NOTICE"

text file as part of its

\* distribution, then any Derivative Works that You distribute must  
\* include a readable copy of the attribution notices contained  
\* within such NOTICE file, excluding those notices that do not  
\* pertain to any part of the Derivative Works, in at least one  
\* of the following places: within a NOTICE text file distributed  
\* as part of the Derivative Works; within the Source form or  
\* documentation, if provided along with the Derivative Works; or,  
\* within a display generated by the Derivative Works, if and  
\* wherever such third-party notices normally appear. The contents  
\* of the NOTICE file are for informational purposes only and  
\* do not modify the License. You may add Your own attribution  
\* notices within Derivative Works that You distribute, alongside  
\* or as an addendum to the NOTICE text from the Work, provided  
\* that

such additional attribution notices cannot be construed

\* as modifying the License.

\*

\* You may add Your own copyright statement to Your modifications and  
\* may provide additional or different license terms and conditions  
\* for use, reproduction, or distribution of Your modifications, or  
\* for any such Derivative Works as a whole, provided Your use,  
\* reproduction, and distribution of the Work otherwise complies with

\* the conditions stated in this License.

\*

\* 5. Submission of Contributions. Unless You explicitly state otherwise,  
\* any Contribution intentionally submitted for inclusion in the Work  
\* by You to the Licensor shall be under the terms and conditions of  
\* this License, without any additional terms or conditions.

\* Notwithstanding the above, nothing herein shall supersede or modify  
\* the terms of any separate license agreement you may have executed  
\* with Licensor regarding such Contributions.

\*

\* 6. Trademarks. This License does not grant permission to use the trade  
\* names, trademarks, service marks, or product names of the Licensor,  
\* except as required for reasonable and customary use in describing the  
\* origin of the Work and reproducing the content of the NOTICE file.

\*

\* 7. Disclaimer of Warranty. Unless required by applicable law or  
\* agreed to in writing, Licensor provides the Work (and each  
\* Contributor provides its Contributions) on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
\* implied, including, without limitation, any warranties or conditions  
\* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A  
\* PARTICULAR PURPOSE. You are solely responsible for determining the  
\* appropriateness of using or redistributing the Work and assume any  
\* risks associated with Your exercise of permissions under this License.

\*

\* 8. Limitation of Liability.

In no event and under no legal theory,

\* whether in tort (including negligence), contract, or otherwise,  
\* unless required by applicable law (such as deliberate and grossly  
\* negligent acts) or agreed to in writing, shall any Contributor be  
\* liable to You for damages, including any direct, indirect, special,  
\* incidental, or consequential damages of any character arising as a  
\* result of this License or out of the use or inability to use the  
\* Work (including but not limited to damages for loss of goodwill,  
\* work stoppage, computer failure or malfunction, or any and all  
\* other commercial damages or losses), even if such Contributor  
\* has been advised of the possibility of such damages.

\*

\* 9. Accepting Warranty or Additional Liability. While redistributing  
\* the Work or Derivative Works thereof, You may choose to offer,  
\* and charge a fee for, acceptance of support, warranty, indemnity,  
\* or other

liability obligations and/or rights consistent with this

\* License. However, in accepting such obligations, You may act only  
\* on Your own behalf and on Your sole responsibility, not on behalf  
\* of any other Contributor, and only if You agree to indemnify,  
\* defend, and hold each Contributor harmless for any liability  
\* incurred by, or claims asserted against, such Contributor by reason

\* of your accepting any such warranty or additional liability.

\*

\* END OF TERMS AND CONDITIONS

\*

\* APPENDIX: How to apply the Apache License to your work.

\*

\* To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

\*

\* Copyright [yyyy] [name of copyright owner]

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

/\* =====

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 2000-2002 The Apache Software Foundation. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*

\* 3. The end-user documentation included with the redistribution,  
 \* if any, must include the following acknowledgment:  
 \* "This product includes software developed by the  
 \* Apache Software Foundation (<http://www.apache.org/>)."  
 \* Alternately, this  
 acknowledgment may appear in the software itself,  
 \* if and wherever such third-party acknowledgments normally appear.  
 \*

\* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"  
 \* must not be used to endorse or promote products derived from this  
 \* software without prior written permission. For written  
 \* permission, please contact [apache@apache.org](mailto:apache@apache.org).  
 \*

\* 5. Products derived from this software may not be called "Apache"  
 \* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their  
 \* name, without prior written permission of the Apache Software Foundation.  
 \*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
 \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,  
 \* BUT NOT  
 \* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
 \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
 \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
 \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
 \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
 \* SUCH DAMAGE.  
 \* =====  
 \*

\* This software consists of voluntary contributions made by many  
 \* individuals on behalf of the Apache Software Foundation. For more  
 \* information on the Apache Software Foundation, please see  
 \* <<http://www.apache.org/>>.  
 \*/  
 /\* =====

\* The OpenSymphony Software License, Version 1.1  
 \*

\* (this license is derived and fully compatible with the Apache Software  
 \* License - see <http://www.apache.org/LICENSE.txt>)  
 \*

\* Copyright (c) 2001-2004 The OpenSymphony Group. All rights reserved.  
 \*

\* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:

```

*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
* "This product
includes software developed by the
* OpenSymphony Group (http://www.opensymphony.com/)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "OpenSymphony" and "The OpenSymphony Group"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact license@opensymphony.com .
*
* 5. Products derived from this software may not be called "OpenSymphony"
* or "OGNL", nor may "OpenSymphony" or "OGNL" appear in their
* name, without prior written permission of the OpenSymphony Group.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*/

```

## 1.14 apache-commons-collections 3.2.2

## 1.14.1 Available under license :

Apache Commons Collections  
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.15 findbugs-jsr305 2.0.3

### 1.15.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2005 Brian Goetz  
* Released under the Creative Commons Attribution License  
* (http://creativecommons.org/licenses/by/2.5)  
* Official home: http://www.jcip.net  
*/
```

Found in path(s):

```
* /opt/cola/permits/1010092543_1648836069.89/0/jsr305-2-0-3-jar/javax/annotation/concurrent/Immutable.java  
* /opt/cola/permits/1010092543_1648836069.89/0/jsr305-2-0-3-jar/javax/annotation/concurrent/GuardedBy.java  
* /opt/cola/permits/1010092543_1648836069.89/0/jsr305-2-0-3-jar/javax/annotation/concurrent/NotThreadSafe.java
```

## 1.16 aop-alliance 1.0

## 1.16.1 Available under license :

all the source code provided by AOP Alliance is Public Domain.

# 1.17 findbugs-jsr305 3.0.2

## 1.17.1 Available under license :

License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

### 1. Definitions

1. "Collective Work" means a work, such as a periodical issue, anthology or encyclopedia, in which the Work in its entirety in unmodified form, along with a number of other contributions, constituting separate and independent works in themselves, are assembled into a collective whole. A work that constitutes a Collective Work will not be considered a Derivative Work (as defined below) for the purposes of this License.

2. "Derivative Work" means a work based upon the Work or upon the Work and other pre-existing works, such as a translation, musical arrangement, dramatization, fictionalization, motion picture version, sound recording, art reproduction, abridgment, condensation, or any other form in which the Work may be recast, transformed, or adapted, except that a work that constitutes a Collective Work will not be considered a Derivative Work for the purpose of this License. For the avoidance of doubt, where the Work is a musical composition or sound recording, the synchronization of the Work in timed-relation with a moving image ("synching") will be considered a Derivative Work for the purpose of this License.

3. "Licensor" means the individual or entity that offers the Work under the terms of this License.

4. "Original Author" means the individual or entity who created the Work.

5. "Work" means the copyrightable work of authorship offered under the terms of this License.

6. "You" means an individual or entity exercising rights under this License who has not previously violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.

2. Fair Use Rights. Nothing in this license is intended to reduce, limit, or restrict any rights arising from fair use, first sale or other limitations on the exclusive rights of the copyright owner under copyright law or other applicable laws.

3. License Grant. Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

1. to reproduce the Work, to incorporate the Work into one or more Collective Works, and to reproduce the Work as incorporated in the Collective Works;
2. to create and reproduce Derivative Works;
3. to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission the Work including as incorporated in Collective Works;
4. to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission Derivative Works.
- 5.

For the avoidance of doubt, where the work is a musical composition:

1. Performance Royalties Under Blanket Licenses. Licensor waives the exclusive right to collect, whether individually or via a performance rights society (e.g. ASCAP, BMI, SESAC), royalties for the public performance or public digital performance (e.g. webcast) of the Work.

2. Mechanical Rights and Statutory Royalties. Licensor waives the exclusive right to collect, whether individually or via a music rights agency or designated agent (e.g. Harry Fox Agency), royalties for any phonorecord You create from the Work ("cover version") and distribute, subject to the compulsory license created by 17 USC Section 115 of the US Copyright Act (or the equivalent in other jurisdictions).

6. Webcasting Rights and Statutory Royalties. For the avoidance of doubt, where the Work is a sound recording, Licensor waives the exclusive right to collect, whether individually or via a performance-rights society (e.g. SoundExchange), royalties for the public digital performance (e.g. webcast) of the Work, subject to the compulsory license created by 17 USC Section 114 of the US Copyright Act (or the equivalent in other jurisdictions).

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. All rights not expressly granted by Licensor are hereby reserved.

4. Restrictions. The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:

1. You may distribute, publicly display, publicly perform, or publicly digitally perform the Work only under the terms of this License, and You must include a copy of, or the Uniform Resource Identifier for, this License with every copy or phonorecord of the Work You distribute, publicly display, publicly perform, or publicly digitally perform. You may not offer or impose any terms on the Work that alter or restrict the terms of this License or the recipients' exercise of the rights granted hereunder. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties. You may not distribute, publicly display, publicly perform, or publicly digitally perform the Work with any technological measures that control access or use of the Work in a manner

inconsistent with the terms of this License Agreement. The above applies to the Work as incorporated in a Collective Work, but this does not require the Collective Work apart from the Work itself to be made subject to the terms of this License. If You create a Collective Work, upon notice from any Licensor You must, to the extent practicable, remove from the Collective Work any credit as required by clause 4(b), as requested. If You create a Derivative Work, upon notice from any Licensor You must, to the extent practicable, remove from the Derivative Work any credit as required by clause 4(b), as requested.

2. If you distribute, publicly display, publicly perform, or publicly digitally perform the Work or any Derivative Works or Collective Works, You must keep intact all copyright notices for the Work and provide, reasonable to the

medium or means You are utilizing: (i) the name of the Original Author (or pseudonym, if applicable) if supplied, and/or (ii) if the Original Author

and/or Licensor designate another party or parties (e.g. a sponsor institute, publishing entity, journal) for attribution in Licensor's copyright notice, terms of service or by other reasonable means, the name of such party or parties; the title of the Work if supplied; to the extent reasonably practicable, the Uniform Resource Identifier, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing information for the Work; and in the case of a Derivative Work, a credit identifying the use of the Work in the Derivative Work (e.g., "French translation of the Work by Original Author," or "Screenplay based on original Work by Original Author"). Such credit may be implemented in any reasonable manner; provided, however, that in the case of a Derivative Work or Collective Work, at a minimum such credit will appear where any other comparable authorship credit appears and in a manner at least as prominent as such other comparable authorship credit.

## 5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

6. Limitation on Liability. EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. Termination

1. This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Derivative Works or Collective Works from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.

2. Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this

License will continue in full force and effect unless terminated as stated above.

## 8. Miscellaneous

1. Each time You distribute or publicly digitally perform the Work or a Collective Work, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License.

2. Each time You distribute or publicly digitally perform a Derivative Work, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You under this License.
3. If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.
4. No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.
5. This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Licensor and You.

## 1.18 jline-java-console-input-library 2.14.6

### 1.18.1 Available under license :

Copyright (c) 2002-2016, the original author or authors.  
All rights reserved.

<http://www.opensource.org/licenses/bsd-license.php>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE

FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.19 apache-commons-beanutils 1.9.4

### 1.19.1 Available under license :

Apache Commons BeanUtils  
Copyright 2000-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.20 aopalliance-version-repackaged-as-a-module 2.6.1

### 1.20.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

“Contribution” means:

- a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and
- b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution “originates” from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

“Contributor” means any person or entity that Distributes the Program.

“Licensed Patents” mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

“Program” means the Contributions Distributed in accordance with this Agreement.

“Recipient” means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

“Derivative Works” shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

“Modified Works” shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

“Distribute” means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

“Source Code” means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

“Secondary License” means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.
- b) Subject to the terms of this Agreement, each

Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source

Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based

on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a)

the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ('notices') contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4.

## COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (“Commercial Contributor”) hereby agrees to defend and indemnify every other Contributor (“Indemnified Contributor”) against any losses, damages and costs (collectively “Losses”) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply

to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN “AS IS” BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT

NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit)

alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new

versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A – Form of Secondary Licenses Notice

“This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.”

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

# 1.21 apache-commons-configuration 1.8

## 1.21.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously

marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for

inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.22 hk2-implementation-utilities 2.6.1

### 1.22.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution

"originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor"  
means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby

grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.

No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in

accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

- b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:
- i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and
  - iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities

with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be

Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is

intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents.

We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language.

(Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice

that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in

accord with  
Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues),

conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version

number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey

the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation,  
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you

may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

## ## Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU

General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/glassfish-ha-api>
- \* <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- \* <https://github.com/eclipse-ee4j/glassfish-shoal>
- \* <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- \* <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2>
- \* <https://github.com/eclipse-ee4j/glassfish-fighterfish>

## Third-party Content

This project leverages the following third party content.

None

## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

## 1.23 hk2-api-module 2.6.1

### 1.23.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor"

means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.

No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than

those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor  
may Distribute the Program under a license

different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed  
as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS"

BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor

Boston, MA 02110-1335

USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public

License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program

is threatened constantly by software patents.

We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language.

(Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three

years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation,  
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

## Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For

more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/glassfish-ha-api>
- \* <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- \* <https://github.com/eclipse-ee4j/glassfish-shoal>
- \* <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- \* <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2>
- \* <https://github.com/eclipse-ee4j/glassfish-fighterfish>

## ## Third-party Content

This project leverages the following third party content.

None

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# 1.24 servicelocator-default-implementation

## 2.6.1

### 1.24.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor"

means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that

results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.

No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual

property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

- i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

- ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

- iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

- iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements

of this section 3.

### 3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial

product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the

Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license

the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have.

You must make sure that they, too, receive or can get the source code.  
And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and  
(2) offer you this license which gives you legal permission to copy,  
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain  
that everyone understands that there is no warranty for this free  
software. If the software is modified by someone else and passed on, we  
want its recipients to know that what they have is not the original, so  
that any problems introduced by others will not reflect on the original  
authors' reputations.

Finally, any free program  
is threatened constantly by software patents.

We wish to avoid the danger that redistributors of a free program will  
individually obtain patent licenses, in effect making the program  
proprietary. To prevent this, we have made it clear that any patent must  
be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and  
modification follow.

#### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a  
notice placed by the copyright holder saying it may be distributed under  
the terms of this General Public License. The "Program", below, refers  
to any such program or work, and a "work based on the Program" means  
either the Program or any derivative work under copyright law: that is  
to say, a work containing the Program or a portion of it, either  
verbatim or with modifications and/or translated  
into another language.

(Hereinafter, translation is included without limitation in the term  
"modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not  
covered by this License; they are outside its scope. The act of running  
the Program is not restricted, and the output from the Program is  
covered only if its contents constitute a work based on the Program  
(independent of having been made by running the Program). Whether that  
is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source  
code as you receive it, in any medium, provided that you conspicuously  
and appropriately publish on each copy an appropriate copyright notice  
and disclaimer of warranty; keep intact all the notices that refer to

this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with

Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise

to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous

contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL

NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation,  
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this

when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type  
`show w'. This is free software, and you are welcome to redistribute  
it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the  
appropriate parts of the General Public License. Of course, the commands  
you use may be called something other than `show w' and `show c'; they  
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the program,  
if  
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the  
program `Gnomovision' (which makes passes at compilers) written by  
James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program  
into proprietary programs. If your program is a subroutine library, you  
may consider it more useful to permit linking proprietary applications  
with the library. If this is what you want to do, use the GNU Library  
General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is  
making a combined work based on this library. Thus, the terms and  
conditions of the GNU General Public License version 2 cover the whole  
combination.

As a special exception, the copyright holders of  
this library give you  
permission to link this library with independent modules to produce an  
executable, regardless of the license terms of these independent  
modules, and to copy and distribute the resulting executable under  
terms of your choice, provided that you also meet, for each linked  
independent module, the terms and conditions of the license of that  
module. An independent module is a module which is not derived from or  
based on this library. If you modify this library, you may extend this

exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

#### # Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

#### ## Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

#### ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

#### ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

#### ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/glassfish-ha-api>
- \* <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- \* <https://github.com/eclipse-ee4j/glassfish-shoal>
- \* <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- \* <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2>
- \* <https://github.com/eclipse-ee4j/glassfish-fighterfish>

#### ## Third-party Content

This project leverages the following third party content.

None

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# 1.25 hamcrest 2.1

## 1.25.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.26 qdox 1.12.1

### 1.26.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1017018468\_1656719180.3045647/0/qdox-1-12-1-jar/META-INF/maven/com.thoughtworks.qdox/qdox/pom.xml

# 1.27 javax-ws-rs-api 2.0.1

## 1.27.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

Version 1.0

\*

### 1. Definitions.

o

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

o

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

o

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

o

1.4. "Executable" means the Covered Software in any form other than Source Code.

o

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

o

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

o

1.7. "License" means this document.

o

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

o

1.9. "Modifications" means the Source Code and Executable form of any of the following:

+

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

+

B. Any new file that contains any part of the Original Software or previous Modification; or

+

C. Any new file that is contributed

or otherwise made available under the terms of this License.

o

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

o

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

o

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

o

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control"

means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

\*

## 2. License Grants.

o

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

+

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

+

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

+

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

+

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

o

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

+

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

+

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

+

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

+

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

\*

## 3. Distribution Obligations.

o

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available

in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

o

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

o

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

o

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

o

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

o

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

\*

#### 4. Versions of the License.

o

##### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

o

##### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

o

##### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

\*

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

\*

## 6. TERMINATION.

o

### 6.1. This

License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

o

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or

2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

o

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

\*

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

\*

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48

C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

\*

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

\*

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

# 1.28 joda-time 2.9

## 1.28.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====

= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =

=====

This product includes software developed by Joda.org (<http://www.joda.org/>).

## 1.29 java-architecture-for-xml-binding 2.3.1

### 1.29.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1

#### 1. Definitions.

- 1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.
- 1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
- 1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
- 1.4. "Executable" means the Covered Software in any form other than Source Code.
- 1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.
- 1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.
- 1.7. "License" means this document.
- 1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
- 1.9. "Modifications" means the Source Code and Executable form of any of the following:
  - A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the

name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR

## CONSEQUENTIAL DAMAGES OF ANY CHARACTER

INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----  
**NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)**

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara

County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify

your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from

the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source

code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you

permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of

this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

#### 9. The Free Software

Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software

Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name  
and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision
comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are
welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at
compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library,

you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL Version 2, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless

of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do

so. If you do not wish to do so, delete this exception statement from your version.

# 1.30 jboss-logging 3.4.1.Final

## 1.30.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.31 apache-httpcomponents-core 4.4.5

### 1.31.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
This project contains annotations in the package org.apache.http.annotation  
which are derived from JCIP-ANNOTATIONS  
Copyright (c) 2005 Brian Goetz and Tim Peierls.  
See <http://www.jcip.net> and the Creative Commons Attribution License  
(<http://creativecommons.org/licenses/by/2.5>)  
Full text: <http://creativecommons.org/licenses/by/2.5/legalcode>

License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

#### 1. Definitions

"Collective Work" means a work, such as a periodical issue, anthology or encyclopedia, in which the Work in its entirety in unmodified form, along with a number of other contributions, constituting separate and independent works in themselves, are assembled into a collective whole. A work that constitutes a Collective Work will not be considered a Derivative Work (as defined below) for the purposes of this License.

"Derivative Work" means a work based upon the Work or upon the Work and other pre-existing works, such as a translation, musical arrangement, dramatization, fictionalization, motion picture version, sound recording, art reproduction, abridgment, condensation,

or any other form in which the Work may be recast, transformed, or adapted, except that a work that constitutes a Collective Work will not be considered a Derivative Work for the purpose of this License. For the avoidance of doubt, where the Work is a musical composition or sound recording, the synchronization of the Work in timed-relation with a moving image ("synching") will be considered a Derivative Work for the purpose of this License.

"Licensor" means the individual or entity that offers the Work under the terms of this License.

"Original Author" means the individual or entity who created the Work.

"Work" means the copyrightable work of authorship offered under the terms of this License.

"You" means an individual or entity exercising rights under this License who has not previously violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.

#### 2.

Fair Use Rights. Nothing in this license is intended to reduce, limit, or restrict any rights arising from fair use, first sale or other limitations on the exclusive rights of the copyright owner under copyright law or other applicable laws.

3. License Grant. Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

to reproduce the Work, to incorporate the Work into one or more Collective Works, and to reproduce the Work as incorporated in the Collective Works;

to create and reproduce Derivative Works;

to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission the Work including as incorporated in Collective Works;

to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission Derivative Works.

For the avoidance of doubt, where the work is a musical composition:

**Performance Royalties Under Blanket Licenses.** Licensor waives the exclusive right to collect, whether individually or via a performance rights society (e.g. ASCAP, BMI, SESAC), royalties for the public performance or public digital performance (e.g. webcast) of the Work.

**Mechanical Rights and Statutory Royalties.** Licensor waives the exclusive right to collect, whether individually or via a music rights agency or designated agent (e.g. Harry Fox Agency), royalties for any phonorecord You create from the Work ("cover version") and distribute, subject to the compulsory license created by 17 USC Section 115 of the US Copyright Act (or the equivalent in other jurisdictions).

**Webcasting Rights and Statutory Royalties.** For the avoidance of doubt, where the Work is a sound recording, Licensor waives the exclusive right to collect, whether individually or via a performance-rights society (e.g. SoundExchange), royalties for the public digital performance (e.g. webcast) of the Work, subject to the compulsory license created by 17 USC Section 114 of the US Copyright Act (or the equivalent in other jurisdictions).

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. All rights not expressly granted by Licensor are hereby reserved.

4. Restrictions. The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:

You may distribute, publicly display, publicly perform, or publicly digitally perform the Work only under the terms of this License, and You must include a copy of, or the Uniform Resource Identifier for, this License with every copy or phonorecord of the Work You distribute, publicly display, publicly perform, or publicly digitally perform. You may not offer or impose any terms on the Work that alter or restrict the terms of this License or the recipients' exercise of the rights granted hereunder. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties. You may not distribute, publicly display, publicly perform, or publicly digitally perform the Work with any technological measures that control access or use of the Work in a manner inconsistent with the terms of this License Agreement. The above applies to the Work as incorporated in a Collective Work, but this does not require the Collective Work apart from the Work itself to be made subject to the terms of this License. If You create a Collective Work, upon notice from any Licensor You must, to the extent practicable, remove from the Collective Work any credit as required by clause 4(b), as requested. If You create a Derivative Work, upon notice from any Licensor You must, to the extent practicable, remove from the Derivative Work any credit as required by clause 4(b), as requested.

If you distribute, publicly display, publicly perform, or publicly digitally perform the Work or any Derivative Works or Collective Works, You must keep intact all copyright notices for the Work and provide, reasonable to the medium or means You are utilizing: (i) the name of the Original Author (or pseudonym, if applicable) if supplied, and/or (ii) if the Original Author and/or Licensor designate another party or parties (e.g. a sponsor institute,

publishing entity, journal) for attribution in Licensor's copyright notice, terms of service or by other reasonable means, the name of such party or parties; the title of the Work if supplied; to the extent reasonably practicable, the Uniform Resource Identifier, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing

information for the Work; and in the case of a Derivative Work, a credit identifying the use of the Work in the Derivative Work (e.g., "French translation of the Work by Original Author," or "Screenplay based on original Work by Original Author"). Such credit may be implemented in any reasonable manner; provided, however, that in the case of a Derivative Work or Collective Work, at a minimum such credit will appear where any other comparable authorship credit appears and in a manner at least as prominent as such other comparable authorship credit.

## 5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE

OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

6. Limitation on Liability. EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. Termination

This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Derivative Works or Collective Works from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.

Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this License will continue in full force and effect unless terminated as stated above.

## 8. Miscellaneous

Each time You distribute or publicly digitally perform the Work or a Collective Work, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License.

Each time You distribute or publicly digitally perform a Derivative Work, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You under

this License.

If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.

This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Licensor and You.

Apache HttpCore

Copyright 2005-2016 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This project contains annotations derived from JCIP-ANNOTATIONS  
Copyright (c) 2005 Brian Goetz and Tim Peierls. See <http://www.jcip.net>

## 1.32 jansi 1.16

### 1.32.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or

rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.33 apache-commons-collections 4.1

## 1.33.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Collections  
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.34 javassist rel\_3\_25\_0\_ga

### 1.34.1 Available under license :

Found license 'GNU Lesser General Public License' in '<CENTER><B><FONT size=+2>MOZILLA PUBLIC LICENSE</FONT></B> <BR><B>Version portions thereof) with or without Modifications, and/or as part of a Larger future version of this License released under Section <B>6.1</B>, and You must ("Netscape") may publish revised and/or new versions of the License from published under a particular version of the License, You may always continue Covered Code under the terms of any subsequent version of the License and (b) otherwise make it clear that Your version of the license contains terms which differ from the Mozilla Public License and Netscape Public admission of liability.</UL><B>13. MULTIPLE-LICENSED CODE.</B> "Multiple-Licensed".&nbsp; "Multiple-Licensed" means that the Initial <P><BR><B>EXHIBIT A -Mozilla Public License.</B> <UL>The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You

may obtain a copy of the License at <P>Software distributed under the License is distributed on an "AS IS" basis, Copyright (C) 1999- Shigeru Chiba. All Rights Reserved. terms of the GNU Lesser General Public License Version 2.1 or later (the "LGPL"), or the Apache License Version 2.0 (the "AL"), use your version of this software under the terms of the MPL, indicate'

Found license 'GNU Lesser General Public License' in '<h3>Copyright (C) 1999-2019 by Shigeru Chiba, All rights reserved.</h3> <br>Copyright (C) 1999- Shigeru Chiba. All Rights Reserved. the Mozilla Public License Version 1.1 (the "License");<br> you may not use this software except in compliance with the License. You may obtain a copy of the License at <p>Software distributed under the License is distributed on an "AS IS" Copyright (C) 1999- Shigeru Chiba. All Rights Reserved. terms of the GNU Lesser General Public License Version 2.1 or later (the "LGPL"), or the Apache License Version 2.0 (the "AL"), use your version of this software under the terms of the MPL, indicate'

Found license 'GNU Lesser General Public License' in 'This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details. You should have received a copy of the GNU Lesser General Public'

Found license 'GNU Lesser General Public License' in 'Copyright (C) 1999-2019 by Shigeru Chiba, All rights reserved. This software is distributed under the Mozilla Public License Version 1.1, the GNU Lesser General Public License Version 2.1 or later, or the Apache License Version 2.0.'

Found license 'GNU Lesser General Public License' in 'Copyright (C) 1999- Shigeru Chiba. All Rights Reserved. The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. Alternatively, the contents of this file may be used under the terms of the GNU Lesser General Public License Version 2.1 or later, or the Apache License Version 2.0. Software distributed under the License is distributed on an "AS IS" basis,'

Found license 'GNU Lesser General Public License' in 'Copyright (C) 1999- Shigeru Chiba. All Rights Reserved. The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. Alternatively, the contents of this file may be used under the terms of the GNU Lesser General Public License Version 2.1 or later, or the Apache License Version 2.0. Software distributed under the License is distributed on an "AS IS" basis, + " All Rights Reserved.");'

Found license 'GNU Lesser General Public License' in 'Copyright (C) 2004 Bill Burke. All Rights Reserved. The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. Alternatively, the contents of this file may be used under the terms of the GNU Lesser General Public License Version 2.1 or later, or the Apache License Version 2.0. Software distributed under the License is distributed on an "AS IS" basis,'

## 1.35 dom4j-flexible-xml-framework-for-java

### 2.1.3

#### 1.35.1 Available under license :

Copyright 2001-2016 (C) MetaStuff, Ltd. and DOM4J contributors. All Rights Reserved.

Redistribution and use of this software and associated documentation ("Software"), with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain copyright statements and notices. Redistributions must also contain a copy of this document.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name "DOM4J" must not be used to endorse or promote products derived from this Software without prior written permission of MetaStuff, Ltd. For written permission, please contact dom4j-info@metastuff.com.
4. Products derived from this Software may not be called "DOM4J" nor may "DOM4J" appear in their names without prior written permission of MetaStuff, Ltd. DOM4J is a registered trademark of MetaStuff, Ltd.

5. Due credit should be given to the DOM4J Project - <https://dom4j.github.io/>

THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS  
``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.36 json-java 20200518

### 1.36.1 Available under license :

=====  
Copyright (c) 2002 JSON.org

Permission is hereby granted, free of charge, to any person obtaining a copy  
of this software and associated documentation files (the "Software"), to deal  
in the Software without restriction, including without limitation the rights  
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
copies of the Software, and to permit persons to whom the Software is  
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all  
copies or substantial portions of the Software.

The Software shall be used for Good, not Evil.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES  
OR OTHER  
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.

## 1.37 java-classmate 1.1.0

## 1.37.1 Available under license :

This copy of Java ClassMate library is licensed under Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Java ClassMate library was originally written by Tatu Saloranta (tatu.saloranta@iki.fi)

Other developers who have contributed code are:

\* Brian Langel

# 1.38 snake-yaml 1.26

## 1.38.1 Available under license :

/\*\*

\* Copyright (c) 2008, <http://www.snakeyaml.org>

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found license 'Eclipse Public License 1.0' in '// This module is multi-licensed and may be used under the terms // EPL, Eclipse Public License, V1.0 or later, <http://www.eclipse.org/legal> // LGPL, GNU Lesser General Public License, V2.1 or later, <http://www.gnu.org/licenses/lgpl.html> // GPL, GNU General Public License, V2 or later, <http://www.gnu.org/licenses/gpl.html> // AL, Apache License, V2.0 or later, <http://www.apache.org/licenses> // BSD, BSD License, <http://www.opensource.org/licenses/bsd-license.php> \* Multi-licensed: EPL / LGPL / GPL / AL / BSD.'

Found license 'GNU Lesser General Public License' in '// This module is multi-licensed and may be used under the terms // EPL, Eclipse Public License, V1.0 or later, <http://www.eclipse.org/legal> // LGPL, GNU Lesser General Public License, V2.1 or later, <http://www.gnu.org/licenses/lgpl.html> // GPL, GNU General Public License, V2 or later, <http://www.gnu.org/licenses/gpl.html> // AL, Apache License, V2.0 or later, <http://www.apache.org/licenses> // BSD, BSD License, <http://www.opensource.org/licenses/bsd-license.php> \* Multi-licensed: EPL / LGPL / GPL / AL / BSD.'

# 1.39 bean-validation-api 2.0.2

## 1.39.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole

responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2013 Cognifide Limited

Licensed under  
the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.40 asm 8.0.1

### 1.40.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions  
// are met:  
// 1. Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// 2. Redistributions in binary form must reproduce the above copyright  
// notice, this list of conditions and the following disclaimer in the  
// documentation and/or other materials provided with the distribution.  
// 3. Neither the name of the copyright holders nor the names of its  
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/CurrentFrame.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
```

```

jar/org/objectweb/asm/Label.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
jar/org/objectweb/asm/Type.java
*
/opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
jar/org/objectweb/asm/FieldVisitor.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
jar/org/objectweb/asm/ByteVector.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
jar/org/objectweb/asm/RecordComponentVisitor.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
jar/org/objectweb/asm/AnnotationVisitor.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
jar/org/objectweb/asm/Handler.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
jar/org/objectweb/asm/Constants.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
jar/org/objectweb/asm/signature/SignatureReader.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
jar/org/objectweb/asm/SymbolTable.java
*
/opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
jar/org/objectweb/asm/signature/SignatureWriter.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
jar/org/objectweb/asm/AnnotationWriter.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
jar/org/objectweb/asm/Handle.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
jar/org/objectweb/asm/Attribute.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
jar/org/objectweb/asm/FieldWriter.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
jar/org/objectweb/asm/TypePath.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
jar/org/objectweb/asm/MethodVisitor.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
jar/org/objectweb/asm/signature/SignatureVisitor.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
jar/org/objectweb/asm/MethodWriter.java
*
/opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
jar/org/objectweb/asm/ClassVisitor.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
jar/org/objectweb/asm/Edge.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
jar/org/objectweb/asm/MethodTooLargeException.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
jar/org/objectweb/asm/ConstantDynamic.java

```

\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/ClassTooLargeException.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/RecordComponentWriter.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/Opcodes.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/ClassReader.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/ModuleWriter.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/Context.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/TypeReference.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/ModuleVisitor.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/Symbol.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/Frame.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/ClassWriter.java

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- \* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/signature/package.html
- \* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/package.html

## 1.41 apache-httpcomponents-asyncclient

### 4.1.4

#### 1.41.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

This project contains annotations derived from JCIP-ANNOTATIONS  
Copyright (c) 2005 Brian Goetz and Tim Peierls.  
See <http://www.jcip.net> and the Creative Commons Attribution License  
(<http://creativecommons.org/licenses/by/2.5>)  
Apache HttpComponents AsyncClient  
Copyright 2010-2017 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.42 scala-xml 1.0.6

## 1.42.1 Available under license :

Copyright (c) 2002-2013 EPFL  
Copyright (c) 2011-2013 Typesafe, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the EPFL nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR

PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.43 bean-validation-api 2.0.1

### 1.43.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,  
except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2013 Cognifide Limited

Licensed under  
the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.44 jmes-path-query-library 1.0

### 1.44.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

Found in path(s):

\* /opt/cola/permits/1104444110\_1648835916.55/0/jmespath-java-1-0-jar/META-INF/maven/com.amazonaws/jmespath-java/pom.xml

## 1.45 asm-commons 8.0.1

## 1.45.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/ModuleTargetAttribute.java
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/Remapper.java
*
/opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/InstructionAdapter.java
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/JSRInlinerAdapter.java
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/AnnotationRemapper.java
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/StaticInitMerger.java
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/ModuleResolutionAttribute.java
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/AnalyzerAdapter.java
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/RecordComponentRemapper.java
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/SimpleRemapper.java
*
/opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/SignatureRemapper.java
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/AdviceAdapter.java
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/Method.java
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/CodeSizeEvaluator.java
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/TryCatchBlockSorter.java
```

```
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/ModuleRemapper.java
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/MethodRemapper.java
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/ClassRemapper.java
*
```

```
/opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/ModuleHashesAttribute.java
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/TableSwitchGenerator.java
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/FieldRemapper.java
```

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
/**
```

```
* Constructs a new { @link GeneratorAdapter}. <i>Subclasses must not use this constructor</i>.
* Instead, they must use the { @link #GeneratorAdapter(int, MethodVisitor, int, String, String)}
* version.
*
* @param methodVisitor the method visitor
to which this adapter delegates calls.
* @param access the method's access flags (see { @link Opcodes}).
* @param name the method's name.
* @param descriptor the method's descriptor (see { @link Type}).
* @throws IllegalStateException if a subclass calls this constructor.
*/
```

Found in path(s):

```
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/GeneratorAdapter.java
```

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

- \* modification, are permitted provided that the following conditions
- \* are met:
  - \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  - \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  - \* 3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.
- \*
 

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

- \* /opt/cola/permits/1104664946\_1604644137.35/0/asm-commons-8-0-1-sources-1-jar/org/objectweb/asm/commons/package.html

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
/**
 * Constructs a new { @link LocalVariablesSorter}. <i>Subclasses must not use this constructor</i>.
 * Instead, they must use the { @link #LocalVariablesSorter(int, int, String, MethodVisitor) }
 * version.
 *
 * @param access access flags of the adapted
method.
 * @param descriptor the method's descriptor (see { @link Type }).
 * @param methodVisitor the method visitor to which this adapter delegates calls.
```

\* @throws IllegalStateException if a subclass calls this constructor.

\*/

Found in path(s):

\* /opt/cola/permits/1104664946\_1604644137.35/0/asm-commons-8-0-1-sources-1-jar/org/objectweb/asm/commons/LocalVariablesSorter.java

No license file was found, but licenses were detected in source scan.

// All rights reserved.

// Redistribution and use in source and binary forms, with or without

// modification, are permitted provided that the following conditions

// are met:

// 1. Redistributions of source code must retain the above copyright

// notice, this list of conditions and the following disclaimer.

// 2. Redistributions in binary form must reproduce the above copyright

// notice, this list of conditions and the following disclaimer in the

// documentation and/or other materials provided with the distribution.

// 3. Neither the name of the copyright holders nor the names of its

// this software without specific prior written permission.

/\*\*

\* Constructs a new { @link SerialVersionUIDAdder}. <i>Subclasses must not use this

\* constructor</i>. Instead, they must use the { @link #SerialVersionUIDAdder(int, ClassVisitor)}

\* version.

\*

\* @param classVisitor a { @link ClassVisitor} to which

this visitor will delegate calls.

\* @throws IllegalStateException If a subclass calls this constructor.

\*/

Found in path(s):

\* /opt/cola/permits/1104664946\_1604644137.35/0/asm-commons-8-0-1-sources-1-jar/org/objectweb/asm/commons/SerialVersionUIDAdder.java

## 1.46 asm-tree 8.0.1

### 1.46.1 Available under license :

No license file was found, but licenses were detected in source scan.

// All rights reserved.

// Redistribution and use in source and binary forms, with or without

// modification, are permitted provided that the following conditions

// are met:

// 1. Redistributions of source code must retain the above copyright

// notice, this list of conditions and the following disclaimer.

// 2. Redistributions in binary form must reproduce the above copyright

// notice, this list of conditions and the following disclaimer in the

// documentation and/or other materials provided with the distribution.

// 3. Neither the name of the copyright holders nor the names of its  
// this software without specific prior written permission.

Found in path(s):

```
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/MethodInsnNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/LocalVariableNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/TypeInsnNode.java  
*  
/opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/Util.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/FieldNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/TypeAnnotationNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/MethodNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/ModuleProvideNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/InvokeDynamicInsnNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/LookupSwitchInsnNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/ClassNode.java  
*  
/opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/LdcInsnNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/ModuleNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/IncInsnNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/VarInsnNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/FrameNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/TableSwitchInsnNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/JumpInsnNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/FieldInsnNode.java  
*  
/opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/MultiANewArrayInsnNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/ModuleOpenNode.java
```

\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/IntInsnNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/LineNumberNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/InsnNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/AnnotationNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/LabelNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/LocalVariableAnnotationNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/AbstractInsnNode.java  
\*  
/opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/InnerClassNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/ModuleRequireNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/InsnList.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/ModuleExportNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/TryCatchBlockNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/ParameterNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/RecordComponentNode.java  
No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/package.html

# 1.47 commons-io 2.8.0

## 1.47.1 Available under license :

Apache Commons IO

Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership  
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.48 asm-analysis 8.0.1

## 1.48.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/SourceValue.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/Subroutine.java
*
/opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/BasicVerifier.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/Frame.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/BasicValue.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/AnalyzerException.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/Interpreter.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/SmallSet.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/Analyzer.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/SimpleVerifier.java
*
/opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/Value.java
```

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
```

```
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
/**
 * Constructs a new { @link BasicInterpreter} for the latest ASM API version. <i>Subclasses must
 * not use this constructor</i>. Instead, they must use the { @link #BasicInterpreter(int)}
 * version.
 */
```

Found in path(s):

```
* /opt/cola/permits/1104664774_1604644122.5/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/BasicInterpreter.java
```

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

```
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
```

Found in path(s):

```
* /opt/cola/permits/1104664774_1604644122.5/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/package.html
```

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
/**
 * Constructs a new { @link SourceInterpreter} for the latest ASM API version. <i>Subclasses must
 * not use this constructor</i>. Instead, they must use the { @link #SourceInterpreter(int)}
 * version.
 */
```

Found in path(s):

```
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/SourceInterpreter.java
```

## 1.49 apache-http-client 4.5.13

### 1.49.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,  
each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

=====

This project includes Public Suffix List copied from  
<[https://publicsuffix.org/list/effective\\_tld\\_names.dat](https://publicsuffix.org/list/effective_tld_names.dat)>  
licensed under the terms of the Mozilla Public License, v. 2.0

Full license text: <<http://mozilla.org/MPL/2.0/>>

Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

### 1.3. "Contribution"

means Covered Software of a particular Contributor.

### 1.4. "Covered Software"

means Source Code

Form to which the initial Contributor has attached

the notice in Exhibit A, the Executable Form of such Source Code

Form, and Modifications of such Source Code Form, in each case

including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

- (a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or
- (b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

- (a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- (b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU

Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those

licenses.

#### 1.13. "Source Code Form"

means the form of the work preferred for making modifications.

#### 1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

### 2. License Grants and Conditions

-----

#### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)

Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its

Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer

for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

#### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

#### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License.

Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software;  
or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

#### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

#### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

#### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

#### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

#### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the



of \*  
\* incidental or consequential damages, so this exclusion and \*  
\* limitation may not apply to You. \*  
\*  
\*\*\*\*\*

## 8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a

modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

#### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

##### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

##### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

Apache HttpComponents Client

Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.50 scala-java8-compatible\_2.12 0.8.0

### 1.50.1 Available under license :

Copyright <YEAR> <COPYRIGHT HOLDER>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following

disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.51 metrics-core 3.2.5

### 1.51.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Written by Doug Lea with assistance from members of JCP JSR-166

\* Expert Group and released to the public domain, as explained at

\* <http://creativecommons.org/publicdomain/zero/1.0/>

\*

\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/jsr166e/Striped64.java?revision=1.8&view=markup>

\*/

Found in path(s):

\* /opt/cola/permits/1130187397\_1612482190.99/0/metrics-core-3-2-5-sources-1-jar/com/codahale/metrics/Striped64.java

No license file was found, but licenses were detected in source scan.

/\*

\* Written by Doug Lea with assistance from members of JCP JSR-166

\* Expert Group and released to the public domain, as explained at

\* <http://creativecommons.org/publicdomain/zero/1.0/>

\*

\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/jsr166e/LongAdder.java?revision=1.14&view=markup>

\*/

Found in path(s):

\* /opt/cola/permits/1130187397\_1612482190.99/0/metrics-core-3-2-5-sources-1-

jar/com/codahale/metrics/LongAdder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Written by Doug Lea with assistance from members of JCP JSR-166

\* Expert Group and released to the public domain, as explained at

\* <http://creativecommons.org/publicdomain/zero/1.0/>

\*

\* [http://gee.cs.oswego.edu/cgi-](http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/main/java/util/concurrent/ThreadLocalRandom.java?view=markup)

[bin/viewcvs.cgi/jsr166/src/main/java/util/concurrent/ThreadLocalRandom.java?view=markup](http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/main/java/util/concurrent/ThreadLocalRandom.java?view=markup)

\*/

Found in path(s):

\* /opt/cola/permits/1130187397\_1612482190.99/0/metrics-core-3-2-5-sources-1-

jar/com/codahale/metrics/ThreadLocalRandom.java

## 1.52 guava-internalfuturefailureaccess-and-internalfutures 1.0.1

### 1.52.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1130987386\_1612872111.26/0/failureaccess-1-0-1-sources-

jar/com/google/common/util/concurrent/internal/InternalFutureFailureAccess.java

\* /opt/cola/permits/1130987386\_1612872111.26/0/failureaccess-1-0-1-sources-

jar/com/google/common/util/concurrent/internal/InternalFutures.java

# 1.53 opentest4j-opentest4j 1.2.0

## 1.53.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.54 java-diff-utils 1.3.0

### 1.54.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1131003422\_1649015566.9/0/diffutils-1-3-0-jar/META-INF/maven/com.googlecode.java-diff-utils/diffutils/pom.xml

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Archiver-Version: Plexus Archiver

Built-By: smitterm

Created-By: Apache Maven Bundle Plugin

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>

Bnd-LastModified: 1362404972142

Export-Package: difflib;uses:="difflib.myers";version="1.3.0",difflib.myers;uses:="difflib";version="1.3.0"

Bundle-Version: 1.3.0

Bundle-Description: The DiffUtils library for computing diffs, applying patches, generating side-by-side view in Java.

Bundle-Name: java-diff-utils

Build-Jdk: 1.5.0\_22  
Bundle-ManifestVersion: 2  
Bundle-SymbolicName: com.googlecode.java-diff-utils.diffutils  
Tool: Bnd-1.50.0

Found in path(s):

\* /opt/cola/permits/1131003422\_1649015566.9/0/diffutils-1-3-0-jar/META-INF/MANIFEST.MF

## 1.55 j2objc-annotations 1.3

### 1.55.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1131003150\_1612875443.99/0/j2objc-annotations-1-3-sources-3-jar/com/google/j2objc/annotations/RetainedWith.java  
\* /opt/cola/permits/1131003150\_1612875443.99/0/j2objc-annotations-1-3-sources-3-jar/com/google/j2objc/annotations/Property.java  
\* /opt/cola/permits/1131003150\_1612875443.99/0/j2objc-annotations-1-3-sources-3-jar/com/google/j2objc/annotations/LoopTranslation.java  
\*

/opt/cola/permits/1131003150\_1612875443.99/0/j2objc-annotations-1-3-sources-3-jar/com/google/j2objc/annotations/ObjectiveCName.java  
\* /opt/cola/permits/1131003150\_1612875443.99/0/j2objc-annotations-1-3-sources-3-jar/com/google/j2objc/annotations/ReflectionSupport.java  
\* /opt/cola/permits/1131003150\_1612875443.99/0/j2objc-annotations-1-3-sources-3-jar/com/google/j2objc/annotations/RetainedLocalRef.java  
\* /opt/cola/permits/1131003150\_1612875443.99/0/j2objc-annotations-1-3-sources-3-jar/com/google/j2objc/annotations/J2ObjCIncompatible.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 Google Inc. All Rights Reserved.

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1131003150\_1612875443.99/0/j2objc-annotations-1-3-sources-3-jar/com/google/j2objc/annotations/Weak.java  
\* /opt/cola/permits/1131003150\_1612875443.99/0/j2objc-annotations-1-3-sources-3-jar/com/google/j2objc/annotations/AutoreleasePool.java  
\* /opt/cola/permits/1131003150\_1612875443.99/0/j2objc-annotations-1-3-sources-3-jar/com/google/j2objc/annotations/WeakOuter.java

## 1.56 jakarta-annotations-api 1.3.5

### 1.56.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content  
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such

Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to

obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes

the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was

received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to

make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these

conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost

of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or

otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free

Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you

may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

[subs="normal"]

....

Specification: {doctitle}

Version: {revnumber}

ifeval::["{revremark}" != ""]

Status: {revremark}

endif::[]

ifeval::["{revremark}" == ""]

Status: Final Release

endif::[]

Release: {revdate}

....

Copyright (c) 2019 Eclipse Foundation.

=== Eclipse Foundation Specification License

By using and/or copying this document, or the Eclipse Foundation document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following

terms and conditions:

Permission to copy, and distribute the contents of this document, or the Eclipse Foundation document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

- \* link or URL to the original Eclipse Foundation document.
- \* All existing copyright notices, or if one does not exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright (c) [\$date-of-document] Eclipse Foundation, Inc. <<url to this license>>"

Inclusion of the full text of this NOTICE must be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of Eclipse Foundation documents is granted pursuant to this license, except anyone may prepare and distribute derivative works and portions of this document in software that implements the specification, in supporting materials accompanying such software, and in documentation of such software, PROVIDED that all such works include the notice below. HOWEVER, the publication of derivative works of this document for use as a technical specification is expressly prohibited.

The notice is:

"Copyright (c) 2018 Eclipse Foundation.  
This software or document includes material copied from or derived from [title and URI of the Eclipse Foundation specification document]."

==== Disclaimers

THIS DOCUMENT IS PROVIDED "AS IS," AND THE COPYRIGHT HOLDERS AND THE ECLIPSE FOUNDATION MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

THE COPYRIGHT HOLDERS AND THE ECLIPSE FOUNDATION WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of the copyright holders or the Eclipse Foundation may NOT be used in advertising or publicity pertaining to this

document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

# Notices for Jakarta Annotations

This content is produced and maintained by the Jakarta Annotations project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.ca>

## Trademarks

Jakarta Annotations is a trademark of the Eclipse Foundation.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/common-annotations-api>

##

Third-party Content

## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import,

possession, or use, and re-export of encryption software, to see if this is permitted.

# 1.57 javax-inject1-as-osgi-bundle 2.6.1

## 1.57.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor"

means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.

No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims

brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license

different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any

party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A

is not sufficient to license  
the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular  
file, then You may include the notice in a location (such as a LICENSE  
file in a relevant directory) where a recipient would be likely to  
look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to  
share and change it. By contrast, the GNU General Public License is  
intended to guarantee your freedom to share and change free software--to  
make sure the software is

free for all its users. This General Public

License applies to most of the Free Software Foundation's software and  
to any other program whose authors commit to using it. (Some other Free  
Software Foundation software is covered by the GNU Library General  
Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.  
Our General Public Licenses are designed to make sure that you have the  
freedom to distribute copies of free software (and charge for this  
service if you wish), that you receive source code or can get it if you  
want it, that you can change the software or use pieces of it in new  
free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone  
to deny you these rights or to ask you to surrender the rights. These  
restrictions translate to certain responsibilities for you

if you  
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis

or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents.

We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language.

(Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice

and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with

Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program

except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous

contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

**NO WARRANTY**

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL

NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation,  
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this

when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type  
`show w'. This is free software, and you are welcome to redistribute  
it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the  
appropriate parts of the General Public License. Of course, the commands  
you use may be called something other than `show w' and `show c'; they  
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the program,  
if  
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the  
program `Gnomovision' (which makes passes at compilers) written by  
James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program  
into proprietary programs. If your program is a subroutine library, you  
may consider it more useful to permit linking proprietary applications  
with the library. If this is what you want to do, use the GNU Library  
General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is  
making a combined work based on this library. Thus, the terms and  
conditions of the GNU General Public License version 2 cover the whole  
combination.

As a special exception, the copyright holders of  
this library give you  
permission to link this library with independent modules to produce an  
executable, regardless of the license terms of these independent  
modules, and to copy and distribute the resulting executable under  
terms of your choice, provided that you also meet, for each linked  
independent module, the terms and conditions of the license of that  
module. An independent module is a module which is not derived from or  
based on this library. If you modify this library, you may extend this

exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

#### # Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

#### ## Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

#### ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

#### ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

#### ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/glassfish-ha-api>
- \* <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- \* <https://github.com/eclipse-ee4j/glassfish-shoal>
- \* <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- \* <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2>
- \* <https://github.com/eclipse-ee4j/glassfish-fighterfish>

#### ## Third-party Content

This project leverages the following third party content.

None

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# 1.58 checker-qual 3.1.0

## 1.58.1 Available under license :

Checker Framework qualifiers

Copyright 2004-present by the Checker Framework developers

MIT License:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.59 junit 4.13.2

## 1.59.1 Available under license :

JUnit

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:

- i) changes to the Program, and

- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free

patent license under

Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise.

As a condition to

exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection

with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the

Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of

such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to

publish new versions (including revisions) of this Agreement from time to time.

No one other than the Agreement Steward has the right to modify this Agreement.

The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

## 1.60 guava v30.0

### 1.60.1 Available under license :

Doug Lea

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.61 asm 9.1

## 1.61.1 Available under license :

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-

jar/org/objectweb/asm/signature/package.html

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/package.html

No license file was found, but licenses were detected in source scan.

// All rights reserved.

```
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/TypePath.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Frame.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-
jar/org/objectweb/asm/RecordComponentWriter.java
*
/opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/AnnotationVisitor.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/ModuleVisitor.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/ModuleWriter.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/CurrentFrame.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/AnnotationWriter.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/ConstantDynamic.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/ClassWriter.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-
jar/org/objectweb/asm/signature/SignatureVisitor.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Attribute.java
*
/opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Opcodes.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Handle.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-
jar/org/objectweb/asm/MethodTooLargeException.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-
jar/org/objectweb/asm/signature/SignatureReader.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/TypeReference.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Context.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Label.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Type.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-
jar/org/objectweb/asm/signature/SignatureWriter.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/FieldVisitor.java
*
/opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Handler.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/SymbolTable.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/ClassReader.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Edge.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-
jar/org/objectweb/asm/RecordComponentVisitor.java
```

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Constants.java  
\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Symbol.java  
\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/FieldWriter.java  
\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/MethodWriter.java  
\*  
/opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/MethodVisitor.java  
\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-  
jar/org/objectweb/asm/ClassTooLargeException.java  
\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/ByteVector.java  
\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/ClassVisitor.java

# 1.62 apache-httpcomponents-core 4.4.14

## 1.62.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

Apache HttpComponents Core

Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

## 1.63 iterators 1.5

### 1.63.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 dmfs GmbH
 *
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/utils/SlimSet.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/FilteredIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/SerialIterator.java
*
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterables/UnquotedSplit.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/Filter.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/decorators/Flattened.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/filters/NoneOf.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
```

```

jar/org/dmfs/iterators/SerializableIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterables/decorators/Reverse.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterables/Repeatable.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterables/Distinct.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/filters/NonNull.java
*
/opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterables/decorators/Flattened.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/Function.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/filters/Skip.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/decorators/Serialized.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterables/CachingIterable.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/AbstractBaseIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/AbstractFilteredIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/DistinctIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterables/CsvIterable.java
*
/opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/EmptyIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/SingletonIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/filters/Distinct.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/CsvIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterables/decorators/Mapped.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/decorators/Fluent.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/decorators/Filtered.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/filters/AnyOf.java
*
/opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/decorators/Mapped.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterables/decorators/Filtered.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/ArrayIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterables/Split.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/FluentIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/AbstractConvertedIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/Split.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-

```

```
jar/org/dmfs/iterators/SerialIteratorIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/ConvertedIterator.java
*
/opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/UnquotedSplit.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterables/ArrayIterable.java
```

## 1.64 kotson 2.5.0

### 1.64.1 Available under license :

MIT

## 1.65 dmfs/optional 0.3

### 1.65.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017 dmfs GmbH
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-jar/org/dmfs/optional/NullSafe.java
* /opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-jar/org/dmfs/optional/Absent.java
* /opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-jar/org/dmfs/optional/Present.java
* /opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-jar/org/dmfs/optional/Optional.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017 dmfs GmbH
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-jar/org/dmfs/optional/First.java
* /opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-jar/org/dmfs/optional/iter/OptIter.java
* /opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-
jar/org/dmfs/optional/decorators/Mapped.java
*
/opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-jar/org/dmfs/optional/iter/OptIter.java
```

## 1.66 rfc3986-uri 0.8

### 1.66.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017 dmfs GmbH
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/parameters/FluentParameterList.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/Query.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/encoding/Normalized.java
*
```

/opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/paths/Resolved.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/adapters/MultiParameter.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/parametertypes/BasicParameterType.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/parametersets/Removing.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/validation/CharSets.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/authorities/Text.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/valuetypes/BooleanValueType.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/encoding/utils/FormPercentEncodingOutputStream.java  
\*  
/opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/parametersets/Fluent.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/encoding/Encoded.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/encoding/XWwwFormUrlEncoded.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/authorities/StructuredAuthority.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/parametersets/Appending.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/ValueType.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/fragments/SimpleFragment.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/uris/RelativeUri.java  
\*  
/opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/uris/Resolved.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/paths/StructuredPath.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/valuetypes/TextValueType.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/queries/SimpleQuery.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/encoding/IdempotentEncoded.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/UriEncoded.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/encoding/Precoded.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-

jar/org/dmfs/rfc3986/parameters/adapters/XwfueParameterList.java  
\*  
/opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-  
jar/org/dmfs/rfc3986/uris/OpaqueUri.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/Authority.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-  
jar/org/dmfs/rfc3986/parameters/adapters/TextParameter.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-  
jar/org/dmfs/rfc3986/uris/LazyUri.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/utils/Parsed.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-  
jar/org/dmfs/rfc3986/uris/EmptyUri.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-  
jar/org/dmfs/rfc3986/authorities/OptionalLazyAuthority.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-  
jar/org/dmfs/rfc3986/authorities/EncodedAuthority.java  
\*  
/opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/Path.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-  
jar/org/dmfs/rfc3986/paths/LazyPath.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/Scheme.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/paths/Text.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-  
jar/org/dmfs/rfc3986/encoding/FormEncoded.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-  
jar/org/dmfs/rfc3986/paths/EncodedPath.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-  
jar/org/dmfs/rfc3986/parameters/parametersets/EmptyParameterList.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-  
jar/org/dmfs/rfc3986/parameters/parametersets/Replacing.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-  
jar/org/dmfs/rfc3986/schemes/Schemes.java  
\*  
/opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-  
jar/org/dmfs/rfc3986/validation/BitMapCharSet.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-  
jar/org/dmfs/rfc3986/parameters/ParameterList.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-  
jar/org/dmfs/rfc3986/authorities/OptionalLazyUserInfo.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-  
jar/org/dmfs/rfc3986/encoding/FormPreceded.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-  
jar/org/dmfs/rfc3986/parameters/parameters/UrlEncodedParameter.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-  
jar/org/dmfs/rfc3986/paths/EmptyPath.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-  
jar/org/dmfs/rfc3986/validation/Validated.java  
\* /opt/cola/permits/1162862871\_1620923716.86/0/rfc3986-uri-0-8-sources-1-

```

jar/org/dmfs/rfc3986/parameters/ParameterType.java
*
/opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/paths/Extended.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/fragments/OptionalLazyFragment.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/parameters/Parameter.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/schemes/StringScheme.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/encoding/utils/PercentEncodingOutputStream.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/parameters/valuetypes/IntegerValueType.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/Fragment.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/urls/Split.java
*
/opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/validation/CharSet.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/parameters/parametersets/BasicParameterList.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/uris/StructuredUri.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/queries/OptionalLazyQuery.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/schemes/OptionalLazyScheme.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/uris/Normalized.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/Uri.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/paths/Normalized.java
*
/opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/parameters/adapters/OptionalParameter.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/uris/Text.java

```

## 1.67 automation 1.11-8

### 1.67.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
* dk.brics.automaton
*
* Copyright (c) 2001-2011 Anders Moeller
* All rights reserved.

```

\*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \* 3. The name of the author may not be used to endorse or promote products  
 \* derived from this software without specific prior written permission.  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR  
 \* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY  
 \* AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
 \* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
 \* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
 \* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
 \* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
 \* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
 \* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*/

Found in path(s):

\* /opt/cola/permits/1162863214\_1620924489.9/0/automaton-1-11-8-sources-6-  
 jar/dk/brics/automaton/BasicAutomata.java  
 \* /opt/cola/permits/1162863214\_1620924489.9/0/automaton-1-11-8-sources-6-  
 jar/dk/brics/automaton/TransitionComparator.java  
 \* /opt/cola/permits/1162863214\_1620924489.9/0/automaton-1-11-8-sources-6-  
 jar/dk/brics/automaton/DatatypesAutomatonProvider.java  
 \* /opt/cola/permits/1162863214\_1620924489.9/0/automaton-1-11-8-sources-6-  
 jar/dk/brics/automaton/Automaton.java  
 \*  
 /opt/cola/permits/1162863214\_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/Datatypes.java  
 \* /opt/cola/permits/1162863214\_1620924489.9/0/automaton-1-11-8-sources-6-  
 jar/dk/brics/automaton/SpecialOperations.java  
 \* /opt/cola/permits/1162863214\_1620924489.9/0/automaton-1-11-8-sources-6-  
 jar/dk/brics/automaton/BasicOperations.java  
 \* /opt/cola/permits/1162863214\_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/StatePair.java  
 \* /opt/cola/permits/1162863214\_1620924489.9/0/automaton-1-11-8-sources-6-  
 jar/dk/brics/automaton/MinimizationOperations.java  
 \* /opt/cola/permits/1162863214\_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/State.java  
 \* /opt/cola/permits/1162863214\_1620924489.9/0/automaton-1-11-8-sources-6-  
 jar/dk/brics/automaton/ShuffleOperations.java  
 \* /opt/cola/permits/1162863214\_1620924489.9/0/automaton-1-11-8-sources-6-  
 jar/dk/brics/automaton/RunAutomaton.java

```

* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/RegExp.java
*
/opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-
jar/dk/brics/automaton/AutomatonProvider.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-
jar/dk/brics/automaton/Transition.java
No license file was found, but licenses were detected in source scan.

/*
* dk.brics.automaton - AutomatonMatcher
*
* Copyright (c) 2008-2011 John Gibson
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
*
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-
jar/dk/brics/automaton/AutomatonMatcher.java

```

## 1.68 jakarta-ws-rs-api 2.1.6

## 1.68.1 Available under license :

# Notices for the Jakarta RESTful Web Services Project

This content is produced and maintained by the **Jakarta RESTful Web Services** project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jaxrs>

## Trademarks

**Jakarta RESTful Web Services** is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jaxrs-api>

## Third-party Content

This project leverages the following third party content.

javaee-api (7.0)

\* License: Apache-2.0 AND W3C

JUnit (4.11)

\* License: Common Public License 1.0

Mockito (2.16.0)

\* Project: <http://site.mockito.org>

\* Source: <https://github.com/mockito/mockito/releases/tag/v2.16.0>

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement

or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is

licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

- i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

- ii) effectively excludes on behalf of all other Contributors all

liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified

Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

## Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted,

and the output from the Program is

covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this

License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost

of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular

circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but  
WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole

combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

/\*

\* Copyright (c) 2010, 2017 Oracle and/or its affiliates. All rights reserved.

\*

\* This program and the accompanying materials are made available under the

\* terms of the Eclipse Public License v. 2.0, which is available at

\* <http://www.eclipse.org/legal/epl-2.0>.

\*

\* This Source Code may also be made available under the following Secondary

\* Licenses when the conditions for such availability set forth in the

\* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

\* version 2 with the GNU Classpath Exception, which is available at

\* <https://www.gnu.org/software/classpath/license.html>.

\*

\* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

\*/

## 1.69 scala 2.12.5

### 1.69.1 Available under license :

Scala includes the Sizzle library:

Copyright (c) 2010 The Dojo Foundation

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

(The MIT License)

Copyright (c) 2013 Greg Allen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Scala includes the JLine library:

Copyright (c) 2002-2006, Marc Prud'hommeaux <mwp1@cornell.edu>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,

PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software includes projects with other licenses -- see `doc/LICENSE.md`.

Copyright (c) 2002-2018 EPFL

Copyright (c) 2011-2018 Lightbend, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the EPFL nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Scala is licensed under the [BSD 3-Clause License](<http://opensource.org/licenses/BSD-3-Clause>).

## Scala License

Copyright (c) 2002-2018 EPFL

Copyright (c) 2011-2018 Lightbend, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification,

are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the EPFL nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

#### # Other Licenses

This software includes projects with the following licenses, which are also included in the `licenses/` directory:

### [Apache License](<http://www.apache.org/licenses/LICENSE-2.0.html>)

This license is used by the following third-party libraries:

- \* jansi

### [BSD License](<http://www.opensource.org/licenses/bsd-license.php>)

This license

is used by the following third-party libraries:

- \* jline

### [BSD 3-Clause License](<http://opensource.org/licenses/BSD-3-Clause>)

This license is used by the following third-party libraries:

- \* asm

### [MIT License](<http://www.opensource.org/licenses/MIT>)

This license is used by the following third-party libraries:

- \* jquery
- \* sizzle
- \* tools tooltip

Copyright (c) 2006, Ivan Sagalaev

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of highlight.js nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS AND CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Scala includes the Tools Tooltip library:

Copyright (c) 2009 Tero Piirainen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

(c) 2012-2014 GitHub

When using the GitHub logos, be sure to follow the GitHub logo guidelines (<https://github.com/logos>)

Font License: SIL OFL 1.1 (<http://scripts.sil.org/OFL>)

Applies to all font files

Code License: MIT (<http://choosealicense.com/licenses/mit/>)

Applies to all other files

Scala includes the jQuery library:

Copyright (c) 2010 John Resig

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

Scala includes the ASM library.

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Scala includes the JLine library, which includes the Jansi library.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%)

or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is

based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of

Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the  
License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

not-a-legal-formal-parameter-tuple.scala:2: error: not a legal formal parameter.

Note: Tuples cannot be directly destructured in method or function parameters.

Either create a single parameter accepting the Tuple2,

or consider a pattern matching anonymous function: `{ case (a, b) => ... }`

```
val x: ((Int, Int) => Int) = (((a, b)) => a)
```

^

not-a-legal-formal-parameter-tuple.scala:3: error: not a legal formal parameter.

Note: Tuples cannot be directly destructured in method or function parameters.

Either create a single parameter accepting the Tuple2,

or consider a pattern matching anonymous function: `{ case (param1, param2) => ... }`

```
val y: ((Int, Int, Int) => Int) = (((a, !)) => a)
```

^

not-a-legal-formal-parameter-tuple.scala:4: error: not a legal formal parameter.

Note: Tuples cannot be directly destructured in method or function parameters.

Either create a single parameter accepting the

Tuple3,

or consider a pattern matching anonymous function: `{ case (param1, ..., param3) => ... }`

```
val z: ((Int, Int, Int) => Int) = (((a, NotAPatternVariableName, c)) => a)
```

^

three errors found

## 1.70 picocli 4.6.1

## 1.70.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

Copyright 2017 Remko Popma

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1178487930\_1625660844.82/0/picocli-4-6-1-sources-1-jar/picocli/AutoComplete.java

No license file was found, but licenses were detected in source scan.

/\*

Copyright 2017 Remko Popma

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

\*/

/\*\*

- \* Called when either the command, option or positional parameter that has this preprocessor configured was
- \* recognized by the picocli parser.
- \* <p>Implementors are free to modify one or more of the specified command line arguments before they are
- \* processed by the picocli parser (or by the option's

{ @link IParameterConsumer parameter consumer }, if one is specified).

\* </p><p>

- \* Implementors may optionally <em>consume</em> one or more of the specified command line arguments:
- \* a return value of { @code true } signals that the preprocessor consumed the parameter:
- \* picocli should skip further processing of this option or positional parameter,

\* and the preprocessor implementation takes responsibility for assigning the option or positional parameter a value. A return value of `{ @code false }` means that picocli should process the stack as usual for this option or positional parameter, and picocli is responsible for assigning this option or positional parameter a value.

\* `</p><p>`

\* For a command, returning `{ @code true }` signals that the preprocessor takes responsibility for parsing all options and positional parameters for this command, and takes responsibility for validating constraints like

\* whether all required options and positional parameters were specified.

\* A return value of `{ @code false }` means that picocli should process the stack as usual for this command, and picocli is responsible for validation.

\* Command preprocessors can signal back to the picocli parser when they detect that the user requested version information or usage help by putting a value of `{ @code true }` in the specified `{ @code info }` map for keys `{ @code versionHelpRequested }` or `{ @code usageHelpRequested }`, respectively.

\* `</p><p>`

\* If the user input is invalid, implementations should throw a `{ @link ParameterException }` with a message to display to the user.

\* `</p>`

\* `@param args` the remaining command line arguments that follow the matched argument (the matched argument is not on the stack anymore)

\* `@param commandSpec` the command or subcommand that was matched (if the specified `{ @code argSpec }` is `{ @code null }`), or the command that the matched option or positional parameter belongs to

\* `@param argSpec` the option or positional parameter for which to pre-process command line arguments (may be `{ @code null }` when this method is called for a subcommand that was matched)

\* `@param info` a map containing additional information on the current parser state, including whether the option parameter was attached to the option name with a ``='` separator, whether quotes have already been stripped off the option, etc. Implementations may modify this map to communicate back to the picocli parser.

\* Supported values:

\* `<table>`

\* `<tr>`

\* `<th>key</th><th>valid values</th><th>type</th>`

\* `</tr>`

\* `<tr>`

\* `<td>separator</td><td>" (empty string): attached without separator, ' ' (space): not attached, (any other string): option name was attached to option param with specified separator</td>`

\* `<td>java.lang.String</td>`

\* `</tr>`

\* `<tr>`

\* `<td>negated</td>`

\* `<td>{ @code true }:` the option or positional parameter is a `{ @linkplain Option#negatable() negated }` option/parameter, `{ @code false }`: the option or positional parameter is not a negated option/parameter

\* `<td>java.lang.Boolean</td>`

\* `</tr>`

\* `<tr>`

\* `<td>unquoted</td>`

```

*         <td>{@code true}: quotes surrounding the value have already been stripped off, {@code false}:
quotes surrounding the value have not yet been stripped off</td>
*         <td>java.lang.Boolean</td>
*     </tr>
*     <tr>
*         <td>versionHelpRequested</td>
*         <td>{@code true}: version help was requested, {@code false}: version help was not
requested</td>
*         <td>java.lang.Boolean</td>
*     </tr>
*     <tr>
*         <td>usageHelpRequested</td>
*         <td>{@code true}: usage help was requested, {@code false}: usage help was not requested</td>
*         <td>java.lang.Boolean</td>
*     </tr>
* </table>
* @returns true if the preprocessor consumed the parameter
*     and picocli should skip further processing of the stack for this option or positional parameter;
*     false if picocli should continue processing the stack for this option or positional parameter
* @throws ParameterException if the
user input is invalid
*/

```

Found in path(s):

\*/opt/cola/permits/1178487930\_1625660844.82/0/picocli-4-6-1-sources-1-jar/picocli/CommandLine.java

## 1.71 jcommander-library 1.78

### 1.71.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/**
* Copyright (C) 2011 the original author or authors.
* See the notice.md file distributed with this work for additional
* information regarding copyright ownership.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

```

\*/

Found in path(s):

\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-jar/com/beust/jcommander/IPParameterValidator2.java

\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-jar/com/beust/jcommander/IPParameterValidator.java

\*

/opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-jar/com/beust/jcommander/validators/NoValidator.java

\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-jar/com/beust/jcommander/validators/NoValueValidator.java

\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-jar/com/beust/jcommander/validators/PositiveInteger.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (C) 2010 the original author or authors.

\* See the notice.md file distributed with this work for additional

\* information regarding copyright ownership.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-jar/com/beust/jcommander/JCommander.java

\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-jar/com/beust/jcommander/UnixStyleUsageFormatter.java

\*

/opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-jar/com/beust/jcommander/DefaultUsageFormatter.java

\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-jar/com/beust/jcommander/IUsageFormatter.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (C) 2010 the original author or authors.

\* See the notice.md file distributed with this work for additional  
\* information regarding copyright ownership.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/converters/URLConverter.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/converters/NoConverter.java  
\*  
/opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/IDefaultProvider.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/internal/Maps.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/MissingCommandException.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/defaultprovider/PropertyFileDefaultProvider.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/converters/CharArrayConverter.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/converters/FileConverter.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/converters/ISO8601DateConverter.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/converters/DoubleConverter.java  
\*  
/opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/ParameterException.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/converters/IntegerConverter.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/converters/BigDecimalConverter.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/converters/BooleanConverter.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-

jar/com/beust/jcommander/converters/FloatConverter.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/ResourceBundle.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/Parameters.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/IStringConverterFactory.java  
\*  
/opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/internal/Lists.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/internal/Sets.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/converters/PathConverter.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/Parameter.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/converters/LongConverter.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/internal/DefaultConverterFactory.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/converters/BaseConverter.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/ParameterDescription.java  
\*  
/opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/IStringConverter.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/converters/InetAddressConverter.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/converters/StringConverter.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/converters/URICConverter.java  
\* /opt/cola/permits/1183866048\_1648141986.88/0/jcommander-1-78-sources-  
jar/com/beust/jcommander/ParametersDelegate.java

## 1.72 reflections 0.9.12

### 1.72.1 Available under license :

DO WHAT THE FUCK YOU WANT TO PUBLIC LICENSE

Version 2, December 2004

Copyright (C) 2004 Sam Hocevar <sam@hocevar.net>

Everyone is permitted to copy and distribute verbatim or modified copies of this license document, and changing it is allowed as long as the name is changed.

DO WHAT THE FUCK YOU WANT TO PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. You just DO WHAT THE FUCK YOU WANT TO.

## 1.73 asm-tree 9.1

### 1.73.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bundle-DocURL: <http://asm.ow2.org>

Bundle-License: BSD-3-Clause;link=<https://asm.ow2.io/LICENSE.txt>

Bundle-ManifestVersion: 2

Bundle-Name: org.objectweb.asm.tree

Bundle-RequiredExecutionEnvironment: J2SE-1.5

Bundle-SymbolicName: org.objectweb.asm.tree

Bundle-Version: 9.1.0

Export-Package: org.objectweb.asm.tree;version="9.1";uses:="org.objectweb.asm"

Implementation-Title: Tree API of ASM, a very small and fast Java byte code manipulation framework

Implementation-Version: 9.1

Import-Package: org.objectweb.asm;version="[9.1,10)"

Module-Requires: org.objectweb.asm;transitive=true

Found in path(s):

\* /opt/cola/permits/1183890441\_1627493647.83/0/asm-tree-9-1-jar/META-INF/MANIFEST.MF

## 1.74 project-lombok 1.18.20

### 1.74.1 Available under license :

Copyright (C) 2009-2021 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

---

Licenses for included components:

org.ow2.asm:asm

org.ow2.asm:asm-analysis

org.ow2.asm:asm-commons

org.ow2.asm:asm-tree

org.ow2.asm:asm-util

ASM: a very small and fast Java bytecode manipulation framework

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

rwitserloot/com.zwitserloot.cmdreader

Copyright 2010 Reinier Zwitserloot.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----  
rzwitserloot/lombok.patcher

Copyright (C) 2009-2021 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.75 asm-commons 9.1

## 1.75.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Bundle-DocURL: <http://asm.ow2.org>  
Bundle-License: BSD-3-Clause;link=<https://asm.ow2.io/LICENSE.txt>  
Bundle-ManifestVersion: 2  
Bundle-Name: org.objectweb.asm.commons  
Bundle-RequiredExecutionEnvironment: J2SE-1.5  
Bundle-SymbolicName: org.objectweb.asm.commons  
Bundle-Version: 9.1.0  
Export-Package: org.objectweb.asm.commons;version="9.1";uses:="org.objectweb.asm,org.objectweb.asm.signature,org.objectweb.asm.tree"  
Implementation-Title: Usefull class adapters based on ASM, a very small and fast Java bytecode manipulation framework  
Implementation-Version: 9.1  
Import-Package: org.objectweb.asm;version="[9.1,10)",org.objectweb.asm.signature;version="[9.1,10)",org.objectweb.asm.tree;version="[9.1,10)"  
Module-Requires: org.objectweb.asm;transitive=true,org.objectweb.asm.tree;transitive=true,org.objectweb.asm.tree.analysis;transitive=true

Found in path(s):

\* /opt/cola/permits/1183889887\_1627494130.56/0/asm-commons-9-1-jar/META-INF/MANIFEST.MF

# 1.76 hibernate-validator 6.2.0.Final

## 1.76.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2009 IIZUKA Software Technologies Ltd  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and
```

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/TypeHelper.java

No license file was found, but licenses were detected in source scan.

~ Hibernate Validator, declare and validate application constraints

~

~ License: Apache License, Version 2.0

~ See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE>>

Found in path(s):

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/META-INF/validation-configuration-1.0.xsd

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/META-INF/validation-configuration-1.1.xsd

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/overview.html

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/META-INF/validation-mapping-1.0.xsd

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/META-INF/validation-mapping-2.0.xsd

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/META-INF/validation-mapping-1.1.xsd

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/META-INF/maven/org.hibernate.validator/hibernate-validator/pom.xml

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/META-INF/validation-configuration-2.0.xsd

No license file was found, but licenses were detected in source scan.

/\*

\* Hibernate Validator, declare and validate application constraints

\*

\* License: Apache License, Version 2.0

\* See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

\*/

/\*\*

\* <p>

\* A method-level constraint, that evaluates a script expression against the  
\* annotated method or constructor. This constraint can be used to implement  
\* validation routines that depend on several parameters of the annotated  
\* executable.

\* </p>

\* <p>

\* Script expressions can be written in any scripting or expression language,

\* for which a [JSR 223](http://jcp.org/en/jsr/detail?id=223)

\* ("Scripting for the Java<sup>TM</sup> Platform") compatible engine can be

\* found on the classpath. To refer to a parameter within the scripting

\* expression, use its name as obtained by the active

\* `{@link javax.validation.ParameterNameProvider}`. The default provider will

\* return the

actual parameter names, if the `-parameters` compiler option

\* has been enabled, and `{@code arg0}`, `{@code arg1}` etc. otherwise.

\* `</p>`

\* `<p>`

\* The following listing shows an example using the JavaScript engine which

\* comes with the JDK:

\* `</p>`

\* `<pre>`

\* `{@code @ParameterScriptAssert(script = "start.before(end)", lang = "javascript")`

\* `public void createEvent(Date start, Date end) { ... }`

\* `}`

\* `</pre>`

\* `<p>`

\* Can be specified on any method or constructor.

\* `</p>`

\* `</p>`

\* `@author` Gunnar Morling

\* `/`

Found in path(s):

\* `/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/ParameterScriptAssert.java`

No license file was found, but licenses were detected in source scan.

`/*`

\* Hibernate Validator, declare and validate application constraints

\* `</p>`

\* License: Apache License, Version 2.0

\* See the license.txt file in the root directory or <http://www.apache.org/licenses/LICENSE-2.0>.

\* `</p>`

`/*`

\* Written by Doug Lea with assistance from members of JCP JSR-166

\* Expert Group and released to the public domain, as explained at

\* <http://creativecommons.org/licenses/publicdomain>

\* `</p>`

Found in path(s):

\* `/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/ConcurrentReferenceHashMap.java`

No license file was found, but licenses were detected in source scan.

`/*`

```

* Hibernate Validator, declare and validate application constraints
*
* License: Apache License, Version 2.0
* See the license.txt file in the root directory or <http://www.apache.org/licenses/LICENSE-2.0>.
*/
/**
* Retrieves constraint related meta data for the parameters of the given
* executable.
*
* @param javaBeanExecutable The executable of interest.
*
* @return A list with parameter meta data for the given executable.
*/

```

Found in path(s):

```

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/provider/AnnotationMetaDataProvider.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Hibernate Validator, declare and validate application constraints
*
* License: Apache License, Version 2.0
* See the license.txt file in the root directory or <http://www.apache.org/licenses/LICENSE-2.0>.
*/

```

Found in path(s):

```

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForInteger.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/hv/EANValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForInteger.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForMonthDay.
java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/groups/ValidationOrder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/rule/ParallelMethodsMustNotDefineParameterConstraints.j
ava
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/PredefinedScopeValidatorContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/context/ParameterConstraintMappingContext.java

```

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/CompositionType.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/NotEmptyDef.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForYearMonth.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/AbstractFutureOrPresentJavaTimeValidator.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/validationcontext/BaseBeanValidationContext.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/ParameterTermResolver.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/AbstractFutureInstantBasedValidator.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/PositiveOrZeroDef.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/AssertTrueDef.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForFloat.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/PredefinedScopeHibernateValidatorFactory.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/AbstractScriptAssertValidator.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArrayOfBoolean.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/ValidatorContextImpl.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/package-info.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/Mod11CheckDef.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/stereotypes/Immutable.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/InfinityNumberComparatorHelper.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/EmailDef.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForInteger.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/AnnotationProcessingOptions.java

```

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/messageinterpolation/InterpolationTermType.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/ReturnValueConstraintMappingContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/messageinterpolation/el/BeanPropertiesElContext.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/URL.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/CurrencyDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/resourceloading/PlatformResourceBundleLocator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/GroupConversionTargetContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/classhierarchy/ClassHierarchyHelper.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/TypeResolutionHelper.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/descriptor/BeanDescriptorImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForByte.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForCharSe
quence.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForYearMonth.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/resolver/AbstractTraversableHolder.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/Mod10Check.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForLocalD
ate.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/properties/Callable.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/spi/nodenameprovider/JavaBeanProperty.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/Mod11Check.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valuecontext/BeanValueContext.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/location/package-info.java

```

```

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/OptionalValueExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/mapping/ContainerElementTypeConfigurationBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForHijrahDate.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/ScriptAssert.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForDouble.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/spi/messageinterpolation/LocaleResolver.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/validationcontext/ValidationContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/privilegedactions/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/hv/UniqueElementsValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForMonthDay.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArrayOfPrimitives.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForOffsetDateTime.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/rule/ParallelMethodsMustNotDefineGroupConversionForC
ascadedReturnValue.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/location/ParameterConstraintLocation.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/resourceloading/DelegatingResourceBundleLocator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/money/NegativeOrZeroValidatorForMonetaryAmount.ja
va
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForNumber.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/Contracts.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraintvalidation/HibernateConstraintValidatorContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/core/AnnotationProcessingOptions.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForByte.java
*

```

```

/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/constraintvalidation/PredefinedScopeConstraintValidatorManagerImpl.ja
va
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForFloat.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForShort.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/spi/messageinterpolation/LocaleResolverContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/groups/Sequence.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArrayOfDouble.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/constraintdefinition/ConstraintDefinitionContribution.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForLocalDate.j
ava
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/hv/pl/NIPValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/mapping/ConstraintTypeStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/privilegedactions/GetMethod.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/GetterConstraintMappingContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/groups/Group.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/provider/MetaDataProvider.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/logging/formatter/ClassObjectFormatter.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/metadata/BeanMetaDataClassNormalizer.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/hv/LengthValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/context/CrossParameterTarget.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForLong.ja
va
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/properties/Constrainable.java

```

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/mapping/ContainerElementTypeStaxBuilder.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/mapping/ValidStaxBuilder.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/UniqueElements.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForYear.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/MessageState.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/spi/scripting/package-info.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/FieldCascadable.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/DurationMaxDef.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/br/package-info.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/OptionalIntValueExtractor.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/GetDeclaredFields.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/spi/scripting/ScriptEngineScriptEvaluator.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/logging/formatter/ExecutableFormatter.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArraysOfShort.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/el/VariablesELContext.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/rule/MethodConfigurationRule.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/annotation/AnnotationDescriptor.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/GroupConversionTargetContext.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/logging/formatter/ArrayOfClassesObjectFormatter.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/messageinterpolation/HibernateMessageInterpolatorContext.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/MinDef.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/PastOrPresentDef.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/TypeConstraintMappingContext.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/validationcontext/PropertyValidationContext.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalNumberComparatorHelper.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/rule/ReturnValueMayOnlyBeMarkedOnceAsCascadedPerHierarchyLine.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/Range.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/NonContainerCascadingMetaData.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/ConstraintComposition.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/ParameterMetaData.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForInteger.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/AbstractFutureJavaTimeValidator.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/ModCheck.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/mapping/ConstrainedGetterStaxBuilder.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/classhierarchy/package-info.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForInstant.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/classhierarchy/Filters.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/spi/group/DefaultGroupSequenceProvider.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/br/CNPJValidator.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/NotNullDef.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/ParameterScriptAssertValidator.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/BeanMetaDataManager.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/location/ConstraintLocation.java

\*  
/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/AbstractPastOrPresentEpochBasedValidator.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/ConstraintMapping.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/resolver/package-info.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/GetDeclaredMethodHandle.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/money/DecimalMaxValidatorForMonetaryAmount.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForOffsetDateTime.java  
\*  
/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForMap.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForLocalDate.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/DefaultParameterNameProvider.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForJapaneseDate.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/core/ConstraintOrigin.java  
\*  
/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/ReflectionHelper.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForBigInteger.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/Mod10CheckValidator.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/pl/PESEL.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/annotation/AnnotationProxy.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForBigInteger.java  
\*  
/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/package-info.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/logging/formatter/ObjectArrayFormatter.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/ValueExtractorManager.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/properties/javabean/JavaBeanGetter.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForNumber.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForInstant.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForByte.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/constraintvalidation/ConstraintValidatorManagerImpl.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/location/FieldConstraintLocation.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/core/package-info.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForDouble.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/ConstructorTarget.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForLong.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/pl/PESELDef.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForYear.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/LuhnCheckDef.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/Email.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/mapping/AbstractMultiValuedElementStaxBuilder.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/properties/javabean/JavaBeanAnnotatedElement.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/mapping/CrossParameterStaxBuilder.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/money/PositiveOrZeroValidatorForMonetaryAmount.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForNumber.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/NumberComparatorHelper.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valuecontext/ValueContexts.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/ScriptAssertDef.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/mapping/ClassLoadingHelper.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArraysOfByte.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForOffsetDateTime.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForBigDecimal.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/resolver/CachingJPATraversableResolverForSingleValidation.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/pl/REGONDef.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/FutureOrPresentDef.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/InterpolationTerm.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/mapping/ContainerElementTypePath.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/ValueExtractorDescriptor.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/PatternDef.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForBigDecimal.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/AbstractStaxBuilder.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/AssertFalseValidator.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/money/MinValidatorForMonetaryAmount.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/validationcontext/AbstractValidationContext.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/ContainerElementTarget.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForMinguoDate.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForReadablePartial.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/GetClassLoader.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraintvalidation/HibernateConstraintValidatorInitializationContext.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/groups/GroupWithInheritance.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/properties/Field.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/Currency.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/resolver/CachingTraversableResolverForSingleValidation.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/el/BeanPropertiesELResolver.java  
\*  
/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForInteger.java  
ava  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/el/package-info.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForReadableInstant.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/CascadingMetaDataBuilder.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/Token.java  
\*  
/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/ListPropertyValueExtractor.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/package-info.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/TermResolver.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/IntArrayValueExtractor.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForMinguoDate.java  
e.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/descriptor/ConstraintDescriptorImpl.java  
\*  
/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/ru/INNValidator.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/ScriptAssertContext.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/DefaultClockProvider.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/config/ValidationConfigStaxBuilder.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/internal/constraintvalidators/hv/br/CPFValidator.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/engine/valueextraction/AnnotatedObject.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/spi/nodenameprovider/PropertyNodeNameProvider.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/engine/validationcontext/ReturnValueExecutableValidationContext.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/util/privilegedactions/GetDeclaredConstructors.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/properties/javabean/JavaBeanParameter.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/metadata/aggregated/PropertyMetaData.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/properties/Getter.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/engine/messageinterpolation/el/NoOpElResolver.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/constraintvalidators/bv/money/CurrencyValidatorForMonetaryAmount.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/engine/valueextraction/ReadOnlyListPropertyValueExtractor.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/cfg/context/ReturnValueTarget.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/AbstractFutureEpochBasedValidator.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForDouble.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForNumber.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/constraints/time/DurationMin.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/engine/path/NodeImpl.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForMonthDay.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/ELState.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/engine/constraintvalidation/CrossParameterConstraintValidatorContextImpl.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/xml/mapping/ConstraintMappingsStaxBuilder.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForBigDecimal.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

```

jar/org/hibernate/validator/internal/util/privilegedactions/GetDeclaredMethod.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForLong.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/context/ReturnValueConstraintMappingContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/ConstraintViolationImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForOffsetTime.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/hv/ModCheckBase.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/descriptor/ParameterDescriptorImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/MapPropertyValueExtractor.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/privilegedactions/LoadClass.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/ExecutableMetaData.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/mapping/ConstrainedFieldStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForOffsetTime
.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/BeanMetaData.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/config/ValidationBootstrapParameters.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraintvalidation/HibernateConstraintValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForCharSequence.
java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/ConstraintDefinitionContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/AbstractPastJavaTimeValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/core/BuiltinConstraint.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/AbstractDecimalMinValidator.jav
a
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/ISBNDef.java

```

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/pl/PolishNumberValidator.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForHijrahDate.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/package-info.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/resourceloading/AggregateResourceBundleLocator.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/EAN.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForNumber.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/mapping/ConstrainedConstructorStaxBuilder.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/ReadOnlyMapPropertyValueExtractor.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/path/package-info.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/ValidatorImpl.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArrayOfShort.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArray.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForBigDecimal.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/PredefinedScopeValidatorFactoryImpl.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/spi/scripting/AbstractCachingScriptEvaluatorFactory.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/ru/INNDef.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/ReturnValueMetaData.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForJapaneseDate.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/spi/scripting/ScriptEvaluatorFactory.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/DomainNameUtil.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForBigDecimal.java

\*  
/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/PastDef.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/ClassMetaData.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/NullDef.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForBigInteger.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/ExecutableHelper.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/properties/javabean/package-info.java  
\*  
/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/ru/package-info.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/MapValueExtractor.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/raw/package-info.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/package-info.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/br/CNPJDef.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/scripting/DefaultScriptEvaluatorFactory.java  
\*  
/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/InterpolationTermState.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/spi/resourceloading/package-info.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/MethodConstraintMappingContext.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/AnnotationIgnoreOptions.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/pl/NIPDef.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/messageinterpolation/package-info.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/FormatterWrapper.java  
\*  
/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/package-info.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/AbstractDecimalMaxValidator.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

```

jar/org/hibernate/validator/PredefinedScopeHibernateValidatorConfiguration.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/messageinterpolation/AbstractMessageInterpolator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/location/ReturnValueConstraintLocation.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForYear.java
va
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/ConstraintContextImplBase.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/AbstractMaxValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForInteger.java
java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/constraintvalidation/ConstraintValidatorFactoryImpl.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/provider/ProgrammaticMetaDataProvider.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForBigDecimal.java
mal.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForDouble.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/DoubleArrayValueExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/Incubating.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/BeanMetaDataManagerImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForBigDecimal.java
a
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/validationcontext/BeanValidationContext.java
*

```

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForDate.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/properties/javabean/JavaBeanHelper.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/validationcontext/ValidationContextBuilder.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/core/MetaConstraints.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForMinguoDate.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForLong.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/pl/PESELValidator.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/OptionalLongValueExtractor.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForZonedDateTime.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/parameternameprovider/ParanamerParameterNameProvider.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForDate.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/ru/INN.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/spi/properties/package-info.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/ConstructorConstraintMappingContext.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/constraintvalidation/ComposingConstraintTree.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/scripting/package-info.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/ScriptAssertValidator.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/package-info.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/parameternameprovider/package-info.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/constraintvalidation/ConstraintViolationCreationContext.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/XmlParserHelper.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForLocalTime.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/money/NegativeValidatorForMonetaryAmount.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForZonedDateTime.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/ValidatorFactoryConfigurationHelper.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/ConstraintMappingTarget.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/groups/ValidationOrderGenerator.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForLocalDateTime.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForFloat.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForReadableInstant.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/NewInstance.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/GetAnnotationAttributes.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/ByteArrayValueExtractor.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/GetDeclaredConstructor.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/ISBNValidator.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/money/MaxValidatorForMonetaryAmount.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/AbstractFutureOrPresentEpochBasedValidator.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/PropertyTarget.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/el/BeanMethodsELContext.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForCharSequence.java

ava

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/ObjectArrayValueExtractor.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForLong.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForDouble.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
jar/org/hibernate/validator/internal/util/TypeVariableBindings.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
jar/org/hibernate/validator/internal/properties/PropertyAccessor.java  
\*  
/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
jar/org/hibernate/validator/internal/properties/DefaultGetterPropertySelectionStrategy.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
jar/org/hibernate/validator/internal/metadata/location/CrossParameterConstraintLocation.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
jar/org/hibernate/validator/constraints/NotBlank.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForDate.java  
va  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
jar/org/hibernate/validator/internal/util/privilegedactions/GetInstancesFromServiceLoader.java  
\*  
/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
jar/org/hibernate/validator/internal/constraintvalidators/bv/package-info.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForOffset  
DateTime.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
jar/org/hibernate/validator/internal/metadata/location/BeanConstraintLocation.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
jar/org/hibernate/validator/internal/engine/valueextraction/ShortArrayValueExtractor.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
jar/org/hibernate/validator/cfg/defs/DigitsDef.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
jar/org/hibernate/validator/internal/engine/resolver/TraversableResolvers.java  
\*  
/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
jar/org/hibernate/validator/internal/engine/ConfigurationImpl.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
jar/org/hibernate/validator/internal/engine/messageinterpolation/DefaultLocaleResolver.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
jar/org/hibernate/validator/HibernateValidatorConfiguration.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
jar/org/hibernate/validator/cfg/defs/br/TituloEleitoralDef.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
jar/org/hibernate/validator/internal/cfg/context/CrossParameterConstraintMappingContextImpl.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
jar/org/hibernate/validator/spi/group/package-info.java  
\*  
/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
jar/org/hibernate/validator/internal/xml/config/BootstrapConfigurationImpl.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForReadablePartial.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/util/InterpolationHelper.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForLocalDateTime.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/package-info.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForCharSequence.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/AbstractEpochBasedTimeValidator.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/stereotypes/Lazy.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForInstant.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/DefaultPropertyNodeNameProvider.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/Cascadable.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/facets/package-info.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForLocalTime.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForCalendar.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/time/DurationMinValidator.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraintvalidation/HibernateCrossParameterConstraintValidatorContext.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/descriptor/ContainerElementTypeDescriptorImpl.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/mapping/BeanStaxBuilder.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/logging/formatter/CollectionOfClassesObjectFormatter.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/constraintvalidation/package-info.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/el/RootResolver.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/ModCheckValidator.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForCharSequence.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForCollection.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/constraintvalidators/RegexpURLValidator.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/xml/mapping/AbstractConstrainedElementStaxBuilder.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/constraints/br/CPF.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/spi/scripting/ScriptEvaluationException.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/MessageDescriptorFormatException.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/xml/mapping/ReturnValueStaxBuilder.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/cfg/package-info.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/metadata/core/ConstraintHelper.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForJapaneseDate.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/cfg/defs/EANDef.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForBigDecimal.java  
 va  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/constraintvalidators/hv/LuhnCheckValidator.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/metadata/aggregated/ContainerCascadingMetaData.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/constraints/br/package-info.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/HibernateValidatorContext.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/metadata/location/GetterConstraintLocation.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/engine/valueextraction/FloatArrayValueExtractor.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/engine/ServiceLoaderBasedConstraintMappingContributor.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForLocalT  
 ime.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/internal/metadata/descriptor/CrossParameterDescriptorImpl.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/constraintvalidation/HibernateConstraintViolationBuilder.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArraysOfChar.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForByte.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/engine/valueextraction/SetPropertyValueExtractor.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/spi/properties/ConstrainableExecutable.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/engine/valueextraction/ListViewValueExtractor.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/cfg/context/ConstraintDefinitionContext.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/metadata/raw/AbstractConstrainedElement.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForFloat.java  
 va  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/cfg/defs/CodePointLengthDef.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/engine/constraintvalidation/LambdaBasedValidatorDescriptor.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForInteger.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArraysOfDouble.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/constraintvalidators/hv/pl/REGONValidator.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/util/TypeVariables.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/path/PropertyNode.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/properties/javabean/JavaBeanAnnotatedConstrainable.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/engine/valueextraction/OptionalDoubleValueExtractor.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/metadata/aggregated/rule/package-info.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/properties/javabean/JavaBeanField.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-  
 jar/org/hibernate/validator/internal/cfg/context/ParameterConstraintMappingContextImpl.java

```

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/PredefinedScopeConfigurationImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/pl/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/spi/scripting/ScriptEvaluatorNotFoundException.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/context/ConstraintDefinitionTarget.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/DecimalMaxDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/NormalizedDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForNumber
.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForThaiBuddhistDate.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/money/DecimalMinValidatorForMonetaryAmount.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/TypeConstraintMappingContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/location/AbstractPropertyConstraintLocation.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/PredefinedScopeBeanMetaDataManager.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/AbstractPastOrPresentJavaTimeValid
ator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForLong.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/group/GroupSequenceProvider.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForBigInteger.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/descriptor/ExecutableDescriptorImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/privilegedactions/SetContextClassLoader.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/br/CPFDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/hv/URLValidator.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/ModUtil.java

```

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/AnnotationDef.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/AbstractInstantBasedTimeValidator.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valuecontext/ValueContext.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/GetResources.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/properties/Signature.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/raw/ConstrainedExecutable.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/NormalizedValidator.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/validationcontext/ParameterExecutableValidationContext.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/package-info.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/core/AnnotationProcessingOptionsImpl.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/cfg/context/FieldConstraintMappingContextImpl.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForByte.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/HibernateValidatorFactory.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/mapping/ConstrainedMethodStaxBuilder.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForFloat.java

va

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/validationcontext/ExecutableValidationContext.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/pl/package-info.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/SizeDef.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/engine/HibernateConstraintViolation.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/MethodValidationConfiguration.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/Version.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/cfg/context/ConstructorConstraintMappingContextImpl.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/MetaDataBuilder.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForBigInteger.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/AbstractPastOrPresentInstantBasedValidator.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/DefaultBeanMetaDataClassNormalizer.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/NewSchema.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/LengthDef.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/TokenIterator.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/logging/formatter/DurationFormatter.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/NotEmpty.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/ValidatorFactoryImpl.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/resourceloading/package-info.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForNumber.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForLocalTime.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/ru/package-info.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/IsClassPresent.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/ObservableValueValueExtractor.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/classhierarchy/Filter.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/raw/ConstrainedElement.java

\*

/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForReadableInstant.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/ConstructorInstance.java

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForDate.java

```

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/privilegedactions/GetResolvedMemberMethods.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForCalendar.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArraysOfFloat.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForByte.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/logging/Messages.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForYear.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForThaiBuddhistDate.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArraysOfLong.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/groups/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForZonedDate
Time.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/groups/DefaultValidationOrder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/ParameterScriptAssertDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/hv/NotBlankValidator.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/core/MetaConstraint.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/mapping/AbstractConstrainedExecutableElementStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/PredefinedScopeHibernateValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/EscapedState.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NumberSignHelper.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/messageinterpolation/el/DisabledFeatureELEException.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/messageinterpolation/LocalizedMessage.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

```

```

jar/org/hibernate/validator/internal/engine/valueextraction/ValueExtractorResolver.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/ParserState.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/UniqueElementsDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/context/ParameterTarget.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForShort.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/properties/Property.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/raw/BeanConfiguration.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForReadablePartial.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/ConstraintMetaData.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/pl/REGON.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForShort.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/AbstractPropertyConstraintMappingContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/ExecutableConstraintMappingContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/AbstractConstraintMetaData.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/AbstractConfigurationImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForZonedDateTime.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/BeanMetaDataImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForOffset
Time.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForByte.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForDouble.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/raw/ConstrainedType.java

```

```

*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/messageinterpolation/ExpressionLanguageFeatureLevel.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/spi/resourceloading/ResourceBundleLocator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/ContainerElementConstraintMappingContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/messageinterpolation/ParameterMessageInterpolator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/CascadingMetaData.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArraysOfByte.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForShort.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/context/PropertyConstraintMappingContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/ValidatorFactoryScopedContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/ReadOnlySetPropertyValueExtractor.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/constraintvalidation/ClassBasedValidatorDescriptor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/rule/VoidMethodsMustNotBeReturnValueConstrained.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForDouble.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForShort.java
va
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/URLDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/BaseHibernateValidatorConfiguration.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/parameternameprovider/ReflectionParameterNameProvider.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/context/MethodTarget.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/properties/javabean/JavaBeanExecutable.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

```

```

jar/org/hibernate/validator/internal/constraintvalidators/bv/DigitsValidatorForCharSequence.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/package-info.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/AbstractPropertyCascadable.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/AbstractMinValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/mapping/DefaultPackageStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/context/Constrainable.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/package-info.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForCalendar.java
va
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/resourceloading/CachingResourceBundleLocator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/CharArrayValueExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForCollection.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForLocalDate.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/privilegedactions/GetDeclaredField.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/facets/Cascadable.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/ISBN.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/ArrayElement.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/CascadableConstraintMappingContextImplBase.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/privilegedactions/GetResource.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForDouble.
java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForThaiBuddh
istDate.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/CreditCardNumber.java

```

```

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForShort.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForBigInteger.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/annotation/package-info.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/logging/formatter/CollectionOfObjectsToStringFormatter.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/spi/cfg/ConstraintMappingContributor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/MapKeyExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/raw/ConfigurationSource.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/constraintvalidation/HibernateConstraintValidatorInitializationContextIm
pl.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/ConstraintMappingContextImplBase.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/PositiveDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/GenericConstraintDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/AbstractFutureOrPresentInstantBase
dValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/CodePointLength.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/logging/LoggerFactory.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/config/ValidationXmlParser.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/constraintvalidation/SimpleConstraintTree.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArraysOfBoolean.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/size/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/IgnoreForbiddenApisErrors.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/constraintvalidation/AbstractConstraintValidatorManagerImpl.java
*

```

/opt/cola/permits/1183889106\_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/pl/NIP.java  
\* /opt/cola/permits/1183889106\_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/AbstractEmailValidator.java  
\* /opt/cola/permits/1183889106\_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/br/CNPJ.java  
\* /opt/cola/permits/1183889106\_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/ExecutableParameterNameProvider.java  
\* /opt/cola/permits/1183889106\_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForLocalDate.java  
\* /opt/cola/permits/1183889106\_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForCalendar.java  
\*  
/opt/cola/permits/1183889106\_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForByte.java  
\* /opt/cola/permits/1183889106\_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/Normalized.java  
\* /opt/cola/permits/1183889106\_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/NotBlankDef.java  
\* /opt/cola/permits/1183889106\_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArrayOfInt.java  
\* /opt/cola/permits/1183889106\_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/logging/package-info.java  
\*  
/opt/cola/permits/1183889106\_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/constraintvalidation/ConstraintValidatorDescriptor.java  
\* /opt/cola/permits/1183889106\_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/provider/package-info.java  
\* /opt/cola/permits/1183889106\_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/RangeDef.java  
\* /opt/cola/permits/1183889106\_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/path/PathImpl.java  
\* /opt/cola/permits/1183889106\_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/PotentiallyContainerCascadingMetaData.java  
\* /opt/cola/permits/1183889106\_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForInteger.java  
\*  
/opt/cola/permits/1183889106\_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/ReadOnlyMapPropertyKeyExtractor.java  
\* /opt/cola/permits/1183889106\_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/Length.java  
\* /opt/cola/permits/1183889106\_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/constraintvalidation/ConstraintValidatorManager.java  
\* /opt/cola/permits/1183889106\_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/PatternValidator.java  
\* /opt/cola/permits/1183889106\_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/LuhnCheck.java  
\* /opt/cola/permits/1183889106\_1627493628.54/hibernate-validator-6-2-0-final-sources-1-

```

jar/org/hibernate/validator/cfg/defs/DurationMinDef.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/GroupConversionHelper.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/properties/javabean/JavaBeanMethod.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForThaiBu
ddhistDate.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForNumber.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/mapping/AbstractOneLineStringStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/money/DigitsValidatorForMonetaryAmount.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/br/TituloEleitoral.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/CollectionHelper.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForCharSequence.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArrayOfFloat.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/AbstractPastInstantBasedValidator.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/messageinterpolation/EITermResolver.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/descriptor/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArrayOfInt.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/descriptor/ReturnValueDescriptorImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/messageinterpolation/ResourceBundleMessageInterpolator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForYearMonth
.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/GetterCascadable.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/context/ContainerElementConstraintMappingContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/logging/formatter/TypeFormatter.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

```

```

jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/AbstractPastEpochBasedValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/MessageInterpolatorContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/provider/XmlMetaDataProvider.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/mapping/MappingXmlParser.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/hv/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/MethodConstraintMappingContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/TokenCollector.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/NotNullValidator.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/mapping/ClassConstraintTypeStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/validationcontext/ValidatorScopedContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForInstant.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/engine/HibernateValidatorEnhancedBean.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraintvalidation/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/config/ResourceLoaderHelper.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/HibernateValidatorPermission.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/mapping/ConstraintDefinitionStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/raw/ConstrainedField.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/annotation/AnnotationFactory.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/BooleanArrayValueExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/rule/OverridingMethodMustNotAlterParameterConstraints.j
ava
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/resolver/JPATraversableResolver.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArraysOfChar.java

```

\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForReadablePartial.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/constraintvalidation/ConstraintValidatorContextImpl.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/time/DurationMax.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/location/TypeArgumentConstraintLocation.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/money/PositiveValidatorForMonetaryAmount.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/spi/properties/GetterPropertySelectionStrategy.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/descriptor/GroupConversionDescriptorImpl.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/AssertFalseDef.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForBigInteger.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/CreditCardNumberDef.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/ConstraintDef.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/Mod11CheckValidator.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForReadableInstant.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/raw/ConstrainedParameter.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/AssertTrueValidator.java  
 \*  
 /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/descriptor/ElementDescriptorImpl.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForMinguoDate.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/GetDeclaredMethods.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/cfg/context/ConfiguredConstraint.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/CodePointLengthValidator.java  
 \* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/AbstractJavaTimeValidator.java  
 \*

```

/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/DecimalMinValidatorForCharSeq
uence.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/facets/Validatable.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForShort.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForFloat.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/stereotypes/ThreadSafe.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/logging/Log.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForMonth
Day.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForHijrahDate.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForHijrah
Date.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/privilegedactions/GetMethodFromGetterNameCandidates.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForCharSequence.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForLocalDate
Time.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForLong.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/StringHelper.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/DefaultConstraintMapping.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/privilegedactions/GetMethods.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/privilegedactions/GetAnnotationAttribute.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/mapping/GroupConversionStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/resolver/TraverseAllTraversableResolver.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

```

jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForJapaneseDate.java  
\*  
/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/group/package-info.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForFloat.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/BeanMetaDataBuilder.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForMap.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/mapping/ConstrainedParameterStaxBuilder.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/path/ContainerElementNode.java  
\*  
/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/constraintvalidation/ConstraintTree.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/NotBlankValidator.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/EmailValidator.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/annotation/ConstraintAnnotationDescriptor.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/path/package-info.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForFloat.java  
\*  
/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/time/package-info.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/DefaultLocaleResolverContext.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForBigInteger.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/TypeTarget.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/NullValidator.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForCharSequence.java  
\*  
/opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/spi/scripting/ScriptEvaluator.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/NegativeDef.java  
\* /opt/cola/permits/1183889106\_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

```

jar/org/hibernate/validator/cfg/defs/NegativeOrZeroDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/MapPropertyKeyExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/privilegedactions/NewProxyInstance.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/LongArrayValueExtractor.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForCharSequence.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/ValueExtractorHelper.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/ConstraintCreationContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/ValidatableParametersMetaData.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/CloseIgnoringInputStream.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForShort.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/Mod10CheckDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/EmailValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/DecimalMinDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/FutureDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArray.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/DigitsValidatorForNumber.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/context/CrossParameterConstraintMappingContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/IterableValueExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForYearMonth.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/hv/time/DurationMaxValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/HibernateValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/spi/nodenameprovider/Property.java
*

```

```

/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForLong.java
va
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArrayOfLong.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/validationcontext/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/descriptor/ClassDescriptorImpl.java
*
/opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/MaxDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/properties/javabean/JavaBeanConstructor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/descriptor/PropertyDescriptorImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForOffsetTime.java

```

## 1.77 asm-analysis 9.1

### 1.77.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.

```

Found in path(s):

```

* /opt/cola/permits/1183891316_1627493686.82/0/asm-analysis-9-1-sources-
jar/org/objectweb/asm/tree/analysis/BasicVerifier.java
* /opt/cola/permits/1183891316_1627493686.82/0/asm-analysis-9-1-sources-
jar/org/objectweb/asm/tree/analysis/Analyzer.java
*
/opt/cola/permits/1183891316_1627493686.82/0/asm-analysis-9-1-sources-
jar/org/objectweb/asm/tree/analysis/SourceValue.java
* /opt/cola/permits/1183891316_1627493686.82/0/asm-analysis-9-1-sources-

```

jar/org/objectweb/asm/tree/analysis/SimpleVerifier.java  
\* /opt/cola/permits/1183891316\_1627493686.82/0/asm-analysis-9-1-sources-  
jar/org/objectweb/asm/tree/analysis/Interpreter.java  
\* /opt/cola/permits/1183891316\_1627493686.82/0/asm-analysis-9-1-sources-  
jar/org/objectweb/asm/tree/analysis/Value.java  
\* /opt/cola/permits/1183891316\_1627493686.82/0/asm-analysis-9-1-sources-  
jar/org/objectweb/asm/tree/analysis/AnalyzerException.java  
\* /opt/cola/permits/1183891316\_1627493686.82/0/asm-analysis-9-1-sources-  
jar/org/objectweb/asm/tree/analysis/Frame.java  
\* /opt/cola/permits/1183891316\_1627493686.82/0/asm-analysis-9-1-sources-  
jar/org/objectweb/asm/tree/analysis/BasicValue.java  
\* /opt/cola/permits/1183891316\_1627493686.82/0/asm-analysis-9-1-sources-  
jar/org/objectweb/asm/tree/analysis/Subroutine.java  
\*  
/opt/cola/permits/1183891316\_1627493686.82/0/asm-analysis-9-1-sources-  
jar/org/objectweb/asm/tree/analysis/SmallSet.java

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/cola/permits/1183891316\_1627493686.82/0/asm-analysis-9-1-sources-

jar/org/objectweb/asm/tree/analysis/package.html

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
/**
 * Constructs a new { @link BasicInterpreter } for the latest ASM API version. <i>Subclasses must
 * not use this constructor</i>. Instead, they must use the { @link #BasicInterpreter(int) }
 * version.
 */
```

Found in path(s):

```
* /opt/cola/permits/1183891316_1627493686.82/0/asm-analysis-9-1-sources-
jar/org/objectweb/asm/tree/analysis/BasicInterpreter.java
```

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
/**
 * Constructs a new { @link SourceInterpreter } for the latest ASM API version. <i>Subclasses must
 * not use this constructor</i>. Instead, they must use the { @link #SourceInterpreter(int) }
 * version.
 */
```

Found in path(s):

```
* /opt/cola/permits/1183891316_1627493686.82/0/asm-analysis-9-1-sources-
jar/org/objectweb/asm/tree/analysis/SourceInterpreter.java
```

# 1.78 jacoco 0.8.7

## 1.78.1 Available under license :

Found license 'Eclipse Public License 1.0' in 'under the terms and conditions of the Eclipse Public License Version 2.0'

Found license 'Eclipse Public License 1.0' in 'This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at'

# 1.79 java-architecture-for-xml-binding 2.3.3

## 1.79.1 Available under license :

/\*

\* The Apache Software License, Version 1.1

\*

\*

\* Copyright (c) 1999-2004 The Apache Software Foundation. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*

\* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

\* "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)."

\* Alternately, this acknowledgment may appear in the software itself, if and

wherever such third-party acknowledgments normally appear.

\*

\* 4. The names "Xerces" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [apache@apache.org](mailto:apache@apache.org).

\*

\* 5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

\*  
\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
\* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
\* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
\* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
\* USE, DATA, OR PROFITS;  
OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\* =====  
\*

\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation and was  
\* originally based on software copyright (c) 1999, International  
\* Business Machines, Inc., <http://www.apache.org>. For more  
\* information on the Apache Software Foundation, please see  
\* <http://www.apache.org/>.

\*/

(See license.txt for the actual license terms)

Copyright 2001-@@YEAR@@ Sun Microsystems, Inc. 901 San Antonio Road, Palo Alto,  
California, 94303, U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to  
technology embodied in this product. In particular, and without  
limitation, these intellectual property rights may include one or more  
of the U.S. patents listed at <http://www.sun.com/patents> and one or  
more additional patents or pending patent applications in the U.S. and  
other countries. This product is distributed under licenses  
restricting its use, copying, distribution, and decompilation. No part  
of this product may be reproduced in any form by any means without  
prior written authorization of Sun and its licensors, if any. Third  
party software, including font technology, is copyrighted and licensed  
from Sun suppliers. Sun, the Sun logo, and Sun Microsystems are  
trademarks or registered trademarks of Sun Microsystems, Inc. in the  
U.S. and other  
countries. This product includes software developed by  
the Apache Software Foundation (<http://www.apache.org/>). Federal  
Acquisitions: Commercial Software - Government Users Subject to  
Standard License Terms and Conditions.

-----

Copyright 2001--@@YEAR@@ Sun Microsystems, Inc., 901 San Antonio Road, Palo Alto, Californie 94303 tats-Unis. Tous droits rservs. Distribue par des licences qui en restreignent l'utilisation. Sun Microsystems, Inc. a les droits de proprit intellectuels relatants la technologie incorpore dans ce produit. En particulier, et sans la limitation, ces droits de proprit intellectuels peuvent inclure un ou plus des brevets amricains numrs <http://www.sun.com/patents> et un ou les brevets plus supplmentaires ou les applications de brevet en attente dans les Etats Unis et les autres pays. Ce produit ou document est protg par un copyright et distribu avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la dcompilation. Aucune partie de ce produit ou document ne peut tre reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation pralable et crite de Sun et de ses bailleurs de licence, s'il y en a. Le logiciel dtenu par des tiers, et qui comprend la technologie relative aux polices de caractres, est protg par un copyright et licenci par des fournisseurs de Sun. Sun, le logo Sun, Sun Microsystems et sont des marques de fabrique ou des marques d'pos'es de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays. Ce produit inclut le logiciel dvelopp par la base de Apache Software Foundation (<http://www.apache.org/>). L'accord du gouvernement des tats Unis est requis avant l'exportation du produit.

/\* =====

- \* The Apache Software License, Version 1.1
- \*
- \* Copyright (c) 2001-2003 The Apache Software Foundation. All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \*
- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \*
- \* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:
  - \* "This product includes software developed by the
  - \* Apache Software Foundation (<http://www.apache.org/>)."
  - \* Alternately, this acknowledgment may appear in the software itself,
  - \* if and wherever such third-party acknowledgments normally appear.

\*  
 \* 4. The names "Apache" and "Apache Software Foundation" must  
 \* not be used to endorse or promote products derived from this  
 \* software without prior written permission. For written  
 \* permission, please contact [apache@apache.org](mailto:apache@apache.org).  
 \*  
 \* 5. Products derived from this software may not be called "Apache",  
 \* nor may "Apache" appear in their name, without prior written  
 \* permission of the Apache Software Foundation.  
 \*  
 \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
 \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
 \* LIMITED TO, PROCUREMENT OF SUBSTITUTE  
 \* GOODS OR SERVICES; LOSS OF  
 \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
 \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
 \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
 \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
 \* SUCH DAMAGE.  
 \* =====  
 \*  
 \* This software consists of voluntary contributions made by many  
 \* individuals on behalf of the Apache Software Foundation. For more  
 \* information on the Apache Software Foundation, please see  
 \* <<http://www.apache.org/>>.  
 \*/

Apache License  
 Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
 and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
 the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
 other entities that control, are controlled by, or are under common  
 control with that entity. For the purposes of this definition,  
 "control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,  
unless required by applicable law  
(such as deliberate and grossly  
negligent acts) or agreed to in writing, shall any Contributor be  
liable to You for damages, including any direct, indirect, special,  
incidental, or consequential damages of any character arising as a  
result of this License or out of the use or inability to use the  
Work (including but not limited to damages for loss of goodwill,  
work stoppage, computer failure or malfunction, or any and all  
other commercial damages or losses), even if such Contributor  
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing  
the Work or Derivative Works thereof, You may choose to offer,  
and charge a fee for, acceptance of support, warranty, indemnity,  
or other liability obligations and/or rights consistent with this  
License. However, in accepting such obligations, You may act only  
on Your own behalf and on Your sole  
responsibility, not on behalf  
of any other Contributor, and only if You agree to indemnify,  
defend, and hold each Contributor harmless for any liability  
incurred by, or claims asserted against, such Contributor by reason  
of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following  
boilerplate notice, with the fields enclosed by brackets "[]"  
replaced with your own identifying information. (Don't include  
the brackets!) The text should be enclosed in the appropriate  
comment syntax for the file format. We also recommend that a  
file or class name and description of purpose be included on the  
same "printed page" as the copyright notice for easier  
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed  
under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

THIS LICENSE IS INTENDED TO BE USED FOR DEBUGGING THE INSTALLER.

#### Amendment I

Congress shall make no law respecting an establishment of religion, or prohibiting the free exercise thereof; or abridging the freedom of speech, or of the press; or the right of the people peaceably to assemble, and to petition the government for a redress of grievances.

#### Amendment II

A well regulated militia, being necessary to the security of a free state, the right of the people to keep and bear arms, shall not be infringed.

#### Amendment III

No soldier shall, in time of peace be quartered in any house, without the consent of the owner, nor in time of war, but in a manner to be prescribed by law.

#### Amendment IV

The right of the people to be secure in their persons, houses, papers, and effects, against unreasonable searches and seizures, shall not be violated, and no warrants shall issue, but upon probable cause, supported by oath or affirmation, and particularly describing the place to be searched, and the persons or things to be seized.

#### Amendment V

No person shall be held to answer for a capital, or otherwise infamous crime, unless on a presentment or indictment of a grand jury, except in cases arising in the land or naval forces, or in the militia, when in actual service in time of war or public danger; nor shall any person be subject for the same offense to be twice put in jeopardy of life or limb; nor shall be compelled in any criminal case to be a witness against himself, nor be deprived of life, liberty, or property, without due process of law; nor shall private property be taken for public use, without just compensation.

#### Amendment VI

In all criminal prosecutions, the accused shall enjoy the right to a speedy and public trial, by an impartial jury of the state and district wherein the crime shall have been committed, which district shall have been previously ascertained by law, and to be informed of the nature and cause of the accusation; to be confronted with the witnesses against him; to have compulsory process for obtaining witnesses in his favor, and to have the assistance of counsel for his defense.

#### Amendment VII

In suits at common law, where the value in controversy shall exceed twenty dollars, the right of trial by jury shall be preserved, and no fact tried by a jury, shall be otherwise reexamined in any court of the United States, than

according to the rules of the common law.

#### Amendment VIII

Excessive bail shall not be required, nor excessive fines imposed, nor cruel and unusual punishments inflicted.

#### Amendment IX

The enumeration in the Constitution, of certain rights, shall not be construed to deny or disparage others retained by the people.

#### Amendment X

The powers not delegated to the United States by the Constitution, nor prohibited by it to the states, are reserved to the states respectively, or to the people.

/\* =====

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 2000 The Apache Software Foundation. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*

\* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

\* "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)."

\* Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

\*

\* 4. The names "Apache" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [apache@apache.org](mailto:apache@apache.org).

\*

\* 5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written

\* permission of the Apache Software Foundation.  
\*  
\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
\* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
\* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
\* LIMITED TO, PROCUREMENT OF SUBSTITUTE  
\* GOODS OR SERVICES; LOSS OF  
\* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\* =====

\*  
\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation. For more  
\* information on the Apache Software Foundation, please see  
\* <<http://www.apache.org/>>.

\*  
\* Portions of this software are based upon public domain software  
\* originally written at the National Center for Supercomputing Applications,  
\* University of Illinois, Urbana-Champaign.

\*/

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

## 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity

that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is

under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free,

non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making,

using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted

from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must

include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or

any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered

Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer

or Contributor. You

hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no

one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received

the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against

whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor

or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN

INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1

through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein.

This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible

for costs, including, without limitation, court

costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to

distribute such responsibility on an equitable basis. Nothing

herein is intended or shall be deemed to constitute any admission of liability.

(See license.txt for the actual license terms)

Copyright 2001-@@YEAR@@ Sun Microsystems, Inc. 901 San Antonio Road, Palo Alto, California, 94303, U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to technology embodied in this product. In particular, and without

limitation, these intellectual property rights may include one or more of the U.S. patents listed at <http://www.sun.com/patents> and one or more additional patents or pending patent applications in the U.S. and other countries. This product is distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this product may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any. Third party software, including font technology, is copyrighted and licensed from Sun suppliers. Sun, the Sun logo, and Sun Microsystems are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries. This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>). Federal Acquisitions: Commercial Software - Government Users Subject to Standard License Terms and Conditions.

-----

Copyright 2001-@@YEAR@@ Sun Microsystems, Inc., 901 San Antonio Road, Palo Alto, Californie 94303 tats-Unis. Tous droits rservs. Distribue par des licences qui en restreignent l'utilisation. Sun Microsystems, Inc. a les droits de propriit intellectuels relatants la technologie incorpore dans ce produit. En particulier, et sans la limitation, ces droits de propriit intellectuels peuvent inclure un ou plus des brevets amricains numrs <http://www.sun.com/patents> et un ou les brevets plus supplmentaires ou les applications de brevet en attente dans les Etats Unis et les autres pays. Ce produit ou document est protg par un copyright et distribu avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la dcompilation. Aucune partie de ce produit ou document ne peut tre reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation pralable et crite de Sun et de ses bailleurs de licence, s'il y en a. Le logiciel dtenu par des tiers, et qui comprend la technologie relative aux polices de caractres, est protg par un copyright et licenci par des fournisseurs de Sun. Sun, le logo Sun, Sun Microsystems et sont des marques de fabrique ou des marques d?pos?es de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays. Ce produit inclut le logiciel dvelopp par la base de Apache Software Foundation (<http://www.apache.org/>). L'accord du gouvernement des tats Unis est requis avant l'exportation du produit. This license came from: <http://www.w3.org/Consortium/Legal/copyright-software-19980720>

#### W3C SOFTWARE NOTICE AND LICENSE

Copyright 1994-2001 World

Wide Web Consortium, <a href="http://www.w3.org/">World

Wide Web Consortium

, (<http://www.lcs.mit.edu/>) Massachusetts Institute of Technology, <http://www.inria.fr/> Institut National de Recherche en Informatique et en Automatique, <http://www.keio.ac.jp/> Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/>

This W3C work (including software, documents, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to use, copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications, that you make:

The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.

Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, a short notice of the following form (hypertext is preferred, text is permitted) should be used within the body of any redistributed or derivative code:  
"Copyright [date-of-software] World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/>"

Notice of any changes or modifications to the W3C files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

**THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS. COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.**

The name and trademarks of copyright holders may NOT be used in

advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on August 14 1998 so as to improve compatibility with GPL. This version ensures that W3C software licensing terms are no more restrictive than GPL and consequently W3C software may be distributed in GPL packages. See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

webmaster

Copyright (c) 2001, Sun Microsystems, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Sun Microsystems, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION

HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2003, Kohsuke Kawaguchi  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2003 Sun Microsystems, Inc. All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

-Redistribution of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

-Redistribution in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Sun Microsystems, Inc. or the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided "AS IS," without a warranty of any kind. ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE HEREBY EXCLUDED. SUN MICROSYSTEMS, INC. ("SUN") AND ITS LICENSORS SHALL NOT BE LIABLE FOR ANY DAMAGES SUFFERED BY LICENSEE AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THIS SOFTWARE OR ITS DERIVATIVES. IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR DIRECT, INDIRECT, SPECIAL, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF THE USE OF OR INABILITY TO USE THIS SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

You acknowledge that this software is not designed, licensed or intended for use in the design, construction, operation or maintenance of any nuclear facility.

Sun Microsystems, Inc.

Binary Code License Agreement

READ THE TERMS OF THIS AGREEMENT AND ANY PROVIDED SUPPLEMENTAL LICENSE TERMS (COLLECTIVELY "AGREEMENT") CAREFULLY BEFORE OPENING THE SOFTWARE MEDIA PACKAGE. BY OPENING THE SOFTWARE MEDIA PACKAGE, YOU AGREE TO THE TERMS OF THIS AGREEMENT. IF YOU ARE ACCESSING THE SOFTWARE ELECTRONICALLY, INDICATE YOUR ACCEPTANCE OF THESE TERMS BY SELECTING THE "ACCEPT" BUTTON AT THE END OF THIS AGREEMENT. IF YOU DO NOT AGREE TO ALL THESE TERMS, PROMPTLY RETURN THE UNUSED SOFTWARE TO YOUR PLACE OF PURCHASE FOR A REFUND OR, IF THE SOFTWARE IS ACCESSED ELECTRONICALLY, SELECT THE "DECLINE" BUTTON AT THE END OF THIS AGREEMENT.

1. LICENSE TO USE. Sun grants you a non-exclusive and non-transferable license for the internal use only of the accompanying software and documentation and any error corrections provided by Sun (collectively "Software"), by the number of users and the class of computer hardware for which the corresponding fee has been paid.

2. RESTRICTIONS. Software is confidential and copyrighted. Title to Software and all associated intellectual property rights is retained by Sun and/or its licensors. Except as specifically authorized in any Supplemental License Terms, you may not make copies of Software, other than a single copy of Software for archival purposes. Unless enforcement

is prohibited by applicable law, you may not modify, decompile, or reverse engineer Software. You acknowledge that Software is not designed, licensed or intended for use in the design, construction, operation or maintenance of any nuclear facility. Sun disclaims any express or implied warranty of fitness for such uses. No right, title or interest in or to any trademark, service mark, logo or trade name of Sun or its licensors is granted under this Agreement.

3. **LIMITED WARRANTY.** Sun warrants to you that for a period of ninety (90) days from the date of purchase, as evidenced by a copy of the receipt, the media on which Software is furnished (if any) will be free of defects in materials and workmanship under normal use. Except for the foregoing, Software is provided "AS IS". Your exclusive remedy and Sun's entire liability under this limited warranty will be at Sun's option to replace Software media or refund the fee paid for Software.

4. **DISCLAIMER OF WARRANTY.** UNLESS SPECIFIED IN THIS AGREEMENT, ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT THESE DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

5. **LIMITATION OF LIABILITY.** TO THE EXTENT NOT PROHIBITED BY LAW, IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF OR RELATED TO THE USE OF OR INABILITY TO USE SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. In no event will Sun's liability to you, whether in contract, tort (including negligence), or otherwise, exceed the amount paid by you for Software under this Agreement. The foregoing limitations will apply even if the above stated warranty fails of its essential purpose.

6. **Termination.** This Agreement is effective until terminated. You may terminate this Agreement at any time by destroying all copies of Software. This Agreement will terminate immediately without notice from Sun if you fail to comply with any provision of this Agreement. Upon

Termination, you must destroy all copies of Software.

7. Export Regulations. All Software and technical data delivered under this Agreement are subject to US export control laws and may be subject to export or import regulations in other countries. You agree to comply strictly with all such laws and regulations and acknowledge that you have the responsibility to obtain such licenses to export, re-export, or import as may be required after delivery to you.

8. U.S. Government Restricted Rights. If Software is being acquired by or on behalf of the U.S. Government or by a U.S. Government prime contractor or subcontractor (at any tier), then the Government's rights in Software and accompanying documentation will be only as set forth in this Agreement; this is in accordance with 48 CFR 227.7201 through 227.7202-4 (for Department of Defense (DOD) acquisitions) and with 48 CFR 2.101 and 12.212 (for non-DOD acquisitions).

9. Governing Law. Any action related to this Agreement will be governed by California law and controlling U.S. federal law. No choice of law rules of any jurisdiction will apply.

10. Severability. If any provision of this Agreement is held to be unenforceable, this Agreement will remain in effect with the provision omitted, unless omission would frustrate the intent of the parties, in which case this Agreement will immediately terminate.

11.

Integration. This Agreement is the entire agreement between you and Sun relating to its subject matter. It supersedes all prior or contemporaneous oral or written communications, proposals, representations and warranties and prevails over any conflicting or additional terms of any quote, order, acknowledgment, or other communication between the parties relating to its subject matter during the term of this Agreement. No modification of this Agreement will be binding, unless in writing and signed by an authorized representative of each party.

SUN XML INSTANCE GENERATOR, VERSION 1.0 SUPPLEMENTAL LICENSE  
TERMS

These supplemental license terms ("Supplemental Terms") add to or modify the terms of the Binary Code License Agreement (collectively, the "Agreement"). Capitalized terms not defined in these Supplemental Terms shall have the same meanings ascribed to them in the Agreement. These Supplemental Terms shall supersede any inconsistent or conflicting terms in the Agreement, or in any license contained within the Software.

1. Software Internal Use and Development License Grant. Subject to the terms and conditions of this Agreement, including, but not limited to Section 4 (Java(TM) Technology Restrictions) of these Supplemental Terms, Sun grants to you, a non-exclusive, non-transferable, royalty-free and limited license to reproduce, modify, and create derivative works of the Software for the sole purpose of adding value and improving the Software for the development of applications ("Programs").
2. License to Distribute Software. Subject to the terms and conditions of this Agreement, including, but not limited to Section 4 (Java (TM) Technology Restrictions) of these Supplemental Terms, Sun grants you a non-exclusive, non-transferable, limited license to reproduce and distribute the Software modified by you as permitted in Section 1 of these Supplemental Terms ("Modified Software") in source or binary code form, provided that (i) you distribute the Modified Software only bundled as part of, and for the sole purpose of running, your Programs, (ii) the Modified Software adds value and improveS the function of the Software, (iv) you do not remove or alter any proprietary legends or notices contained in the Software, (v) you only distribute the Modified Software subject to a license agreement that protects Sun's interests consistent with the terms contained in this Agreement, and (vi) you agree to defend and indemnify Sun and its licensors from and against any damages, costs, liabilities, settlement amounts and/or expenses (including attorneys' fees) incurred in connection with any claim, lawsuit or action by any third party that arises or results from the use or distribution of any and all Programs and/or Modified Software.
3. Experimental Software. You acknowledge that the Software is experimental and may contain errors, defects, or deficiencies which cannot or will not be corrected by Sun.

You shall have the sole responsibility to protect adequately and backup your data and/or equipment used in connection with the Software. You shall not claim against Sun for lost data, re-run time, inaccurate output, work delays or lost profits resulting from your use of the Licensed Software.

4. Java Technology Restrictions. You may not modify the Java Platform Interface ("JPI", identified as classes contained within the "java" package or any subpackages of the "java" package), by creating additional classes within the JPI or otherwise causing the addition to or modification of the classes in the JPI. In the event that you create an additional class and associated API(s) which (i) extends the functionality of the Java platform, and (ii) is exposed to third party software developers for the purpose of developing additional software which invokes such additional API, you must promptly publish broadly an accurate specification for such API for free use by all developers. You may not create, or authorize your licensees to create, additional classes, interfaces, or subpackages that are in any way identified as "java", "javax", "sun" or similar convention as specified by Sun in any naming convention designation.

5. Trademarks and Logos. You acknowledge and agree as between you and Sun that Sun owns the SUN, SOLARIS, JAVA, JINI, FORTE, and iPLANET trademarks and all SUN, SOLARIS, JAVA, JINI, FORTE, and iPLANET-related trademarks, service marks, logos and other brand designations ("Sun Marks"), and you agree to comply with the Sun Trademark and Logo Usage Requirements currently located at <http://www.sun.com/policies/trademarks>. Any use you make of the Sun Marks inures to Sun's benefit.

6. Termination for Infringement. Either party may terminate this Agreement immediately should any Software become, or in either party's opinion be likely to become, the subject of a claim of infringement of any intellectual property right.

For inquiries please contact:  
Sun Microsystems, Inc.  
901 San Antonio Road,  
Palo Alto, California 94303  
(LFI#100313/Form ID#011801)

Sun Microsystems, Inc.  
Binary Code License Agreement

READ THE TERMS OF THIS AGREEMENT AND ANY PROVIDED SUPPLEMENTAL LICENSE TERMS (COLLECTIVELY "AGREEMENT") CAREFULLY BEFORE OPENING THE SOFTWARE MEDIA PACKAGE. BY OPENING THE SOFTWARE MEDIA PACKAGE, YOU AGREE TO THE TERMS OF THIS AGREEMENT. IF YOU ARE ACCESSING THE SOFTWARE ELECTRONICALLY, INDICATE YOUR ACCEPTANCE OF THESE TERMS BY SELECTING THE "ACCEPT" BUTTON AT THE END OF THIS AGREEMENT. IF YOU DO NOT AGREE TO ALL THESE TERMS, PROMPTLY RETURN THE UNUSED SOFTWARE TO YOUR PLACE OF PURCHASE FOR A REFUND OR, IF THE SOFTWARE IS ACCESSED ELECTRONICALLY, SELECT THE "DECLINE" BUTTON AT THE END OF THIS AGREEMENT.

1. LICENSE TO USE. Sun grants you a non-exclusive and non-transferable license for the internal use only of the accompanying software and documentation and any error corrections provided by Sun (collectively "Software"), by the number of users and the class of computer hardware for which the corresponding fee has been paid.

2. RESTRICTIONS. Software is confidential and copyrighted. Title to Software and all associated intellectual property rights is retained by Sun and/or its licensors. Except as specifically authorized in any Supplemental License Terms, you may not make copies of Software, other than a single copy of Software for archival purposes. Unless enforcement is prohibited by applicable law, you may not modify, decompile, or reverse engineer Software. You acknowledge that Software is not designed, licensed or intended for use in the design, construction, operation or maintenance of any nuclear facility. Sun disclaims any express or implied warranty of fitness for such uses. No right, title or interest in or to any trademark, service mark, logo or trade name of Sun or its licensors is granted under this Agreement.

3. LIMITED WARRANTY. Sun warrants to you that for a period of ninety (90) days from the date of purchase, as evidenced by a copy of the receipt, the media on which Software is furnished (if any) will be free of defects in materials and workmanship under normal use. Except for the foregoing, Software is provided "AS IS". Your exclusive remedy and Sun's entire liability under this limited warranty will be at Sun's option to replace Software media or refund the fee paid for Software.

4. DISCLAIMER OF WARRANTY. UNLESS SPECIFIED IN THIS AGREEMENT, ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT THESE DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

5. LIMITATION OF LIABILITY. TO THE EXTENT NOT PROHIBITED BY LAW, IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF OR RELATED TO THE

USE OF OR INABILITY TO USE SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. In no event will Sun's liability to you, whether in contract, tort (including negligence), or otherwise, exceed the amount paid by you for Software under this Agreement. The foregoing limitations will apply even if the above stated warranty fails of its essential purpose.

6. Termination. This Agreement is effective until terminated. You may terminate this Agreement at any time by destroying all copies of Software. This Agreement will terminate immediately without notice from Sun if you fail to comply with any provision of this Agreement. Upon Termination, you must destroy all copies of Software.

7. Export Regulations. All Software and technical data delivered under this Agreement are subject to US export control laws and may be subject to export or import regulations in other countries. You agree to comply strictly with all such laws and regulations and acknowledge that you have the responsibility to obtain such licenses to export, re-export, or import as may be required after delivery to you.

8. U.S. Government Restricted Rights. If Software is being acquired by or on behalf of the U.S. Government or by a U.S. Government prime contractor or subcontractor (at any tier), then the Government's rights in Software and accompanying documentation will be only as set forth in this Agreement; this is in accordance with 48 CFR 227.7201 through 227.7202-4 (for Department of Defense (DOD) acquisitions) and with 48 CFR 2.101 and 12.212 (for non-DOD acquisitions).

9. Governing Law. Any action related to this Agreement will be governed by California law and controlling U.S. federal law. No choice of law rules of any jurisdiction will apply.

10. Severability. If any provision of this Agreement is held to be unenforceable, this Agreement will remain in effect with the provision omitted, unless omission would frustrate the intent of the parties, in which case this Agreement will immediately terminate.

11. Integration. This Agreement is the entire agreement between you and Sun relating to its subject matter. It supersedes all prior or contemporaneous oral or written communications, proposals, representations and warranties and prevails over any conflicting or additional terms of any

quote, order, acknowledgment, or other communication between the parties relating to its subject matter during the term of this Agreement. No modification of this Agreement will be binding, unless in writing and signed by an authorized representative of each party.

## JAVA OPTIONAL PACKAGE

### JAVABEANS(TM) ACTIVATION FRAMEWORK, VERSION 1.0.2 SUPPLEMENTAL LICENSE TERMS

These supplemental license terms ("Supplemental Terms") add to or modify the terms of the Binary Code License Agreement (collectively, the "Agreement"). Capitalized terms not defined in these Supplemental Terms shall have the same meanings

ascribed to them in the Agreement. These Supplemental Terms shall supersede any inconsistent or conflicting terms in the Agreement, or in any license contained within the Software.

1. Software Internal Use and Development License Grant. Subject to the terms and conditions of this Agreement, including, but not limited to Section 3 (Java(TM) Technology Restrictions) of these Supplemental Terms, Sun grants you a non-exclusive, non-transferable, limited license to reproduce internally and use internally the binary form of the Software, complete and unmodified, for the sole purpose of designing, developing and testing your Java applets and applications ("Programs").

2. License to Distribute Software. In addition to the license granted in Section 1 (Software Internal Use and Development License Grant) of these Supplemental Terms, subject to the terms and conditions of this Agreement, including but not limited to, Section 3 (Java Technology Restrictions) of these Supplemental Terms, Sun grants you a non-exclusive, non-transferable, limited license to reproduce and distribute the Software in binary code form only, provided that you (i) distribute the Software complete and unmodified and only bundled as part of your Programs, (ii) do not distribute additional software intended to replace any component(s) of the Software, (iii) do not remove or alter any proprietary legends or notices contained in the Software, (iv) only distribute the Software subject to a license agreement that protects Sun's interests consistent with the terms contained in this Agreement, and (v) agree to defend and indemnify Sun and its licensors from and against any damages, costs, liabilities, settlement amounts and/or expenses (including attorneys' fees) incurred in connection with any claim, lawsuit or action by any third party that arises or results from the use or distribution of any and all Programs and/or Software.

3. Java Technology Restrictions. You may not modify the Java Platform Interface

("JPI", identified as classes contained within the "java" package or any subpackages of the "java" package), by creating additional classes within the JPI or otherwise causing the addition to or modification of the classes in the JPI. In the event that you create an additional class and associated API(s) which (i) extends the functionality of the Java platform, and (ii) is exposed to third party software developers for the purpose of developing additional software which invokes such additional API, you must promptly publish broadly an accurate specification for such API for free use by all developers. You may not create, or authorize your licensees to create additional classes, interfaces, or subpackages that are in any way identified as "java", "javax", "sun" or similar convention as specified by Sun in any naming convention designation.

4. No Support. Sun is under no obligation to support the Software or to provide you with updates or error corrections. You acknowledge that the Software may have defects or deficiencies which cannot or will not be corrected by Sun.

5. Trademarks and Logos. You acknowledge and agree as between you and Sun that Sun owns the SUN, SOLARIS, JAVA, JINI, FORTE, and iPLANET trademarks and all SUN, SOLARIS, JAVA, JINI, FORTE, and iPLANET-related trademarks, service marks, logos and other brand designations ("Sun Marks"), and you agree to comply with the Sun Trademark and Logo Usage Requirements currently located at <http://www.sun.com/policies/trademarks>. Any use you make of the Sun Marks inures to Sun's benefit.

6. Source Code. Software may contain source code that is provided solely for reference purposes pursuant to the terms of this Agreement. Source code may not be redistributed unless expressly provided for in this Agreement.

7. Termination for Infringement. Either party may terminate this Agreement immediately should any Software become, or in either party's opinion be likely to become, the subject of a claim of infringement of any intellectual property right.

For inquiries please contact: Sun Microsystems, Inc. 901 San Antonio Road,  
Palo Alto, California 94303  
(LFI#115020/Form ID#011801)

/\*

\* The Apache Software License, Version 1.1

\*

\*

\* Copyright (c) 1999-2002 The Apache Software Foundation. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions  
 \* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*  
 \* 3. The end-user documentation included with the redistribution,  
 \* if any, must include the following acknowledgment:  
 \* "This product includes software developed by the  
 \* Apache Software Foundation (<http://www.apache.org/>)."  
 \* Alternately, this acknowledgment may appear in the software itself,  
 \* if and  
 \* wherever such third-party acknowledgments normally appear.  
 \*  
 \* 4. The names "Xerces" and "Apache Software Foundation" must  
 \* not be used to endorse or promote products derived from this  
 \* software without prior written permission. For written  
 \* permission, please contact [apache@apache.org](mailto:apache@apache.org).  
 \*  
 \* 5. Products derived from this software may not be called "Apache",  
 \* nor may "Apache" appear in their name, without prior written  
 \* permission of the Apache Software Foundation.  
 \*  
 \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
 \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
 \* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
 \* USE, DATA, OR PROFITS;  
 \* OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
 \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
 \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
 \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
 \* SUCH DAMAGE.  
 \* =====  
 \*  
 \* This software consists of voluntary contributions made by many  
 \* individuals on behalf of the Apache Software Foundation and was  
 \* originally based on software copyright (c) 1999, International  
 \* Business Machines, Inc., <http://www.ibm.com>. For more  
 \* information on the Apache Software Foundation, please see

\* <<http://www.apache.org/>>.

\*/

Copyright (c) 2001-@@YEAR@@ Sun Microsystems, Inc. All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistribution in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Sun Microsystems, Inc. or the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided "AS IS," without a warranty of any kind. ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE

OR NON-INFRINGEMENT, ARE HEREBY EXCLUDED. SUN AND ITS LICENSORS SHALL NOT BE LIABLE FOR ANY DAMAGES OR LIABILITIES SUFFERED BY LICENSEE AS A RESULT OF OR RELATING TO USE, MODIFICATION OR DISTRIBUTION OF THE SOFTWARE OR ITS DERIVATIVES. IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR DIRECT, INDIRECT, SPECIAL, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF THE USE OF OR INABILITY TO USE SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

You acknowledge that Software is not designed, licensed or intended for use in the design, construction, operation or maintenance of any nuclear facility.

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

## 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b)

Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7.  
License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls,

is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such

Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor

Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor.

You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms

which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

#### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You:

(a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure

such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer

software. (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions.

Any

litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any

litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and

you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections

when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under

Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version

is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY

AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an

executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.  
Copyright (c) 2004 Kohsuke Kawaguchi

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2003, Kohsuke Kawaguchi  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1

#### 1. Definitions.

- 1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.
- 1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
- 1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
- 1.4. "Executable" means the Covered Software in any form other than Source Code.
- 1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.
- 1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.
- 1.7. "License" means this document.
- 1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
- 1.9. "Modifications" means the Source Code and Executable form of any of the following:
  - A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce,

modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof);

and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the

applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it

clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER

INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4

(June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----  
**NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)**

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended

to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify

your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License,

and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative

works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of

this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

#### 9. The Free Software

Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision

will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name  
and a brief idea of what it does.

#### Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
```

```
Gnomovision
```

```
comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are
welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at
compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library,

you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL Version 2, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless

of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause

the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor

Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

#### 3.6. Larger Works.

You may create a Larger Work by combining Covered

Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

#### 4. Versions of the License.

##### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

##### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

##### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a

Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter

shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all

the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to

most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special

exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but

you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

Copyright 2001-2005 (C) MetaStuff, Ltd. All Rights Reserved.

Redistribution and use of this software and associated documentation ("Software"), with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain copyright statements and notices. Redistributions must also contain a copy of this document.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name "DOM4J" must not be used to endorse or promote products derived from this Software without prior written permission of MetaStuff, Ltd. For written permission, please contact [dom4j-info@metastuff.com](mailto:dom4j-info@metastuff.com).
4. Products derived from this Software may not be called "DOM4J" nor may "DOM4J" appear in their names without prior written permission of MetaStuff, Ltd. DOM4J is a registered trademark of MetaStuff, Ltd.
5. Due credit should be given to the DOM4J Project - <http://www.dom4j.org>

THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2001-@@YEAR@@ Sun Microsystems, Inc. 901 San Antonio Road, Palo Alto, California, 94303, U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to technology embodied in this product. In particular, and without limitation, these intellectual property rights may include one or more of the U.S. patents listed at <http://www.sun.com/patents> and one or more additional patents or pending patent applications in the U.S. and other countries. This product is distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this product may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any. Third party software, including font technology, is copyrighted and licensed from Sun suppliers. Sun, the Sun logo, and Sun Microsystems are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries. This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>). Federal Acquisitions: Commercial Software - Government Users Subject to Standard License Terms and Conditions.

-----  
Copyright 2001-@@YEAR@@ Sun Microsystems, Inc., 901 San Antonio Road, Palo Alto, Californie 94303 tats-Unis. Tous droits rservs. Distribue par des licences qui en restreignent l'utilisation. Sun Microsystems, Inc. a les droits de proprit intellectuels relatants la technologie incorpore dans ce produit. En particulier, et sans la limitation, ces droits de proprit intellectuels peuvent inclure un ou plus des brevets amricains numrs <http://www.sun.com/patents> et un ou les brevets plus supplmentaires ou les applications de brevet en attente dans les Etats Unis et les autres pays. Ce produit ou document est protg par un copyright et distribu avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la dcompilation. Aucune partie de ce produit ou document ne peut tre reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation pralable et crite de Sun et de ses bailleurs de licence, s'il y en a. Le logiciel dtenu par des tiers, et qui

comprend la technologie relative aux polices de caractères, est protégé par un copyright et licencié par des fournisseurs de Sun. Sun, le logo Sun, Sun Microsystems et sont des marques de fabrique ou des marques déposées de Sun Microsystems, Inc. aux États-Unis et dans d'autres pays. Ce produit inclut le logiciel développé par la base de Apache Software Foundation (<http://www.apache.org/>). L'accord du gouvernement des États-Unis est requis avant l'exportation du produit. This license came from: <http://www.megginson.com/SAX/copying.html> However please note future versions of SAX may be covered under <http://saxproject.org/?selected=pd>

This page is now out of date -- see the new SAX site at <http://www.saxproject.org/> for more up-to-date releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, [david@megginson.com](mailto:david@megginson.com)

2000-05-05

Copyright (c) 2001-2005 Sun Microsystems, Inc. All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistribution in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Sun Microsystems, Inc. or the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided "AS IS," without a warranty of any kind. ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR

NON-INFRINGEMENT, ARE HEREBY EXCLUDED. SUN AND ITS LICENSORS SHALL NOT BE LIABLE FOR ANY DAMAGES OR LIABILITIES SUFFERED BY LICENSEE AS A RESULT OF OR RELATING TO USE, MODIFICATION OR DISTRIBUTION OF THE SOFTWARE OR ITS DERIVATIVES. IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR DIRECT, INDIRECT, SPECIAL, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF THE USE OF OR INABILITY TO USE SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

You acknowledge that Software is not designed, licensed or intended for use in the design, construction, operation or maintenance of any nuclear facility.

/\*

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 2001-2003 Ant-Contrib project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. The end-user documentation included with the redistribution, if  
\* any, must include the following acknowledgement:

\* "This product includes software developed by the  
\* Ant-Contrib project (<http://sourceforge.net/projects/ant-contrib>)."  
\* Alternately, this acknowledgement may appear in the software itself,  
\* if and wherever

such third-party acknowledgements normally appear.

\*

\* 4. The name Ant-Contrib must not be used to endorse or promote products  
\* derived from this software without prior written permission. For  
\* written permission, please contact  
\* ant-contrib-developers@lists.sourceforge.net.

\*

\* 5. Products derived from this software may not be called "Ant-Contrib"  
\* nor may "Ant-Contrib" appear in their names without prior written  
\* permission of the Ant-Contrib project.

\*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED

\* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED. IN NO EVENT SHALL THE ANT-CONTRIB PROJECT OR ITS  
 \* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
 \* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
 \* USE, DATA, OR PROFITS; OR BUSINESS  
 \* INTERRUPTION) HOWEVER CAUSED AND  
 \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
 \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
 \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
 \* SUCH DAMAGE.

\* =====  
 \*/  
 =====  
 == NOTICE file corresponding to the section 4 d of ==  
 == the Apache License, Version 2.0, ==  
 == in this case for the Apache Ant distribution. ==  
 =====

This product includes software developed by  
 The Apache Software Foundation (<http://www.apache.org/>).

This product includes also software developed by :  
 - the W3C consortium (<http://www.w3c.org/>),  
 - the SAX project (<http://www.saxproject.org/>)

Please read the different LICENSE files present in the root directory of  
 this distribution.

/\*  
 \* \$Id: license.txt,v 1.2 2006/04/01 06:01:50 jeffsuttor Exp \$  
 \* %W% %E%  
 \*/

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0 1.

Definitions.

- 1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.
- 1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
- 1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each

case including portions thereof.

- 1.4. Executable means the Covered Software in any form other than Source Code.
- 1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.
- 1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.
- 1.7. License means this document.
- 1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
- 1.9. Modifications means the Source Code and Executable form of any of the following: A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications; B. Any new file that contains any part of the Original Software or previous Modification; or C. Any new file that is contributed or otherwise made available under the terms of this License.
- 1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.
- 1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.
- 1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.
- 1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding

shares or beneficial ownership of such entity.

## 2. License Grants.

2.1. The Initial Developer Grant. Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof);

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License;

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or  
(2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant. Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such

combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code. Any Covered Software that You

distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications. The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices. You must include a notice in each of Your

Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms. You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions. You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works. You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

#### 4. Versions of the License.

4.1. New Versions. Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions. You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions. When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY. COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the

Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or

2.2 of this License shall,

upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY. UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS. The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R.

12.212

(Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all

U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in

lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS. This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS. As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Copyright 2001 Sun Microsystems, Inc. 901 San Antonio Road, Palo Alto,  
California, 94303, U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to  
technology embodied in this product. In particular, and without  
limitation, these intellectual property rights may include one or more  
of the U.S. patents listed at <http://www.sun.com/patents> and one or  
more additional patents or pending patent applications in the U.S. and  
other countries. This product is distributed under licenses  
restricting its use, copying, distribution, and decompilation. No part  
of this product may be reproduced in any form by any means without  
prior written authorization of Sun and its licensors, if any. Third  
party software, including font technology, is copyrighted and licensed  
from Sun suppliers. Sun, the Sun logo, and Sun Microsystems are  
trademarks or registered trademarks of Sun Microsystems, Inc. in the  
U.S. and other countries. This product includes software developed by  
the

Apache Software Foundation (<http://www.apache.org/>). Federal  
Acquisitions: Commercial Software - Government Users Subject to  
Standard License Terms and Conditions.

-----  
Copyright 2001 Sun Microsystems, Inc., 901 San Antonio Road, Palo  
Alto, Californie 94303 tats-Unis. Tous droits rservs. Distribue  
par des licences qui en restreignent l'utilisation. Sun Microsystems,  
Inc. a les droits de propriit intellectuels relatants la  
technologie incorpore dans ce produit. En particulier, et sans la  
limitation, ces droits de propriit intellectuels peuvent inclure un  
ou plus des brevets amricains numrs <http://www.sun.com/patents>  
et un ou les brevets plus supplmentaires ou les applications de  
brevet en attente dans les Etats Unis et les autres pays. Ce produit

ou document est protégé par un copyright et distribué avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la décompilation. Aucune partie de ce produit ou document ne peut être reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation préalable et écrite de Sun et de ses bailleurs de licence, s'il y en a. Le logiciel détenu par des tiers, et qui comprend la technologie relative aux polices de caractères, est protégé par un copyright et licencié par des fournisseurs de Sun. Sun, le logo Sun, Sun Microsystems et sont des marques de fabrique ou des marques déposées de Sun Microsystems, Inc. aux États-Unis et dans d'autres pays. Ce produit inclut le logiciel développé par la base de Apache Software Foundation (<http://www.apache.org/>). L'accord du gouvernement des États-Unis est requis avant l'exportation du produit. The CyberNeko Software License, Version 1.0

(C) Copyright 2002-2005, Andy Clark. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:  
"This product includes software developed by Andy Clark."  
Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
4. The names "CyberNeko" and "NekoHTML" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [andyc@cyberneko.net](mailto:andyc@cyberneko.net).
5. Products derived from this software may not be called "CyberNeko", nor may "CyberNeko" appear in their name, without prior written permission of the author.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED

WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR OTHER CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
This license is based on the Apache Software License, version 1.1.  
Copyright (c) 2002-@@YEAR@@ Sun Microsystems, Inc. All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistribution in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Sun Microsystems, Inc. or the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided "AS IS," without a warranty of any kind. ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE HEREBY EXCLUDED. SUN AND ITS LICENSORS SHALL NOT BE LIABLE FOR ANY DAMAGES OR LIABILITIES SUFFERED BY LICENSEE AS A RESULT OF OR RELATING TO USE, MODIFICATION OR DISTRIBUTION OF THE SOFTWARE OR ITS DERIVATIVES. IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR DIRECT, INDIRECT, SPECIAL, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF THE USE OF OR INABILITY TO USE SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

/\* =====

\* The Apache Software License, Version 1.1  
\*

\* Copyright (c) 2001 The Apache Software Foundation. All rights reserved.

\*  
 \* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*  
 \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*  
 \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*  
 \* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:  
 \* "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)."  
 \* Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

\*  
 \* 4. The names "Apache" and "Apache Software Foundation" and "Apache BCEL" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [apache@apache.org](mailto:apache@apache.org).

\*  
 \* 5. Products derived from this software may not be called "Apache", "Apache BCEL", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

\*  
 \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\*  
 \* This software consists of voluntary contributions made by many

\* individuals on behalf of the Apache Software Foundation. For more  
\* information on the Apache Software Foundation, please see  
\* <<http://www.apache.org/>>.

\*/  
/\*

\* Apache License  
\* Version 2.0, January 2004  
\* <http://www.apache.org/licenses/>  
\*

\* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

\*

\* 1. Definitions.

\*

\* "License" shall mean the terms and conditions for use, reproduction,  
\* and distribution as defined by Sections 1 through 9 of this document.

\*

\* "Licensor" shall mean the copyright owner or entity authorized by  
\* the copyright owner that is granting the License.

\*

\* "Legal Entity" shall mean the union of the acting entity and all  
\* other entities that control, are controlled by, or are under common  
\* control with that entity. For the purposes of this definition,

\* "control" means (i) the power, direct or indirect, to cause the  
\* direction or management of such entity, whether by contract or  
\* otherwise, or (ii) ownership of fifty percent (50%) or more of the

\*

outstanding shares, or (iii) beneficial ownership of such entity.

\*

\* "You" (or "Your") shall mean an individual or Legal Entity  
\* exercising permissions granted by this License.

\*

\* "Source" form shall mean the preferred form for making modifications,  
\* including but not limited to software source code, documentation  
\* source, and configuration files.

\*

\* "Object" form shall mean any form resulting from mechanical  
\* transformation or translation of a Source form, including but  
\* not limited to compiled object code, generated documentation,  
\* and conversions to other media types.

\*

\* "Work" shall mean the work of authorship, whether in Source or  
\* Object form, made available under the License, as indicated by a  
\* copyright notice that is included in or attached to the work  
\* (an example is provided in the Appendix below).

\*

\* "Derivative Works" shall mean any work, whether in Source or Object

\*

form, that is based on (or derived from) the Work and for which the  
\* editorial revisions, annotations, elaborations, or other modifications  
\* represent, as a whole, an original work of authorship. For the purposes  
\* of this License, Derivative Works shall not include works that remain  
\* separable from, or merely link (or bind by name) to the interfaces of,  
\* the Work and Derivative Works thereof.

\*  
\* "Contribution" shall mean any work of authorship, including  
\* the original version of the Work and any modifications or additions  
\* to that Work or Derivative Works thereof, that is intentionally  
\* submitted to Licensor for inclusion in the Work by the copyright owner  
\* or by an individual or Legal Entity authorized to submit on behalf of  
\* the copyright owner. For the purposes of this definition, "submitted"  
\* means any form of electronic, verbal, or written communication sent  
\* to the Licensor or its representatives,

including but not limited to

\* communication on electronic mailing lists, source code control systems,  
\* and issue tracking systems that are managed by, or on behalf of, the  
\* Licensor for the purpose of discussing and improving the Work, but  
\* excluding communication that is conspicuously marked or otherwise  
\* designated in writing by the copyright owner as "Not a Contribution."  
\*

\* "Contributor" shall mean Licensor and any individual or Legal Entity  
\* on behalf of whom a Contribution has been received by Licensor and  
\* subsequently incorporated within the Work.  
\*

\* 2. Grant of Copyright License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* copyright license to reproduce, prepare Derivative Works of,  
\* publicly display, publicly perform, sublicense, and distribute the  
\*

Work and such Derivative Works in Source or Object form.  
\*

\* 3. Grant of Patent License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* (except as stated in this section) patent license to make, have made,  
\* use, offer to sell, sell, import, and otherwise transfer the Work,  
\* where such license applies only to those patent claims licensable  
\* by such Contributor that are necessarily infringed by their  
\* Contribution(s) alone or by combination of their Contribution(s)  
\* with the Work to which such Contribution(s) was submitted. If You  
\* institute patent litigation against any entity (including a  
\* cross-claim or counterclaim in a lawsuit) alleging that the Work  
\* or a Contribution incorporated within the Work constitutes direct  
\* or contributory patent infringement, then any patent licenses

- \* granted to You under this License for that Work shall terminate
- \* as of the date such litigation is filed.
- \*
- \* 4. Redistribution. You may reproduce and distribute copies of the
- \* Work or Derivative Works thereof in any medium, with or without
- \* modifications, and in Source or Object form, provided that You
- \* meet the following conditions:
- \*
- \* (a) You must give any other recipients of the Work or
- \* Derivative Works a copy of this License; and
- \*
- \* (b) You must cause any modified files to carry prominent notices
- \* stating that You changed the files; and
- \*
- \* (c) You must retain, in the Source form of any Derivative Works
- \* that You distribute, all copyright, patent, trademark, and
- \* attribution notices from the Source form of the Work,
- \* excluding those notices that do not pertain to any part of
- \* the Derivative Works; and
- \*
- \* (d) If the Work includes a "NOTICE"
- text file as part of its
- \* distribution, then any Derivative Works that You distribute must
- \* include a readable copy of the attribution notices contained
- \* within such NOTICE file, excluding those notices that do not
- \* pertain to any part of the Derivative Works, in at least one
- \* of the following places: within a NOTICE text file distributed
- \* as part of the Derivative Works; within the Source form or
- \* documentation, if provided along with the Derivative Works; or,
- \* within a display generated by the Derivative Works, if and
- \* wherever such third-party notices normally appear. The contents
- \* of the NOTICE file are for informational purposes only and
- \* do not modify the License. You may add Your own attribution
- \* notices within Derivative Works that You distribute, alongside
- \* or as an addendum to the NOTICE text from the Work, provided
- \* that
- such additional attribution notices cannot be construed
- \* as modifying the License.
- \*
- \* You may add Your own copyright statement to Your modifications and
- \* may provide additional or different license terms and conditions
- \* for use, reproduction, or distribution of Your modifications, or
- \* for any such Derivative Works as a whole, provided Your use,
- \* reproduction, and distribution of the Work otherwise complies with
- \* the conditions stated in this License.
- \*
- \* 5. Submission of Contributions. Unless You explicitly state otherwise,
- \* any Contribution intentionally submitted for inclusion in the Work

\* by You to the Licensor shall be under the terms and conditions of  
\* this License, without any additional terms or conditions.  
\* Notwithstanding the above, nothing herein shall supersede or modify  
\* the terms of any separate license agreement you may have executed  
\* with Licensor regarding such Contributions.

\*  
\* 6. Trademarks. This License does not grant permission to use the trade  
\* names, trademarks, service marks, or product names of the Licensor,  
\* except as required for reasonable and customary use in describing the  
\* origin of the Work and reproducing the content of the NOTICE file.

\*  
\* 7. Disclaimer of Warranty. Unless required by applicable law or  
\* agreed to in writing, Licensor provides the Work (and each  
\* Contributor provides its Contributions) on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
\* implied, including, without limitation, any warranties or conditions  
\* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A  
\* PARTICULAR PURPOSE. You are solely responsible for determining the  
\* appropriateness of using or redistributing the Work and assume any  
\* risks associated with Your exercise of permissions under this License.

\* 8. Limitation of Liability.

In no event and under no legal theory,

\* whether in tort (including negligence), contract, or otherwise,  
\* unless required by applicable law (such as deliberate and grossly  
\* negligent acts) or agreed to in writing, shall any Contributor be  
\* liable to You for damages, including any direct, indirect, special,  
\* incidental, or consequential damages of any character arising as a  
\* result of this License or out of the use or inability to use the  
\* Work (including but not limited to damages for loss of goodwill,  
\* work stoppage, computer failure or malfunction, or any and all  
\* other commercial damages or losses), even if such Contributor  
\* has been advised of the possibility of such damages.

\* 9. Accepting Warranty or Additional Liability. While redistributing  
\* the Work or Derivative Works thereof, You may choose to offer,  
\* and charge a fee for, acceptance of support, warranty, indemnity,  
\* or other

liability obligations and/or rights consistent with this

\* License. However, in accepting such obligations, You may act only  
\* on Your own behalf and on Your sole responsibility, not on behalf  
\* of any other Contributor, and only if You agree to indemnify,  
\* defend, and hold each Contributor harmless for any liability  
\* incurred by, or claims asserted against, such Contributor by reason  
\* of your accepting any such warranty or additional liability.

\* END OF TERMS AND CONDITIONS

\*

\* APPENDIX: How to apply the Apache License to your work.  
 \*  
 \* To apply the Apache License to your work, attach the following  
 \* boilerplate notice, with the fields enclosed by brackets "[]"  
 \* replaced with your own identifying information. (Don't include  
 \* the brackets!) The text should be enclosed in the appropriate  
 \* comment syntax for the file format. We also recommend that a  
 \* file or class name and description of purpose  
 be included on the  
 \* same "printed page" as the copyright notice for easier  
 \* identification within third-party archives.  
 \*  
 \* Copyright [yyyy] [name of copyright owner]  
 \*  
 \* Licensed under the Apache License, Version 2.0 (the "License");  
 \* you may not use this file except in compliance with the License.  
 \* You may obtain a copy of the License at  
 \*  
 \* <http://www.apache.org/licenses/LICENSE-2.0>  
 \*  
 \* Unless required by applicable law or agreed to in writing, software  
 \* distributed under the License is distributed on an "AS IS" BASIS,  
 \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
 \* See the License for the specific language governing permissions and  
 \* limitations under the License.  
 \*/

DO NOT TRANSLATE OR LOCALIZE

\*\*\*\*\*

% The following software may be included in this product:

XML-NamespacesSupport

Use of any of this software is governed by the terms of the license below:

The "Artistic License"

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

"Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.

"Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder as specified below.

"Copyright Holder" is whoever is named in the copyright or copyrights for the package.

"You" is you, if you're thinking about copying or distributing this Package.

"Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)

"Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:
  - a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as uunet.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
  - b) use the modified Package only within your corporation or organization.

c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.

b) accompany the distribution with the machine-readable source of the Package with your modifications.

c) give non-standard executables non-standard names, and clearly document the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own. You may embed this Package's interpreter within an executable of yours (by linking); this shall be construed as a mere form of aggregation, provided that the complete Standard Version of the interpreter is so embedded.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whoever generated them, and may be sold commercially, and may be aggregated with this Package. If such scripts or library files are aggregated with this Package via the so-called "undump" or "unexec" methods of producing a binary executable image, then distribution of such an image shall neither be construed as a distribution of this Package nor shall it fall under the restrictions of Paragraphs 3 and 4, provided that you do not represent such an executable image as a Standard Version of this Package.

7. C subroutines (or comparably compiled subroutines in other languages) supplied by you and linked into this Package in order to emulate subroutines and variables of the language defined by this Package shall not be considered part of this Package, but are the equivalent of input as in Paragraph 6, provided these subroutines do not change the language in any way that would cause it to fail the regression tests for the language.

8. Aggregation of this Package with a commercial distribution is always permitted provided that the use of this Package is embedded; that is, when no overt attempt is made to make this Package's interfaces visible to the end user of the commercial distribution. Such use shall not be construed as a distribution of this Package.

9.

The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

10. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Additional License(s)

Copyright (c) 2001-2005 Robin Berjon. All rights reserved.

\*\*\*\*\*

%The following software may be included in this product:  
iso-relax.jar

Use of any of this software is governed by the terms of the license below:

The MIT License

Copyright (c)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"),

to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software,

and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR

PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 200

Additional License(s)

"copyright" and "license" results in the following hits:

- > \* The above copyright notice and this permission notice shall be included
- > \* distribute, sublicense, and/or sell copies of the Software, and to

GNU, GPL, LGPL reveals no hit. "?" hits a lot of things but none of them are relevant to the licensing terms.

\*\*\*\*\*

%%The

following software may be included in this product:  
relaxngDatatype.jar

Use of any of this software is governed by the terms of the license below:

Copyright (c) 2001, Thai Open Source Software Center Ltd, Sun Microsystems.  
All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the names of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Additional License(s)

Got the following hits. No hit for GNU, GPL, LGPL.

> Redistributions of source code must retain the above copyright

> Neither the names of the copyright holders nor the names of its

> this license is the BSD license.

\*\*\*\*\*

%%The

following software may be included in this product:

RELAX NG Object Model/Parser

Use of any of this software is governed by the terms of the license below:

The MIT License

Copyright (c)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Additional License(s)

See <https://rngom.dev.java.net/doc/index.html>

\*\*\*\*\*

%% The following software may be included in this product:

RelaxNGCC

Use of any of this software is governed by the terms of the license below:

Copyright (c) 2000-2003 Daisuke Okajima and Kohsuke Kawaguchi.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by Daisuke Okajima and Kohsuke Kawaguchi (<http://relaxngcc.sf.net/>)."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names of the copyright holders must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact the copyright holders.

5. Products derived from this software may not be called "RELAXNGCC", nor may "RELAXNGCC" appear in their name, without prior written permission of the copyright holders.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Additional License(s)

None found

\*\*\*\*\*

%%The following software may be included in this product:

XML Resolver library

Use of any of this software is governed by the terms of the license below:

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within
- a NOTICE text file distributed
- as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,
  - within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction,

and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides

the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

Additional License(s)

All occurrences of copyright, license and (c) refer to the Apache 1.1 license.

No occurrences of GNU, GPL, LGPL.

\*\*\*\*\*

% The following software may be included in this product:

Stax API (only)

Use of any of this software is governed by the terms of the license below:

Streaming API for XML (JSR-173) Specification

Reference Implementation

License Agreement

READ THE TERMS OF THIS (THE "AGREEMENT") CAREFULLY BEFORE VIEWING OR USING THE SOFTWARE LICENS

ED HEREUNDER. BY VIEWING OR USING THE SOFTWARE, YOU AGREE TO THE TERMS OF THIS AGREEMENT. IF

YOU ARE ACCESSING THE SOFTWARE ELECTRONICALLY, INDICATE YOUR ACCEPTANCE OF THESE

TERMS BY SELE

CTING THE "ACCEPT" BUTTON AT THE END OF THIS AGREEMENT.

IF YOU DO NOT AGREE TO

ALL THESE TERMS

, PROMPTLY RETURN THE UNUSED SOFTWARE TO ORIGINAL CONTRIBUTOR, DEFINED HEREIN.

1.0 DEFINITIONS.

1.1. "BEA" means BEA Systems, Inc., the licensor of the Original Code.

1.2. "Contributor" means BEA and each entity that creates or contributes to the

creation of Mo

difications.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof and corresponding documentation released with the source code.

1.4. "Executable" means Covered Code in any form other than Source Code.

1.5. "FCS" means first commercial shipment of a product.

1.6. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

(a) Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

(b) Any new file that contains any part of the Original Code or previous Modifications.

1.7. "Original Code" means Source Code of computer software code Reference Implementation.

1.8. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent for which the grantor has the right to grant a license.

1.9. "Reference Implementation" means the prototype or "proof of concept" implementation of the Specification developed and made available for license by or on behalf of BEA.

1.10. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated documentation, interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's

choice.

1.11. "Specification" means the written specification for the Streaming API for XML, Java technology developed pursuant to the Java Community Process.

1.12. "Technology Compatibility Kit" or "TCK" means the documentation, testing tools and test suites associated with the Specification as may be revised by BEA from time to time, that is provided so that an implementer of the Specification may determine if its implementation is compliant with the Specification.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this Agreement or a future version of this Agreement issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2.0 SOURCE CODE LICENSE.

2.1. Copyright Grant. Subject to the terms of this Agreement, each Contributor hereby grants You a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Covered Code of such Contributor, if any, and such derivative works, in Source Code and Executable form.

2.2. Patent Grant. Subject to the terms of this Agreement, each Contributor hereby grants You a non-exclusive, worldwide, royalty-free patent license under the Patent Claims to make, use, sell, offer to sell, import and otherwise transfer the Covered Code prepared and provided by such Contributor, if any, in Source Code and Executable form. This patent license shall apply to the Covered Code if, at the time a Modification is added by the Contributor,

such addition  
of the Modification  
causes such combination to be covered by the Patent Claims.  
The patent li  
cense shall not apply to any other combinations which include the Modification.

2.3. Conditions to Grants. You understand that although each Contributor grants the licenses to the Covered Code prepared by it, no assurances are provided by any Contributor that the Covered Code does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to You for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, You hereby assume sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow You to distribute Covered Code, it is Your responsibility to acquire that license before distributing such code.

2.4. Contributors' Representation. Each Contributor represents that to its knowledge it has sufficient copyright rights in the Covered Code it provides, if any, to grant the copyright license set forth in this Agreement.

### 3.0 DISTRIBUTION RESTRICTIONS.

#### 3.1. Application of Agreement.

The Modifications which You create or to which You contribute are governed by the terms of this Agreement, including without limitation Section 2.0. The Source Code version of Covered Code may be distributed only under the terms of this Agreement or a future version of this Agreement released under Section 6.1, and You must include a copy of this Agreement with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this Agreement or the recipients' rights hereunder. However, You may include an additional document offering the

additional rights described in Section 3.3.

### 3.2. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by BEA and including the name of BEA in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

\*\*\*\*\*

%%The following software may be included in this product:  
XMLWriter

Use of any of this software is governed by the terms of the license below:

XMLWriter IS FREE  
-----

I hereby abandon any property rights to XMLWriter 0.1, and release all of the XMLWriter 0.1 source code, compiled code, and documentation contained in this distribution into the Public Domain. XMLWriter comes with NO WARRANTY or guarantee of fitness for any purpose.

David  
Megginson  
david@megginson.com  
2000-04-19

Additional License(s)

I grep-ed the source. GNU and GPL has no hits, '?' yields 11 hits but none of them are license related. "copyright" and "license" yield no hits either.

\*\*\*\*\*

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

#### 1. Definitions.

- 1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.
- 1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
- 1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
- 1.4. Executable means the Covered Software in any form other than Source Code.
- 1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.
- 1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.
- 1.7. License means this document.
- 1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
- 1.9. Modifications means the Source Code and Executable form of any of the following:
- A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;
  - B. Any new file that contains any part of the Original Software or previous Modification; or
  - C. Any new file that is contributed or otherwise made available under the terms of this License.
- 1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.
- 1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.
- 1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.
- 1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.
2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).
- (c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.
- (d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party

intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).
- (c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.
- (d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License.

You must include a copy of this License with every copy of the Source Code form of the Covered Software

You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose

any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of

the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR)

ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

#### 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL

DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48C.F.R.2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48C.F.R.12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The GlassFish code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal

Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Copyright (c) 2000-2003 Daisuke Okajima and Kohsuke Kawaguchi.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by Daisuke Okajima and Kohsuke Kawaguchi (<http://relaxngcc.sf.net/>)."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names of the copyright holders must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact the copyright holders.
5. Products derived from this software may not be called "RELAXNGCC", nor may "RELAXNGCC" appear in their name, without prior written permission of the copyright holders.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

xml-commons/LICENSE.txt \$Id: LICENSE.txt 226068 2003-07-06 03:27:45Z crossley \$  
See README.txt for additional licensing information.

```
/* =====  
* The Apache Software License, Version 1.1  
*  
* Copyright (c) 2001-2003 The Apache Software Foundation. All rights  
* reserved.  
*  
* Redistribution and use in source and binary forms, with or without  
* modification, are permitted provided that the following conditions  
* are met:  
*  
* 1. Redistributions of source code must retain the above copyright  
* notice, this list of conditions and the following disclaimer.  
*  
* 2. Redistributions in binary form must reproduce the above copyright  
* notice, this list of conditions and the following disclaimer in  
* the documentation and/or other materials provided with the  
* distribution.  
*  
* 3. The end-user documentation included with the redistribution,  
* if any, must include the following acknowledgment:  
* "This  
product includes software developed by the  
* Apache Software Foundation (http://www.apache.org/)."  
* Alternately, this acknowledgment may appear in the software itself,  
* if and wherever such third-party acknowledgments normally appear.  
*  
* 4. The names "Apache" and "Apache Software Foundation" must  
* not be used to endorse or promote products derived from this  
* software without prior written permission. For written  
* permission, please contact apache@apache.org.  
*  
* 5. Products derived from this software may not be called "Apache",  
* nor may "Apache" appear in their name, without prior written  
* permission of the Apache Software Foundation.  
*  
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED  
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
* ITS CONTRIBUTORS BE LIABLE FOR ANY  
DIRECT, INDIRECT, INCIDENTAL,  
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
```

\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\* =====

\*  
\*

\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation. For more  
\* information on the Apache Software Foundation, please see  
\* <<http://www.apache.org/>>.

\*/

/\*

\* The Apache Software License, Version 1.1

\*

\*

\* Copyright (c) 1999-2004 The Apache Software Foundation. All rights  
\* reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. The end-user documentation included with the redistribution,  
\* if any, must include the following acknowledgment:  
\* "This product includes software developed by the  
\* Apache Software Foundation (<http://www.apache.org/>)."  
\* Alternately, this acknowledgment may appear in the software itself,  
\* if and

wherever such third-party acknowledgments normally appear.

\*

\* 4. The names "Xerces" and "Apache Software Foundation" must  
\* not be used to endorse or promote products derived from this  
\* software without prior written permission. For written  
\* permission, please contact [apache@apache.org](mailto:apache@apache.org).

\*

\* 5. Products derived from this software may not be called "Apache",  
\* nor may "Apache" appear in their name, without prior written  
\* permission of the Apache Software Foundation.

\*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
\* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
\* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
\* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
\* USE, DATA, OR PROFITS;  
OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\* =====

\*

\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation and was  
\* originally based on software copyright (c) 1999, International  
\* Business Machines, Inc., <http://www.ibm.com>. For more  
\* information on the Apache Software Foundation, please see  
\* <http://www.apache.org/>.

\*/

## 1.80 commons-codec 1.14

### 1.80.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or

(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

### 3. Grant

of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Codec  
Copyright 2002-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java  
contains test data from <http://aspell.net/test/orig/batch0.tab>.  
Copyright (C) 2002 Kevin Atkinson ([kevina@gnu.org](mailto:kevina@gnu.org))

---

The content of package org.apache.commons.codec.language.bm has been translated  
from the original php source code available at <http://stevemorse.org/phoneticinfo.htm>  
with permission from the original authors.  
Original source copyright:  
Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

# 1.81 apache-commons-lang 3.12.0

## 1.81.1 Available under license :

Apache Commons Lang  
Copyright 2001-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.82 testng 7.5

## 1.82.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole

responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed

under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.83 generex 1.0.1

## 1.83.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 y.mifrah

\*

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1274699858\_1645233601.99/0/generex-1-0-1-sources-jar/com/mifmif/common/regex/Node.java  
\* /opt/cola/permits/1274699858\_1645233601.99/0/generex-1-0-1-sources-jar/com/mifmif/common/regex/Generex.java  
\* /opt/cola/permits/1274699858\_1645233601.99/0/generex-1-0-1-sources-jar/com/mifmif/common/regex/util/Iterable.java  
\*  
/opt/cola/permits/1274699858\_1645233601.99/0/generex-1-0-1-sources-jar/com/mifmif/common/regex/Main.java  
\* /opt/cola/permits/1274699858\_1645233601.99/0/generex-1-0-1-sources-jar/com/mifmif/common/regex/GenerexIterator.java  
\* /opt/cola/permits/1274699858\_1645233601.99/0/generex-1-0-1-sources-jar/com/mifmif/common/regex/util/Iterator.java

# 1.84 scala-logging\_2.12 3.7.2

## 1.84.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.85 netty-project 4.1.9.Final

## 1.85.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1274700152\_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/HostsFileEntriesResolver.java  
\* /opt/cola/permits/1274700152\_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/InetSocketAddressResolver.java  
\* /opt/cola/permits/1274700152\_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/DefaultAddressResolverGroup.java

\*  
/opt/cola/permits/1274700152\_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/AbstractAddressResolver.java  
\* /opt/cola/permits/1274700152\_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/CompositeNameResolver.java  
\* /opt/cola/permits/1274700152\_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/DefaultNameResolver.java  
\* /opt/cola/permits/1274700152\_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/DefaultHostsFileEntriesResolver.java  
\* /opt/cola/permits/1274700152\_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/AddressResolver.java  
\* /opt/cola/permits/1274700152\_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/HostsFileParser.java  
\* /opt/cola/permits/1274700152\_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/InetNameResolver.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2016 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1274700152\_1649800590.85/0/netty-resolver-4-1-9-final-sources-  
jar/io/netty/resolver/RoundRobinInetAddressResolver.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1274700152\_1649800590.85/0/netty-resolver-4-1-9-final-sources-  
jar/io/netty/resolver/HostsFileEntries.java

\* /opt/cola/permits/1274700152\_1649800590.85/0/netty-resolver-4-1-9-final-sources-  
jar/io/netty/resolver/ResolvedAddressTypes.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

```
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-  
jar/io/netty/resolver/NoopAddressResolver.java  
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-  
jar/io/netty/resolver/AddressResolverGroup.java  
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-  
jar/io/netty/resolver/NameResolver.java  
*  
/opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-  
jar/io/netty/resolver/NoopAddressResolverGroup.java  
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-  
jar/io/netty/resolver/SimpleNameResolver.java  
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/package-  
info.java
```

No license file was found, but licenses were detected in source scan.

~ Copyright 2014 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <http://www.apache.org/licenses/LICENSE>

2.0

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

Found in path(s):

```
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/META-  
INF/maven/io.netty/netty-resolver/pom.xml
```

## 1.86 feign-jackson 8.15.1

### 1.86.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2013 Netflix, Inc.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1274699864\_1645233690.16/0/feign-jackson-8-15-1-sources-jar/feign/jackson/JacksonDecoder.java
- \* /opt/cola/permits/1274699864\_1645233690.16/0/feign-jackson-8-15-1-sources-jar/feign/jackson/JacksonEncoder.java

## 1.87 slf4j-simple-binding 1.8.0-beta4

### 1.87.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/**
 * Copyright (c) 2004-2012 QOS.ch
 * All rights reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining
 * a copy of this software and associated documentation files (the
 * "Software"), to deal in the Software without restriction, including
 * without limitation the rights to use, copy, modify, merge, publish,
 * distribute, sublicense, and/or sell copies of the Software, and to
 * permit persons to whom the Software is furnished to do so, subject to
 * the following conditions:
 *
 * The above copyright notice and this permission notice shall be
 * included in all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
 * EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
 * MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
 * NONINFRINGEMENT. IN NO EVENT
 * SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
 * LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
 * OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
 * WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
 */

```

Found in path(s):

```
* /opt/cola/permits/1274699031_1650660989.66/0/slf4j-simple-1-8-0-beta4-sources-1-  
jar/org/slf4j/simple/SimpleLogger.java
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) 2004-2011 QOS.ch
```

```
* All rights reserved.
```

```
*
```

```
* Permission is hereby granted, free of charge, to any person obtaining
```

```
* a copy of this software and associated documentation files (the
```

```
* "Software"), to deal in the Software without restriction, including
```

```
* without limitation the rights to use, copy, modify, merge, publish,
```

```
* distribute, sublicense, and/or sell copies of the Software, and to
```

```
* permit persons to whom the Software is furnished to do so, subject to
```

```
* the following conditions:
```

```
*
```

```
* The above copyright notice and this permission notice shall be
```

```
* included in all copies or substantial portions of the Software.
```

```
*
```

```
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
```

```
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
```

```
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
```

```
* NONINFRINGEMENT. IN
```

```
NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
```

```
* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
```

```
* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
```

```
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
```

```
*
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1274699031_1650660989.66/0/slf4j-simple-1-8-0-beta4-sources-1-  
jar/org/slf4j/simple/SimpleLoggerFactory.java
```

## 1.88 unfiltered-netty-server 0.9.1

### 1.88.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.89 argparse 0.8.1

### 1.89.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 Tatsuhiko Tsujikawa

\*

\* Permission is hereby granted, free of charge, to any person

\* obtaining a copy of this software and associated documentation

\* files (the "Software"), to deal in the Software without

\* restriction, including without limitation the rights to use, copy,

\* modify, merge, publish, distribute, sublicense, and/or sell copies

\* of the Software, and to permit persons to whom the Software is

\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be

\* included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS

\* BE LIABLE FOR ANY CLAIM,

\* DAMAGES OR OTHER LIABILITY, WHETHER IN AN

\* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

\* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

\* SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/MutuallyExclusiveGroup.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 Andrew January

\*

\* Permission is hereby granted, free of charge, to any person  
\* obtaining a copy of this software and associated documentation  
\* files (the "Software"), to deal in the Software without  
\* restriction, including without limitation the rights to use, copy,  
\* modify, merge, publish, distribute, sublicense, and/or sell copies  
\* of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be  
\* included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS  
\* BE LIABLE FOR ANY CLAIM, DAMAGES  
\* OR OTHER LIABILITY, WHETHER IN AN  
\* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN  
\* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/CaseInsensitiveEnumStringArgumentType.java

\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/CaseInsensitiveEnumNameArgumentType.java

\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/EnumStringArgumentType.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 Adam Parkin

\*

\* Permission is hereby granted, free of charge, to any person  
\* obtaining a copy of this software and associated documentation  
\* files (the "Software"), to deal in the Software without  
\* restriction, including without limitation the rights to use, copy,  
\* modify, merge, publish, distribute, sublicense, and/or sell copies  
\* of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:

\*  
\* The above copyright notice and this permission notice shall be  
\* included in all copies or substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS  
\* BE LIABLE FOR ANY CLAIM, DAMAGES  
\* OR OTHER LIABILITY, WHETHER IN AN  
\* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN  
\* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/helper/HelpScreenException.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed to the Apache Software Foundation (ASF) under one  
\* or more contributor license agreements. See the NOTICE file  
\* distributed with this work for additional information  
\* regarding copyright ownership. The ASF licenses this file  
\* to you under the Apache License, Version 2.0 (the  
\* "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing,  
\* software distributed under the License is distributed on an  
\* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY  
\* KIND, either express or implied. See the License for the  
\* specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/type/FileArgumentType.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2011 Tatsuhiro Tsujikawa  
\*  
\* Permission is hereby granted, free of charge, to any person

- \* obtaining a copy of this software and associated documentation
- \* files (the "Software"), to deal in the Software without
- \* restriction, including without limitation the rights to use, copy,
- \* modify, merge, publish, distribute, sublicense, and/or sell copies
- \* of the Software, and to permit persons to whom the Software is
- \* furnished to do so, subject to the following conditions:
- \*
- \* The above copyright notice and this permission notice shall be
- \* included in all copies or substantial portions of the Software.
- \*
- \* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
- \* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
- \* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
- \* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
- \* BE LIABLE FOR ANY CLAIM,
- DAMAGES OR OTHER LIABILITY, WHETHER IN AN
- \* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
- \* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
- \* SOFTWARE.
- \*/

Found in path(s):

- \* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/ArgumentType.java
- \* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/ArgumentParser.java
- \* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/helper/CJKTextWidthCounter.java
- \* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/HelpArgumentAction.java
- \* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/helper/PrefixPattern.java
- \* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/helper/TextWidthCounter.java
- \*
- /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/UnrecognizedArgumentException.java
- \* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/annotation/Arg.java
- \* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/ArgumentParserException.java
- \* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/StoreConstArgumentAction.java
- \* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/ArgumentAction.java
- \* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/Arguments.java
- \* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-

jar/net/sourceforge/argparse4j/inf/ArgumentGroup.java  
\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/inf/Subparsers.java  
\*  
/opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/helper/ReflectHelper.java  
\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/internal/UnrecognizedCommandException.java  
\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/action/StoreArgumentAction.java  
\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/inf/Namespace.java  
\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/choice/CollectionArgumentChoice.java  
\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/ArgumentParsers.java  
\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/internal/ArgumentParserImpl.java  
\*  
/opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/action/StoreFalseArgumentAction.java  
\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/action/AppendConstArgumentAction.java  
\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/internal/ArgumentGroupImpl.java  
\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/inf/Argument.java  
\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/inf/ArgumentChoice.java  
\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/inf/FeatureControl.java  
\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/choice/RangeArgumentChoice.java  
\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/internal/SubparsersImpl.java  
\*  
/opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/internal/SubparserImpl.java  
\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/inf/Subparser.java  
\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/type/StringArgumentType.java  
\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/action/AppendArgumentAction.java  
\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/helper/ASCIITextWidthCounter.java  
\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/type/FileVerification.java

\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/helper/TextHelper.java

\*

/opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/EnumArgumentType.java

\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/StoreTrueArgumentAction.java

\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/ConstructorArgumentType.java

\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/ParseState.java

\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/ArgumentImpl.java

\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/VersionArgumentAction.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 Tatsuhiro Tsujikawa

\*

\* Permission is hereby granted, free of charge, to any person

\* obtaining a copy of this software and associated documentation

\* files (the "Software"), to deal in the Software without

\* restriction, including without limitation the rights to use, copy,

\* modify, merge, publish, distribute, sublicense, and/or sell copies

\* of the Software, and to permit persons to whom the Software is

\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be

\* included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS

\* BE LIABLE FOR ANY CLAIM,

DAMAGES OR OTHER LIABILITY, WHETHER IN AN

\* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

\* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

\* SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/CountArgumentAction.java

\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/ReflectArgumentType.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/internal/TerminalWidth.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 Tatsuhiro Tsujikawa  
\*  
\* Permission is hereby granted, free of charge, to any person  
\* obtaining a copy of this software and associated documentation  
\* files (the "Software"), to deal in the Software without  
\* restriction, including without limitation the rights to use, copy,  
\* modify, merge, publish, distribute, sublicense, and/or sell copies  
\* of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:  
\*  
\* The above copyright notice and this permission notice shall be  
\* included in all copies or substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS  
\* BE LIABLE FOR ANY CLAIM,  
DAMAGES OR OTHER LIABILITY, WHETHER IN AN  
\* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN  
\* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/BooleanArgumentType.java  
\* /opt/cola/permits/1274701436\_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/MetavarInference.java

## 1.90 jackson-datatype-joda 2.7.9

### 1.90.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.91 unfiltered-netty 0.9.1

### 1.91.1 Available under license :

Copyright (c) 2010-2014 Nathan Hamblen / Doug Tangren

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.92 rxjava 1.1.2

## 1.92.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2014 Netflix, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/schedulers/TrampolineScheduler.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/observables/BlockingObservable.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorDoOnUnsubscribe.java
*
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subscriptions/CompositeSubscription.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorDoOnSubscribe.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorDoOnRequest.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeSingle.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSkipLast.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorToMultimap.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subjects/SubjectSubscriptionManager.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSkipLastTimed.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSwitchIfEmpty.java
*
```

/opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/schedulers/CachedThreadScheduler.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2014 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSkipUntil.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorMapPair.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorWindowWithTime.java

\*

/opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorBufferWithSize.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorDelayWithSelector.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTakeTimed.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorDistinctUntilChanged.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/schedulers/NewThreadWorker.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorDoAfterTerminate.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/RxThreadFactory.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorPublish.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorOnBackpressureLatest.java

\*

/opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSkipTimed.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorWindowWithStartEndObservable.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeTimerOnce.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorEagerConcatMap.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorWindowWithSize.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorWindowWithObservable.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeDelaySubscription.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorBufferWithSingleObservable.java  
\*  
/opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeDelaySubscriptionOther.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorDebounceWithTime.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeRefCount.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorWindowWithObservableFactory.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/PlatformDependent.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/SynchronizedQueue.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSampleWithObservable.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/RxJavaPluginUtils.java  
\*  
/opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorBufferWithStartEndObservable.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorMulticast.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorBufferWithTime.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/schedulers/ScheduledAction.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/FrontPadding.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSampleWithTime.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeTimerPeriodically.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSwitch.java  
\*  
/opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeDelaySubscriptionWithSelector.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-

jar/rx/internal/operators/OperatorDistinct.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-  
jar/rx/internal/operators/OperatorWithLatestFrom.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-  
jar/rx/internal/util/atomic/SpSCLinkedListArrayQueue.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-  
jar/rx/internal/operators/OperatorRetryWithPredicate.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/schedulers/ExecutorScheduler.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-  
jar/rx/internal/operators/OperatorDebounceWithSelector.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*  
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE  
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-  
core/src/main/java/org/jctools/queues/atomic/SpSCUnboundedAtomicArrayQueue.java  
*/
```

Found in path(s):  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-  
jar/rx/internal/util/atomic/SpSCUnboundedAtomicArrayQueue.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2010 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and
```

\* limitations under the License.  
\*  
\* Originally from <https://code.google.com/p/guava-libraries/source/browse/guava/src/com/google/common/annotations/Beta.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/annotations/Beta.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2014 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Action2.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-

jar/rx/internal/operators/BlockingOperatorNext.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/schedulers/Schedulers.java

\*

/opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-

jar/rx/internal/operators/OnSubscribeRange.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-

jar/rx/internal/operators/OnSubscribeFromIterable.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/schedulers/TimeInterval.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-

jar/rx/plugins/RxJavaObservableExecutionHook.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-

jar/rx/internal/operators/OperatorToObservableSortedList.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-

jar/rx/internal/operators/OperatorTakeUntil.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-

jar/rx/exceptions/OnErrorFailedException.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-

jar/rx/internal/operators/CompletableOnSubscribeMergeDelayErrorIterable.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-

```

jar/rx/internal/operators/OperatorUnsubscribeOn.java
*
/opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/schedulers/EventLoopsScheduler.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/Producer.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/schedulers/package-info.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/CachedObservable.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorMaterialize.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSkip.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/CompletableOnSubscribeMergeDelayErrorArray.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/plugins/RxJavaErrorHandler.java
*
/opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorCast.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorSkipWhile.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/util/BackpressureDrainManager.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorObserveOn.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subjects/PublishSubject.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Action9.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/exceptions/MissingBackpressureException.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/exceptions/Exceptions.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/schedulers/Stamped.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Func3.java
*
/opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Functions.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/BlockingOperatorMostRecent.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subscriptions/SerialSubscription.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/CompletableOnSubscribeMergeIterable.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/CompletableOnSubscribeMerge.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Action1.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribeFromArray.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/Observer.java
*
/opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/exceptions/OnCompletedFailedException.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorTakeUntilPredicate.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-

```

jar/rx/internal/operators/OperatorDematerialize.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subjects/AsyncSubject.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorAll.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subjects/SerializedSubject.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/ActionN.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Func4.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorMap.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorMapNotification.java  
\*  
/opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTimestamp.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/CompletableOnSubscribeTimeout.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeAutoConnect.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeToObservableFuture.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/observers/SerializedSubscriber.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/observers/SerializedObserver.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTimeoutBase.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/observables/ConnectableObservable.java  
\*  
/opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTakeLastTimed.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/observers/TestObserver.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subjects/Subject.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorAny.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorReplay.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/CompletableOnSubscribeMergeArray.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/LinkedList.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeGroupJoin.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Action3.java  
\*  
/opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/NotificationLite.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorDelay.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Func9.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorIgnoreElements.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subscriptions/Subscriptions.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/observers/SafeSubscriber.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/Scheduler.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorZip.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/CompletableOnSubscribeConcatIterable.java  
 \*  
 /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Func8.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/exceptions/CompositeException.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/schedulers/TestScheduler.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Action4.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/schedulers/GenericScheduledExecutorService.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Func1.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subjects/TestSubject.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/package-info.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/observers/Observers.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Action8.java  
 \*  
 /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/schedulers/ImmediateScheduler.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Action6.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/UnicastSubject.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/observers/TestSubscriber.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subjects/ReplaySubject.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subjects/BehaviorSubject.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Func2.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Action5.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/BufferUntilSubscriber.java  
 \*  
 /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorScan.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/plugins/RxJavaPlugins.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeAmb.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeDefer.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subscriptions/BooleanSubscription.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorDoOnEach.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/observables/GroupedObservable.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTimeoutWithSelector.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Action0.java  
 \*  
 /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTakeLast.java  
 \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorAsObservable.java

- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Action.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorFilter.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Function.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/SubscriptionList.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/plugins/RxJavaObservableExecutionHookDefault.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeRedo.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subscriptions/MultipleAssignmentSubscription.java
- \*
- /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/schedulers/SleepingAction.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/Subscription.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/observers/Subscribers.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeJoin.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/FuncN.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTake.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorOnErrorResumeNextViaFunction.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSequenceEqual.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/observables/SyncOnSubscribe.java
- \*
- /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/TakeLastQueueProducer.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSingle.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeUsing.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSerialize.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorZipIterable.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/exceptions/UnsubscribeFailedException.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTimeInterval.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/RxRingBuffer.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/schedulers/NewThreadScheduler.java
- \*
- /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Func7.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/Notification.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorOnBackpressureBuffer.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/Subscriber.java
- \* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Func6.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorGroupBy.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/exceptions/OnErrorThrowable.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/IndexedRingBuffer.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/BlockingOperatorToFuture.java  
\*  
/opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorElementAt.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorToMap.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subscriptions/RefCountSubscription.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Action7.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/CompletableOnSubscribeConcat.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorToObservableList.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/CompletableOnSubscribeConcatArray.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/BlockingOperatorToIterator.java  
\*  
/opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/ScalarSynchronousObservable.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Func5.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTimeout.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/Completable.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorMerge.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSubscribeOn.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTakeWhile.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Func0.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorOnBackpressureDrop.java  
\*  
/opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorThrottleFirst.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/BlockingOperatorLatest.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/exceptions/OnErrorNotImplementedException.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2016 Netflix, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-  
jar/rx/plugins/RxJavaSingleExecutionHook.java  
\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/BackpressureOverflow.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpmcArrayQueue.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-  
jar/rx/internal/util/unsafe/SpmcArrayQueue.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

```
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/LinkedQueueNode.java
*/
```

Found in path(s):

```
*/opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/util/atomic/LinkedQueueNode.java
```

No license file was found, but licenses were detected in source scan.

```
/**
* Copyright 2015 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
*/opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/singles/BlockingSingle.java
*/opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/BlockingUtils.java
```

No license file was found, but licenses were detected in source scan.

```
/**
* Copyright 2016 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
```

\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-  
jar/rx/plugins/RxJavaSingleExecutionHookDefault.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/util/Pow2.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/Pow2.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\*/

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpScLinkedListQueue.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/SpScLinkedListQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/MpmcArrayQueue.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/MpmcArrayQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools->

core/src/main/java/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java

\*/

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/atomic/MpscLinkedAtomicQueue.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2014 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See

\* the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/UtilityFunctions.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/Observable.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/SynchronizedSubscription.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java>

\*/

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/atomic/BaseLinkedAtomicQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/ConcurrentSequencedCircularArrayQueue.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2015 Netflix, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not  
\* use this file except in compliance with the License. You may obtain a copy of  
\* the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/BackpressureUtils.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/producers/QueuedValueProducer.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/producers/ProducerObserverArbiter.java

\*

/opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/producers/ProducerArbiter.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/producers/QueuedProducer.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/producers/SingleProducer.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/producers/SingleDelayedProducer.java

No license file was found, but licenses were detected in source scan.

Copyright 2014 Netflix, Inc.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/package.html

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/SpscLinkedAtomicQueue.java>

\*/

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/atomic/SpScLinkedAtomicQueue.java

No license file was found, but licenses were detected in source scan.

====

Copyright 2014 Netflix, Inc.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

====

This package "rx.internal.operators" is for internal implementation details and can change at any time.

It is excluded from the public Javadocs (<http://netflix.github.io/RxJava/javadoc/>) and should not be relied upon by any code.

In short, changes to public signatures of these classes will not be accounted for in the versioning of RxJava.

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/README.md

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/atomic/AtomicReferenceArrayQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/SpSCAtomicArrayQueue.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/atomic/SpSCAtomicArrayQueue.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/atomic/SpSCExactAtomicArrayQueue.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2014 Netflix, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and

```

* limitations under the License.
*/
/**
* This plugin class provides 2 ways to customize {@link Scheduler} functionality
* 1. You may redefine entire schedulers, if you so choose. To do so, override
* the 3 methods that return Scheduler (io(), computation(), newThread()).
* 2. You may wrap/decorate an {@link Action0}, before it is handed off to a Scheduler. The
system-
* supplied Schedulers (Schedulers.ioScheduler, Schedulers.computationScheduler,
* Scheduler.newThreadScheduler) all use this hook, so it's a convenient way to
* modify Scheduler functionality without redefining Schedulers wholesale.
*
* Also, when redefining Schedulers, you are free to use/not use the onSchedule decoration hook.
* <p>
* See {@link RxJavaPlugins} or the RxJava GitHub Wiki for information on configuring plugins:
* <a
href="https://github.com/ReactiveX/RxJava/wiki/Plugins">https://github.com/ReactiveX/RxJava/wiki/Plugins</a>.
*/

```

Found in path(s):

```

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/plugins/RxJavaSchedulersHook.java
No license file was found, but licenses were detected in source scan.

```

```

/**
* Copyright 2016 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

```

Found in path(s):

```

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/ExceptionsUtils.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribeConcatMap.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribePublishMulticast.java
No license file was found, but licenses were detected in source scan.

```

```

/*

```

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/QueueProgressIndicators.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/QueueProgressIndicators.java

No license file was found, but licenses were detected in source scan.

This package contains code that relies on `sun.misc.Unsafe`. Before using it you **MUST** assert `UnsafeAccess.isUnsafeAvailable() == true`

Much of the code in this package comes from or is inspired by the JCTools project:  
<https://github.com/JCTools/JCTools>

JCTools has now published artifacts (<https://github.com/JCTools/JCTools/issues/17>) so RxJava could add JCTools as a "shadow" dependency (<https://github.com/ReactiveX/RxJava/issues/1735>).

RxJava has a "zero dependency" policy for the core library, so if we do add it as a dependency, it won't be an externally visible dependency that results in a separate jar.

The license for the JCTools code is <https://github.com/JCTools/JCTools/blob/master/LICENSE>

As of June 10 2014 when this code was copied the LICENSE read as:

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE,  
REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES

OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/README.md

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2015 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/observables/AsyncOnSubscribe.java

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/SingleSubscriber.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2014 Netflix, Inc.

\* <p/>

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\* <p/>

\* <http://www.apache.org/licenses/LICENSE-2.0>

\* <p/>

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/ScalarSynchronousSingle.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2014 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Actions.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/ConcurrentCircularArrayQueue.java>

\*/

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-

jar/rx/internal/util/unsafe/ConcurrentCircularArrayQueue.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
 * Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/MpscLinkedQueue.java
 */
```

Found in path(s):

```
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/util/unsafe/MpscLinkedQueue.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
 * Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/atomic/BaseLinkedQueue.java
 */
```

Found in path(s):

```
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/util/unsafe/BaseLinkedQueue.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
 * Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/SpSCUnboundedArrayQueue.java
 */
```

Found in path(s):

```
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/util/unsafe/SpSCUnboundedArrayQueue.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
 * Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/SpSCArrayQueue.java
 */
```

Found in path(s):

```
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/util/unsafe/SpSCArrayQueue.java
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2015 Netflix, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in
 * compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License is
 * distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
 * or implied. See
 * the License for the specific language governing permissions and limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/Single.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribeCombineLatest.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * Inspired from https://code.google.com/p/guava-
libraries/source/browse/guava/src/com/google/common/annotations/Beta.java
 */
```

Found in path(s):

```
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/annotations/Experimental.java
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2014 Netflix, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *
```

```
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
    * This mechanism for getting UNSAFE originally from:
    *
    * Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
    * Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/util/UnsafeAccess.java
    */
```

Found

in path(s):

```
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/util/unsafe/UnsafeAccess.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/MessagePassingQueue.java
*/
```

Found in path(s):

```
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/util/unsafe/MessagePassingQueue.java
```

No license file was found, but licenses were detected in source scan.

```
/**
* Copyright 2014 Netflix, Inc.
*
*/
```

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Modified from <http://www.javacodegeeks.com/2013/08/simple-and-lightweight-pool-implementation.html>  
\*/

Found in path(s):

\* /opt/cola/permits/1274704083\_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/ObjectPool.java

## 1.93 java-semver 0.9.0

### 1.93.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
 * The MIT License  
 *  
 * Copyright 2012-2015 Zafar Khaja <zafarkhaja@gmail.com>.  
 *  
 * Permission is hereby granted, free of charge, to any person obtaining a copy  
 * of this software and associated documentation files (the "Software"), to deal  
 * in the Software without restriction, including without limitation the rights  
 * to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
 * copies of the Software, and to permit persons to whom the Software is  
 * furnished to do so, subject to the following conditions:  
 *  
 * The above copyright notice and this permission notice shall be included in  
 * all copies or substantial portions of the Software.  
 *  
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
 * IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
 * FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
 * AUTHORS OR COPYRIGHT  
 * HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
 * LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
 * OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
 * THE SOFTWARE.  
*/
```

Found in path(s):

- \* /opt/cola/permits/1274705241\_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/UnexpectedCharacterException.java
- \* /opt/cola/permits/1274705241\_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/LexerException.java
- \* /opt/cola/permits/1274705241\_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/package-info.java
- \* /opt/cola/permits/1274705241\_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/Greater.java
- \* /opt/cola/permits/1274705241\_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/Expression.java
- \* /opt/cola/permits/1274705241\_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/MetadataVersion.java
- \*
- /opt/cola/permits/1274705241\_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/VersionParser.java
- \* /opt/cola/permits/1274705241\_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/NormalVersion.java
- \* /opt/cola/permits/1274705241\_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/Not.java
- \* /opt/cola/permits/1274705241\_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/ExpressionParser.java
- \* /opt/cola/permits/1274705241\_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/package-info.java
- \* /opt/cola/permits/1274705241\_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/util/package-info.java
- \* /opt/cola/permits/1274705241\_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/util/Stream.java
- \* /opt/cola/permits/1274705241\_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/UnexpectedTokenException.java
- \*
- /opt/cola/permits/1274705241\_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/Less.java
- \* /opt/cola/permits/1274705241\_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/LessOrEqual.java
- \* /opt/cola/permits/1274705241\_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/Equal.java
- \* /opt/cola/permits/1274705241\_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/NotEqual.java
- \* /opt/cola/permits/1274705241\_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/GreaterOrEqual.java
- \* /opt/cola/permits/1274705241\_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/Lexer.java
- \* /opt/cola/permits/1274705241\_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/CompositeExpression.java
- \* /opt/cola/permits/1274705241\_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/ParseException.java

```

*
/opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-
jar/com/github/zafarkhaja/semver/expr/And.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-
jar/com/github/zafarkhaja/semver/expr/Or.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-
jar/com/github/zafarkhaja/semver/Parser.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-
jar/com/github/zafarkhaja/semver/Version.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-
jar/com/github/zafarkhaja/semver/util/UnexpectedElementException.java

```

## 1.94 json-path 0.6.9

### 1.94.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/**
 * Copyright 2011-2017 GatlingCorp (http://gatling.io)
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */

```

Found in path(s):

```

* /opt/cola/permits/1274701418_1650417730.37/0/jsonpath-2-11-0-6-9-sources-
jar/io/gatling/jsonpath/ComparisonOperators.scala
* /opt/cola/permits/1274701418_1650417730.37/0/jsonpath-2-11-0-6-9-sources-jar/io/gatling/jsonpath/AST.scala
* /opt/cola/permits/1274701418_1650417730.37/0/jsonpath-2-11-0-6-9-sources-jar/io/gatling/jsonpath/Parser.scala
*
/opt/cola/permits/1274701418_1650417730.37/0/jsonpath-2-11-0-6-9-sources-jar/io/gatling/jsonpath/JsonPath.scala

```

## 1.95 metrics---dropwizard 4.0.2

## 1.95.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bnd-LastModified: 1515178493049

Build-Jdk: 1.8.0\_151

Built-By: artem

Bundle-Description: An Apache HttpClient wrapper providing Metrics instrumentation of connection pools, request durations and rates, and other useful information.

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Metrics Integration for Apache HttpClient

Bundle-SymbolicName: io.dropwizard.metrics.httpclient

Bundle-Version: 4.0.2

Created-By: Apache Maven Bundle Plugin

Export-Package: com.codahale.metrics.httpclient;uses:="com.codahale.metrics,org.apache.http,org.apache.http.config,org.apache.http.conn,org.apache.http.conn.routing,org.apache.http.conn.socket,org.apache.http.impl.client,org.apache.http.impl.conn,org.apache.http.protocol";version="4.0.2"

Implementation-Title: Metrics Integration for Apache HttpClient

Implementation-URL: <http://metrics.dropwizard.io/metrics-httpclient>

Implementation-Vendor-Id:

io.dropwizard.metrics

Implementation-Version: 4.0.2

Import-Package: com.codahale.metrics;version="[4.0,5)",org.apache.http,org.apache.http.client,org.apache.http.client.methods,org.apache.http.client.utils,org.apache.http.config,org.apache.http.conn,org.apache.http.conn.routing,org.apache.http.conn.socket,org.apache.http.conn.ssl,org.apache.http.impl.client,org.apache.http.impl.conn,org.apache.http.pool,org.apache.http.protocol

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"

Tool: Bnd-3.3.0.201609221906

Found in path(s):

\* /opt/cola/permits/1274705448\_1655257418.1485806/0/metrics-httpclient-4-0-2-jar/META-INF/MANIFEST.MF

## 1.96 unfiltered-util 0.9.1

### 1.96.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.97 slf4j-api-module 1.8.0-beta4

### 1.97.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) 2004-2011 QOS.ch

\* All rights reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining

\* a copy of this software and associated documentation files (the

\* "Software"), to deal in the Software without restriction, including

\* without limitation the rights to use, copy, modify, merge, publish,

\* distribute, sublicense, and/or sell copies of the Software, and to

\* permit persons to whom the Software is furnished to do so, subject to

\* the following conditions:

\*

\* The above copyright notice and this permission notice shall be

\* included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

\* NONINFRINGEMENT. IN

NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*

\*/

Found in path(s):

\* /opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/Util.java

\* /opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/spi/MarkerFactoryBinder.java

\* /opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/Logger.java

\* /opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/SubstituteLoggerFactory.java

\* /opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/MessageFormatter.java

\* /opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/ILoggerFactory.java

\* /opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/BasicMDCAdapter.java

\*

/opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/NOPLoggerFactory.java

\* /opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/BasicMarkerFactory.java

\* /opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/FormattingTuple.java

\* /opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/LoggerFactory.java

\* /opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/NOPLogger.java

\* /opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/MDC.java

\* /opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/MarkerIgnoringBase.java

\* /opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/spi/MDCAdapter.java

\*

/opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/SubstituteLogger.java

\* /opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/MarkerFactory.java

\* /opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/NOPMDCAdapter.java

\* /opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/BasicMarker.java

\* /opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/Marker.java

\* /opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/spi/LocationAwareLogger.java

\* /opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/NamedLoggerBase.java

\* /opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/spi/LoggerFactoryBinder.java

\* /opt/cola/permits/1274704929\_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/IMarkerFactory.java

# 1.98 metrics-integration-for-apache- httpasyncclient 3.2.5

## 1.98.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bnd-LastModified: 1505464763109

Build-Jdk: 1.8.0\_131

Built-By: artem

Bundle-Description: An Apache HttpAsyncClient wrapper providing Metrics instrumentation of connection pools, request durations and rates, and other useful information.

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Metrics Integration for Apache HttpAsyncClient

Bundle-SymbolicName: io.dropwizard.metrics.httpasyncclient

Bundle-Version: 3.2.5

Created-By: Apache Maven Bundle Plugin

Export-Package: com.codahale.metrics.httpasyncclient;uses:="org.apache.http.nio.conn,org.apache.http.config,com.codahale.metrics,org.apache.http.nio.reactor,org.apache.http.pool,org.apache.http.conn,org.apache.http.impl.nio.conn,org.apache.http.impl.nio.client,org.apache.http.nio.protocol,org.apache.http.concurrent,org.apache.http.protocol,org.apache.http,com.codahale.metrics.httpClient";version="3.2.5"

Implementation-Title:

Metrics Integration for Apache HttpAsyncClient

Implementation-Vendor-Id: io.dropwizard.metrics

Implementation-Version: 3.2.5

Import-Package: com.codahale.metrics;version="[3.2,4)",com.codahale.metrics.httpClient;version="[3.2,4)",org.apache.http,org.apache.http.concurrent,org.apache.http.config,org.apache.http.conn,org.apache.http.impl.nio.client,org.apache.http.impl.nio.conn,org.apache.http.nio.conn,org.apache.http.nio.protocol,org.apache.http.nio.reactor,org.apache.http.pool,org.apache.http.protocol

Tool: Bnd-1.50.0

Found in path(s):

\* /opt/cola/permits/1274704149\_1655257274.9345021/0/metrics-httpasyncclient-3-2-5-jar/META-INF/MANIFEST.MF

## 1.99 unfiltered 0.9.1

## 1.99.1 Available under license :

Copyright (c) 2010-2014 Nathan Hamblen / Doug Tangren

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.100 expression-language 3.0.0

### 1.100.1 Available under license :

Copyright (c) 2004-2015 Fabien Potencier

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.101 kotlin-logging 1.4.4

## 1.101.1 Available under license :

Apache-2.0

# 1.102 scala-parser-combinators 1.0.5

## 1.102.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source"

form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute,

all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the

NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

#### APPENDIX: HOW TO APPLY THE APACHE LICENSE TO YOUR WORK

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless  
required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.103 feign-core 8.15.1

### 1.103.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2013 Netflix, Inc.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/codecs/Encoder.java  
* /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/codecs/Decoder.java
```

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2014 Netflix, Inc.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at
```

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1274700536\_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/InvocationHandlerFactory.java  
\* /opt/cola/permits/1274700536\_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/SynchronousMethodHandler.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2013 Netflix, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1274700536\_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/RequestTemplate.java  
\* /opt/cola/permits/1274700536\_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/auth/BasicAuthRequestInterceptor.java  
\* /opt/cola/permits/1274700536\_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/codec/EncodingException.java  
\*  
\* /opt/cola/permits/1274700536\_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/Feign.java  
\* /opt/cola/permits/1274700536\_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/Request.java  
\* /opt/cola/permits/1274700536\_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/codec/ErrorDecoder.java  
\* /opt/cola/permits/1274700536\_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/RetryableException.java  
\* /opt/cola/permits/1274700536\_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/Target.java  
\* /opt/cola/permits/1274700536\_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/FeignException.java  
\* /opt/cola/permits/1274700536\_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/Contract.java  
\* /opt/cola/permits/1274700536\_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/Logger.java  
\* /opt/cola/permits/1274700536\_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/Retryer.java

```
* /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/ReflectiveFeign.java
*
/opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/RequestInterceptor.java
* /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/Util.java
* /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/Response.java
* /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/auth/Base64.java
* /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/Client.java
* /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/MethodMetadata.java
* /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/codecs/DecodeException.java
* /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/codecs/StringDecoder.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2015 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/Param.java
* /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/QueryMap.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2008 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1274700536\_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/Types.java

# 1.104 caffeine-cache 2.8.1

## 1.104.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.105 log4j-over-slf4j 1.7.36

### 1.105.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1282430134\_1646467465.09/0/log4j-over-slf4j-1-7-36-jar/META-INF/maven/org.slf4j/log4j-over-slf4j/pom.xml

## 1.106 guava-listenablefuture-only 9999.0-empty-to-avoid-conflict-with-guava

### 1.106.1 Available under license :

Doug Lea

Apache License

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.107 jackson-datatype-jsr310 2.13.2

### 1.107.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.108 hibernate-validator 6.1.6.Final

### 1.108.1 Available under license :

Adam Stawicki  
Ahmed Al Hafoudh  
Alaa Nassef  
Andrey Derevyanko  
Andrey Rodionov  
Asutosh Pandya  
Benson Margulies  
Brent Douglas  
Carlos Vara  
Carlo de Wolf  
Chris Beckey  
Christian Ivan  
Dag Hovland  
Damir Alibegovic

Dario Seidl  
Davide D'Alto  
Davide Marchignoli  
Denis Tiago  
Doug Lea  
Emmanuel Bernard  
Efthymis Sarbanis  
Federico  
Federico Mancini  
Gavin King  
George Gastaldi  
Gerhard Petracek  
Guillaume Husta  
Guillaume Smet  
Gunnar Morling  
Hardy Ferentschik  
Henno Vermeulen  
Hillmer Chona  
Jan-Willem Willebrands  
Jason T. Greene  
Jesper Preuss  
Jiri Bilek  
Julien Furgerot  
Julien May  
Juraci Krohling  
Justin Nauman  
Kathryn Killebrew  
Kazuki Shimizu  
Kevin Pollet  
Khalid Alqinyah  
Lee KyoungIl  
Leonardo Loch Zanivan  
Lucas Pouzac  
Lukas Niemeier  
Mark Hobson  
Marko Bekhta  
Matthias Kurz  
Mert Caliskan  
Michal Fotyga  
Nicola Ferraro  
Nicolas Franois  
Paolo Perrotta  
Pete Muir  
Rob Dickinson  
Sanne Grinovero  
Sebastian Bayerl  
Shahram Goodarzi  
Shane Bryzak

Shelly McGowan  
Sjaak Derksen  
Steve Ebersole  
Strong Liu  
Tadhg Pearson  
Takashi Aoe  
Tomaz  
Cerar  
Tommy Johansen  
Victor Rezende dos Santos  
Willi Schnborn  
Xavier Sosnovsky  
Yanming Zhou  
Yoann Rodire  
Hibernate Validator, declare and validate application constraints

License: Apache License, Version 2.0

See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.109 apache-ant 1.10.12

## 1.109.1 Available under license :

Apache Ant  
Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

The <sync> task is based on code Copyright (c) 2002, Landmark Graphics Corp that has been kindly donated to the Apache Software Foundation.

/\*

\* Apache License  
\* Version 2.0, January 2004  
\* <http://www.apache.org/licenses/>  
\*

\* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION  
\*

\* 1. Definitions.  
\*

\* "License" shall mean the terms and conditions for use, reproduction,  
\* and distribution as defined by Sections 1 through 9 of this document.  
\*

\* "Licensor" shall mean the copyright owner or entity authorized by  
\* the copyright owner that is granting the License.  
\*

\* "Legal Entity" shall mean the union of the acting entity and all  
\* other entities that control, are controlled by, or are under common  
\* control with that entity. For the purposes of this definition,  
\* "control" means (i) the power, direct or indirect, to cause the  
\* direction or management of such entity, whether by contract or  
\* otherwise, or (ii) ownership of fifty percent (50%) or more of the  
\*

outstanding shares, or (iii) beneficial ownership of such entity.  
\*

\* "You" (or "Your") shall mean an individual or Legal Entity  
\* exercising permissions granted by this License.  
\*

\* "Source" form shall mean the preferred form for making modifications,  
\* including but not limited to software source code, documentation  
\* source, and configuration files.  
\*

\* "Object" form shall mean any form resulting from mechanical  
\* transformation or translation of a Source form, including but  
\* not limited to compiled object code, generated documentation,  
\* and conversions to other media types.  
\*

\* "Work" shall mean the work of authorship, whether in Source or  
\* Object form, made available under the License, as indicated by a  
\* copyright notice that is included in or attached to the work  
\* (an example is provided in the Appendix below).  
\*

\* "Derivative Works" shall mean any work, whether in Source or Object  
\*

form, that is based on (or derived from) the Work and for which the  
\* editorial revisions, annotations, elaborations, or other modifications

\* represent, as a whole, an original work of authorship. For the purposes  
\* of this License, Derivative Works shall not include works that remain  
\* separable from, or merely link (or bind by name) to the interfaces of,  
\* the Work and Derivative Works thereof.

\* "Contribution" shall mean any work of authorship, including  
\* the original version of the Work and any modifications or additions  
\* to that Work or Derivative Works thereof, that is intentionally  
\* submitted to Licensor for inclusion in the Work by the copyright owner  
\* or by an individual or Legal Entity authorized to submit on behalf of  
\* the copyright owner. For the purposes of this definition, "submitted"  
\* means any form of electronic, verbal, or written communication sent  
\* to the Licensor or its representatives,

including but not limited to

\* communication on electronic mailing lists, source code control systems,  
\* and issue tracking systems that are managed by, or on behalf of, the  
\* Licensor for the purpose of discussing and improving the Work, but  
\* excluding communication that is conspicuously marked or otherwise  
\* designated in writing by the copyright owner as "Not a Contribution."

\* "Contributor" shall mean Licensor and any individual or Legal Entity  
\* on behalf of whom a Contribution has been received by Licensor and  
\* subsequently incorporated within the Work.

\* 2. Grant of Copyright License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* copyright license to reproduce, prepare Derivative Works of,  
\* publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

\* 3. Grant of Patent License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* (except as stated in this section) patent license to make, have made,  
\* use, offer to sell, sell, import, and otherwise transfer the Work,  
\* where such license applies only to those patent claims licensable  
\* by such Contributor that are necessarily infringed by their  
\* Contribution(s) alone or by combination of their Contribution(s)  
\* with the Work to which such Contribution(s) was submitted. If You  
\* institute patent litigation against any entity (including a  
\* cross-claim or counterclaim in a lawsuit) alleging that the Work  
\* or a Contribution incorporated within the Work constitutes direct  
\* or contributory patent infringement, then any patent licenses  
\* granted to You under this License for that Work shall terminate  
\* as of the date such litigation is filed.

- \* 4. Redistribution. You may reproduce and distribute copies of the
- \* Work or Derivative Works thereof in any medium, with or without
- \* modifications, and in Source or Object form, provided that You
- \* meet the following conditions:
- \*
  - \* (a) You must give any other recipients of the Work or
  - \* Derivative Works a copy of this License; and
  - \*
    - \* (b) You must cause any modified files to carry prominent notices
    - \* stating that You changed the files; and
    - \*
      - \* (c) You must retain, in the Source form of any Derivative Works
      - \* that You distribute, all copyright, patent, trademark, and
      - \* attribution notices from the Source form of the Work,
      - \* excluding those notices that do not pertain to any part of
      - \* the Derivative Works; and
      - \*
        - \* (d) If the Work includes a "NOTICE"
        - text file as part of its
        - \* distribution, then any Derivative Works that You distribute must
        - \* include a readable copy of the attribution notices contained
        - \* within such NOTICE file, excluding those notices that do not
        - \* pertain to any part of the Derivative Works, in at least one
        - \* of the following places: within a NOTICE text file distributed
        - \* as part of the Derivative Works; within the Source form or
        - \* documentation, if provided along with the Derivative Works; or,
        - \* within a display generated by the Derivative Works, if and
        - \* wherever such third-party notices normally appear. The contents
        - \* of the NOTICE file are for informational purposes only and
        - \* do not modify the License. You may add Your own attribution
        - \* notices within Derivative Works that You distribute, alongside
        - \* or as an addendum to the NOTICE text from the Work, provided
        - \* that
        - such additional attribution notices cannot be construed
        - \* as modifying the License.
        - \*
          - \* You may add Your own copyright statement to Your modifications and
          - \* may provide additional or different license terms and conditions
          - \* for use, reproduction, or distribution of Your modifications, or
          - \* for any such Derivative Works as a whole, provided Your use,
          - \* reproduction, and distribution of the Work otherwise complies with
          - \* the conditions stated in this License.
- \* 5. Submission of Contributions. Unless You explicitly state otherwise,
- \* any Contribution intentionally submitted for inclusion in the Work
- \* by You to the Licensor shall be under the terms and conditions of
- \* this License, without any additional terms or conditions.
- \* Notwithstanding the above, nothing herein shall supersede or modify

\* the terms of any separate license agreement you may have executed  
\* with Licensor regarding such Contributions.

\*

\* 6. Trademarks. This License does not grant permission to use the trade  
\* names, trademarks, service marks, or product names of the Licensor,  
\* except as required for reasonable and customary use in describing the  
\* origin of the Work and reproducing the content of the NOTICE file.

\*

\* 7. Disclaimer of Warranty. Unless required by applicable law or  
\* agreed to in writing, Licensor provides the Work (and each  
\* Contributor provides its Contributions) on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
\* implied, including, without limitation, any warranties or conditions  
\* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A  
\* PARTICULAR PURPOSE. You are solely responsible for determining the  
\* appropriateness of using or redistributing the Work and assume any  
\* risks associated with Your exercise of permissions under this License.

\*

\* 8. Limitation of Liability.

In no event and under no legal theory,

\* whether in tort (including negligence), contract, or otherwise,  
\* unless required by applicable law (such as deliberate and grossly  
\* negligent acts) or agreed to in writing, shall any Contributor be  
\* liable to You for damages, including any direct, indirect, special,  
\* incidental, or consequential damages of any character arising as a  
\* result of this License or out of the use or inability to use the  
\* Work (including but not limited to damages for loss of goodwill,  
\* work stoppage, computer failure or malfunction, or any and all  
\* other commercial damages or losses), even if such Contributor  
\* has been advised of the possibility of such damages.

\*

\* 9. Accepting Warranty or Additional Liability. While redistributing  
\* the Work or Derivative Works thereof, You may choose to offer,  
\* and charge a fee for, acceptance of support, warranty, indemnity,  
\* or other

liability obligations and/or rights consistent with this

\* License. However, in accepting such obligations, You may act only  
\* on Your own behalf and on Your sole responsibility, not on behalf  
\* of any other Contributor, and only if You agree to indemnify,  
\* defend, and hold each Contributor harmless for any liability  
\* incurred by, or claims asserted against, such Contributor by reason  
\* of your accepting any such warranty or additional liability.

\*

\* END OF TERMS AND CONDITIONS

\*

\* APPENDIX: How to apply the Apache License to your work.

\*

\* To apply the Apache License to your work, attach the following

\* boilerplate notice, with the fields enclosed by brackets "[ ]"  
 \* replaced with your own identifying information. (Don't include  
 \* the brackets!) The text should be enclosed in the appropriate  
 \* comment syntax for the file format. We also recommend that a  
 \* file or class name and description of purpose  
 be included on the  
 \* same "printed page" as the copyright notice for easier  
 \* identification within third-party archives.  
 \*  
 \* Copyright [yyyy] [name of copyright owner]  
 \*  
 \* Licensed under the Apache License, Version 2.0 (the "License");  
 \* you may not use this file except in compliance with the License.  
 \* You may obtain a copy of the License at  
 \*  
 \* <https://www.apache.org/licenses/LICENSE-2.0>  
 \*  
 \* Unless required by applicable law or agreed to in writing, software  
 \* distributed under the License is distributed on an "AS IS" BASIS,  
 \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
 \* See the License for the specific language governing permissions and  
 \* limitations under the License.  
 \*/

#### W3C SOFTWARE NOTICE AND LICENSE

<https://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you

provide URIs to the location from  
which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002.

This version

removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

This license came from: <http://www.megginson.com/SAX/copying.html>

However please note future versions of SAX may be covered  
under <http://saxproject.org/?selected=pd>

SAX2 is Free!

I hereby abandon any property rights  
to SAX 2.0 (the Simple API for  
XML), and release all of the SAX 2.0 source code, compiled code, and  
documentation contained in this distribution into the Public Domain.  
SAX comes with NO WARRANTY or guarantee of fitness for any  
purpose.

David Megginson, [david@megginson.com](mailto:david@megginson.com)

## 1.110 jackson-jaxrs-base 2.13.2

### 1.110.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.111 jackson-xc 2.13.2

### 1.111.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-jaxb-annotations` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.112 jool 0.9.11

## 1.112.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2014-2016, Data Geekery GmbH, contact@datageekery.com
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/ftl/function/CheckedBinaryOperator.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/ftl/function/CheckedDoubleUnaryOperator.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/ftl/function/CheckedDoubleConsumer.java
*
/opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/ftl/function/CheckedObjDoubleConsumer.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/ftl/function/CheckedToLongBiFunction.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/ftl/function/CheckedLongBinaryOperator.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/SQL.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/ftl/function/CheckedBiConsumer.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/ftl/function/CheckedToDoubleFunction.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/ftl/function/CheckedIntUnaryOperator.java
*
/opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/ftl/function/CheckedObjLongConsumer.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
```

jar/org/jooq/lambda/fi/util/function/CheckedDoubleFunction.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-  
 jar/org/jooq/lambda/fi/util/function/CheckedIntConsumer.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-  
 jar/org/jooq/lambda/fi/util/function/CheckedDoublePredicate.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-  
 jar/org/jooq/lambda/fi/util/function/CheckedDoubleBinaryOperator.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-  
 jar/org/jooq/lambda/fi/util/function/CheckedBiPredicate.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Range.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-  
 jar/org/jooq/lambda/fi/util/function/CheckedObjIntConsumer.java  
 \*  
 /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-  
 jar/org/jooq/lambda/fi/util/function/CheckedLongToDoubleFunction.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-  
 jar/org/jooq/lambda/fi/util/function/CheckedToIntFunction.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-  
 jar/org/jooq/lambda/fi/util/function/CheckedLongPredicate.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-  
 jar/org/jooq/lambda/fi/util/function/CheckedDoubleToLongFunction.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuples.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-  
 jar/org/jooq/lambda/fi/lang/CheckedRunnable.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-  
 jar/org/jooq/lambda/fi/util/function/CheckedUnaryOperator.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-  
 jar/org/jooq/lambda/fi/util/function/CheckedIntPredicate.java  
 \*  
 /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-  
 jar/org/jooq/lambda/fi/util/function/CheckedDoubleSupplier.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-  
 jar/org/jooq/lambda/fi/util/CheckedComparator.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-  
 jar/org/jooq/lambda/fi/util/function/CheckedLongUnaryOperator.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-  
 jar/org/jooq/lambda/fi/util/function/CheckedConsumer.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/package-info.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-  
 jar/org/jooq/lambda/fi/util/function/CheckedIntToDoubleFunction.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-  
 jar/org/jooq/lambda/fi/util/function/CheckedLongFunction.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-  
 jar/org/jooq/lambda/fi/util/function/CheckedPredicate.java  
 \*  
 /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-  
 jar/org/jooq/lambda/fi/util/function/CheckedLongConsumer.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-

```
jar/org/jooq/lambda/fi/util/function/CheckedBooleanSupplier.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/Unchecked.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/UncheckedException.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/fi/util/function/CheckedIntToLongFunction.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/fi/util/function/CheckedFunction.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/fi/util/function/CheckedSupplier.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/fi/util/function/CheckedBiFunction.java
*
/opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/fi/util/function/CheckedToLongFunction.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/fi/util/function/CheckedIntFunction.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/fi/util/function/CheckedToDoubleBiFunction.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/fi/util/function/CheckedIntBinaryOperator.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/fi/util/function/CheckedIntSupplier.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/fi/util/function/CheckedLongToIntFunction.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/fi/util/function/CheckedDoubleToIntFunction.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/fi/util/function/CheckedLongSupplier.java
*
/opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/fi/util/function/CheckedToIntBiFunction.java
No license file was found, but licenses were detected in source scan.
```

```
/**
```

```
* Copyright (c) 2014-2016, Data Geekery GmbH, contact@datageekery.com
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

\*/

Found in path(s):

- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function3.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function7.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer7.java
- \*
- /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/ftl/util/package-info.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/Window.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer16.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/Collectable.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function9.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple10.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer11.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple13.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/ftl/lang/package-info.java
- \*
- /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/ftl/util/function/package-info.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/package-info.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer15.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer4.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple5.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer2.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function8.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function13.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/WindowImpl.java
- \*
- /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple7.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer14.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function15.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/exception/TooManyElementsException.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/package-info.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/Sum.java
- \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/FunctionalSpliterator.java

\* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function2.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function16.java  
 \*  
 /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer1.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function6.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer12.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/WindowSpecificationImpl.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function10.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple8.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple9.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple16.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/Seq.java  
 \*  
 /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function1.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/Partition.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function12.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function5.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple6.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Functions.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/SeqImpl.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer8.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer13.java  
 \*  
 /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/SeqUtils.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer10.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple2.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function11.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer6.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple4.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/WindowSpecification.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/Blocking.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple1.java  
 \*  
 /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer9.java  
 \* /opt/cola/permits/1290493546\_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer0.java

```

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple11.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function4.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/function/Consumer3.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple12.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/Agg.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-
jar/org/jooq/lambda/function/Function14.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple0.java
*
/opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer5.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple14.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple3.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function0.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/fi/package-info.java
* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple15.java

```

## 1.113 spotbugs 4.1.1

### 1.113.1 Available under license :

Found license 'GNU Lesser General Public License' in '\* This library is free software; you can redistribute it and/or \* modify it under the terms of the GNU Lesser General Public \* License as published by the Free Software Foundation; either \* version 2.1 of the License, or (at your option) any later version. \* This library is distributed in the hope that it will be useful, \* but WITHOUT ANY WARRANTY; without even the implied warranty of \* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU \* Lesser General Public License for more details. \* You should have received a copy of the GNU Lesser General Public'

Found license 'GNU Lesser General Public License' in '\* This library is free software; you can redistribute it and/or \* modify it under the terms of the GNU Lesser General Public \* License as published by the Free Software Foundation; either \* version 2.1 of the License, or (at your option) any later version. \* This library is distributed in the hope that it will be useful, \* but WITHOUT ANY WARRANTY; without even the implied warranty of \* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU \* Lesser General Public License for more details. \* You should have received a copy of the GNU Lesser General Public // This library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public // License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY; without

even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU // Lesser General Public License for more details.'

Found license 'GNU Lesser General Public License' in 'This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details. You should have received a copy of the GNU Lesser General Public // permission is granted to use this javascript provided that the below code is not altered'

Found license 'GNU Lesser General Public License' in '\* This library is free software; you can redistribute it and/or \* modify it under the terms of the GNU Lesser General Public \* License as published by the Free Software

Foundation; either \* version 2.1 of the License, or (at your option) any later version. \* This library is distributed in the hope that it will be useful, \* but WITHOUT ANY WARRANTY; without even the implied warranty of \* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU \* Lesser General Public License for more details. \* You should have received a copy of the GNU Lesser General Public // adjust elseFinishPos to be inclusive (for source line attribution)'

Found license 'GNU Lesser General Public License' in '\* This library is free software; you can redistribute it and/or \* modify it under the terms of the GNU Lesser General Public \* License as published by the Free Software Foundation; either \* version 2.1 of the License, or (at your option) any later version. \* This library is distributed in the hope that it will be useful, \* but WITHOUT ANY WARRANTY; without even the implied warranty of \* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU \* Lesser General Public License for more details. \* You should have received a copy of the GNU Lesser General Public'

Found license 'GNU Lesser General Public License' in 'This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details. You should have received a copy of the GNU Lesser General Public'

## 1.114 spotbugs-annotations 4.1.1

### 1.114.1 Available under license :

Found license 'GNU Lesser General Public License' in '\* This library is free software; you can redistribute it and/or \* modify it under the terms of the GNU Lesser General Public \* License as published by the Free Software Foundation; either \* version 2.1 of the License, or (at your option) any later version. \* This library is distributed in the hope that it will be useful, \* but WITHOUT ANY WARRANTY; without even the implied warranty of \* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU \* Lesser General Public License for more details. \* You should have received a copy of the GNU Lesser General Public'

## 1.115 asm-util 8.0.1

### 1.115.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions  
// are met:  
// 1. Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// 2. Redistributions in binary form must reproduce the above copyright  
// notice, this list of conditions and the following disclaimer in the  
// documentation and/or other materials provided with the distribution.  
// 3. Neither the name of the copyright holders nor the names of its  
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-
jar/org/objectweb/asm/util/TraceFieldVisitor.java
* /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-
jar/org/objectweb/asm/util/CheckSignatureAdapter.java
*
/opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-
jar/org/objectweb/asm/util/TraceAnnotationVisitor.java
* /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/ASMifier.java
* /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-
jar/org/objectweb/asm/util/CheckMethodAdapter.java
* /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/Printer.java
* /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-
jar/org/objectweb/asm/util/TraceClassVisitor.java
* /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-
jar/org/objectweb/asm/util/TraceModuleVisitor.java
* /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-
jar/org/objectweb/asm/util/CheckAnnotationAdapter.java
* /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-
jar/org/objectweb/asm/util/TraceMethodVisitor.java
* /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-
jar/org/objectweb/asm/util/TraceSignatureVisitor.java
*
/opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/Textifier.java
* /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-
jar/org/objectweb/asm/util/CheckClassAdapter.java
* /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-
jar/org/objectweb/asm/util/CheckModuleAdapter.java
* /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-
jar/org/objectweb/asm/util/CheckFieldAdapter.java
* /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-
jar/org/objectweb/asm/util/TraceRecordComponentVisitor.java
* /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-
jar/org/objectweb/asm/util/CheckRecordComponentAdapter.java
No license file was found, but licenses were detected in source scan.
```

```
/**
```

```
* ASM: a very small and fast Java bytecode manipulation framework Copyright (c) 2000-2011 INRIA,
* France Telecom All rights reserved.
```

```
*
```

```
* <p>Redistribution and use in source and binary forms, with or without modification, are permitted
* provided that the following conditions are met: 1. Redistributions of source code must retain the
* above copyright notice, this list of conditions and the following disclaimer. 2. Redistributions
* in binary form must reproduce the above copyright notice, this list of conditions and the
* following disclaimer in the documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its contributors may be used to
* endorse or promote products derived from this software without specific prior written permission.
```

```
*
```

```
* <p>THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
```

AND ANY

EXPRESS OR

\* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR

\* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

\* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

\* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,

\* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY

\* WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1290493595\_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/TextifierSupport.java

\* /opt/cola/permits/1290493595\_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/ASMifierSupport.java

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- \* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/cola/permits/1290493595\_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/package.html

# 1.116 saxon-xslt-and-xquery-processor 10.1

## 1.116.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML QName Module ..... -->
<!-- file: xhtml-qname-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
 Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.  
 Revision: \$Id: xhtml-qname-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML Qualified Names 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-qname-1.mod"
```

Revisions:

```
(none)
..... -->
```

```
<!-- XHTML QName (Qualified Name) Module
```

This module is contained in two parts, labeled Section 'A' and 'B':

Section A declares parameter entities to support namespace-

qualified names, namespace declarations, and name prefixing  
 for XHTML and extensions.

Section B declares parameter entities used to provide  
 namespace-qualified names for all XHTML element types:

```
%applet.qname; the xmlns-qualified name for <applet>
%base.qname; the xmlns-qualified name for <base>
...
```

XHTML extensions would create a module similar to this one.

Included in the XHTML distribution is a template module

('template-qname-1.mod') suitable for this purpose.

-->

<!-- Section A: XHTML XML Namespace Framework :::::::::::::::::::: -->

<!-- 1. Declare a %XHTML.prefixed; conditional section keyword, used to activate namespace prefixing. The default value should inherit '%NS.prefixed;' from the DTD driver, so that unless overridden, the default behaviour follows the overall DTD prefixing scheme.

-->

```
<!ENTITY % NS.prefixed "IGNORE" >
<!ENTITY % XHTML.prefixed "%NS.prefixed;"
>
```

<!-- 2. Declare a parameter entity (eg., %XHTML.xmlns;) containing the URI reference used to identify the XHTML namespace:

-->

```
<!ENTITY % XHTML.xmlns "http://www.w3.org/1999/xhtml" >
```

<!-- 3. Declare parameter entities (eg., %XHTML.prefix;) containing the default namespace prefix string(s) to use when prefixing is enabled. This may be overridden in the DTD driver or the internal subset of an document instance. If no default prefix is desired, this may be declared as an empty string.

NOTE: As specified in [XMLNAMES], the namespace prefix serves as a proxy for the URI reference, and is not in itself significant.

-->

```
<!ENTITY % XHTML.prefix "" >
```

<!-- 4. Declare parameter entities (eg., %XHTML.pfx;) containing the colonized prefix(es) (eg., '%XHTML.prefix;:') used when prefixing is active, an empty string when it is not.

-->

```
<![%XHTML.prefixed;[
<!ENTITY % XHTML.pfx "%XHTML.prefix;:" >
]]>
<!ENTITY % XHTML.pfx
"" >
```

<!-- declare qualified name extensions here ..... -->

```
<!ENTITY % xhtml-qname-extra.mod "" >
%xhtml-qname-extra.mod;
```

<!-- 5. The parameter entity %XHTML.xmlns.extra.attrib; may be redeclared to contain any non-XHTML namespace declaration attributes for namespaces embedded in XHTML. The default

is an empty string. XLink should be included here if used in the DTD.

```
-->
<!ENTITY % XHTML.xmlns.extra.attrib "" >

<!-- The remainder of Section A is only followed in XHTML, not extensions. -->

<!-- Declare a parameter entity %NS.decl.attrib; containing
all XML Namespace declarations used in the DTD, plus the
xmlns declaration for XHTML, its form dependent on whether
prefixing is active.
-->
<![%XHTML.prefixed;[
<!ENTITY % NS.decl.attrib
    "xmlns:%XHTML.prefix; %URI.datatype; #FIXED '%XHTML.xmlns;'
    %XHTML.xmlns.extra.attrib;"
>
]]>
<!ENTITY % NS.decl.attrib
    "%XHTML.xmlns.extra.attrib;"
>

<!-- This is a placeholder
for future XLink support.
-->
<!ENTITY % XLINK.xmlns.attrib "" >

<!-- Declare a parameter entity %NS.decl.attrib; containing all
XML namespace declaration attributes used by XHTML, including
a default xmlns attribute when prefixing is inactive.
-->
<![%XHTML.prefixed;[
<!ENTITY % XHTML.xmlns.attrib
    "%NS.decl.attrib;
    %XLINK.xmlns.attrib;"
>
]]>
<!ENTITY % XHTML.xmlns.attrib
    "xmlns %URI.datatype; #FIXED '%XHTML.xmlns;'
    %XLINK.xmlns.attrib;"
>

<!-- placeholder for qualified name redeclarations -->
<!ENTITY % xhtml-qname.redecl "" >
%xhtml-qname.redecl;

<!-- Section B: XHTML Qualified Names ..... -->
```

```
<!-- 6. This section declares parameter entities used to provide
      namespace-qualified names for all XHTML element types.
```

```
-->
```

```
<!-- module: xhtml-applet-1.mod -->
```

```
<!ENTITY % applet.qname "%XHTML.pfx;applet" >
```

```
<!-- module: xhtml-base-1.mod -->
```

```
<!ENTITY % base.qname "%XHTML.pfx;base" >
```

```
<!-- module:
```

```
  xhtml-bdo-1.mod -->
```

```
<!ENTITY % bdo.qname "%XHTML.pfx;bdo" >
```

```
<!-- module: xhtml-blkphras-1.mod -->
```

```
<!ENTITY % address.qname "%XHTML.pfx;address" >
```

```
<!ENTITY % blockquote.qname "%XHTML.pfx;blockquote" >
```

```
<!ENTITY % pre.qname "%XHTML.pfx;pre" >
```

```
<!ENTITY % h1.qname "%XHTML.pfx;h1" >
```

```
<!ENTITY % h2.qname "%XHTML.pfx;h2" >
```

```
<!ENTITY % h3.qname "%XHTML.pfx;h3" >
```

```
<!ENTITY % h4.qname "%XHTML.pfx;h4" >
```

```
<!ENTITY % h5.qname "%XHTML.pfx;h5" >
```

```
<!ENTITY % h6.qname "%XHTML.pfx;h6" >
```

```
<!-- module: xhtml-blkpres-1.mod -->
```

```
<!ENTITY % hr.qname "%XHTML.pfx;hr" >
```

```
<!-- module: xhtml-blkstruct-1.mod -->
```

```
<!ENTITY % div.qname "%XHTML.pfx;div" >
```

```
<!ENTITY % p.qname "%XHTML.pfx;p" >
```

```
<!-- module: xhtml-edit-1.mod -->
```

```
<!ENTITY % ins.qname "%XHTML.pfx;ins" >
```

```
<!ENTITY % del.qname "%XHTML.pfx;del" >
```

```
<!-- module: xhtml-form-1.mod -->
```

```
<!ENTITY % form.qname "%XHTML.pfx;form" >
```

```
<!ENTITY % label.qname "%XHTML.pfx;label" >
```

```
<!ENTITY % input.qname "%XHTML.pfx;input"
```

```
>
```

```
<!ENTITY % select.qname "%XHTML.pfx;select" >
```

```
<!ENTITY % optgroup.qname "%XHTML.pfx;optgroup" >
```

```
<!ENTITY % option.qname "%XHTML.pfx;option" >
```

```
<!ENTITY % textarea.qname "%XHTML.pfx;textarea" >
```

```
<!ENTITY % fieldset.qname "%XHTML.pfx;fieldset" >
```

```
<!ENTITY % legend.qname "%XHTML.pfx;legend" >
```

```
<!ENTITY % button.qname "%XHTML.pfx;button" >
```

```

<!-- module: xhtml-hypertext-1.mod -->
<!ENTITY % a.qname      "%XHTML.pfx;a" >

<!-- module: xhtml-image-1.mod -->
<!ENTITY % img.qname    "%XHTML.pfx;img" >

<!-- module: xhtml-inlphras-1.mod -->
<!ENTITY % abbr.qname   "%XHTML.pfx;abbr" >
<!ENTITY % acronym.qname "%XHTML.pfx;acronym" >
<!ENTITY % cite.qname   "%XHTML.pfx;cite" >
<!ENTITY % code.qname   "%XHTML.pfx;code" >
<!ENTITY % dfn.qname    "%XHTML.pfx;dfn" >
<!ENTITY % em.qname     "%XHTML.pfx;em" >
<!ENTITY % kbd.qname    "%XHTML.pfx;kbd" >
<!ENTITY % q.qname      "%XHTML.pfx;q" >
<!ENTITY % samp.qname   "%XHTML.pfx;samp" >
<!ENTITY % strong.qname "%XHTML.pfx;strong"
>
<!ENTITY % var.qname    "%XHTML.pfx;var" >

<!-- module: xhtml-inlpres-1.mod -->
<!ENTITY % b.qname      "%XHTML.pfx;b" >
<!ENTITY % big.qname    "%XHTML.pfx;big" >
<!ENTITY % i.qname      "%XHTML.pfx;i" >
<!ENTITY % small.qname  "%XHTML.pfx;small" >
<!ENTITY % sub.qname    "%XHTML.pfx;sub" >
<!ENTITY % sup.qname    "%XHTML.pfx;sup" >
<!ENTITY % tt.qname     "%XHTML.pfx;tt" >

<!-- module: xhtml-inlstruct-1.mod -->
<!ENTITY % br.qname     "%XHTML.pfx;br" >
<!ENTITY % span.qname   "%XHTML.pfx;span" >

<!-- module: xhtml-ismap-1.mod (also csismap, ssismap) -->
<!ENTITY % map.qname    "%XHTML.pfx;map" >
<!ENTITY % area.qname   "%XHTML.pfx;area" >

<!-- module: xhtml-link-1.mod -->
<!ENTITY % link.qname   "%XHTML.pfx;link" >

<!-- module: xhtml-list-1.mod -->
<!ENTITY % dl.qname     "%XHTML.pfx;dl" >
<!ENTITY % dt.qname     "%XHTML.pfx;dt" >
<!ENTITY % dd.qname     "%XHTML.pfx;dd" >
<!ENTITY % ol.qname     "%XHTML.pfx;ol" >
<!ENTITY % ul.qname     "%XHTML.pfx;ul"

```

```

>
<!ENTITY % li.qname    "%XHTML.pfx;li" >

<!-- module: xhtml-meta-1.mod -->
<!ENTITY % meta.qname  "%XHTML.pfx;meta" >

<!-- module: xhtml-param-1.mod -->
<!ENTITY % param.qname "%XHTML.pfx;param" >

<!-- module: xhtml-object-1.mod -->
<!ENTITY % object.qname "%XHTML.pfx;object" >

<!-- module: xhtml-script-1.mod -->
<!ENTITY % script.qname "%XHTML.pfx;script" >
<!ENTITY % noscript.qname "%XHTML.pfx;noscript" >

<!-- module: xhtml-struct-1.mod -->
<!ENTITY % html.qname   "%XHTML.pfx;html" >
<!ENTITY % head.qname  "%XHTML.pfx;head" >
<!ENTITY % title.qname "%XHTML.pfx;title" >
<!ENTITY % body.qname  "%XHTML.pfx;body" >

<!-- module: xhtml-style-1.mod -->
<!ENTITY % style.qname  "%XHTML.pfx;style" >

<!-- module: xhtml-table-1.mod -->
<!ENTITY % table.qname  "%XHTML.pfx;table" >
<!ENTITY % caption.qname "%XHTML.pfx;caption" >
<!ENTITY % thead.qname  "%XHTML.pfx;thead" >
<!ENTITY % tfoot.qname  "%XHTML.pfx;tfoot" >
<!ENTITY % tbody.qname  "%XHTML.pfx;tbody"
>
<!ENTITY % colgroup.qname "%XHTML.pfx;colgroup" >
<!ENTITY % col.qname      "%XHTML.pfx;col" >
<!ENTITY % tr.qname       "%XHTML.pfx;tr" >
<!ENTITY % th.qname       "%XHTML.pfx;th" >
<!ENTITY % td.qname       "%XHTML.pfx;td" >

<!-- Provisional XHTML 2.0 Qualified Names ..... -->

<!-- module: xhtml-image-2.mod -->
<!ENTITY % alt.qname     "%XHTML.pfx;alt" >

<!-- end of xhtml-qname-1.mod -->

```

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtmll-

qname-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Lists Module ..... -->
<!-- file: xhtml-list-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-list-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Lists 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulatization/DTD/xhtml-list-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Lists
```

dl, dt, dd, ol, ul, li

This module declares the list-oriented element types  
and their attributes.

```
-->
```

```
<!ENTITY % dl.qname "dl" >
<!ENTITY % dt.qname "dt" >
<!ENTITY % dd.qname
"dd" >
<!ENTITY % ol.qname "ol" >
<!ENTITY % ul.qname "ul" >
<!ENTITY % li.qname "li" >
```

```
<!-- dl: Definition List ..... -->
```

```
<!ENTITY % dl.element "INCLUDE" >
<![%dl.element;[
<!ENTITY % dl.content "( %dt.qname; | %dd.qname; )+" >
<!ELEMENT %dl.qname; %dl.content; >
<!-- end of dl.element -->]]>
```

```
<!ENTITY % dl.attlist "INCLUDE" >
<![%dl.attlist;[
<!ATTLIST %dl.qname;
%Common.attrib;
```

```

>
<!-- end of dl.attlist -->]]>

<!-- dt: Definition Term ..... -->

<!ENTITY % dt.element "INCLUDE" >
<![%dt.element;[
<!ENTITY % dt.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ELEMENT %dt.qname; %dt.content; >
<!-- end of dt.element -->]]>

<!ENTITY % dt.attlist "INCLUDE" >
<![%dt.attlist;[
<!ATTLIST %dt.qname;
    %Common.attrib;
>
<!-- end of dt.attlist -->]]>

<!-- dd: Definition Description ..... -->

<!ENTITY % dd.element "INCLUDE" >
<![%dd.element;[
<!ENTITY % dd.content
    "( #PCDATA | %Flow.mix;
    )"*)*"
>
<!ELEMENT %dd.qname; %dd.content; >
<!-- end of dd.element -->]]>

<!ENTITY % dd.attlist "INCLUDE" >
<![%dd.attlist;[
<!ATTLIST %dd.qname;
    %Common.attrib;
>
<!-- end of dd.attlist -->]]>

<!-- ol: Ordered List (numbered styles) ..... -->

<!ENTITY % ol.element "INCLUDE" >
<![%ol.element;[
<!ENTITY % ol.content "( %li.qname; )+" >
<!ELEMENT %ol.qname; %ol.content; >
<!-- end of ol.element -->]]>

<!ENTITY % ol.attlist "INCLUDE" >
<![%ol.attlist;[

```

```

<!ATTLIST %ol.qname;
    %Common.attrib;
>
<!-- end of ol.attlist -->]]>

<!-- ul: Unordered List (bullet styles) ..... -->

<!ENTITY % ul.element "INCLUDE" >
<![%ul.element;[
<!ENTITY % ul.content "( %li.qname; )+" >
<!ELEMENT %ul.qname; %ul.content; >
<!-- end of ul.element -->]]>

<!ENTITY % ul.attlist "INCLUDE" >
<![%ul.attlist;[
<!ATTLIST %ul.qname;
    %Common.attrib;
>
<!-- end of ul.attlist -->]]>

<!-- li: List Item ..... -->

<!ENTITY % li.element "INCLUDE"
>
<![%li.element;[
<!ENTITY % li.content
    "( #PCDATA | %Flow.mix; )*"
>
<!ELEMENT %li.qname; %li.content; >
<!-- end of li.element -->]]>

<!ENTITY % li.attlist "INCLUDE" >
<![%li.attlist;[
<!ATTLIST %li.qname;
    %Common.attrib;
>
<!-- end of li.attlist -->]]>

<!-- end of xhtml-list-1.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-
list-1.mod
```

No license file was found, but licenses were detected in source scan.

dimensional graphics in XML.

The Scalable Vector Graphics (SVG)

Copyright 2001, 2002 World Wide Web Consortium  
(Massachusetts Institute of Technology, Institut National de  
Recherche en Informatique et en Automatique, Keio University).  
All Rights Reserved.

Permission to use, copy, modify and distribute the SVG DTD and its  
accompanying documentation for any purpose and without fee is hereby  
granted in perpetuity, provided that the above copyright notice and  
this paragraph appear in all copies. The copyright holders make no  
representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Author: Jun Fujisawa <fujisawa.jun@canon.co.jp>  
Revision: \$Id: svg11.dtd,v 1.2 2002/04/20 18:07:43 fujisawa Exp \$

Found in path(s):  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/svg11/svg11.dtd  
No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->  
<!-- XHTML RDFa QName Module ..... -->  
<!-- file: xhtml-rdfa-qname-1.mod
```

This is XHTML RDFa - the RDFa Attribute Module for XHTML.

Copyright 2007 W3C (MIT, ERCIM, Keio), All Rights Reserved.

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML RDFa Attribute Qnames 1.0//EN"  
SYSTEM "http://www.w3.org/Markup/DTD/xhtml-rdfa-qname-1.mod"
```

Revisions:  
(none)  
..... -->

```
<!-- XHTML RDFa Attribute QName (Qualified Name) Module
```

This module is contained in two parts, labeled Section 'A' and 'B':

Section A declares parameter entities to support namespace-qualified names, namespace declarations, and name prefixing for XHTML RDFa and extensions.

Section B declares parameter entities used to provide

namespace-qualified names for the XHTML RDFa elements and attributes:

%link.qname; the xmlns-qualified name for link  
...

XHTML RDFa extensions would create a module similar to this one.

-->

<!-- Section A: XHTML RDFa Attribute XML Namespace Framework ::::::::::::::: -->

<!-- 1. Declare a %XHTML-RDFA.prefixed; conditional section keyword, used to activate namespace prefixing. The default value should inherit '%NS.prefixed;' from the DTD driver, so that unless overridden, the default behavior follows the overall DTD prefixing scheme.

-->

<!ENTITY % NS.prefixed "IGNORE" >

<!ENTITY % XHTML-RDFA.prefixed "%NS.prefixed;" >

<!-- 2. Declare a parameter entity (eg., %XHTML-RDFA.xmlns;) containing the URI reference used to identify the XHTML RDFa Attribute namespace

-->

<!ENTITY % XHTML-RDFA.xmlns "http://www.w3.org/1999/xhtml" >

<!--

3. Declare parameter entities (eg., %XML.prefix;) containing the default namespace prefix string(s) to use when prefixing is enabled. This may be overridden in the DTD driver or the internal subset of an document instance. If no default prefix is desired, this may be declared as an empty string.

NOTE: As specified in [XMLNAMES], the namespace prefix serves as a proxy for the URI reference, and is not in itself significant.

-->

<!ENTITY % XHTML-RDFA.prefix "" >

<!-- 4. Declare parameter entities (eg., %XHTML-RDFA.pfx;) containing the colonized prefix(es) (eg., '%XHTML-RDFA.prefix;:') used when prefixing is active, an empty string when it is not.

-->

<![%XHTML-RDFA.prefixed;[

<!ENTITY % XHTML-RDFA.pfx "%XHTML-RDFA.prefix;:" >

]]>

<![%XHTML.prefixed;[

<!ENTITY % XHTML-RDFA.pfx "%XHTML.prefix;:" >

]]>

<!ENTITY % XHTML-RDFA.pfx "" >

```

<!-- declare qualified name extensions here ..... -->
<!ENTITY % xhtml-rdfa-qname-extra.mod
"" >
%xhtml-rdfa-qname-extra.mod;

<!-- 5. The parameter entity %XHTML-RDFA.xmlns.extra.attrib; may be
redeclared to contain any non-XHTML RDFa Attribute namespace
declaration attributes for namespaces embedded in XML. The default
is an empty string. XLink should be included here if used
in the DTD.
-->
<!ENTITY % XHTML-RDFA.xmlns.extra.attrib "" >

```

```

<!-- Section B: XML Qualified Names ..... -->

```

```

<!-- 6. This section declares parameter entities used to provide
namespace-qualified names for the XHTML RDFa attribute modules.

```

Note that these names are NOT prefixed to be compatible with XHTML Modularization 1.1

```

-->

```

```

<!-- end of xhtml-rdfa-qname-1.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-rdfa-qname-1.mod

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Inputmode Module ..... -->
<!-- file: xhtml-inputmode-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2007 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-inputmode-1.mod,v 1.2 2007/07/13 14:37:53 jigsaw Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Inputmode 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-inputmode-1.mod"

```

Revisions:

(none)

```

..... -->

```

```

<!-- Inputmode

inputmode

This module declares the 'inputmode' attribute used for suggesting the
input mode associated with an input or textarea element.
-->

<!-- render in this frame
-->
<!ENTITY % Inputmode.datatype "CDATA" >

<!-- add 'inputmode' attribute to 'input' element -->
<!ATTLIST %input.qname;
inputmode %Inputmode.datatype; #IMPLIED
>

<!-- add 'inputmode' attribute to 'textarea' element -->
<!ATTLIST %textarea.qname;
inputmode %Inputmode.datatype; #IMPLIED
>

<!-- end of xhtml-inputmode-1.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-inputmode-1.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- SVG 1.1 Gradient Module ..... -->
<!-- file: svg-gradient.mod

```

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-gradient.mod,v 1.3 2002/10/24 17:40:15 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS SVG 1.1 Gradient//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-gradient.mod"

```

```
..... -->
```

```
<!-- Gradient
```

```
linearGradient, radialGradient, stop
```

This module declares markup to provide support for gradient fill.

-->

<!-- a <number> or a <percentage> -->

<!ENTITY % NumberOrPercentage.datatype "CDATA" >

<!--

Qualified Names (Default) ..... -->

<!ENTITY % SVG.linearGradient.qname "linearGradient" >

<!ENTITY % SVG.radialGradient.qname "radialGradient" >

<!ENTITY % SVG.stop.qname "stop" >

<!-- Attribute Collections (Default) ..... -->

<!ENTITY % SVG.Core.attrib "" >

<!ENTITY % SVG.Style.attrib "" >

<!ENTITY % SVG.Color.attrib "" >

<!ENTITY % SVG.XLink.attrib "" >

<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Gradient.class ..... -->

<!ENTITY % SVG.Gradient.extra.class "" >

<!ENTITY % SVG.Gradient.class

"| %SVG.linearGradient.qname; | %SVG.radialGradient.qname;  
%SVG.Gradient.extra.class;"

>

<!-- SVG.Gradient.attrib ..... -->

<!ENTITY % SVG.Gradient.extra.attrib "" >

<!ENTITY % SVG.Gradient.attrib

"stop-color %SVGColor.datatype; #IMPLIED  
stop-opacity %OpacityValue.datatype; #IMPLIED  
%SVG.Gradient.extra.attrib;"

>

<!-- linearGradient: Linear Gradient Element ..... -->

<!ENTITY

% SVG.linearGradient.extra.content "" >

<!ENTITY % SVG.linearGradient.element "INCLUDE" >

<![%SVG.linearGradient.element;[

<!ENTITY % SVG.linearGradient.content

```

    "(( %SVG.Description.class; )*, ( %SVG.stop.qname; | %SVG.animate.qname;
    | %SVG.set.qname; | %SVG.animateTransform.qname;
    %SVG.linearGradient.extra.content; )*)"
>
<!ELEMENT %SVG.linearGradient.qname; %SVG.linearGradient.content; >
<!-- end of SVG.linearGradient.element -->]]>

<!ENTITY % SVG.linearGradient.attlist "INCLUDE" >
<![%SVG.linearGradient.attlist;[
<!ATTLIST %SVG.linearGradient.qname;
    %SVG.Core.attrib;
    %SVG.Style.attrib;
    %SVG.Color.attrib;
    %SVG.Gradient.attrib;
    %SVG.XLink.attrib;
    %SVG.External.attrib;
    x1 %Coordinate.datatype; #IMPLIED
    y1 %Coordinate.datatype; #IMPLIED
    x2 %Coordinate.datatype; #IMPLIED
    y2 %Coordinate.datatype; #IMPLIED
    gradientUnits ( userSpaceOnUse | objectBoundingBox ) #IMPLIED
    gradientTransform %TransformList.datatype; #IMPLIED
    spreadMethod ( pad | reflect | repeat ) #IMPLIED
>
<!-- end of SVG.linearGradient.attlist -->]]>

<!-- radialGradient: Radial Gradient Element ..... -->

<!ENTITY % SVG.radialGradient.extra.content "" >

<!ENTITY % SVG.radialGradient.element "INCLUDE" >
<![%SVG.radialGradient.element;[
<!ENTITY % SVG.radialGradient.content
    "(( %SVG.Description.class; )*, ( %SVG.stop.qname; | %SVG.animate.qname;
    | %SVG.set.qname; | %SVG.animateTransform.qname;
    %SVG.radialGradient.extra.content; )*)"
>
<!ELEMENT %SVG.radialGradient.qname; %SVG.radialGradient.content; >
<!-- end of SVG.radialGradient.element -->]]>

<!ENTITY % SVG.radialGradient.attlist "INCLUDE" >
<![%SVG.radialGradient.attlist;[
<!ATTLIST %SVG.radialGradient.qname;
    %SVG.Core.attrib;
    %SVG.Style.attrib;
    %SVG.Color.attrib;
    %SVG.Gradient.attrib;
    %SVG.XLink.attrib;

```

```

%SVG.External.attrib;
cx %Coordinate.datatype; #IMPLIED
cy %Coordinate.datatype; #IMPLIED
r %Length.datatype;
#IMPLIED
fx %Coordinate.datatype; #IMPLIED
fy %Coordinate.datatype; #IMPLIED
gradientUnits ( userSpaceOnUse | objectBoundingBox ) #IMPLIED
gradientTransform %TransformList.datatype; #IMPLIED
spreadMethod ( pad | reflect | repeat ) #IMPLIED
>
<!-- end of SVG.radialGradient.attlist -->]]>

<!-- stop: Stop Element ..... -->

<!ENTITY % SVG.stop.extra.content "" >

<!ENTITY % SVG.stop.element "INCLUDE" >
<![%SVG.stop.element;[
<!ENTITY % SVG.stop.content
    "( %SVG.animate.qname; | %SVG.set.qname; | %SVG.animateColor.qname;
    %SVG.stop.extra.content; )*"
>
<!ELEMENT %SVG.stop.qname; %SVG.stop.content; >
<!-- end of SVG.stop.element -->]]>

<!ENTITY % SVG.stop.attlist "INCLUDE" >
<![%SVG.stop.attlist;[
<!ATTLIST %SVG.stop.qname;
    %SVG.Core.attrib;
    %SVG.Style.attrib;
    %SVG.Color.attrib;
    %SVG.Gradient.attrib;
    offset %NumberOrPercentage.datatype; #REQUIRED
>
<!-- end of SVG.stop.attlist -->]]>

<!-- end of svg-gradient.mod
-->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-gradient.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Datatypes Module ..... -->
<!-- file: xhtml-datatypes-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-datatypes-1.mod,v 4.1 2001/04/06 19:23:32 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML Datatypes 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-datatypes-1.mod"
```

Revisions:

(none)

..... -->

<!-- Datatypes

defines containers for the following datatypes, many of  
these imported from other specifications and standards.

-->

<!-- Length defined for cellpadding/cellspacing -->

<!--

nn for pixels or nn% for percentage length -->

<!ENTITY % Length.datatype "CDATA" >

<!-- space-separated list of link types -->

<!ENTITY % LinkTypes.datatype "NMTOKENS" >

<!-- single or comma-separated list of media descriptors -->

<!ENTITY % MediaDesc.datatype "CDATA" >

<!-- pixel, percentage, or relative -->

<!ENTITY % MultiLength.datatype "CDATA" >

<!-- one or more digits (NUMBER) -->

<!ENTITY % Number.datatype "CDATA" >

<!-- integer representing length in pixels -->

<!ENTITY % Pixels.datatype "CDATA" >

<!-- script expression -->

<!ENTITY % Script.datatype "CDATA" >

<!-- textual content -->

<!ENTITY % Text.datatype "CDATA" >

<!-- Placeholder Compact URI-related types -->

```

<!ENTITY % CURIE.datatype "CDATA" >
<!ENTITY % CURIEs.datatype "CDATA" >
<!ENTITY % SafeCURIE.datatype "CDATA" >
<!ENTITY % SafeCURIEs.datatype "CDATA" >
<!ENTITY % URIorSafeCURIE.datatype "CDATA" >
<!ENTITY % URIorSafeCURIEs.datatype "CDATA" >

<!-- Imported Datatypes ..... -->

<!--
a single character from [ISO10646] -->
<!ENTITY % Character.datatype "CDATA" >

<!-- a character encoding, as per [RFC2045] -->
<!ENTITY % Charset.datatype "CDATA" >

<!-- a space separated list of character encodings, as per [RFC2045] -->
<!ENTITY % Charsets.datatype "CDATA" >

<!-- Color specification using color name or sRGB (#RRGGBB) values -->
<!ENTITY % Color.datatype "CDATA" >

<!-- media type, as per [RFC2045] -->
<!ENTITY % ContentType.datatype "CDATA" >

<!-- comma-separated list of media types, as per [RFC2045] -->
<!ENTITY % ContentTypes.datatype "CDATA" >

<!-- date and time information. ISO date format -->
<!ENTITY % Datetime.datatype "CDATA" >

<!-- formal public identifier, as per [ISO8879] -->
<!ENTITY % FPI.datatype "CDATA" >

<!-- a language code, as per [RFC3066] or its successor -->
<!ENTITY % LanguageCode.datatype "CDATA" >

<!-- a comma separated list of language code ranges -->
<!ENTITY % LanguageCodes.datatype "CDATA" >

<!-- a qualified name , as per
[XMLNS] or its successor -->
<!ENTITY % QName.datatype "CDATA" >
<!ENTITY % QNames.datatype "CDATA" >

<!-- a Uniform Resource Identifier, see [URI] -->
<!ENTITY % URI.datatype "CDATA" >

```

<!-- a space-separated list of Uniform Resource Identifiers, see [URI] -->

<!ENTITY % URIs.datatype "CDATA" >

<!-- end of xhtml-datatypes-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-datatypes-1.mod

No license file was found, but licenses were detected in source scan.

dev/

Permission to use, copy, modify and distribute the RDDDL DTD  
and its accompanying documentation for any purpose and without fee is  
hereby granted in perpetuity, provided that the above copyright notice  
and this paragraph appear in all copies. The copyright holders make  
no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

This is the driver file for version 1.0 of the RDDDL 1.0 DTD as an extension of XHTML Basic 1.0.

This DTD is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC: "

2000 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de  
Recherche en Informatique et en Automatique, Keio University).

All Rights Reserved.

Permission to use, copy, modify and distribute the XHTML Basic DTD  
and its accompanying documentation  
for any purpose and without fee is  
hereby granted in perpetuity, provided that the above copyright notice  
and this paragraph appear in all copies. The copyright holders make  
no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Editors: Murray M. Altheim <mailto:altheim@eng.sun.com>

Peter Stark <mailto:Peter.Stark@ecs.ericsson.se>

Revision: \$Id: rddl

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/rddl/rddl-  
xhtml.dtd

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Legacy Redeclarations Module ..... -->
<!-- file: xhtml-legacy-redecl-1.mod
```

This is an extension of XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-legacy-redecl-1.mod,v 4.4 2001/04/10 09:42:30 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Legacy Redeclarations 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-legacy-redecl-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Legacy Redeclarations
```

This optional module replaces the Modular Framework module, interspersing  
redeclarations of various parameter entities  
to allow for inclusions of  
Transitional markup in the XHTML 1.1 document model. This instantiates  
the modules needed to support the XHTML modularization model, including:

- + notations
- + datatypes
- + namespace-qualified names
- + common attributes
- + document model
- + character entities

By default, the Object module is included, with Frames and IFrames ignored.

The Intrinsic Events module is ignored by default but  
occurs in this module because it must be instantiated  
prior to Attributes but after Datatypes.

```
-->
```

```
<!ENTITY % xhtml-legacy.module "INCLUDE" >
```

```
<!ENTITY % xhtml-arch.module "IGNORE" >
```

```
<![%xhtml-arch.module;[
```

```
<!ENTITY % xhtml-arch.mod
```

```
    PUBLIC "-//W3C//ELEMENTS XHTML Base Architecture 1.0//EN"
```

```
        "xhtml-arch-1.mod" >
```

```
%xhtml-arch.mod;]]>
```

```

<!ENTITY % xhtml-notations.module "INCLUDE" >
<![%xhtml-notations.module;[
<!ENTITY % xhtml-notations.mod
    PUBLIC "-//W3C//NOTATIONS XHTML Notations
    1.0//EN"
        "xhtml-notations-1.mod" >
%xhtml-notations.mod;]]>

<!-- Datatypes Module ..... -->
<!ENTITY % xhtml-datatypes.module "INCLUDE" >
<![%xhtml-datatypes.module;[
<!ENTITY % xhtml-datatypes.mod
    PUBLIC "-//W3C//ENTITIES XHTML Datatypes 1.0//EN"
        "xhtml-datatypes-1.mod" >
%xhtml-datatypes.mod;]]>

<!-- Qualified Names Module ..... -->
<!ENTITY % xhtml-qname.module "INCLUDE" >
<![%xhtml-qname.module;[
<!ENTITY % xhtml-qname.mod
    PUBLIC "-//W3C//ENTITIES XHTML Qualified Names 1.0//EN"
        "xhtml-qname-1.mod" >
%xhtml-qname.mod;]]>

<!-- Additional Qualified Names ..... -->

<!-- xhtml-legacy-1.mod -->
<!ENTITY % font.qname    "%XHTML.pfx;font" >
<!ENTITY % basefont.qname "%XHTML.pfx;basefont" >
<!ENTITY % center.qname  "%XHTML.pfx:center" >
<!ENTITY % s.qname       "%XHTML.pfx;s" >
<!ENTITY % strike.qname  "%XHTML.pfx;strike" >
<!ENTITY %
    u.qname    "%XHTML.pfx;u" >
<!ENTITY % dir.qname    "%XHTML.pfx;dir" >
<!ENTITY % menu.qname   "%XHTML.pfx;menu" >
<!ENTITY % isindex.qname "%XHTML.pfx;isindex" >

<!-- xhtml-frames-1.mod -->
<!ENTITY % frameset.qname "%XHTML.pfx;frameset" >
<!ENTITY % frame.qname    "%XHTML.pfx;frame" >
<!ENTITY % noframes.qname "%XHTML.pfx;noframes" >

<!-- xhtml-iframe-1.mod -->
<!ENTITY % iframe.qname   "%XHTML.pfx;iframe" >

<!ENTITY % xhtml-events.module "IGNORE" >
<![%xhtml-events.module;[

```

```

<!ENTITY % xhtml-events.mod
  PUBLIC "-//W3C//ENTITIES XHTML Intrinsic Events 1.0//EN"
    "xhtml-events-1.mod" >
%xhtml-events.mod;]]>

<!-- Additional Common Attributes ..... -->

<!-- include historical 'lang' attribute (which should
  always match the value of 'xml:lang')
-->
<!ENTITY % lang.attrib
  "xml:lang %LanguageCode.datatype; #IMPLIED
  lang %LanguageCode.datatype; #IMPLIED"
>

<!-- Common Attributes Module .....
-->
<!ENTITY % xhtml-attribs.module "INCLUDE" >
<![%xhtml-attribs.module;[
<!ENTITY % xhtml-attribs.mod
  PUBLIC "-//W3C//ENTITIES XHTML Common Attributes 1.0//EN"
    "xhtml-attribs-1.mod" >
%xhtml-attribs.mod;]]>

<!-- placeholder for content model redeclarations -->
<!ENTITY % xhtml-model.redecl "" >
%xhtml-model.redecl;

<!-- Document Model Redeclarations ..... -->

<!ENTITY % InlPres.class
  "| %tt.qname; | %i.qname; | %b.qname; | %big.qname;
  | %small.qname; | %sub.qname; | %sup.qname;
  | %font.qname; | %basefont.qname; | %iframe.qname;
  | %s.qname; | %strike.qname; | %u.qname;"
>

<!ENTITY % InlSpecial.class
  "| %img.qname; | %map.qname;
  | %applet.qname; | %object.qname;" >

<!ENTITY % BlkPres.class
  "| %hr.qname; | %center.qname;"
>

<!ENTITY % BlkSpecial.class
  "| %table.qname; | %form.qname; | %fieldset.qname;
  | %noframes.qname; | %isindex.qname;"

```

```

>

<!ENTITY % List.class
    "%ul.qname;
    | %ol.qname; | %dl.qname;
    | %dir.qname; | %menu.qname;"
>

<!-- Document Model Module ..... -->
<!ENTITY % xhtml-model.module "INCLUDE" >
<![%xhtml-model.module;[
<!-- instantiate the Document Model module declared in the DTD driver
-->
%xhtml-model.mod;]]>

<!ENTITY % blockquote.content
    "( #PCDATA | %Flow.mix; )*"
>

<!ENTITY % noscript.content
    "( #PCDATA | %Flow.mix; )*"
>

<!ENTITY % body.content
    "( #PCDATA | %Flow.mix; )*"
>

<!-- redeclare content model of <html> to allow for either
    body or frameset content. The SGML markup minimization
    features used in HTML 4 do not apply, so the ambiguity
    that necessitated separation into the separate Frameset
    and Transitional DTDs is eliminated.
-->
<!ENTITY % html.content
    "( %head.qname;, ( %body.qname; | %frameset.qname; ) )"
>

<!ENTITY % xhtml-charent.module "INCLUDE" >
<![%xhtml-charent.module;[
<!ENTITY % xhtml-charent.mod
    PUBLIC "-//W3C//ENTITIES
    XHTML Character Entities 1.0//EN"
    "xhtml-charent-1.mod" >
%xhtml-charent.mod;]]>

<!-- end of xhtml-legacy-redecl-1.mod -->

```

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-legacy-redecl-1.mod

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- XHTML Hypertext Module ..... -->

<!-- file: xhtml-hypertext-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: xhtml-hypertext-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Hypertext 1.0//EN"

SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-hypertext-1.mod"

Revisions:

(none)

..... -->

<!-- Hypertext

a

This module declares the anchor ('a') element type, which  
defines the source of a hypertext link. The destination  
(or link 'target') is identified  
via its 'id' attribute  
rather than the 'name' attribute as was used in HTML.

-->

<!-- ..... Anchor Element ..... -->

<!ENTITY % a.element "INCLUDE" >

<![%a.element;[

<!ENTITY % a.content

"( #PCDATA | %InlNoAnchor.mix; )"

>

<!ENTITY % a.qname "a" >

<!ELEMENT %a.qname; %a.content; >

<!-- end of a.element -->]]>

<!ENTITY % a.attlist "INCLUDE" >

<![%a.attlist;[

<!ATTLIST %a.qname;

%Common.attrib;

```
href      %URI.datatype;      #IMPLIED
charset   %Charset.datatype;   #IMPLIED
type      %ContentType.datatype; #IMPLIED
hreflang  %LanguageCode.datatype; #IMPLIED
rel       %LinkTypes.datatype;  #IMPLIED
rev       %LinkTypes.datatype;  #IMPLIED
accesskey %Character.datatype;  #IMPLIED
tabindex  %Number.datatype;     #IMPLIED
>
<!-- end of a.attlist -->]]>
```

```
<!-- end of xhtml-hypertext-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-
hypertext-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Server-side Image Map Module ..... -->
<!-- file: xhtml-ssismap-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-ssismap-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Server-side Image Maps 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-ssismap-1.mod"
```

Revisions:

```
#2000-10-22: added declaration for 'ismap' on <input>
..... -->
```

```
<!-- Server-side Image Maps
```

This adds the 'ismap' attribute to the img and input elements  
to support server-side processing of a user selection.

```
-->
```

```
<!ATTLIST
%img.qname;
  ismap    ( ismap )      #IMPLIED
>
```

```
<!ATTLIST %input.qname;
  ismap    ( ismap )      #IMPLIED
```

>

<!-- end of xhtml-ssimap-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-ssimap-1.mod

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- SVG 1.1 Viewport Attribute Module ..... -->

<!-- file: svg-viewport-attrib.mod

This is SVG, a language for describing two-dimensional graphics in XML.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg-viewport-attrib.mod,v 1.2 2002/04/20 18:07:43 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ENTITIES SVG 1.1 Viewport Attribute//EN"

SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-viewport-attrib.mod"

..... -->

<!-- Viewport Attribute

clip, overflow

This module defines the Viewport attribute set.

-->

<!-- 'clip' property/attribute value (e.g., 'auto', rect(...)) -->

<!ENTITY % ClipValue.datatype

"CDATA" >

<!ENTITY % SVG.clip.attrib

"clip %ClipValue.datatype; #IMPLIED"

>

<!ENTITY % SVG.overflow.attrib

"overflow ( visible | hidden | scroll | auto | inherit ) #IMPLIED"

>

<!ENTITY % SVG.Viewport.extra.attrib "" >

<!ENTITY % SVG.Viewport.attrib

"%SVG.clip.attrib;

%SVG.overflow.attrib;

```
%SVG.Viewport.extra.attrib;"
```

```
>
```

```
<!-- end of svg-viewport-attrib.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-viewport-attrib.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
```

```
<!-- XHTML Document Metainformation Module ..... -->
```

```
<!-- file: xhtml-meta-2.mod
```

This is XHTML-RDFa, modules to annotate XHTML family documents.

Copyright 2007 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-meta-2.mod,v 1.1 2007/04/02 16:44:01 jigsaw Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Metainformation 2.0//EN"
```

```
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-meta-2.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Meta Information
```

```
meta
```

```
link
```

This module declares the meta and link element types,  
used to provide declarative document metainformation.

```
-->
```

```
<!-- meta: Generic Metainformation .....
```

```
-->
```

```
<!ENTITY % meta.element "INCLUDE" >
```

```
<![%meta.element;[
```

```
<!ENTITY % meta.content "( #PCDATA | %Inline.mix; )*" >
```

```
<!ENTITY % meta.qname "meta" >
```

```
<!ELEMENT %meta.qname; %meta.content; >
```

```
<!-- end of meta.element -->]]>
```

```
<!ENTITY % meta.attlist "INCLUDE" >
```

```
<![%meta.attlist;[
```

```

<!ATTLIST %meta.qname;
  %Common.attrib;
  http-equiv  NMTOKEN          #IMPLIED
  name        NMTOKEN          #IMPLIED
  scheme      CDATA            #IMPLIED
>
<!-- end of meta.attlist -->]]>

<!-- link: Media-Independent Link ..... -->

<!ENTITY % link.element "INCLUDE" >
<![%link.element;[
<!ENTITY % link.content "( %link.qname; | %meta.qname; )" * >
<!ENTITY % link.qname "link" >
<!ELEMENT %link.qname; %link.content; >
<!-- end of link.element -->]]>

<!ENTITY % link.attlist "INCLUDE" >
<![%link.attlist;[
<!ATTLIST %link.qname;
  %Common.attrib;
  charset  %Charset.datatype;  #IMPLIED
  type     %ContentType.datatype;
  #IMPLIED
  media    %MediaDesc.datatype; #IMPLIED
>
<!-- end of link.attlist -->]]>

<!-- end of xhtml-meta-2.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-meta-2.mod
```

No license file was found, but licenses were detected in source scan.

<!--

File isoamsa.ent produced by the XSL script entities.xsl  
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the  
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle  
via the public W3C list [www-math@w3.org](mailto:www-math@w3.org).

The numeric character values assigned to each entity  
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the  
following notice:

(C) International Organization for Standardization 1991  
Permission to copy in any form is granted for use with  
conforming SGML systems and applications as defined in  
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: `-/W3C//ENTITIES`  
Added Math Symbols: Arrow Relations//EN//XML  
System identifier: `http://www.w3.org/2003/entities/2007/isoamsa.ent`

The public identifier should always be used verbatim.  
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isoamsa PUBLIC
  "-/W3C//ENTITIES Added Math Symbols: Arrow Relations//EN//XML"
  "http://www.w3.org/2003/entities/2007/isoamsa.ent"
>
%isoamsa;
```

-->

```
<!ENTITY angzarr      "⍼" ><!--RIGHT ANGLE WITH DOWNWARDS ZIGZAG ARROW -->
<!ENTITY cirmid       "⫯" ><!--VERTICAL LINE WITH CIRCLE ABOVE -->
<!ENTITY cudarrl      "⤸" ><!--RIGHT-SIDE ARC CLOCKWISE ARROW -->
<!ENTITY cudarr       "⤵" ><!--ARROW POINTING RIGHTWARDS THEN CURVING
DOWNWARDS -->
<!ENTITY cularr       "↶" ><!--ANTICLOCKWISE TOP SEMICIRCLE ARROW -->
<!ENTITY cularrp      "⤽" ><!--TOP ARC ANTICLOCKWISE ARROW WITH PLUS -->
<!ENTITY curarr       "↷" ><!--CLOCKWISE TOP SEMICIRCLE ARROW -->
<!ENTITY curarrm      "⤼" ><!--TOP ARC CLOCKWISE ARROW WITH MINUS -->
<!ENTITY dArr         "⇓" ><!--DOWNWARDS DOUBLE ARROW -->
<!ENTITY Darr         "↡" ><!--DOWNWARDS TWO HEADED ARROW -->
<!ENTITY ddarr        "⇊" ><!--DOWNWARDS PAIRED ARROWS -->
<!ENTITY DDotrahd     "⤑" ><!--RIGHTWARDS ARROW WITH DOTTED STEM -->
<!ENTITY dfisht       "⥿" ><!--DOWN FISH TAIL -->
```

<!ENTITY dHar "&#x02965;" ><!--DOWNWARDS HARPOON WITH BARB LEFT BESIDE  
 DOWNWARDS HARPOON WITH BARB RIGHT -->  
 <!ENTITY dharl "&#x021C3;" ><!--DOWNWARDS HARPOON WITH BARB LEFTWARDS -->  
 <!ENTITY dharr "&#x021C2;" ><!--DOWNWARDS HARPOON WITH BARB RIGHTWARDS -->  
 <!ENTITY duarr "&#x021F5;" ><!--DOWNWARDS ARROW LEFTWARDS OF UPWARDS ARROW -->  
 <!ENTITY duhar "&#x0296F;" ><!--DOWNWARDS HARPOON WITH BARB LEFT BESIDE  
 UPWARDS HARPOON WITH BARB RIGHT  
 -->  
 <!ENTITY dzigrarr "&#x027FF;" ><!--LONG RIGHTWARDS SQUIGGLE ARROW -->  
 <!ENTITY erarr "&#x02971;" ><!--EQUALS SIGN ABOVE RIGHTWARDS ARROW -->  
 <!ENTITY harr "&#x02194;" ><!--LEFT RIGHT ARROW -->  
 <!ENTITY hArr "&#x021D4;" ><!--LEFT RIGHT DOUBLE ARROW -->  
 <!ENTITY harrcir "&#x02948;" ><!--LEFT RIGHT ARROW THROUGH SMALL CIRCLE -->  
 <!ENTITY harrw "&#x021AD;" ><!--LEFT RIGHT WAVE ARROW -->  
 <!ENTITY hoarr "&#x021FF;" ><!--LEFT RIGHT OPEN-HEADED ARROW -->  
 <!ENTITY imof "&#x022B7;" ><!--IMAGE OF -->  
 <!ENTITY lAarr "&#x021DA;" ><!--LEFTWARDS TRIPLE ARROW -->  
 <!ENTITY Larr "&#x0219E;" ><!--LEFTWARDS TWO HEADED ARROW -->  
 <!ENTITY larrbfs "&#x0291F;" ><!--LEFTWARDS ARROW FROM BAR TO BLACK DIAMOND -->  
 <!ENTITY larrfs "&#x0291D;" ><!--LEFTWARDS ARROW TO BLACK DIAMOND -->  
 <!ENTITY larrhk "&#x021A9;" ><!--LEFTWARDS ARROW WITH HOOK -->  
 <!ENTITY larrlp  
 "&#x021AB;" ><!--LEFTWARDS ARROW WITH LOOP -->  
 <!ENTITY larrpl "&#x02939;" ><!--LEFT-SIDE ARC ANTICLOCKWISE ARROW -->  
 <!ENTITY larrsim "&#x02973;" ><!--LEFTWARDS ARROW ABOVE TILDE OPERATOR -->  
 <!ENTITY larrtl "&#x021A2;" ><!--LEFTWARDS ARROW WITH TAIL -->  
 <!ENTITY latail "&#x02919;" ><!--LEFTWARDS ARROW-TAIL -->  
 <!ENTITY lAtail "&#x0291B;" ><!--LEFTWARDS DOUBLE ARROW-TAIL -->  
 <!ENTITY lbarr "&#x0290C;" ><!--LEFTWARDS DOUBLE DASH ARROW -->  
 <!ENTITY lBarr "&#x0290E;" ><!--LEFTWARDS TRIPLE DASH ARROW -->  
 <!ENTITY ldca "&#x02936;" ><!--ARROW POINTING DOWNWARDS THEN CURVING  
 LEFTWARDS -->  
 <!ENTITY ldrdhar "&#x02967;" ><!--LEFTWARDS HARPOON WITH BARB DOWN ABOVE  
 RIGHTWARDS HARPOON WITH BARB DOWN -->  
 <!ENTITY ldrushar "&#x0294B;" ><!--LEFT BARB DOWN RIGHT BARB UP HARPOON -->  
 <!ENTITY ldsh "&#x021B2;" ><!--DOWNWARDS ARROW WITH TIP LEFTWARDS -->  
 <!ENTITY lfishl "&#x0297C;" ><!--LEFT  
 FISH TAIL -->  
 <!ENTITY lHar "&#x02962;" ><!--LEFTWARDS HARPOON WITH BARB UP ABOVE LEFTWARDS  
 HARPOON WITH BARB DOWN -->  
 <!ENTITY lhard "&#x021BD;" ><!--LEFTWARDS HARPOON WITH BARB DOWNWARDS -->  
 <!ENTITY lharu "&#x021BC;" ><!--LEFTWARDS HARPOON WITH BARB UPWARDS -->  
 <!ENTITY lharul "&#x0296A;" ><!--LEFTWARDS HARPOON WITH BARB UP ABOVE LONG DASH -  
 ->  
 <!ENTITY llarr "&#x021C7;" ><!--LEFTWARDS PAIRED ARROWS -->  
 <!ENTITY llhard "&#x0296B;" ><!--LEFTWARDS HARPOON WITH BARB DOWN BELOW LONG  
 DASH -->  
 <!ENTITY loarr "&#x021FD;" ><!--LEFTWARDS OPEN-HEADED ARROW -->

<!ENTITY lrarr "&#x021C6;" ><!--LEFTWARDS ARROW OVER RIGHTWARDS ARROW -->  
 <!ENTITY lrhar "&#x021CB;" ><!--LEFTWARDS HARPOON OVER RIGHTWARDS HARPOON -->  
 <!ENTITY lrhard "&#x0296D;" ><!--RIGHTWARDS HARPOON WITH BARB DOWN BELOW LONG DASH -->  
 <!ENTITY lsh "&#x021B0;" ><!--UPWARDS ARROW WITH TIP LEFTWARDS -->  
 <!ENTITY lurdshar "&#x0294A;" ><!--LEFT BARB UP RIGHT BARB DOWN HARPOON -->  
 <!ENTITY luruhar "&#x02966;" ><!--LEFTWARDS HARPOON WITH BARB UP ABOVE RIGHTWARDS HARPOON WITH BARB UP -->  
 <!ENTITY map "&#x021A6;" ><!--RIGHTWARDS ARROW FROM BAR -->  
 <!ENTITY Map "&#x02905;" ><!--RIGHTWARDS TWO-HEADED ARROW FROM BAR -->  
 <!ENTITY midcir "&#x02AF0;" ><!--VERTICAL LINE WITH CIRCLE BELOW -->  
 <!ENTITY mumap "&#x022B8;" ><!--MULTIMAP -->  
 <!ENTITY nearhk "&#x02924;" ><!--NORTH EAST ARROW WITH HOOK -->  
 <!ENTITY nearr "&#x02197;" ><!--NORTH EAST ARROW -->  
 <!ENTITY neArr "&#x021D7;" ><!--NORTH EAST DOUBLE ARROW -->  
 <!ENTITY nesear "&#x02928;" ><!--NORTH EAST ARROW AND SOUTH EAST ARROW -->  
 <!ENTITY nharr "&#x021AE;" ><!--LEFT RIGHT ARROW WITH STROKE -->  
 <!ENTITY nhArr "&#x021CE;" ><!--LEFT RIGHT DOUBLE ARROW WITH STROKE -->  
 <!ENTITY nlarr "&#x0219A;" ><!--LEFTWARDS ARROW WITH STROKE -->  
 <!ENTITY nlArr "&#x021CD;" ><!--LEFTWARDS DOUBLE ARROW WITH STROKE -->  
 <!ENTITY nrarr "&#x0219B;" ><!--RIGHTWARDS ARROW WITH STROKE -->  
 <!ENTITY nrArr "&#x021CF;" ><!--RIGHTWARDS DOUBLE ARROW WITH STROKE -->  
 <!ENTITY nrarrc slash "&#x02933;&#x00338;" ><!--WAVE ARROW POINTING DIRECTLY RIGHT with slash -->  
 <!ENTITY nrarrw "&#x0219D;&#x00338;" ><!--RIGHTWARDS WAVE ARROW with slash -->  
 <!ENTITY nvHarr "&#x02904;" ><!--LEFT RIGHT DOUBLE ARROW WITH VERTICAL STROKE -->  
 <!ENTITY nvlArr "&#x02902;" ><!--LEFTWARDS DOUBLE ARROW WITH VERTICAL STROKE -->  
 <!ENTITY nvrArr "&#x02903;" ><!--RIGHTWARDS DOUBLE ARROW WITH VERTICAL STROKE -->  
 <!ENTITY nwarhk "&#x02923;" ><!--NORTH WEST ARROW WITH HOOK -->  
 <!ENTITY nwarr "&#x02196;" ><!--NORTH WEST ARROW -->  
 <!ENTITY nwArr "&#x021D6;" ><!--NORTH WEST DOUBLE ARROW -->  
 <!ENTITY nwnear "&#x02927;" ><!--NORTH WEST ARROW AND NORTH EAST ARROW -->  
 <!ENTITY olarr "&#x021BA;" ><!--ANTICLOCKWISE OPEN CIRCLE ARROW -->  
 <!ENTITY orarr "&#x021BB;" ><!--CLOCKWISE OPEN CIRCLE ARROW -->  
 <!ENTITY origof "&#x022B6;" ><!--ORIGINAL OF -->  
 <!ENTITY rAarr "&#x021DB;" ><!--RIGHTWARDS TRIPLE ARROW -->  
 <!ENTITY Rarr "&#x021A0;" ><!--RIGHTWARDS TWO HEADED ARROW -->  
 <!ENTITY rarrap "&#x02975;" ><!--RIGHTWARDS ARROW ABOVE ALMOST EQUAL TO -->  
 <!ENTITY rarrbfs "&#x02920;" ><!--RIGHTWARDS ARROW FROM BAR TO BLACK DIAMOND -->  
 <!ENTITY rarrc "&#x02933;" ><!--WAVE ARROW POINTING DIRECTLY RIGHT -->  
 <!ENTITY rarrfs "&#x0291E;" ><!--RIGHTWARDS ARROW TO BLACK DIAMOND -->  
 <!ENTITY rarrhk "&#x021AA;" ><!--RIGHTWARDS ARROW WITH HOOK -->  
 <!ENTITY rarrlp "&#x021AC;" ><!--RIGHTWARDS ARROW WITH LOOP -->  
 <!ENTITY rarrpl "&#x02945;" ><!--RIGHTWARDS ARROW WITH PLUS BELOW -->  
 <!ENTITY rarrsim "&#x02974;" ><!--RIGHTWARDS ARROW

ABOVE TILDE OPERATOR -->

<!ENTITY rarrtl "&#x021A3;" ><!--RIGHTWARDS ARROW WITH TAIL -->  
<!ENTITY Rarrtl "&#x02916;" ><!--RIGHTWARDS TWO-HEADED ARROW WITH TAIL -->  
<!ENTITY rarrw "&#x0219D;" ><!--RIGHTWARDS WAVE ARROW -->  
<!ENTITY ratal "&#x0291A;" ><!--RIGHTWARDS ARROW-TAIL -->  
<!ENTITY rAtail "&#x0291C;" ><!--RIGHTWARDS DOUBLE ARROW-TAIL -->  
<!ENTITY rbarr "&#x0290D;" ><!--RIGHTWARDS DOUBLE DASH ARROW -->  
<!ENTITY rBarr "&#x0290F;" ><!--RIGHTWARDS TRIPLE DASH ARROW -->  
<!ENTITY RBarr "&#x02910;" ><!--RIGHTWARDS TWO-HEADED TRIPLE DASH ARROW -->  
<!ENTITY rdca "&#x02937;" ><!--ARROW POINTING DOWNWARDS THEN CURVING  
RIGHTWARDS -->  
<!ENTITY rlddhar "&#x02969;" ><!--RIGHTWARDS HARPOON WITH BARB DOWN ABOVE  
LEFTWARDS HARPOON WITH BARB DOWN -->  
<!ENTITY rdsh "&#x021B3;" ><!--DOWNWARDS ARROW WITH TIP RIGHTWARDS -->  
<!ENTITY rfishT "&#x0297D;" ><!--RIGHT FISH TAIL -->  
<!ENTITY  
rHar "&#x02964;" ><!--RIGHTWARDS HARPOON WITH BARB UP ABOVE RIGHTWARDS  
HARPOON WITH BARB DOWN -->  
<!ENTITY rhard "&#x021C1;" ><!--RIGHTWARDS HARPOON WITH BARB DOWNWARDS -->  
<!ENTITY rharu "&#x021C0;" ><!--RIGHTWARDS HARPOON WITH BARB UPWARDS -->  
<!ENTITY rharul "&#x0296C;" ><!--RIGHTWARDS HARPOON WITH BARB UP ABOVE LONG DASH  
-->  
<!ENTITY rlarr "&#x021C4;" ><!--RIGHTWARDS ARROW OVER LEFTWARDS ARROW -->  
<!ENTITY rlhar "&#x021CC;" ><!--RIGHTWARDS HARPOON OVER LEFTWARDS HARPOON -->  
<!ENTITY roarr "&#x021FE;" ><!--RIGHTWARDS OPEN-HEADED ARROW -->  
<!ENTITY rrarr "&#x021C9;" ><!--RIGHTWARDS PAIRED ARROWS -->  
<!ENTITY rsh "&#x021B1;" ><!--UPWARDS ARROW WITH TIP RIGHTWARDS -->  
<!ENTITY ruluhar "&#x02968;" ><!--RIGHTWARDS HARPOON WITH BARB UP ABOVE  
LEFTWARDS HARPOON WITH BARB UP -->  
<!ENTITY searhk "&#x02925;" ><!--SOUTH EAST ARROW WITH HOOK -->  
<!ENTITY searr  
"&#x02198;" ><!--SOUTH EAST ARROW -->  
<!ENTITY seArr "&#x021D8;" ><!--SOUTH EAST DOUBLE ARROW -->  
<!ENTITY seswar "&#x02929;" ><!--SOUTH EAST ARROW AND SOUTH WEST ARROW -->  
<!ENTITY simrarr "&#x02972;" ><!--TILDE OPERATOR ABOVE RIGHTWARDS ARROW -->  
<!ENTITY slarr "&#x02190;" ><!--LEFTWARDS ARROW -->  
<!ENTITY srarr "&#x02192;" ><!--RIGHTWARDS ARROW -->  
<!ENTITY swarhk "&#x02926;" ><!--SOUTH WEST ARROW WITH HOOK -->  
<!ENTITY swarr "&#x02199;" ><!--SOUTH WEST ARROW -->  
<!ENTITY swArr "&#x021D9;" ><!--SOUTH WEST DOUBLE ARROW -->  
<!ENTITY swnwar "&#x0292A;" ><!--SOUTH WEST ARROW AND NORTH WEST ARROW -->  
<!ENTITY uArr "&#x021D1;" ><!--UPWARDS DOUBLE ARROW -->  
<!ENTITY Uarr "&#x0219F;" ><!--UPWARDS TWO HEADED ARROW -->  
<!ENTITY Uarrocir "&#x02949;" ><!--UPWARDS TWO-HEADED ARROW FROM SMALL CIRCLE -->  
<!ENTITY udarr "&#x021C5;" ><!--UPWARDS ARROW LEFTWARDS  
OF DOWNWARDS ARROW -->  
<!ENTITY udhar "&#x0296E;" ><!--UPWARDS HARPOON WITH BARB LEFT BESIDE  
DOWNWARDS HARPOON WITH BARB RIGHT -->

```

<!ENTITY ufish "Uppercase fish tail" -->
<!ENTITY uHar "Upwards harpoon with barb left beside upwards harpoon with barb right" -->
<!ENTITY uharl "Upwards harpoon with barb leftwards" -->
<!ENTITY uharr "Upwards harpoon with barb rightwards" -->
<!ENTITY uuarr "Upwards paired arrows" -->
<!ENTITY varr "Up down arrow" -->
<!ENTITY vArr "Up down double arrow" -->
<!ENTITY xharr "Long left right arrow" -->
<!ENTITY xhArr "Long left right double arrow" -->
<!ENTITY xlarr "Long leftwards arrow" -->
<!ENTITY xlArr "Long leftwards double arrow" -->
<!ENTITY xmap "Long rightwards arrow from bar" -->
<!ENTITY xrarr "Long rightwards arrow" -->
<!ENTITY xrArr "Long rightwards double arrow" -->
<!ENTITY zigrarr "Rightwards squiggle arrow" -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isoamsa.ent
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Character Entities Module ..... -->
<!-- file: xhtml-charent-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.  
 Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.  
 Revision: \$Id: xhtml-charent-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ENTITIES XHTML Character Entities 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-charent-1.mod"

```

```

Revisions:
(none)
..... -->

```

```
<!-- Character Entities for XHTML
```

```

This module declares the set of character entities for XHTML,
including the Latin 1, Symbol and Special character collections.
-->

```

```
<!ENTITY
```

```
% xhtml-lat1
PUBLIC "-//W3C//ENTITIES Latin 1 for XHTML//EN"
    "xhtml-lat1.ent" >
<!ENTITY % xhtml-symbol
PUBLIC "-//W3C//ENTITIES Symbols for XHTML//EN"
    "xhtml-symbol.ent" >
<!ENTITY % xhtml-special
PUBLIC "-//W3C//ENTITIES Special for XHTML//EN"
    "xhtml-special.ent" >
```

```
% xhtml-lat1;
% xhtml-symbol;
% xhtml-special;
```

```
<!-- end of xhtml-charent-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-
charent-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Filter Module ..... -->
<!-- file: svg-filter.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-filter.mod,v 1.4 2002/11/14 15:11:02 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Filter//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-filter.mod"
```

```
..... -->
```

```
<!-- Filter
```

```
filter, feBlend, feColorMatrix, feComponentTransfer, feComposite,
feConvolveMatrix, feDiffuseLighting, feDisplacementMap, feFlood,
feGaussianBlur, feImage, feMerge, feMergeNode, feMorphology, feOffset,
feSpecularLighting, feTile, feTurbulence, feDistantLight, fePointLight,
feSpotLight, feFuncR, feFuncG, feFuncB, feFuncA
```

This module declares markup to provide support for filter effect.

```
-->
```

```
<!-- 'filter' property/attribute value (e.g., 'none', <uri>) -->
```

```

<!ENTITY % FilterValue.datatype "CDATA" >

<!-- list of <number>s, but at least one and at most two -->
<!ENTITY % NumberOptionalNumber.datatype "CDATA" >

<!-- Qualified Names (Default) ..... -->

<!ENTITY % SVG.filter.qname "filter" >
<!ENTITY % SVG.feBlend.qname "feBlend" >
<!ENTITY % SVG.feColorMatrix.qname "feColorMatrix" >
<!ENTITY % SVG.feComponentTransfer.qname "feComponentTransfer" >
<!ENTITY % SVG.feComposite.qname "feComposite" >
<!ENTITY % SVG.feConvolveMatrix.qname "feConvolveMatrix" >
<!ENTITY % SVG.feDiffuseLighting.qname "feDiffuseLighting" >
<!ENTITY % SVG.feDisplacementMap.qname "feDisplacementMap" >
<!ENTITY % SVG.feFlood.qname "feFlood" >
<!ENTITY % SVG.feGaussianBlur.qname
"feGaussianBlur" >
<!ENTITY % SVG.feImage.qname "feImage" >
<!ENTITY % SVG.feMerge.qname "feMerge" >
<!ENTITY % SVG.feMergeNode.qname "feMergeNode" >
<!ENTITY % SVG.feMorphology.qname "feMorphology" >
<!ENTITY % SVG.feOffset.qname "feOffset" >
<!ENTITY % SVG.feSpecularLighting.qname "feSpecularLighting" >
<!ENTITY % SVG.feTile.qname "feTile" >
<!ENTITY % SVG.feTurbulence.qname "feTurbulence" >
<!ENTITY % SVG.feDistantLight.qname "feDistantLight" >
<!ENTITY % SVG.fePointLight.qname "fePointLight" >
<!ENTITY % SVG.feSpotLight.qname "feSpotLight" >
<!ENTITY % SVG.feFuncR.qname "feFuncR" >
<!ENTITY % SVG.feFuncG.qname "feFuncG" >
<!ENTITY % SVG.feFuncB.qname "feFuncB" >
<!ENTITY % SVG.feFuncA.qname "feFuncA" >

<!-- Attribute Collections (Default) ..... -->

<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.Container.attrib "" >
<!ENTITY % SVG.Style.attrib "" >
<!ENTITY % SVG.Viewport.attrib "" >
<!ENTITY % SVG.Text.attrib "" >
<!ENTITY % SVG.TextContent.attrib "" >
<!ENTITY
% SVG.Font.attrib "" >
<!ENTITY % SVG.Paint.attrib "" >
<!ENTITY % SVG.Color.attrib "" >
<!ENTITY % SVG.Opacity.attrib "" >
<!ENTITY % SVG.Graphics.attrib "" >

```

```

<!ENTITY % SVG.Marker.attrib "" >
<!ENTITY % SVG.ColorProfile.attrib "" >
<!ENTITY % SVG.Gradient.attrib "" >
<!ENTITY % SVG.Clip.attrib "" >
<!ENTITY % SVG.Mask.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.XLink.attrib "" >
<!ENTITY % SVG.XLinkEmbed.attrib "" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Filter.class ..... -->

<!ENTITY % SVG.Filter.extra.class "" >

<!ENTITY % SVG.Filter.class
  "| %SVG.filter.qname; %SVG.Filter.extra.class;"
>

<!-- SVG.FilterPrimitive.class ..... -->

<!ENTITY % SVG.FilterPrimitive.extra.class "" >

<!ENTITY % SVG.FilterPrimitive.class
  "| %SVG.feBlend.qname; | %SVG.feColorMatrix.qname;
  | %SVG.feComponentTransfer.qname; | %SVG.feComposite.qname;
  | %SVG.feConvolveMatrix.qname; | %SVG.feDiffuseLighting.qname;
  | %SVG.feDisplacementMap.qname; | %SVG.feFlood.qname;
  | %SVG.feGaussianBlur.qname; | %SVG.feImage.qname; | %SVG.feMerge.qname;
  | %SVG.feMorphology.qname; | %SVG.feOffset.qname;
  | %SVG.feSpecularLighting.qname; | %SVG.feTile.qname;
  | %SVG.feTurbulence.qname; %SVG.FilterPrimitive.extra.class;"
>

<!-- SVG.Filter.attrib ..... -->

<!ENTITY % SVG.Filter.extra.attrib "" >

<!ENTITY % SVG.Filter.attrib
  "filter %FilterValue.datatype; #IMPLIED
  %SVG.Filter.extra.attrib;"
>

<!-- SVG.FilterColor.attrib ..... -->

<!ENTITY % SVG.FilterColor.extra.attrib "" >

<!ENTITY % SVG.FilterColor.attrib
  "color-interpolation-filters ( auto | sRGB | linearRGB | inherit )

```

```

                #IMPLIED
                %SVG.FilterColor.extra.attrib;"
        >

<!-- SVG.FilterPrimitive.attrib ..... -->

<!ENTITY % SVG.FilterPrimitive.extra.attrib "" >

<!ENTITY % SVG.FilterPrimitive.attrib
"x %Coordinate.datatype;
#IMPLIED
y %Coordinate.datatype; #IMPLIED
width %Length.datatype; #IMPLIED
height %Length.datatype; #IMPLIED
result CDATA #IMPLIED
%SVG.FilterPrimitive.extra.attrib;"
>

<!-- SVG.FilterPrimitiveWithIn.attrib ..... -->

<!ENTITY % SVG.FilterPrimitiveWithIn.extra.attrib "" >

<!ENTITY % SVG.FilterPrimitiveWithIn.attrib
"%SVG.FilterPrimitive.attrib;
in CDATA #IMPLIED
%SVG.FilterPrimitiveWithIn.extra.attrib;"
>

<!-- SVG.Presentation.attrib ..... -->

<!ENTITY % SVG.Presentation.extra.attrib "" >

<!ENTITY % SVG.Presentation.attrib
"%SVG.Container.attrib;
%SVG.Viewport.attrib;
%SVG.Text.attrib;
%SVG.TextContent.attrib;
%SVG.Font.attrib;
%SVG.Paint.attrib;
%SVG.Color.attrib;
%SVG.Opacity.attrib;
%SVG.Graphics.attrib;
%SVG.Marker.attrib;
%SVG.ColorProfile.attrib;
%SVG.Gradient.attrib;
%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;

```

```

    %SVG.FilterColor.attrib;
    %SVG.Cursor.attrib;
    flood-color %SVGColor.datatype; #IMPLIED
    flood-opacity %OpacityValue.datatype; #IMPLIED
    lighting-color %SVGColor.datatype; #IMPLIED
    %SVG.Presentation.extra.attrib;"
>

<!-- filter: Filter Element ..... -->

<!ENTITY % SVG.filter.extra.content "" >

<!ENTITY % SVG.filter.element "INCLUDE" >
<![%SVG.filter.element;[
<!ENTITY % SVG.filter.content
    "( (%SVG.Description.class; )*, ( %SVG.animate.qname; | %SVG.set.qname;
    %SVG.FilterPrimitive.class; %SVG.filter.extra.content; )*)"
>
<!ELEMENT %SVG.filter.qname; %SVG.filter.content; >
<!-- end of SVG.filter.element -->]]>

<!ENTITY % SVG.filter.attlist "INCLUDE" >
<![%SVG.filter.attlist;[
<!ATTLIST %SVG.filter.qname;
    %SVG.Core.attrib;
    %SVG.Style.attrib;
    %SVG.Presentation.attrib;
    %SVG.XLink.attrib;
    %SVG.External.attrib;
    x %Coordinate.datatype; #IMPLIED
    y %Coordinate.datatype; #IMPLIED
    width %Length.datatype;
    #IMPLIED
    height %Length.datatype; #IMPLIED
    filterRes %NumberOptionalNumber.datatype; #IMPLIED
    filterUnits ( userSpaceOnUse | objectBoundingBox ) #IMPLIED
    primitiveUnits ( userSpaceOnUse | objectBoundingBox ) #IMPLIED
>
<!-- end of SVG.filter.attlist -->]]>

<!-- feBlend: Filter Effect Blend Element ..... -->

<!ENTITY % SVG.feBlend.extra.content "" >

<!ENTITY % SVG.feBlend.element "INCLUDE" >
<![%SVG.feBlend.element;[
<!ENTITY % SVG.feBlend.content
    "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feBlend.extra.content; )*"

```

```

>
<!ELEMENT %SVG.feBlend.qname; %SVG.feBlend.content; >
<!-- end of SVG.feBlend.element -->]]>

<!ENTITY % SVG.feBlend.attlist "INCLUDE" >
<![%SVG.feBlend.attlist;[
<!ATTLIST %SVG.feBlend.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
  in2 CDATA #REQUIRED
  mode ( normal | multiply | screen | darken | lighten ) 'normal'
>
<!-- end of SVG.feBlend.attlist -->]]>

<!-- feColorMatrix: Filter
Effect Color Matrix Element . -->

<!ENTITY % SVG.feColorMatrix.extra.content "" >

<!ENTITY % SVG.feColorMatrix.element "INCLUDE" >
<![%SVG.feColorMatrix.element;[
<!ENTITY % SVG.feColorMatrix.content
  "( %SVG.animate.qname; | %SVG.set.qname;
  %SVG.feColorMatrix.extra.content; )"
>
<!ELEMENT %SVG.feColorMatrix.qname; %SVG.feColorMatrix.content; >
<!-- end of SVG.feColorMatrix.element -->]]>

<!ENTITY % SVG.feColorMatrix.attlist "INCLUDE" >
<![%SVG.feColorMatrix.attlist;[
<!ATTLIST %SVG.feColorMatrix.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
  type ( matrix | saturate | hueRotate | luminanceToAlpha ) 'matrix'
  values CDATA #IMPLIED
>
<!-- end of SVG.feColorMatrix.attlist -->]]>

<!-- feComponentTransfer: Filter Effect Component Transfer Element -->

<!ENTITY % SVG.feComponentTransfer.extra.content "" >

<!ENTITY % SVG.feComponentTransfer.element "INCLUDE" >
<![%SVG.feComponentTransfer.element;[
<!ENTITY % SVG.feComponentTransfer.content

```

```

    "( %SVG.feFuncR.qname;?, %SVG.feFuncG.qname;?, %SVG.feFuncB.qname;?,
      %SVG.feFuncA.qname;? %SVG.feComponentTransfer.extra.content; )"
  >
<!ELEMENT %SVG.feComponentTransfer.qname; %SVG.feComponentTransfer.content; >
<!-- end of SVG.feComponentTransfer.element -->]]>

```

```

<!ENTITY % SVG.feComponentTransfer.attlist "INCLUDE" >
<![%SVG.feComponentTransfer.attlist;[
<!ATTLIST %SVG.feComponentTransfer.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
>
<!-- end of SVG.feComponentTransfer.attlist -->]]>

```

<!-- feComposite: Filter Effect Composite Element ..... -->

```

<!ENTITY % SVG.feComposite.extra.content "" >

```

```

<!ENTITY % SVG.feComposite.element "INCLUDE" >
<![%SVG.feComposite.element;[
<!ENTITY % SVG.feComposite.content
  "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feComposite.extra.content; )*"
>
<!ELEMENT %SVG.feComposite.qname; %SVG.feComposite.content; >
<!-- end of SVG.feComposite.element -->]]>

```

```

<!ENTITY
% SVG.feComposite.attlist "INCLUDE" >
<![%SVG.feComposite.attlist;[
<!ATTLIST %SVG.feComposite.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
in2 CDATA #REQUIRED
operator ( over | in | out | atop | xor | arithmetic ) 'over'
k1 %Number.datatype; #IMPLIED
k2 %Number.datatype; #IMPLIED
k3 %Number.datatype; #IMPLIED
k4 %Number.datatype; #IMPLIED
>
<!-- end of SVG.feComposite.attlist -->]]>

```

<!-- feConvolveMatrix: Filter Effect Convolve Matrix Element -->

```

<!ENTITY % SVG.feConvolveMatrix.extra.content "" >

```

```

<!ENTITY % SVG.feConvolveMatrix.element "INCLUDE" >

```

```

<![%SVG.feConvolveMatrix.element;[
<!ENTITY % SVG.feConvolveMatrix.content
  "( %SVG.animate.qname; | %SVG.set.qname;
    %SVG.feConvolveMatrix.extra.content; )*"
>
<!ELEMENT %SVG.feConvolveMatrix.qname; %SVG.feConvolveMatrix.content; >
<!-- end of SVG.feConvolveMatrix.element -->]]>

```

```

<!ENTITY % SVG.feConvolveMatrix.attlist "INCLUDE" >
<![%SVG.feConvolveMatrix.attlist;[
<!ATTLIST
  %SVG.feConvolveMatrix.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
  order %NumberOptionalNumber.datatype; #REQUIRED
  kernelMatrix CDATA #REQUIRED
  divisor %Number.datatype; #IMPLIED
  bias %Number.datatype; #IMPLIED
  targetX %Integer.datatype; #IMPLIED
  targetY %Integer.datatype; #IMPLIED
  edgeMode ( duplicate | wrap | none ) 'duplicate'
  kernelUnitLength %NumberOptionalNumber.datatype; #IMPLIED
  preserveAlpha %Boolean.datatype; #IMPLIED
>
<!-- end of SVG.feConvolveMatrix.attlist -->]]>

```

```

<!-- feDiffuseLighting: Filter Effect Diffuse Lighting Element -->

```

```

<!ENTITY % SVG.feDiffuseLighting.extra.content "" >

```

```

<!ENTITY % SVG.feDiffuseLighting.element "INCLUDE" >
<![%SVG.feDiffuseLighting.element;[
<!ENTITY % SVG.feDiffuseLighting.content
  "( ( %SVG.feDistantLight.qname; | %SVG.fePointLight.qname;
    | %SVG.feSpotLight.qname; ), ( %SVG.animate.qname; | %SVG.set.qname;
    | %SVG.animateColor.qname;
    %SVG.feDiffuseLighting.extra.content; )*)"
>
<!ELEMENT %SVG.feDiffuseLighting.qname; %SVG.feDiffuseLighting.content; >
<!-- end of SVG.feDiffuseLighting.element -->]]>

```

```

<!ENTITY % SVG.feDiffuseLighting.attlist "INCLUDE" >
<![%SVG.feDiffuseLighting.attlist;[
<!ATTLIST %SVG.feDiffuseLighting.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
  %SVG.Color.attrib;

```

```

%SVG.FilterColor.attrib;
%SVG.FilterPrimitiveWithIn.attrib;
lighting-color %SVGColor.datatype; #IMPLIED
surfaceScale %Number.datatype; #IMPLIED
diffuseConstant %Number.datatype; #IMPLIED
kernelUnitLength %NumberOptionalNumber.datatype; #IMPLIED
>
<!-- end of SVG.feDiffuseLighting.attlist -->]]>

<!-- feDisplacementMap: Filter Effect Displacement Map Element -->

<!ENTITY % SVG.feDisplacementMap.extra.content "" >

<!ENTITY % SVG.feDisplacementMap.element "INCLUDE" >
<![%SVG.feDisplacementMap.element;[
<!ENTITY % SVG.feDisplacementMap.content
  "( %SVG.animate.qname; | %SVG.set.qname;

  %SVG.feDisplacementMap.extra.content; )*"
>
<!ELEMENT %SVG.feDisplacementMap.qname; %SVG.feDisplacementMap.content; >
<!-- end of SVG.feDisplacementMap.element -->]]>

<!ENTITY % SVG.feDisplacementMap.attlist "INCLUDE" >
<![%SVG.feDisplacementMap.attlist;[
<!ATTLIST %SVG.feDisplacementMap.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
  in2 CDATA #REQUIRED
  scale %Number.datatype; #IMPLIED
  xChannelSelector ( R | G | B | A ) 'A'
  yChannelSelector ( R | G | B | A ) 'A'
>
<!-- end of SVG.feDisplacementMap.attlist -->]]>

<!-- feFlood: Filter Effect Flood Element ..... -->

<!ENTITY % SVG.feFlood.extra.content "" >

<!ENTITY % SVG.feFlood.element "INCLUDE" >
<![%SVG.feFlood.element;[
<!ENTITY % SVG.feFlood.content
  "( %SVG.animate.qname; | %SVG.set.qname; | %SVG.animateColor.qname;
  %SVG.feFlood.extra.content; )*"
>
<!ELEMENT %SVG.feFlood.qname; %SVG.feFlood.content; >
<!-- end of SVG.feFlood.element -->]]>

```

```

<!ENTITY
% SVG.feFlood.attlist "INCLUDE" >
<![%SVG.feFlood.attlist;[
<!ATTLIST %SVG.feFlood.qname;
%SVG.Core.attrib;
%SVG.Style.attrib;
%SVG.Color.attrib;
%SVG.FilterColor.attrib;
%SVG.FilterPrimitiveWithIn.attrib;
flood-color %SVGColor.datatype; #IMPLIED
flood-opacity %OpacityValue.datatype; #IMPLIED
>
<!-- end of SVG.feFlood.attlist -->]]>

<!-- feGaussianBlur: Filter Effect Gaussian Blur Element -->

<!ENTITY % SVG.feGaussianBlur.extra.content "" >

<!ENTITY % SVG.feGaussianBlur.element "INCLUDE" >
<![%SVG.feGaussianBlur.element;[
<!ENTITY % SVG.feGaussianBlur.content
"( %SVG.animate.qname; | %SVG.set.qname;
%SVG.feGaussianBlur.extra.content; )*"
>
<!ELEMENT %SVG.feGaussianBlur.qname; %SVG.feGaussianBlur.content; >
<!-- end of SVG.feGaussianBlur.element -->]]>

<!ENTITY % SVG.feGaussianBlur.attlist "INCLUDE" >
<![%SVG.feGaussianBlur.attlist;[
<!ATTLIST %SVG.feGaussianBlur.qname;
%SVG.Core.attrib;
%SVG.FilterColor.attrib;
%SVG.FilterPrimitiveWithIn.attrib;
stdDeviation %NumberOptionalNumber.datatype; #IMPLIED
>
<!-- end of SVG.feGaussianBlur.attlist -->]]>

<!-- feImage: Filter Effect Image Element ..... -->

<!ENTITY % SVG.feImage.extra.content "" >

<!ENTITY % SVG.feImage.element "INCLUDE" >
<![%SVG.feImage.element;[
<!ENTITY % SVG.feImage.content
"( %SVG.animate.qname; | %SVG.set.qname; | %SVG.animateTransform.qname;
%SVG.feImage.extra.content; )*"
>

```

```

<!ELEMENT %SVG.feImage.qname; %SVG.feImage.content; >
<!-- end of SVG.feImage.element -->]]>

<!ENTITY % SVG.feImage.attlist "INCLUDE" >
<![%SVG.feImage.attlist;[
<!ATTLIST %SVG.feImage.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
  %SVG.Presentation.attrib;
  %SVG.FilterPrimitive.attrib;
  %SVG.XLinkEmbed.attrib;
  %SVG.External.attrib;
  preserveAspectRatio %PreserveAspectRatioSpec.datatype; 'xMidYMid meet'
>
<!-- end of SVG.feImage.attlist -->]]>

<!-- feMerge: Filter Effect Merge Element ..... -->

<!ENTITY %
  SVG.feMerge.extra.content "" >

<!ENTITY % SVG.feMerge.element "INCLUDE" >
<![%SVG.feMerge.element;[
<!ENTITY % SVG.feMerge.content
  "( %SVG.feMergeNode.qname; %SVG.feMerge.extra.content; )"
>
<!ELEMENT %SVG.feMerge.qname; %SVG.feMerge.content; >
<!-- end of SVG.feMerge.element -->]]>

<!ENTITY % SVG.feMerge.attlist "INCLUDE" >
<![%SVG.feMerge.attlist;[
<!ATTLIST %SVG.feMerge.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitive.attrib;
>
<!-- end of SVG.feMerge.attlist -->]]>

<!-- feMergeNode: Filter Effect Merge Node Element ..... -->

<!ENTITY % SVG.feMergeNode.extra.content "" >

<!ENTITY % SVG.feMergeNode.element "INCLUDE" >
<![%SVG.feMergeNode.element;[
<!ENTITY % SVG.feMergeNode.content
  "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feMergeNode.extra.content; )"
>
<!ELEMENT %SVG.feMergeNode.qname; %SVG.feMergeNode.content; >

```

```

<!-- end of SVG.feMergeNode.element -->]]>

<!ENTITY % SVG.feMergeNode.attlist "INCLUDE" >
<![%SVG.feMergeNode.attlist;[
<!ATTLIST
  %SVG.feMergeNode.qname;
  %SVG.Core.attrib;
  in CDATA #IMPLIED
>
<!-- end of SVG.feMergeNode.attlist -->]]>

<!-- feMorphology: Filter Effect Morphology Element .... -->

<!ENTITY % SVG.feMorphology.extra.content "" >

<!ENTITY % SVG.feMorphology.element "INCLUDE" >
<![%SVG.feMorphology.element;[
<!ENTITY % SVG.feMorphology.content
  "( %SVG.animate.qname; | %SVG.set.qname;
  %SVG.feMorphology.extra.content; )*"
>
<!ELEMENT %SVG.feMorphology.qname; %SVG.feMorphology.content; >
<!-- end of SVG.feMorphology.element -->]]>

<!ENTITY % SVG.feMorphology.attlist "INCLUDE" >
<![%SVG.feMorphology.attlist;[
<!ATTLIST %SVG.feMorphology.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
  operator ( erode | dilate ) 'erode'
  radius %NumberOptionalNumber.datatype; #IMPLIED
>
<!-- end of SVG.feMorphology.attlist -->]]>

<!-- feOffset: Filter Effect Offset Element ..... -->

<!ENTITY % SVG.feOffset.extra.content "" >

<!ENTITY
  % SVG.feOffset.element "INCLUDE" >
<![%SVG.feOffset.element;[
<!ENTITY % SVG.feOffset.content
  "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feOffset.extra.content; )*"
>
<!ELEMENT %SVG.feOffset.qname; %SVG.feOffset.content; >
<!-- end of SVG.feOffset.element -->]]>

```

```

<!ENTITY % SVG.feOffset.attlist "INCLUDE" >
<![%SVG.feOffset.attlist;[
<!ATTLIST %SVG.feOffset.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
  dx %Number.datatype; #IMPLIED
  dy %Number.datatype; #IMPLIED
>
<!-- end of SVG.feOffset.attlist -->]]>

<!-- feSpecularLighting: Filter Effect Specular Lighting Element -->

<!ENTITY % SVG.feSpecularLighting.extra.content "" >

<!ENTITY % SVG.feSpecularLighting.element "INCLUDE" >
<![%SVG.feSpecularLighting.element;[
<!ENTITY % SVG.feSpecularLighting.content
  "( (%SVG.feDistantLight.qname; | %SVG.fePointLight.qname;
    | %SVG.feSpotLight.qname; ), ( %SVG.animate.qname; | %SVG.set.qname;
    | %SVG.animateColor.qname;
    %SVG.feSpecularLighting.extra.content; )*)"
>
<!ELEMENT %SVG.feSpecularLighting.qname; %SVG.feSpecularLighting.content; >
<!-- end of SVG.feSpecularLighting.element -->]]>

<!ENTITY % SVG.feSpecularLighting.attlist "INCLUDE" >
<![%SVG.feSpecularLighting.attlist;[
<!ATTLIST %SVG.feSpecularLighting.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
  %SVG.Color.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
  lighting-color %SVGColor.datatype; #IMPLIED
  surfaceScale %Number.datatype; #IMPLIED
  specularConstant %Number.datatype; #IMPLIED
  specularExponent %Number.datatype; #IMPLIED
  kernelUnitLength %NumberOptionalNumber.datatype; #IMPLIED
>
<!-- end of SVG.feSpecularLighting.attlist -->]]>

<!-- feTile: Filter Effect Tile Element ..... -->

<!ENTITY % SVG.feTile.extra.content "" >

<!ENTITY % SVG.feTile.element "INCLUDE" >
<![%SVG.feTile.element;[

```

```

<!ENTITY % SVG.feTile.content
  "( %SVG.animate.qname; | %SVG.set.qname;
  %SVG.feTile.extra.content; )*"
>
<!ELEMENT %SVG.feTile.qname; %SVG.feTile.content; >
<!-- end of SVG.feTile.element -->]]>

<!ENTITY % SVG.feTile.attlist "INCLUDE" >
<![%SVG.feTile.attlist;[
<!ATTLIST %SVG.feTile.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
>
<!-- end of SVG.feTile.attlist -->]]>

<!-- feTurbulence: Filter Effect Turbulence Element .... -->

<!ENTITY % SVG.feTurbulence.extra.content "" >

<!ENTITY % SVG.feTurbulence.element "INCLUDE" >
<![%SVG.feTurbulence.element;[
<!ENTITY % SVG.feTurbulence.content
  "( %SVG.animate.qname; | %SVG.set.qname;
  %SVG.feTurbulence.extra.content; )*"
>
<!ELEMENT %SVG.feTurbulence.qname; %SVG.feTurbulence.content; >
<!-- end of SVG.feTurbulence.element -->]]>

<!ENTITY % SVG.feTurbulence.attlist "INCLUDE" >
<![%SVG.feTurbulence.attlist;[
<!ATTLIST %SVG.feTurbulence.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitive.attrib;
  baseFrequency %NumberOptionalNumber.datatype;
  #IMPLIED
  numOctaves %Integer.datatype; #IMPLIED
  seed %Number.datatype; #IMPLIED
  stitchTiles ( stitch | noStitch ) 'noStitch'
  type ( fractalNoise | turbulence ) 'turbulence'
>
<!-- end of SVG.feTurbulence.attlist -->]]>

<!-- feDistantLight: Filter Effect Distant Light Element -->

<!ENTITY % SVG.feDistantLight.extra.content "" >

```

```
<!ENTITY % SVG.feDistantLight.element "INCLUDE" >
<![%SVG.feDistantLight.element;[
<!ENTITY % SVG.feDistantLight.content
  "( %SVG.animate.qname; | %SVG.set.qname;
   %SVG.feDistantLight.extra.content; )*"
>
<!ELEMENT %SVG.feDistantLight.qname; %SVG.feDistantLight.content; >
<!-- end of SVG.feDistantLight.element -->]]>
```

```
<!ENTITY % SVG.feDistantLight.attlist "INCLUDE" >
<![%SVG.feDistantLight.attlist;[
<!ATTLIST %SVG.feDistantLight.qname;
  %SVG.Core.attrib;
  azimuth %Number.datatype; #IMPLIED
  elevation %Number.datatype; #IMPLIED
>
<!-- end of SVG.feDistantLight.attlist -->]]>
```

```
<!-- fePointLight: Filter
Effect Point Light Element ... -->
```

```
<!ENTITY % SVG.fePointLight.extra.content "" >
```

```
<!ENTITY % SVG.fePointLight.element "INCLUDE" >
<![%SVG.fePointLight.element;[
<!ENTITY % SVG.fePointLight.content
  "( %SVG.animate.qname; | %SVG.set.qname;
   %SVG.fePointLight.extra.content; )*"
>
<!ELEMENT %SVG.fePointLight.qname; %SVG.fePointLight.content; >
<!-- end of SVG.fePointLight.element -->]]>
```

```
<!ENTITY % SVG.fePointLight.attlist "INCLUDE" >
<![%SVG.fePointLight.attlist;[
<!ATTLIST %SVG.fePointLight.qname;
  %SVG.Core.attrib;
  x %Number.datatype; #IMPLIED
  y %Number.datatype; #IMPLIED
  z %Number.datatype; #IMPLIED
>
<!-- end of SVG.fePointLight.attlist -->]]>
```

```
<!-- feSpotLight: Filter Effect Spot Light Element ..... -->
```

```
<!ENTITY % SVG.feSpotLight.extra.content "" >
```

```
<!ENTITY % SVG.feSpotLight.element "INCLUDE" >
<![%SVG.feSpotLight.element;[
```

```

<!ENTITY % SVG.feSpotLight.content
  "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feSpotLight.extra.content; )*"
>
<!ELEMENT %SVG.feSpotLight.qname;
  %SVG.feSpotLight.content; >
<!-- end of SVG.feSpotLight.element -->]]>

```

```

<!ENTITY % SVG.feSpotLight.attlist "INCLUDE" >
<![%SVG.feSpotLight.attlist;[
<!ATTLIST %SVG.feSpotLight.qname;
  %SVG.Core.attrib;
  x %Number.datatype; #IMPLIED
  y %Number.datatype; #IMPLIED
  z %Number.datatype; #IMPLIED
  pointsAtX %Number.datatype; #IMPLIED
  pointsAtY %Number.datatype; #IMPLIED
  pointsAtZ %Number.datatype; #IMPLIED
  specularExponent %Number.datatype; #IMPLIED
  limitingConeAngle %Number.datatype; #IMPLIED
>
<!-- end of SVG.feSpotLight.attlist -->]]>

```

```

<!-- feFuncR: Filter Effect Function Red Element ..... -->

```

```

<!ENTITY % SVG.feFuncR.extra.content "" >

```

```

<!ENTITY % SVG.feFuncR.element "INCLUDE" >
<![%SVG.feFuncR.element;[
<!ENTITY % SVG.feFuncR.content
  "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feFuncR.extra.content; )*"
>
<!ELEMENT %SVG.feFuncR.qname; %SVG.feFuncR.content; >
<!-- end of SVG.feFuncR.element -->]]>

```

```

<!ENTITY % SVG.feFuncR.attlist "INCLUDE"
>
<![%SVG.feFuncR.attlist;[
<!ATTLIST %SVG.feFuncR.qname;
  %SVG.Core.attrib;
  type ( identity | table | discrete | linear | gamma ) #REQUIRED
  tableValues CDATA #IMPLIED
  slope %Number.datatype; #IMPLIED
  intercept %Number.datatype; #IMPLIED
  amplitude %Number.datatype; #IMPLIED
  exponent %Number.datatype; #IMPLIED
  offset %Number.datatype; #IMPLIED
>
<!-- end of SVG.feFuncR.attlist -->]]>

```

```

<!-- feFuncG: Filter Effect Function Green Element ..... -->

<!ENTITY % SVG.feFuncG.extra.content "" >

<!ENTITY % SVG.feFuncG.element "INCLUDE" >
<![%SVG.feFuncG.element;[
<!ENTITY % SVG.feFuncG.content
    "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feFuncG.extra.content; )*"
>
<!ELEMENT %SVG.feFuncG.qname; %SVG.feFuncG.content; >
<!-- end of SVG.feFuncG.element -->]]>

<!ENTITY % SVG.feFuncG.attlist "INCLUDE" >
<![%SVG.feFuncG.attlist;[
<!ATTLIST %SVG.feFuncG.qname;
    %SVG.Core.attrib;
    type ( identity | table | discrete | linear | gamma ) #REQUIRED
    tableValues
    CDATA #IMPLIED
    slope %Number.datatype; #IMPLIED
    intercept %Number.datatype; #IMPLIED
    amplitude %Number.datatype; #IMPLIED
    exponent %Number.datatype; #IMPLIED
    offset %Number.datatype; #IMPLIED
>
<!-- end of SVG.feFuncG.attlist -->]]>

<!-- feFuncB: Filter Effect Function Blue Element ..... -->

<!ENTITY % SVG.feFuncB.extra.content "" >

<!ENTITY % SVG.feFuncB.element "INCLUDE" >
<![%SVG.feFuncB.element;[
<!ENTITY % SVG.feFuncB.content
    "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feFuncB.extra.content; )*"
>
<!ELEMENT %SVG.feFuncB.qname; %SVG.feFuncB.content; >
<!-- end of SVG.feFuncB.element -->]]>

<!ENTITY % SVG.feFuncB.attlist "INCLUDE" >
<![%SVG.feFuncB.attlist;[
<!ATTLIST %SVG.feFuncB.qname;
    %SVG.Core.attrib;
    type ( identity | table | discrete | linear | gamma ) #REQUIRED
    tableValues CDATA #IMPLIED
    slope %Number.datatype; #IMPLIED
    intercept %Number.datatype; #IMPLIED

```

```

    amplitude %Number.datatype; #IMPLIED
    exponent %Number.datatype;
#IMPLIED
    offset %Number.datatype; #IMPLIED
>
<!-- end of SVG.feFuncB.attlist -->]]>

<!-- feFuncA: Filter Effect Function Alpha Element ..... -->

<!ENTITY % SVG.feFuncA.extra.content "" >

<!ENTITY % SVG.feFuncA.element "INCLUDE" >
<![%SVG.feFuncA.element;[
<!ENTITY % SVG.feFuncA.content
    "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feFuncA.extra.content; )*"
>
<!ELEMENT %SVG.feFuncA.qname; %SVG.feFuncA.content; >
<!-- end of SVG.feFuncA.element -->]]>

<!ENTITY % SVG.feFuncA.attlist "INCLUDE" >
<![%SVG.feFuncA.attlist;[
<!ATTLIST %SVG.feFuncA.qname;
    %SVG.Core.attrib;
    type ( identity | table | discrete | linear | gamma ) #REQUIRED
    tableValues CDATA #IMPLIED
    slope %Number.datatype; #IMPLIED
    intercept %Number.datatype; #IMPLIED
    amplitude %Number.datatype; #IMPLIED
    exponent %Number.datatype; #IMPLIED
    offset %Number.datatype; #IMPLIED
>
<!-- end of SVG.feFuncA.attlist -->]]>

<!-- end of svg-filter.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
filter.mod
```

No license file was found, but licenses were detected in source scan.

dimensional graphics in XML.

The Scalable Vector Graphics (SVG)

Copyright 2001, 2002 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de  
Recherche en Informatique et en Automatique, Keio University).

All Rights Reserved.

Permission to use, copy, modify and distribute the SVG DTD and its accompanying documentation for any purpose and without fee is hereby granted in perpetuity, provided that the above copyright notice and this paragraph appear in all copies. The copyright holders make no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Author: Jun Fujisawa <fujisawa.jun@canon.co.jp>

Revision: \$Id: svg11

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/svg11/templates/svg11-template.dtd

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Basic Clip Module ..... -->
<!-- file: svg-basic-clip.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-basic-clip.mod,v 1.4 2002/11/03 15:54:14 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Basic Clip//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-basic-clip.mod"
```

```
..... -->
```

```
<!-- Basic Clip
```

```
clipPath
```

This module declares markup to provide support for clipping.

```
-->
```

```
<!-- 'clip-path' property/attribute value (e.g., 'none', <uri>) -->
<!ENTITY % ClipPathValue.datatype "CDATA" >
```

```
<!--
Qualified Names (Default) ..... -->
```

```
<!ENTITY % SVG.clipPath.qname "clipPath" >
```

```
<!-- Attribute Collections (Default) ..... -->
```

```

<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.Conditional.attrib "" >
<!ENTITY % SVG.Style.attrib "" >
<!ENTITY % SVG.Text.attrib "" >
<!ENTITY % SVG.TextContent.attrib "" >
<!ENTITY % SVG.Font.attrib "" >
<!ENTITY % SVG.Paint.attrib "" >
<!ENTITY % SVG.Color.attrib "" >
<!ENTITY % SVG.Opacity.attrib "" >
<!ENTITY % SVG.Graphics.attrib "" >
<!ENTITY % SVG.Mask.attrib "" >
<!ENTITY % SVG.Filter.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Clip.class ..... -->

<!ENTITY % SVG.Clip.extra.class "" >

<!ENTITY % SVG.Clip.class
  "| %SVG.clipPath.qname; %SVG.Clip.extra.class;"
>

<!-- SVG.Clip.attrib ..... -->

<!ENTITY % SVG.Clip.extra.attrib "" >

<!ENTITY % SVG.Clip.attrib
  "clip-path %ClipPathValue.datatype; #IMPLIED
  clip-rule %ClipFillRule.datatype; #IMPLIED
  %SVG.Clip.extra.attrib;"
>

<!-- clipPath: Clip Path Element ..... -->

<!ENTITY % SVG.clipPath.extra.content "" >

<!ENTITY % SVG.clipPath.element "INCLUDE" >
<![%SVG.clipPath.element;[
<!ENTITY % SVG.clipPath.content
  "(( %SVG.Description.class;)*, (( %SVG.Animation.class; %SVG.Use.class;
  %SVG.clipPath.extra.content;)*, ( %SVG.Animation.class; %SVG.Use.class;
  %SVG.Shape.class; )?, ( %SVG.Animation.class; %SVG.Use.class;
  %SVG.clipPath.extra.content; )*))"
>
<!ELEMENT %SVG.clipPath.qname; %SVG.clipPath.content; >
<!-- end of SVG.clipPath.element -->]]>

```

```

<!ENTITY % SVG.clipPath.attlist "INCLUDE" >
<![%SVG.clipPath.attlist;[
<!ATTLIST %SVG.clipPath.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.Text.attrib;
  %SVG.TextContent.attrib;
  %SVG.Font.attrib;
  %SVG.Paint.attrib;
  %SVG.Color.attrib;
  %SVG.Opacity.attrib;
  %SVG.Graphics.attrib;
  %SVG.Clip.attrib;
  %SVG.Mask.attrib;
  %SVG.Filter.attrib;
  %SVG.Cursor.attrib;
  %SVG.External.attrib;
  transform %TransformList.datatype; #IMPLIED
  clipPathUnits ( userSpaceOnUse | objectBoundingBox ) #IMPLIED
>
<!-- end of SVG.clipPath.attlist -->]]>

<!-- end of svg-basic-clip.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
basic-clip.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- MathML Qualified Names Module ..... -->
<!-- file: mathml2-qname-1.mod

```

This is the Mathematical Markup Language (MathML) 2.0, an XML application for describing mathematical notation and capturing both its structure and content.

Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: mathml2-qname-1.mod,v 1.2 2003/04/08 00:11:16 davidc Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ENTITIES MathML 2.0 Qualified Names 1.0//EN"
SYSTEM "mathml2-qname-1.mod"

```

Revisions:

(none)

```

..... -->

<!-- MathML Qualified Names

This module is contained in two parts, labeled Section 'A' and 'B':

Section A declares
parameter entities to support namespace-
qualified names, namespace declarations, and name prefixing
for MathML.

Section B declares parameter entities used to provide
namespace-qualified names for all MathML element types.

This module is derived from the XHTML Qualified Names Template module.
-->

<!-- Section A: XHTML XML Namespace Framework :::::::::::::::::::: -->

<!ENTITY % NS.prefixed "IGNORE" >
<!ENTITY % MATHML.prefixed "%NS.prefixed;" >

<!-- XLink ..... -->

<!ENTITY % XLINK.prefix "xlink" >
<!ENTITY % XLINK.xmlns "http://www.w3.org/1999/xlink" >
<!ENTITY % XLINK.xmlns.attrib
"xmlns:%XLINK.prefix; CDATA #FIXED '%XLINK.xmlns;"
>

<!-- W3C XML Schema ..... -->

<!ENTITY % Schema.prefix "xsi" >
<!ENTITY % Schema.xmlns "http://www.w3.org/2001/XMLSchema-instance" >
<!ENTITY % Schema.xmlns.attrib
"xmlns:%Schema.prefix; CDATA #IMPLIED"
>

<!-- MathML .....
-->

<!ENTITY % MATHML.xmlns "http://www.w3.org/1998/Math/MathML" >
<!ENTITY % MATHML.prefix "m" >
<![%MATHML.prefixed;[
<!ENTITY % MATHML.xmlns.extra.attrib "" >
]]>
<!ENTITY % MATHML.xmlns.extra.attrib
"%XLINK.xmlns.attrib;

```

```

%Schema.xmlns.attrib;" >

<![%MATHML.prefixed;[
<!ENTITY % MATHML.pfx "%MATHML.prefix;" >
<!ENTITY % MATHML.xmlns.attrib
  "xmlns:%MATHML.prefix; CDATA #FIXED '%MATHML.xmlns;'
  %MATHML.xmlns.extra.attrib;"
>
]]>
<!ENTITY % MATHML.pfx "" >
<!ENTITY % MATHML.xmlns.attrib
  "xmlns CDATA #FIXED '%MATHML.xmlns;'
  %MATHML.xmlns.extra.attrib;"
>

<![%NS.prefixed;[
<!ENTITY % XHTML.xmlns.extra.attrib
  "%MATHML.xmlns.attrib;" >
]]>
<!ENTITY % XHTML.xmlns.extra.attrib
  "%XLINK.xmlns.attrib;
  %Schema.xmlns.attrib;"
>

<!-- Section B: MathML Qualified Names :::::::::::::::::::: -->

<!-- 9. This section declares parameter entities used to provide
      namespace-qualified names for all MathML
      element types.
-->

<!ENTITY % abs.qname      "%MATHML.pfx;abs" >
<!ENTITY % and.qname     "%MATHML.pfx;and" >
<!ENTITY % annotation-xml.qname "%MATHML.pfx;annotation-xml" >
<!ENTITY % annotation.qname  "%MATHML.pfx;annotation" >
<!ENTITY % apply.qname     "%MATHML.pfx;apply" >
<!ENTITY % approx.qname    "%MATHML.pfx;approx" >
<!ENTITY % arccos.qname    "%MATHML.pfx;arccos" >
<!ENTITY % arccosh.qname   "%MATHML.pfx;arccosh" >
<!ENTITY % arccosh.qname   "%MATHML.pfx;arccosh" >
<!ENTITY % arccot.qname    "%MATHML.pfx;arccot" >
<!ENTITY % arccoth.qname   "%MATHML.pfx;arccoth" >
<!ENTITY % arccsc.qname    "%MATHML.pfx;arccsc" >
<!ENTITY % arccsch.qname   "%MATHML.pfx;arccsch" >
<!ENTITY % arcsec.qname    "%MATHML.pfx;arcsec" >
<!ENTITY % arcsech.qname   "%MATHML.pfx;arcsech" >
<!ENTITY % arcsin.qname    "%MATHML.pfx;arcsin" >
<!ENTITY % arcsinh.qname   "%MATHML.pfx;arcsinh" >

```

```

<!ENTITY % arctan.qname
  "%MATHML.pfx;arctan" >
<!ENTITY % arctanh.qname    "%MATHML.pfx;arctanh" >
<!ENTITY % arg.qname        "%MATHML.pfx;arg" >
<!ENTITY % bvar.qname       "%MATHML.pfx;bvar" >
<!ENTITY % card.qname       "%MATHML.pfx;card" >
<!ENTITY % cartesianproduct.qname "%MATHML.pfx;cartesianproduct" >
<!ENTITY % ceiling.qname    "%MATHML.pfx;ceiling" >
<!ENTITY % ci.qname         "%MATHML.pfx;ci" >
<!ENTITY % cn.qname         "%MATHML.pfx;cn" >
<!ENTITY % codomain.qname   "%MATHML.pfx;codomain" >
<!ENTITY % complexes.qname  "%MATHML.pfx;complexes" >
<!ENTITY % compose.qname    "%MATHML.pfx;compose" >
<!ENTITY % condition.qname  "%MATHML.pfx;condition" >
<!ENTITY % conjugate.qname  "%MATHML.pfx;conjugate" >
<!ENTITY % cos.qname        "%MATHML.pfx;cos" >
<!ENTITY % cosh.qname       "%MATHML.pfx;cosh" >
<!ENTITY % cot.qname        "%MATHML.pfx;cot" >
<!ENTITY % coth.qname       "%MATHML.pfx;coth" >
<!ENTITY % csc.qname        "%MATHML.pfx;csc"
>
<!ENTITY % csch.qname       "%MATHML.pfx;csch" >
<!ENTITY % csymbol.qname    "%MATHML.pfx;csymbol" >
<!ENTITY % curl.qname       "%MATHML.pfx;curl" >
<!ENTITY % declare.qname    "%MATHML.pfx;declare" >
<!ENTITY % degree.qname     "%MATHML.pfx;degree" >
<!ENTITY % determinant.qname "%MATHML.pfx;determinant" >
<!ENTITY % diff.qname       "%MATHML.pfx;diff" >
<!ENTITY % divergence.qname "%MATHML.pfx;divergence" >
<!ENTITY % divide.qname     "%MATHML.pfx;divide" >
<!ENTITY % domain.qname     "%MATHML.pfx;domain" >
<!ENTITY % domainofapplication.qname "%MATHML.pfx;domainofapplication" >
<!ENTITY % emptyset.qname   "%MATHML.pfx;emptyset" >
<!ENTITY % eq.qname         "%MATHML.pfx;eq" >
<!ENTITY % equivalent.qname "%MATHML.pfx;equivalent" >
<!ENTITY % eulergamma.qname "%MATHML.pfx;eulergamma" >
<!ENTITY % exists.qname     "%MATHML.pfx;exists" >
<!ENTITY % exp.qname        "%MATHML.pfx;exp" >
<!ENTITY % exponentiale.qname
  "%MATHML.pfx;exponentiale" >
<!ENTITY % factorial.qname  "%MATHML.pfx;factorial" >
<!ENTITY % factorof.qname   "%MATHML.pfx;factorof" >
<!ENTITY % false.qname     "%MATHML.pfx>false" >
<!ENTITY % floor.qname     "%MATHML.pfx;floor" >
<!ENTITY % fn.qname        "%MATHML.pfx;fn" >
<!ENTITY % forall.qname    "%MATHML.pfx;forall" >
<!ENTITY % gcd.qname       "%MATHML.pfx;gcd" >
<!ENTITY % geq.qname       "%MATHML.pfx;geq" >

```

```

<!ENTITY % grad.qname      "%MATHML.pfx;grad" >
<!ENTITY % gt.qname       "%MATHML.pfx;gt" >
<!ENTITY % ident.qname    "%MATHML.pfx;ident" >
<!ENTITY % image.qname    "%MATHML.pfx;image" >
<!ENTITY % imaginary.qname "%MATHML.pfx;imaginary" >
<!ENTITY % imaginaryi.qname "%MATHML.pfx;imaginaryi" >
<!ENTITY % implies.qname  "%MATHML.pfx;implies" >
<!ENTITY % in.qname       "%MATHML.pfx;in" >
<!ENTITY % infinity.qname  "%MATHML.pfx;infinity" >
<!ENTITY % int.qname      "%MATHML.pfx;int"
>
<!ENTITY % integers.qname  "%MATHML.pfx;integers" >
<!ENTITY % intersect.qname "%MATHML.pfx;intersect" >
<!ENTITY % interval.qname  "%MATHML.pfx;interval" >
<!ENTITY % inverse.qname   "%MATHML.pfx;inverse" >
<!ENTITY % lambda.qname    "%MATHML.pfx;lambda" >
<!ENTITY % laplacian.qname "%MATHML.pfx;laplacian" >
<!ENTITY % lcm.qname       "%MATHML.pfx;lcm" >
<!ENTITY % leq.qname       "%MATHML.pfx;leq" >
<!ENTITY % limit.qname     "%MATHML.pfx;limit" >
<!ENTITY % list.qname      "%MATHML.pfx;list" >
<!ENTITY % ln.qname        "%MATHML.pfx;ln" >
<!ENTITY % log.qname       "%MATHML.pfx;log" >
<!ENTITY % logbase.qname   "%MATHML.pfx;logbase" >
<!ENTITY % lowlimit.qname  "%MATHML.pfx;lowlimit" >
<!ENTITY % lt.qname        "%MATHML.pfx;lt" >
<!ENTITY % maction.qname   "%MATHML.pfx;maction" >
<!ENTITY % maligngroup.qname "%MATHML.pfx;maligngroup" >
<!ENTITY % malignmark.qname "%MATHML.pfx;malignmark"
>
<!ENTITY % math.qname      "%MATHML.pfx;math" >
<!ENTITY % matrix.qname    "%MATHML.pfx;matrix" >
<!ENTITY % matrixrow.qname "%MATHML.pfx;matrixrow" >
<!ENTITY % max.qname       "%MATHML.pfx;max" >
<!ENTITY % mean.qname      "%MATHML.pfx;mean" >
<!ENTITY % median.qname    "%MATHML.pfx;median" >
<!ENTITY % menclose.qname  "%MATHML.pfx;menclose" >
<!ENTITY % merror.qname    "%MATHML.pfx;merror" >
<!ENTITY % mfenced.qname   "%MATHML.pfx;mfenced" >
<!ENTITY % mfrac.qname     "%MATHML.pfx;mfrac" >
<!ENTITY % mglyph.qname    "%MATHML.pfx;mglyph" >
<!ENTITY % mi.qname        "%MATHML.pfx;mi" >
<!ENTITY % min.qname       "%MATHML.pfx;min" >
<!ENTITY % minus.qname     "%MATHML.pfx;minus" >
<!ENTITY % mlabeledtr.qname "%MATHML.pfx;mlabeledtr" >
<!ENTITY % mmultiscripts.qname "%MATHML.pfx;mmultiscripts" >
<!ENTITY % mn.qname        "%MATHML.pfx;mn" >
<!ENTITY % mo.qname        "%MATHML.pfx;mo" >

```

```

<!ENTITY
% mode.qname      "%MATHML.pfx;mode" >
<!ENTITY % moment.qname      "%MATHML.pfx;moment" >
<!ENTITY % momentabout.qname "%MATHML.pfx;momentabout" >
<!ENTITY % mover.qname      "%MATHML.pfx;mover" >
<!ENTITY % mpadded.qname    "%MATHML.pfx;mpadded" >
<!ENTITY % mphantom.qname   "%MATHML.pfx;mphantom" >
<!ENTITY % mprescripts.qname "%MATHML.pfx;mprescripts" >
<!ENTITY % mroot.qname      "%MATHML.pfx;mroot" >
<!ENTITY % mrow.qname       "%MATHML.pfx;mrow" >
<!ENTITY % ms.qname         "%MATHML.pfx;ms" >
<!ENTITY % mspace.qname     "%MATHML.pfx;mspace" >
<!ENTITY % msqrt.qname      "%MATHML.pfx;msqrt" >
<!ENTITY % mstyle.qname     "%MATHML.pfx;mstyle" >
<!ENTITY % msub.qname       "%MATHML.pfx;msub" >
<!ENTITY % msubsup.qname    "%MATHML.pfx;msubsup" >
<!ENTITY % msup.qname       "%MATHML.pfx;msup" >
<!ENTITY % mtable.qname     "%MATHML.pfx;mtable" >
<!ENTITY % mtd.qname        "%MATHML.pfx;mtd" >
<!ENTITY % mtext.qname
      "%MATHML.pfx;mtext" >
<!ENTITY % mtr.qname        "%MATHML.pfx;mtr" >
<!ENTITY % munder.qname     "%MATHML.pfx;munder" >
<!ENTITY % munderover.qname "%MATHML.pfx;munderover" >
<!ENTITY % naturalnumbers.qname "%MATHML.pfx;naturalnumbers" >
<!ENTITY % neq.qname        "%MATHML.pfx;neq" >
<!ENTITY % none.qname       "%MATHML.pfx;none" >
<!ENTITY % not.qname        "%MATHML.pfx;not" >
<!ENTITY % notanumber.qname  "%MATHML.pfx;notanumber" >
<!ENTITY % notin.qname      "%MATHML.pfx;notin" >
<!ENTITY % notprsubset.qname "%MATHML.pfx;notprsubset" >
<!ENTITY % notsubset.qname  "%MATHML.pfx;notsubset" >
<!ENTITY % or.qname         "%MATHML.pfx;or" >
<!ENTITY % otherwise.qname  "%MATHML.pfx;otherwise" >
<!ENTITY % outerproduct.qname "%MATHML.pfx;outerproduct" >
<!ENTITY % partialdiff.qname "%MATHML.pfx;partialdiff" >
<!ENTITY % pi.qname         "%MATHML.pfx;pi" >
<!ENTITY % piece.qname      "%MATHML.pfx;piece" >
<!ENTITY % piecewise.qname
      "%MATHML.pfx;piecewise" >
<!ENTITY % plus.qname       "%MATHML.pfx;plus" >
<!ENTITY % power.qname      "%MATHML.pfx;power" >
<!ENTITY % primes.qname     "%MATHML.pfx;primes" >
<!ENTITY % product.qname    "%MATHML.pfx;product" >
<!ENTITY % prsubset.qname   "%MATHML.pfx;prsubset" >
<!ENTITY % quotient.qname   "%MATHML.pfx;quotient" >
<!ENTITY % rationals.qname  "%MATHML.pfx;rational" >
<!ENTITY % real.qname       "%MATHML.pfx;real" >

```

```

<!ENTITY % reals.qname      "%MATHML.pfx;reals" >
<!ENTITY % reln.qname      "%MATHML.pfx;reln" >
<!ENTITY % rem.qname       "%MATHML.pfx;rem" >
<!ENTITY % root.qname      "%MATHML.pfx;root" >
<!ENTITY % scalarproduct.qname "%MATHML.pfx;scalarproduct" >
<!ENTITY % sdev.qname      "%MATHML.pfx;sdev" >
<!ENTITY % sec.qname       "%MATHML.pfx;sec" >
<!ENTITY % sech.qname      "%MATHML.pfx;sech" >
<!ENTITY % selector.qname   "%MATHML.pfx;selector" >
<!ENTITY % semantics.qname
    "%MATHML.pfx;semantics" >
<!ENTITY % sep.qname       "%MATHML.pfx;sep" >
<!ENTITY % set.qname       "%MATHML.pfx;set" >
<!ENTITY % setdiff.qname   "%MATHML.pfx;setdiff" >
<!ENTITY % sin.qname       "%MATHML.pfx;sin" >
<!ENTITY % sinh.qname      "%MATHML.pfx;sinh" >
<!ENTITY % subset.qname    "%MATHML.pfx;subset" >
<!ENTITY % sum.qname       "%MATHML.pfx;sum" >
<!ENTITY % tan.qname       "%MATHML.pfx;tan" >
<!ENTITY % tanh.qname      "%MATHML.pfx;tanh" >
<!ENTITY % tendsto.qname   "%MATHML.pfx;tendsto" >
<!ENTITY % times.qname     "%MATHML.pfx;times" >
<!ENTITY % transpose.qname "%MATHML.pfx;transpose" >
<!ENTITY % true.qname      "%MATHML.pfx>true" >
<!ENTITY % union.qname     "%MATHML.pfx;union" >
<!ENTITY % uplimit.qname   "%MATHML.pfx;uplimit" >
<!ENTITY % variance.qname  "%MATHML.pfx;variance" >
<!ENTITY % vector.qname    "%MATHML.pfx;vector" >
<!ENTITY % vectorproduct.qname "%MATHML.pfx;vectorproduct"
>
<!ENTITY % xor.qname       "%MATHML.pfx;xor" >

```

<!-- ignores subsequent instantiation of this module when  
used as external subset rather than module fragment.

NOTE: Do not modify this parameter entity, otherwise  
a recursive parsing situation may result.

-->

```
<!ENTITY % mathml-qname.module "IGNORE" >
```

<!-- end of template-qname-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/mathml/mathml2/mathml2-qname-1.mod

No license file was found, but licenses were detected in source scan.

<!--

File isodia.ent produced by the XSL script entities.xml  
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the  
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle  
via the public W3C list [www-math@w3.org](mailto:www-math@w3.org).

The numeric character values assigned to each entity  
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the  
following notice:

(C) International Organization for Standardization 1986  
Permission to copy in any form is granted for use with  
conforming SGML systems and applications as defined in  
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: `-//W3C//ENTITIES  
Diacritical Marks//EN//XML`  
System identifier: `http://www.w3.org/2003/entities/2007/isodia.ent`

The public identifier should always be used verbatim.  
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isodia PUBLIC
  "-//W3C//ENTITIES Diacritical Marks//EN//XML"
  "http://www.w3.org/2003/entities/2007/isodia.ent"
>
%isodia;
```

-->

```
<!ENTITY acute      "&#x000B4;" ><!--ACUTE ACCENT -->
<!ENTITY breve     "&#x002D8;" ><!--BREVE -->
<!ENTITY caron     "&#x002C7;" ><!--CARON -->
```

```

<!ENTITY cedil      "¸" ><!--CEDILLA -->
<!ENTITY circ      "ˆ" ><!--MODIFIER LETTER CIRCUMFLEX ACCENT -->
<!ENTITY dblac     "˝" ><!--DOUBLE ACUTE ACCENT -->
<!ENTITY die       "¨" ><!--DIAERESIS -->
<!ENTITY dot       "˙" ><!--DOT ABOVE -->
<!ENTITY grave     "`" ><!--GRAVE ACCENT -->
<!ENTITY macr
    "¯" ><!--MACRON -->
<!ENTITY ogon      "˛" ><!--OGONEK -->
<!ENTITY ring      "˚" ><!--RING ABOVE -->
<!ENTITY tilde     "˜" ><!--SMALL TILDE -->
<!ENTITY uml       "¨" ><!--DIAERESIS -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isodia.ent

```

No license file was found, but licenses were detected in source scan.

// This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0.

// This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

/\*

Email from author to Michael Kay dated 2014-02-21:

Please find the Java code attached. The file is encoded in UTF-8, and you will need to preserve that in order to keep the Turkish letters in string literals in the code correct.

I agree to release it under the Mozilla Public License or under any other recognized open source license that Saxon might adopt in the future.

\*/

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/local/Numberer_tr.java

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- SVG 1.1 Scripting Module ..... -->
<!-- file: svg-script.mod

```

This is SVG, a language for describing two-dimensional graphics in XML.  
 Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
 Revision: \$Id: svg-script.mod,v 1.3 2002/10/24 17:40:16 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS SVG 1.1 Scripting//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-script.mod"

```

..... -->

```

<!-- Scripting

    script

    This module declares markup to provide support for scripting.
-->

<!-- Qualified Names (Default) ..... -->

<!ENTITY % SVG.script.qname "script" >

<!-- Attribute Collections
(Default) ..... -->

<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.XLink.attrib "" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Script.class ..... -->

<!ENTITY % SVG.Script.extra.class "" >

<!ENTITY % SVG.Script.class
"| %SVG.script.qname; %SVG.Script.extra.class;"
>

<!-- script: Script Element ..... -->

<!ENTITY % SVG.script.extra.content "" >

<!ENTITY % SVG.script.element "INCLUDE" >
<![%SVG.script.element;[
<!ENTITY % SVG.script.content
" ( #PCDATA %SVG.script.extra.content; )*"
>
<!ELEMENT %SVG.script.qname; %SVG.script.content; >
<!-- end of SVG.script.element -->]]>

<!ENTITY % SVG.script.attlist "INCLUDE" >
<![%SVG.script.attlist;[
<!ATTLIST %SVG.script.qname;
%SVG.Core.attrib;
%SVG.XLink.attrib;
%SVG.External.attrib;
type %ContentType.datatype; #REQUIRED
>
<!-- end of SVG.script.attlist -->]]>

```

<!-- end of svg-script.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-script.mod

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- XHTML Access QName Module ..... -->

<!-- file: xhtml-access-qname-1.mod

This is XHTML Access - the Access Attribute Module for XHTML.

Copyright 2007-2008 W3C (MIT, ERCIM, Keio), All Rights Reserved.

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ENTITIES XHTML Access Attribute Qnames 1.0//EN"

SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-access-qname-1.mod"

Revisions:

(none)

..... -->

<!-- XHTML Access Attribute QName (Qualified Name) Module

This module is contained in two parts, labeled Section 'A' and 'B':

Section A declares parameter entities to support namespace-qualified names, namespace declarations, and name prefixing for XHTML Access and extensions.

Section B declares parameter entities used to provide namespace-qualified names for the XHTML access element:

%XHTML-ACCESS.access.qname; the xmlns-qualified name for access

...

XHTML Access extensions would create a module similar to this one.

-->

<!-- Section A: XHTML Access Attribute XML Namespace Framework ..... -->

<!-- 1. Declare a %XHTML-ACCESS.prefixed; conditional section keyword, used to activate namespace prefixing. The default value should inherit '%NS.prefixed;' from the DTD driver, so that unless overridden, the default behavior follows the overall DTD

prefixing scheme.

-->

<!ENTITY % NS.prefixed "IGNORE" >

<!ENTITY % XHTML-ACCESS.prefixed "%NS.prefixed;" >

<!-- 2. Declare a parameter entity (eg., %XHTML-ACCESS.xmlns;) containing the URI reference used to identify the XHTML Access Attribute namespace

-->

<!ENTITY % XHTML-ACCESS.xmlns "http://www.w3.org/1999/xhtml"

>

<!-- 3. Declare parameter entities (eg., %XML.prefix;) containing the default namespace prefix string(s) to use when prefixing is enabled. This may be overridden in the DTD driver or the internal subset of an document instance. If no default prefix is desired, this may be declared as an empty string.

NOTE: As specified in [XMLNAMES], the namespace prefix serves as a proxy for the URI reference, and is not in itself significant.

-->

<!ENTITY % XHTML-ACCESS.prefix "" >

<!-- 4. Declare parameter entities (eg., %XHTML-ACCESS.pfx;) containing the colonized prefix(es) (eg., '%XHTML-ACCESS.prefix;:') used when prefixing is active, an empty string when it is not.

-->

<![%XHTML-ACCESS.prefixed;[

<!ENTITY % XHTML-ACCESS.pfx "%XHTML-ACCESS.prefix;:" >

]]>

<!ENTITY % XHTML-ACCESS.pfx "" >

<!-- declare qualified name extensions here ..... -->

<!ENTITY % xhtml-access-qname-extra.mod "" >

%xhtml-access-qname-extra.mod;

<!--

5. The parameter entity %XHTML-ACCESS.xmlns.extra.attrib; may be redeclared to contain any non-XHTML Access namespace declaration attributes for namespaces embedded in XML. The default is an empty string. XLink should be included here if used in the DTD.

-->

<!ENTITY % XHTML-ACCESS.xmlns.extra.attrib "" >

<!-- Section B: XML Qualified Names ..... -->

<!-- 6. This section declares parameter entities used to provide

namespace-qualified names for the XHTML Access element.

-->

```
<!ENTITY % XHTML-ACCESS.access.qname "%XHTML-ACCESS.pfx;access" >
```

```
<!-- end of xhtml-access-qname-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-access-qname-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!--
```

File isoamso.ent produced by the XSL script entities.xml  
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the  
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle  
via the public W3C list [www-math@w3.org](mailto:www-math@w3.org).

The numeric character values assigned to each entity  
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the  
following notice:

(C) International Organization for Standardization 1991  
Permission to copy in any form is granted for use with  
conforming SGML systems and applications as defined in  
ISO 8879, provided this notice is included in all copies.

-->

```
<!--
```

Public identifier: `://W3C//ENTITIES`

Added Math Symbols: `Ordinary//EN//XML`

System identifier: `http://www.w3.org/2003/entities/2007/isoamso.ent`

The public identifier should always be used verbatim.

The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isoamso PUBLIC
  "-//W3C//ENTITIES Added Math Symbols: Ordinary//EN//XML"
  "http://www.w3.org/2003/entities/2007/isoamso.ent"
>
%isoamso;

-->

<!ENTITY ang      "∠" ><!--ANGLE -->
<!ENTITY ange     "⦤" ><!--ANGLE WITH UNDERBAR -->
<!ENTITY angmsd   "∡" ><!--MEASURED ANGLE -->
<!ENTITY angmsdaa "⦨" ><!--MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW
POINTING UP AND RIGHT -->
<!ENTITY angmsdab "⦩" ><!--MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW
POINTING UP AND LEFT -->
<!ENTITY angmsdac "⦪" ><!--MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW
POINTING DOWN AND RIGHT -->
<!ENTITY
angmsdad   "⦫" ><!--MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING
DOWN AND LEFT -->
<!ENTITY angmsdae "⦬" ><!--MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW
POINTING RIGHT AND UP -->
<!ENTITY angmsdaf "⦭" ><!--MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW
POINTING LEFT AND UP -->
<!ENTITY angmsdag "⦮" ><!--MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW
POINTING RIGHT AND DOWN -->
<!ENTITY angmsdah "⦯" ><!--MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW
POINTING LEFT AND DOWN -->
<!ENTITY angrtvb  "⊾" ><!--RIGHT ANGLE WITH ARC -->
<!ENTITY angrtvbd "⦝" ><!--MEASURED RIGHT ANGLE WITH DOT -->
<!ENTITY bbrk     "⎵" ><!--BOTTOM SQUARE BRACKET -->
<!ENTITY bbrktbrk "⎶" ><!--BOTTOM SQUARE BRACKET OVER TOP SQUARE BRACKET -
->
<!ENTITY bemptyv  "⦰" ><!--REVERSED EMPTY SET -->
<!ENTITY beth     "ℶ" ><!--BET SYMBOL -->
<!ENTITY
boxbox     "⧉" ><!--TWO JOINED SQUARES -->
<!ENTITY bprime   "‵" ><!--REVERSED PRIME -->
<!ENTITY bsemi    "⁏" ><!--REVERSED SEMICOLON -->
<!ENTITY cemptyv  "⦲" ><!--EMPTY SET WITH SMALL CIRCLE ABOVE -->
<!ENTITY cirE     "⧃" ><!--CIRCLE WITH TWO HORIZONTAL STROKES TO THE RIGHT -->
<!ENTITY circscir "⧂" ><!--CIRCLE WITH SMALL CIRCLE TO THE RIGHT -->
<!ENTITY comp     "∁" ><!--COMPLEMENT -->
<!ENTITY daletH   "ℸ" ><!--DALET SYMBOL -->
<!ENTITY demptyv  "⦱" ><!--EMPTY SET WITH OVERBAR -->
<!ENTITY ell      "ℓ" ><!--SCRIPT SMALL L -->
```

<!ENTITY empty "&#x02205;" ><!--EMPTY SET -->  
 <!ENTITY emptyv "&#x02205;" ><!--EMPTY SET -->  
 <!ENTITY gimel "&#x02137;" ><!--GIMEL SYMBOL -->  
 <!ENTITY iota "&#x02129;" ><!--TURNED GREEK SMALL LETTER IOTA -->  
 <!ENTITY image "&#x02111;" ><!--BLACK-LETTER  
 CAPITAL I -->  
 <!ENTITY imath "&#x00131;" ><!--LATIN SMALL LETTER DOTLESS I -->  
 <!ENTITY jmath "&#x00237;" ><!--LATIN SMALL LETTER DOTLESS J -->  
 <!ENTITY laemptyv "&#x029B4;" ><!--EMPTY SET WITH LEFT ARROW ABOVE -->  
 <!ENTITY lltri "&#x025FA;" ><!--LOWER LEFT TRIANGLE -->  
 <!ENTITY lrtri "&#x022BF;" ><!--RIGHT TRIANGLE -->  
 <!ENTITY mho "&#x02127;" ><!--INVERTED OHM SIGN -->  
 <!ENTITY nang "&#x02220;&#x020D2;" ><!--ANGLE with vertical line -->  
 <!ENTITY nexist "&#x02204;" ><!--THERE DOES NOT EXIST -->  
 <!ENTITY oS "&#x024C8;" ><!--CIRCLED LATIN CAPITAL LETTER S -->  
 <!ENTITY planck "&#x0210F;" ><!--PLANCK CONSTANT OVER TWO PI -->  
 <!ENTITY plankv "&#x0210F;" ><!--PLANCK CONSTANT OVER TWO PI -->  
 <!ENTITY raemptyv "&#x029B3;" ><!--EMPTY SET WITH RIGHT ARROW ABOVE -->  
 <!ENTITY range "&#x029A5;" ><!--REVERSED ANGLE WITH UNDERBAR -->  
 <!ENTITY real  
     "&#x0211C;" ><!--BLACK-LETTER CAPITAL R -->  
 <!ENTITY tbrk "&#x023B4;" ><!--TOP SQUARE BRACKET -->  
 <!ENTITY trpezium "&#x023E2;" ><!--WHITE TRAPEZIUM -->  
 <!ENTITY ultri "&#x025F8;" ><!--UPPER LEFT TRIANGLE -->  
 <!ENTITY urtri "&#x025F9;" ><!--UPPER RIGHT TRIANGLE -->  
 <!ENTITY vzigzag "&#x0299A;" ><!--VERTICAL ZIGZAG LINE -->  
 <!ENTITY weierp "&#x02118;" ><!--SCRIPT CAPITAL P -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/data/w3c/mathml/mathml3/isoamso.ent

No license file was found, but licenses were detected in source scan.

<!--

File isomfrk.ent produced by the XSL script entities.xml  
 from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the  
 W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle  
 via the public W3C list [www-math@w3.org](mailto:www-math@w3.org).

The numeric character values assigned to each entity  
 (should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the following notice:

(C) International Organization for Standardization 1991  
Permission to copy in any form is granted for use with conforming SGML systems and applications as defined in ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: -//W3C//ENTITIES  
Math Alphabets: Fraktur//EN//XML  
System identifier: <http://www.w3.org/2003/entities/2007/isomfrk.ent>

The public identifier should always be used verbatim.  
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isomfrk PUBLIC
  "-//W3C//ENTITIES Math Alphabets: Fraktur//EN//XML"
  "http://www.w3.org/2003/entities/2007/isomfrk.ent"
>
%isomfrk;
```

-->

```
<!ENTITY afr      "&#x1D51E;" ><!--MATHEMATICAL FRAKTUR SMALL A -->
<!ENTITY Afr      "&#x1D504;" ><!--MATHEMATICAL FRAKTUR CAPITAL A -->
<!ENTITY bfr      "&#x1D51F;" ><!--MATHEMATICAL FRAKTUR SMALL B -->
<!ENTITY Bfr      "&#x1D505;" ><!--MATHEMATICAL FRAKTUR CAPITAL B -->
<!ENTITY cfr      "&#x1D520;" ><!--MATHEMATICAL FRAKTUR SMALL C -->
<!ENTITY Cfr      "&#x0212D;" ><!--BLACK-LETTER CAPITAL C -->
<!ENTITY dfr      "&#x1D521;" ><!--MATHEMATICAL FRAKTUR SMALL D -->
<!ENTITY Dfr      "&#x1D507;" ><!--MATHEMATICAL FRAKTUR CAPITAL D -->
<!ENTITY efr      "&#x1D522;" ><!--MATHEMATICAL FRAKTUR SMALL E -->
<!ENTITY Efr      "&#x1D508;" ><!--MATHEMATICAL FRAKTUR CAPITAL E -->
<!ENTITY ffr      "&#x1D523;" ><!--MATHEMATICAL FRAKTUR SMALL F -->
<!ENTITY Ffr      "&#x1D509;" ><!--MATHEMATICAL FRAKTUR CAPITAL F -->
<!ENTITY gfr      "&#x1D524;" ><!--MATHEMATICAL FRAKTUR SMALL G -->
<!ENTITY Gfr      "&#x1D50A;" ><!--MATHEMATICAL FRAKTUR CAPITAL G -->
<!ENTITY hfr      "&#x1D525;" ><!--MATHEMATICAL FRAKTUR SMALL H -->
<!ENTITY Hfr      "&#x0210C;" ><!--BLACK-LETTER CAPITAL H -->
```

```

<!ENTITY ifr      "𝔦" ><!--MATHEMATICAL FRAKTUR SMALL I -->
<!ENTITY Ifr      "ℑ" ><!--BLACK-LETTER CAPITAL I -->
<!ENTITY jfr      "𝔧" ><!--MATHEMATICAL FRAKTUR SMALL J -->
<!ENTITY Jfr      "𝔍" ><!--MATHEMATICAL FRAKTUR CAPITAL J -->
<!ENTITY kfr      "𝔨" ><!--MATHEMATICAL FRAKTUR SMALL K -->
<!ENTITY Kfr      "𝔎" ><!--MATHEMATICAL FRAKTUR CAPITAL K -->
<!ENTITY lfr      "𝔩" ><!--MATHEMATICAL FRAKTUR SMALL L -->
<!ENTITY Lfr      "𝔏" ><!--MATHEMATICAL FRAKTUR CAPITAL L -->
<!ENTITY mfr      "𝔪" ><!--MATHEMATICAL FRAKTUR SMALL M -->
<!ENTITY Mfr      "𝔐" ><!--MATHEMATICAL FRAKTUR CAPITAL M -->
<!ENTITY nfr      "𝔫" ><!--MATHEMATICAL FRAKTUR SMALL N -->
<!ENTITY Nfr      "𝔑" ><!--MATHEMATICAL FRAKTUR CAPITAL N -->
<!ENTITY ofr      "𝔬" ><!--MATHEMATICAL FRAKTUR SMALL O -->
<!ENTITY Ofr      "𝔒" ><!--MATHEMATICAL FRAKTUR CAPITAL O -->
<!ENTITY pfr      "𝔭" ><!--MATHEMATICAL FRAKTUR SMALL P -->
<!ENTITY Pfr      "𝔓" ><!--MATHEMATICAL FRAKTUR CAPITAL P -->
<!ENTITY qfr      "𝔮" ><!--MATHEMATICAL FRAKTUR SMALL Q -->
<!ENTITY Qfr      "𝔔" ><!--MATHEMATICAL FRAKTUR CAPITAL Q -->
<!ENTITY rfr      "𝔯" ><!--MATHEMATICAL FRAKTUR SMALL R -->
<!ENTITY Rfr      "ℜ" ><!--BLACK-LETTER CAPITAL R -->
<!ENTITY sfr      "𝔰" ><!--MATHEMATICAL FRAKTUR SMALL S -->
<!ENTITY Sfr      "𝔖" ><!--MATHEMATICAL FRAKTUR CAPITAL S -->
<!ENTITY tfr      "𝔱" ><!--MATHEMATICAL FRAKTUR SMALL T -->
<!ENTITY Tfr      "𝔗" ><!--MATHEMATICAL FRAKTUR CAPITAL T -->
<!ENTITY ufr      "𝔲" ><!--MATHEMATICAL FRAKTUR SMALL U -->
<!ENTITY Ufr      "𝔘" ><!--MATHEMATICAL FRAKTUR CAPITAL U -->
<!ENTITY vfr      "𝔳" ><!--MATHEMATICAL FRAKTUR SMALL V -->
<!ENTITY Vfr      "𝔙" ><!--MATHEMATICAL FRAKTUR CAPITAL V -->
<!ENTITY wfr      "𝔴" ><!--MATHEMATICAL FRAKTUR SMALL W -->
<!ENTITY Wfr      "𝔚" ><!--MATHEMATICAL FRAKTUR CAPITAL W -->
<!ENTITY xfr      "𝔵"
><!--MATHEMATICAL FRAKTUR SMALL X -->
<!ENTITY Xfr      "𝔛" ><!--MATHEMATICAL FRAKTUR CAPITAL X -->
<!ENTITY yfr      "𝔶" ><!--MATHEMATICAL FRAKTUR SMALL Y -->
<!ENTITY Yfr      "𝔜" ><!--MATHEMATICAL FRAKTUR CAPITAL Y -->
<!ENTITY zfr      "𝔷" ><!--MATHEMATICAL FRAKTUR SMALL Z -->
<!ENTITY Zfr      "ℨ" ><!--BLACK-LETTER CAPITAL Z -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isomfrk.ent

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Block Presentation Module ..... -->
<!-- file: xhtml-blkpres-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-blkpres-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Block Presentation 1.0//EN"  
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-blkpres-1.mod"
```

Revisions:

(none)

..... -->

<!-- Block Presentational Elements

hr

This module declares the elements and their attributes used to  
support block-level presentational markup.

-->

```
<!ENTITY % hr.element "INCLUDE"  
>  
<![%hr.element;[  
<!ENTITY % hr.content "EMPTY" >  
<!ENTITY % hr.qname "hr" >  
<!ELEMENT %hr.qname; %hr.content; >  
<!-- end of hr.element -->]]>
```

```
<!ENTITY % hr.attlist "INCLUDE" >  
<![%hr.attlist;[  
<!ATTLIST %hr.qname;  
    %Common.attrib;  
>  
<!-- end of hr.attlist -->]]>
```

<!-- end of xhtml-blkpres-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-blkpres-1.mod

No license file was found, but licenses were detected in source scan.

20010904/

Copyright (c) 2000 W3C (MIT, INRIA, Keio), All Rights Reserved.

For SVG 1.0:

Namespace:

<http://www.w3.org/2000/svg>

Public identifier:

PUBLIC "

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/svg10/svg10.dtd

No license file was found, but licenses were detected in source scan.

<!--

File mmlalias.ent produced by the XSL script entities.xml  
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the  
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle  
via the public W3C list [www-math@w3.org](mailto:www-math@w3.org).

The numeric character values assigned to each entity  
(should) match the Unicode assignments in Unicode 5.x.

References to the VARIANT SELECTOR 1 character (&#x0FE00;)  
should match the uses listed in Unicode Technical Report 25.

-->

<!--

Public identifier: `--W3C//ENTITIES MathML Aliases//EN//XML`

System identifier: `http://www.w3.org/2003/entities/2007/mmlalias.ent`

The public identifier should always be used verbatim.  
The system identifier may be changed  
to suit local requirements.

Typical invocation:

```
<!ENTITY % mmlalias PUBLIC  
"--W3C//ENTITIES MathML Aliases//EN//XML"
```

```

"http://www.w3.org/2003/entities/2007/mmlalias.ent"
>
%mmlalias;

-->

<!ENTITY angle      "∠" ><!--ANGLE -->
<!ENTITY ApplyFunction  "⁡" ><!--FUNCTION APPLICATION -->
<!ENTITY approx      "≈" ><!--ALMOST EQUAL TO -->
<!ENTITY approxeq    "≊" ><!--ALMOST EQUAL OR EQUAL TO -->
<!ENTITY Assign      "≔" ><!--COLON EQUALS -->
<!ENTITY backcong    "≌" ><!--ALL EQUAL TO -->
<!ENTITY backepsilon "϶" ><!--GREEK REVERSED LUNATE EPSILON SYMBOL -->
<!ENTITY backprime   "‵" ><!--REVERSED PRIME -->
<!ENTITY backsim     "∽" ><!--REVERSED TILDE -->
<!ENTITY backsimeq   "⋍" ><!--REVERSED TILDE EQUALS -->
<!ENTITY Backslash   "∖" ><!--SET MINUS -->
<!ENTITY barwedge    "⌅" ><!--PROJECTIVE
-->
<!ENTITY because     "∵" ><!--BECAUSE -->
<!ENTITY Because     "∵" ><!--BECAUSE -->
<!ENTITY Bernoullis  "ℬ" ><!--SCRIPT CAPITAL B -->
<!ENTITY between     "≬" ><!--BETWEEN -->
<!ENTITY bigcap      "⋂" ><!--N-ARY INTERSECTION -->
<!ENTITY bigcirc     "◯" ><!--LARGE CIRCLE -->
<!ENTITY bigcup      "⋃" ><!--N-ARY UNION -->
<!ENTITY bigodot     "⨀" ><!--N-ARY CIRCLED DOT OPERATOR -->
<!ENTITY bigoplus    "⨁" ><!--N-ARY CIRCLED PLUS OPERATOR -->
<!ENTITY bigotimes   "⨂" ><!--N-ARY CIRCLED TIMES OPERATOR -->
<!ENTITY bigsqcup    "⨆" ><!--N-ARY SQUARE UNION OPERATOR -->
<!ENTITY bigstar     "★" ><!--BLACK STAR -->
<!ENTITY bigtriangledown "▽" ><!--WHITE DOWN-POINTING TRIANGLE -->
<!ENTITY bigtriangleup  "△" ><!--WHITE UP-POINTING TRIANGLE -->
<!ENTITY biguplus     "⨄" ><!--N-ARY UNION OPERATOR WITH PLUS
-->
<!ENTITY bigvee      "⋁" ><!--N-ARY LOGICAL OR -->
<!ENTITY bigwedge     "⋀" ><!--N-ARY LOGICAL AND -->
<!ENTITY bkarow       "⤍" ><!--RIGHTWARDS DOUBLE DASH ARROW -->
<!ENTITY blacklozenge "⧫" ><!--BLACK LOZENGE -->
<!ENTITY blacksquare  "▪" ><!--BLACK SMALL SQUARE -->
<!ENTITY blacktriangle "▴" ><!--BLACK UP-POINTING SMALL TRIANGLE -->
<!ENTITY blacktriangledown "▾" ><!--BLACK DOWN-POINTING SMALL TRIANGLE -->
<!ENTITY blacktriangleleft "◂" ><!--BLACK LEFT-POINTING SMALL TRIANGLE -->
<!ENTITY blacktriangleright "▸" ><!--BLACK RIGHT-POINTING SMALL TRIANGLE -->
<!ENTITY bot         "⊥" ><!--UP TACK -->
<!ENTITY boxminus     "⊟" ><!--SQUARED MINUS -->
<!ENTITY boxplus      "⊞" ><!--SQUARED PLUS -->
<!ENTITY boxtimes     "⊠" ><!--SQUARED TIMES -->

```

<!ENTITY Breve "&#x002D8;" ><!--BREVE -->  
 <!ENTITY bullet "&#x02022;" ><!--BULLET -->  
 -->  
 <!ENTITY bumpeq "&#x0224F;" ><!--DIFFERENCE BETWEEN -->  
 <!ENTITY Bumpeq "&#x0224E;" ><!--GEOMETRICALLY EQUIVALENT TO -->  
 <!ENTITY CapitalDifferentialD "&#x02145;" ><!--DOUBLE-STRUCK ITALIC CAPITAL D -->  
 <!ENTITY Cayleys "&#x0212D;" ><!--BLACK-LETTER CAPITAL C -->  
 <!ENTITY Cedilla "&#x000B8;" ><!--CEDILLA -->  
 <!ENTITY centerdot "&#x000B7;" ><!--MIDDLE DOT -->  
 <!ENTITY CenterDot "&#x000B7;" ><!--MIDDLE DOT -->  
 <!ENTITY checkmark "&#x02713;" ><!--CHECK MARK -->  
 <!ENTITY circeq "&#x02257;" ><!--RING EQUAL TO -->  
 <!ENTITY circlearrowleft "&#x021BA;" ><!--ANTICLOCKWISE OPEN CIRCLE ARROW -->  
 <!ENTITY circlearrowright "&#x021BB;" ><!--CLOCKWISE OPEN CIRCLE ARROW -->  
 <!ENTITY circledast "&#x0229B;" ><!--CIRCLED ASTERISK OPERATOR -->  
 <!ENTITY circledcirc "&#x0229A;" ><!--CIRCLED RING OPERATOR -->  
 <!ENTITY circleddash "&#x0229D;" ><!--CIRCLED DASH -->  
 <!ENTITY CircleDot "&#x02299;" ><!--CIRCLED  
 DOT OPERATOR -->  
 <!ENTITY circledR "&#x000AE;" ><!--REGISTERED SIGN -->  
 <!ENTITY circledS "&#x024C8;" ><!--CIRCLED LATIN CAPITAL LETTER S -->  
 <!ENTITY CircleMinus "&#x02296;" ><!--CIRCLED MINUS -->  
 <!ENTITY CirclePlus "&#x02295;" ><!--CIRCLED PLUS -->  
 <!ENTITY CircleTimes "&#x02297;" ><!--CIRCLED TIMES -->  
 <!ENTITY ClockwiseContourIntegral "&#x02232;" ><!--CLOCKWISE CONTOUR INTEGRAL -->  
 <!ENTITY CloseCurlyDoubleQuote "&#x0201D;" ><!--RIGHT DOUBLE QUOTATION MARK -->  
 <!ENTITY CloseCurlyQuote "&#x02019;" ><!--RIGHT SINGLE QUOTATION MARK -->  
 <!ENTITY clubsuit "&#x02663;" ><!--BLACK CLUB SUIT -->  
 <!ENTITY coloneq "&#x02254;" ><!--COLON EQUALS -->  
 <!ENTITY complement "&#x02201;" ><!--COMPLEMENT -->  
 <!ENTITY complexes "&#x02102;" ><!--DOUBLE-STRUCK CAPITAL C -->  
 <!ENTITY Congruent "&#x02261;" ><!--IDENTICAL TO -->  
 <!ENTITY ContourIntegral "&#x0222E;" ><!--CONTOUR INTEGRAL -->  
 <!ENTITY Coproduct "&#x02210;" ><!--N-ARY  
 COPRODUCT -->  
 <!ENTITY CounterClockwiseContourIntegral "&#x02233;" ><!--ANTICLOCKWISE CONTOUR INTEGRAL -->  
 <!ENTITY CupCap "&#x0224D;" ><!--EQUIVALENT TO -->  
 <!ENTITY curlyeqprec "&#x022DE;" ><!--EQUAL TO OR PRECEDES -->  
 <!ENTITY curlyeqsucc "&#x022DF;" ><!--EQUAL TO OR SUCCEEDS -->  
 <!ENTITY curlyvee "&#x022CE;" ><!--CURLY LOGICAL OR -->  
 <!ENTITY curlywedge "&#x022CF;" ><!--CURLY LOGICAL AND -->  
 <!ENTITY curvearrowleft "&#x021B6;" ><!--ANTICLOCKWISE TOP SEMICIRCLE ARROW -->  
 <!ENTITY curvearrowright "&#x021B7;" ><!--CLOCKWISE TOP SEMICIRCLE ARROW -->  
 <!ENTITY dbkarow "&#x0290F;" ><!--RIGHTWARDS TRIPLE DASH ARROW -->  
 <!ENTITY ddagger "&#x02021;" ><!--DOUBLE DAGGER -->  
 <!ENTITY ddotseq "&#x02A77;" ><!--EQUALS SIGN WITH TWO DOTS ABOVE AND TWO DOTS  
 BELOW -->  
 <!ENTITY Del "&#x02207;" ><!--NABLA -->

<!ENTITY DiacriticalAcute "&#x000B4;" ><!--ACUTE ACCENT -->  
 <!ENTITY DiacriticalDot "&#x002D9;" ><!--DOT ABOVE  
 -->  
 <!ENTITY DiacriticalDoubleAcute "&#x002DD;" ><!--DOUBLE ACUTE ACCENT -->  
 <!ENTITY DiacriticalGrave "&#x00060;" ><!--GRAVE ACCENT -->  
 <!ENTITY DiacriticalTilde "&#x002DC;" ><!--SMALL TILDE -->  
 <!ENTITY diamond "&#x022C4;" ><!--DIAMOND OPERATOR -->  
 <!ENTITY Diamond "&#x022C4;" ><!--DIAMOND OPERATOR -->  
 <!ENTITY diamondsuit "&#x02666;" ><!--BLACK DIAMOND SUIT -->  
 <!ENTITY DifferentialD "&#x02146;" ><!--DOUBLE-STRUCK ITALIC SMALL D -->  
 <!ENTITY digamma "&#x003DD;" ><!--GREEK SMALL LETTER DIGAMMA -->  
 <!ENTITY div "&#x000F7;" ><!--DIVISION SIGN -->  
 <!ENTITY divideontimes "&#x022C7;" ><!--DIVISION TIMES -->  
 <!ENTITY doteq "&#x02250;" ><!--APPROACHES THE LIMIT -->  
 <!ENTITY doteqdot "&#x02251;" ><!--GEOMETRICALLY EQUAL TO -->  
 <!ENTITY DotEqual "&#x02250;" ><!--APPROACHES THE LIMIT -->  
 <!ENTITY dotminus "&#x02238;" ><!--DOT MINUS -->  
 <!ENTITY dotplus "&#x02214;" ><!--DOT PLUS -->  
 <!ENTITY dotsquare  
     "&#x022A1;" ><!--SQUARED DOT OPERATOR -->  
 <!ENTITY doublebarwedge "&#x02306;" ><!--PERSPECTIVE -->  
 <!ENTITY DoubleContourIntegral "&#x0222F;" ><!--SURFACE INTEGRAL -->  
 <!ENTITY DoubleDot "&#x000A8;" ><!--DIAERESIS -->  
 <!ENTITY DoubleDownArrow "&#x021D3;" ><!--DOWNWARDS DOUBLE ARROW -->  
 <!ENTITY DoubleLeftArrow "&#x021D0;" ><!--LEFTWARDS DOUBLE ARROW -->  
 <!ENTITY DoubleLeftRightArrow "&#x021D4;" ><!--LEFT RIGHT DOUBLE ARROW -->  
 <!ENTITY DoubleLeftTee "&#x02AE4;" ><!--VERTICAL BAR DOUBLE LEFT TURNSTILE -->  
 <!ENTITY DoubleLongLeftArrow "&#x027F8;" ><!--LONG LEFTWARDS DOUBLE ARROW -->  
 <!ENTITY DoubleLongLeftRightArrow "&#x027FA;" ><!--LONG LEFT RIGHT DOUBLE ARROW -->  
 <!ENTITY DoubleLongRightArrow "&#x027F9;" ><!--LONG RIGHTWARDS DOUBLE ARROW -->  
 <!ENTITY DoubleRightArrow "&#x021D2;" ><!--RIGHTWARDS DOUBLE ARROW -->  
 <!ENTITY DoubleRightTee "&#x022A8;" ><!--TRUE -->  
 <!ENTITY DoubleUpArrow "&#x021D1;" ><!--UPWARDS DOUBLE ARROW -->  
 <!ENTITY DoubleUpDownArrow "&#x021D5;"  
     ><!--UP DOWN DOUBLE ARROW -->  
 <!ENTITY DoubleVerticalBar "&#x02225;" ><!--PARALLEL TO -->  
 <!ENTITY downarrow "&#x02193;" ><!--DOWNWARDS ARROW -->  
 <!ENTITY Downarrow "&#x021D3;" ><!--DOWNWARDS DOUBLE ARROW -->  
 <!ENTITY DownArrow "&#x02193;" ><!--DOWNWARDS ARROW -->  
 <!ENTITY DownArrowUpArrow "&#x021F5;" ><!--DOWNWARDS ARROW LEFTWARDS OF UPWARDS  
 ARROW -->  
 <!ENTITY downdownarrows "&#x021CA;" ><!--DOWNWARDS PAIRED ARROWS -->  
 <!ENTITY downharpoonleft "&#x021C3;" ><!--DOWNWARDS HARPOON WITH BARB LEFTWARDS -->  
 <!ENTITY downharpoonright "&#x021C2;" ><!--DOWNWARDS HARPOON WITH BARB RIGHTWARDS -->  
 <!ENTITY DownLeftVector "&#x021BD;" ><!--LEFTWARDS HARPOON WITH BARB DOWNWARDS -->  
 <!ENTITY DownRightVector "&#x021C1;" ><!--RIGHTWARDS HARPOON WITH BARB DOWNWARDS -->  
 <!ENTITY DownTee "&#x022A4;" ><!--DOWN TACK -->  
 <!ENTITY DownTeeArrow "&#x021A7;" ><!--DOWNWARDS ARROW FROM BAR -->

<!ENTITY drbkarow "&#x02910;" ><!--RIGHTWARDS TWO-HEADED TRIPLE DASH  
 ARROW -->  
 <!ENTITY Element "&#x02208;" ><!--ELEMENT OF -->  
 <!ENTITY emptyset "&#x02205;" ><!--EMPTY SET -->  
 <!ENTITY eqcirc "&#x02256;" ><!--RING IN EQUAL TO -->  
 <!ENTITY eqcolon "&#x02255;" ><!--EQUALS COLON -->  
 <!ENTITY eqsim "&#x02242;" ><!--MINUS TILDE -->  
 <!ENTITY eqslantgtr "&#x02A96;" ><!--SLANTED EQUAL TO OR GREATER-THAN -->  
 <!ENTITY eqslantless "&#x02A95;" ><!--SLANTED EQUAL TO OR LESS-THAN -->  
 <!ENTITY EqualTilde "&#x02242;" ><!--MINUS TILDE -->  
 <!ENTITY Equilibrium "&#x021CC;" ><!--RIGHTWARDS HARPOON OVER LEFTWARDS HARPOON -->  
 <!ENTITY Exists "&#x02203;" ><!--THERE EXISTS -->  
 <!ENTITY expectation "&#x02130;" ><!--SCRIPT CAPITAL E -->  
 <!ENTITY exponentiale "&#x02147;" ><!--DOUBLE-STRUCK ITALIC SMALL E -->  
 <!ENTITY ExponentialE "&#x02147;" ><!--DOUBLE-STRUCK ITALIC SMALL E -->  
 <!ENTITY fallingdotseq "&#x02252;" ><!--APPROXIMATELY EQUAL TO OR THE IMAGE OF -->  
 <!ENTITY ForAll "&#x02200;" ><!--FOR ALL -->  
 <!ENTITY Fouriertf "&#x02131;" ><!--SCRIPT CAPITAL F -->  
 <!ENTITY geq "&#x02265;" ><!--GREATER-THAN OR EQUAL TO -->  
 <!ENTITY geqq "&#x02267;" ><!--GREATER-THAN OVER EQUAL TO -->  
 <!ENTITY geqslant "&#x02A7E;" ><!--GREATER-THAN OR SLANTED EQUAL TO -->  
 <!ENTITY gg "&#x0226B;" ><!--MUCH GREATER-THAN -->  
 <!ENTITY ggg "&#x022D9;" ><!--VERY MUCH GREATER-THAN -->  
 <!ENTITY gnapprox "&#x02A8A;" ><!--GREATER-THAN AND NOT APPROXIMATE -->  
 <!ENTITY gneq "&#x02A88;" ><!--GREATER-THAN AND SINGLE-LINE NOT EQUAL TO -->  
 <!ENTITY gneqq "&#x02269;" ><!--GREATER-THAN BUT NOT EQUAL TO -->  
 <!ENTITY GreaterEqual "&#x02265;" ><!--GREATER-THAN OR EQUAL TO -->  
 <!ENTITY GreaterEqualLess "&#x022DB;" ><!--GREATER-THAN EQUAL TO OR LESS-THAN -->  
 <!ENTITY GreaterFullEqual "&#x02267;" ><!--GREATER-THAN OVER EQUAL TO -->  
 <!ENTITY GreaterLess "&#x02277;" ><!--GREATER-THAN OR LESS-THAN -->  
 <!ENTITY  
 GreaterSlantEqual "&#x02A7E;" ><!--GREATER-THAN OR SLANTED EQUAL TO -->  
 <!ENTITY GreaterTilde "&#x02273;" ><!--GREATER-THAN OR EQUIVALENT TO -->  
 <!ENTITY gtrapprox "&#x02A86;" ><!--GREATER-THAN OR APPROXIMATE -->  
 <!ENTITY gtrdot "&#x022D7;" ><!--GREATER-THAN WITH DOT -->  
 <!ENTITY gtreqless "&#x022DB;" ><!--GREATER-THAN EQUAL TO OR LESS-THAN -->  
 <!ENTITY gtreqqless "&#x02A8C;" ><!--GREATER-THAN ABOVE DOUBLE-LINE EQUAL ABOVE  
 LESS-THAN -->  
 <!ENTITY gtrless "&#x02277;" ><!--GREATER-THAN OR LESS-THAN -->  
 <!ENTITY gtrsimeq "&#x02273;" ><!--GREATER-THAN OR EQUIVALENT TO -->  
 <!ENTITY gvertneqq "&#x02269;&#x0FE00;" ><!--GREATER-THAN BUT NOT EQUAL TO - with vertical  
 stroke -->  
 <!ENTITY Hacek "&#x002C7;" ><!--CARON -->  
 <!ENTITY hbar "&#x0210F;" ><!--PLANCK CONSTANT OVER TWO PI -->  
 <!ENTITY heartsuit "&#x02665;" ><!--BLACK HEART SUIT -->  
 <!ENTITY HilbertSpace "&#x0210B;" ><!--SCRIPT CAPITAL H -->  
 <!ENTITY

hksearrow "&#x02925;" <!--SOUTH EAST ARROW WITH HOOK -->  
 <!ENTITY hkswarow "&#x02926;" <!--SOUTH WEST ARROW WITH HOOK -->  
 <!ENTITY hookleftarrow "&#x021A9;" <!--LEFTWARDS ARROW WITH HOOK -->  
 <!ENTITY hookrightarrow "&#x021AA;" <!--RIGHTWARDS ARROW WITH HOOK -->  
 <!ENTITY hslash "&#x0210F;" <!--PLANCK CONSTANT OVER TWO PI -->  
 <!ENTITY HumpDownHump "&#x0224E;" <!--GEOMETRICALLY EQUIVALENT TO -->  
 <!ENTITY HumpEqual "&#x0224F;" <!--DIFFERENCE BETWEEN -->  
 <!ENTITY iiiint "&#x02A0C;" <!--QUADRUPLE INTEGRAL OPERATOR -->  
 <!ENTITY iiint "&#x0222D;" <!--TRIPLE INTEGRAL -->  
 <!ENTITY Im "&#x02111;" <!--BLACK-LETTER CAPITAL I -->  
 <!ENTITY ImaginaryI "&#x02148;" <!--DOUBLE-STRUCK ITALIC SMALL I -->  
 <!ENTITY imagline "&#x02110;" <!--SCRIPT CAPITAL I -->  
 <!ENTITY imagpart "&#x02111;" <!--BLACK-LETTER CAPITAL I -->  
 <!ENTITY Implies "&#x021D2;" <!--RIGHTWARDS DOUBLE ARROW -->  
 <!ENTITY  
 in "&#x02208;" <!--ELEMENT OF -->  
 <!ENTITY integers "&#x02124;" <!--DOUBLE-STRUCK CAPITAL Z -->  
 <!ENTITY Integral "&#x0222B;" <!--INTEGRAL -->  
 <!ENTITY intercal "&#x022BA;" <!--INTERCALATE -->  
 <!ENTITY Intersection "&#x022C2;" <!--N-ARY INTERSECTION -->  
 <!ENTITY intprod "&#x02A3C;" <!--INTERIOR PRODUCT -->  
 <!ENTITY InvisibleComma "&#x02063;" <!--INVISIBLE SEPARATOR -->  
 <!ENTITY InvisibleTimes "&#x02062;" <!--INVISIBLE TIMES -->  
 <!ENTITY langle "&#x027E8;" <!--MATHEMATICAL LEFT ANGLE BRACKET -->  
 <!ENTITY Laplacetrif "&#x02112;" <!--SCRIPT CAPITAL L -->  
 <!ENTITY lbrace "&#x0007B;" <!--LEFT CURLY BRACKET -->  
 <!ENTITY lbrack "&#x0005B;" <!--LEFT SQUARE BRACKET -->  
 <!ENTITY LeftAngleBracket "&#x027E8;" <!--MATHEMATICAL LEFT ANGLE BRACKET -->  
 <!ENTITY leftarrow "&#x02190;" <!--LEFTWARDS ARROW -->  
 <!ENTITY Leftarrow "&#x021D0;" <!--LEFTWARDS DOUBLE ARROW -->  
 <!ENTITY  
 LeftArrow "&#x02190;" <!--LEFTWARDS ARROW -->  
 <!ENTITY LeftArrowBar "&#x021E4;" <!--LEFTWARDS ARROW TO BAR -->  
 <!ENTITY LeftArrowRightArrow "&#x021C6;" <!--LEFTWARDS ARROW OVER RIGHTWARDS ARROW -->  
 <!-->  
 <!ENTITY leftarrowtail "&#x021A2;" <!--LEFTWARDS ARROW WITH TAIL -->  
 <!ENTITY LeftCeiling "&#x02308;" <!--LEFT CEILING -->  
 <!ENTITY LeftDoubleBracket "&#x027E6;" <!--MATHEMATICAL LEFT WHITE SQUARE BRACKET -->  
 <!ENTITY LeftDownVector "&#x021C3;" <!--DOWNWARDS HARPOON WITH BARB LEFTWARDS -->  
 <!ENTITY LeftFloor "&#x0230A;" <!--LEFT FLOOR -->  
 <!ENTITY leftharpoondown "&#x021BD;" <!--LEFTWARDS HARPOON WITH BARB DOWNWARDS -->  
 <!ENTITY leftharpoonup "&#x021BC;" <!--LEFTWARDS HARPOON WITH BARB UPWARDS -->  
 <!ENTITY leftleftarrows "&#x021C7;" <!--LEFTWARDS PAIRED ARROWS -->  
 <!ENTITY leftrightarrow "&#x02194;" <!--LEFT RIGHT ARROW -->  
 <!ENTITY Leftrightarrow "&#x021D4;" <!--LEFT RIGHT DOUBLE ARROW -->  
 <!ENTITY LeftRightArrow "&#x02194;" <!--LEFT RIGHT  
 ARROW -->  
 <!ENTITY leftrightarrows "&#x021C6;" <!--LEFTWARDS ARROW OVER RIGHTWARDS ARROW -->

<!ENTITY leftrightharpoons "&#x021CB;" ><!--LEFTWARDS HARPOON OVER RIGHTWARDS HARPOON ->

<!ENTITY leftrightsquigarrow "&#x021AD;" ><!--LEFT RIGHT WAVE ARROW -->

<!ENTITY LeftTee "&#x022A3;" ><!--LEFT TACK -->

<!ENTITY LeftTeeArrow "&#x021A4;" ><!--LEFTWARDS ARROW FROM BAR -->

<!ENTITY leftthreetimes "&#x022CB;" ><!--LEFT SEMIDIRECT PRODUCT -->

<!ENTITY LeftTriangle "&#x022B2;" ><!--NORMAL SUBGROUP OF -->

<!ENTITY LeftTriangleEqual "&#x022B4;" ><!--NORMAL SUBGROUP OF OR EQUAL TO -->

<!ENTITY LeftUpVector "&#x021BF;" ><!--UPWARDS HARPOON WITH BARB LEFTWARDS -->

<!ENTITY LeftVector "&#x021BC;" ><!--LEFTWARDS HARPOON WITH BARB UPWARDS -->

<!ENTITY leq "&#x02264;" ><!--LESS-THAN OR EQUAL TO -->

<!ENTITY leqq "&#x02266;" ><!--LESS-THAN OVER EQUAL TO -->

<!ENTITY leqslant "&#x02A7D;" ><!--LESS-THAN OR SLANTED EQUAL TO -->

<!ENTITY lessapprox "&#x02A85;" ><!--LESS-THAN OR APPROXIMATE -->

<!ENTITY lessdot "&#x022D6;" ><!--LESS-THAN WITH DOT -->

<!ENTITY lesseqgtr "&#x022DA;" ><!--LESS-THAN EQUAL TO OR GREATER-THAN -->

<!ENTITY lesseqqtr "&#x02A8B;" ><!--LESS-THAN ABOVE DOUBLE-LINE EQUAL ABOVE GREATER-THAN -->

<!ENTITY LessEqualGreater "&#x022DA;" ><!--LESS-THAN EQUAL TO OR GREATER-THAN -->

<!ENTITY LessFullEqual "&#x02266;" ><!--LESS-THAN OVER EQUAL TO -->

<!ENTITY LessGreater "&#x02276;" ><!--LESS-THAN OR GREATER-THAN -->

<!ENTITY lessgtr "&#x02276;" ><!--LESS-THAN OR GREATER-THAN -->

<!ENTITY lesssim "&#x02272;" ><!--LESS-THAN OR EQUIVALENT TO -->

<!ENTITY LessSlantEqual "&#x02A7D;" ><!--LESS-THAN OR SLANTED EQUAL TO -->

<!ENTITY LessTilde "&#x02272;" ><!--LESS-THAN OR EQUIVALENT TO -->

<!ENTITY ll "&#x0226A;" ><!--MUCH LESS-THAN -->

<!ENTITY llcorner "&#x0231E;" ><!--BOTTOM LEFT CORNER -->

<!ENTITY Lleftarrow "&#x021DA;" ><!--LEFTWARDS TRIPLE ARROW -->

<!ENTITY lmoustache "&#x023B0;" ><!--UPPER LEFT OR LOWER RIGHT CURLY BRACKET SECTION -->

<!ENTITY lnapprox "&#x02A89;" ><!--LESS-THAN AND NOT APPROXIMATE -->

<!ENTITY lneq "&#x02A87;" ><!--LESS-THAN AND SINGLE-LINE NOT EQUAL TO -->

<!ENTITY lneqq "&#x02268;" ><!--LESS-THAN BUT NOT EQUAL TO -->

<!ENTITY longleftarrow "&#x027F5;" ><!--LONG LEFTWARDS ARROW -->

<!ENTITY Longleftarrow "&#x027F8;" ><!--LONG LEFTWARDS DOUBLE ARROW -->

<!ENTITY LongLeftArrow "&#x027F5;" ><!--LONG LEFTWARDS ARROW -->

<!ENTITY longleftrightarrow "&#x027F7;" ><!--LONG LEFT RIGHT ARROW -->

<!ENTITY Longleftrightarrow "&#x027FA;" ><!--LONG LEFT RIGHT DOUBLE ARROW -->

<!ENTITY LongLeftRightArrow "&#x027F7;" ><!--LONG LEFT RIGHT ARROW -->

<!ENTITY longmapsto "&#x027FC;" ><!--LONG RIGHTWARDS ARROW FROM BAR -->

<!ENTITY longrightarrow "&#x027F6;" ><!--LONG RIGHTWARDS ARROW -->

<!ENTITY Longrightarrow "&#x027F9;" ><!--LONG RIGHTWARDS DOUBLE ARROW -->

<!ENTITY LongRightArrow "&#x027F6;" ><!--LONG RIGHTWARDS ARROW -->

<!ENTITY looparrowleft "&#x021AB;" ><!--LEFTWARDS ARROW WITH LOOP -->

<!ENTITY looparrowright "&#x021AC;" ><!--RIGHTWARDS ARROW WITH LOOP -->

<!ENTITY LowerLeftArrow "&#x02199;" ><!--SOUTH WEST ARROW -->  
 <!ENTITY LowerRightArrow "&#x02198;" ><!--SOUTH EAST ARROW -->  
 <!ENTITY lozenge "&#x025CA;" ><!--LOZENGE -->  
 <!ENTITY lrcorner "&#x0231F;" ><!--BOTTOM RIGHT CORNER -->  
 <!ENTITY Lsh "&#x021B0;" ><!--UPWARDS ARROW WITH TIP LEFTWARDS -->  
 <!ENTITY lvertneqq "&#x02268;&#x0FE00;" ><!--LESS-THAN BUT NOT EQUAL TO - with vertical stroke -->  
 <!ENTITY maltese "&#x02720;" ><!--MALTESE CROSS -->  
 <!ENTITY mapsto "&#x021A6;" ><!--RIGHTWARDS ARROW FROM BAR -->  
 <!ENTITY measuredangle "&#x02221;" ><!--MEASURED ANGLE -->  
 <!ENTITY Mellintrf "&#x02133;" ><!--SCRIPT CAPITAL M -->  
 <!ENTITY MinusPlus "&#x02213;" ><!--MINUS-OR-PLUS SIGN -->  
 <!ENTITY  
 mp "&#x02213;" ><!--MINUS-OR-PLUS SIGN -->  
 <!ENTITY multimap "&#x022B8;" ><!--MULTIMAP -->  
 <!ENTITY napprox "&#x02249;" ><!--NOT ALMOST EQUAL TO -->  
 <!ENTITY natural "&#x0266E;" ><!--MUSIC NATURAL SIGN -->  
 <!ENTITY naturals "&#x02115;" ><!--DOUBLE-STRUCK CAPITAL N -->  
 <!ENTITY nearrow "&#x02197;" ><!--NORTH EAST ARROW -->  
 <!ENTITY NegativeMediumSpace "&#x0200B;" ><!--ZERO WIDTH SPACE -->  
 <!ENTITY NegativeThickSpace "&#x0200B;" ><!--ZERO WIDTH SPACE -->  
 <!ENTITY NegativeThinSpace "&#x0200B;" ><!--ZERO WIDTH SPACE -->  
 <!ENTITY NegativeVeryThinSpace "&#x0200B;" ><!--ZERO WIDTH SPACE -->  
 <!ENTITY NestedGreaterGreater "&#x0226B;" ><!--MUCH GREATER-THAN -->  
 <!ENTITY NestedLessLess "&#x0226A;" ><!--MUCH LESS-THAN -->  
 <!ENTITY nexists "&#x02204;" ><!--THERE DOES NOT EXIST -->  
 <!ENTITY ngeq "&#x02271;" ><!--NEITHER GREATER-THAN NOR EQUAL TO -->  
 <!ENTITY ngeqq "&#x02267;&#x00338;" ><!--GREATER-THAN OVER EQUAL TO with slash -->  
 <!ENTITY ngeqslant "&#x02A7E;&#x00338;" ><!--GREATER-THAN OR SLANTED EQUAL TO with slash -->  
 <!ENTITY ngtr "&#x0226F;" ><!--NOT GREATER-THAN -->  
 <!ENTITY nleftarrow "&#x0219A;" ><!--LEFTWARDS ARROW WITH STROKE -->  
 <!ENTITY nLeftarrow "&#x021CD;" ><!--LEFTWARDS DOUBLE ARROW WITH STROKE -->  
 <!ENTITY nleftrightarrow "&#x021AE;" ><!--LEFT RIGHT ARROW WITH STROKE -->  
 <!ENTITY nLeftrightarrow "&#x021CE;" ><!--LEFT RIGHT DOUBLE ARROW WITH STROKE -->  
 <!ENTITY nleq "&#x02270;" ><!--NEITHER LESS-THAN NOR EQUAL TO -->  
 <!ENTITY nleqq "&#x02266;&#x00338;" ><!--LESS-THAN OVER EQUAL TO with slash -->  
 <!ENTITY nleqslant "&#x02A7D;&#x00338;" ><!--LESS-THAN OR SLANTED EQUAL TO with slash -->  
 <!ENTITY nless "&#x0226E;" ><!--NOT LESS-THAN -->  
 <!ENTITY NonBreakingSpace "&#x000A0;" ><!--NO-BREAK SPACE -->  
 <!ENTITY NotCongruent "&#x02262;" ><!--NOT IDENTICAL TO -->  
 <!ENTITY NotDoubleVerticalBar "&#x02226;" ><!--NOT PARALLEL TO -->  
 <!ENTITY NotElement "&#x02209;" ><!--NOT AN ELEMENT OF -->  
 <!ENTITY NotEqual "&#x02260;" ><!--NOT EQUAL TO -->  
 <!ENTITY NotEqualTilde "&#x02242;&#x00338;" ><!--MINUS TILDE with slash -->  
 <!ENTITY NotExists "&#x02204;" ><!--THERE DOES NOT EXIST -->

<!ENTITY NotGreater "&#x0226F;" ><!--NOT GREATER-THAN -->  
 <!ENTITY NotGreaterEqual "&#x02271;" ><!--NEITHER GREATER-THAN NOR EQUAL TO -->  
 <!ENTITY NotGreaterFullEqual "&#x02266;&#x00338;" ><!--LESS-THAN OVER EQUAL TO with slash -->  
 <!ENTITY NotGreaterGreater "&#x0226B;&#x00338;" ><!--MUCH GREATER THAN with slash -->  
 <!ENTITY NotGreaterLess "&#x02279;" ><!--NEITHER GREATER-THAN NOR LESS-THAN -->  
 <!ENTITY NotGreaterSlantEqual "&#x02A7E;&#x00338;" ><!--GREATER-THAN OR SLANTED EQUAL TO with slash -->  
 <!ENTITY NotGreaterTilde "&#x02275;" ><!--NEITHER GREATER-THAN NOR EQUIVALENT TO -->  
 <!ENTITY NotHumpDownHump "&#x0224E;&#x00338;" ><!--GEOMETRICALLY EQUIVALENT TO with slash -->  
 <!ENTITY  
 NotLeftTriangle "&#x022EA;" ><!--NOT NORMAL SUBGROUP OF -->  
 <!ENTITY NotLeftTriangleEqual "&#x022EC;" ><!--NOT NORMAL SUBGROUP OF OR EQUAL TO -->  
 <!ENTITY NotLess "&#x0226E;" ><!--NOT LESS-THAN -->  
 <!ENTITY NotLessEqual "&#x02270;" ><!--NEITHER LESS-THAN NOR EQUAL TO -->  
 <!ENTITY NotLessGreater "&#x02278;" ><!--NEITHER LESS-THAN NOR GREATER-THAN -->  
 <!ENTITY NotLessLess "&#x0226A;&#x00338;" ><!--MUCH LESS THAN with slash -->  
 <!ENTITY NotLessSlantEqual "&#x02A7D;&#x00338;" ><!--LESS-THAN OR SLANTED EQUAL TO with slash -->  
 <!ENTITY NotLessTilde "&#x02274;" ><!--NEITHER LESS-THAN NOR EQUIVALENT TO -->  
 <!ENTITY NotPrecedes "&#x02280;" ><!--DOES NOT PRECEDE -->  
 <!ENTITY NotPrecedesEqual "&#x02AAF;&#x00338;" ><!--PRECEDES ABOVE SINGLE-LINE EQUALS SIGN with slash -->  
 <!ENTITY NotPrecedesSlantEqual "&#x022E0;" ><!--DOES NOT PRECEDE OR EQUAL -->  
 <!ENTITY NotReverseElement "&#x0220C;" ><!--DOES NOT CONTAIN AS MEMBER -->  
 <!ENTITY NotRightTriangle "&#x022EB;" ><!--DOES NOT CONTAIN AS NORMAL SUBGROUP -->  
 <!ENTITY NotRightTriangleEqual "&#x022ED;" ><!--DOES NOT CONTAIN AS NORMAL SUBGROUP OR EQUAL -->  
 <!ENTITY NotSquareSubsetEqual "&#x022E2;" ><!--NOT SQUARE IMAGE OF OR EQUAL TO -->  
 <!ENTITY NotSquareSupersetEqual "&#x022E3;" ><!--NOT SQUARE ORIGINAL OF OR EQUAL TO -->  
 <!ENTITY NotSubset "&#x02282;&#x020D2;" ><!--SUBSET OF with vertical line -->  
 <!ENTITY NotSubsetEqual "&#x02288;" ><!--NEITHER A SUBSET OF NOR EQUAL TO -->  
 <!ENTITY NotSucceeds "&#x02281;" ><!--DOES NOT SUCCEED -->  
 <!ENTITY NotSucceedsEqual "&#x02AB0;&#x00338;" ><!--SUCCEEDS ABOVE SINGLE-LINE EQUALS SIGN with slash -->  
 <!ENTITY NotSucceedsSlantEqual "&#x022E1;" ><!--DOES NOT SUCCEED OR EQUAL -->  
 <!ENTITY NotSuperset "&#x02283;&#x020D2;" ><!--SUPERSET OF with vertical line -->  
 <!ENTITY NotSupersetEqual "&#x02289;" ><!--NEITHER A SUPERSET OF NOR EQUAL TO -->  
 <!ENTITY NotTilde "&#x02241;" ><!--NOT TILDE -->  
 <!ENTITY NotTildeEqual "&#x02244;" ><!--NOT ASYMPTOTICALLY EQUAL TO -->  
 <!ENTITY NotTildeFullEqual "&#x02247;" ><!--NEITHER APPROXIMATELY NOR ACTUALLY EQUAL TO -->  
 <!ENTITY NotTildeTilde "&#x02249;" ><!--NOT ALMOST EQUAL TO -->  
 <!ENTITY NotVerticalBar "&#x02224;" ><!--DOES NOT DIVIDE -->  
 <!ENTITY nparallel "&#x02226;" ><!--NOT PARALLEL TO -->  
 <!ENTITY nprec "&#x02280;" ><!--DOES NOT PRECEDE -->

<!ENTITY npreceq "&#x02AAF;&#x00338;" ><!--PRECEDES ABOVE SINGLE-LINE EQUALS SIGN with slash -->  
 <!ENTITY nrightarrow "&#x0219B;" ><!--RIGHTWARDS ARROW WITH STROKE -->  
 <!ENTITY nRrightarrow "&#x021CF;" ><!--RIGHTWARDS DOUBLE ARROW WITH STROKE -->  
 <!ENTITY nshortmid "&#x02224;" ><!--DOES NOT DIVIDE -->  
 <!ENTITY nshortparallel "&#x02226;" ><!--NOT PARALLEL TO -->  
 <!ENTITY nsimeq "&#x02244;" ><!--NOT ASYMPTOTICALLY EQUAL TO -->  
 <!ENTITY nsubset "&#x02282;&#x020D2;" ><!--SUBSET OF with vertical line -->  
 <!ENTITY nsubseteq "&#x02288;" ><!--NEITHER A SUBSET OF NOR EQUAL TO -->  
 <!ENTITY nsubseteqq "&#x02AC5;&#x00338;" ><!--SUBSET OF ABOVE EQUALS SIGN with slash -->  
 <!ENTITY nsucc "&#x02281;" ><!--DOES NOT SUCCEED -->  
 <!ENTITY nsucceq "&#x02AB0;&#x00338;" ><!--SUCCEEDS ABOVE SINGLE-LINE EQUALS SIGN with slash -->  
 <!ENTITY nsupset "&#x02283;&#x020D2;" ><!--SUPERSET OF with vertical line -->  
 <!ENTITY nsupseteq "&#x02289;" ><!--NEITHER A SUPERSET OF NOR EQUAL TO -->  
 <!ENTITY nsupseteqq "&#x02AC6;&#x00338;" ><!--SUPERSET OF ABOVE EQUALS SIGN with slash -->  
 <!ENTITY ntriangleleft "&#x022EA;" ><!--NOT NORMAL SUBGROUP OF -->  
 <!ENTITY ntriangleleftq "&#x022EC;" ><!--NOT NORMAL SUBGROUP OF OR EQUAL TO -->  
 <!ENTITY ntriangleright "&#x022EB;" ><!--DOES NOT CONTAIN AS NORMAL SUBGROUP -->  
 <!ENTITY ntrianglerighteq "&#x022ED;" ><!--DOES NOT CONTAIN AS NORMAL SUBGROUP OR EQUAL -->  
 <!ENTITY nwarrow "&#x02196;" ><!--NORTH WEST ARROW -->  
 <!ENTITY oint "&#x0222E;" ><!--CONTOUR INTEGRAL -->  
 <!ENTITY OpenCurlyDoubleQuote "&#x0201C;" ><!--LEFT DOUBLE QUOTATION MARK -->  
 <!ENTITY OpenCurlyQuote "&#x02018;" ><!--LEFT SINGLE QUOTATION MARK -->  
 <!ENTITY orderof "&#x02134;" ><!--SCRIPT SMALL O -->  
 <!ENTITY parallel "&#x02225;" ><!--PARALLEL TO -->  
 <!ENTITY PartialD "&#x02202;" ><!--PARTIAL DIFFERENTIAL -->  
 <!ENTITY pitchfork "&#x022D4;" ><!--PITCHFORK -->  
 <!ENTITY PlusMinus "&#x000B1;" ><!--PLUS-MINUS SIGN -->  
 <!ENTITY pm "&#x000B1;" ><!--PLUS-MINUS SIGN -->  
 <!ENTITY Poincareplane "&#x0210C;" ><!--BLACK-LETTER CAPITAL H -->  
 <!ENTITY prec "&#x0227A;" ><!--PRECEDES -->  
 <!ENTITY precapprox "&#x02AB7;" ><!--PRECEDES ABOVE ALMOST EQUAL TO -->  
 <!ENTITY preccurlyeq "&#x0227C;" ><!--PRECEDES OR EQUAL TO -->  
 <!ENTITY Precedes "&#x0227A;" ><!--PRECEDES -->  
 <!ENTITY PrecedesEqual "&#x02AAF;" ><!--PRECEDES ABOVE SINGLE-LINE EQUALS SIGN -->  
 <!ENTITY PrecedesSlantEqual "&#x0227C;" ><!--PRECEDES OR EQUAL TO -->  
 <!ENTITY PrecedesTilde "&#x0227E;" ><!--PRECEDES OR EQUIVALENT TO -->  
 <!ENTITY preceq "&#x02AAF;" ><!--PRECEDES ABOVE SINGLE-LINE EQUALS SIGN -->  
 <!ENTITY precnapprox "&#x02AB9;" ><!--PRECEDES ABOVE NOT ALMOST EQUAL TO -->  
 <!ENTITY precneqq "&#x02AB5;" ><!--PRECEDES ABOVE NOT EQUAL TO -->  
 <!ENTITY precnsim "&#x022E8;" ><!--PRECEDES BUT NOT EQUIVALENT TO -->  
 <!ENTITY precsim "&#x0227E;" ><!--PRECEDES OR EQUIVALENT TO -->  
 <!ENTITY primes "&#x02119;" ><!--DOUBLE-STRUCK CAPITAL P -->

<!ENTITY Proportion "&#x02237;" ><!--PROPORTION -->  
 <!ENTITY Proportional "&#x0221D;" ><!--PROPORTIONAL TO -->  
 <!ENTITY propto "&#x0221D;" ><!--PROPORTIONAL TO -->  
 <!ENTITY quaternions "&#x0210D;" ><!--DOUBLE-STRUCK CAPITAL H -->  
 <!ENTITY questeq "&#x0225F;" ><!--QUESTIONED EQUAL TO -->  
 <!ENTITY range "&#x027E9;" ><!--MATHEMATICAL RIGHT ANGLE BRACKET -->  
 <!ENTITY rationals "&#x0211A;" ><!--DOUBLE-STRUCK CAPITAL Q -->  
 -->  
 <!ENTITY rbrace "&#x0007D;" ><!--RIGHT CURLY BRACKET -->  
 <!ENTITY rbrack "&#x0005D;" ><!--RIGHT SQUARE BRACKET -->  
 <!ENTITY Re "&#x0211C;" ><!--BLACK-LETTER CAPITAL R -->  
 <!ENTITY realine "&#x0211B;" ><!--SCRIPT CAPITAL R -->  
 <!ENTITY realpart "&#x0211C;" ><!--BLACK-LETTER CAPITAL R -->  
 <!ENTITY reals "&#x0211D;" ><!--DOUBLE-STRUCK CAPITAL R -->  
 <!ENTITY ReverseElement "&#x0220B;" ><!--CONTAINS AS MEMBER -->  
 <!ENTITY ReverseEquilibrium "&#x021CB;" ><!--LEFTWARDS HARPOON OVER RIGHTWARDS HARPOON -->  
 <!ENTITY ReverseUpEquilibrium "&#x0296F;" ><!--DOWNWARDS HARPOON WITH BARB LEFT BESIDE UPWARDS HARPOON WITH BARB RIGHT -->  
 <!ENTITY RightAngleBracket "&#x027E9;" ><!--MATHEMATICAL RIGHT ANGLE BRACKET -->  
 <!ENTITY rightharrow "&#x02192;" ><!--RIGHTWARDS ARROW -->  
 <!ENTITY Rightarrow "&#x021D2;" ><!--RIGHTWARDS DOUBLE ARROW -->  
 <!ENTITY RightArrow "&#x02192;" ><!--RIGHTWARDS ARROW -->  
 <!ENTITY RightArrowBar "&#x021E5;" ><!--RIGHTWARDS ARROW TO BAR -->  
 <!ENTITY RightArrowLeftArrow "&#x021C4;" ><!--RIGHTWARDS ARROW OVER LEFTWARDS ARROW -->  
 >  
 <!ENTITY rightharrowtail "&#x021A3;" ><!--RIGHTWARDS ARROW WITH TAIL -->  
 <!ENTITY RightCeiling "&#x02309;" ><!--RIGHT CEILING -->  
 <!ENTITY RightDoubleBracket "&#x027E7;" ><!--MATHEMATICAL RIGHT WHITE SQUARE BRACKET -->  
 <!ENTITY RightDownVector "&#x021C2;" ><!--DOWNWARDS HARPOON WITH BARB RIGHTWARDS -->  
 <!ENTITY RightFloor "&#x0230B;" ><!--RIGHT FLOOR -->  
 <!ENTITY rightharpoondown "&#x021C1;" ><!--RIGHTWARDS HARPOON WITH BARB DOWNWARDS -->  
 <!ENTITY rightharpoonup "&#x021C0;" ><!--RIGHTWARDS HARPOON WITH BARB UPWARDS -->  
 <!ENTITY rightharpoons "&#x021C4;" ><!--RIGHTWARDS ARROW OVER LEFTWARDS ARROW -->  
 <!ENTITY rightharpoons "&#x021CC;" ><!--RIGHTWARDS HARPOON OVER LEFTWARDS HARPOON -->  
 -->  
 <!ENTITY rightrightarrows "&#x021C9;" ><!--RIGHTWARDS PAIRED ARROWS -->  
 <!ENTITY rightsquigarrow "&#x0219D;" ><!--RIGHTWARDS WAVE ARROW -->  
 <!ENTITY RightTee "&#x022A2;" ><!--RIGHT TACK -->  
 <!ENTITY RightTeeArrow "&#x021A6;" ><!--RIGHTWARDS ARROW FROM BAR -->  
 <!ENTITY righthreetimes "&#x022CC;" ><!--RIGHT SEMIDIRECT PRODUCT -->  
 <!ENTITY RightTriangle "&#x022B3;" ><!--CONTAINS AS NORMAL SUBGROUP -->  
 <!ENTITY RightTriangleEqual "&#x022B5;" ><!--CONTAINS AS NORMAL SUBGROUP OR EQUAL TO -->  
 <!ENTITY RightUpVector "&#x021BE;" ><!--UPWARDS HARPOON WITH BARB RIGHTWARDS -->  
 <!ENTITY RightVector "&#x021C0;" ><!--RIGHTWARDS HARPOON WITH BARB UPWARDS -->  
 <!ENTITY risingdotseq "&#x02253;" ><!--IMAGE OF OR APPROXIMATELY EQUAL TO -->

<!ENTITY rmoustache "&#x023B1;" ><!--UPPER RIGHT OR LOWER LEFT CURLY BRACKET SECTION -->  
 <!ENTITY Rrightarrow "&#x021DB;" ><!--RIGHTWARDS TRIPLE ARROW -->  
 <!ENTITY Rsh "&#x021B1;" ><!--UPWARDS ARROW WITH TIP RIGHTWARDS -->  
 <!ENTITY searrow "&#x02198;" ><!--SOUTH EAST ARROW -->  
 <!ENTITY setminus "&#x02216;" ><!--SET MINUS -->  
 <!ENTITY ShortDownArrow "&#x02193;" ><!--DOWNWARDS ARROW -->  
 <!ENTITY ShortLeftArrow "&#x02190;" ><!--LEFTWARDS ARROW -->  
 <!ENTITY shortmid "&#x02223;" ><!--DIVIDES -->  
 <!ENTITY shortparallel "&#x02225;" ><!--PARALLEL TO -->  
 <!ENTITY ShortRightArrow "&#x02192;" ><!--RIGHTWARDS ARROW -->  
 <!ENTITY ShortUpArrow "&#x02191;" ><!--UPWARDS ARROW -->  
 <!ENTITY simeq "&#x02243;" ><!--ASYMPTOTICALLY EQUAL TO -->  
 <!ENTITY SmallCircle "&#x02218;" ><!--RING OPERATOR -->  
 <!ENTITY smallsetminus "&#x02216;" ><!--SET MINUS -->  
 <!ENTITY spadesuit "&#x02660;" ><!--BLACK SPADE SUIT -->  
 <!ENTITY Sqrt "&#x0221A;" ><!--SQUARE ROOT -->  
 <!ENTITY sqsubset "&#x0228F;" ><!--SQUARE IMAGE OF -->  
 <!ENTITY sqsubseteq "&#x02291;" ><!--SQUARE IMAGE OF OR EQUAL TO -->  
 <!ENTITY sqsupset "&#x02290;" ><!--SQUARE ORIGINAL OF -->  
 <!ENTITY sqsupseteq "&#x02292;" ><!--SQUARE ORIGINAL OF OR EQUAL TO -->  
 <!ENTITY Square "&#x025A1;" ><!--WHITE SQUARE -->  
 <!ENTITY SquareIntersection "&#x02293;" ><!--SQUARE CAP -->  
 <!ENTITY SquareSubset "&#x0228F;" ><!--SQUARE IMAGE OF -->  
 <!ENTITY SquareSubsetEqual "&#x02291;" ><!--SQUARE IMAGE OF OR EQUAL TO -->  
 <!ENTITY SquareSuperset "&#x02290;" ><!--SQUARE ORIGINAL OF -->  
 <!ENTITY SquareSupersetEqual "&#x02292;" ><!--SQUARE ORIGINAL OF OR EQUAL TO -->  
 <!ENTITY SquareUnion "&#x02294;" ><!--SQUARE CUP -->  
 <!ENTITY Star "&#x022C6;" ><!--STAR OPERATOR -->  
 <!ENTITY straightepsilon "&#x003F5;" ><!--GREEK LUNATE EPSILON SYMBOL -->  
 <!ENTITY straightphi "&#x003D5;" ><!--GREEK PHI SYMBOL -->  
 <!ENTITY subset "&#x02282;" ><!--SUBSET OF -->  
 <!ENTITY Subset "&#x022D0;" ><!--DOUBLE SUBSET -->  
 <!ENTITY subseteq "&#x02286;" ><!--SUBSET OF OR EQUAL TO -->  
 <!ENTITY subseteqq "&#x02AC5;" ><!--SUBSET OF ABOVE EQUALS SIGN -->  
 <!ENTITY SubsetEqual "&#x02286;" ><!--SUBSET OF OR EQUAL TO -->  
 <!ENTITY subsetneq "&#x0228A;" ><!--SUBSET OF WITH NOT EQUAL TO -->  
 <!ENTITY subsetneqq "&#x02ACB;" ><!--SUBSET OF ABOVE NOT EQUAL TO -->  
 <!ENTITY succ "&#x0227B;" ><!--SUCCEEDS -->  
 <!ENTITY succapprox "&#x02AB8;" ><!--SUCCEEDS ABOVE ALMOST EQUAL TO -->  
 <!ENTITY succcurlyeq "&#x0227D;" ><!--SUCCEEDS OR EQUAL TO -->  
 <!ENTITY Succeeds "&#x0227B;" ><!--SUCCEEDS -->  
 <!ENTITY SucceedsEqual "&#x02AB0;" ><!--SUCCEEDS ABOVE SINGLE-LINE EQUALS SIGN -->  
 <!ENTITY SucceedsSlantEqual "&#x0227D;" ><!--SUCCEEDS OR EQUAL TO -->  
 <!ENTITY SucceedsTilde "&#x0227F;" ><!--SUCCEEDS OR EQUIVALENT TO -->

<!ENTITY succeq "&#x02AB0;" ><!--SUCCEEDS ABOVE SINGLE-LINE EQUALS SIGN -->  
 <!ENTITY succnapprox "&#x02ABA;" ><!--SUCCEEDS ABOVE NOT ALMOST EQUAL TO -->  
 <!ENTITY succneq "&#x02AB6;" ><!--SUCCEEDS ABOVE NOT EQUAL TO -->  
 <!ENTITY succnsim "&#x022E9;" ><!--SUCCEEDS BUT NOT EQUIVALENT TO -->  
 <!ENTITY succsim "&#x0227F;" ><!--SUCCEEDS OR EQUIVALENT TO -->  
 <!ENTITY SuchThat "&#x0220B;" ><!--CONTAINS  
 AS MEMBER -->  
 <!ENTITY Sum "&#x02211;" ><!--N-ARY SUMMATION -->  
 <!ENTITY Superset "&#x02283;" ><!--SUPERSET OF -->  
 <!ENTITY SupersetEqual "&#x02287;" ><!--SUPERSET OF OR EQUAL TO -->  
 <!ENTITY supset "&#x02283;" ><!--SUPERSET OF -->  
 <!ENTITY Supset "&#x022D1;" ><!--DOUBLE SUPERSET -->  
 <!ENTITY supseteq "&#x02287;" ><!--SUPERSET OF OR EQUAL TO -->  
 <!ENTITY supseteqq "&#x02AC6;" ><!--SUPERSET OF ABOVE EQUALS SIGN -->  
 <!ENTITY supsetneq "&#x0228B;" ><!--SUPERSET OF WITH NOT EQUAL TO -->  
 <!ENTITY supsetneqq "&#x02ACC;" ><!--SUPERSET OF ABOVE NOT EQUAL TO -->  
 <!ENTITY swarrow "&#x02199;" ><!--SOUTH WEST ARROW -->  
 <!ENTITY therefore "&#x02234;" ><!--THEREFORE -->  
 <!ENTITY Therefore "&#x02234;" ><!--THEREFORE -->  
 <!ENTITY thickapprox "&#x02248;" ><!--ALMOST EQUAL TO -->  
 <!ENTITY thicksim "&#x0223C;" ><!--TILDE OPERATOR -->  
 <!ENTITY ThinSpace "&#x02009;" ><!--THIN SPACE  
 -->  
 <!ENTITY Tilde "&#x0223C;" ><!--TILDE OPERATOR -->  
 <!ENTITY TildeEqual "&#x02243;" ><!--ASYMPTOTICALLY EQUAL TO -->  
 <!ENTITY TildeFullEqual "&#x02245;" ><!--APPROXIMATELY EQUAL TO -->  
 <!ENTITY TildeTilde "&#x02248;" ><!--ALMOST EQUAL TO -->  
 <!ENTITY toea "&#x02928;" ><!--NORTH EAST ARROW AND SOUTH EAST ARROW -->  
 <!ENTITY tosa "&#x02929;" ><!--SOUTH EAST ARROW AND SOUTH WEST ARROW -->  
 <!ENTITY triangle "&#x025B5;" ><!--WHITE UP-POINTING SMALL TRIANGLE -->  
 <!ENTITY triangledown "&#x025BF;" ><!--WHITE DOWN-POINTING SMALL TRIANGLE -->  
 <!ENTITY triangleleft "&#x025C3;" ><!--WHITE LEFT-POINTING SMALL TRIANGLE -->  
 <!ENTITY triangleleftq "&#x022B4;" ><!--NORMAL SUBGROUP OF OR EQUAL TO -->  
 <!ENTITY triangleq "&#x0225C;" ><!--DELTA EQUAL TO -->  
 <!ENTITY triangleright "&#x025B9;" ><!--WHITE RIGHT-POINTING SMALL TRIANGLE -->  
 <!ENTITY trianglerighteq "&#x022B5;" ><!--CONTAINS AS NORMAL SUBGROUP OR EQUAL TO -->  
 <!ENTITY  
 TripleDot "&#x020DB;" ><!--COMBINING THREE DOTS ABOVE -->  
 <!ENTITY twoheadleftarrow "&#x0219E;" ><!--LEFTWARDS TWO HEADED ARROW -->  
 <!ENTITY twoheadrightarrow "&#x021A0;" ><!--RIGHTWARDS TWO HEADED ARROW -->  
 <!ENTITY ulcorner "&#x0231C;" ><!--TOP LEFT CORNER -->  
 <!ENTITY Union "&#x022C3;" ><!--N-ARY UNION -->  
 <!ENTITY UnionPlus "&#x0228E;" ><!--MULTISET UNION -->  
 <!ENTITY uparrow "&#x02191;" ><!--UPWARDS ARROW -->  
 <!ENTITY Uparrow "&#x021D1;" ><!--UPWARDS DOUBLE ARROW -->  
 <!ENTITY UpArrow "&#x02191;" ><!--UPWARDS ARROW -->  
 <!ENTITY UpArrowDownArrow "&#x021C5;" ><!--UPWARDS ARROW LEFTWARDS OF DOWNWARDS  
 ARROW -->

<!ENTITY updownarrow "&#x02195;" ><!--UP DOWN ARROW -->  
 <!ENTITY Updownarrow "&#x021D5;" ><!--UP DOWN DOUBLE ARROW -->  
 <!ENTITY UpDownArrow "&#x02195;" ><!--UP DOWN ARROW -->  
 <!ENTITY UpEquilibrium "&#x0296E;" ><!--UPWARDS HARPOON WITH BARB LEFT BESIDE  
 DOWNWARDS HARPOON WITH BARB RIGHT -->  
 <!ENTITY  
 upharpoonleft "&#x021BF;" ><!--UPWARDS HARPOON WITH BARB LEFTWARDS -->  
 <!ENTITY upharpoonright "&#x021BE;" ><!--UPWARDS HARPOON WITH BARB RIGHTWARDS -->  
 <!ENTITY UpperLeftArrow "&#x02196;" ><!--NORTH WEST ARROW -->  
 <!ENTITY UpperRightArrow "&#x02197;" ><!--NORTH EAST ARROW -->  
 <!ENTITY upsilon "&#x003C5;" ><!--GREEK SMALL LETTER UPSILON -->  
 <!ENTITY UpTee "&#x022A5;" ><!--UP TACK -->  
 <!ENTITY UpTeeArrow "&#x021A5;" ><!--UPWARDS ARROW FROM BAR -->  
 <!ENTITY upuparrows "&#x021C8;" ><!--UPWARDS PAIRED ARROWS -->  
 <!ENTITY urcorner "&#x0231D;" ><!--TOP RIGHT CORNER -->  
 <!ENTITY varepsilon "&#x003F5;" ><!--GREEK LUNATE EPSILON SYMBOL -->  
 <!ENTITY varkappa "&#x003F0;" ><!--GREEK KAPPA SYMBOL -->  
 <!ENTITY varnothing "&#x02205;" ><!--EMPTY SET -->  
 <!ENTITY varphi "&#x003D5;" ><!--GREEK PHI SYMBOL -->  
 <!ENTITY varpi "&#x003D6;" ><!--GREEK PI SYMBOL -->  
 <!ENTITY varpropto "&#x0221D;" ><!--PROPORTIONAL  
 TO -->  
 <!ENTITY varrho "&#x003F1;" ><!--GREEK RHO SYMBOL -->  
 <!ENTITY varsigma "&#x003C2;" ><!--GREEK SMALL LETTER FINAL SIGMA -->  
 <!ENTITY varsubsetneq "&#x0228A;&#x0FE0;" ><!--SUBSET OF WITH NOT EQUAL TO - variant with  
 stroke through bottom members -->  
 <!ENTITY varsubsetneqq "&#x02ACB;&#x0FE0;" ><!--SUBSET OF ABOVE NOT EQUAL TO - variant with  
 stroke through bottom members -->  
 <!ENTITY varsupsetneq "&#x0228B;&#x0FE0;" ><!--SUPERSET OF WITH NOT EQUAL TO - variant with  
 stroke through bottom members -->  
 <!ENTITY varsupsetneqq "&#x02ACC;&#x0FE0;" ><!--SUPERSET OF ABOVE NOT EQUAL TO - variant  
 with stroke through bottom members -->  
 <!ENTITY vartheta "&#x003D1;" ><!--GREEK THETA SYMBOL -->  
 <!ENTITY vartriangleleft "&#x022B2;" ><!--NORMAL SUBGROUP OF -->  
 <!ENTITY vartriangleright "&#x022B3;" ><!--CONTAINS AS NORMAL SUBGROUP -->  
 <!ENTITY vee "&#x02228;" ><!--LOGICAL OR -->  
 <!ENTITY Vee "&#x022C1;" ><!--N-ARY LOGICAL OR -->  
 <!ENTITY  
 vert "&#x0007C;" ><!--VERTICAL LINE -->  
 <!ENTITY Vert "&#x02016;" ><!--DOUBLE VERTICAL LINE -->  
 <!ENTITY VerticalBar "&#x02223;" ><!--DIVIDES -->  
 <!ENTITY VerticalTilde "&#x02240;" ><!--WREATH PRODUCT -->  
 <!ENTITY VeryThinSpace "&#x0200A;" ><!--HAIR SPACE -->  
 <!ENTITY wedge "&#x02227;" ><!--LOGICAL AND -->  
 <!ENTITY Wedge "&#x022C0;" ><!--N-ARY LOGICAL AND -->  
 <!ENTITY wp "&#x02118;" ><!--SCRIPT CAPITAL P -->  
 <!ENTITY wr "&#x02240;" ><!--WREATH PRODUCT -->  
 <!ENTITY zeetrf "&#x02128;" ><!--BLACK-LETTER CAPITAL Z -->

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/mathml/mathml3/mmlalias.ent
```

No license file was found, but licenses were detected in source scan.

```
// This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0.
```

```
// This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v.  
2.0.
```

```
/**
```

```
* An item type, as defined in the XPath/XQuery specifications.
```

```
* <p>This class contains a number of static constant fields
```

```
* referring to instances that represent simple item types, such as
```

```
* <code>item()</code>, <code>node()</code>, and <code>xs:anyAtomicType</code>. These named types are  
currently
```

```
* based on the definitions in XSD 1.0 and XML 1.0. They may be changed in a future version to be based
```

```
* on a later version.</p>
```

```
* <p>More complicated item types, especially those that are dependent on information in a schema,
```

```
* are available using factory methods on the { @link ItemTypeFactory } object. The factory methods can
```

```
* also be used to create variants of the types that use the rules given in the XML
```

```
1.1 and/or XSD 1.1 specifications.</p>
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/ItemType.java
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
```

```
<!-- SVG 1.1 Structure Module ..... -->
```

```
<!-- file: svg-structure.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg-structure.mod,v 1.5 2002/11/14 15:11:03 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Structure//EN"
```

```
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-structure.mod"
```

```
..... -->
```

```
<!-- Structure
```

```
svg, g, defs, desc, title, metadata, symbol, use
```

This module declares the major structural elements and their attributes.

```
-->
```

<!-- Qualified Names (Default) ..... -->

<!ENTITY

% SVG.svg.qname "svg" >

<!ENTITY % SVG.g.qname "g" >

<!ENTITY % SVG.defs.qname "defs" >

<!ENTITY % SVG.desc.qname "desc" >

<!ENTITY % SVG.title.qname "title" >

<!ENTITY % SVG.metadata.qname "metadata" >

<!ENTITY % SVG.symbol.qname "symbol" >

<!ENTITY % SVG.use.qname "use" >

<!-- Attribute Collections (Default) ..... -->

<!ENTITY % SVG.Core.attrib "" >

<!ENTITY % SVG.Container.attrib "" >

<!ENTITY % SVG.Conditional.attrib "" >

<!ENTITY % SVG.Style.attrib "" >

<!ENTITY % SVG.Viewport.attrib "" >

<!ENTITY % SVG.Text.attrib "" >

<!ENTITY % SVG.TextContent.attrib "" >

<!ENTITY % SVG.Font.attrib "" >

<!ENTITY % SVG.Paint.attrib "" >

<!ENTITY % SVG.Color.attrib "" >

<!ENTITY % SVG.Opacity.attrib "" >

<!ENTITY % SVG.Graphics.attrib "" >

<!ENTITY % SVG.Marker.attrib "" >

<!ENTITY % SVG.ColorProfile.attrib "" >

<!ENTITY % SVG.Gradient.attrib "" >

<!ENTITY % SVG.Clip.attrib "" >

<!ENTITY % SVG.Mask.attrib "" >

<!ENTITY % SVG.Filter.attrib "" >

<!ENTITY % SVG.FilterColor.attrib  
"" >

<!ENTITY % SVG.DocumentEvents.attrib "" >

<!ENTITY % SVG.GraphicalEvents.attrib "" >

<!ENTITY % SVG.Cursor.attrib "" >

<!ENTITY % SVG.XLinkEmbed.attrib "" >

<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Description.class ..... -->

<!ENTITY % SVG.Description.extra.class "" >

<!ENTITY % SVG.Description.class

"%SVG.desc.qname; | %SVG.title.qname; | %SVG.metadata.qname;

%SVG.Description.extra.class;"

```

>

<!-- SVG.Use.class ..... -->

<!ENTITY % SVG.Use.extra.class "" >

<!ENTITY % SVG.Use.class
  "| %SVG.use.qname; %SVG.Use.extra.class;"
>

<!-- SVG.Structure.class ..... -->

<!ENTITY % SVG.Structure.extra.class "" >

<!ENTITY % SVG.Structure.class
  "| %SVG.svg.qname; | %SVG.g.qname; | %SVG.defs.qname; | %SVG.symbol.qname;
  %SVG.Use.class; %SVG.Structure.extra.class;"
>

<!-- SVG.Presentation.attrib ..... -->

<!ENTITY % SVG.Presentation.extra.attrib "" >

<!ENTITY
% SVG.Presentation.attrib
"%SVG.Container.attrib;
%SVG.Viewport.attrib;
%SVG.Text.attrib;
%SVG.TextContent.attrib;
%SVG.Font.attrib;
%SVG.Paint.attrib;
%SVG.Color.attrib;
%SVG.Opacity.attrib;
%SVG.Graphics.attrib;
%SVG.Marker.attrib;
%SVG.ColorProfile.attrib;
%SVG.Gradient.attrib;
%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;
%SVG.FilterColor.attrib;
%SVG.Cursor.attrib;
flood-color %SVGColor.datatype; #IMPLIED
flood-opacity %OpacityValue.datatype; #IMPLIED
lighting-color %SVGColor.datatype; #IMPLIED
%SVG.Presentation.extra.attrib;"
>

```

```

<!-- svg: SVG Document Element ..... -->

<!ENTITY % SVG.svg.extra.content "" >

<!ENTITY % SVG.svg.element "INCLUDE" >
<![%SVG.svg.element;[
<!ENTITY % SVG.svg.content
"( %SVG.Description.class; | %SVG.Animation.class; %SVG.Structure.class;
  %SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;

  %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
  %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
  %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
  %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
  %SVG.Font.class; %SVG.svg.extra.content; )*"
>
<!ELEMENT %SVG.svg.qname; %SVG.svg.content; >
<!-- end of SVG.svg.element -->]]>

<!ENTITY % SVG.svg.attlist "INCLUDE" >
<![%SVG.svg.attlist;[
<!ATTLIST %SVG.svg.qname;
  %SVG.xmlns.attrib;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.Presentation.attrib;
  %SVG.DocumentEvents.attrib;
  %SVG.GraphicalEvents.attrib;
  %SVG.External.attrib;
  x %Coordinate.datatype; #IMPLIED
  y %Coordinate.datatype; #IMPLIED
  width %Length.datatype; #IMPLIED
  height %Length.datatype; #IMPLIED
  viewBox %ViewBoxSpec.datatype; #IMPLIED
  preserveAspectRatio %PreserveAspectRatioSpec.datatype; 'xMidYMid meet'
  zoomAndPan ( disable
| magnify ) 'magnify'
  version %Number.datatype; #FIXED '1.1'
  baseProfile %Text.datatype; #IMPLIED
  contentScriptType %ContentType.datatype; 'text/ecmascript'
  contentStyleType %ContentType.datatype; 'text/css'
>
<!-- end of SVG.svg.attlist -->]]>

<!-- g: Group Element ..... -->

<!ENTITY % SVG.g.extra.content "" >

```

```

<!ENTITY % SVG.g.element "INCLUDE" >
<![%SVG.g.element;[
<!ENTITY % SVG.g.content
"( %SVG.Description.class; | %SVG.Animation.class; %SVG.Structure.class;
 %SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;
 %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
 %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
 %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
 %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
 %SVG.Font.class; %SVG.g.extra.content; )*"
>
<!ELEMENT %SVG.g.qname; %SVG.g.content; >
<!-- end of SVG.g.element -->]]>

```

```

<!ENTITY
 % SVG.g.attlist "INCLUDE" >
<![%SVG.g.attlist;[
<!ATTLIST %SVG.g.qname;
 %SVG.Core.attrib;
 %SVG.Conditional.attrib;
 %SVG.Style.attrib;
 %SVG.Presentation.attrib;
 %SVG.GraphicalEvents.attrib;
 %SVG.External.attrib;
 transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.g.attlist -->]]>

```

```

<!-- defs: Definisions Element ..... -->

```

```

<!ENTITY % SVG.defs.extra.content "" >

```

```

<!ENTITY % SVG.defs.element "INCLUDE" >
<![%SVG.defs.element;[
<!ENTITY % SVG.defs.content
"( %SVG.Description.class; | %SVG.Animation.class; %SVG.Structure.class;
 %SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;
 %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
 %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
 %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
 %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
 %SVG.Font.class; %SVG.defs.extra.content; )*"
>
<!ELEMENT
 %SVG.defs.qname; %SVG.defs.content; >
<!-- end of SVG.defs.element -->]]>

```

```

<!ENTITY % SVG.defs.attlist "INCLUDE" >
<![%SVG.defs.attlist;[
<!ATTLIST %SVG.defs.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.Presentation.attrib;
  %SVG.GraphicalEvents.attrib;
  %SVG.External.attrib;
  transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.defs.attlist -->]]>

<!-- desc: Description Element ..... -->

<!ENTITY % SVG.desc.extra.content "" >

<!ENTITY % SVG.desc.element "INCLUDE" >
<![%SVG.desc.element;[
<!ENTITY % SVG.desc.content
  "( #PCDATA %SVG.desc.extra.content; )*"
>
<!ELEMENT %SVG.desc.qname; %SVG.desc.content; >
<!-- end of SVG.desc.element -->]]>

<!ENTITY % SVG.desc.attlist "INCLUDE" >
<![%SVG.desc.attlist;[
<!ATTLIST %SVG.desc.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
>
<!-- end of SVG.desc.attlist -->]]>

<!-- title: Title Element ..... -->

<!ENTITY % SVG.title.extra.content
"" >

<!ENTITY % SVG.title.element "INCLUDE" >
<![%SVG.title.element;[
<!ENTITY % SVG.title.content
  "( #PCDATA %SVG.title.extra.content; )*"
>
<!ELEMENT %SVG.title.qname; %SVG.title.content; >
<!-- end of SVG.title.element -->]]>

<!ENTITY % SVG.title.attlist "INCLUDE" >
<![%SVG.title.attlist;[

```

```

<!ATTLIST %SVG.title.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
>
<!-- end of SVG.title.attlist -->]]>

<!-- metadata: Metadata Element ..... -->

<!ENTITY % SVG.metadata.extra.content "" >

<!ENTITY % SVG.metadata.element "INCLUDE" >
<![%SVG.metadata.element;[
<!ENTITY % SVG.metadata.content
  "( #PCDATA %SVG.metadata.extra.content; )*"
>
<!ELEMENT %SVG.metadata.qname; %SVG.metadata.content; >
<!-- end of SVG.metadata.element -->]]>

<!ENTITY % SVG.metadata.attlist "INCLUDE" >
<![%SVG.metadata.attlist;[
<!ATTLIST %SVG.metadata.qname;
  %SVG.Core.attrib;
>
<!-- end of SVG.metadata.attlist -->]]>

<!-- symbol: Symbol Element ..... -->
-->

<!ENTITY % SVG.symbol.extra.content "" >

<!ENTITY % SVG.symbol.element "INCLUDE" >
<![%SVG.symbol.element;[
<!ENTITY % SVG.symbol.content
  "( %SVG.Description.class; | %SVG.Animation.class; %SVG.Structure.class;
  %SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;
  %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
  %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
  %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
  %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
  %SVG.Font.class; %SVG.symbol.extra.content; )*"
>
<!ELEMENT %SVG.symbol.qname; %SVG.symbol.content; >
<!-- end of SVG.symbol.element -->]]>

<!ENTITY % SVG.symbol.attlist "INCLUDE" >
<![%SVG.symbol.attlist;[
<!ATTLIST %SVG.symbol.qname;
  %SVG.Core.attrib;

```

```

%SVG.Style.attrib;
%SVG.Presentation.attrib;
%SVG.GraphicalEvents.attrib;
%SVG.External.attrib;
viewBox %ViewBoxSpec.datatype; #IMPLIED

preserveAspectRatio %PreserveAspectRatioSpec.datatype; 'xMidYMid meet'
>
<!-- end of SVG.symbol.attlist -->]]>

<!-- use: Use Element ..... -->

<!ENTITY % SVG.use.extra.content "" >

<!ENTITY % SVG.use.element "INCLUDE" >
<![%SVG.use.element;[
<!ENTITY % SVG.use.content
  "(( %SVG.Description.class; )* ( %SVG.Animation.class;
    %SVG.use.extra.content; )*)"
>
<!ELEMENT %SVG.use.qname; %SVG.use.content; >
<!-- end of SVG.use.element -->]]>

<!ENTITY % SVG.use.attlist "INCLUDE" >
<![%SVG.use.attlist;[
<!ATTLIST %SVG.use.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.Presentation.attrib;
  %SVG.GraphicalEvents.attrib;
  %SVG.XLinkEmbed.attrib;
  %SVG.External.attrib;
  x %Coordinate.datatype; #IMPLIED
  y %Coordinate.datatype; #IMPLIED
  width %Length.datatype; #IMPLIED
  height %Length.datatype; #IMPLIED
  transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.use.attlist -->]]>

<!--
end of svg-structure.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-structure.mod

```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Common Attributes Module ..... -->
<!-- file: xhtml-attribs-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-attribs-1.mod,v 1.1 2001/02/13 12:24:21 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML Common Attributes 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-attribs-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Common Attributes
```

This module declares many of the common attributes for the XHTML DTD.  
%NS.decl.attrib; is declared in the XHTML QName module.

```
-->
```

```
<!ENTITY % id.attrib
  "id      ID          #IMPLIED"
>
```

```
<!ENTITY % class.attrib
  "class   NMTOKENS    #IMPLIED"
>
```

```
<!ENTITY % title.attrib
  "title   %Text.datatype; #IMPLIED"
>
```

```
<!ENTITY % Core.extra.attrib "" >
```

```
<!ENTITY % Core.attrib
  "%XHTML.xmlns.attrib;
  %id.attrib;
  %class.attrib;
  %title.attrib;
  %Core.extra.attrib;"
>
```

```
<!ENTITY % lang.attrib
```

```
"xml:lang %LanguageCode.datatype; #IMPLIED"
```

```
>
```

```
<![%XHTML.bidi;
```

```
<!ENTITY % dir.attrib
```

```
"dir (ltr | rtl) #IMPLIED"
```

```
>
```

```
<!ENTITY % I18n.attrib
```

```
"%dir.attrib;
```

```
%lang.attrib;"
```

```
>
```

```
]]>
```

```
<!ENTITY % I18n.attrib
```

```
"%lang.attrib;"
```

```
>
```

```
<!ENTITY % Common.extra.attrib "" >
```

```
<!-- intrinsic event attributes declared previously
```

```
-->
```

```
<!ENTITY % Events.attrib "" >
```

```
<!ENTITY % Common.attrib
```

```
"%Core.attrib;
```

```
%I18n.attrib;
```

```
%Events.attrib;
```

```
%Common.extra.attrib;"
```

```
>
```

```
<!-- end of xhtml-attribs-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-attribs-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
```

```
<!-- SVG 1.1 External Resources Attribute Module ..... -->
```

```
<!-- file: svg-extresources-attrib.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg-extresources-attrib.mod,v 1.2 2002/04/20 18:07:42 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 External Resources Attribute//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-extresources-attr.mod"
```

```
..... -->
```

```
<!-- External Resources Attribute
```

```
externalResourcesRequired
```

```
This module defines the External attribute set.
```

```
-->
```

```
<!ENTITY % SVG.externalResourcesRequired.attrib
"externalResourcesRequired % Boolean.datatype; #IMPLIED"
>
```

```
<!ENTITY % SVG.External.extra.attrib "" >
```

```
<!ENTITY % SVG.External.attrib
"%SVG.externalResourcesRequired.attrib;
%SVG.External.extra.attrib;"
>
```

```
<!-- end of svg-extresources-attr.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
extresources-attr.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Basic 1.1 Document Model Module ..... -->
<!-- file: xhtml-basic11-model-1.mod
```

This is XHTML Basic, a proper subset of XHTML.

Copyright 1998-2007 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-basic11-model-1.mod,v 1.4 2008/03/28 13:07:30 smccarro Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML Basic 1.1 Document Model 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-basic11-model-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- XHTML Basic Document Model
```

This module describes the groupings of elements that make up common content models for XHTML elements.

-->

<!-- Optional Elements in head .....

-->

<!ENTITY % HeadOpts.mix

"( %script.qname; | %style.qname; | %meta.qname;  
| %link.qname; | %object.qname; )" >

<!-- script and noscript are used to contain scripts  
and alternative content

-->

<!ENTITY % Script.class "| %script.qname; | %noscript.qname;" >

<!-- Miscellaneous Elements ..... -->

<!ENTITY % Misc.extra "" >

<!-- These elements are neither block nor inline, and can  
essentially be used anywhere in the document body.

-->

<!ENTITY % Misc.class

"%Script.class;  
%Misc.extra;"

>

<!-- Inline Elements ..... -->

<!ENTITY % InlStruct.class "%br.qname; | %span.qname;" >

<!ENTITY % InlPhras.class

"| %em.qname; | %strong.qname; | %dfn.qname; | %code.qname;  
| %samp.qname; | %kbd.qname; | %var.qname; | %cite.qname;  
| %abbr.qname; | %acronym.qname; | %q.qname;" >

<!ENTITY % InlPres.class

"| %tt.qname; | %i.qname; | %b.qname; | %big.qname;  
| %small.qname; | %sub.qname; | %sup.qname;"

>

<!ENTITY % I18n.class "" >

<!ENTITY % Anchor.class "| %a.qname;" >

<!ENTITY % InlSpecial.class "| %img.qname; | %object.qname;" >

```
<!ENTITY % InlForm.class
  "| %input.qname; | %select.qname; | %textarea.qname;
  | %label.qname; | %button.qname;" >
```

```
<!ENTITY % Inline.extra "" >
```

```
<!ENTITY % Inline.class
  "%InlStruct.class;
  %InlPhras.class;
  %InlPres.class;
  %Anchor.class;
  %InlSpecial.class;
  %InlForm.class;
  %Inline.extra;"
>
```

```
<!ENTITY % InlNoAnchor.class
  "%InlStruct.class;
  %InlPhras.class;
  %InlPres.class;
  %InlSpecial.class;
  %InlForm.class;
  %Inline.extra;"
>
```

```
<!ENTITY % InlNoAnchor.mix
  "%InlNoAnchor.class;
  %Misc.class;"
>
```

```
<!ENTITY % Inline.mix
  "%Inline.class;
  %Misc.class;"
>
```

```
<!-- Block Elements ..... -->
```

```
<!ENTITY % Heading.class
  "%h1.qname; | %h2.qname; | %h3.qname;
  | %h4.qname; | %h5.qname; | %h6.qname;"
>
```

```
<!ENTITY % List.class "%ul.qname;
  | %ol.qname; | %dl.qname;" >
```

```
<!ENTITY % Table.class "| %table.qname;" >
```

```
<!ENTITY % Form.class "| %form.qname;" >
```

```

<!ENTITY % Fieldset.class "| %fieldset.qname;" >

<!ENTITY % BlkStruct.class "%p.qname; | %div.qname;" >

<!ENTITY % BlkPhras.class
  "| %pre.qname; | %blockquote.qname; | %address.qname;"
>

<!ENTITY % BlkPres.class "| %hr.qname;" >

<!ENTITY % BlkSpecial.class
  "%Table.class;
  %Form.class;
  %Fieldset.class;"
>

<!ENTITY % Block.extra "" >

<!ENTITY % Block.class
  "%BlkStruct.class;
  %BlkPhras.class;
  %BlkPres.class;
  %BlkSpecial.class;
  %Block.extra;"
>

<!ENTITY % Block.mix
  "%Heading.class;
  | %List.class;
  | %Block.class;
  %Misc.class;"
>

<!-- All Content Elements ..... -->

<!-- declares all content except tables
-->
<!ENTITY % FlowNoTable.mix
  "%Heading.class;
  | %List.class;
  | %BlkStruct.class;
  %BlkPhras.class;
  %Form.class;
  %Block.extra;
  | %Inline.class;
  %Misc.class;"
>

```

```
<!ENTITY % Flow.mix
"%Heading.class;
| %List.class;
| %Block.class;
| %Inline.class;
%Misc.class;"
>
```

```
<!-- end of xhtml-basic11-model-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-basic11-model-1.mod
No license file was found, but licenses were detected in source scan.
```

```
<!-- ..... -->
<!-- XHTML Inline Presentation Module ..... -->
<!-- file: xhtml-inlpres-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-inlpres-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Inline Presentation 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-inlpres-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Inline Presentational Elements
```

b, big, i, small, sub, sup, tt

This module declares the elements and their attributes used to  
support inline-level presentational markup.

```
-->
```

```
<!ENTITY
% b.element "INCLUDE" >
<![%b.element;[
<!ENTITY % b.content
"( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % b.qname "b" >
```

```
<!ELEMENT %b.qname; %b.content; >
<!-- end of b.element -->]]>
```

```
<!ENTITY % b.attlist "INCLUDE" >
<![%b.attlist;[
<!ATTLIST %b.qname;
    %Common.attrib;
>
<!-- end of b.attlist -->]]>
```

```
<!ENTITY % big.element "INCLUDE" >
<![%big.element;[
<!ENTITY % big.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % big.qname "big" >
<!ELEMENT %big.qname; %big.content; >
<!-- end of big.element -->]]>
```

```
<!ENTITY % big.attlist "INCLUDE" >
<![%big.attlist;[
<!ATTLIST %big.qname;
    %Common.attrib;
>
<!-- end of big.attlist -->]]>
```

```
<!ENTITY % i.element "INCLUDE" >
<![%i.element;[
<!ENTITY % i.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % i.qname "i" >
<!ELEMENT %i.qname; %i.content; >
<!-- end of i.element -->]]>
```

```
<!ENTITY % i.attlist "INCLUDE" >
<![%i.attlist;[
<!ATTLIST %i.qname;
    %Common.attrib;
>
<!-- end of i.attlist -->]]>
```

```
<!ENTITY
% small.element "INCLUDE" >
<![%small.element;[
<!ENTITY % small.content
    "( #PCDATA | %Inline.mix; )*"
>
```

```
<!ENTITY % small.qname "small" >
<!ELEMENT %small.qname; %small.content; >
<!-- end of small.element -->]]>
```

```
<!ENTITY % small.attlist "INCLUDE" >
<![%small.attlist;[
<!ATTLIST %small.qname;
    %Common.attrib;
>
<!-- end of small.attlist -->]]>
```

```
<!ENTITY % sub.element "INCLUDE" >
<![%sub.element;[
<!ENTITY % sub.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % sub.qname "sub" >
<!ELEMENT %sub.qname; %sub.content; >
<!-- end of sub.element -->]]>
```

```
<!ENTITY % sub.attlist "INCLUDE" >
<![%sub.attlist;[
<!ATTLIST %sub.qname;
    %Common.attrib;
>
<!-- end of sub.attlist -->]]>
```

```
<!ENTITY % sup.element "INCLUDE" >
<![%sup.element;[
<!ENTITY % sup.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % sup.qname "sup" >
<!ELEMENT %sup.qname; %sup.content; >
<!-- end of sup.element -->]]>
```

```
<!ENTITY % sup.attlist "INCLUDE" >
<![%sup.attlist;[
<!ATTLIST %sup.qname;
    %Common.attrib;
>
<!-- end of sup.attlist -->]]>
```

```
<!ENTITY % tt.element "INCLUDE" >
<![%tt.element;[
<!ENTITY % tt.content
    "( #PCDATA | %Inline.mix; )*"
>
```

```
<!ENTITY % tt.qname "tt" >
<!ELEMENT %tt.qname; %tt.content; >
<!-- end of tt.element -->]]>
```

```
<!ENTITY % tt.attlist "INCLUDE" >
<![%tt.attlist;[
<!ATTLIST %tt.qname;
    %Common.attrib;
>
<!-- end of tt.attlist -->]]>
```

```
<!-- end of xhtml-inlpres-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-inlpres-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Text Module ..... -->
<!-- file: xhtml-text-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-text-1.mod,v 1.1 2001/02/13 12:24:23 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Text 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-text-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Textual Content
```

The Text module includes declarations for all core  
text container elements and their attributes.

```
-->
```

```
<!ENTITY % xhtml-inlstruct.module "INCLUDE" >
<![%xhtml-inlstruct.module;[
<!ENTITY
% xhtml-inlstruct.mod
    PUBLIC "-//W3C//ELEMENTS XHTML Inline Structural 1.0//EN"
        "xhtml-inlstruct-1.mod" >
%xhtml-inlstruct.mod;]]>
```

```
<!ENTITY % xhtml-inlphras.module "INCLUDE" >
<![%xhtml-inlphras.module;[
<!ENTITY % xhtml-inlphras.mod
  PUBLIC "-//W3C//ELEMENTS XHTML Inline Phrasal 1.0//EN"
    "xhtml-inlphras-1.mod" >
% xhtml-inlphras.mod;]]>
```

```
<!ENTITY % xhtml-blkstruct.module "INCLUDE" >
<![%xhtml-blkstruct.module;[
<!ENTITY % xhtml-blkstruct.mod
  PUBLIC "-//W3C//ELEMENTS XHTML Block Structural 1.0//EN"
    "xhtml-blkstruct-1.mod" >
% xhtml-blkstruct.mod;]]>
```

```
<!ENTITY % xhtml-blkphras.module "INCLUDE" >
<![%xhtml-blkphras.module;[
<!ENTITY % xhtml-blkphras.mod
  PUBLIC "-//W3C//ELEMENTS XHTML Block Phrasal 1.0//EN"
    "xhtml-blkphras-1.mod" >
% xhtml-blkphras.mod;]]>
```

```
<!-- end of xhtml-text-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-
text-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Document Metainformation Module ..... -->
<!-- file: xhtml-meta-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-meta-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Metainformation 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-meta-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Meta Information
```

meta

This module declares the meta element type and its attributes,  
used to provide declarative document metainformation.

-->

<!-- meta: Generic Metainformation

..... -->

<!ENTITY % meta.element "INCLUDE" >

<![%meta.element;[

<!ENTITY % meta.content "EMPTY" >

<!ENTITY % meta.qname "meta" >

<!ELEMENT %meta.qname; %meta.content; >

<!-- end of meta.element -->]]>

<!ENTITY % meta.attlist "INCLUDE" >

<![%meta.attlist;[

<!ATTLIST %meta.qname;

  %XHTML.xmlns.attrib;

  %I18n.attrib;

  http-equiv  NMTOKEN          #IMPLIED

  name        NMTOKEN          #IMPLIED

  content     CDATA          #REQUIRED

  scheme      CDATA          #IMPLIED

>

<!-- end of meta.attlist -->]]>

<!-- end of xhtml-meta-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-  
meta-1.mod

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- XHTML Param Element Module ..... -->

<!-- file: xhtml-param-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-param-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Param Element 1.0//EN"

SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-param-1.mod"

Revisions:

(none)

..... -->

<!-- Parameters for Java Applets and Embedded Objects

param

This module provides declarations for the param element,  
used to provide named property values for the applet  
and object elements.

-->

<!--

param: Named Property Value ..... -->

<!ENTITY % param.element "INCLUDE" >

<![%param.element;[

<!ENTITY % param.content "EMPTY" >

<!ENTITY % param.qname "param" >

<!ELEMENT %param.qname; %param.content; >

<!-- end of param.element -->]]>

<!ENTITY % param.attlist "INCLUDE" >

<![%param.attlist;[

<!ATTLIST %param.qname;

  %XHTML.xmlns.attrib;

  %id.attrib;

  name  CDATA          #REQUIRED

  value  CDATA          #IMPLIED

  valuetype  ( data | ref | object ) 'data'

  type      %ContentType.datatype; #IMPLIED

>

<!-- end of param.attlist -->]]>

<!-- end of xhtml-param-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-param-1.mod

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- SVG 1.1 Cursor Module ..... -->

<!-- file: svg-cursor.mod

This is SVG, a language for describing two-dimensional graphics in XML.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg-cursor.mod,v 1.3 2002/10/24 17:40:15 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Cursor//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-cursor.mod"
```

..... -->

<!-- Cursor

cursor

This module declares markup to provide support for cursor.

-->

<!-- 'cursor' property/attribute value (e.g., 'crosshair', <uri>) -->

<!ENTITY % CursorValue.datatype "CDATA" >

<!-- Qualified Names (Default)

..... -->

<!ENTITY % SVG.cursor.qname "cursor" >

<!-- Attribute Collections (Default) ..... -->

<!ENTITY % SVG.Core.attrib "" >

<!ENTITY % SVG.Conditional.attrib "" >

<!ENTITY % SVG.XLinkRequired.attrib "" >

<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Cursor.class ..... -->

<!ENTITY % SVG.Cursor.extra.class "" >

<!ENTITY % SVG.Cursor.class

"| %SVG.cursor.qname; %SVG.Cursor.extra.class;"

>

<!-- SVG.Cursor.attrib ..... -->

<!ENTITY % SVG.Cursor.extra.attrib "" >

<!ENTITY % SVG.Cursor.attrib

"cursor %CursorValue.datatype; #IMPLIED

%SVG.Cursor.extra.attrib;"

>

```

<!-- cursor: Cursor Element ..... -->

<!ENTITY % SVG.cursor.extra.content "" >

<!ENTITY % SVG.cursor.element "INCLUDE" >
<![%SVG.cursor.element;[
<!ENTITY % SVG.cursor.content
    "( %SVG.Description.class; %SVG.cursor.extra.content; )"
>
>
<!ELEMENT %SVG.cursor.qname; %SVG.cursor.content;
>
<!-- end of SVG.cursor.element -->]]>

```

```

<!ENTITY % SVG.cursor.attlist "INCLUDE" >
<![%SVG.cursor.attlist;[
<!ATTLIST %SVG.cursor.qname;
    %SVG.Core.attrib;
    %SVG.Conditional.attrib;
    %SVG.XLinkRequired.attrib;
    %SVG.External.attrib;
    x %Coordinate.datatype; #IMPLIED
    y %Coordinate.datatype; #IMPLIED
>
<!-- end of SVG.cursor.attlist -->]]>

```

```

<!-- end of svg-cursor.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
cursor.mod

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Base Architecture Module ..... -->
<!-- file: xhtml-arch-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.  
 Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
 Revision: \$Id: xhtml-arch-1.mod,v 1.4 2008/10/08 21:02:30 jules Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Base Architecture 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-arch-1.mod"

```

Revisions:

(none)

```

..... -->

```

<!-- This optional module includes declarations that enable XHTML to be used as a base architecture according to the 'Architectural Forms Definition Requirements' (Annex A.3, ISO/IEC 10744, 2nd edition).

For more information

on use of architectural forms, see the HyTime web site at:

<http://www.hytime.org/>

-->

<?IS10744 ArcBase xhtml ?>

<!NOTATION xhtml PUBLIC "-//W3C//NOTATION AFDR ARCBASE XHTML 1.1//EN" >

<!-- Entity declaration for associated Architectural DTD

-->

<!ENTITY xhtml-arch.dtd

PUBLIC "-//W3C//DTD XHTML Architecture 1.1//EN"

"xhtml11-arch.dtd" >

<?IS10744:arch xhtml

public-id = "-//W3C//NOTATION AFDR ARCBASE XHTML 1.1//EN"

dtd-public-id = "-//W3C//DTD XHTML 1.1//EN"

dtd-system-id = "xhtml11.dtd"

doc-elem-form = "html"

form-att = "html"

renamer-att = "htnames"

suppressor-att = "htsupp"

data-ignore-att = "htign"

auto = "ArcAuto"

options = "HtModReq HtModOpt"

HtModReq = "Framework Text Hypertext Lists Structure"

HtModOpt = "Standard"

?>

<!-- end of xhtml-arch-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-arch-1.mod

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- XHTML Inline Phrasal Module ..... -->

<!-- file: xhtml-inlphras-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Inline Phrasal 1.0//EN"  
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-inlphras-1.mod"
```

Revisions:

(none)

..... -->

<!-- Inline Phrasal

abbr, acronym, cite, code, dfn, em, kbd, q, samp, strong, var

This module declares the elements and their attributes used to support inline-level phrasal markup.

-->

```
<!ENTITY % abbr.element "INCLUDE" >  
<![%abbr.element;[  
<!ENTITY % abbr.content  
    "( #PCDATA | %Inline.mix; )*" >  
>  
<!ENTITY % abbr.qname "abbr" >  
<!ELEMENT %abbr.qname; %abbr.content; >  
<!-- end of abbr.element -->]]>
```

```
<!ENTITY % abbr.attlist "INCLUDE" >  
<![%abbr.attlist;[  
<!ATTLIST %abbr.qname;  
    %Common.attrib; >  
>  
<!-- end of abbr.attlist -->]]>
```

```
<!ENTITY % acronym.element "INCLUDE" >  
<![%acronym.element;[  
<!ENTITY % acronym.content  
    "( #PCDATA | %Inline.mix; )*" >  
>  
<!ENTITY % acronym.qname "acronym" >  
<!ELEMENT %acronym.qname; %acronym.content; >  
<!-- end of acronym.element -->]]>
```

```
<!ENTITY % acronym.attlist "INCLUDE" >  
<![%acronym.attlist;[  
<!ATTLIST %acronym.qname;
```

```

    %Common.attrib;
>
<!-- end of acronym.attlist -->]]>

<!ENTITY % cite.element "INCLUDE" >
<![%cite.element;[
<!ENTITY % cite.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % cite.qname "cite" >
<!ELEMENT %cite.qname; %cite.content; >
<!-- end of cite.element -->]]>

<!ENTITY %
cite.attlist "INCLUDE" >
<![%cite.attlist;[
<!ATTLIST %cite.qname;
    %Common.attrib;
>
<!-- end of cite.attlist -->]]>

<!ENTITY % code.element "INCLUDE" >
<![%code.element;[
<!ENTITY % code.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % code.qname "code" >
<!ELEMENT %code.qname; %code.content; >
<!-- end of code.element -->]]>

<!ENTITY % code.attlist "INCLUDE" >
<![%code.attlist;[
<!ATTLIST %code.qname;
    %Common.attrib;
>
<!-- end of code.attlist -->]]>

<!ENTITY % dfn.element "INCLUDE" >
<![%dfn.element;[
<!ENTITY % dfn.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % dfn.qname "dfn" >
<!ELEMENT %dfn.qname; %dfn.content; >
<!-- end of dfn.element -->]]>

<!ENTITY % dfn.attlist "INCLUDE" >
<![%dfn.attlist;[

```

```
<!ATTLIST %dfn.qname;
    %Common.attrib;
>
<!-- end of dfn.attlist -->]]>
```

```
<!ENTITY % em.element "INCLUDE" >
<![%em.element;[
<!ENTITY % em.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % em.qname "em" >
<!ELEMENT %em.qname; %em.content;
>
<!-- end of em.element -->]]>
```

```
<!ENTITY % em.attlist "INCLUDE" >
<![%em.attlist;[
<!ATTLIST %em.qname;
    %Common.attrib;
>
<!-- end of em.attlist -->]]>
```

```
<!ENTITY % kbd.element "INCLUDE" >
<![%kbd.element;[
<!ENTITY % kbd.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % kbd.qname "kbd" >
<!ELEMENT %kbd.qname; %kbd.content; >
<!-- end of kbd.element -->]]>
```

```
<!ENTITY % kbd.attlist "INCLUDE" >
<![%kbd.attlist;[
<!ATTLIST %kbd.qname;
    %Common.attrib;
>
<!-- end of kbd.attlist -->]]>
```

```
<!ENTITY % q.element "INCLUDE" >
<![%q.element;[
<!ENTITY % q.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % q.qname "q" >
<!ELEMENT %q.qname; %q.content; >
<!-- end of q.element -->]]>
```

```
<!ENTITY % q.attlist "INCLUDE" >
```

```
<![%q.attlist;[
<!ATTLIST %q.qname;
    %Common.attrib;
    cite    %URI.datatype;    #IMPLIED
>
<!-- end of q.attlist -->]]>
```

```
<!ENTITY % samp.element "INCLUDE" >
<![%samp.element;[
<!ENTITY % samp.content
    "( #PCDATA | %Inline.mix;
)*"
>
<!ENTITY % samp.qname "samp" >
<!ELEMENT %samp.qname; %samp.content; >
<!-- end of samp.element -->]]>
```

```
<!ENTITY % samp.attlist "INCLUDE" >
<![%samp.attlist;[
<!ATTLIST %samp.qname;
    %Common.attrib;
>
<!-- end of samp.attlist -->]]>
```

```
<!ENTITY % strong.element "INCLUDE" >
<![%strong.element;[
<!ENTITY % strong.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % strong.qname "strong" >
<!ELEMENT %strong.qname; %strong.content; >
<!-- end of strong.element -->]]>
```

```
<!ENTITY % strong.attlist "INCLUDE" >
<![%strong.attlist;[
<!ATTLIST %strong.qname;
    %Common.attrib;
>
<!-- end of strong.attlist -->]]>
```

```
<!ENTITY % var.element "INCLUDE" >
<![%var.element;[
<!ENTITY % var.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % var.qname "var" >
<!ELEMENT %var.qname; %var.content; >
<!-- end of var.element -->]]>
```

```
<!ENTITY % var.attlist "INCLUDE" >
<![% var.attlist;[
<!ATTLIST % var.qname;
    %Common.attrib;
>
<!-- end of var.attlist -->]]>
```

```
<!-- end of xhtml-inlphras-1.mod
-->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-inlphras-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Basic Attribute Collection Module ..... -->
<!-- file: svg11-basic-attribs.mod
```

This is SVG Basic, a proper subset of SVG.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg11-basic-attribs.mod,v 1.5 2002/11/14 15:11:03 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Basic Attribute Collection//EN"
```

```
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg11-basic-attribs.mod"
```

```
..... -->
```

```
<!-- SVG 1.1 Basic Attribute Collection
```

This module defines the set of common attributes that can be present on many SVG elements.

```
-->
```

```
<!-- module: svg-conditional.mod ..... -->
```

```
<!ENTITY
```

```
% ExtensionList.datatype "CDATA" >
```

```
<!ENTITY % FeatureList.datatype "CDATA" >
```

```
<!ENTITY % SVG.Conditional.extra.attrib "" >
```

```
<!ENTITY % SVG.Conditional.attrib
```

```
"requiredFeatures %FeatureList.datatype; #IMPLIED
```

```
requiredExtensions %ExtensionList.datatype; #IMPLIED
```

```
systemLanguage %LanguageCodes.datatype; #IMPLIED
```

```

    %SVG.Conditional.extra.attrib;"
>

<!-- module: svg-style.mod ..... -->

<!ENTITY % ClassList.datatype "CDATA" >
<!ENTITY % StyleSheet.datatype "CDATA" >

<!ENTITY % SVG.Style.extra.attrib "" >
<!ENTITY % SVG.Style.attrib
"style %StyleSheet.datatype; #IMPLIED
class %ClassList.datatype; #IMPLIED
%SVG.Style.extra.attrib;"
>

<!-- module: svg-text.mod ..... -->

<!ENTITY % BaselineShiftValue.datatype "CDATA" >
<!ENTITY % FontFamilyValue.datatype "CDATA" >
<!ENTITY % FontSizeValue.datatype "CDATA" >
<!ENTITY % FontSizeAdjustValue.datatype "CDATA" >
<!ENTITY % GlyphOrientationHorizontalValue.datatype "CDATA"
>
<!ENTITY % GlyphOrientationVerticalValue.datatype "CDATA" >
<!ENTITY % KerningValue.datatype "CDATA" >
<!ENTITY % SpacingValue.datatype "CDATA" >
<!ENTITY % TextDecorationValue.datatype "CDATA" >

<!ENTITY % SVG.Text.extra.attrib "" >
<!ENTITY % SVG.Text.attrib
"writing-mode ( lr-tb | rl-tb | tb-rl | lr | rl | tb | inherit ) #IMPLIED
%SVG.Text.extra.attrib;"
>

<!ENTITY % SVG.TextContent.extra.attrib "" >
<!ENTITY % SVG.TextContent.attrib
"alignment-baseline ( auto | baseline | before-edge | text-before-edge |
middle | central | after-edge | text-after-edge |
ideographic | alphabetic | hanging | mathematical |
inherit ) #IMPLIED
baseline-shift %BaselineShiftValue.datatype; #IMPLIED
direction ( ltr | rtl | inherit ) #IMPLIED
dominant-baseline ( auto | use-script | no-change | reset-size |
ideographic | alphabetic | hanging | mathematical |

central | middle | text-after-edge | text-before-edge |
inherit ) #IMPLIED
glyph-orientation-horizontal %GlyphOrientationHorizontalValue.datatype;

```

```
#IMPLIED
glyph-orientation-vertical %GlyphOrientationVerticalValue.datatype;
#IMPLIED
kerning %KerningValue.datatype; #IMPLIED
letter-spacing %SpacingValue.datatype; #IMPLIED
text-anchor ( start | middle | end | inherit ) #IMPLIED
text-decoration %TextDecorationValue.datatype; #IMPLIED
unicode-bidi ( normal | embed | bidi-override | inherit ) #IMPLIED
word-spacing %SpacingValue.datatype; #IMPLIED
%SVG.TextContent.extra.attrib;"
>
```

```
<!ENTITY % SVG.Font.extra.attrib "" >
<!ENTITY % SVG.Font.attrib
"font-family %FontFamilyValue.datatype; #IMPLIED
font-size %FontSizeValue.datatype; #IMPLIED
font-size-adjust %FontSizeAdjustValue.datatype; #IMPLIED
font-stretch ( normal | wider | narrower
| ultra-condensed |
extra-condensed | condensed | semi-condensed |
semi-expanded | expanded | extra-expanded |
ultra-expanded | inherit ) #IMPLIED
font-style ( normal | italic | oblique | inherit ) #IMPLIED
font-variant ( normal | small-caps | inherit ) #IMPLIED
font-weight ( normal | bold | bolder | lighter | 100 | 200 | 300 | 400 |
500 | 600 | 700 | 800 | 900 | inherit ) #IMPLIED
%SVG.Font.extra.attrib;"
>
```

```
<!-- module: svg-profile.mod ..... -->
```

```
<!ENTITY % SVG.ColorProfile.extra.attrib "" >
<!ENTITY % SVG.ColorProfile.attrib
"color-profile CDATA #IMPLIED
%SVG.ColorProfile.extra.attrib;"
>
```

```
<!-- module: svg-gradient.mod ..... -->
```

```
<!ENTITY % NumberOrPercentage.datatype "CDATA" >
```

```
<!ENTITY % SVG.Gradient.extra.attrib "" >
<!ENTITY % SVG.Gradient.attrib
"stop-color %SVGColor.datatype; #IMPLIED
stop-opacity %OpacityValue.datatype;
#IMPLIED
%SVG.Gradient.extra.attrib;"
>
```

```
<!-- module: svg-basic-clip.mod ..... -->
```

```
<!ENTITY % ClipPathValue.datatype "CDATA" >
```

```
<!ENTITY % SVG.Clip.extra.attrib "" >
```

```
<!ENTITY % SVG.Clip.attrib
```

```
"clip-path %ClipPathValue.datatype; #IMPLIED
```

```
clip-rule %ClipFillRule.datatype; #IMPLIED
```

```
%SVG.Clip.extra.attrib;"
```

```
>
```

```
<!-- module: svg-mask.mod ..... -->
```

```
<!ENTITY % MaskValue.datatype "CDATA" >
```

```
<!ENTITY % SVG.Mask.extra.attrib "" >
```

```
<!ENTITY % SVG.Mask.attrib
```

```
"mask %MaskValue.datatype; #IMPLIED
```

```
%SVG.Mask.extra.attrib;"
```

```
>
```

```
<!-- module: svg-basic-filter.mod ..... -->
```

```
<!ENTITY % FilterValue.datatype "CDATA" >
```

```
<!ENTITY % NumberOptionalNumber.datatype "CDATA" >
```

```
<!ENTITY % SVG.Filter.extra.attrib "" >
```

```
<!ENTITY % SVG.Filter.attrib
```

```
"filter %FilterValue.datatype; #IMPLIED
```

```
%SVG.Filter.extra.attrib;"
```

```
>
```

```
<!ENTITY % SVG.FilterColor.extra.attrib "" >
```

```
<!ENTITY % SVG.FilterColor.attrib
```

```
"color-interpolation-filters
```

```
( auto | sRGB | linearRGB | inherit )
```

```
#IMPLIED
```

```
%SVG.FilterColor.extra.attrib;"
```

```
>
```

```
<!-- end of svg11-basic-attribs.mod -->
```

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-basic-attribs.mod

No license file was found, but licenses were detected in source scan.

<!--

File isobox.ent produced by the XSL script entities.xsl  
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the  
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle  
via the public W3C list [www-math@w3.org](mailto:www-math@w3.org).

The numeric character values assigned to each entity  
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the  
following notice:

(C) International Organization for Standardization 1986  
Permission to copy in any form is granted for use with  
conforming SGML systems and applications as defined in  
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: `--W3C//ENTITIES`  
Box and Line Drawing//EN//XML  
System identifier: `http://www.w3.org/2003/entities/2007/isobox.ent`

The public identifier should always be used verbatim.  
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isobox PUBLIC
  "-//W3C//ENTITIES Box and Line Drawing//EN//XML"
  "http://www.w3.org/2003/entities/2007/isobox.ent"
>
%isobox;
```

-->

```
<!ENTITY boxdl      "&#x02510;" ><!--BOX DRAWINGS LIGHT DOWN AND LEFT -->
<!ENTITY boxdL     "&#x02555;" ><!--BOX DRAWINGS DOWN SINGLE AND LEFT DOUBLE -->
```

```

<!ENTITY boxDI      "╖" ><!--BOX DRAWINGS DOWN DOUBLE AND LEFT SINGLE -->
<!ENTITY boxDL      "╗" ><!--BOX DRAWINGS DOUBLE DOWN AND LEFT -->
<!ENTITY boxdr      "┌" ><!--BOX DRAWINGS LIGHT DOWN AND RIGHT -->
<!ENTITY boxdR      "╒" ><!--BOX DRAWINGS DOWN SINGLE AND RIGHT DOUBLE -->
<!ENTITY boxDr      "╓" ><!--BOX
DRAWINGS DOWN DOUBLE AND RIGHT SINGLE -->
<!ENTITY boxDR      "╔" ><!--BOX DRAWINGS DOUBLE DOWN AND RIGHT -->
<!ENTITY boxh      "─" ><!--BOX DRAWINGS LIGHT HORIZONTAL -->
<!ENTITY boxH      "═" ><!--BOX DRAWINGS DOUBLE HORIZONTAL -->
<!ENTITY boxhd      "┬" ><!--BOX DRAWINGS LIGHT DOWN AND HORIZONTAL -->
<!ENTITY boxhD      "╥" ><!--BOX DRAWINGS DOWN DOUBLE AND HORIZONTAL SINGLE
-->
<!ENTITY boxHd      "╤" ><!--BOX DRAWINGS DOWN SINGLE AND HORIZONTAL DOUBLE
-->
<!ENTITY boxHD      "╦" ><!--BOX DRAWINGS DOUBLE DOWN AND HORIZONTAL -->
<!ENTITY boxhu      "┴" ><!--BOX DRAWINGS LIGHT UP AND HORIZONTAL -->
<!ENTITY boxhU      "╨" ><!--BOX DRAWINGS UP DOUBLE AND HORIZONTAL SINGLE -->
<!ENTITY boxHu      "╧" ><!--BOX DRAWINGS UP SINGLE AND HORIZONTAL DOUBLE -->
<!ENTITY boxHU      "╩" ><!--BOX DRAWINGS DOUBLE UP AND HORIZONTAL -->
<!ENTITY
boxul      "┘" ><!--BOX DRAWINGS LIGHT UP AND LEFT -->
<!ENTITY boxuL      "╛" ><!--BOX DRAWINGS UP SINGLE AND LEFT DOUBLE -->
<!ENTITY boxUI      "╜" ><!--BOX DRAWINGS UP DOUBLE AND LEFT SINGLE -->
<!ENTITY boxUL      "╝" ><!--BOX DRAWINGS DOUBLE UP AND LEFT -->
<!ENTITY boxur      "└" ><!--BOX DRAWINGS LIGHT UP AND RIGHT -->
<!ENTITY boxuR      "╘" ><!--BOX DRAWINGS UP SINGLE AND RIGHT DOUBLE -->
<!ENTITY boxUr      "╙" ><!--BOX DRAWINGS UP DOUBLE AND RIGHT SINGLE -->
<!ENTITY boxUR      "╚" ><!--BOX DRAWINGS DOUBLE UP AND RIGHT -->
<!ENTITY boxv      "│" ><!--BOX DRAWINGS LIGHT VERTICAL -->
<!ENTITY boxV      "║" ><!--BOX DRAWINGS DOUBLE VERTICAL -->
<!ENTITY boxvh      "┼" ><!--BOX DRAWINGS LIGHT VERTICAL AND HORIZONTAL -->
<!ENTITY boxvH      "╪" ><!--BOX DRAWINGS VERTICAL SINGLE AND HORIZONTAL
DOUBLE -->
<!ENTITY
boxVh      "╫" ><!--BOX DRAWINGS VERTICAL DOUBLE AND HORIZONTAL SINGLE -->
<!ENTITY boxVH      "╬" ><!--BOX DRAWINGS DOUBLE VERTICAL AND HORIZONTAL -->
<!ENTITY boxvl      "┤" ><!--BOX DRAWINGS LIGHT VERTICAL AND LEFT -->
<!ENTITY boxvL      "╡" ><!--BOX DRAWINGS VERTICAL SINGLE AND LEFT DOUBLE -->
<!ENTITY boxVI      "╢" ><!--BOX DRAWINGS VERTICAL DOUBLE AND LEFT SINGLE -->
<!ENTITY boxVL      "╣" ><!--BOX DRAWINGS DOUBLE VERTICAL AND LEFT -->
<!ENTITY boxvr      "├" ><!--BOX DRAWINGS LIGHT VERTICAL AND RIGHT -->
<!ENTITY boxvR      "╞" ><!--BOX DRAWINGS VERTICAL SINGLE AND RIGHT DOUBLE -->
<!ENTITY boxVr      "╟" ><!--BOX DRAWINGS VERTICAL DOUBLE AND RIGHT SINGLE -->
<!ENTITY boxVR      "╠" ><!--BOX DRAWINGS DOUBLE VERTICAL AND RIGHT -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isobox.ent

```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Base Element Module ..... -->
<!-- file: xhtml-base-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-base-1.mod,v 1.1 2001/02/13 12:24:21 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Base Element 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-base-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Base element
```

```
    base
```

This module declares the base element type and its attributes,  
used to define a base URI against which relative URIs in the  
document will be resolved.

Note that this module also redeclares the content model for  
the head element to include the base element.

```
-->
```

```
<!-- base: Document Base URI ..... -->
```

```
<!ENTITY % base.element "INCLUDE" >
<![%base.element;[
<!ENTITY % base.content "EMPTY" >
<!ENTITY % base.qname "base" >
<!ELEMENT %base.qname; %base.content; >
<!-- end of base.element -->]]>
```

```
<!ENTITY % base.attlist "INCLUDE" >
<![%base.attlist;[
<!ATTLIST %base.qname;
    %XHTML.xmlns.attrib;
    href %URI.datatype; #REQUIRED
>
<!-- end of base.attlist -->]]>
```

```
<!ENTITY % head.content
"( %HeadOpts.mix;,
 ( ( %title.qname;, %HeadOpts.mix;, ( %base.qname;, %HeadOpts.mix; )? )
 | ( %base.qname;, %HeadOpts.mix;, ( %title.qname;, %HeadOpts.mix; ) ) ) )"
>
```

```
<!-- end of xhtml-base-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-
base-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Link Element Module ..... -->
<!-- file: xhtml-link-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-link-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Link Element 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-link-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Link element
```

link

This module declares the link element type and its attributes,  
which could (in principle) be used to define document-level links  
to external resources

such as:

- a) for document specific toolbars/menus, e.g. start, contents,  
previous, next, index, end, help
- b) to link to a separate style sheet (rel="stylesheet")
- c) to make a link to a script (rel="script")
- d) by stylesheets to control how collections of html nodes are  
rendered into printed documents
- e) to make a link to a printable version of this document  
e.g. a postscript or pdf version (rel="alternate" media="print")

```
-->
```

```
<!-- link: Media-Independent Link ..... -->
```

```
<!ENTITY % link.element "INCLUDE" >
```

```
<![%link.element;[
```

```
<!ENTITY % link.content "EMPTY" >
```

```
<!ENTITY % link.qname "link" >
```

```
<!ELEMENT %link.qname; %link.content; >
```

```
<!-- end of link.element -->]]>
```

```
<!ENTITY % link.attlist "INCLUDE" >
```

```
<![%link.attlist;[
```

```
<!ATTLIST %link.qname;
```

```
  %Common.attrib;
```

```
  charset %Charset.datatype; #IMPLIED
```

```
  href %URI.datatype; #IMPLIED
```

```
  hreflang %LanguageCode.datatype; #IMPLIED
```

```
  type %ContentType.datatype; #IMPLIED
```

```
  rel %LinkTypes.datatype; #IMPLIED
```

```
  rev %LinkTypes.datatype; #IMPLIED
```

```
  media %MediaDesc.datatype; #IMPLIED
```

```
>
```

```
<!-- end of link.attlist -->]]>
```

```
<!-- end of xhtml-link-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-link-1.mod
```

No license file was found, but licenses were detected in source scan.

2009 W3C&#xae; (MIT, ERCIM, Keio), All Rights

Reserved. W3C liability, trademark, document use and software licensing rules apply.

Permission to use, copy, modify and distribute the MathML 2.0 DTD and its accompanying documentation for any purpose and without fee is hereby granted in perpetuity, provided that the above copyright notice and this paragraph appear in all copies. The copyright holders make no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

This entity may be identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/mathml/mathml3/mathml3.dtd

No license file was found, but licenses were detected in source scan.

<!--

File isoamsn.ent produced by the XSL script entities.xsl  
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the  
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle  
via the public W3C list [www-math@w3.org](mailto:www-math@w3.org).

The numeric character values assigned to each entity  
(should) match the Unicode assignments in Unicode 5.x.

References to the VARIANT SELECTOR 1 character (&#x0FE0;) should match the uses listed in Unicode Technical Report 25.

Entity names in this file are derived from files carrying the following notice:

(C) International Organization for Standardization 1991  
Permission to copy in any form is granted for use with  
conforming SGML systems and applications  
as defined in  
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: -//W3C//ENTITIES Added Math Symbols: Negated Relations//EN//XML  
System identifier: <http://www.w3.org/2003/entities/2007/isoamsn.ent>

The public identifier should always be used verbatim.  
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isoamsn PUBLIC
  "-//W3C//ENTITIES Added Math Symbols: Negated Relations//EN//XML"
  "http://www.w3.org/2003/entities/2007/isoamsn.ent"
```

```

>
%isoamsn;

-->

<!ENTITY gnap      "⪊" ><!--GREATER-THAN AND NOT APPROXIMATE -->
<!ENTITY gne       "⪈" ><!--GREATER-THAN AND SINGLE-LINE NOT EQUAL TO -->
<!ENTITY gnE       "≩" ><!--GREATER-THAN BUT NOT EQUAL TO -->
<!ENTITY gnsim     "⋧" ><!--GREATER-THAN BUT NOT EQUIVALENT TO -->
<!ENTITY gvnE      "≩︀" ><!--GREATER-THAN
BUT NOT EQUAL TO - with vertical stroke -->
<!ENTITY lnap      "⪉" ><!--LESS-THAN AND NOT APPROXIMATE -->
<!ENTITY lne       "⪇" ><!--LESS-THAN AND SINGLE-LINE NOT EQUAL TO -->
<!ENTITY lnE       "≨" ><!--LESS-THAN BUT NOT EQUAL TO -->
<!ENTITY lnsim     "⋦" ><!--LESS-THAN BUT NOT EQUIVALENT TO -->
<!ENTITY lvnE      "≨︀" ><!--LESS-THAN BUT NOT EQUAL TO - with vertical stroke -
->
<!ENTITY nap       "≉" ><!--NOT ALMOST EQUAL TO -->
<!ENTITY napE      "⩰̸" ><!--APPROXIMATELY EQUAL OR EQUAL TO with slash --
>
<!ENTITY napid     "≋̸" ><!--TRIPLE TILDE with slash -->
<!ENTITY ncong     "≇" ><!--NEITHER APPROXIMATELY NOR ACTUALLY EQUAL TO -->
<!ENTITY ncongdot  "⩭̸" ><!--CONGRUENT WITH DOT ABOVE with slash -->
<!ENTITY nequiv    "≢" ><!--NOT IDENTICAL TO -->
<!ENTITY nge       "≱"
><!--NEITHER GREATER-THAN NOR EQUAL TO -->
<!ENTITY ngeE      "≧̸" ><!--GREATER-THAN OVER EQUAL TO with slash -->
<!ENTITY nges      "⩾̸" ><!--GREATER-THAN OR SLANTED EQUAL TO with slash -
->
<!ENTITY nGg       "⋙̸" ><!--VERY MUCH GREATER-THAN with slash -->
<!ENTITY ngsim     "≵" ><!--NEITHER GREATER-THAN NOR EQUIVALENT TO -->
<!ENTITY ngt       "≯" ><!--NOT GREATER-THAN -->
<!ENTITY nGt       "≫⃒" ><!--MUCH GREATER THAN with vertical line -->
<!ENTITY nGtv      "≫̸" ><!--MUCH GREATER THAN with slash -->
<!ENTITY nle       "≰" ><!--NEITHER LESS-THAN NOR EQUAL TO -->
<!ENTITY nLE       "≦̸" ><!--LESS-THAN OVER EQUAL TO with slash -->
<!ENTITY nles      "⩽̸" ><!--LESS-THAN OR SLANTED EQUAL TO with slash -->
<!ENTITY nLl       "⋘̸" ><!--VERY MUCH LESS-THAN
with slash -->
<!ENTITY nlsim     "≴" ><!--NEITHER LESS-THAN NOR EQUIVALENT TO -->
<!ENTITY nlt       "≮" ><!--NOT LESS-THAN -->
<!ENTITY nLt       "≪⃒" ><!--MUCH LESS THAN with vertical line -->
<!ENTITY nltri     "⋪" ><!--NOT NORMAL SUBGROUP OF -->
<!ENTITY nltrie    "⋬" ><!--NOT NORMAL SUBGROUP OF OR EQUAL TO -->
<!ENTITY nLtv      "≪̸" ><!--MUCH LESS THAN with slash -->
<!ENTITY nmid      "∤" ><!--DOES NOT DIVIDE -->
<!ENTITY npar      "∦" ><!--NOT PARALLEL TO -->
<!ENTITY npr       "⊀" ><!--DOES NOT PRECEDE -->

```

<!ENTITY nprcue "&#x022E0;" ><!--DOES NOT PRECEDE OR EQUAL -->  
 <!ENTITY npre "&#x02AAF;&#x00338;" ><!--PRECEDES ABOVE SINGLE-LINE EQUALS SIGN with slash -->  
 <!ENTITY nrtri "&#x022EB;" ><!--DOES NOT CONTAIN AS NORMAL SUBGROUP -->  
 <!ENTITY nrtrie "&#x022ED;" ><!--DOES NOT CONTAIN AS NORMAL SUBGROUP OR EQUAL -->  
 <!ENTITY nsc "&#x02281;" ><!--DOES NOT SUCCEED -->  
 <!ENTITY nsccue "&#x022E1;" ><!--DOES NOT SUCCEED OR EQUAL -->  
 <!ENTITY nsce "&#x02AB0;&#x00338;" ><!--SUCCEEDS ABOVE SINGLE-LINE EQUALS SIGN with slash -->  
 <!ENTITY nsim "&#x02241;" ><!--NOT TILDE -->  
 <!ENTITY nsime "&#x02244;" ><!--NOT ASYMPTOTICALLY EQUAL TO -->  
 <!ENTITY nsmid "&#x02224;" ><!--DOES NOT DIVIDE -->  
 <!ENTITY nspar "&#x02226;" ><!--NOT PARALLEL TO -->  
 <!ENTITY nsqsube "&#x022E2;" ><!--NOT SQUARE IMAGE OF OR EQUAL TO -->  
 <!ENTITY nsqsupe "&#x022E3;" ><!--NOT SQUARE ORIGINAL OF OR EQUAL TO -->  
 <!ENTITY nsub "&#x02284;" ><!--NOT A SUBSET OF -->  
 <!ENTITY nsube "&#x02288;" ><!--NEITHER A SUBSET OF NOR EQUAL TO -->  
 <!ENTITY nsubE "&#x02AC5;&#x00338;" ><!--SUBSET OF ABOVE EQUALS SIGN with slash -->  
 <!ENTITY nsup "&#x02285;" ><!--NOT A SUPERSET OF -->  
 <!ENTITY nsupe "&#x02289;" ><!--NEITHER A SUPERSET OF NOR EQUAL TO -->  
 <!ENTITY nsupE "&#x02AC6;&#x00338;" ><!--SUPERSET OF ABOVE EQUALS SIGN with slash -->  
 <!ENTITY ntgl "&#x02279;" ><!--NEITHER GREATER-THAN NOR LESS-THAN -->  
 <!ENTITY ntlg "&#x02278;" ><!--NEITHER LESS-THAN NOR GREATER-THAN -->  
 <!ENTITY nvap "&#x0224D;&#x020D2;" ><!--EQUIVALENT TO with vertical line -->  
 <!ENTITY nvdash "&#x022AC;" ><!--DOES NOT PROVE -->  
 <!ENTITY nvDash "&#x022AD;" ><!--NOT TRUE -->  
 <!ENTITY nVdash "&#x022AE;" ><!--DOES NOT FORCE -->  
 <!ENTITY nVDash "&#x022AF;" ><!--NEGATED DOUBLE VERTICAL BAR DOUBLE RIGHT TURNSTILE -->  
 <!ENTITY nvge "&#x02265;&#x020D2;" ><!--GREATER-THAN OR EQUAL TO with vertical line -->  
 <!ENTITY nvgt "&#x0003E;&#x020D2;" ><!--GREATER-THAN SIGN with vertical line -->  
 <!ENTITY nvle "&#x02264;&#x020D2;" ><!--LESS-THAN OR EQUAL TO with vertical line -->  
 <!ENTITY nvlt "&#x0003C;&#x020D2;" ><!--LESS-THAN SIGN with vertical line -->  
 <!ENTITY nvltrie "&#x022B4;&#x020D2;" ><!--NORMAL SUBGROUP OF OR EQUAL TO with vertical line -->  
 <!ENTITY nvrtrie "&#x022B5;&#x020D2;" ><!--CONTAINS AS NORMAL SUBGROUP OR EQUAL TO with vertical line -->  
 <!ENTITY nvsim "&#x0223C;&#x020D2;" ><!--TILDE OPERATOR with vertical line -->  
 <!ENTITY parsim "&#x02AF3;" ><!--PARALLEL WITH TILDE OPERATOR -->  
 <!ENTITY prnap "&#x02AB9;" ><!--PRECEDES ABOVE NOT ALMOST EQUAL TO -->  
 <!ENTITY prnE "&#x02AB5;" ><!--PRECEDES ABOVE NOT EQUAL TO -->  
 <!ENTITY prnsim "&#x022E8;" ><!--PRECEDES BUT NOT EQUIVALENT TO -->  
 <!ENTITY rnmid "&#x02AEE;" ><!--DOES NOT DIVIDE WITH REVERSED NEGATION SLASH -->  
 <!ENTITY scnep "&#x02ABA;" ><!--SUCCEEDS ABOVE NOT ALMOST EQUAL TO -->  
 <!ENTITY scnE "&#x02AB6;" ><!--SUCCEEDS ABOVE NOT EQUAL TO -->

```

<!ENTITY scnsim      "&#x022E9;" ><!--SUCCEEDS
BUT NOT EQUIVALENT TO -->
<!ENTITY simne      "&#x02246;" ><!--APPROXIMATELY BUT NOT ACTUALLY EQUAL TO -->
<!ENTITY solbar     "&#x0233F;" ><!--APL FUNCTIONAL SYMBOL SLASH BAR -->
<!ENTITY subne      "&#x0228A;" ><!--SUBSET OF WITH NOT EQUAL TO -->
<!ENTITY subnE      "&#x02ACB;" ><!--SUBSET OF ABOVE NOT EQUAL TO -->
<!ENTITY supne      "&#x0228B;" ><!--SUPERSET OF WITH NOT EQUAL TO -->
<!ENTITY supnE      "&#x02ACC;" ><!--SUPERSET OF ABOVE NOT EQUAL TO -->
<!ENTITY vnsub      "&#x02282;&#x020D2;" ><!--SUBSET OF with vertical line -->
<!ENTITY vnsp       "&#x02283;&#x020D2;" ><!--SUPERSET OF with vertical line -->
<!ENTITY vsubne     "&#x0228A;&#x0FE0;" ><!--SUBSET OF WITH NOT EQUAL TO - variant with
stroke through bottom members -->
<!ENTITY vsubnE     "&#x02ACB;&#x0FE0;" ><!--SUBSET OF ABOVE NOT EQUAL TO - variant with
stroke through bottom members -->
<!ENTITY vsupne     "&#x0228B;&#x0FE0;" ><!--SUPERSET OF
WITH NOT EQUAL TO - variant with stroke through bottom members -->
<!ENTITY vsupnE     "&#x02ACC;&#x0FE0;" ><!--SUPERSET OF ABOVE NOT EQUAL TO - variant
with stroke through bottom members -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isoamsn.ent
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- SVG 1.1 Font Module ..... -->
<!-- file: svg-font.mod

```

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-font.mod,v 1.4 2002/11/14 15:11:02 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS SVG 1.1 Font//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-font.mod"

```

```
..... -->
```

```
<!-- Font
```

```

font, font-face, glyph, missing-glyph, hkern, vkern, font-face-src,
font-face-uri, font-face-format, font-face-name, definition-src

```

This module declares markup to provide support for template.

```
-->
```

```
<!-- Qualified
```

Names (Default) ..... -->

```
<!ENTITY % SVG.font.qname "font" >
<!ENTITY % SVG.font-face.qname "font-face" >
<!ENTITY % SVG.glyph.qname "glyph" >
<!ENTITY % SVG.missing-glyph.qname "missing-glyph" >
<!ENTITY % SVG.hkern.qname "hkern" >
<!ENTITY % SVG.vkern.qname "vkern" >
<!ENTITY % SVG.font-face-src.qname "font-face-src" >
<!ENTITY % SVG.font-face-uri.qname "font-face-uri" >
<!ENTITY % SVG.font-face-format.qname "font-face-format" >
<!ENTITY % SVG.font-face-name.qname "font-face-name" >
<!ENTITY % SVG.definition-src.qname "definition-src" >
```

<!-- Attribute Collections (Default) ..... -->

```
<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.Container.attrib "" >
<!ENTITY % SVG.Style.attrib "" >
<!ENTITY % SVG.Viewport.attrib "" >
<!ENTITY % SVG.Text.attrib "" >
<!ENTITY % SVG.TextContent.attrib "" >
<!ENTITY % SVG.Font.attrib "" >
<!ENTITY % SVG.Paint.attrib "" >
<!ENTITY % SVG.Color.attrib "" >
<!ENTITY % SVG.Opacity.attrib "" >
<!ENTITY % SVG.Graphics.attrib
"" >
<!ENTITY % SVG.Marker.attrib "" >
<!ENTITY % SVG.ColorProfile.attrib "" >
<!ENTITY % SVG.Gradient.attrib "" >
<!ENTITY % SVG.Clip.attrib "" >
<!ENTITY % SVG.Mask.attrib "" >
<!ENTITY % SVG.Filter.attrib "" >
<!ENTITY % SVG.FilterColor.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.XLinkRequired.attrib "" >
<!ENTITY % SVG.External.attrib "" >
```

<!-- SVG.Font.class ..... -->

```
<!ENTITY % SVG.Font.extra.class "" >
```

```
<!ENTITY % SVG.Font.class
"| %SVG.font.qname; | %SVG.font-face.qname; %SVG.Font.extra.class;"
>
```

<!-- SVG.Presentation.attrib ..... -->

<!ENTITY % SVG.Presentation.extra.attrib "" >

<!ENTITY % SVG.Presentation.attrib  
"%SVG.Container.attrib;  
%SVG.Viewport.attrib;  
%SVG.Text.attrib;  
%SVG.TextContent.attrib;  
%SVG.Font.attrib;  
%SVG.Paint.attrib;  
%SVG.Color.attrib;  
%SVG.Opacity.attrib;  
%SVG.Graphics.attrib;  
%SVG.Marker.attrib;  
%SVG.ColorProfile.attrib;  
%SVG.Gradient.attrib;  
%SVG.Clip.attrib;  
%SVG.Mask.attrib;  
%SVG.Filter.attrib;  
%SVG.FilterColor.attrib;  
%SVG.Cursor.attrib;  
flood-color %SVGColor.datatype; #IMPLIED  
flood-opacity %OpacityValue.datatype; #IMPLIED  
lighting-color %SVGColor.datatype; #IMPLIED  
%SVG.Presentation.extra.attrib;"  
>

<!-- font: Font Element ..... -->

<!ENTITY % SVG.font.extra.content "" >

<!ENTITY % SVG.font.element "INCLUDE" >  
<![%SVG.font.element;[  
<!ENTITY % SVG.font.content  
"(( %SVG.Description.class; )\*, %SVG.font-face.qname;,  
%SVG.missing-glyph.qname;, ( %SVG.glyph.qname; | %SVG.hkern.qname;  
| %SVG.vkern.qname; %SVG.font.extra.content; )\*)"  
>  
<!ELEMENT %SVG.font.qname; %SVG.font.content; >  
<!-- end of SVG.font.element -->]]>

<!ENTITY % SVG.font.attlist "INCLUDE" >

<![%SVG.font.attlist;[  
<!ATTLIST %SVG.font.qname;  
%SVG.Core.attrib;  
%SVG.Style.attrib;  
%SVG.Presentation.attrib;  
%SVG.External.attrib;

```

    horiz-origin-x %Number.datatype; #IMPLIED
    horiz-origin-y %Number.datatype; #IMPLIED
    horiz-adv-x %Number.datatype; #REQUIRED
    vert-origin-x %Number.datatype; #IMPLIED
    vert-origin-y %Number.datatype; #IMPLIED
    vert-adv-y %Number.datatype; #IMPLIED
>
<!-- end of SVG.font.attlist -->]]>

<!-- font-face: Font Face Element ..... -->

<!ENTITY % SVG.font-face.extra.content "" >

<!ENTITY % SVG.font-face.element "INCLUDE" >
<![%SVG.font-face.element;[
<!ENTITY % SVG.font-face.content
    "( (%SVG.Description.class;)*, %SVG.font-face-src.qname;?,
    %SVG.definition-src.qname;? %SVG.font-face.extra.content; )"
>
<!ELEMENT %SVG.font-face.qname; %SVG.font-face.content; >
<!-- end of SVG.font-face.element -->]]>

<!ENTITY % SVG.font-face.attlist "INCLUDE" >
<![%SVG.font-face.attlist;[
<!ATTLIST %SVG.font-face.qname;
    %SVG.Core.attrib;
    font-family CDATA #IMPLIED
    font-style CDATA #IMPLIED
    font-variant CDATA #IMPLIED
    font-weight CDATA
#IMPLIED
    font-stretch CDATA #IMPLIED
    font-size CDATA #IMPLIED
    unicode-range CDATA #IMPLIED
    units-per-em %Number.datatype; #IMPLIED
    panose-1 CDATA #IMPLIED
    stemv %Number.datatype; #IMPLIED
    stemh %Number.datatype; #IMPLIED
    slope %Number.datatype; #IMPLIED
    cap-height %Number.datatype; #IMPLIED
    x-height %Number.datatype; #IMPLIED
    accent-height %Number.datatype; #IMPLIED
    ascent %Number.datatype; #IMPLIED
    descent %Number.datatype; #IMPLIED
    widths CDATA #IMPLIED
    bbox CDATA #IMPLIED
    ideographic %Number.datatype; #IMPLIED
    alphabetic %Number.datatype; #IMPLIED

```

```

mathematical %Number.datatype; #IMPLIED
hanging %Number.datatype; #IMPLIED
v-ideographic %Number.datatype; #IMPLIED
v-alphabetic %Number.datatype; #IMPLIED
v-mathematical %Number.datatype; #IMPLIED
v-hanging %Number.datatype; #IMPLIED
underline-position %Number.datatype; #IMPLIED
underline-thickness %Number.datatype; #IMPLIED
strikethrough-position
%Number.datatype; #IMPLIED
strikethrough-thickness %Number.datatype; #IMPLIED
overline-position %Number.datatype; #IMPLIED
overline-thickness %Number.datatype; #IMPLIED
>
<!-- end of SVG.font-face.attlist -->]]>

<!-- glyph: Glyph Element ..... -->

<!ENTITY % SVG.glyph.extra.content "" >

<!ENTITY % SVG.glyph.element "INCLUDE" >
<![%SVG.glyph.element;[
<!ENTITY % SVG.glyph.content
"( %SVG.Description.class; | %SVG.Animation.class; %SVG.Structure.class;
 %SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;
 %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
 %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
 %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
 %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
 %SVG.Font.class; %SVG.glyph.extra.content; )*"
>
<!ELEMENT %SVG.glyph.qname; %SVG.glyph.content; >
<!-- end of SVG.glyph.element -->]]>

<!ENTITY
 % SVG.glyph.attlist "INCLUDE" >
<![%SVG.glyph.attlist;[
<!ATTLIST %SVG.glyph.qname;
 %SVG.Core.attrib;
 %SVG.Style.attrib;
 %SVG.Presentation.attrib;
 unicode CDATA #IMPLIED
 glyph-name CDATA #IMPLIED
 d %PathData.datatype; #IMPLIED
 orientation CDATA #IMPLIED
 arabic-form CDATA #IMPLIED
 lang %LanguageCodes.datatype; #IMPLIED
 horiz-adv-x %Number.datatype; #IMPLIED

```

```

vert-origin-x %Number.datatype; #IMPLIED
vert-origin-y %Number.datatype; #IMPLIED
vert-adv-y %Number.datatype; #IMPLIED
>
<!-- end of SVG.glyph.attlist -->]]>

<!-- missing-glyph: Missing Glyph Element ..... -->

<!ENTITY % SVG.missing-glyph.extra.content "" >

<!ENTITY % SVG.missing-glyph.element "INCLUDE" >
<![%SVG.missing-glyph.element;[
<!ENTITY % SVG.missing-glyph.content
"( %SVG.Description.class; | %SVG.Animation.class; %SVG.Structure.class;
 %SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;
 %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
 %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
 %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
 %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
 %SVG.Font.class; %SVG.missing-glyph.extra.content; )*"
>
<!ELEMENT %SVG.missing-glyph.qname; %SVG.missing-glyph.content; >
<!-- end of SVG.missing-glyph.element -->]]>

<!ENTITY % SVG.missing-glyph.attlist "INCLUDE" >
<![%SVG.missing-glyph.attlist;[
<!ATTLIST %SVG.missing-glyph.qname;
 %SVG.Core.attrib;
 %SVG.Style.attrib;
 %SVG.Presentation.attrib;
 d %PathData.datatype; #IMPLIED
 horiz-adv-x %Number.datatype; #IMPLIED
 vert-origin-x %Number.datatype; #IMPLIED
 vert-origin-y %Number.datatype; #IMPLIED
 vert-adv-y %Number.datatype; #IMPLIED
>
<!-- end of SVG.missing-glyph.attlist -->]]>

<!-- hkern: Horizontal Kerning Element ..... -->

<!ENTITY % SVG.hkern.element "INCLUDE" >
<![%SVG.hkern.element;[
<!ENTITY % SVG.hkern.content
"EMPTY" >
<!ELEMENT %SVG.hkern.qname; %SVG.hkern.content; >
<!-- end of SVG.hkern.element -->]]>

<!ENTITY % SVG.hkern.attlist "INCLUDE" >

```

```

<![%SVG.hkern.attlist;[
<!ATTLIST %SVG.hkern.qname;
  %SVG.Core.attrib;
  u1 CDATA #IMPLIED
  g1 CDATA #IMPLIED
  u2 CDATA #IMPLIED
  g2 CDATA #IMPLIED
  k %Number.datatype; #REQUIRED
>
<!-- end of SVG.hkern.attlist -->]]>

<!-- vkern: Vertical Kerning Element ..... -->

<!ENTITY % SVG.vkern.element "INCLUDE" >
<![%SVG.vkern.element;[
<!ENTITY % SVG.vkern.content "EMPTY" >
<!ELEMENT %SVG.vkern.qname; %SVG.vkern.content; >
<!-- end of SVG.vkern.element -->]]>

<!ENTITY % SVG.vkern.attlist "INCLUDE" >
<![%SVG.vkern.attlist;[
<!ATTLIST %SVG.vkern.qname;
  %SVG.Core.attrib;
  u1 CDATA #IMPLIED
  g1 CDATA #IMPLIED
  u2 CDATA #IMPLIED
  g2 CDATA #IMPLIED
  k %Number.datatype; #REQUIRED
>
<!-- end of SVG.vkern.attlist -->]]>

<!-- font-face-src: Font Face Source Element ..... -->

<!ENTITY % SVG.font-face-src.extra.content
"" >

<!ENTITY % SVG.font-face-src.element "INCLUDE" >
<![%SVG.font-face-src.element;[
<!ENTITY % SVG.font-face-src.content
"( %SVG.font-face-uri.qname; | %SVG.font-face-name.qname;
  %SVG.font-face-src.extra.content; )+"
>
<!ELEMENT %SVG.font-face-src.qname; %SVG.font-face-src.content; >
<!-- end of SVG.font-face-src.element -->]]>

<!ENTITY % SVG.font-face-src.attlist "INCLUDE" >
<![%SVG.font-face-src.attlist;[
<!ATTLIST %SVG.font-face-src.qname;

```

```

    %SVG.Core.attrib;
>
<!-- end of SVG.font-face-src.attlist -->]]>

<!-- font-face-uri: Font Face URI Element ..... -->

<!ENTITY % SVG.font-face-uri.extra.content "" >

<!ENTITY % SVG.font-face-uri.element "INCLUDE" >
<![%SVG.font-face-uri.element;[
<!ENTITY % SVG.font-face-uri.content
    "( %SVG.font-face-format.qname; %SVG.font-face-uri.extra.content; )*"
>
<!ELEMENT %SVG.font-face-uri.qname; %SVG.font-face-uri.content; >
<!-- end of SVG.font-face-uri.element -->]]>

<!ENTITY % SVG.font-face-uri.attlist
    "INCLUDE" >
<![%SVG.font-face-uri.attlist;[
<!ATTLIST %SVG.font-face-uri.qname;
    %SVG.Core.attrib;
    %SVG.XLinkRequired.attrib;
>
<!-- end of SVG.font-face-uri.attlist -->]]>

<!-- font-face-format: Font Face Format Element ..... -->

<!ENTITY % SVG.font-face-format.element "INCLUDE" >
<![%SVG.font-face-format.element;[
<!ENTITY % SVG.font-face-format.content "EMPTY" >
<!ELEMENT %SVG.font-face-format.qname; %SVG.font-face-format.content; >
<!-- end of SVG.font-face-format.element -->]]>

<!ENTITY % SVG.font-face-format.attlist "INCLUDE" >
<![%SVG.font-face-format.attlist;[
<!ATTLIST %SVG.font-face-format.qname;
    %SVG.Core.attrib;
    string CDATA #IMPLIED
>
<!-- end of SVG.font-face-format.attlist -->]]>

<!-- font-face-name: Font Face Name Element ..... -->

<!ENTITY % SVG.font-face-name.element "INCLUDE" >
<![%SVG.font-face-name.element;[
<!ENTITY % SVG.font-face-name.content "EMPTY" >
<!ELEMENT %SVG.font-face-name.qname; %SVG.font-face-name.content; >
<!--

```

end of SVG.font-face-name.element -->]]>

```
<!ENTITY % SVG.font-face-name.attlist "INCLUDE" >
<![%SVG.font-face-name.attlist;[
<!ATTLIST %SVG.font-face-name.qname;
  %SVG.Core.attrib;
  name CDATA #IMPLIED
>
<!-- end of SVG.font-face-name.attlist -->]]>
```

<!-- definition-src: Definition Source Element ..... -->

```
<!ENTITY % SVG.definition-src.element "INCLUDE" >
<![%SVG.definition-src.element;[
<!ENTITY % SVG.definition-src.content "EMPTY" >
<!ELEMENT %SVG.definition-src.qname; %SVG.definition-src.content; >
<!-- end of SVG.definition-src.element -->]]>
```

```
<!ENTITY % SVG.definition-src.attlist "INCLUDE" >
<![%SVG.definition-src.attlist;[
<!ATTLIST %SVG.definition-src.qname;
  %SVG.Core.attrib;
  %SVG.XLinkRequired.attrib;
>
<!-- end of SVG.definition-src.attlist -->]]>
```

<!-- end of svg-font.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-font.mod

No license file was found, but licenses were detected in source scan.

<!--

File isomopf.ent produced by the XSL script entities.xml  
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the  
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle  
via the public W3C list [www-math@w3.org](mailto:www-math@w3.org).

The numeric character values assigned to each entity  
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the following notice:

(C) International Organization for Standardization 1991  
Permission to copy in any form is granted for use with conforming SGML systems and applications as defined in ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: -//W3C//ENTITIES  
Math Alphabets: Open Face//EN//XML  
System identifier: <http://www.w3.org/2003/entities/2007/isomopf.ent>

The public identifier should always be used verbatim.  
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isomopf PUBLIC
  "-//W3C//ENTITIES Math Alphabets: Open Face//EN//XML"
  "http://www.w3.org/2003/entities/2007/isomopf.ent"
>
%isomopf;
```

-->

```
<!ENTITY Aopf      "𝔸" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL A -->
<!ENTITY Bopf      "𝔹" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL B -->
<!ENTITY Copf      "ℂ" ><!--DOUBLE-STRUCK CAPITAL C -->
<!ENTITY Dopf      "𝔻" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL D -->
<!ENTITY Eopf      "𝔼" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL E -->
<!ENTITY Fopf      "𝔽" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL F -->
<!ENTITY Gopf      "𝔾" ><!--MATHEMATICAL
DOUBLE-STRUCK CAPITAL G -->
<!ENTITY Hopf      "ℍ" ><!--DOUBLE-STRUCK CAPITAL H -->
<!ENTITY Iopf      "𝕀" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL I -->
<!ENTITY Jopf      "𝕁" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL J -->
<!ENTITY Kopf      "𝕂" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL K -->
<!ENTITY Lopf      "𝕃" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL L -->
<!ENTITY Mopf      "𝕄" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL M -->
<!ENTITY Nopf      "ℕ" ><!--DOUBLE-STRUCK CAPITAL N -->
<!ENTITY Oopf      "𝕆" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL O -->
<!ENTITY Popf      "ℙ" ><!--DOUBLE-STRUCK CAPITAL P -->
```

```

<!ENTITY Qopf      "ℚ" ><!--DOUBLE-STRUCK CAPITAL Q -->
<!ENTITY Ropf      "ℝ" ><!--DOUBLE-STRUCK CAPITAL R -->
<!ENTITY Sopf      "𝕊" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL S -->
<!ENTITY Topf      "𝕋" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL T -->
<!ENTITY Uopf      "𝕌" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL U -->
<!ENTITY Vopf      "𝕍" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL V -->
<!ENTITY Wopf      "𝕎" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL W -->
<!ENTITY Xopf      "𝕏" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL X -->
<!ENTITY Yopf      "𝕐" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL Y -->
<!ENTITY Zopf      "ℤ" ><!--DOUBLE-STRUCK CAPITAL Z -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isomopf.ent
```

No license file was found, but licenses were detected in source scan.

2003 W3C&#xae; (MIT, ERCIM, Keio), All Rights

Reserved. W3C liability, trademark, document use and software  
licensing rules apply.

Permission to use, copy, modify and distribute the MathML 2.0 DTD and  
its accompanying documentation for any purpose and without fee is  
hereby granted in perpetuity, provided that the above copyright notice  
and this paragraph appear in all copies. The copyright holders make  
no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Revision: \$Id: mathml2.dtd,v 1.12 2003/11/04 13:14:35 davidc Exp \$

This entity may be identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml2/mathml2.dtd
```

No license file was found, but licenses were detected in source scan.

<!-- This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. -->

<!-- This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License,  
v. 2.0. -->

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/wrapper/package.html
```

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/gizmo/package.html
```

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/jiter/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/z/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/pull/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/regex/package.html  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/serialize/codenorm/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/rules/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trace/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/serialize/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/java/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/serialize/charcode/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/option/dom4j/package.html  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/query/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/value/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/ma/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/number/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/sapling/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/lib/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/iter/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/type/package.html  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/dom/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/streams/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/xpath/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/option/local/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/linked/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/util/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/sort/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/event/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/option/xom/package.html  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/option/exslt/package.html  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

```
zip/net/sf/saxon/expr/parser/package.html
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/pattern/package.html
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/flwor/package.html
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/package.html
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/sxpath/package.html
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/package.html
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/tiny/package.html
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/package.html
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Animation Module ..... -->
<!-- file: svg-animation.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-animation.mod,v 1.3 2002/10/24 17:40:14 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Animation//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-animation.mod"
```

```
..... -->
```

```
<!-- Animation
```

animate, set, animateMotion, animateColor, animateTransform, mpath

This module declares markup to provide support for animation.

```
-->
```

```
<!-- Qualified Names (Default) ..... -->
```

```
<!ENTITY
% SVG.animate.qname "animate" >
<!ENTITY % SVG.set.qname "set" >
<!ENTITY % SVG.animateMotion.qname "animateMotion" >
<!ENTITY % SVG.animateColor.qname "animateColor" >
<!ENTITY % SVG.animateTransform.qname "animateTransform" >
<!ENTITY % SVG.mpath.qname "mpath" >
```

```
<!-- Attribute Collections (Default) ..... -->
```

```
<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.Conditional.attrib "" >
<!ENTITY % SVG.AnimationEvents.attrib "" >
```

```

<!ENTITY % SVG.XLink.attrib "" >
<!ENTITY % SVG.XLinkRequired.attrib "" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Animation.class ..... -->

<!ENTITY % SVG.Animation.extra.class "" >

<!ENTITY % SVG.Animation.class
"%SVG.animate.qname; | %SVG.set.qname; | %SVG.animateMotion.qname; |
%SVG.animateColor.qname; | %SVG.animateTransform.qname;
%SVG.Animation.extra.class;"
>

<!-- SVG.Animation.attrib ..... -->

<!ENTITY % SVG.Animation.extra.attrib "" >

<!ENTITY % SVG.Animation.attrib
"%SVG.XLink.attrib;
%SVG.Animation.extra.attrib;"
>

<!-- SVG.AnimationAttribute.attrib ..... -->

<!ENTITY % SVG.AnimationAttribute.extra.attrib "" >

<!ENTITY % SVG.AnimationAttribute.attrib
"attributeName CDATA #REQUIRED
attributeType CDATA #IMPLIED
%SVG.AnimationAttribute.extra.attrib;"
>

<!-- SVG.AnimationTiming.attrib ..... -->

<!ENTITY % SVG.AnimationTiming.extra.attrib "" >

<!ENTITY % SVG.AnimationTiming.attrib
"begin CDATA #IMPLIED
dur CDATA #IMPLIED
end CDATA #IMPLIED
min CDATA #IMPLIED
max CDATA #IMPLIED
restart ( always | never | whenNotActive ) 'always'
repeatCount CDATA #IMPLIED
repeatDur CDATA #IMPLIED
fill ( remove | freeze ) 'remove'
%SVG.AnimationTiming.extra.attrib;"

```

```

>

<!-- SVG.AnimationValue.attrib ..... -->

<!ENTITY % SVG.AnimationValue.extra.attrib "" >

<!ENTITY % SVG.AnimationValue.attrib
  "calcMode ( discrete | linear
  | paced | spline ) 'linear'
  values CDATA #IMPLIED
  keyTimes CDATA #IMPLIED
  keySplines CDATA #IMPLIED
  from CDATA #IMPLIED
  to CDATA #IMPLIED
  by CDATA #IMPLIED
  %SVG.AnimationValue.extra.attrib;"
>

<!-- SVG.AnimationAddtion.attrib ..... -->

<!ENTITY % SVG.AnimationAddtion.extra.attrib "" >

<!ENTITY % SVG.AnimationAddtion.attrib
  "additive ( replace | sum ) 'replace'
  accumulate ( none | sum ) 'none'
  %SVG.AnimationAddtion.extra.attrib;"
>

<!-- animate: Animate Element ..... -->

<!ENTITY % SVG.animate.extra.content "" >

<!ENTITY % SVG.animate.element "INCLUDE" >
<![%SVG.animate.element;[
<!ENTITY % SVG.animate.content
  "( %SVG.Description.class; %SVG.animate.extra.content; )*"
>
<!ELEMENT %SVG.animate.qname; %SVG.animate.content; >
<!-- end of SVG.animate.element -->]]>

<!ENTITY % SVG.animate.attlist "INCLUDE" >
<![%SVG.animate.attlist;[
<!ATTLIST %SVG.animate.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.AnimationEvents.attrib;
  %SVG.External.attrib;
  %SVG.Animation.attrib;

```

```

    %SVG.AnimationAttribute.attrib;
    %SVG.AnimationTiming.attrib;
    %SVG.AnimationValue.attrib;
    %SVG.AnimationAddtion.attrib;
>
<!-- end of SVG.animate.attlist -->]]>

<!-- set: Set Element ..... -->

<!ENTITY % SVG.set.extra.content "" >

<!ENTITY % SVG.set.element "INCLUDE" >
<![%SVG.set.element;[
<!ENTITY % SVG.set.content
    "( %SVG.Description.class; %SVG.set.extra.content; )*"
>
<!ELEMENT %SVG.set.qname; %SVG.set.content; >
<!-- end of SVG.set.element -->]]>

<!ENTITY % SVG.set.attlist "INCLUDE" >
<![%SVG.set.attlist;[
<!ATTLIST %SVG.set.qname;
    %SVG.Core.attrib;
    %SVG.Conditional.attrib;
    %SVG.AnimationEvents.attrib;
    %SVG.External.attrib;
    %SVG.Animation.attrib;
    %SVG.AnimationAttribute.attrib;
    %SVG.AnimationTiming.attrib;
    to CDATA #IMPLIED
>
<!-- end of SVG.set.attlist -->]]>

<!-- animateMotion: Animate
Motion Element ..... -->

<!ENTITY % SVG.animateMotion.extra.content "" >

<!ENTITY % SVG.animateMotion.element "INCLUDE" >
<![%SVG.animateMotion.element;[
<!ENTITY % SVG.animateMotion.content
    "(( %SVG.Description.class; )*, %SVG.mpath.qname;?
    %SVG.animateMotion.extra.content; )"
>
<!ELEMENT %SVG.animateMotion.qname; %SVG.animateMotion.content; >
<!-- end of SVG.animateMotion.element -->]]>

<!ENTITY % SVG.animateMotion.attlist "INCLUDE" >

```

```

<![%SVG.animateMotion.attlist;[
<!ATTLIST %SVG.animateMotion.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.AnimationEvents.attrib;
  %SVG.External.attrib;
  %SVG.Animation.attrib;
  %SVG.AnimationTiming.attrib;
  %SVG.AnimationAddtion.attrib;
  calcMode ( discrete | linear | paced | spline ) 'paced'
  values CDATA #IMPLIED
  keyTimes CDATA #IMPLIED
  keySplines CDATA #IMPLIED
  from CDATA #IMPLIED
  to CDATA #IMPLIED
  by CDATA #IMPLIED
  path CDATA #IMPLIED
  keyPoints CDATA #IMPLIED
  rotate CDATA #IMPLIED
  origin CDATA #IMPLIED
>
<!-- end of SVG.animateMotion.attlist -->]]>

<!-- animateColor: Animate Color Element ..... -->

<!ENTITY % SVG.animateColor.extra.content "" >

<!ENTITY % SVG.animateColor.element "INCLUDE" >
<![%SVG.animateColor.element;[
<!ENTITY % SVG.animateColor.content
  "( %SVG.Description.class; %SVG.animateColor.extra.content; )*"
>
<!ELEMENT %SVG.animateColor.qname; %SVG.animateColor.content; >
<!-- end of SVG.animateColor.element -->]]>

<!ENTITY % SVG.animateColor.attlist "INCLUDE" >
<![%SVG.animateColor.attlist;[
<!ATTLIST %SVG.animateColor.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.AnimationEvents.attrib;
  %SVG.External.attrib;
  %SVG.Animation.attrib;
  %SVG.AnimationAttribute.attrib;
  %SVG.AnimationTiming.attrib;
  %SVG.AnimationValue.attrib;
  %SVG.AnimationAddtion.attrib;
>

```

```

<!-- end of SVG.animateColor.attlist -->]]>

<!-- animateTransform: Animate Transform Element ..... -->

<!ENTITY
% SVG.animateTransform.extra.content "" >

<!ENTITY % SVG.animateTransform.element "INCLUDE" >
<![%SVG.animateTransform.element;[
<!ENTITY % SVG.animateTransform.content
  "( %SVG.Description.class; %SVG.animateTransform.extra.content; )"
>
<!ELEMENT %SVG.animateTransform.qname; %SVG.animateTransform.content; >
<!-- end of SVG.animateTransform.element -->]]>

<!ENTITY % SVG.animateTransform.attlist "INCLUDE" >
<![%SVG.animateTransform.attlist;[
<!ATTLIST %SVG.animateTransform.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.AnimationEvents.attrib;
  %SVG.External.attrib;
  %SVG.Animation.attrib;
  %SVG.AnimationAttribute.attrib;
  %SVG.AnimationTiming.attrib;
  %SVG.AnimationValue.attrib;
  %SVG.AnimationAddtion.attrib;
  type ( translate | scale | rotate | skewX | skewY ) 'translate'
>
<!-- end of SVG.animateTransform.attlist -->]]>

<!-- mpath: Motion Path Element ..... -->

<!ENTITY % SVG.mpath.extra.content "" >

<!ENTITY
% SVG.mpath.element "INCLUDE" >
<![%SVG.mpath.element;[
<!ENTITY % SVG.mpath.content
  "( %SVG.Description.class; %SVG.mpath.extra.content; )"
>
<!ELEMENT %SVG.mpath.qname; %SVG.mpath.content; >
<!-- end of SVG.mpath.element -->]]>

<!ENTITY % SVG.mpath.attlist "INCLUDE" >
<![%SVG.mpath.attlist;[
<!ATTLIST %SVG.mpath.qname;
  %SVG.Core.attrib;

```

```
%SVG.XLinkRequired.attrib;
%SVG.External.attrib;
>
<!-- end of SVG.mpath.attlist -->]]>
```

```
<!-- end of svg-animation.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
animation.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Inline Phrasal Module ..... -->
<!-- file: xhtml-inlphras-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-inlphras-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Inline Phrasal 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulatization/DTD/xhtml-inlphras-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Inline Phrasal
```

```
abbr, acronym, cite, code, dfn, em, kbd, q, samp, strong, var
```

This module declares the elements and their attributes used to  
support inline-level  
phrasal markup.

```
-->
```

```
<!ENTITY % abbr.element "INCLUDE" >
<![%abbr.element;[
<!ENTITY % abbr.content
"( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % abbr.qname "abbr" >
<!ELEMENT %abbr.qname; %abbr.content; >
<!-- end of abbr.element -->]]>
```

```
<!ENTITY % abbr.attlist "INCLUDE" >
```

```
<![%abbr.attlist;[
<!ATTLIST %abbr.qname;
    %Common.attrib;
>
<!-- end of abbr.attlist -->]]>
```

```
<!ENTITY % acronym.element "INCLUDE" >
<![%acronym.element;[
<!ENTITY % acronym.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % acronym.qname "acronym" >
<!ELEMENT %acronym.qname; %acronym.content; >
<!-- end of acronym.element -->]]>
```

```
<!ENTITY % acronym.attlist "INCLUDE" >
<![%acronym.attlist;[
<!ATTLIST %acronym.qname;
    %Common.attrib;
>
<!-- end of acronym.attlist -->]]>
```

```
<!ENTITY % cite.element "INCLUDE" >
<![%cite.element;[
<!ENTITY % cite.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % cite.qname "cite" >
<!ELEMENT %cite.qname; %cite.content; >
<!-- end of cite.element -->]]>
```

```
<!ENTITY
% cite.attlist "INCLUDE" >
<![%cite.attlist;[
<!ATTLIST %cite.qname;
    %Common.attrib;
>
<!-- end of cite.attlist -->]]>
```

```
<!ENTITY % code.element "INCLUDE" >
<![%code.element;[
<!ENTITY % code.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % code.qname "code" >
<!ELEMENT %code.qname; %code.content; >
<!-- end of code.element -->]]>
```

```
<!ENTITY % code.attlist "INCLUDE" >
<![%code.attlist;[
<!ATTLIST %code.qname;
    %Common.attrib;
>
<!-- end of code.attlist -->]]>
```

```
<!ENTITY % dfn.element "INCLUDE" >
<![%dfn.element;[
<!ENTITY % dfn.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % dfn.qname "dfn" >
<!ELEMENT %dfn.qname; %dfn.content; >
<!-- end of dfn.element -->]]>
```

```
<!ENTITY % dfn.attlist "INCLUDE" >
<![%dfn.attlist;[
<!ATTLIST %dfn.qname;
    %Common.attrib;
>
<!-- end of dfn.attlist -->]]>
```

```
<!ENTITY % em.element "INCLUDE" >
<![%em.element;[
<!ENTITY % em.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % em.qname "em" >
<!ELEMENT %em.qname;
    %em.content; >
<!-- end of em.element -->]]>
```

```
<!ENTITY % em.attlist "INCLUDE" >
<![%em.attlist;[
<!ATTLIST %em.qname;
    %Common.attrib;
>
<!-- end of em.attlist -->]]>
```

```
<!ENTITY % kbd.element "INCLUDE" >
<![%kbd.element;[
<!ENTITY % kbd.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % kbd.qname "kbd" >
<!ELEMENT %kbd.qname; %kbd.content; >
<!-- end of kbd.element -->]]>
```

```
<!ENTITY % kbd.attlist "INCLUDE" >
<![%kbd.attlist;[
<!ATTLIST %kbd.qname;
    %Common.attrib;
>
<!-- end of kbd.attlist -->]]>
```

```
<!ENTITY % q.element "INCLUDE" >
<![%q.element;[
<!ENTITY % q.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % q.qname "q" >
<!ELEMENT %q.qname; %q.content; >
<!-- end of q.element -->]]>
```

```
<!ENTITY % q.attlist "INCLUDE" >
<![%q.attlist;[
<!ATTLIST %q.qname;
    %Common.attrib;
    cite    %URI.datatype;    #IMPLIED
>
<!-- end of q.attlist -->]]>
```

```
<!ENTITY % samp.element "INCLUDE" >
<![%samp.element;[
<!ENTITY % samp.content
    "( #PCDATA |
%Inline.mix; )*"
>
<!ENTITY % samp.qname "samp" >
<!ELEMENT %samp.qname; %samp.content; >
<!-- end of samp.element -->]]>
```

```
<!ENTITY % samp.attlist "INCLUDE" >
<![%samp.attlist;[
<!ATTLIST %samp.qname;
    %Common.attrib;
>
<!-- end of samp.attlist -->]]>
```

```
<!ENTITY % strong.element "INCLUDE" >
<![%strong.element;[
<!ENTITY % strong.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % strong.qname "strong" >
```

```
<!ELEMENT %strong.qname; %strong.content; >
<!-- end of strong.element -->]]>
```

```
<!ENTITY % strong.attlist "INCLUDE" >
<![%strong.attlist;[
<!ATTLIST %strong.qname;
    %Common.attrib;
>
<!-- end of strong.attlist -->]]>
```

```
<!ENTITY % var.element "INCLUDE" >
<![%var.element;[
<!ENTITY % var.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % var.qname "var" >
<!ELEMENT %var.qname; %var.content; >
<!-- end of var.element -->]]>
```

```
<!ENTITY % var.attlist "INCLUDE" >
<![%var.attlist;[
<!ATTLIST %var.qname;
    %Common.attrib;
>
<!-- end of var.attlist -->]]>
```

```
<!-- end
of xhtml-inlphras-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-
inlphras-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 XLink Attribute Module ..... -->
<!-- file: svg-xlink-attrib.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-xlink-attrib.mod,v 1.2 2002/04/20 18:07:43 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 XLink Attribute//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-xlink-attrib.mod"
```

```
..... -->
```

<!-- XLink Attribute

type, href, role, arcrole, title, show, actuate

This module defines the XLink, XLinkRequired, XLinkEmbed, and XLinkReplace attribute set.

-->

<!ENTITY % SVG.XLink.extra.attrib

"" >

<!ENTITY % SVG.XLink.attrib

```
"%XLINK.xmlns.attrib;
%XLINK.pfx;type ( simple ) #FIXED 'simple'
%XLINK.pfx;href %URI.datatype; #IMPLIED
%XLINK.pfx;role %URI.datatype; #IMPLIED
%XLINK.pfx;arcrole %URI.datatype; #IMPLIED
%XLINK.pfx;title CDATA #IMPLIED
%XLINK.pfx;show ( other ) 'other'
%XLINK.pfx;actuate ( onLoad ) #FIXED 'onLoad'
%SVG.XLink.extra.attrib;"
```

>

<!ENTITY % SVG.XLinkRequired.extra.attrib "" >

<!ENTITY % SVG.XLinkRequired.attrib

```
"%XLINK.xmlns.attrib;
%XLINK.pfx;type ( simple ) #FIXED 'simple'
%XLINK.pfx;href %URI.datatype; #REQUIRED
%XLINK.pfx;role %URI.datatype; #IMPLIED
%XLINK.pfx;arcrole %URI.datatype; #IMPLIED
%XLINK.pfx;title CDATA #IMPLIED
%XLINK.pfx;show ( other ) 'other'
%XLINK.pfx;actuate ( onLoad ) #FIXED 'onLoad'
%SVG.XLinkRequired.extra.attrib;"
```

>

<!ENTITY % SVG.XLinkEmbed.extra.attrib "" >

<!ENTITY % SVG.XLinkEmbed.attrib

```
"%XLINK.xmlns.attrib;
%XLINK.pfx;type
( simple ) #FIXED 'simple'
%XLINK.pfx;href %URI.datatype; #REQUIRED
%XLINK.pfx;role %URI.datatype; #IMPLIED
%XLINK.pfx;arcrole %URI.datatype; #IMPLIED
%XLINK.pfx;title CDATA #IMPLIED
```

```

%XLINK.pfx;show ( embed ) 'embed'
%XLINK.pfx;actuate ( onLoad ) #FIXED 'onLoad'
%SVG.XLinkEmbed.extra.attrib;"
>

<!ENTITY % SVG.XLinkReplace.extra.attrib "" >

<!ENTITY % SVG.XLinkReplace.attrib
"%XLINK.xmlns.attrib;
%XLINK.pfx;type ( simple ) #FIXED 'simple'
%XLINK.pfx;href %URI.datatype; #REQUIRED
%XLINK.pfx;role %URI.datatype; #IMPLIED
%XLINK.pfx;arcrole %URI.datatype; #IMPLIED
%XLINK.pfx;title CDATA #IMPLIED
%XLINK.pfx;show ( new | replace ) 'replace'
%XLINK.pfx;actuate ( onRequest ) #FIXED 'onRequest'
%SVG.XLinkReplace.extra.attrib;"
>

```

<!-- end of svg-xlink-attrib.mod -->

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-xlink-attrib.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Document Scripting Module ..... -->
<!-- file: xhtml-script-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.  
 Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
 Revision: \$Id: xhtml-script-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Scripting 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-script-1.mod"

```

Revisions:

(none)

```
..... -->
```

<!-- Scripting

```

script, noscript

```

This module declares element types and attributes used to provide

support for executable scripts as well as an alternate content container where scripts are not supported.

```
-->

<!-- script: Scripting Statement ..... -->

<!ENTITY % script.element "INCLUDE" >
<![%script.element;[
<!ENTITY % script.content "( #PCDATA )" >
<!ENTITY % script.qname "script" >
<!ELEMENT %script.qname; %script.content; >
<!-- end of script.element -->]]>

<!ENTITY % script.attlist "INCLUDE" >
<![%script.attlist;[
<!ATTLIST %script.qname;
    %XHTML.xmlns.attrib;
    %id.attrib;
    xml:space ( preserve )      #FIXED 'preserve'
    charset %Charset.datatype;  #IMPLIED
    type %ContentType.datatype; #REQUIRED
    src %URI.datatype;          #IMPLIED
    defer ( defer )            #IMPLIED
>
<!-- end of script.attlist -->]]>

<!-- noscript: No-Script Alternate Content ..... -->

<!ENTITY % noscript.element "INCLUDE" >
<![%noscript.element;[
<!ENTITY % noscript.content
    "( %Block.mix; )+"
>
<!ENTITY % noscript.qname "noscript" >
<!ELEMENT %noscript.qname; %noscript.content;
>
<!-- end of noscript.element -->]]>

<!ENTITY % noscript.attlist "INCLUDE" >
<![%noscript.attlist;[
<!ATTLIST %noscript.qname;
    %Common.attrib;
>
<!-- end of noscript.attlist -->]]>

<!-- end of xhtml-script-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-script-1.mod
```

No license file was found, but licenses were detected in source scan.

```
// This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0.
```

```
// This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v.  
2.0.
```

```
/**
```

```
* Accesses the Normalization Data used for Forms C and D.
```

```
* <p>Copyright (c) 1998-1999 Unicode, Inc. All Rights Reserved.<br>
```

```
* The Unicode Consortium makes no expressed or implied warranty of any  
* kind, and assumes no liability for errors or omissions.
```

```
* No liability is assumed for incidental and consequential damages
```

```
* in connection with or arising out of the use of the information here.</p>
```

```
*
```

```
* @author Mark Davis
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/serialize/codenorm/NormalizerData.java
```

No license file was found, but licenses were detected in source scan.

```
<!--
```

```
File isocyr1.ent produced by the XSL script entities.xsl  
from input data in unicode.xml.
```

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the  
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle  
via the public W3C list [www-math@w3.org](mailto:www-math@w3.org).

The numeric character values assigned to each entity  
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the  
following notice:

(C) International Organization for Standardization 1986  
Permission to copy in any form is granted for use with  
conforming SGML systems and applications as defined in  
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: -//W3C//ENTITIES  
Russian Cyrillic//EN//XML  
System identifier: http://www.w3.org/2003/entities/2007/isocyr1.ent

The public identifier should always be used verbatim.  
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isocyr1 PUBLIC
  "-//W3C//ENTITIES Russian Cyrillic//EN//XML"
  "http://www.w3.org/2003/entities/2007/isocyr1.ent"
>
%isocyr1;
```

-->

```
<!ENTITY acy      "&#x00430;" ><!--CYRILLIC SMALL LETTER A -->
<!ENTITY Acy      "&#x00410;" ><!--CYRILLIC CAPITAL LETTER A -->
<!ENTITY bcy      "&#x00431;" ><!--CYRILLIC SMALL LETTER BE -->
<!ENTITY Bcy      "&#x00411;" ><!--CYRILLIC CAPITAL LETTER BE -->
<!ENTITY chcy     "&#x00447;" ><!--CYRILLIC SMALL LETTER CHE -->
<!ENTITY CHcy     "&#x00427;" ><!--CYRILLIC CAPITAL LETTER CHE -->
<!ENTITY dcy      "&#x00434;" ><!--CYRILLIC SMALL LETTER DE -->
<!ENTITY Dcy      "&#x00414;" ><!--CYRILLIC
CAPITAL LETTER DE -->
<!ENTITY ecy      "&#x0044D;" ><!--CYRILLIC SMALL LETTER E -->
<!ENTITY Ecy      "&#x0042D;" ><!--CYRILLIC CAPITAL LETTER E -->
<!ENTITY fcy      "&#x00444;" ><!--CYRILLIC SMALL LETTER EF -->
<!ENTITY Fcy      "&#x00424;" ><!--CYRILLIC CAPITAL LETTER EF -->
<!ENTITY gcy      "&#x00433;" ><!--CYRILLIC SMALL LETTER GHE -->
<!ENTITY Gcy      "&#x00413;" ><!--CYRILLIC CAPITAL LETTER GHE -->
<!ENTITY hardcy   "&#x0044A;" ><!--CYRILLIC SMALL LETTER HARD SIGN -->
<!ENTITY HARDcy   "&#x0042A;" ><!--CYRILLIC CAPITAL LETTER HARD SIGN -->
<!ENTITY icy      "&#x00438;" ><!--CYRILLIC SMALL LETTER I -->
<!ENTITY Icy      "&#x00418;" ><!--CYRILLIC CAPITAL LETTER I -->
<!ENTITY iecy     "&#x00435;" ><!--CYRILLIC SMALL LETTER IE -->
<!ENTITY IEcy     "&#x00415;" ><!--CYRILLIC CAPITAL LETTER IE -->
<!ENTITY iocy     "&#x00451;" ><!--CYRILLIC SMALL LETTER IO -->
<!ENTITY IOcy     "&#x00401;" ><!--CYRILLIC CAPITAL LETTER IO -->
<!ENTITY jcy      "&#x00439;" ><!--CYRILLIC SMALL LETTER SHORT I -->
<!ENTITY Jcy      "&#x00419;" ><!--CYRILLIC CAPITAL LETTER SHORT I -->
```

<!ENTITY key "#x0043A;" ><!--CYRILLIC SMALL LETTER KA -->  
 <!ENTITY Kcy "#x0041A;" ><!--CYRILLIC CAPITAL LETTER KA -->  
 <!ENTITY khey "#x00445;" ><!--CYRILLIC SMALL LETTER HA -->  
 <!ENTITY KHcy "#x00425;" ><!--CYRILLIC CAPITAL LETTER HA -->  
 <!ENTITY ley "#x0043B;" ><!--CYRILLIC SMALL LETTER EL -->  
 <!ENTITY Lcy "#x0041B;" ><!--CYRILLIC CAPITAL LETTER EL -->  
 <!ENTITY mey "#x0043C;" ><!--CYRILLIC SMALL LETTER EM -->  
 <!ENTITY Mcy "#x0041C;" ><!--CYRILLIC CAPITAL LETTER EM -->  
 <!ENTITY ney "#x0043D;" ><!--CYRILLIC SMALL LETTER EN -->  
 <!ENTITY Ncy "#x0041D;" ><!--CYRILLIC CAPITAL LETTER EN -->  
 <!ENTITY numero "#x02116;" ><!--NUMERO SIGN -->  
 -->  
 <!ENTITY ocy "#x0043E;" ><!--CYRILLIC SMALL LETTER O -->  
 <!ENTITY Ocy "#x0041E;" ><!--CYRILLIC CAPITAL LETTER O -->  
 <!ENTITY pcy "#x0043F;" ><!--CYRILLIC SMALL LETTER PE -->  
 <!ENTITY Pcy "#x0041F;" ><!--CYRILLIC CAPITAL LETTER PE -->  
 <!ENTITY rcy "#x00440;" ><!--CYRILLIC SMALL LETTER ER -->  
 <!ENTITY Rcy "#x00420;" ><!--CYRILLIC CAPITAL LETTER ER -->  
 <!ENTITY scy "#x00441;" ><!--CYRILLIC SMALL LETTER ES -->  
 <!ENTITY Scy "#x00421;" ><!--CYRILLIC CAPITAL LETTER ES -->  
 <!ENTITY shchcy "#x00449;" ><!--CYRILLIC SMALL LETTER SHCHA -->  
 <!ENTITY SHCHcy "#x00429;" ><!--CYRILLIC CAPITAL LETTER SHCHA -->  
 <!ENTITY shcy "#x00448;" ><!--CYRILLIC SMALL LETTER SHA -->  
 <!ENTITY SHcy "#x00428;" ><!--CYRILLIC CAPITAL LETTER SHA -->  
 <!ENTITY softcy "#x0044C;" ><!--CYRILLIC SMALL LETTER SOFT SIGN -->  
 <!ENTITY SOFTcy "#x0042C;" ><!--CYRILLIC CAPITAL LETTER SOFT SIGN -->  
 <!ENTITY tcy "#x00442;" ><!--CYRILLIC SMALL LETTER TE -->  
 <!ENTITY Tcy "#x00422;" ><!--CYRILLIC CAPITAL LETTER TE -->  
 <!ENTITY tscy "#x00446;" ><!--CYRILLIC SMALL LETTER TSE -->  
 <!ENTITY TScy "#x00426;" ><!--CYRILLIC CAPITAL LETTER TSE -->  
 <!ENTITY ucy "#x00443;" ><!--CYRILLIC SMALL LETTER U -->  
 <!ENTITY Ucy "#x00423;" ><!--CYRILLIC CAPITAL LETTER U -->  
 <!ENTITY vcy "#x00432;" ><!--CYRILLIC SMALL LETTER VE -->  
 <!ENTITY Vcy "#x00412;" ><!--CYRILLIC CAPITAL LETTER VE -->  
 <!ENTITY yaey "#x0044F;" ><!--CYRILLIC SMALL LETTER YA -->  
 <!ENTITY YAcy "#x0042F;" ><!--CYRILLIC CAPITAL LETTER YA -->  
 <!ENTITY ycy "#x0044B;" ><!--CYRILLIC SMALL LETTER YERU -->  
 <!ENTITY Ycy "#x0042B;" ><!--CYRILLIC CAPITAL LETTER YERU -->  
 <!ENTITY yuey "#x0044E;" ><!--CYRILLIC SMALL LETTER YU -->  
 <!ENTITY YUcy "#x0042E;" ><!--CYRILLIC CAPITAL LETTER YU -->  
 <!ENTITY zcy "#x00437;" ><!--CYRILLIC SMALL LETTER ZE -->  
 <!ENTITY Zcy "#x00417;" ><!--CYRILLIC CAPITAL LETTER ZE -->  
 <!ENTITY zhey "#x00436;" ><!--CYRILLIC SMALL LETTER ZHE -->  
 <!ENTITY ZHcy "#x00416;" ><!--CYRILLIC CAPITAL LETTER ZHE -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/mathml/mathml3/isocyr1.ent

No license file was found, but licenses were detected in source scan.

<!--

File isocyr2.ent produced by the XSL script entities.xml  
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the  
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle  
via the public W3C list [www-math@w3.org](mailto:www-math@w3.org).

The numeric character values assigned to each entity  
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the  
following notice:

(C) International Organization for Standardization 1986  
Permission to copy in any form is granted for use with  
conforming SGML systems and applications as defined in  
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: `--W3C//ENTITIES`  
Non-Russian Cyrillic//EN//XML  
System identifier: <http://www.w3.org/2003/entities/2007/isocyr2.ent>

The public identifier should always be used verbatim.  
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isocyr2 PUBLIC
  "--W3C//ENTITIES Non-Russian Cyrillic//EN//XML"
  "http://www.w3.org/2003/entities/2007/isocyr2.ent"
>
%isocyr2;
```

-->

```
<!ENTITY djcy      "ђ" ><!--CYRILLIC SMALL LETTER DJE -->
<!ENTITY DJcy     "Ђ" ><!--CYRILLIC CAPITAL LETTER DJE -->
<!ENTITY dscy     "ѕ" ><!--CYRILLIC SMALL LETTER DZE -->
<!ENTITY DScy     "Ѕ" ><!--CYRILLIC CAPITAL LETTER DZE -->
<!ENTITY dzcy     "џ" ><!--CYRILLIC SMALL LETTER DZHE -->
<!ENTITY DZcy     "Џ" ><!--CYRILLIC CAPITAL LETTER DZHE -->
<!ENTITY gjcy     "ѓ" ><!--CYRILLIC SMALL LETTER GJE -->
<!ENTITY GJcy     "Ѓ"
  ><!--CYRILLIC CAPITAL LETTER GJE -->
<!ENTITY iukcy    "і" ><!--CYRILLIC SMALL LETTER BYELORUSSIAN-UKRAINIAN I -->
<!ENTITY Iukcy    "І" ><!--CYRILLIC CAPITAL LETTER BYELORUSSIAN-UKRAINIAN I -->
<!ENTITY jsery    "ј" ><!--CYRILLIC SMALL LETTER JE -->
<!ENTITY Jsercy   "Ј" ><!--CYRILLIC CAPITAL LETTER JE -->
<!ENTITY jukcy    "є" ><!--CYRILLIC SMALL LETTER UKRAINIAN IE -->
<!ENTITY Jukcy    "Є" ><!--CYRILLIC CAPITAL LETTER UKRAINIAN IE -->
<!ENTITY kjcy     "ќ" ><!--CYRILLIC SMALL LETTER KJE -->
<!ENTITY KJcy     "Ќ" ><!--CYRILLIC CAPITAL LETTER KJE -->
<!ENTITY ljcy     "љ" ><!--CYRILLIC SMALL LETTER LJE -->
<!ENTITY LJcy     "Љ" ><!--CYRILLIC CAPITAL LETTER LJE -->
<!ENTITY njcy     "њ" ><!--CYRILLIC SMALL LETTER NJE -->
<!ENTITY NJcy     "Њ" ><!--CYRILLIC CAPITAL LETTER NJE -->
<!ENTITY
  tshcy          "ћ" ><!--CYRILLIC SMALL LETTER TSHE -->
<!ENTITY TSHcy   "Ћ" ><!--CYRILLIC CAPITAL LETTER TSHE -->
<!ENTITY ubrcy   "ў" ><!--CYRILLIC SMALL LETTER SHORT U -->
<!ENTITY Ubrcy   "Ў" ><!--CYRILLIC CAPITAL LETTER SHORT U -->
<!ENTITY yicy    "ї" ><!--CYRILLIC SMALL LETTER YI -->
<!ENTITY YIcy    "Ї" ><!--CYRILLIC CAPITAL LETTER YI -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isocyr2.ent
```

No license file was found, but licenses were detected in source scan.

//W3C//DTD Specification V2.10//EN"

```
# "http://www.w3.org/2002/xmlspec/dtd/2.10/xmlspec.dtd">
```

#### PURPOSE:

This XML DTD is for W3C specifications and other technical reports.

It is based in part on the TEI Lite and Sweb DTDs.

#### COPYRIGHT:

Copyright (C) 2000, 2001, 2002, 2003 Sun Microsystems, Inc. All Rights Reserved.

This document is governed by the W3C Software License[3] as

described in the FAQ[4].

[1] <http://www.w3.org/TR/xslt>  
[2] <http://www.w3.org/XML/1998/06/xmlspec>

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xmlspec/xmlspec.dtd

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->  
<!-- XHTML Lists Module ..... -->  
<!-- file: xhtml-list-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-list-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Lists 1.0//EN"  
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-list-1.mod"
```

Revisions:

```
(none)  
..... -->
```

```
<!-- Lists
```

dl, dt, dd, ol, ul, li

This module declares the list-oriented element types  
and their attributes.

```
-->
```

```
<!ENTITY % dl.qname "dl" >  
<!ENTITY % dt.qname "dt" >  
<!ENTITY % dd.qname "dd"  
>  
<!ENTITY % ol.qname "ol" >  
<!ENTITY % ul.qname "ul" >  
<!ENTITY % li.qname "li" >
```

```
<!-- dl: Definition List ..... -->
```

```
<!ENTITY % dl.element "INCLUDE" >  
<![%dl.element;  
<!ENTITY % dl.content "( %dt.qname; | %dd.qname; )+" >  
<!ELEMENT %dl.qname; %dl.content; >
```

<!-- end of dl.element -->]]>

<!ENTITY % dl.attlist "INCLUDE" >

<![%dl.attlist;[

<!ATTLIST %dl.qname;

    %Common.attrib;

>

<!-- end of dl.attlist -->]]>

<!-- dt: Definition Term ..... -->

<!ENTITY % dt.element "INCLUDE" >

<![%dt.element;[

<!ENTITY % dt.content

    "( #PCDATA | %Inline.mix; )\*"

>

<!ELEMENT %dt.qname; %dt.content; >

<!-- end of dt.element -->]]>

<!ENTITY % dt.attlist "INCLUDE" >

<![%dt.attlist;[

<!ATTLIST %dt.qname;

    %Common.attrib;

>

<!-- end of dt.attlist -->]]>

<!-- dd: Definition Description ..... -->

<!ENTITY % dd.element "INCLUDE" >

<![%dd.element;[

<!ENTITY % dd.content

    "( #PCDATA | %Flow.mix; )\*"

>

<!ELEMENT

    %dd.qname; %dd.content; >

<!-- end of dd.element -->]]>

<!ENTITY % dd.attlist "INCLUDE" >

<![%dd.attlist;[

<!ATTLIST %dd.qname;

    %Common.attrib;

>

<!-- end of dd.attlist -->]]>

<!-- ol: Ordered List (numbered styles) ..... -->

<!ENTITY % ol.element "INCLUDE" >

<![%ol.element;[

```
<!ENTITY % ol.content "( %li.qname; )+" >
<!ELEMENT %ol.qname; %ol.content; >
<!-- end of ol.element -->]]>
```

```
<!ENTITY % ol.attlist "INCLUDE" >
<![%ol.attlist;[
<!ATTLIST %ol.qname;
    %Common.attrib;
>
<!-- end of ol.attlist -->]]>
```

```
<!-- ul: Unordered List (bullet styles) ..... -->
```

```
<!ENTITY % ul.element "INCLUDE" >
<![%ul.element;[
<!ENTITY % ul.content "( %li.qname; )+" >
<!ELEMENT %ul.qname; %ul.content; >
<!-- end of ul.element -->]]>
```

```
<!ENTITY % ul.attlist "INCLUDE" >
<![%ul.attlist;[
<!ATTLIST %ul.qname;
    %Common.attrib;
>
<!-- end of ul.attlist -->]]>
```

```
<!-- li: List Item ..... -->
```

```
<!ENTITY % li.element "INCLUDE" >
<![%li.element;[
<!ENTITY
    % li.content
    "( #PCDATA | %Flow.mix; )*"
>
<!ELEMENT %li.qname; %li.content; >
<!-- end of li.element -->]]>
```

```
<!ENTITY % li.attlist "INCLUDE" >
<![%li.attlist;[
<!ATTLIST %li.qname;
    %Common.attrib;
>
<!-- end of li.attlist -->]]>
```

```
<!-- end of xhtml-list-1.mod -->
```

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/data/w3c/xhtml11/xhtml-list-1.mod

No license file was found, but licenses were detected in source scan.

<!--

File mmlextra.ent produced by the XSL script entities.xsl  
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the  
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle  
via the public W3C list [www-math@w3.org](mailto:www-math@w3.org).

The numeric character values assigned to each entity  
(should) match the Unicode assignments in Unicode 5.x.

-->

<!--

Public identifier: `-//W3C//ENTITIES Additional MathML Symbols//EN//XML`

System identifier: `http://www.w3.org/2003/entities/2007/mmlextra.ent`

The public identifier should always be used verbatim.

The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % mmlextra PUBLIC
  "-//W3C//ENTITIES
Additional MathML Symbols//EN//XML"
  "http://www.w3.org/2003/entities/2007/mmlextra.ent"
>
%mmlextra;
```

-->

```
<!ENTITY af      "&#x02061;" ><!--FUNCTION APPLICATION -->
<!ENTITY aopf    "&#x1D552;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL A -->
<!ENTITY asympEq "&#x0224D;" ><!--EQUIVALENT TO -->
<!ENTITY bopf    "&#x1D553;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL B -->
<!ENTITY copf    "&#x1D554;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL C -->
<!ENTITY Cross   "&#x02A2F;" ><!--VECTOR OR CROSS PRODUCT -->
<!ENTITY dd      "&#x02146;" ><!--DOUBLE-STRUCK ITALIC SMALL D -->
```

<!ENTITY DD "&#x02145;" ><!--DOUBLE-STRUCK ITALIC CAPITAL D -->  
 <!ENTITY dopf "&#x1D555;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL D -->  
 <!ENTITY DownArrowBar "&#x02913;" ><!--DOWNWARDS ARROW TO BAR -->  
 <!ENTITY DownBreve "&#x00311;" ><!--COMBINING INVERTED BREVE -->  
 <!ENTITY DownLeftRightVector "&#x02950;" ><!--LEFT  
 BARB DOWN RIGHT BARB DOWN HARPOON -->  
 <!ENTITY DownLeftTeeVector "&#x0295E;" ><!--LEFTWARDS HARPOON WITH BARB DOWN FROM  
 BAR -->  
 <!ENTITY DownLeftVectorBar "&#x02956;" ><!--LEFTWARDS HARPOON WITH BARB DOWN TO BAR -->  
 <!ENTITY DownRightTeeVector "&#x0295F;" ><!--RIGHTWARDS HARPOON WITH BARB DOWN FROM  
 BAR -->  
 <!ENTITY DownRightVectorBar "&#x02957;" ><!--RIGHTWARDS HARPOON WITH BARB DOWN TO BAR  
 -->  
 <!ENTITY ee "&#x02147;" ><!--DOUBLE-STRUCK ITALIC SMALL E -->  
 <!ENTITY EmptySmallSquare "&#x025FB;" ><!--WHITE MEDIUM SQUARE -->  
 <!ENTITY EmptyVerySmallSquare "&#x025AB;" ><!--WHITE SMALL SQUARE -->  
 <!ENTITY eopf "&#x1D556;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL E -->  
 <!ENTITY Equal "&#x02A75;" ><!--TWO CONSECUTIVE EQUALS SIGNS -->  
 <!ENTITY FilledSmallSquare "&#x025FC;" ><!--BLACK MEDIUM SQUARE -->  
 <!ENTITY FilledVerySmallSquare "&#x025AA;" ><!--BLACK SMALL SQUARE -->  
 <!ENTITY fopf "&#x1D557;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL F -->  
 <!ENTITY  
 gopf "&#x1D558;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL G -->  
 <!ENTITY GreaterGreater "&#x02AA2;" ><!--DOUBLE NESTED GREATER-THAN -->  
 <!ENTITY Hat "&#x0005E;" ><!--CIRCUMFLEX ACCENT -->  
 <!ENTITY hopf "&#x1D559;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL H -->  
 <!ENTITY HorizontalLine "&#x02500;" ><!--BOX DRAWINGS LIGHT HORIZONTAL -->  
 <!ENTITY ic "&#x02063;" ><!--INVISIBLE SEPARATOR -->  
 <!ENTITY ii "&#x02148;" ><!--DOUBLE-STRUCK ITALIC SMALL I -->  
 <!ENTITY iopf "&#x1D55A;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL I -->  
 <!ENTITY it "&#x02062;" ><!--INVISIBLE TIMES -->  
 <!ENTITY jopf "&#x1D55B;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL J -->  
 <!ENTITY kopf "&#x1D55C;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL K -->  
 <!ENTITY larrb "&#x021E4;" ><!--LEFTWARDS ARROW TO BAR -->  
 <!ENTITY LeftDownTeeVector "&#x02961;" ><!--DOWNWARDS HARPOON WITH BARB LEFT FROM BAR  
 -->  
 <!ENTITY LeftDownVectorBar  
 "&#x02959;" ><!--DOWNWARDS HARPOON WITH BARB LEFT TO BAR -->  
 <!ENTITY LeftRightVector "&#x0294E;" ><!--LEFT BARB UP RIGHT BARB UP HARPOON -->  
 <!ENTITY LeftTeeVector "&#x0295A;" ><!--LEFTWARDS HARPOON WITH BARB UP FROM BAR -->  
 <!ENTITY LeftTriangleBar "&#x029CF;" ><!--LEFT TRIANGLE BESIDE VERTICAL BAR -->  
 <!ENTITY LeftUpDownVector "&#x02951;" ><!--UP BARB LEFT DOWN BARB LEFT HARPOON -->  
 <!ENTITY LeftUpTeeVector "&#x02960;" ><!--UPWARDS HARPOON WITH BARB LEFT FROM BAR -->  
 <!ENTITY LeftUpVectorBar "&#x02958;" ><!--UPWARDS HARPOON WITH BARB LEFT TO BAR -->  
 <!ENTITY LeftVectorBar "&#x02952;" ><!--LEFTWARDS HARPOON WITH BARB UP TO BAR -->  
 <!ENTITY LessLess "&#x02AA1;" ><!--DOUBLE NESTED LESS-THAN -->  
 <!ENTITY lopf "&#x1D55D;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL L -->  
 <!ENTITY mapstodown "&#x021A7;" ><!--DOWNWARDS ARROW FROM BAR -->

<!ENTITY mapstoleft "&#x021A4;" ><!--LEFTWARDS ARROW FROM BAR -->  
 <!ENTITY mapstoup "&#x021A5;"  
 ><!--UPWARDS ARROW FROM BAR -->  
 <!ENTITY MediumSpace "&#x0205F;" ><!--MEDIUM MATHEMATICAL SPACE -->  
 <!ENTITY mopf "&#x1D55E;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL M -->  
 <!ENTITY nbump "&#x0224E;&#x00338;" ><!--GEOMETRICALLY EQUIVALENT TO with slash -->  
 <!ENTITY nbumpe "&#x0224F;&#x00338;" ><!--DIFFERENCE BETWEEN with slash -->  
 <!ENTITY nesim "&#x02242;&#x00338;" ><!--MINUS TILDE with slash -->  
 <!ENTITY NewLine "&#x0000A;" ><!--LINE FEED (LF) -->  
 <!ENTITY NoBreak "&#x02060;" ><!--WORD JOINER -->  
 <!ENTITY nopf "&#x1D55F;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL N -->  
 <!ENTITY NotCupCap "&#x0226D;" ><!--NOT EQUIVALENT TO -->  
 <!ENTITY NotHumpEqual "&#x0224F;&#x00338;" ><!--DIFFERENCE BETWEEN with slash -->  
 <!ENTITY NotLeftTriangleBar "&#x029CF;&#x00338;" ><!--LEFT TRIANGLE BESIDE VERTICAL BAR with slash -->  
 <!ENTITY NotNestedGreaterGreater "&#x02AA2;&#x00338;" ><!--DOUBLE NESTED GREATER-THAN with slash -->  
 <!-->  
 <!ENTITY NotNestedLessLess "&#x02AA1;&#x00338;" ><!--DOUBLE NESTED LESS-THAN with slash -->  
 <!ENTITY NotRightTriangleBar "&#x029D0;&#x00338;" ><!--VERTICAL BAR BESIDE RIGHT TRIANGLE with slash -->  
 <!ENTITY NotSquareSubset "&#x0228F;&#x00338;" ><!--SQUARE IMAGE OF with slash -->  
 <!ENTITY NotSquareSuperset "&#x02290;&#x00338;" ><!--SQUARE ORIGINAL OF with slash -->  
 <!ENTITY NotSucceedsTilde "&#x0227F;&#x00338;" ><!--SUCCEEDS OR EQUIVALENT TO with slash -->  
 <!ENTITY oopf "&#x1D560;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL O -->  
 <!ENTITY OverBar "&#x0203E;" ><!--OVERLINE -->  
 <!ENTITY OverBrace "&#x023DE;" ><!--TOP CURLY BRACKET -->  
 <!ENTITY OverBracket "&#x023B4;" ><!--TOP SQUARE BRACKET -->  
 <!ENTITY OverParenthesis "&#x023DC;" ><!--TOP PARENTHESIS -->  
 <!ENTITY planckh "&#x0210E;" ><!--PLANCK CONSTANT -->  
 <!ENTITY popf "&#x1D561;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL P -->  
 <!ENTITY Product "&#x0220F;" ><!--N-ARY PRODUCT -->  
 <!-->  
 <!ENTITY qopf "&#x1D562;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL Q -->  
 <!ENTITY rarrb "&#x021E5;" ><!--RIGHTWARDS ARROW TO BAR -->  
 <!ENTITY RightDownTeeVector "&#x0295D;" ><!--DOWNWARDS HARPOON WITH BARB RIGHT FROM BAR -->  
 <!ENTITY RightDownVectorBar "&#x02955;" ><!--DOWNWARDS HARPOON WITH BARB RIGHT TO BAR -->  
 <!-->  
 <!ENTITY RightTeeVector "&#x0295B;" ><!--RIGHTWARDS HARPOON WITH BARB UP FROM BAR -->  
 <!ENTITY RightTriangleBar "&#x029D0;" ><!--VERTICAL BAR BESIDE RIGHT TRIANGLE -->  
 <!ENTITY RightUpDownVector "&#x0294F;" ><!--UP BARB RIGHT DOWN BARB RIGHT HARPOON -->  
 <!ENTITY RightUpTeeVector "&#x0295C;" ><!--UPWARDS HARPOON WITH BARB RIGHT FROM BAR -->  
 <!ENTITY RightUpVectorBar "&#x02954;" ><!--UPWARDS HARPOON WITH BARB RIGHT TO BAR -->  
 <!ENTITY RightVectorBar "&#x02953;" ><!--RIGHTWARDS HARPOON WITH BARB UP TO BAR -->  
 <!ENTITY ropf "&#x1D563;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL R -->  
 <!ENTITY RoundImplies "&#x02970;" ><!--RIGHT DOUBLE ARROW

WITH ROUNDED HEAD -->

<!ENTITY RuleDelayed "&#x029F4;" ><!--RULE-DELAYED -->

<!ENTITY sopf "&#x1D564;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL S -->

<!ENTITY Tab "&#x00009;" ><!--CHARACTER TABULATION -->

<!ENTITY ThickSpace "&#x0205F;&#x0200A;" ><!--space of width 5/18 em -->

<!ENTITY topf "&#x1D565;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL T -->

<!ENTITY UnderBar "&#x0005F;" ><!--LOW LINE -->

<!ENTITY UnderBrace "&#x023DF;" ><!--BOTTOM CURLY BRACKET -->

<!ENTITY UnderBracket "&#x023B5;" ><!--BOTTOM SQUARE BRACKET -->

<!ENTITY UnderParenthesis "&#x023DD;" ><!--BOTTOM PARENTHESIS -->

<!ENTITY uopf "&#x1D566;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL U -->

<!ENTITY UpArrowBar "&#x02912;" ><!--UPWARDS ARROW TO BAR -->

<!ENTITY Upsilon "&#x003A5;" ><!--GREEK CAPITAL LETTER UPSILON -->

<!ENTITY VerticalLine "&#x0007C;" ><!--VERTICAL LINE -->

<!ENTITY VerticalSeparator "&#x02758;" ><!--LIGHT VERTICAL BAR -->

-->

<!ENTITY vopf "&#x1D567;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL V -->

<!ENTITY wopf "&#x1D568;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL W -->

<!ENTITY xopf "&#x1D569;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL X -->

<!ENTITY yopf "&#x1D56A;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL Y -->

<!ENTITY ZeroWidthSpace "&#x0200B;" ><!--ZERO WIDTH SPACE -->

<!ENTITY zopf "&#x1D56B;" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL Z -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/mathml/mathml3/mmlextra.ent

No license file was found, but licenses were detected in source scan.

2005 World Wide Web Consortium

(Massachusetts Institute of Technology, European Research Consortium  
for Informatics and Mathematics, Keio University).

All Rights Reserved.

Permission to use, copy, modify and distribute the XHTML Basic DTD  
and its accompanying documentation for any purpose and without fee is  
hereby granted in perpetuity, provided that the above copyright notice  
and this paragraph appear in all copies. The copyright holders make  
no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Editors: Murray M. Altheim <mailto:altheim@eng.sun.com>

Peter Stark <mailto:Peter.Stark@ecs.ericsson.se>

Revision: \$Id: xhtml

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml10/xhtml-basic10.dtd

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Modular Framework Module ..... -->
<!-- file: xhtml-framework-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-framework-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML Modular Framework 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-framework-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Modular Framework
```

This required module instantiates the modules needed  
to support the XHTML modularization model, including:

- + datatypes
- + namespace-qualified

names

- + common attributes
- + document model
- + character entities

The Intrinsic Events module is ignored by default but  
occurs in this module because it must be instantiated  
prior to Attributes but after Datatypes.

```
-->
```

```
<!ENTITY % xhtml-arch.module "IGNORE" >
<![%xhtml-arch.module;[
<!ENTITY % xhtml-arch.mod
PUBLIC "-//W3C//ELEMENTS XHTML Base Architecture 1.0//EN"
"xhtml-arch-1.mod" >
%xhtml-arch.mod;]]>
```

```
<!ENTITY % xhtml-notations.module "IGNORE" >
<![%xhtml-notations.module;[
<!ENTITY % xhtml-notations.mod
PUBLIC "-//W3C//NOTATIONS XHTML Notations 1.0//EN"
"xhtml-notations-1.mod" >
```

```

%xhtml-notations.mod;]]>

<!ENTITY % xhtml-datatypes.module "INCLUDE" >
<![%xhtml-datatypes.module;[
<!ENTITY % xhtml-datatypes.mod
    PUBLIC "-//W3C//ENTITIES XHTML Datatypes 1.0//EN"
        "xhtml-datatypes-1.mod" >
%xhtml-datatypes.mod;]]>

<!-- placeholder for XLink support module -->
<!ENTITY % xhtml-xlink.mod ""
>
%xhtml-xlink.mod;

<!ENTITY % xhtml-qname.module "INCLUDE" >
<![%xhtml-qname.module;[
<!ENTITY % xhtml-qname.mod
    PUBLIC "-//W3C//ENTITIES XHTML Qualified Names 1.0//EN"
        "xhtml-qname-1.mod" >
%xhtml-qname.mod;]]>

<!ENTITY % xhtml-events.module "IGNORE" >
<![%xhtml-events.module;[
<!ENTITY % xhtml-events.mod
    PUBLIC "-//W3C//ENTITIES XHTML Intrinsic Events 1.0//EN"
        "xhtml-events-1.mod" >
%xhtml-events.mod;]]>

<!ENTITY % xhtml-attrs.module "INCLUDE" >
<![%xhtml-attrs.module;[
<!ENTITY % xhtml-attrs.mod
    PUBLIC "-//W3C//ENTITIES XHTML Common Attributes 1.0//EN"
        "xhtml-attrs-1.mod" >
%xhtml-attrs.mod;]]>

<!-- placeholder for content model redeclarations -->
<!ENTITY % xhtml-model.redecl "" >
%xhtml-model.redecl;

<!ENTITY % xhtml-model.module "INCLUDE" >
<![%xhtml-model.module;[
<!-- instantiate the Document Model module declared in the DTD driver
-->
%xhtml-model.mod;]]>

<!ENTITY % xhtml-charent.module "INCLUDE" >
<![%xhtml-charent.module;[
<!ENTITY

```

```
% xhtml-charent.mod
PUBLIC "-//W3C//ENTITIES XHTML Character Entities 1.0//EN"
  "xhtml-charent-1.mod" >
%xhtml-charent.mod;]]>
```

```
<!-- end of xhtml-framework-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-framework-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML BDO Element Module ..... -->
<!-- file: xhtml-bdo-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-bdo-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML BDO Element 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-bdo-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Bidirectional Override (bdo) Element
```

This modules declares the element 'bdo', used to override the  
Unicode bidirectional algorithm for selected fragments of text.

DEPENDENCIES:

Relies on

the conditional section keyword %XHTML.bidi; declared  
as "INCLUDE". Bidirectional text support includes both the bdo  
element and the 'dir' attribute.

```
-->
```

```
<!ENTITY % bdo.element "INCLUDE" >
<![%bdo.element;[
<!ENTITY % bdo.content
  "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % bdo.qname "bdo" >
<!ELEMENT %bdo.qname; %bdo.content; >
```

```
<!-- end of bdo.element -->]]>
```

```
<!ENTITY % bdo.attlist "INCLUDE" >
<![%bdo.attlist;[
<!ATTLIST %bdo.qname;
    %Core.attrib;
    xml:lang    %LanguageCode.datatype; #IMPLIED
    dir        (ltr | rtl)          #REQUIRED
>
]]>
```

```
<!-- end of xhtml-bdo-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-bdo-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Presentation Module ..... -->
<!-- file: xhtml-pres-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-pres-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Presentation 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-pres-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Presentational Elements
```

This module defines elements and their attributes for  
simple presentation-related markup.

```
-->
```

```
<!ENTITY % xhtml-inlpres.module "INCLUDE" >
<![%xhtml-inlpres.module;[
<!ENTITY
% xhtml-inlpres.mod
    PUBLIC "-//W3C//ELEMENTS XHTML Inline Presentation 1.0//EN"
        "xhtml-inlpres-1.mod" >
% xhtml-inlpres.mod;]]>
```

```
<!ENTITY % xhtml-blkpres.module "INCLUDE" >
<![% xhtml-blkpres.module;[
<!ENTITY % xhtml-blkpres.mod
  PUBLIC "-//W3C//ELEMENTS XHTML Block Presentation 1.0//EN"
    "xhtml-blkpres-1.mod" >
% xhtml-blkpres.mod;]]>
```

```
<!-- end of xhtml-pres-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-pres-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Basic 1.0 Document Model Module ..... -->
<!-- file: xhtml-basic10-model-1.mod
```

This is XHTML Basic, a proper subset of XHTML.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-basic10-model-1.mod,v 2.8 2000/11/03 14:28:25 mimasa Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML Basic 1.0 Document Model 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-basic10-model-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- XHTML Basic Document Model
```

This module describes the groupings of elements that make up common content models for XHTML elements.

```
-->
```

```
<!-- Optional Elements in head .....
```

```
-->
```

```
<!ENTITY % HeadOpts.mix
```

```
"( %meta.qname; | %link.qname; | %object.qname; )" >
```

```
<!-- Miscellaneous Elements ..... -->
```

```
<!ENTITY % Misc.class "" >
```

```

<!-- Inline Elements ..... -->

<!ENTITY % InlStruct.class "%br.qname; | %span.qname;" >

<!ENTITY % InlPhras.class
  "| %em.qname; | %strong.qname; | %dfn.qname; | %code.qname;
  | %samp.qname; | %kbd.qname; | %var.qname; | %cite.qname;
  | %abbr.qname; | %acronym.qname; | %q.qname;" >

<!ENTITY % InlPres.class "" >

<!ENTITY % I18n.class "" >

<!ENTITY % Anchor.class "| %a.qname;" >

<!ENTITY % InlSpecial.class "| %img.qname; | %object.qname;" >

<!ENTITY % InlForm.class
  "| %input.qname; | %select.qname; | %textarea.qname;
  | %label.qname;"
>

<!ENTITY % Inline.extra "" >

<!ENTITY % Inline.class
  "%InlStruct.class;
  %InlPhras.class;
  %Anchor.class;
  %InlSpecial.class;
  %InlForm.class;
  %Inline.extra;"
>

<!ENTITY % InlNoAnchor.class

  "%InlStruct.class;
  %InlPhras.class;
  %InlSpecial.class;
  %InlForm.class;
  %Inline.extra;"
>

<!ENTITY % InlNoAnchor.mix
  "%InlNoAnchor.class;
  %Misc.class;"
>

<!ENTITY % Inline.mix

```

```

    "%Inline.class;
    %Misc.class;"
>

<!-- Block Elements ..... -->

<!ENTITY % Heading.class
    "%h1.qname; | %h2.qname; | %h3.qname;
    | %h4.qname; | %h5.qname; | %h6.qname;"
>
<!ENTITY % List.class "%ul.qname; | %ol.qname; | %dl.qname;" >

<!ENTITY % Table.class "| %table.qname;" >

<!ENTITY % Form.class "| %form.qname;" >

<!ENTITY % BlkStruct.class "%p.qname; | %div.qname;" >

<!ENTITY % BlkPhras.class
    "| %pre.qname; | %blockquote.qname; | %address.qname;"
>

<!ENTITY % BlkPres.class "" >

<!ENTITY % BlkSpecial.class
    "%Table.class;
    %Form.class;"
>

<!ENTITY % Block.extra "" >

<!ENTITY % Block.class
    "%BlkStruct.class;
    %BlkPhras.class;
    %BlkSpecial.class;
    %Block.extra;"
>

<!ENTITY % Block.mix
    "%Heading.class;
    | %List.class;
    | %Block.class;
    %Misc.class;"
>

<!-- All Content Elements ..... -->

<!-- declares all content except tables

```

```
-->
<!ENTITY % FlowNoTable.mix
  "%Heading.class;
  | %List.class;
  | %BlkStruct.class;
  %BlkPhras.class;
  %Form.class;
  %Block.extra;
  | %Inline.class;
  %Misc.class;"
>
```

```
<!ENTITY % Flow.mix
  "%Heading.class;
  | %List.class;
  | %Block.class;
  | %Inline.class;
  %Misc.class;"
>
```

```
<!-- end of xhtml-basic10-model-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-basic10-model-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Core Attribute Module ..... -->
<!-- file: svg-core-attrib.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-core-attrib.mod,v 1.3 2002/04/28 13:50:23 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Core Attribute//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-core-attrib.mod"
```

```
..... -->
```

```
<!-- Core Attribute
```

```
  id, xml:base, xml:lang, xml:space
```

This module defines the core set of attributes that can be present on any element.

```

-->

<!ENTITY % SVG.id.attrib
  "id ID #IMPLIED"
>

<!ENTITY
  % SVG.base.attrib
  "xml:base %URI.datatype; #IMPLIED"
>

<!ENTITY % SVG.lang.attrib
  "xml:lang %LanguageCode.datatype; #IMPLIED"
>

<!ENTITY % SVG.space.attrib
  "xml:space ( default | preserve ) #IMPLIED"
>

<!ENTITY % SVG.Core.extra.attrib "" >

<!ENTITY % SVG.Core.attrib
  "%SVG.id.attrib;
  %SVG.base.attrib;
  %SVG.lang.attrib;
  %SVG.space.attrib;
  %SVG.Core.extra.attrib;"
>

<!-- end of svg-core-attrib.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-core-attrib.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- SVG 1.1 Clip Module ..... -->
<!-- file: svg-clip.mod

```

This is SVG, a language for describing two-dimensional graphics in XML.  
 Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
 Revision: \$Id: svg-clip.mod,v 1.3 2002/10/24 17:40:15 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS SVG 1.1 Clip//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-clip.mod"

```

```

..... -->

<!-- Clip

    clipPath

    This module declares markup to provide support for clipping.
-->

<!-- 'clip-path' property/attribute value (e.g., 'none', <uri>) -->
<!ENTITY % ClipPathValue.datatype "CDATA" >

<!-- Qualified Names (Default)
..... -->

<!ENTITY % SVG.clipPath.qname "clipPath" >

<!-- Attribute Collections (Default) ..... -->

<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.Conditional.attrib "" >
<!ENTITY % SVG.Style.attrib "" >
<!ENTITY % SVG.Text.attrib "" >
<!ENTITY % SVG.TextContent.attrib "" >
<!ENTITY % SVG.Font.attrib "" >
<!ENTITY % SVG.Paint.attrib "" >
<!ENTITY % SVG.Color.attrib "" >
<!ENTITY % SVG.Opacity.attrib "" >
<!ENTITY % SVG.Graphics.attrib "" >
<!ENTITY % SVG.Mask.attrib "" >
<!ENTITY % SVG.Filter.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Clip.class ..... -->

<!ENTITY % SVG.Clip.extra.class "" >

<!ENTITY % SVG.Clip.class
    "| %SVG.clipPath.qname; %SVG.Clip.extra.class;"
>

<!-- SVG.Clip.attrib ..... -->

<!ENTITY % SVG.Clip.extra.attrib "" >

<!ENTITY % SVG.Clip.attrib

```

```

"clip-path %ClipPathValue.datatype; #IMPLIED
clip-rule %ClipFillRule.datatype;
#IMPLIED
%SVG.Clip.extra.attrib;"
>

<!-- clipPath: Clip Path Element ..... -->

<!ENTITY % SVG.clipPath.extra.content "" >

<!ENTITY % SVG.clipPath.element "INCLUDE" >
<![%SVG.clipPath.element;[
<!ENTITY % SVG.clipPath.content
"(( %SVG.Description.class; )*, ( %SVG.Animation.class; %SVG.Use.class;
%SVG.Shape.class; %SVG.Text.class; %SVG.clipPath.extra.content; )*)"
>
<!ELEMENT %SVG.clipPath.qname; %SVG.clipPath.content; >
<!-- end of SVG.clipPath.element -->]]>

<!ENTITY % SVG.clipPath.attlist "INCLUDE" >
<![%SVG.clipPath.attlist;[
<!ATTLIST %SVG.clipPath.qname;
%SVG.Core.attrib;
%SVG.Conditional.attrib;
%SVG.Style.attrib;
%SVG.Text.attrib;
%SVG.TextContent.attrib;
%SVG.Font.attrib;
%SVG.Paint.attrib;
%SVG.Color.attrib;
%SVG.Opacity.attrib;
%SVG.Graphics.attrib;
%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;
%SVG.Cursor.attrib;
%SVG.External.attrib;
transform %TransformList.datatype;
#IMPLIED
clipPathUnits ( userSpaceOnUse | objectBoundingBox ) #IMPLIED
>
<!-- end of SVG.clipPath.attlist -->]]>

<!-- end of svg-clip.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-clip.mod

```

No license file was found, but licenses were detected in source scan.

2000 W3C (MIT, INRIA, Keio),  
All Rights Reserved.

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml10/xhtml11-strict.dtd

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml10/xhtml11-transitional.dtd

No license file was found, but licenses were detected in source scan.

<!--

File isoamsc.ent produced by the XSL script entities.xml  
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the  
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle  
via the public W3C list [www-math@w3.org](mailto:www-math@w3.org).

The numeric character values assigned to each entity  
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the  
following notice:

(C) International Organization for Standardization 1991  
Permission to copy in any form is granted for use with  
conforming SGML systems and applications as defined in  
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: -//W3C//ENTITIES  
Added Math Symbols: Delimiters//EN//XML  
System identifier: <http://www.w3.org/2003/entities/2007/isoamsc.ent>

The public identifier should always be used verbatim.

The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isoamsc PUBLIC
  "-//W3C//ENTITIES Added Math Symbols: Delimiters//EN//XML"
  "http://www.w3.org/2003/entities/2007/isoamsc.ent"
>
%isoamsc;

-->

<!ENTITY dlcorn    "⌞" ><!--BOTTOM LEFT CORNER -->
<!ENTITY drcorn    "⌟" ><!--BOTTOM RIGHT CORNER -->
<!ENTITY gtlPar    "⦕" ><!--DOUBLE LEFT ARC GREATER-THAN BRACKET -->
<!ENTITY langd     "⦑" ><!--LEFT ANGLE BRACKET WITH DOT -->
<!ENTITY lbrke     "⦋" ><!--LEFT SQUARE BRACKET WITH UNDERBAR -->
<!ENTITY lbrksld   "⦏" ><!--LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER -->
<!ENTITY lbrkslu   "⦍" ><!--LEFT SQUARE BRACKET
WITH TICK IN TOP CORNER -->
<!ENTITY lceil     "⌈" ><!--LEFT CEILING -->
<!ENTITY lfloor    "⌊" ><!--LEFT FLOOR -->
<!ENTITY lmoust    "⎰" ><!--UPPER LEFT OR LOWER RIGHT CURLY BRACKET SECTION --
>
<!ENTITY lparlt    "⦓" ><!--LEFT ARC LESS-THAN BRACKET -->
<!ENTITY ltrPar    "⦖" ><!--DOUBLE RIGHT ARC LESS-THAN BRACKET -->
<!ENTITY rangd     "⦒" ><!--RIGHT ANGLE BRACKET WITH DOT -->
<!ENTITY rbrke     "⦌" ><!--RIGHT SQUARE BRACKET WITH UNDERBAR -->
<!ENTITY rbrksld   "⦎" ><!--RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER --
>
<!ENTITY rbrkslu   "⦐" ><!--RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER -->
<!ENTITY rceil     "⌉" ><!--RIGHT CEILING -->
<!ENTITY rfloor    "⌋" ><!--RIGHT FLOOR -->
<!ENTITY rmoust    "⎱" ><!--UPPER RIGHT OR LOWER LEFT CURLY BRACKET SECTION --
>
<!ENTITY rpargt    "⦔" ><!--RIGHT
ARC GREATER-THAN BRACKET -->
<!ENTITY ulcorn    "⌜" ><!--TOP LEFT CORNER -->
<!ENTITY urcorn    "⌝" ><!--TOP RIGHT CORNER -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isoamsc.ent
```

No license file was found, but licenses were detected in source scan.

SVG 1.1 Tiny DTD

This is SVG Tiny, a proper subset of SVG.

The Scalable Vector Graphics (SVG)

Copyright 2001, 2002 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de  
Recherche en Informatique et en Automatique, Keio University).

All Rights Reserved.

Permission to use, copy, modify and distribute the SVG DTD and its  
accompanying documentation for any purpose and without fee is hereby  
granted in perpetuity, provided that the above copyright notice and  
this paragraph appear in all copies. The copyright holders make no  
representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Author: Jun Fujisawa <fujisawa.jun@canon.co.jp>

Revision: \$Id: svg11

dimensional graphics in XML.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All  
Rights Reserved.

Revision: \$Id: svg

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-  
tiny-flat.dtd

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->  
<!-- XHTML Structure Module ..... -->  
<!-- file: xhtml-struct-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: xhtml-struct-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Document Structure 1.0//EN"  
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-struct-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Document Structure
```

title, head, body, html

The Structure Module defines the major structural elements and their attributes.

Note that the content model of the head element type is redeclared when the Base Module is included in the DTD.

The parameter entity containing the XML namespace URI value used for XHTML is '%XHTML.xmlns;', defined in the Qualified Names module.

-->

<!-- title: Document Title ..... -->

<!-- The title element is not considered part of the flow of text. It should be displayed, for example as the page header or window title. Exactly one title is required per document.

-->

```
<!ENTITY % title.element "INCLUDE" >
<![%title.element;[
<!ENTITY % title.content "( #PCDATA )" >
<!ENTITY % title.qname "title" >
<!ELEMENT %title.qname; %title.content; >
<!-- end of title.element -->]]>
```

```
<!ENTITY % title.attlist "INCLUDE" >
<![%title.attlist;[
<!ATTLIST %title.qname;
    %XHTML.xmlns.attrib;
    %I18n.attrib;
>
<!-- end of title.attlist -->]]>
```

<!-- head: Document Head ..... -->

```
<!ENTITY % head.element "INCLUDE" >
<![%head.element;[
<!ENTITY
% head.content
"( %HeadOpts.mix;, %title.qname;, %HeadOpts.mix; )"
>
<!ENTITY % head.qname "head" >
<!ELEMENT %head.qname; %head.content; >
<!-- end of head.element -->]]>
```

```
<!ENTITY % head.attlist "INCLUDE" >
```

```

<![%head.attlist;[
<!-- reserved for future use with document profiles
-->
<!ENTITY % profile.attrib
    "profile    %URI.datatype;    '%XHTML.profile;'"
>

<!ATTLIST %head.qname;
    %XHTML.xmlns.attrib;
    %I18n.attrib;
    %profile.attrib;
>
<!-- end of head.attlist -->]]>

<!-- body: Document Body ..... -->

<!ENTITY % body.element "INCLUDE" >
<![%body.element;[
<!ENTITY % body.content
    "( %Block.mix; )+"
>
<!ENTITY % body.qname "body" >
<!ELEMENT %body.qname; %body.content; >
<!-- end of body.element -->]]>

<!ENTITY % body.attlist "INCLUDE" >
<![%body.attlist;[
<!ATTLIST %body.qname;
    %Common.attrib;
>
<!-- end of body.attlist -->]]>

<!-- html: XHTML Document Element ..... -->

<!ENTITY %
    html.element "INCLUDE" >
<![%html.element;[
<!ENTITY % html.content "( %head.qname;, %body.qname; )" >
<!ENTITY % html.qname "html" >
<!ELEMENT %html.qname; %html.content; >
<!-- end of html.element -->]]>

<!ENTITY % html.attlist "INCLUDE" >
<![%html.attlist;[
<!-- version attribute value defined in driver
-->
<!ENTITY % XHTML.version.attrib
    "version    %FPI.datatype;    #FIXED '%XHTML.version;'"

```

```

>

<!-- see the Qualified Names module for information
      on how to extend XHTML using XML namespaces
-->
<!ATTLIST %html.qname;
      %XHTML.xmlns.attrib;
      %XHTML.version.attrib;
      %I18n.attrib;
>
<!-- end of html.attlist -->]]>

<!-- end of xhtml-struct-1.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-
struct-1.mod

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Client-side Image Map Module ..... -->
<!-- file: xhtml-csismap-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.  
 Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
 Revision: \$Id: xhtml-csismap-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Client-side Image Maps 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-csismap-1.mod"

```

Revisions:

```

(none)
..... -->

```

```

<!-- Client-side Image Maps

```

```

      area, map

```

This module declares elements and attributes to support client-side image maps. This requires that the Image Module (or a module

declaring the img element type) be included in the DTD.

These can be placed in the same document or grouped in a separate document, although the latter isn't widely supported

```

-->

```

```

<!ENTITY % area.element "INCLUDE" >
<![%area.element;[
<!ENTITY % area.content "EMPTY" >
<!ENTITY % area.qname "area" >
<!ELEMENT %area.qname; %area.content; >
<!-- end of area.element -->]]>

<!ENTITY % Shape.datatype "( rect | circle | poly | default )">
<!ENTITY % Coords.datatype "CDATA" >

<!ENTITY % area.attlist "INCLUDE" >
<![%area.attlist;[
<!ATTLIST %area.qname;
    %Common.attrib;
    href      %URI.datatype;      #IMPLIED
    shape     %Shape.datatype;    'rect'
    coords    %Coords.datatype;   #IMPLIED
    nohref    ( nohref )         #IMPLIED
    alt       %Text.datatype;     #REQUIRED
    tabindex  %Number.datatype;   #IMPLIED
    accesskey %Character.datatype; #IMPLIED
>
<!-- end of area.attlist -->]]>

<!--
modify anchor attribute definition list
to allow for client-side image maps
-->
<!ATTLIST %a.qname;
    shape     %Shape.datatype;    'rect'
    coords    %Coords.datatype;   #IMPLIED
>

<!-- modify img attribute definition list
to allow for client-side image maps
-->
<!ATTLIST %img.qname;
    usemap    IDREF               #IMPLIED
>

<!-- modify form input attribute definition list
to allow for client-side image maps
-->
<!ATTLIST %input.qname;
    usemap    IDREF               #IMPLIED
>

```

```

<!-- modify object attribute definition list
to allow for client-side image maps
-->
<!ATTLIST %object.qname;
    usemap    IDREF          #IMPLIED
>

<!-- 'usemap' points to the 'id' attribute of a <map> element,
which must be in the same document; support for external
document maps was not widely supported in HTML and is
eliminated in XHTML.

It is considered an error for the element pointed to by

a usemap IDREF to occur in anything but a <map> element.
-->

```

```

<!ENTITY % map.element "INCLUDE" >
<![%map.element;[
<!ENTITY % map.content
    "(( %Block.mix; ) | %area.qname; )+"
>
<!ENTITY % map.qname "map" >
<!ELEMENT %map.qname; %map.content; >
<!-- end of map.element -->]]>

```

```

<!ENTITY % map.attlist "INCLUDE" >
<![%map.attlist;[
<!ATTLIST %map.qname;
    %XHTML.xmlns.attrib;
    id      ID          #REQUIRED
    %class.attrib;
    %title.attrib;
    %Core.extra.attrib;
    %I18n.attrib;
    %Events.attrib;
>
<!-- end of map.attlist -->]]>

```

```

<!-- end of xhtml-csismap-1.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-csismap-1.mod
No license file was found, but licenses were detected in source scan.

```

```

<!-- ..... -->
<!-- SVG 1.1 Tiny Document Model Module ..... -->

```

<!-- file: svg11-tiny-model.mod

This is SVG Tiny, a proper subset of SVG.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg11-tiny-model.mod,v 1.5 2002/11/14 15:11:03 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ENTITIES SVG 1.1 Tiny Document Model//EN"

SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg11-tiny-model.mod"

..... -->

<!-- SVG 1.1 Tiny Document Model

This module describes the groupings of elements that make up  
common content models for SVG elements.

-->

<!-- Content Models (Default) ..... -->

<!ENTITY % SVG.Style.class

"" >

<!ENTITY % SVG.TextContent.class "" >

<!ENTITY % SVG.Marker.class "" >

<!ENTITY % SVG.ColorProfile.class "" >

<!ENTITY % SVG.Gradient.class "" >

<!ENTITY % SVG.Pattern.class "" >

<!ENTITY % SVG.Clip.class "" >

<!ENTITY % SVG.Mask.class "" >

<!ENTITY % SVG.Filter.class "" >

<!ENTITY % SVG.FilterPrimitive.class "" >

<!ENTITY % SVG.Cursor.class "" >

<!ENTITY % SVG.View.class "" >

<!ENTITY % SVG.Script.class "" >

<!-- module: svg-basic-structure.mod ..... -->

<!ENTITY % SVG.Description.extra.class "" >

<!ENTITY % SVG.Description.class

"%SVG.desc.qname; | %SVG.title.qname; | %SVG.metadata.qname;

%SVG.Description.extra.class;"

>

<!ENTITY % SVG.Use.extra.class "" >

<!ENTITY % SVG.Use.class

"| %SVG.use.qname; %SVG.Use.extra.class;"

>

```

<!ENTITY % SVG.Structure.extra.class "" >
<!ENTITY % SVG.Structure.class
  "| %SVG.g.qname; | %SVG.defs.qname; %SVG.Use.class;
  %SVG.Structure.extra.class;"
>

<!-- module: svg-conditional.mod ..... -->

<!ENTITY % SVG.Conditional.extra.class "" >
<!ENTITY % SVG.Conditional.class
  "| %SVG.switch.qname; %SVG.Conditional.extra.class;"
>

<!-- module: svg-image.mod ..... -->

<!ENTITY % SVG.Image.extra.class "" >
<!ENTITY % SVG.Image.class
  "| %SVG.image.qname; %SVG.Image.extra.class;"
>

<!-- module: svg-shape.mod ..... -->

<!ENTITY % SVG.Shape.extra.class "" >
<!ENTITY % SVG.Shape.class
  "| %SVG.path.qname; | %SVG.rect.qname; | %SVG.circle.qname;
  | %SVG.line.qname; | %SVG.ellipse.qname; | %SVG.polyline.qname;
  | %SVG.polygon.qname; %SVG.Shape.extra.class;"
>

<!-- module: svg-basic-text.mod ..... -->

<!ENTITY % SVG.Text.extra.class "" >
<!ENTITY % SVG.Text.class
  "| %SVG.text.qname; %SVG.Text.extra.class;"
>

<!-- module: svg-hyperlink.mod ..... -->

<!ENTITY % SVG.Hyperlink.extra.class "" >
<!ENTITY % SVG.Hyperlink.class
  "| %SVG.a.qname; %SVG.Hyperlink.extra.class;"
>

<!--
module: svg-animation.mod ..... -->

```

```
<!ENTITY % SVG.Animation.extra.class "" >
<!ENTITY % SVG.Animation.class
"%SVG.animate.qname; | %SVG.set.qname; | %SVG.animateMotion.qname; |
%SVG.animateColor.qname; | %SVG.animateTransform.qname;
%SVG.Animation.extra.class;"
>
```

```
<!-- module: svg-basic-font.mod ..... -->
```

```
<!ENTITY % SVG.Font.extra.class "" >
<!ENTITY % SVG.Font.class
"| %SVG.font.qname; | %SVG.font-face.qname; %SVG.Font.extra.class;"
>
```

```
<!-- module: svg-extensibility.mod ..... -->
```

```
<!ENTITY % SVG.Extensibility.extra.class "" >
<!ENTITY % SVG.Extensibility.class
"| %SVG.foreignObject.qname; %SVG.Extensibility.extra.class;"
>
```

```
<!-- end of svg11-tiny-model.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-
tiny-model.mod
```

No license file was found, but licenses were detected in source scan.

## SVG 1.1 Tiny DTD

This is SVG Tiny, a proper subset of SVG.

The Scalable Vector Graphics (SVG)

Copyright 2001, 2002 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de  
Recherche en Informatique et en Automatique, Keio University).

All Rights Reserved.

Permission to use, copy, modify and distribute the SVG DTD and its  
accompanying documentation for any purpose and without fee is hereby  
granted in perpetuity, provided that the above copyright notice and  
this paragraph appear in all copies. The copyright holders make no  
representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Author: Jun Fujisawa <fujisawa.jun@canon.co.jp>

Revision: \$Id: svg11

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-tiny.dtd

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 View Module ..... -->
<!-- file: svg-view.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-view.mod,v 1.3 2002/10/24 17:40:16 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 View//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-view.mod"
```

```
..... -->
```

```
<!-- View
```

```
view
```

This module declares markup to provide support for view.

```
-->
```

```
<!-- Qualified Names (Default) ..... -->
```

```
<!ENTITY % SVG.view.qname "view" >
```

```
<!-- Attribute Collections (Default) ..... -->
```

```
<!ENTITY % SVG.Core.attrib "" >
```

```
<!ENTITY % SVG.External.attrib "" >
```

```
<!-- SVG.View.class ..... -->
```

```
<!ENTITY % SVG.View.extra.class "" >
```

```
<!ENTITY % SVG.View.class
```

```
"| %SVG.view.qname; %SVG.View.extra.class;"
```

```
>
```

```
<!-- view: View Element ..... -->
```

```

<!ENTITY % SVG.view.extra.content "" >

<!ENTITY % SVG.view.element "INCLUDE" >
<![%SVG.view.element;[
<!ENTITY % SVG.view.content
  "( %SVG.Description.class; %SVG.view.extra.content; )*"
>
<!ELEMENT %SVG.view.qname; %SVG.view.content; >
<!-- end of SVG.view.element -->]]>

<!ENTITY % SVG.view.attlist "INCLUDE" >
<![%SVG.view.attlist;[
<!ATTLIST %SVG.view.qname;
  %SVG.Core.attrib;
  %SVG.External.attrib;
  viewBox %ViewBoxSpec.datatype; #IMPLIED
  preserveAspectRatio %PreserveAspectRatioSpec.datatype; 'xMidYMid meet'
  zoomAndPan ( disable | magnify ) 'magnify'
  viewTarget CDATA #IMPLIED
>
<!-- end of SVG.view.attlist -->]]>

<!-- end of svg-view.mod -->

```

Found

in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-view.mod

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Text Module ..... -->
<!-- file: xhtml-text-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.  
 Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
 Revision: \$Id: xhtml-text-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Text 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-text-1.mod"

```

Revisions:

(none)

```

..... -->

```

<!-- Textual Content

The Text module includes declarations for all core text container elements and their attributes.

-->

```
<!ENTITY % xhtml-inlstruct.module "INCLUDE" >
<![% xhtml-inlstruct.module;[
<!ENTITY
% xhtml-inlstruct.mod
PUBLIC "-//W3C//ELEMENTS XHTML Inline Structural 1.0//EN"
"xhtml-inlstruct-1.mod" >
%xhtml-inlstruct.mod;]]>
```

```
<!ENTITY % xhtml-inlphras.module "INCLUDE" >
<![% xhtml-inlphras.module;[
<!ENTITY % xhtml-inlphras.mod
PUBLIC "-//W3C//ELEMENTS XHTML Inline Phrasal 1.0//EN"
"xhtml-inlphras-1.mod" >
%xhtml-inlphras.mod;]]>
```

```
<!ENTITY % xhtml-blkstruct.module "INCLUDE" >
<![% xhtml-blkstruct.module;[
<!ENTITY % xhtml-blkstruct.mod
PUBLIC "-//W3C//ELEMENTS XHTML Block Structural 1.0//EN"
"xhtml-blkstruct-1.mod" >
%xhtml-blkstruct.mod;]]>
```

```
<!ENTITY % xhtml-blkphras.module "INCLUDE" >
<![% xhtml-blkphras.module;[
<!ENTITY % xhtml-blkphras.mod
PUBLIC "-//W3C//ELEMENTS XHTML Block Phrasal 1.0//EN"
"xhtml-blkphras-1.mod" >
%xhtml-blkphras.mod;]]>
```

<!-- end of xhtml-text-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-text-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Block Phrasal Module ..... -->
<!-- file: xhtml-blkphras-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: xhtml-blkphras-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Block Phrasal 1.0//EN"

SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-blkphras-1.mod"

Revisions:

(none)

..... -->

<!-- Block Phrasal

address, blockquote, pre, h1, h2, h3, h4, h5, h6

This module declares the elements and their attributes used to support block-level phrasal markup.

-->

<!ENTITY

% address.element "INCLUDE" >

<![%address.element;[

<!ENTITY % address.content

"( #PCDATA | %Inline.mix; )\*" >

<!ENTITY % address.qname "address" >

<!ELEMENT %address.qname; %address.content; >

<!-- end of address.element -->]]>

<!ENTITY % address.attlist "INCLUDE" >

<![%address.attlist;[

<!ATTLIST %address.qname;

%Common.attrib;

>

<!-- end of address.attlist -->]]>

<!ENTITY % blockquote.element "INCLUDE" >

<![%blockquote.element;[

<!ENTITY % blockquote.content

"( %Block.mix; )+"

>

<!ENTITY % blockquote.qname "blockquote" >

<!ELEMENT %blockquote.qname; %blockquote.content; >

<!-- end of blockquote.element -->]]>

<!ENTITY % blockquote.attlist "INCLUDE" >

<![%blockquote.attlist;[

<!ATTLIST %blockquote.qname;

%Common.attrib;

cite %URI.datatype; #IMPLIED

```

>
<!-- end of blockquote.attlist -->]]>

<!ENTITY % pre.element "INCLUDE" >
<![%pre.element;[
<!ENTITY % pre.content
  "( #PCDATA
   | %InlStruct.class;

   %InlPhras.class;
   | %tt.qname; | %i.qname; | %b.qname;
   %I18n.class;
   %Anchor.class;
   | %script.qname; | %map.qname;
   %Inline.extra; )*"
>
<!ENTITY % pre.qname "pre" >
<!ELEMENT %pre.qname; %pre.content; >
<!-- end of pre.element -->]]>

<!ENTITY % pre.attlist "INCLUDE" >
<![%pre.attlist;[
<!ATTLIST %pre.qname;
  %Common.attrib;
  xml:space (default|preserve)          #FIXED 'preserve'
>
<!-- end of pre.attlist -->]]>

<!-- ..... Heading Elements ..... -->

<!ENTITY % Heading.content "( #PCDATA | %Inline.mix; )*" >

<!ENTITY % h1.element "INCLUDE" >
<![%h1.element;[
<!ENTITY % h1.qname "h1" >
<!ELEMENT %h1.qname; %Heading.content; >
<!-- end of h1.element -->]]>

<!ENTITY % h1.attlist "INCLUDE" >
<![%h1.attlist;[
<!ATTLIST %h1.qname;
  %Common.attrib;
>
<!-- end of h1.attlist -->]]>

<!ENTITY % h2.element "INCLUDE" >
<![%h2.element;[
<!ENTITY % h2.qname "h2" >

```

```
<!ELEMENT %h2.qname; %Heading.content; >
<!--
end of h2.element -->]]>
```

```
<!ENTITY % h2.attlist "INCLUDE" >
<![%h2.attlist;[
<!ATTLIST %h2.qname;
    %Common.attrib;
>
<!-- end of h2.attlist -->]]>
```

```
<!ENTITY % h3.element "INCLUDE" >
<![%h3.element;[
<!ENTITY % h3.qname "h3" >
<!ELEMENT %h3.qname; %Heading.content; >
<!-- end of h3.element -->]]>
```

```
<!ENTITY % h3.attlist "INCLUDE" >
<![%h3.attlist;[
<!ATTLIST %h3.qname;
    %Common.attrib;
>
<!-- end of h3.attlist -->]]>
```

```
<!ENTITY % h4.element "INCLUDE" >
<![%h4.element;[
<!ENTITY % h4.qname "h4" >
<!ELEMENT %h4.qname; %Heading.content; >
<!-- end of h4.element -->]]>
```

```
<!ENTITY % h4.attlist "INCLUDE" >
<![%h4.attlist;[
<!ATTLIST %h4.qname;
    %Common.attrib;
>
<!-- end of h4.attlist -->]]>
```

```
<!ENTITY % h5.element "INCLUDE" >
<![%h5.element;[
<!ENTITY % h5.qname "h5" >
<!ELEMENT %h5.qname; %Heading.content; >
<!-- end of h5.element -->]]>
```

```
<!ENTITY % h5.attlist "INCLUDE" >
<![%h5.attlist;[
<!ATTLIST %h5.qname;
    %Common.attrib;
>
```

<!-- end of h5.attlist -->]]>

```
<!ENTITY
% h6.element "INCLUDE" >
<![%h6.element;[
<!ENTITY % h6.qname "h6" >
<!ELEMENT %h6.qname; %Heading.content; >
<!-- end of h6.element -->]]>
```

```
<!ENTITY % h6.attlist "INCLUDE" >
<![%h6.attlist;[
<!ATTLIST %h6.qname;
    %Common.attrib;
>
<!-- end of h6.attlist -->]]>
```

<!-- end of xhtml-blkphras-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-blkphras-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Color Profile Module ..... -->
<!-- file: svg-profile.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-profile.mod,v 1.3 2002/11/14 15:11:03 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Color Profile//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-profile.mod"
```

```
..... -->
```

<!-- Color Profile

color-profile

This module declares markup to provide support for color profile.

-->

```
<!-- Qualified Names (Default) ..... -->
```

```
<!ENTITY % SVG.color-profile.qname "color-profile"
```

```

>

<!-- Attribute Collections (Default) ..... -->

<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.XLink.attrib "" >

<!-- SVG.ColorProfile.class ..... -->

<!ENTITY % SVG.ColorProfile.extra.class "" >

<!ENTITY % SVG.ColorProfile.class
  "| %SVG.color-profile.qname; %SVG.ColorProfile.extra.class;"
>

<!-- SVG.ColorProfile.attrib ..... -->

<!ENTITY % SVG.ColorProfile.extra.attrib "" >

<!ENTITY % SVG.ColorProfile.attrib
  "color-profile CDATA #IMPLIED
  %SVG.ColorProfile.extra.attrib;"
>

<!-- color-profile: Color Profile Element ..... -->

<!ENTITY % SVG.color-profile.extra.content "" >

<!ENTITY % SVG.color-profile.element "INCLUDE" >
<![%SVG.color-profile.element;[
<!ENTITY % SVG.color-profile.content
  "( %SVG.Description.class; %SVG.color-profile.extra.content; )*"
>
<!ELEMENT %SVG.color-profile.qname; %SVG.color-profile.content; >
<!-- end of SVG.color-profile.element -->]]>

<!ENTITY % SVG.color-profile.attlist
  "INCLUDE" >
<![%SVG.color-profile.attlist;[
<!ATTLIST %SVG.color-profile.qname;
  %SVG.Core.attrib;
  %SVG.XLink.attrib;
  local CDATA #IMPLIED
  name CDATA #REQUIRED
  rendering-intent ( auto | perceptual | relative-colorimetric | saturation |
    absolute-colorimetric ) 'auto'
>
<!-- end of SVG.color-profile.attlist -->]]>

```

<!-- end of svg-profile.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-profile.mod

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- XHTML Block Structural Module ..... -->

<!-- file: xhtml-blkstruct-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-blkstruct-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Block Structural 1.0//EN"

SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-blkstruct-1.mod"

Revisions:

(none)

..... -->

<!-- Block Structural

div, p

This module declares the elements and their attributes used to support block-level structural markup.

-->

<!ENTITY % div.element "INCLUDE"

>

<![%div.element;[

<!ENTITY % div.content

"( #PCDATA | %Flow.mix; )\*"

>

<!ENTITY % div.qname "div" >

<!ELEMENT %div.qname; %div.content; >

<!-- end of div.element -->]]>

<!ENTITY % div.attlist "INCLUDE" >

<![%div.attlist;[

<!ATTLIST %div.qname;

%Common.attrib;

>

```
<!-- end of div.attlist -->]]>

<!ENTITY % p.element "INCLUDE" >
<![%p.element;[
<!ENTITY % p.content
  "( #PCDATA | %Inline.mix; )*" >
<!ENTITY % p.qname "p" >
<!ELEMENT %p.qname; %p.content; >
<!-- end of p.element -->]]>
```

```
<!ENTITY % p.attlist "INCLUDE" >
<![%p.attlist;[
<!ATTLIST %p.qname;
  %Common.attrib;
>
<!-- end of p.attlist -->]]>
```

```
<!-- end of xhtml-blkstruct-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-blkstruct-1.mod
```

No license file was found, but licenses were detected in source scan.

2002 W3C (MIT, INRIA, Keio),  
All Rights Reserved.

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml10/xhtml11-frameset.dtd
```

No license file was found, but licenses were detected in source scan.

```
// This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0.
```

```
// This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v.
2.0.
```

```
/**
```

```
 * Get a Stack Frame Map containing definitions of all the declared variables. This will return a newly
 * created object that the caller is free to modify by adding additional variables, without affecting
 * the static context itself.
 */
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/sxpath/IndependentContext.java
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Modular Framework Module ..... -->
<!-- file: xhtml-framework-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-framework-1.mod,v 1.3 2004/09/07 12:12:18 dom Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML Modular Framework 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulatization/DTD/xhtml-framework-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Modular Framework
```

This required module instantiates the modules needed  
to support the XHTML modularization model, including:

- + notations
- + datatypes
- + namespace-qualified names
- + common attributes
- + document model
- + character entities

The Intrinsic Events module is ignored by default but  
occurs in this module because it must be instantiated  
prior to Attributes but after Datatypes.

```
-->
```

```
<!ENTITY % xhtml-arch.module "INCLUDE" >
<![%xhtml-arch.module;[
<!ENTITY % xhtml-arch.mod
PUBLIC "-//W3C//ELEMENTS XHTML Base Architecture 1.0//EN"
"xhtml-arch-1.mod" >
%xhtml-arch.mod;]]>
```

```
<!ENTITY % xhtml-notations.module "INCLUDE" >
<![%xhtml-notations.module;[
<!ENTITY % xhtml-notations.mod
PUBLIC "-//W3C//NOTATIONS XHTML Notations 1.0//EN"
"xhtml-notations-1.mod" >
```

```

%xhtml-notations.mod;]]>

<!ENTITY % xhtml-datatypes.module "INCLUDE" >
<![%xhtml-datatypes.module;[
<!ENTITY % xhtml-datatypes.mod
    PUBLIC "-//W3C//ENTITIES XHTML Datatypes 1.0//EN"
        "xhtml-datatypes-1.mod" >
%xhtml-datatypes.mod;]]>

<!-- placeholder for XLink support module
-->
<!ENTITY % xhtml-xlink.mod "" >
%xhtml-xlink.mod;

<!ENTITY % xhtml-qname.module "INCLUDE" >
<![%xhtml-qname.module;[
<!ENTITY % xhtml-qname.mod
    PUBLIC "-//W3C//ENTITIES XHTML Qualified Names 1.0//EN"
        "xhtml-qname-1.mod" >
%xhtml-qname.mod;]]>

<!ENTITY % xhtml-events.module "IGNORE" >
<![%xhtml-events.module;[
<!ENTITY % xhtml-events.mod
    PUBLIC "-//W3C//ENTITIES XHTML Intrinsic Events 1.0//EN"
        "xhtml-events-1.mod" >
%xhtml-events.mod;]]>

<!ENTITY % xhtml-attrs.module "INCLUDE" >
<![%xhtml-attrs.module;[
<!ENTITY % xhtml-attrs.mod
    PUBLIC "-//W3C//ENTITIES XHTML Common Attributes 1.0//EN"
        "xhtml-attrs-1.mod" >
%xhtml-attrs.mod;]]>

<!-- placeholder for content model redeclarations -->
<!ENTITY % xhtml-model.redecl "" >
%xhtml-model.redecl;

<!ENTITY % xhtml-model.module "INCLUDE" >
<![%xhtml-model.module;[
<!-- instantiate the Document Model module declared in the DTD driver
-->
%xhtml-model.mod;]]>

<!ENTITY % xhtml-charent.module
    "INCLUDE" >
<![%xhtml-charent.module;[

```

```
<!ENTITY % xhtml-charent.mod
  PUBLIC "-//W3C//ENTITIES XHTML Character Entities 1.0//EN"
    "xhtml-charent-1.mod" >
%xhtml-charent.mod;]]>
```

```
<!-- end of xhtml-framework-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-
framework-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Character Entities Module ..... -->
<!-- file: xhtml-charent-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-charent-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML Character Entities 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-charent-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Character Entities for XHTML
```

This module declares the set of character entities for XHTML,  
including the Latin 1, Symbol and Special character collections.

```
-->
```

```
<!ENTITY % xhtml-lat1
  PUBLIC "-//W3C//ENTITIES Latin 1 for XHTML//EN"
    "xhtml-lat1.ent" >
%xhtml-lat1;
```

```
<!ENTITY % xhtml-symbol
  PUBLIC "-//W3C//ENTITIES Symbols for XHTML//EN"
    "xhtml-symbol.ent" >
%xhtml-symbol;
```

```
<!ENTITY % xhtml-special
  PUBLIC "-//W3C//ENTITIES Special for XHTML//EN"
    "xhtml-special.ent" >
```

%xhtml-special;

<!-- end of xhtml-charent-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-charent-1.mod

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- SVG 1.1 Marker Module ..... -->

<!-- file: svg-marker.mod

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-marker.mod,v 1.4 2002/11/14 15:11:03 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS SVG 1.1 Marker//EN"

SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-marker.mod"

..... -->

<!-- Marker

marker

This module declares markup to provide support for marker.

-->

<!-- 'marker' property/attribute value (e.g., 'none', <uri>) -->

<!ENTITY % MarkerValue.datatype "CDATA" >

<!-- Qualified Names (Default)

..... -->

<!ENTITY % SVG.marker.qname "marker" >

<!-- Attribute Collections (Default) ..... -->

<!ENTITY % SVG.Core.attrib "" >

<!ENTITY % SVG.Container.attrib "" >

<!ENTITY % SVG.Style.attrib "" >

<!ENTITY % SVG.Viewport.attrib "" >

<!ENTITY % SVG.Text.attrib "" >

<!ENTITY % SVG.TextContent.attrib "" >

<!ENTITY % SVG.Font.attrib "" >

```

<!ENTITY % SVG.Paint.attrib "" >
<!ENTITY % SVG.Color.attrib "" >
<!ENTITY % SVG.Opacity.attrib "" >
<!ENTITY % SVG.Graphics.attrib "" >
<!ENTITY % SVG.ColorProfile.attrib "" >
<!ENTITY % SVG.Gradient.attrib "" >
<!ENTITY % SVG.Clip.attrib "" >
<!ENTITY % SVG.Mask.attrib "" >
<!ENTITY % SVG.Filter.attrib "" >
<!ENTITY % SVG.FilterColor.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Marker.class ..... -->

<!ENTITY % SVG.Marker.extra.class "" >

<!ENTITY % SVG.Marker.class
  "| %SVG.marker.qname; %SVG.Marker.extra.class;"
>

<!-- SVG.Marker.attrib
  ..... -->

<!ENTITY % SVG.Marker.extra.attrib "" >

<!ENTITY % SVG.Marker.attrib
  "marker-start %MarkerValue.datatype; #IMPLIED
  marker-mid %MarkerValue.datatype; #IMPLIED
  marker-end %MarkerValue.datatype; #IMPLIED
  %SVG.Marker.extra.attrib;"
>

<!-- SVG.Presentation.attrib ..... -->

<!ENTITY % SVG.Presentation.extra.attrib "" >

<!ENTITY % SVG.Presentation.attrib
  "%SVG.Container.attrib;
  %SVG.Viewport.attrib;
  %SVG.Text.attrib;
  %SVG.TextContent.attrib;
  %SVG.Font.attrib;
  %SVG.Paint.attrib;
  %SVG.Color.attrib;
  %SVG.Opacity.attrib;
  %SVG.Graphics.attrib;
  %SVG.Marker.attrib;

```

```

    %SVG.ColorProfile.attrib;
    %SVG.Gradient.attrib;
    %SVG.Clip.attrib;
    %SVG.Mask.attrib;
    %SVG.Filter.attrib;
    %SVG.FilterColor.attrib;
    %SVG.Cursor.attrib;
    flood-color %SVGColor.datatype; #IMPLIED
    flood-opacity %OpacityValue.datatype; #IMPLIED
    lighting-color %SVGColor.datatype;
    #IMPLIED
    %SVG.Presentation.extra.attrib;"
>

<!-- marker: Marker Element ..... -->

<!ENTITY % SVG.marker.extra.content "" >

<!ENTITY % SVG.marker.element "INCLUDE" >
<![%SVG.marker.element;[
<!ENTITY % SVG.marker.content
"( %SVG.Description.class; | %SVG.Animation.class; %SVG.Structure.class;
  %SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;
  %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
  %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
  %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
  %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
  %SVG.Font.class; %SVG.marker.extra.content; )*"
>
<!ELEMENT %SVG.marker.qname; %SVG.marker.content; >
<!-- end of SVG.marker.element -->]]>

<!ENTITY % SVG.marker.attlist "INCLUDE" >
<![%SVG.marker.attlist;[
<!ATTLIST %SVG.marker.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
  %SVG.Presentation.attrib;
  %SVG.External.attrib;
  refX %Coordinate.datatype; #IMPLIED
  refY %Coordinate.datatype; #IMPLIED
  markerUnits ( strokeWidth | userSpaceOnUse ) #IMPLIED
  markerWidth %Length.datatype; #IMPLIED
  markerHeight %Length.datatype; #IMPLIED
  orient CDATA #IMPLIED
  viewBox %ViewBoxSpec.datatype; #IMPLIED
  preserveAspectRatio %PreserveAspectRatioSpec.datatype; 'xMidYMid meet'
>

```

<!-- end of SVG.marker.attlist -->]]>

<!-- end of svg-marker.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-marker.mod

No license file was found, but licenses were detected in source scan.

dimensional graphics in XML.

The Scalable Vector Graphics (SVG)

Copyright 2001, 2002 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de  
Recherche en Informatique et en Automatique, Keio University).

All Rights Reserved.

Permission to use, copy, modify and distribute the SVG DTD and its accompanying documentation for any purpose and without fee is hereby granted in perpetuity, provided that the above copyright notice and this paragraph appear in all copies. The copyright holders make no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Author: Jun Fujisawa <fujisawa.jun@canon.co.jp>

Revision: \$Id: svg11.dtd,v 1.2 2002/04/20 18:07:43 fujisawa Exp \$

dimensional graphics in XML.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio),

All Rights Reserved.

Revision: \$Id: svg

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-flat.dtd

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-flat-20030114.dtd

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- XHTML 1.1 Document Model Module ..... -->

<!-- file: xhtml11-model-1.mod

This is XHTML 1.1, a reformulation of HTML as a modular XML application.

Copyright 1998-2008 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml11-model-1.mod,v 1.18 2009/06/24 17:24:55 ahby Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ENTITIES XHTML 1.1 Document Model 1.0//EN"  
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml11-model-1.mod"

Revisions:

(none)

..... -->

<!-- XHTML 1.1 Document Model

This module describes the groupings of elements that make up common content models for XHTML elements.

XHTML has three basic content models:

%Inline.mix; character-level elements

%Block.mix; block-like elements, eg., paragraphs and lists

%Flow.mix; any block or inline elements

Any parameter entities declared in this module may be used to create element content models, but the above three are considered 'global' (insofar as that term applies here).

The reserved word '#PCDATA' (indicating a text string) is now included explicitly with each element declaration that is declared as mixed content, as XML requires that this token occur first in a content model specification.

-->

<!-- Extending the Model

While in some cases this module may need to be rewritten to accommodate changes to the document model, minor extensions may be accomplished by redeclaring any of the three \*.extra; parameter entities to contain extension element types as follows:

%Misc.extra; whose parent may be any block or inline element.

%Inline.extra; whose parent may be any inline element.

%Block.extra; whose parent may be any block element.

If used, these parameter entities must be an OR-separated list beginning with an OR separator ("|"), eg., "| a | b | c"

All block and inline \*.class parameter entities not part of the \*struct.class classes begin with "| " to allow for exclusion from mixes.

-->

<!-- ..... Optional Elements in head ..... -->

```
<!ENTITY % HeadOpts.mix
  "( %script.qname; | %style.qname; | %meta.qname;
  | %link.qname; | %object.qname; )*"
>
```

<!-- ..... Miscellaneous Elements ..... -->

<!-- ins and del are used to denote editing changes

-->

```
<!ENTITY % Edit.class "| %ins.qname; | %del.qname;" >
```

<!-- script and noscript are used to contain scripts  
and alternative content

-->

```
<!ENTITY % Script.class "| %script.qname; | %noscript.qname;" >
```

```
<!ENTITY % Misc.extra "" >
```

<!-- These elements  
are neither block nor inline, and can  
essentially be used anywhere in the document body.

-->

```
<!ENTITY % Misc.class
```

```
  "%Edit.class;
  %Script.class;
  %Misc.extra;"
```

>

<!-- ..... Inline Elements ..... -->

```
<!ENTITY % InlStruct.class "%br.qname; | %span.qname;" >
```

```
<!ENTITY % InlPhras.class
```

```
  "| %em.qname; | %strong.qname; | %dfn.qname; | %code.qname;
  | %samp.qname; | %kbd.qname; | %var.qname; | %cite.qname;
  | %abbr.qname; | %acronym.qname; | %q.qname;" >
```

```
<!ENTITY % InlPres.class
```

```
  "| %tt.qname; | %i.qname; | %b.qname; | %big.qname;
  | %small.qname; | %sub.qname; | %sup.qname;" >
```

```
<!ENTITY % I18n.class "| %bdo.qname;" >
```

```
<!ENTITY % Anchor.class "| %a.qname;" >
```

```

<!ENTITY % InlSpecial.class
  "| %img.qname; | %map.qname;
  | %object.qname;" >

<!ENTITY % InlForm.class
  "| %input.qname; | %select.qname; | %textarea.qname;
  | %label.qname; | %button.qname;" >

<!ENTITY % Inline.extra "" >

<!ENTITY % Ruby.class
  "| %ruby.qname;" >

<!-- %Inline.class; includes all inline elements,
  used as a component in mixes
-->
<!ENTITY % Inline.class
  "%InlStruct.class;
  %InlPhras.class;
  %InlPres.class;
  %I18n.class;
  %Anchor.class;
  %InlSpecial.class;
  %InlForm.class;
  %Ruby.class;
  %Inline.extra;"
>

<!-- %InlNoRuby.class; includes all inline elements
  except ruby, used as a component in mixes
-->
<!ENTITY % InlNoRuby.class
  "%InlStruct.class;
  %InlPhras.class;
  %InlPres.class;
  %I18n.class;
  %Anchor.class;
  %InlSpecial.class;
  %InlForm.class;
  %Inline.extra;"
>

<!-- %NoRuby.content; includes all inlines except ruby
-->
<!ENTITY % NoRuby.content
  "( #PCDATA
  | %InlNoRuby.class;

```

```

    %Misc.class; )*"
>

<!-- %InlNoAnchor.class; includes all non-anchor inlines,
    used as a component in mixes
-->
<!ENTITY % InlNoAnchor.class
    "%InlStruct.class;
    %InlPhras.class;
    %InlPres.class;

    %I18n.class;
    %InlSpecial.class;
    %InlForm.class;
    %Ruby.class;
    %Inline.extra;"
>

<!-- %InlNoAnchor.mix; includes all non-anchor inlines
-->
<!ENTITY % InlNoAnchor.mix
    "%InlNoAnchor.class;
    %Misc.class;"
>

<!-- %Inline.mix; includes all inline elements, including %Misc.class;
-->
<!ENTITY % Inline.mix
    "%Inline.class;
    %Misc.class;"
>

<!-- ..... Block Elements ..... -->

<!-- In the HTML 4.0 DTD, heading and list elements were included
    in the %block; parameter entity. The %Heading.class; and
    %List.class; parameter entities must now be included explicitly
    on element declarations where desired.
-->

<!ENTITY % Heading.class
    "%h1.qname; | %h2.qname; | %h3.qname;
    | %h4.qname; | %h5.qname; | %h6.qname;" >

<!ENTITY % List.class "%ul.qname; | %ol.qname; | %dl.qname;" >

<!ENTITY % Table.class "| %table.qname;" >

```

```

<!ENTITY % Form.class "| %form.qname;" >

<!ENTITY % Fieldset.class "|
%fieldset.qname;" >

<!ENTITY % BlkStruct.class "%p.qname; | %div.qname;" >

<!ENTITY % BlkPhras.class
"| %pre.qname; | %blockquote.qname; | %address.qname;" >

<!ENTITY % BlkPres.class "| %hr.qname;" >

<!ENTITY % BlkSpecial.class
"%Table.class;
%Form.class;
%Fieldset.class;"
>

<!ENTITY % Block.extra "" >

<!-- %Block.class; includes all block elements,
used as an component in mixes
-->
<!ENTITY % Block.class
"%BlkStruct.class;
%BlkPhras.class;
%BlkPres.class;
%BlkSpecial.class;
%Block.extra;"
>

<!-- %Block.mix; includes all block elements plus %Misc.class;
-->
<!ENTITY % Block.mix
"%Heading.class;
| %List.class;
| %Block.class;
%Misc.class;"
>

<!-- ..... All Content Elements ..... -->

<!-- %Flow.mix; includes all text content, block and inline
-->
<!ENTITY % Flow.mix
"%Heading.class;
| %List.class;
| %Block.class;

```

```
| %Inline.class;
%Misc.class;"
>
```

```
<!--
end of xhtml11-model-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml11-model-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Pattern Module ..... -->
<!-- file: svg-pattern.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-pattern.mod,v 1.4 2002/11/14 15:11:03 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Pattern//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-pattern.mod"
```

```
..... -->
```

```
<!-- Pattern
```

```
pattern
```

This module declares markup to provide support for pattern fill.

```
-->
```

```
<!-- Qualified Names (Default) ..... -->
```

```
<!ENTITY % SVG.pattern.qname "pattern" >
```

```
<!-- Attribute Collections
(Default) ..... -->
```

```
<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.Container.attrib "" >
<!ENTITY % SVG.Conditional.attrib "" >
<!ENTITY % SVG.Style.attrib "" >
<!ENTITY % SVG.Viewport.attrib "" >
<!ENTITY % SVG.Text.attrib "" >
<!ENTITY % SVG.TextContent.attrib "" >
```

```

<!ENTITY % SVG.Font.attrib "" >
<!ENTITY % SVG.Paint.attrib "" >
<!ENTITY % SVG.Color.attrib "" >
<!ENTITY % SVG.Opacity.attrib "" >
<!ENTITY % SVG.Graphics.attrib "" >
<!ENTITY % SVG.Marker.attrib "" >
<!ENTITY % SVG.ColorProfile.attrib "" >
<!ENTITY % SVG.Gradient.attrib "" >
<!ENTITY % SVG.Clip.attrib "" >
<!ENTITY % SVG.Mask.attrib "" >
<!ENTITY % SVG.Filter.attrib "" >
<!ENTITY % SVG.FilterColor.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.XLink.attrib "" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Pattern.class ..... -->

<!ENTITY % SVG.Pattern.extra.class "" >

<!ENTITY % SVG.Pattern.class
  "| %SVG.pattern.qname; %SVG.Pattern.extra.class;"
>

<!--
SVG.Presentation.attrib ..... -->

<!ENTITY % SVG.Presentation.extra.attrib "" >

<!ENTITY % SVG.Presentation.attrib
  "%SVG.Container.attrib;
  %SVG.Viewport.attrib;
  %SVG.Text.attrib;
  %SVG.TextContent.attrib;
  %SVG.Font.attrib;
  %SVG.Paint.attrib;
  %SVG.Color.attrib;
  %SVG.Opacity.attrib;
  %SVG.Graphics.attrib;
  %SVG.Marker.attrib;
  %SVG.ColorProfile.attrib;
  %SVG.Gradient.attrib;
  %SVG.Clip.attrib;
  %SVG.Mask.attrib;
  %SVG.Filter.attrib;
  %SVG.FilterColor.attrib;
  %SVG.Cursor.attrib;
  flood-color %SVGColor.datatype; #IMPLIED

```

```

    flood-opacity %OpacityValue.datatype; #IMPLIED
    lighting-color %SVGColor.datatype; #IMPLIED
    %SVG.Presentation.extra.attrib;"
>

<!-- pattern: Pattern Element ..... -->

<!ENTITY % SVG.pattern.extra.content "" >

<!ENTITY % SVG.pattern.element "INCLUDE" >
<![%SVG.pattern.element;[
<!ENTITY % SVG.pattern.content
    "( %SVG.Description.class;
    | %SVG.Animation.class; %SVG.Structure.class;
    %SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;
    %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
    %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
    %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
    %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
    %SVG.Font.class; %SVG.pattern.extra.content; )*"
>
<!ELEMENT %SVG.pattern.qname; %SVG.pattern.content; >
<!-- end of SVG.pattern.element -->]]>

<!ENTITY % SVG.pattern.attlist "INCLUDE" >
<![%SVG.pattern.attlist;[
<!ATTLIST %SVG.pattern.qname;
    %SVG.Core.attrib;
    %SVG.Conditional.attrib;
    %SVG.Style.attrib;
    %SVG.Presentation.attrib;
    %SVG.XLink.attrib;
    %SVG.External.attrib;
    x %Coordinate.datatype; #IMPLIED
    y %Coordinate.datatype; #IMPLIED
    width %Length.datatype; #IMPLIED
    height %Length.datatype; #IMPLIED
    patternUnits ( userSpaceOnUse | objectBoundingBox
    ) #IMPLIED
    patternContentUnits ( userSpaceOnUse | objectBoundingBox ) #IMPLIED
    patternTransform %TransformList.datatype; #IMPLIED
    viewBox %ViewBoxSpec.datatype; #IMPLIED
    preserveAspectRatio %PreserveAspectRatioSpec.datatype; 'xMidYMid meet'
>
<!-- end of SVG.pattern.attlist -->]]>

<!-- end of svg-pattern.mod -->

```

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-pattern.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Simplified Forms Module ..... -->
<!-- file: xhtml-basic-form-1.mod
```

This is XHTML Basic, a proper subset of XHTML.  
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-basic-form-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Basic Forms 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-basic-form-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Basic Forms
```

This forms module is based on the HTML 3.2 forms model, with the WAI-requested addition of the label element. While this module essentially mimics the content model and attributes of HTML 3.2 forms, the element types declared herein also include all HTML 4 common attributes.

form, label, input, select, option, textarea

```
-->
```

```
<!-- declare qualified element type names:
```

```
-->
```

```
<!ENTITY % form.qname "form" >
<!ENTITY % label.qname "label" >
<!ENTITY % input.qname "input" >
<!ENTITY % select.qname "select" >
<!ENTITY % option.qname "option" >
<!ENTITY % textarea.qname "textarea" >
```

```
<!-- %BlkNoForm.mix; includes all non-form block elements,
plus %Misc.class;
```

```
-->
```

```
<!ENTITY % BlkNoForm.mix
"%Heading.class;
```

```

| %List.class;
| %BlkStruct.class;
%BlkPhras.class;
%BlkPres.class;
| %table.qname;
%Block.extra;
%Misc.class;"
>

<!-- form: Form Element ..... -->

<!ENTITY % form.element "INCLUDE" >
<![%form.element;[
<!ENTITY % form.content
    "( %BlkNoForm.mix; )+"
>
<!ELEMENT %form.qname; %form.content; >
<!-- end of form.element -->]]>

<!ENTITY % form.attlist
    "INCLUDE" >
<![%form.attlist;[
<!ATTLIST %form.qname;
    %Common.attrib;
    action    %URI.datatype;    #REQUIRED
    method    ( get | post )    'get'
    enctype   %ContentType.datatype; 'application/x-www-form-urlencoded'
>
<!-- end of form.attlist -->]]>

<!-- label: Form Field Label Text ..... -->

<!ENTITY % label.element "INCLUDE" >
<![%label.element;[
<!-- Each label must not contain more than ONE field
-->
<!ENTITY % label.content
    "( #PCDATA
    | %input.qname; | %select.qname; | %textarea.qname;
    | %InlStruct.class;
    %InlPhras.class;
    %I18n.class;
    %InlPres.class;
    %InlSpecial.class;
    %Misc.class; )*"
>
<!ELEMENT %label.qname; %label.content; >
<!-- end of label.element -->]]>

```

```

<!ENTITY % label.attlist "INCLUDE" >
<![%label.attlist;[
<!ATTLIST %label.qname;
    %Common.attrib;
    for      IDREF          #IMPLIED
    accesskey %Character.datatype; #IMPLIED
>
<!--
end of label.attlist -->]]>

<!-- input: Form Control ..... -->

<!ENTITY % input.element "INCLUDE" >
<![%input.element;[
<!ENTITY % input.content "EMPTY" >
<!ELEMENT %input.qname; %input.content; >
<!-- end of input.element -->]]>

<!-- Basic Forms removes 'image' and 'file' input types.
-->
<!ENTITY % input.attlist "INCLUDE" >
<![%input.attlist;[
<!ENTITY % InputType.class
    "( text | password | checkbox | radio
    | submit | reset | hidden )"
>
<!-- attribute name required for all but submit & reset
-->
<!ATTLIST %input.qname;
    %Common.attrib;
    type      %InputType.class;    'text'
    name      CDATA                #IMPLIED
    value     CDATA                #IMPLIED
    checked   ( checked )          #IMPLIED
    size      CDATA                #IMPLIED
    maxlength %Number.datatype;    #IMPLIED
    src       %URI.datatype;       #IMPLIED
    accesskey %Character.datatype;
    #IMPLIED
>
<!-- end of input.attlist -->]]>

<!-- select: Option Selector ..... -->

<!ENTITY % select.element "INCLUDE" >
<![%select.element;[
<!ENTITY % select.content "( %option.qname; )+" >

```

```
<!ELEMENT %select.qname; %select.content; >
<!-- end of select.element -->]]>
```

```
<!ENTITY % select.attlist "INCLUDE" >
<![%select.attlist;[
<!ATTLIST %select.qname;
    %Common.attrib;
    name      CDATA          #IMPLIED
    size      %Number.datatype; #IMPLIED
    multiple  ( multiple )   #IMPLIED
>
<!-- end of select.attlist -->]]>
```

```
<!-- option: Selectable Choice ..... -->
```

```
<!ENTITY % option.element "INCLUDE" >
<![%option.element;[
<!ENTITY % option.content "( #PCDATA )" >
<!ELEMENT %option.qname; %option.content; >
<!-- end of option.element -->]]>
```

```
<!ENTITY % option.attlist "INCLUDE" >
<![%option.attlist;[
<!ATTLIST %option.qname;
    %Common.attrib;
    selected  ( selected
)          #IMPLIED
    value    CDATA          #IMPLIED
>
<!-- end of option.attlist -->]]>
```

```
<!-- textarea: Multi-Line Text Field ..... -->
```

```
<!ENTITY % textarea.element "INCLUDE" >
<![%textarea.element;[
<!ENTITY % textarea.content "( #PCDATA )" >
<!ELEMENT %textarea.qname; %textarea.content; >
<!-- end of textarea.element -->]]>
```

```
<!ENTITY % textarea.attlist "INCLUDE" >
<![%textarea.attlist;[
<!ATTLIST %textarea.qname;
    %Common.attrib;
    name      CDATA          #IMPLIED
    rows      %Number.datatype; #REQUIRED
    cols      %Number.datatype; #REQUIRED
    accesskey %Character.datatype; #IMPLIED
>
<!-- end of textarea.attlist -->]]>
```

<!-- end of textarea.attlist -->]]>

<!-- end of xhtml-basic-form-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-basic-form-1.mod

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- SVG 1.1 Datatypes Module ..... -->

<!-- file: svg-datatypes.mod

This is SVG, a language for describing two-dimensional graphics in XML.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg-datatypes.mod,v 1.2 2002/04/20 18:07:42 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ENTITIES SVG 1.1 Datatypes//EN"

SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-datatypes.mod"

..... -->

<!-- Datatypes

This module declares common data types for properties and attributes.

-->

<!-- feature specification -->

<!ENTITY % Boolean.datatype "( false | true )" >

<!-- 'clip-rule' or 'fill-rule' property/attribute

value -->

<!ENTITY % ClipFillRule.datatype "( nonzero | evenodd | inherit )" >

<!-- media type, as per [RFC2045] -->

<!ENTITY % ContentType.datatype "CDATA" >

<!-- a <coordinate> -->

<!ENTITY % Coordinate.datatype "CDATA" >

<!-- a list of <coordinate>s -->

<!ENTITY % Coordinates.datatype "CDATA" >

<!-- a <color> value -->

<!ENTITY % Color.datatype "CDATA" >

<!-- a <integer> -->  
<!ENTITY % Integer.datatype "CDATA" >

<!-- a language code, as per [RFC3066] -->  
<!ENTITY % LanguageCode.datatype "NMTOKEN" >

<!-- comma-separated list of language codes, as per [RFC3066] -->  
<!ENTITY % LanguageCodes.datatype "CDATA" >

<!-- a <length> -->  
<!ENTITY % Length.datatype "CDATA" >

<!-- a list of <length>s -->  
<!ENTITY % Lengths.datatype "CDATA" >

<!-- a <number> -->  
<!ENTITY % Number.datatype "CDATA" >

<!-- a list of <number>s -->  
<!ENTITY % Numbers.datatype "CDATA" >

<!-- opacity value (e.g., <number>) -->  
<!ENTITY % OpacityValue.datatype "CDATA" >

<!-- a path data specification -->  
<!ENTITY  
% PathData.datatype "CDATA" >

<!-- 'preserveAspectRatio' attribute specification -->  
<!ENTITY % PreserveAspectRatioSpec.datatype "CDATA" >

<!-- script expression -->  
<!ENTITY % Script.datatype "CDATA" >

<!-- An SVG color value (RGB plus optional ICC) -->  
<!ENTITY % SVGColor.datatype "CDATA" >

<!-- arbitrary text string -->  
<!ENTITY % Text.datatype "CDATA" >

<!-- list of transforms -->  
<!ENTITY % TransformList.datatype "CDATA" >

<!-- a Uniform Resource Identifier, see [URI] -->  
<!ENTITY % URI.datatype "CDATA" >

<!-- 'viewBox' attribute specification -->  
<!ENTITY % ViewBoxSpec.datatype "CDATA" >

<!-- end of svg-datatypes.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-datatypes.mod

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- XHTML Base Architecture Module ..... -->

<!-- file: xhtml-arch-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-arch-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Base Architecture 1.0//EN"

SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-arch-1.mod"

Revisions:

(none)

..... -->

<!-- This optional module includes declarations that enable XHTML to be used as a base architecture according to the 'Architectural Forms Definition Requirements' (Annex A.3, ISO/IEC 10744, 2nd edition). For more information

on use of architectural forms, see the HyTime web site at:

<http://www.hytime.org/>

-->

<?IS10744 ArcBase xhtml ?>

<!NOTATION xhtml PUBLIC "-//W3C//NOTATION AFDR ARCBASE XHTML 1.1//EN" >

<!-- Entity declaration for associated Architectural DTD

-->

<!ENTITY xhtml-arch.dtd

PUBLIC "-//W3C//DTD XHTML Architecture 1.1//EN"

"xhtml11-arch.dtd" >

<?IS10744:arch xhtml

public-id = "-//W3C//NOTATION AFDR ARCBASE XHTML 1.1//EN"

dtd-public-id = "-//W3C//DTD XHTML 1.1//EN"

dtd-system-id = "xhtml11.dtd"

```
doc-elem-form = "html"
form-att      = "html"
renamer-att   = "htnames"
suppressor-att = "htsupp"
data-ignore-att = "htign"
auto         = "ArcAuto"
options      = "HtModReq HtModOpt"
HtModReq     = "Framework Text Hypertext Lists Structure"
HtModOpt     = "Standard"
?>
```

```
<!-- end of xhtml-arch-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-arch-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!--
```

File isoamsb.ent produced by the XSL script entities.xsl  
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the  
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle  
via the public W3C list [www-math@w3.org](mailto:www-math@w3.org).

The numeric character values assigned to each entity  
(should) match the Unicode assignments in Unicode 5.x.

References to the VARIANT SELECTOR 1 character (&#x0FE00;) should match the uses listed in Unicode Technical Report 25.

Entity names in this file are derived from files carrying the following notice:

(C) International Organization for Standardization 1991  
Permission to copy in any form is granted for use with  
conforming SGML systems and applications  
as defined in  
ISO 8879, provided this notice is included in all copies.

```
-->
```

<!--

Public identifier: -//W3C//ENTITIES Added Math Symbols: Binary Operators//EN//XML  
System identifier: http://www.w3.org/2003/entities/2007/isoamsb.ent

The public identifier should always be used verbatim.

The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isoamsb PUBLIC
"-//W3C//ENTITIES Added Math Symbols: Binary Operators//EN//XML"
"http://www.w3.org/2003/entities/2007/isoamsb.ent"
>
%isoamsb;
```

-->

```
<!ENTITY ac          "&#x0223E;" ><!--INVERTED LAZY S -->
<!ENTITY acE        "&#x0223E;&#x00333;" ><!--INVERTED LAZY S with double underline -->
<!ENTITY amalg      "&#x02A3F;" ><!--AMALGAMATION OR COPRODUCT -->
<!ENTITY barvee     "&#x022BD;" ><!--NOR -->
<!ENTITY barwed     "&#x02305;" ><!--PROJECTIVE -->
<!ENTITY Barwed     "&#x02306;" ><!--PERSPECTIVE
-->
<!ENTITY bsolb     "&#x029C5;" ><!--SQUARED FALLING DIAGONAL SLASH -->
<!ENTITY Cap        "&#x022D2;" ><!--DOUBLE INTERSECTION -->
<!ENTITY capand     "&#x02A44;" ><!--INTERSECTION WITH LOGICAL AND -->
<!ENTITY capbrcup   "&#x02A49;" ><!--INTERSECTION ABOVE BAR ABOVE UNION -->
<!ENTITY capcap     "&#x02A4B;" ><!--INTERSECTION BESIDE AND JOINED WITH INTERSECTION --
>
<!ENTITY capcup     "&#x02A47;" ><!--INTERSECTION ABOVE UNION -->
<!ENTITY capdot     "&#x02A40;" ><!--INTERSECTION WITH DOT -->
<!ENTITY caps       "&#x02229;&#x0FE00;" ><!--INTERSECTION with serifs -->
<!ENTITY ccaps     "&#x02A4D;" ><!--CLOSED INTERSECTION WITH SERIFS -->
<!ENTITY ccups     "&#x02A4C;" ><!--CLOSED UNION WITH SERIFS -->
<!ENTITY ccupssm   "&#x02A50;" ><!--CLOSED UNION WITH SERIFS AND SMASH PRODUCT -->
<!ENTITY coprod     "&#x02210;" ><!--N-ARY COPRODUCT -->
<!ENTITY Cup        "&#x022D3;" ><!--DOUBLE UNION -->
<!ENTITY
cupbrcap          "&#x02A48;" ><!--UNION ABOVE BAR ABOVE INTERSECTION -->
<!ENTITY cupcap    "&#x02A46;" ><!--UNION ABOVE INTERSECTION -->
<!ENTITY cupcup    "&#x02A4A;" ><!--UNION BESIDE AND JOINED WITH UNION -->
<!ENTITY cupdot    "&#x0228D;" ><!--MULTISET MULTIPLICATION -->
<!ENTITY cupor     "&#x02A45;" ><!--UNION WITH LOGICAL OR -->
<!ENTITY cups     "&#x0222A;&#x0FE00;" ><!--UNION with serifs -->
<!ENTITY cuvee     "&#x022CE;" ><!--CURLY LOGICAL OR -->
```

|                      |  |
|----------------------|--|
| <!ENTITY cuwed       | "&#x022CF;" ><!--CURLY LOGICAL AND -->                           |
| <!ENTITY dagger      | "&#x02020;" ><!--DAGGER -->                                      |
| <!ENTITY Dagger      | "&#x02021;" ><!--DOUBLE DAGGER -->                               |
| <!ENTITY diam        | "&#x022C4;" ><!--DIAMOND OPERATOR -->                            |
| <!ENTITY divonx      | "&#x022C7;" ><!--DIVISION TIMES -->                              |
| <!ENTITY eplus       | "&#x02A71;" ><!--EQUALS SIGN ABOVE PLUS SIGN -->                 |
| <!ENTITY hercon      | "&#x022B9;" ><!--HERMITIAN CONJUGATE MATRIX -->                  |
| <!ENTITY intcal      | "&#x022BA;"  |
| ><!--INTERCALATE --> |  |
| <!ENTITY iprod       | "&#x02A3C;" ><!--INTERIOR PRODUCT -->                            |
| <!ENTITY loplus      | "&#x02A2D;" ><!--PLUS SIGN IN LEFT HALF CIRCLE -->               |
| <!ENTITY lotimes     | "&#x02A34;" ><!--MULTIPLICATION SIGN IN LEFT HALF CIRCLE -->     |
| <!ENTITY lthree      | "&#x022CB;" ><!--LEFT SEMIDIRECT PRODUCT -->                     |
| <!ENTITY ltimes      | "&#x022C9;" ><!--LEFT NORMAL FACTOR SEMIDIRECT PRODUCT -->       |
| <!ENTITY midast      | "&#x0002A;" ><!--ASTERISK -->                                    |
| <!ENTITY minusb      | "&#x0229F;" ><!--SQUARED MINUS -->                               |
| <!ENTITY minusd      | "&#x02238;" ><!--DOT MINUS -->                                   |
| <!ENTITY minusdu     | "&#x02A2A;" ><!--MINUS SIGN WITH DOT BELOW -->                   |
| <!ENTITY ncap        | "&#x02A43;" ><!--INTERSECTION WITH OVERBAR -->                   |
| <!ENTITY ncup        | "&#x02A42;" ><!--UNION WITH OVERBAR -->                          |
| <!ENTITY oast        | "&#x0229B;" ><!--CIRCLED ASTERISK OPERATOR -->                   |
| <!ENTITY ocir        | "&#x0229A;" ><!--CIRCLED RING OPERATOR -->                       |
| <!ENTITY odash       | "&#x0229D;" ><!--CIRCLED DASH -->                                |
| <!ENTITY             |  |
| odiv                 | "&#x02A38;" ><!--CIRCLED DIVISION SIGN -->                       |
| <!ENTITY odot        | "&#x02299;" ><!--CIRCLED DOT OPERATOR -->                        |
| <!ENTITY odsold      | "&#x029BC;" ><!--CIRCLED ANTICLOCKWISE-ROTATED DIVISION SIGN --> |
| <!ENTITY ofcir       | "&#x029BF;" ><!--CIRCLED BULLET -->                              |
| <!ENTITY ogt         | "&#x029C1;" ><!--CIRCLED GREATER-THAN -->                        |
| <!ENTITY ohbar       | "&#x029B5;" ><!--CIRCLE WITH HORIZONTAL BAR -->                  |
| <!ENTITY olcir       | "&#x029BE;" ><!--CIRCLED WHITE BULLET -->                        |
| <!ENTITY olt         | "&#x029C0;" ><!--CIRCLED LESS-THAN -->                           |
| <!ENTITY omid        | "&#x029B6;" ><!--CIRCLED VERTICAL BAR -->                        |
| <!ENTITY ominus      | "&#x02296;" ><!--CIRCLED MINUS -->                               |
| <!ENTITY opar        | "&#x029B7;" ><!--CIRCLED PARALLEL -->                            |
| <!ENTITY operp       | "&#x029B9;" ><!--CIRCLED PERPENDICULAR -->                       |
| <!ENTITY oplus       | "&#x02295;" ><!--CIRCLED PLUS -->                                |
| <!ENTITY osol        | "&#x02298;" ><!--CIRCLED DIVISION SLASH -->                      |
| <!ENTITY otimes      | "&#x02297;" ><!--CIRCLED   |
| TIMES -->            |  |
| <!ENTITY Otimes      | "&#x02A37;" ><!--MULTIPLICATION SIGN IN DOUBLE CIRCLE -->        |
| <!ENTITY otimesas    | "&#x02A36;" ><!--CIRCLED MULTIPLICATION SIGN WITH CIRCUMFLEX     |
| ACCENT -->           |  |
| <!ENTITY ovbar       | "&#x0233D;" ><!--APL FUNCTIONAL SYMBOL CIRCLE STILE -->          |
| <!ENTITY plusacir    | "&#x02A23;" ><!--PLUS SIGN WITH CIRCUMFLEX ACCENT ABOVE -->      |
| <!ENTITY plusb       | "&#x0229E;" ><!--SQUARED PLUS -->                                |
| <!ENTITY pluscir     | "&#x02A22;" ><!--PLUS SIGN WITH SMALL CIRCLE ABOVE -->           |
| <!ENTITY plusdo      | "&#x02214;" ><!--DOT PLUS -->                                    |

|                   |   |
|-------------------|---|
| <!ENTITY plusdu   | "&#x02A25;" ><!--PLUS SIGN WITH DOT BELOW -->                 |
| <!ENTITY pluse    | "&#x02A72;" ><!--PLUS SIGN ABOVE EQUALS SIGN -->              |
| <!ENTITY plussim  | "&#x02A26;" ><!--PLUS SIGN WITH TILDE BELOW -->               |
| <!ENTITY plustwo  | "&#x02A27;" ><!--PLUS SIGN WITH SUBSCRIPT TWO -->             |
| <!ENTITY prod     | "&#x0220F;" ><!--N-ARY PRODUCT -->                            |
| <!ENTITY race     | "&#x0223D;&#x00331;" ><!--REVERSED TILDE with underline -->   |
| <!ENTITY roplus   | "&#x02A2E;" ><!--PLUS SIGN IN RIGHT HALF CIRCLE -->           |
| <!ENTITY rotimes  | "&#x02A35;" ><!--MULTIPLICATION SIGN IN RIGHT HALF CIRCLE --> |
| <!ENTITY rthree   | "&#x022CC;" ><!--RIGHT SEMIDIRECT PRODUCT -->                 |
| <!ENTITY rtimes   | "&#x022CA;" ><!--RIGHT NORMAL FACTOR SEMIDIRECT PRODUCT -->   |
| <!ENTITY sdot     | "&#x022C5;" ><!--DOT OPERATOR -->                             |
| <!ENTITY sdotb    | "&#x022A1;" ><!--SQUARED DOT OPERATOR -->                     |
| <!ENTITY setmn    | "&#x02216;" ><!--SET MINUS -->                                |
| <!ENTITY simplus  | "&#x02A24;" ><!--PLUS SIGN WITH TILDE ABOVE -->               |
| <!ENTITY smashp   | "&#x02A33;" ><!--SMASH PRODUCT -->                            |
| <!ENTITY solb     | "&#x029C4;" ><!--SQUARED RISING DIAGONAL SLASH -->            |
| <!ENTITY sqcap    | "&#x02293;" ><!--SQUARE CAP -->                               |
| <!ENTITY sqcaps   | "&#x02293;&#x0FE00;" ><!--SQUARE CAP with serifs -->          |
| <!ENTITY sqcup    | "&#x02294;" ><!--SQUARE CUP -->                               |
| <!ENTITY sqcups   | "&#x02294;&#x0FE00;" ><!--SQUARE CUP with serifs -->          |
| <!ENTITY ssetmn   | "&#x02216;" ><!--SET MINUS -->                                |
| <!ENTITY sstarf   | "&#x022C6;" ><!--STAR OPERATOR -->                            |
| <!ENTITY subdot   | "&#x02ABD;" ><!--SUBSET WITH DOT -->                          |
| <!ENTITY sum      | "&#x02211;" ><!--N-ARY SUMMATION -->                          |
| <!ENTITY supdot   | "&#x02ABE;" ><!--SUPERSET WITH DOT -->                        |
| <!ENTITY timesb   | "&#x022A0;" ><!--SQUARED TIMES -->                            |
| <!ENTITY timesbar | "&#x02A31;" ><!--MULTIPLICATION SIGN WITH UNDERBAR -->        |
| <!ENTITY timesd   | "&#x02A30;" ><!--MULTIPLICATION SIGN WITH DOT ABOVE -->       |
| <!ENTITY tridot   | "&#x025EC;" ><!--WHITE UP-POINTING TRIANGLE WITH DOT -->      |
| <!ENTITY triminus | "&#x02A3A;" ><!--MINUS SIGN IN TRIANGLE -->                   |
| <!ENTITY triplus  | "&#x02A39;" ><!--PLUS SIGN IN TRIANGLE -->                    |
| <!ENTITY trisb    | "&#x029CD;" ><!--TRIANGLE WITH SERIFS AT BOTTOM -->           |
| <!ENTITY tritime  | "&#x02A3B;" ><!--MULTIPLICATION SIGN IN TRIANGLE -->          |
| <!ENTITY uplus    | "&#x0228E;" ><!--MULTISET UNION -->                           |
| <!ENTITY veebar   | "&#x022BB;" ><!--XOR -->                                      |
| <!ENTITY wedbar   | "&#x02A5F;" ><!--LOGICAL AND WITH UNDERBAR -->                |
| <!ENTITY wreath   | "&#x02240;" ><!--WREATH PRODUCT -->                           |
| <!ENTITY xcap     | "&#x022C2;" ><!--N-ARY INTERSECTION -->                       |
| <!ENTITY xcirc    | "&#x025EF;" ><!--LARGE CIRCLE -->                             |
| <!ENTITY xcup     | "&#x022C3;" ><!--N-ARY UNION -->                              |
| <!ENTITY xdtri    | "&#x025BD;" ><!--WHITE DOWN-POINTING TRIANGLE -->             |
| <!ENTITY xodot    | "&#x02A00;" ><!--N-ARY CIRCLED DOT OPERATOR -->               |
| <!ENTITY xoplus   | "&#x02A01;" ><!--N-ARY CIRCLED PLUS OPERATOR -->              |
| <!ENTITY xotime   | "&#x02A02;" ><!--N-ARY CIRCLED TIMES OPERATOR -->             |
| <!ENTITY xsqcup   | "&#x02A06;" ><!--N-ARY SQUARE UNION OPERATOR -->              |

```
<!ENTITY xuplus      "⨄" ><!--N-ARY UNION OPERATOR WITH PLUS -->
<!ENTITY xutri       "△" ><!--WHITE UP-POINTING TRIANGLE -->
<!ENTITY xvee        "⋁" ><!--N-ARY LOGICAL OR -->
<!ENTITY xwedge      "⋀" ><!--N-ARY LOGICAL AND
-->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isoamsb.ent
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Conditional Processing Module ..... -->
<!-- file: svg-conditional.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-conditional.mod,v 1.4 2002/11/14 15:11:02 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Conditional Processing//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-conditional.mod"
```

```
..... -->
```

```
<!-- Conditional Processing
```

```
    switch
```

This module declares markup to provide support for conditional processing.

```
-->
```

```
<!-- extension list specification -->
<!ENTITY % ExtensionList.datatype "CDATA"
>
```

```
<!-- feature list specification -->
<!ENTITY % FeatureList.datatype "CDATA" >
```

```
<!-- Qualified Names (Default) ..... -->
```

```
<!ENTITY % SVG.switch.qname "switch" >
```

```
<!-- Attribute Collections (Default) ..... -->
```

```
<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.Container.attrib "" >
```

```
<!ENTITY % SVG.Style.attrib "" >
<!ENTITY % SVG.Viewport.attrib "" >
<!ENTITY % SVG.Text.attrib "" >
<!ENTITY % SVG.TextContent.attrib "" >
<!ENTITY % SVG.Font.attrib "" >
<!ENTITY % SVG.Paint.attrib "" >
<!ENTITY % SVG.Color.attrib "" >
<!ENTITY % SVG.Opacity.attrib "" >
<!ENTITY % SVG.Graphics.attrib "" >
<!ENTITY % SVG.Marker.attrib "" >
<!ENTITY % SVG.ColorProfile.attrib "" >
<!ENTITY % SVG.Gradient.attrib "" >
<!ENTITY % SVG.Clip.attrib "" >
<!ENTITY % SVG.Mask.attrib "" >
<!ENTITY % SVG.Filter.attrib "" >
<!ENTITY % SVG.FilterColor.attrib "" >
<!ENTITY % SVG.GraphicalEvents.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.External.attrib "" >
```

```
<!-- SVG.Conditional.class
..... -->
```

```
<!ENTITY % SVG.Conditional.extra.class "" >
```

```
<!ENTITY % SVG.Conditional.class
  "| %SVG.switch.qname; %SVG.Conditional.extra.class;"
>
```

```
<!-- SVG.Conditional.attrib ..... -->
```

```
<!ENTITY % SVG.Conditional.extra.attrib "" >
```

```
<!ENTITY % SVG.Conditional.attrib
  "requiredFeatures %FeatureList.datatype; #IMPLIED
  requiredExtensions %ExtensionList.datatype; #IMPLIED
  systemLanguage %LanguageCodes.datatype; #IMPLIED
  %SVG.Conditional.extra.attrib;"
>
```

```
<!-- SVG.Presentation.attrib ..... -->
```

```
<!ENTITY % SVG.Presentation.extra.attrib "" >
```

```
<!ENTITY % SVG.Presentation.attrib
  "%SVG.Container.attrib;
  %SVG.Viewport.attrib;
  %SVG.Text.attrib;
```

```

%SVG.TextContent.attrib;
%SVG.Font.attrib;
%SVG.Paint.attrib;
%SVG.Color.attrib;
%SVG.Opacity.attrib;
%SVG.Graphics.attrib;
%SVG.Marker.attrib;
%SVG.ColorProfile.attrib;
%SVG.Gradient.attrib;

%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;
%SVG.FilterColor.attrib;
%SVG.Cursor.attrib;
flood-color %SVGColor.datatype; #IMPLIED
flood-opacity %OpacityValue.datatype; #IMPLIED
lighting-color %SVGColor.datatype; #IMPLIED
%SVG.Presentation.extra.attrib;"
>

<!-- switch: Switch Element ..... -->

<!ENTITY % SVG.switch.extra.content "" >

<!ENTITY % SVG.switch.element "INCLUDE" >
<![%SVG.switch.element;[
<!ENTITY % SVG.switch.content
"(( %SVG.Description.class; )*, ( %SVG.svg.qname; | %SVG.g.qname;
| %SVG.use.qname; | %SVG.text.qname; | %SVG.Animation.class;
%SVG.Conditional.class; %SVG.Image.class; %SVG.Shape.class;
%SVG.Hyperlink.class; %SVG.Extensibility.class;
%SVG.switch.extra.content; )*)"
>
<!ELEMENT %SVG.switch.qname; %SVG.switch.content; >
<!-- end of SVG.switch.element -->]]>

<!ENTITY % SVG.switch.attlist "INCLUDE" >
<![%SVG.switch.attlist;[
<!ATTLIST %SVG.switch.qname;
%SVG.Core.attrib;
%SVG.Conditional.attrib;
%SVG.Style.attrib;
%SVG.Presentation.attrib;
%SVG.GraphicalEvents.attrib;
%SVG.External.attrib;
transform %TransformList.datatype; #IMPLIED
>

```

<!-- end of SVG.switch.attlist -->]]>

<!-- end of svg-conditional.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-conditional.mod

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- XHTML Role Module ..... -->

<!-- file: xhtml-role-1.mod

This is XHTML Role - the Role Attribute Module for XHTML.

Copyright 2006 W3C (MIT, ERCIM, Keio), All Rights Reserved.

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ENTITIES XHTML Role Attribute 1.0//EN"

SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-role-1.mod"

Revisions:

(none)

..... -->

<!-- XHTML Role Attribute Module does nothing, since role is not incorporated in any elements content model as part of this module. -->

<!-- end of xhtml-role-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/xhtml11/xhtml-role-1.mod

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- XHTML Document Style Sheet Module ..... -->

<!-- file: xhtml-style-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-style-1.mod,v 4.1 2001/04/05 06:57:40 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//DTD XHTML Style Sheets 1.0//EN"

SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-style-1.mod"

Revisions:

(none)

..... -->

<!-- Style Sheets

style

This module declares the style element type and its attributes,  
used to embed style sheet information in the document head element.

-->

<!-- style: Style Sheet Information

..... -->

<!ENTITY % style.element "INCLUDE" >

<![%style.element;[

<!ENTITY % style.content "( #PCDATA )" >

<!ENTITY % style.qname "style" >

<!ELEMENT %style.qname; %style.content; >

<!-- end of style.element -->]]>

<!ENTITY % style.attlist "INCLUDE" >

<![%style.attlist;[

<!ATTLIST %style.qname;

  %XHTML.xmlns.attrib;

  %id.attrib;

  %title.attrib;

  %I18n.attrib;

  xml:space ( preserve )       #FIXED 'preserve'

  type     %ContentType.datatype; #REQUIRED

  media    %MediaDesc.datatype; #IMPLIED

>

<!-- end of style.attlist -->]]>

<!-- end of xhtml-style-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-style-1.mod

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- SVG 1.1 Shape Module ..... -->

<!-- file: svg-shape.mod

This is SVG, a language for describing two-dimensional graphics in XML.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-shape.mod,v 1.3 2002/10/24 17:40:16 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Shape//EN"  
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-shape.mod"
```

```
..... -->
```

```
<!-- Shape
```

```
    path, rect, circle, line, ellipse, polyline, polygon
```

```
    This module declares markup to provide support for graphical shapes.
```

```
-->
```

```
<!-- a list of points -->
```

```
<!ENTITY % Points.datatype "CDATA" >
```

```
<!-- Qualified Names (Default)
```

```
..... -->
```

```
<!ENTITY % SVG.path.qname "path" >
```

```
<!ENTITY % SVG.rect.qname "rect" >
```

```
<!ENTITY % SVG.circle.qname "circle" >
```

```
<!ENTITY % SVG.line.qname "line" >
```

```
<!ENTITY % SVG.ellipse.qname "ellipse" >
```

```
<!ENTITY % SVG.polyline.qname "polyline" >
```

```
<!ENTITY % SVG.polygon.qname "polygon" >
```

```
<!-- Attribute Collections (Default) ..... -->
```

```
<!ENTITY % SVG.Core.attrib "" >
```

```
<!ENTITY % SVG.Conditional.attrib "" >
```

```
<!ENTITY % SVG.Style.attrib "" >
```

```
<!ENTITY % SVG.Paint.attrib "" >
```

```
<!ENTITY % SVG.Color.attrib "" >
```

```
<!ENTITY % SVG.Opacity.attrib "" >
```

```
<!ENTITY % SVG.Graphics.attrib "" >
```

```
<!ENTITY % SVG.Marker.attrib "" >
```

```
<!ENTITY % SVG.Clip.attrib "" >
```

```
<!ENTITY % SVG.Mask.attrib "" >
```

```
<!ENTITY % SVG.Filter.attrib "" >
```

```
<!ENTITY % SVG.GraphicalEvents.attrib "" >
```

```
<!ENTITY % SVG.Cursor.attrib "" >
```

```
<!ENTITY % SVG.External.attrib "" >
```

```

<!-- SVG.Shape.class ..... -->

<!ENTITY % SVG.Shape.extra.class "" >

<!ENTITY % SVG.Shape.class
  "| %SVG.path.qname;
  | %SVG.rect.qname; | %SVG.circle.qname;
  | %SVG.line.qname; | %SVG.ellipse.qname; | %SVG.polyline.qname;
  | %SVG.polygon.qname; %SVG.Shape.extra.class;"
>

<!-- path: Path Element ..... -->

<!ENTITY % SVG.path.extra.content "" >

<!ENTITY % SVG.path.element "INCLUDE" >
<![%SVG.path.element;[
<!ENTITY % SVG.path.content
  "(( %SVG.Description.class; )* ( %SVG.Animation.class;
  %SVG.path.extra.content; )*)"
>
<!ELEMENT %SVG.path.qname; %SVG.path.content; >
<!-- end of SVG.path.element -->]]>

<!ENTITY % SVG.path.attlist "INCLUDE" >
<![%SVG.path.attlist;[
<!ATTLIST %SVG.path.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.Paint.attrib;
  %SVG.Color.attrib;
  %SVG.Opacity.attrib;
  %SVG.Graphics.attrib;
  %SVG.Marker.attrib;
  %SVG.Clip.attrib;
  %SVG.Mask.attrib;
  %SVG.Filter.attrib;
  %SVG.GraphicalEvents.attrib;
  %SVG.Cursor.attrib;
  %SVG.External.attrib;
  d %PathData.datatype;
#REQUIRED
  pathLength %Number.datatype; #IMPLIED
  transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.path.attlist -->]]>

```

```

<!-- rect: Rectangle Element ..... -->

<!ENTITY % SVG.rect.extra.content "" >

<!ENTITY % SVG.rect.element "INCLUDE" >
<![%SVG.rect.element;[
<!ENTITY % SVG.rect.content
  "( (%SVG.Description.class;)*, ( %SVG.Animation.class;
    %SVG.rect.extra.content; )*)"
>
>
<!ELEMENT %SVG.rect.qname; %SVG.rect.content; >
<!-- end of SVG.rect.element -->]]>

```

```

<!ENTITY % SVG.rect.attlist "INCLUDE" >
<![%SVG.rect.attlist;[
<!ATTLIST %SVG.rect.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.Paint.attrib;
  %SVG.Color.attrib;
  %SVG.Opacity.attrib;
  %SVG.Graphics.attrib;
  %SVG.Clip.attrib;
  %SVG.Mask.attrib;
  %SVG.Filter.attrib;
  %SVG.GraphicalEvents.attrib;
  %SVG.Cursor.attrib;
  %SVG.External.attrib;
  x %Coordinate.datatype; #IMPLIED
  y %Coordinate.datatype;
  #IMPLIED
  width %Length.datatype; #REQUIRED
  height %Length.datatype; #REQUIRED
  rx %Length.datatype; #IMPLIED
  ry %Length.datatype; #IMPLIED
  transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.rect.attlist -->]]>

```

```

<!-- circle: Circle Element ..... -->

<!ENTITY % SVG.circle.extra.content "" >

<!ENTITY % SVG.circle.element "INCLUDE" >
<![%SVG.circle.element;[
<!ENTITY % SVG.circle.content
  "( (%SVG.Description.class;)*, ( %SVG.Animation.class;

```

```
    %SVG.circle.extra.content; )*)"
>
<!ELEMENT %SVG.circle.qname; %SVG.circle.content; >
<!-- end of SVG.circle.element -->]]>
```

```
<!ENTITY % SVG.circle.attlist "INCLUDE" >
<![%SVG.circle.attlist;[
<!ATTLIST %SVG.circle.qname;
    %SVG.Core.attrib;
    %SVG.Conditional.attrib;
    %SVG.Style.attrib;
    %SVG.Paint.attrib;
    %SVG.Color.attrib;
    %SVG.Opacity.attrib;
    %SVG.Graphics.attrib;
    %SVG.Clip.attrib;
    %SVG.Mask.attrib;
    %SVG.Filter.attrib;
    %SVG.GraphicalEvents.attrib;
    %SVG.Cursor.attrib;
    %SVG.External.attrib;
    cx %Coordinate.datatype; #IMPLIED
    cy %Coordinate.datatype; #IMPLIED
    r %Length.datatype; #REQUIRED
    transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.circle.attlist -->]]>
```

```
<!-- line: Line Element ..... -->
```

```
<!ENTITY % SVG.line.extra.content "" >

<!ENTITY % SVG.line.element "INCLUDE" >
<![%SVG.line.element;[
<!ENTITY % SVG.line.content
    "( (%SVG.Description.class;)*, ( %SVG.Animation.class;
    %SVG.line.extra.content; )*)"
>
<!ELEMENT %SVG.line.qname; %SVG.line.content; >
<!-- end of SVG.line.element -->]]>
```

```
<!ENTITY % SVG.line.attlist "INCLUDE" >
<![%SVG.line.attlist;[
<!ATTLIST %SVG.line.qname;
    %SVG.Core.attrib;
    %SVG.Conditional.attrib;
    %SVG.Style.attrib;
    %SVG.Paint.attrib;
```

```

%SVG.Color.attrib;
%SVG.Opacity.attrib;
%SVG.Graphics.attrib;
%SVG.Marker.attrib;
%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;
%SVG.GraphicalEvents.attrib;
%SVG.Cursor.attrib;
%SVG.External.attrib;
x1 %Coordinate.datatype; #IMPLIED
y1 %Coordinate.datatype; #IMPLIED
x2 %Coordinate.datatype; #IMPLIED
y2 %Coordinate.datatype; #IMPLIED
transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.line.attlist -->]]>

<!-- ellipse: Ellipse Element ..... -->

<!ENTITY % SVG.ellipse.extra.content "" >

<!ENTITY % SVG.ellipse.element "INCLUDE" >
<![%SVG.ellipse.element;[
<!ENTITY % SVG.ellipse.content
"(( %SVG.Description.class; )*, ( %SVG.Animation.class;
%SVG.ellipse.extra.content; )*)"
>
<!ELEMENT %SVG.ellipse.qname; %SVG.ellipse.content; >
<!-- end of SVG.ellipse.element -->]]>

<!ENTITY % SVG.ellipse.attlist "INCLUDE" >
<![%SVG.ellipse.attlist;[
<!ATTLIST %SVG.ellipse.qname;
%SVG.Core.attrib;
%SVG.Conditional.attrib;
%SVG.Style.attrib;
%SVG.Paint.attrib;
%SVG.Color.attrib;
%SVG.Opacity.attrib;
%SVG.Graphics.attrib;
%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;
%SVG.GraphicalEvents.attrib;
%SVG.Cursor.attrib;
%SVG.External.attrib;
cx %Coordinate.datatype; #IMPLIED

```

```

    cy %Coordinate.datatype; #IMPLIED
    rx %Length.datatype; #REQUIRED
    ry %Length.datatype; #REQUIRED
    transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.ellipse.attlist -->]]>

<!-- polyline: Polyline Element ..... -->

<!ENTITY % SVG.polyline.extra.content "" >

<!ENTITY % SVG.polyline.element "INCLUDE" >
<![%SVG.polyline.element;[
<!ENTITY % SVG.polyline.content
    "( (%SVG.Description.class; )*, ( %SVG.Animation.class;
    %SVG.polyline.extra.content; )*)"
>
<!ELEMENT %SVG.polyline.qname; %SVG.polyline.content; >
<!-- end of SVG.polyline.element -->]]>

<!ENTITY % SVG.polyline.attlist "INCLUDE" >
<![%SVG.polyline.attlist;[
<!ATTLIST %SVG.polyline.qname;
    %SVG.Core.attrib;
    %SVG.Conditional.attrib;
    %SVG.Style.attrib;
    %SVG.Paint.attrib;
    %SVG.Color.attrib;
    %SVG.Opacity.attrib;
    %SVG.Graphics.attrib;
    %SVG.Marker.attrib;
    %SVG.Clip.attrib;
    %SVG.Mask.attrib;
    %SVG.Filter.attrib;
    %SVG.GraphicalEvents.attrib;
    %SVG.Cursor.attrib;
    %SVG.External.attrib;
    points %Points.datatype; #REQUIRED
    transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.polyline.attlist -->]]>

<!-- polygon: Polygon Element ..... -->

<!ENTITY % SVG.polygon.extra.content "" >

<!ENTITY % SVG.polygon.element "INCLUDE" >
<![%SVG.polygon.element;[

```

```
<!ENTITY % SVG.polygon.content
  "(( %SVG.Description.class; )* ( %SVG.Animation.class;
    %SVG.polygon.extra.content; )*)"
>
<!ELEMENT %SVG.polygon.qname; %SVG.polygon.content; >
<!-- end of SVG.polygon.element -->]]>
```

```
<!ENTITY % SVG.polygon.attlist "INCLUDE" >
<![%SVG.polygon.attlist;[
<!ATTLIST %SVG.polygon.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.Paint.attrib;
  %SVG.Color.attrib;
  %SVG.Opacity.attrib;
  %SVG.Graphics.attrib;
  %SVG.Marker.attrib;
  %SVG.Clip.attrib;
  %SVG.Mask.attrib;
  %SVG.Filter.attrib;
  %SVG.GraphicalEvents.attrib;
  %SVG.Cursor.attrib;
  %SVG.External.attrib;
  points %Points.datatype; #REQUIRED
  transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.polygon.attlist -->]]>
```

```
<!-- end of svg-shape.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
shape.mod
```

No license file was found, but licenses were detected in source scan.

```
<!--
  File isolat2.ent produced by the XSL script entities.xsl
  from input data in unicode.xml.
```

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the  
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle  
via the public W3C list [www-math@w3.org](mailto:www-math@w3.org).

The numeric character values assigned to each entity  
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the  
following notice:

(C) International Organization for Standardization 1986  
Permission to copy in any form is granted for use with  
conforming SGML systems and applications as defined in  
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: -//W3C//ENTITIES  
Added Latin 2//EN//XML  
System identifier: <http://www.w3.org/2003/entities/2007/isolat2.ent>

The public identifier should always be used verbatim.  
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isolat2 PUBLIC
  "-//W3C//ENTITIES Added Latin 2//EN//XML"
  "http://www.w3.org/2003/entities/2007/isolat2.ent"
>
%isolat2;
```

-->

```
<!ENTITY abreve      "&#x00103;" ><!--LATIN SMALL LETTER A WITH BREVE -->
<!ENTITY Abreve     "&#x00102;" ><!--LATIN CAPITAL LETTER A WITH BREVE -->
<!ENTITY amacr      "&#x00101;" ><!--LATIN SMALL LETTER A WITH MACRON -->
<!ENTITY Amacr      "&#x00100;" ><!--LATIN CAPITAL LETTER A WITH MACRON -->
<!ENTITY aogon      "&#x00105;" ><!--LATIN SMALL LETTER A WITH OGONEK -->
<!ENTITY Aogon      "&#x00104;" ><!--LATIN CAPITAL LETTER A WITH OGONEK -->
<!ENTITY cacute     "&#x00107;" ><!--LATIN SMALL LETTER C WITH ACUTE -->
<!ENTITY
Cacute              "&#x00106;" ><!--LATIN CAPITAL LETTER C WITH ACUTE -->
<!ENTITY ccaron     "&#x0010D;" ><!--LATIN SMALL LETTER C WITH CARON -->
<!ENTITY Ccaron     "&#x0010C;" ><!--LATIN CAPITAL LETTER C WITH CARON -->
<!ENTITY ccirc      "&#x00109;" ><!--LATIN SMALL LETTER C WITH CIRCUMFLEX -->
<!ENTITY Ccirc      "&#x00108;" ><!--LATIN CAPITAL LETTER C WITH CIRCUMFLEX -->
<!ENTITY cdot       "&#x0010B;" ><!--LATIN SMALL LETTER C WITH DOT ABOVE -->
```

<!ENTITY Cdot "&#x0010A;" ><!--LATIN CAPITAL LETTER C WITH DOT ABOVE -->  
 <!ENTITY dcaron "&#x0010F;" ><!--LATIN SMALL LETTER D WITH CARON -->  
 <!ENTITY Dcaron "&#x0010E;" ><!--LATIN CAPITAL LETTER D WITH CARON -->  
 <!ENTITY dstrok "&#x00111;" ><!--LATIN SMALL LETTER D WITH STROKE -->  
 <!ENTITY Dstrok "&#x00110;" ><!--LATIN CAPITAL LETTER D WITH STROKE -->  
 <!ENTITY ecaron "&#x0011B;" ><!--LATIN SMALL LETTER E WITH CARON -->  
 <!ENTITY Ecaron "&#x0011A;" ><!--LATIN CAPITAL LETTER E WITH CARON -->  
 <!ENTITY edot "&#x00117;" ><!--LATIN SMALL LETTER E WITH DOT ABOVE -->  
 <!ENTITY Edot "&#x00116;" ><!--LATIN CAPITAL LETTER E WITH DOT ABOVE -->  
 <!ENTITY emacr "&#x00113;" ><!--LATIN SMALL LETTER E WITH MACRON -->  
 <!ENTITY Emacr "&#x00112;" ><!--LATIN CAPITAL LETTER E WITH MACRON -->  
 <!ENTITY eng "&#x0014B;" ><!--LATIN SMALL LETTER ENG -->  
 <!ENTITY ENG "&#x0014A;" ><!--LATIN CAPITAL LETTER ENG -->  
 <!ENTITY eogon "&#x00119;" ><!--LATIN SMALL LETTER E WITH OGONEK -->  
 <!ENTITY Eogon "&#x00118;" ><!--LATIN CAPITAL LETTER E WITH OGONEK -->  
 <!ENTITY gacute "&#x001F5;" ><!--LATIN SMALL LETTER G WITH ACUTE -->  
 <!ENTITY gbreve "&#x0011F;" ><!--LATIN SMALL LETTER G WITH BREVE -->  
 <!ENTITY Gbreve "&#x0011E;" ><!--LATIN CAPITAL LETTER G WITH BREVE -->  
 <!ENTITY Gcedil "&#x00122;" ><!--LATIN CAPITAL LETTER G WITH CEDILLA -->  
 <!ENTITY gcirc "&#x0011D;" ><!--LATIN SMALL LETTER G WITH CIRCUMFLEX -->  
 <!ENTITY Gcirc "&#x0011C;" ><!--LATIN CAPITAL LETTER G WITH CIRCUMFLEX -->  
 <!ENTITY gdot "&#x00121;" ><!--LATIN SMALL LETTER G WITH DOT ABOVE -->  
 <!ENTITY Gdot "&#x00120;" ><!--LATIN CAPITAL LETTER G WITH DOT ABOVE -->  
 <!ENTITY hcirc "&#x00125;" ><!--LATIN SMALL LETTER H WITH CIRCUMFLEX -->  
 <!ENTITY Hcirc "&#x00124;" ><!--LATIN CAPITAL LETTER H WITH CIRCUMFLEX -->  
 <!ENTITY hstrok "&#x00127;" ><!--LATIN SMALL LETTER H WITH STROKE -->  
 <!ENTITY Hstrok "&#x00126;" ><!--LATIN CAPITAL LETTER H WITH STROKE -->  
 <!ENTITY Idot "&#x00130;" ><!--LATIN CAPITAL LETTER I WITH DOT ABOVE -->  
 <!ENTITY ijlig "&#x00133;" ><!--LATIN SMALL LIGATURE IJ -->  
 <!ENTITY IJlig "&#x00132;" ><!--LATIN CAPITAL LIGATURE IJ -->  
 <!ENTITY imacr "&#x0012B;" ><!--LATIN SMALL LETTER I WITH MACRON -->  
 <!ENTITY Imacr "&#x0012A;" ><!--LATIN CAPITAL LETTER I WITH MACRON -->  
 <!ENTITY inodot "&#x00131;" ><!--LATIN SMALL LETTER DOTLESS I -->  
 <!ENTITY iogon "&#x0012F;" ><!--LATIN SMALL LETTER I WITH OGONEK -->  
 <!ENTITY Iogon "&#x0012E;" ><!--LATIN CAPITAL LETTER I WITH OGONEK -->  
 <!ENTITY itilde "&#x00129;" ><!--LATIN SMALL LETTER I WITH TILDE -->  
 <!ENTITY Itilde "&#x00128;" ><!--LATIN CAPITAL LETTER I WITH TILDE -->  
 <!ENTITY jcirc "&#x00135;" ><!--LATIN SMALL LETTER J WITH CIRCUMFLEX -->  
 <!ENTITY Jcirc "&#x00134;" ><!--LATIN CAPITAL LETTER J WITH CIRCUMFLEX -->  
 <!ENTITY kcedil "&#x00137;" ><!--LATIN SMALL LETTER K WITH CEDILLA -->  
 <!ENTITY Kcedil "&#x00136;" ><!--LATIN CAPITAL LETTER K WITH CEDILLA -->  
 <!ENTITY kgreen "&#x00138;" ><!--LATIN SMALL LETTER KRA -->  
 <!ENTITY lacute "&#x0013A;" ><!--LATIN SMALL LETTER L WITH ACUTE -->  
 <!ENTITY Lacute "&#x00139;" ><!--LATIN CAPITAL LETTER L WITH ACUTE -->

CAPITAL LETTER L WITH ACUTE -->

<!ENTITY lcaron "&#x0013E;" ><!--LATIN SMALL LETTER L WITH CARON -->  
 <!ENTITY Lcaron "&#x0013D;" ><!--LATIN CAPITAL LETTER L WITH CARON -->  
 <!ENTITY lcedil "&#x0013C;" ><!--LATIN SMALL LETTER L WITH CEDILLA -->  
 <!ENTITY Lcedil "&#x0013B;" ><!--LATIN CAPITAL LETTER L WITH CEDILLA -->  
 <!ENTITY lmidot "&#x00140;" ><!--LATIN SMALL LETTER L WITH MIDDLE DOT -->  
 <!ENTITY Lmidot "&#x0013F;" ><!--LATIN CAPITAL LETTER L WITH MIDDLE DOT -->  
 <!ENTITY lstrok "&#x00142;" ><!--LATIN SMALL LETTER L WITH STROKE -->  
 <!ENTITY Lstrok "&#x00141;" ><!--LATIN CAPITAL LETTER L WITH STROKE -->  
 <!ENTITY nacute "&#x00144;" ><!--LATIN SMALL LETTER N WITH ACUTE -->  
 <!ENTITY Nacute "&#x00143;" ><!--LATIN CAPITAL LETTER N WITH ACUTE -->  
 <!ENTITY napos "&#x00149;" ><!--LATIN SMALL LETTER N PRECEDED BY APOSTROPHE -->  
 <!ENTITY ncaron "&#x00148;" ><!--LATIN SMALL

LETTER N WITH CARON -->

<!ENTITY Ncaron "&#x00147;" ><!--LATIN CAPITAL LETTER N WITH CARON -->  
 <!ENTITY ncedil "&#x00146;" ><!--LATIN SMALL LETTER N WITH CEDILLA -->  
 <!ENTITY Ncedil "&#x00145;" ><!--LATIN CAPITAL LETTER N WITH CEDILLA -->  
 <!ENTITY odblac "&#x00151;" ><!--LATIN SMALL LETTER O WITH DOUBLE ACUTE -->  
 <!ENTITY Odblac "&#x00150;" ><!--LATIN CAPITAL LETTER O WITH DOUBLE ACUTE -->  
 <!ENTITY oelig "&#x00153;" ><!--LATIN SMALL LIGATURE OE -->  
 <!ENTITY Oelig "&#x00152;" ><!--LATIN CAPITAL LIGATURE OE -->  
 <!ENTITY omacr "&#x0014D;" ><!--LATIN SMALL LETTER O WITH MACRON -->  
 <!ENTITY Omacr "&#x0014C;" ><!--LATIN CAPITAL LETTER O WITH MACRON -->  
 <!ENTITY racute "&#x00155;" ><!--LATIN SMALL LETTER R WITH ACUTE -->  
 <!ENTITY Racute "&#x00154;" ><!--LATIN CAPITAL LETTER R WITH ACUTE -->  
 <!ENTITY rcaron "&#x00159;" ><!--LATIN SMALL LETTER R WITH CARON -->

<!ENTITY

Rcaron "&#x00158;" ><!--LATIN CAPITAL LETTER R WITH CARON -->

<!ENTITY rcedil "&#x00157;" ><!--LATIN SMALL LETTER R WITH CEDILLA -->  
 <!ENTITY Rcedil "&#x00156;" ><!--LATIN CAPITAL LETTER R WITH CEDILLA -->  
 <!ENTITY sacute "&#x0015B;" ><!--LATIN SMALL LETTER S WITH ACUTE -->  
 <!ENTITY Sacute "&#x0015A;" ><!--LATIN CAPITAL LETTER S WITH ACUTE -->  
 <!ENTITY scaron "&#x00161;" ><!--LATIN SMALL LETTER S WITH CARON -->  
 <!ENTITY Scaron "&#x00160;" ><!--LATIN CAPITAL LETTER S WITH CARON -->  
 <!ENTITY scedil "&#x0015F;" ><!--LATIN SMALL LETTER S WITH CEDILLA -->  
 <!ENTITY Scedil "&#x0015E;" ><!--LATIN CAPITAL LETTER S WITH CEDILLA -->  
 <!ENTITY scirc "&#x0015D;" ><!--LATIN SMALL LETTER S WITH CIRCUMFLEX -->  
 <!ENTITY Scirc "&#x0015C;" ><!--LATIN CAPITAL LETTER S WITH CIRCUMFLEX -->  
 <!ENTITY tcaron "&#x00165;" ><!--LATIN SMALL LETTER T WITH CARON -->  
 <!ENTITY Tcaron "&#x00164;"

><!--LATIN CAPITAL LETTER T WITH CARON -->

<!ENTITY tcedil "&#x00163;" ><!--LATIN SMALL LETTER T WITH CEDILLA -->  
 <!ENTITY Tcedil "&#x00162;" ><!--LATIN CAPITAL LETTER T WITH CEDILLA -->  
 <!ENTITY tstrok "&#x00167;" ><!--LATIN SMALL LETTER T WITH STROKE -->  
 <!ENTITY Tstrok "&#x00166;" ><!--LATIN CAPITAL LETTER T WITH STROKE -->  
 <!ENTITY ubreve "&#x0016D;" ><!--LATIN SMALL LETTER U WITH BREVE -->  
 <!ENTITY Ubreve "&#x0016C;" ><!--LATIN CAPITAL LETTER U WITH BREVE -->  
 <!ENTITY udblac "&#x00171;" ><!--LATIN SMALL LETTER U WITH DOUBLE ACUTE -->

<!ENTITY Udblac "&#x00170;" ><!--LATIN CAPITAL LETTER U WITH DOUBLE ACUTE -->  
 <!ENTITY umacr "&#x0016B;" ><!--LATIN SMALL LETTER U WITH MACRON -->  
 <!ENTITY Umacr "&#x0016A;" ><!--LATIN CAPITAL LETTER U WITH MACRON -->  
 <!ENTITY uogon "&#x00173;" ><!--LATIN SMALL LETTER U WITH OGONEK -->  
 <!ENTITY Uogon "&#x00172;" ><!--LATIN  
 CAPITAL LETTER U WITH OGONEK -->  
 <!ENTITY uring "&#x0016F;" ><!--LATIN SMALL LETTER U WITH RING ABOVE -->  
 <!ENTITY Uring "&#x0016E;" ><!--LATIN CAPITAL LETTER U WITH RING ABOVE -->  
 <!ENTITY utilde "&#x00169;" ><!--LATIN SMALL LETTER U WITH TILDE -->  
 <!ENTITY Utilde "&#x00168;" ><!--LATIN CAPITAL LETTER U WITH TILDE -->  
 <!ENTITY wcirc "&#x00175;" ><!--LATIN SMALL LETTER W WITH CIRCUMFLEX -->  
 <!ENTITY Wcirc "&#x00174;" ><!--LATIN CAPITAL LETTER W WITH CIRCUMFLEX -->  
 <!ENTITY ycirc "&#x00177;" ><!--LATIN SMALL LETTER Y WITH CIRCUMFLEX -->  
 <!ENTITY Ycirc "&#x00176;" ><!--LATIN CAPITAL LETTER Y WITH CIRCUMFLEX -->  
 <!ENTITY Yuml "&#x00178;" ><!--LATIN CAPITAL LETTER Y WITH DIAERESIS -->  
 <!ENTITY zacute "&#x0017A;" ><!--LATIN SMALL LETTER Z WITH ACUTE -->  
 <!ENTITY Zacute "&#x00179;" ><!--LATIN CAPITAL LETTER Z WITH ACUTE -->  
 <!ENTITY zcaron "&#x0017E;" ><!--LATIN SMALL  
 LETTER Z WITH CARON -->  
 <!ENTITY Zcaron "&#x0017D;" ><!--LATIN CAPITAL LETTER Z WITH CARON -->  
 <!ENTITY zdot "&#x0017C;" ><!--LATIN SMALL LETTER Z WITH DOT ABOVE -->  
 <!ENTITY Zdot "&#x0017B;" ><!--LATIN CAPITAL LETTER Z WITH DOT ABOVE -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/mathml/mathml3/isolat2.ent

No license file was found, but licenses were detected in source scan.

XHTML 1.1 plus MathML 2.0 plus SVG 1.1 DTD

This is a prototype extension of XHTML 1.1 incorporating MathML 2.0  
and SVG 1.1.

Copyright 2002 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de  
Recherche en Informatique et en Automatique, Keio University).

All Rights Reserved.

Permission to use, copy, modify and distribute this DTD and its  
accompanying documentation for any purpose and without fee is hereby  
granted in perpetuity, provided that the above copyright notice and  
this paragraph appear in all copies. The copyright holders make no  
representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Editors: Murray M. Altheim <altheim@eng.sun.com> (XHTML modules)

David Carlisle <davidc@nag.co.uk> (MathML modules)

Jun Fujisawa <fujisawa.jun@canon.co.jp> (SVG modules)

Masayasu Ishikawa <mimasa@w3.org> (DTD driver)

Revision:

\$Id: xhtml

2001 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de  
Recherche en Informatique et en Automatique, Keio University).

All Rights Reserved.

Permission to use, copy, modify and distribute the XHTML DTD and its  
accompanying documentation for any purpose and without fee is hereby  
granted in perpetuity, provided that the above copyright notice and  
this paragraph appear in all copies. The copyright holders make no  
representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Author: Murray M. Altheim <altheim@eng.sun.com>

Revision: \$Id: xhtml

2003 W3C (MIT, ERCIM, Keio), All Rights

Reserved. W3C liability, trademark, document

use and software

licensing rules apply.

Permission to use, copy, modify and distribute the MathML 2.0 DTD and  
its accompanying documentation for any purpose and without fee is  
hereby granted in perpetuity, provided that the above copyright notice  
and this paragraph appear in all copies. The copyright holders make  
no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Revision: \$Id: xhtml

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/mathml/mathml2/xhtml-math11-f.dtd

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- XHTML Simplified Forms Module ..... -->

<!-- file: xhtml-basic-form-1.mod

This is XHTML Basic, a proper subset of XHTML.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-basic-form-1.mod,v 4.1 2001/04/05 06:57:40 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Basic Forms 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-basic-form-1.mod"
```

Revisions:

(none)

..... -->

<!-- Basic Forms

This forms module is based on the HTML 3.2 forms model, with the WAI-requested addition of the label element. While this module essentially mimics the content model and attributes of

HTML 3.2 forms, the element types declared herein also include all HTML 4 common attributes.

form, label, input, select, option, textarea

-->

<!-- declare qualified element type names:

-->

<!ENTITY % form.qname "form" >

<!ENTITY % label.qname "label" >

<!ENTITY % input.qname "input" >

<!ENTITY % select.qname "select" >

<!ENTITY % option.qname "option" >

<!ENTITY % textarea.qname "textarea" >

<!-- %BlkNoForm.mix; includes all non-form block elements,  
plus %Misc.class;

-->

<!ENTITY % BlkNoForm.mix

"%Heading.class;

| %List.class;

| %BlkStruct.class;

%BlkPhras.class;

%BlkPres.class;

| %table.qname;

%Block.extra;

%Misc.class;"

>

<!-- form: Form Element ..... -->

<!ENTITY % form.element "INCLUDE" >

<![%form.element;[

<!ENTITY % form.content

```

"( %BlkNoForm.mix; )+"
>
<!ELEMENT %form.qname; %form.content; >
<!-- end of form.element -->]]>

<!ENTITY % form.attlist "INCLUDE"
>
<![%form.attlist;[
<!ATTLIST %form.qname;
    %Common.attrib;
    action    %URI.datatype;    #REQUIRED
    method    ( get | post )    'get'
    enctype   %ContentType.datatype; 'application/x-www-form-urlencoded'
>
<!-- end of form.attlist -->]]>

<!-- label: Form Field Label Text ..... -->

<!ENTITY % label.element "INCLUDE" >
<![%label.element;[
<!-- Each label must not contain more than ONE field
-->
<!ENTITY % label.content
    "( #PCDATA
    | %input.qname; | %select.qname; | %textarea.qname;
    | %InlStruct.class;
    %InlPhras.class;
    %I18n.class;
    %InlPres.class;
    %InlSpecial.class;
    %Misc.class; )*"
>
<!ELEMENT %label.qname; %label.content; >
<!-- end of label.element -->]]>

<!ENTITY % label.attlist "INCLUDE" >
<![%label.attlist;[
<!ATTLIST %label.qname;
    %Common.attrib;
    for        IDREF            #IMPLIED
    accesskey  %Character.datatype; #IMPLIED
>
<!-- end
of label.attlist -->]]>

<!-- input: Form Control ..... -->

<!ENTITY % input.element "INCLUDE" >

```

```

<![%input.element;[
<!ENTITY % input.content "EMPTY" >
<!ELEMENT %input.qname; %input.content; >
<!-- end of input.element -->]]>

<!-- Basic Forms removes 'button', 'image' and 'file' input types.
-->
<!ENTITY % input.attlist "INCLUDE" >
<![%input.attlist;[
<!ENTITY % InputType.class
"( text | password | checkbox | radio
| submit | reset | hidden )"
>
<!-- attribute name required for all but submit & reset
-->
<!ATTLIST %input.qname;
%Common.attrib;
type %InputType.class; 'text'
name CDATA #IMPLIED
value CDATA #IMPLIED
checked ( checked ) #IMPLIED
size %Number.datatype; #IMPLIED
maxlength %Number.datatype; #IMPLIED
src %URI.datatype; #IMPLIED
tabindex %Number.datatype;
#IMPLIED
accesskey %Character.datatype; #IMPLIED
>
<!-- end of input.attlist -->]]>

<!-- select: Option Selector ..... -->

<!ENTITY % select.element "INCLUDE" >
<![%select.element;[
<!ENTITY % select.content "( %option.qname; )+" >
<!ELEMENT %select.qname; %select.content; >
<!-- end of select.element -->]]>

<!ENTITY % select.attlist "INCLUDE" >
<![%select.attlist;[
<!ATTLIST %select.qname;
%Common.attrib;
name CDATA #IMPLIED
size %Number.datatype; #IMPLIED
multiple ( multiple ) #IMPLIED
tabindex %Number.datatype; #IMPLIED
>
<!-- end of select.attlist -->]]>

```

<!-- option: Selectable Choice ..... -->

```
<!ENTITY % option.element "INCLUDE" >
<![%option.element;[
<!ENTITY % option.content "( #PCDATA )" >
<!ELEMENT %option.qname; %option.content; >
<!-- end of option.element -->]]>
```

```
<!ENTITY % option.attlist "INCLUDE"
>
<![%option.attlist;[
<!ATTLIST %option.qname;
    %Common.attrib;
    selected ( selected )      #IMPLIED
    value    CDATA             #IMPLIED
>
<!-- end of option.attlist -->]]>
```

<!-- textarea: Multi-Line Text Field ..... -->

```
<!ENTITY % textarea.element "INCLUDE" >
<![%textarea.element;[
<!ENTITY % textarea.content "( #PCDATA )" >
<!ELEMENT %textarea.qname; %textarea.content; >
<!-- end of textarea.element -->]]>
```

```
<!ENTITY % textarea.attlist "INCLUDE" >
<![%textarea.attlist;[
<!ATTLIST %textarea.qname;
    %Common.attrib;
    name    CDATA              #IMPLIED
    rows    %Number.datatype;  #REQUIRED
    cols    %Number.datatype;  #REQUIRED
    tabindex %Number.datatype; #IMPLIED
    accesskey %Character.datatype; #IMPLIED
>
<!-- end of textarea.attlist -->]]>
```

<!-- end of xhtml-basic-form-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-basic-form-1.mod

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- XHTML Inline Structural Module ..... -->

<!-- file: xhtml-inlstruct-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-inlstruct-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Inline Structural 1.0//EN"  
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-inlstruct-1.mod"

Revisions:

(none)

..... -->

<!-- Inline Structural

br, span

This module declares the elements and their attributes  
used to support inline-level structural markup.

-->

<!-- br: forced line break .....

-->

<!ENTITY % br.element "INCLUDE" >

<![%br.element;

<!ENTITY % br.content "EMPTY" >

<!ENTITY % br.qname "br" >

<!ELEMENT %br.qname; %br.content; >

<!-- end of br.element -->]]>

<!ENTITY % br.attlist "INCLUDE" >

<![%br.attlist;

<!ATTLIST %br.qname;

    %Core.attrib;

>

<!-- end of br.attlist -->]]>

<!-- span: generic inline container ..... -->

<!ENTITY % span.element "INCLUDE" >

<![%span.element;

<!ENTITY % span.content

    "( #PCDATA | %Inline.mix; )\*"

```
>
<!ENTITY % span.qname "span" >
<!ELEMENT %span.qname; %span.content; >
<!-- end of span.element -->]]>
```

```
<!ENTITY % span.attlist "INCLUDE" >
<![%span.attlist;[
<!ATTLIST %span.qname;
    %Common.attrib;
>
<!-- end of span.attlist -->]]>
```

```
<!-- end of xhtml-instruct-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-instruct-1.mod
```

No license file was found, but licenses were detected in source scan.

// This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0.

// This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/CollationMatchKey.java
```

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/DecimalSortComparer.java
```

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/CompressedWhitespace.java
```

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/StaticProperty.java
```

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ComponentInvocation.java
```

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLSort.java
```

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/SaxonApiUncheckedException.java
```

```
*
```

```
/opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/UseAttributeSet.java
```

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/EmptyTextNodeRemover.java
```

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/KeyDefinition.java
```

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/JPCConverter.java
```

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/DocumentBuilder.java
```

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/EquivalenceComparison.java
```

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
```

zip/net/sf/saxon/functions/hof/FunctionSequenceCoercer.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/wrapper/AbstractVirtualNode.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/iter/AxisIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/NamespaceForPrefix.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/s9api/ExtensionFunction.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/hof/UnresolvedXQueryFunctionItem.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/ContextItemAccessorFunction.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/QNameException.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/CollatingFunctionFixed.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/ma/map/KeyValuePair.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/XmlProcessingException.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/CopyOptions.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/pattern/AnchorPattern.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/CurrentGroupingKeyCall.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/tiny/DescendantIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/jaxp/StreamingTransformerImpl.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/sort/SortedIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/z/IntUniversalSet.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/jaxp/TemplatesHandlerImpl.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/PrincipalStylesheetModule.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLContextItem.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/CommandLineOptions.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/ma/map/MapUntypedContains.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/SubstringAfter.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/expr/sort/MergeGroupingIterator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/jaxp/AbstractXMLFilter.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/ValueTailIterator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/NamespaceBindingSet.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trace/ContextStackIterator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/iter/ConstrainedIterator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLOnNonEmpty.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trans/ConfigurationReader.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/OriginalFunction.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/flwor/WindowClausePull.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/TransformFn.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/value/GDayValue.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/XPathSelector.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/pattern/ItemTypePattern.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLAccumulator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/LastPositionFinder.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/XPathExecutable.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/ExternalObjectModel.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/EmptyAtomicSequence.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/ma/arrays/ArraySort.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/EnvironmentVariable.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/sapling/SaplingComment.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/QuantifiedExpression.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/functions/hof/FunctionLookup.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/LetExpression.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/sort/ItemOrderComparer.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/serialize/charcode/JavaCharacterSet.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/sort/GroupEndingIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/HexBinaryValue.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLKey.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/ErrorIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/StylesheetPackage.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/IsLastExpression.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/option/axiom/AxiomWriter.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/LocalParamBlock.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/sort/GroupStartingIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/event/CloseNotifier.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/StructuredQName.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/option/xom/XOMObjectModel.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/pull/PullConsumer.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/sapling/SaplingElement.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLNamespace.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/wrapper/SpaceStrippedNode.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/xpath/XPathFactoryImpl.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/Component.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/s9api/XQueryEvaluator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/NextMatch.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/type/TypeHierarchy.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/SlashExpression.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/event/ContentHandlerProxyLocator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/event/PipelineConfiguration.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/RoundHalfToEven.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLGlobalContextItem.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/s9api/streams/AxisStep.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/s9api/XdmNode.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/Version.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/z/MonotonicIntSet.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/NamespaceConstructor.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/InScopePrefixes.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/NormalizeUnicode.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/serialize/HTMLTagHashSet.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/tiny/AppendableCharSequence.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/lib/StandardDiagnostics.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/DateTimeConstructor.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/OneOrMore.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/type/Affinity.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/NamespaceResolver.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/sort/SortKeyDefinitionList.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/AtomicArray.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/serialize/UnicodeNormalizer.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/StyleElement.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/type/ConversionResult.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trace/TimingCodeInjector.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/linked/NodeImpl.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/DecimalFormatManager.java

- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/CodepointsToString.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/ma/map/SingleEntryMap.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/ComplexContentOutputter.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/type/ListType.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/type/MissingComponentException.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/stax/StAXResultHandlerImpl.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/pull/UnparsedEntity.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLDecimalFormat.java
- \*
- /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/StyleNodeFactory.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/ValueComparison.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/resource/UnknownResource.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/sort/NumericComparer11.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/Abs.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/regex/JavaRegularExpression.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/SimpleNodeConstructor.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/TreatFn.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/CollectionFn.java
- \*
- /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/NoOpenStartTagException.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/ForEachGroup.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/AbstractXsltTransformer.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/sort/HTML5CaseBlindCollator.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/parser/ContextItemStaticInfo.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/ValidationMode.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/ItemMappingIterator.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/Root\_1.java

\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/sort/GroupMatchingIterator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/pull/PullPushTee.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/wrapper/WrappingFunction.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/dom/DOMNodeList.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trace/XSLTTraceCodeInjector.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/UnionCastableFunction.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/StylesheetModule.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/DataElement.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/ma/map/TupleItemType.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/pattern/CombinedNodeTest.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/flwor/LetClause.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/ApplyFn.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/Adjust\_1.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLAssert.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/Builder.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/XPathContextMinor.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/CardinalityChecker.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/StandardEnvironmentVariableResolver.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/ParentNodeConstructor.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLDocument.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trans/Timer.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/number/Alphanumeric.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/tiny/TinyDocumentImpl.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/hof/FunctionLiteral.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/Callable.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/serialize/CDATAFilter.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/IndexOf.java

\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/BuildingStreamWriterImpl.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/UnparsedText.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/serialize/charcode/ASCIICharacterSet.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/Choose.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/TraceExpression.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/PublicStylesheetFunctionLibrary.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/flwor/TuplePush.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/iter/ReverseListIterator.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/pattern/SchemaNodeTest.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/SequenceIterator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/LocalBinding.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/Tokenize\_3.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/StandardCollationURIResolver.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/type/StringConverter.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/value/StringValue.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/option/axiom/AxiomObjectModel.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLSortOrMergeKey.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/flwor/ClauseInfo.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/NotFn.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/tiny/NamedChildIterator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/registry/BuiltInFunctionSet.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/ma/map/MapType.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLComment.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/StandardLogger.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/sort/DocumentSorter.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/expr/flwor/LocalVariableBinding.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/util/Orphan.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/XdmItem.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/sapling/SaplingProcessingInstruction.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/type/AnyType.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/XPathException.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/lib/StandardModuleURIResolver.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/value/IntegerRange.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/NamespaceNode.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/PushableFunction.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/hof/Sort\_3.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/AndExpression.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/option/local/Numberer\_nlBE.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/XPathContext.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLMergeKey.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/util/Navigator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/tiny/DescendantIteratorSansText.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/tiny/TinyNodeImpl.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/dom/TypeInfoImpl.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/dom/PIOverNodeInfo.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/hof/FoldRightFn.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/CodepointEqual.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/Processor.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/SubsequenceIterator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/type/SpecificFunctionType.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/BlockIterator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/EndsWith.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/CurrentMergeGroup.java

\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/linked/FollowingEnumeration.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/tiny/TinyTree.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/serialize/MessageWarner.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/Calculator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trans/XsltController.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/type/NumericType.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/HasChildren\_1.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/option/axiom/AxiomAttributeWrapper.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trace/TraceCodeInjector.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/query/StaticQueryContext.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/iter/TextLinesIterator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLNamespaceAlias.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/StandardErrorReporter.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/XsltPackage.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/type/BuiltInAtomicType.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/PrefixPool.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/resource/DataURIScheme.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/compat/TypeChecker10.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/ma/map/MapCreate.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/sort/GlobalOrderComparer.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/StandardUnparsedTextResolver.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/java/JavaPlatform.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/pattern/BasePatternWithPredicate.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/ZeroOrOne.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/FormatInteger.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLLeafNodeConstructor.java  
\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/lib/EnvironmentVariableResolver.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLNextIteration.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/pull/StaxBridge.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/SimpleStepExpression.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/AbstractFunction.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLAnalyzeString.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/ContextMappingFunction.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/sapling/SaplingNode.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/Locatable.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/CurrentOutputUri.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Serialize.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/number/NamedTimeZone.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/BigDecimalValue.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/type/SchemaComponent.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/accum/FailedAccumulatorData.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/TextValueTemplateNode.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/GYearValue.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/NumberSequenceFormatter.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/FocusIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/tiny/CharSlice.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/xpath/XPathExpressionImpl.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/regex/ARegularExpression.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/event/ContentHandlerProxy.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/accum/AccumulatorRegistry.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/Mode.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/iter/EmptyIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLAttribute.java

\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/AugmentedSource.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/value/BooleanValue.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/FunctionAnnotationHandler.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/IdentityComparable.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/ContextOriginator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/ma/arrays/AbstractArrayItem.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/sort/AtomicSortComparer.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/serialize/Emitter.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/pattern/PatternParser30.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/flwor/WhereClausePush.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/ValidationStatisticsRecipient.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/flwor/LetClausePull.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/AbsolutePath.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/BuildingContentHandler.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/Error.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/sort/CodepointCollator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/dom/DOMObjectModel.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/StandardInvalidityHandler.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/option/jdom2/JDOM2ObjectModel.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/ForExpression.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/type/ErrorType.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/serialize/charset/UTF16CharacterSet.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/compat/GeneralComparison10.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/ma/map/MapItem.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/QNameParser.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/DocumentInstr.java

\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trans/NoDynamicContextException.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/jaxp/AbstractTransformerImpl.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/type/SchemaType.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/Debugger.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/Sort\_1.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/serialize/MessageEmitter.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/gizmo/Talker.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/Current.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trans/NonDelegatingURIResolver.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/ExtensionFunctionDefinition.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/option/local/Numberer\_it.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/Sequence.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/iter/UnparsedTextIterator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/serialize/XHTML5Emitter.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/RegexFunction.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/PreparedStylesheet.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/MessageListenerProxy.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/sort/CollatingAtomicComparer.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/Average.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/jaxp/ReceivingDestination.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/UserFunctionParameter.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/option/xom/XOMWriter.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/Xslt30Transformer.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/StringToCodepoints.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/option/exslt/Math.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/WithParam.java  
\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/NameSpaceMap.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/linked/LinkedBuilderMonitor.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/z/IntSingletonSet.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/resource/DirectoryCollection.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/wrapper/VirtualUntypedCopy.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/Location.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/TailFn.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/option/exslt/Random.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/iter/ReversibleIterator.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/xpath/JAXPVariableReference.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/XQueryExecutable.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/type/SchemaException.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/serialize/TEXTEmitter.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/type/BuiltInListType.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/QuitParsingException.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/Idref.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/iter/UnfailingIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/jaxp/FilterImpl.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/lib/StandardErrorListener.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/xpath/JAXPXPathStaticContext.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/ConstructedItemType.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/LargeAttributeMap.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/Empty.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/hof/ForEachFn.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/Doc.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/serialize/UTF8Writer.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/Trace.java  
 \*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/flwor/Clause.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/resource/BinaryResource.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/serialize/HTML40Emitter.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/pattern/GeneralNodePattern.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLModuleRoot.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/NumberInstruction.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/LastItemExpression.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/regex/RegexIterator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/CardinalityCheckingIterator.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/option/exslt/Sets.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/event/SequenceCollector.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/rules/TextOnlyCopyRuleSet.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/sort/NumericComparer.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/query/XQueryFunctionBinder.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/parser/ExpressionTool.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/lib/TraceListener.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/jaxp/StreamingFilterImpl.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/SequenceTool.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/event/OutputterEventBuffer.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/flwor/Tuple.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/FingerPrintedQName.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/ContextItemExpression.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/event/NamespaceDifferencer.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/linked/PrecedingEnumeration.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/regex/charclass/IntSetCharacterClass.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/sort/GroupToBeSorted.java

\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/XsltCompiler.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/sort/LocalOrderComparer.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/query/SequenceWrapper.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/OnEmptyExpr.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/linked/AttributeMapWithIdentity.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/QName.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/UncheckedXPathException.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/EscapeHtmlUri.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/parser/RoleDiagnostic.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/jaxp/IdentityTransformer.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/Action.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/Round.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/event/SequenceWriter.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/linked/TextImpl.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/hof/UserFunctionReference.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/regex/Operation.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/pattern/IntersectPattern.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/value/SequenceSlice.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/ma/map/DictionaryMap.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/jaxp/TemplatesImpl.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/IgnorableSpaceStrippingRule.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/linked/CommentImpl.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/sort/CaseFirstCollator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/serialize/JSONSerializer.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/type/ComplexType.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/expr/ArithmeticExpression.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/event/EventManager.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/sort/ItemToBeSorted.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/flwor/OuterForExpression.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/ComputedElement.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/serialize/charcode/CharacterSet.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLMergeSource.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/SaxonErrorCode.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/Fork.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/event/RepairingContentHandler.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/regex/BMPString.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLIterate.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/resource/FailedResource.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/lib/StandardOutputResolver.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/flwor/OrderByClausePull.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/LiteralResultElement.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/gizmo/DefaultTalker.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/jaxp/TransformerHandlerImpl.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/iter/PrependAxisIterator.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/registry/XPath31FunctionSet.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/z/IntValuePredicate.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/AxisAtomizingIterator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/Push.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/number/RegularGroupFormatter.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/lib/InvalidityHandler.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/BreakInstr.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/sort/DoubleSortComparer.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/NoElementsSpaceStrippingRule.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/jiter/PairIterator.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/value/DecimalValue.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/CurrentGroupingKey.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/dom/TextOverNodeInfo.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/pattern/UniversalPattern.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/SelectedElementsSpaceStrippingRule.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/sort/UntypedNumericComparer.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/ReceivingContentHandler.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/TreeReceiver.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/XdmMap.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/tiny/TinyBuilder.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/ma/trie/Tuple2.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/Lang.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trans/rules/DeepSkipRuleSet.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/sort/GroupAdjacentIterator.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/serialize/SerializationProperties.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/dom/TextOverAttrInfo.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/wrapper/RebasedNode.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/hof/SystemFunctionWithBoundContextItem.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/LowerCase.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/tiny/PrecedingSiblingIterator.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/SequenceNormalizer.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/tree/tiny/TinyAttributeImpl.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/ItemChecker.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/ma/json/JsonDoc.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/option/axiom/AxiomDocumentNodeWrapper.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/resource/StandardCollectionFinder.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Minimax.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/flwor/FLWORExpression.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/StringLength\_1.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/sapling/Saplings.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/LookupExpression.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/s9api/XsltTransformer.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/s9api/RawDestination.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/packages/IPackageLoader.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLFallback.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Unordered.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/UnparsedEntity.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/MemoClosure.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/CalendarValue.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/SingletonClosure.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/parser/RebindingMap.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/ma/json/ParseJsonFn.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/sort/AtomicComparer.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/NameChecker.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/option/dom4j/DOM4JWriter.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/sxpath/XPathExpression.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/Function.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/lib/InvalidityHandlerWrappingErrorListener.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/DocumentPool.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/Genre.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/flwor/CountClausePull.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/type/SchemaDeclaration.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/IterateInstr.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/ma/json/JsonHandler.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLCallTemplate.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/lib/RawResult.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/pattern/NodeTest.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/pattern/AncestorQualifiedPattern.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/lib/StaticQueryContextFactory.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Outermost.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/Gizmo.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/DynamicContextAccessor.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/linked/ElementImpl.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/FunctionLibraryList.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/AxisInfo.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/wrapper/VirtualNode.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/ExternalObject.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/lib/OutputURIResolver.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/lib/ExtensionFunctionCall.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/lib/XQueryFunctionAnnotationHandler.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/pattern/LocalNameTest.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Sort\_2.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/ContextMappingIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/expr/instruct/Executable.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/event/SignificantItemDetector.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/UnionConstructorFunction.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/GMonthDayValue.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/pattern/PatternThatSetsCurrent.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/z/IntToIntHashMap.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/linked/AttributeAxisIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/sort/SimpleCollation.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/query/ImportedFunctionLibrary.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/LocalName\_1.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/lib/StringCollator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/SequenceInstr.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/query/QueryLibrary.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/SubscriptExpression.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Substring.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/option/local/Numberer\_he.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/pattern/SimplePositionalPattern.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/dom/DocumentWrapper.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/option/dom4j/DOM4JNodeWrapper.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/GlobalVariable.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/Operand.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/wrapper/TypeStrippedNode.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/ComponentDeclaration.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/OperandUsage.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/Platform.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/NoNamespaceName.java

- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/ma/arrays/ArrayFunctionSet.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/type/ValidationFailure.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trace/XSLTTraceListener.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/ResultDocumentResolver.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/pattern/NodeSetPattern.java
- \*
- /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/regex/EmptyString.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/linked/AncestorEnumeration.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/DocumentUri\_1.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/ExpressionOwner.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/type/ItemType.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/XmlProcessingError.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLEvaluate.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/query/QueryReader.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/hof/FunctionName.java
- \*
- /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/linked/LinkedTreeBuilder.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/Sink.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/Matches.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/tiny/TinyTextualElement.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/tiny/AttributeIterator.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/ScalarSystemFunction.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLOtherwise.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/serialize/UncommittedSerializer.java
- \*
- /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/util/SteppingNode.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLMapEntry.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/StylesheetComponent.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/expr/accum/AccumulatorData.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/serialize/XHTMLPrefixRemover.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trace/TraceableComponent.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLCharacterMap.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/FloatingPointConverter.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/option/local/Numberer\_fr.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/ExtensionInstruction.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/SourceDocument.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/sort/EqualityComparer.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/NotationSet.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/option/axiom/AxiomDocument.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/LicenseException.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/ma/parray/ImmList.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/util/CharSequenceConsumer.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/s9api/BuildingStreamWriter.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/AttributeValueTemplate.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/iter/SingleNodeIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/pattern/StreamingFunctionArgumentPattern.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/FirstItemExpression.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/SingletonAtomizer.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/regex/charclass/SingletonCharacterClass.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/FunctionLibrary.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLAcceptExpose.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/sort/SortExpression.java

- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/SchemaManager.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/flwor/ForClausePush.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/XdmNodeKind.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/wrapper/WrappingIterator.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/serialize/charcode/CharacterSetFactory.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/CollationKeyFn.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/UnprefixedElementMatchingPolicy.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/sxpath/XPathVariable.java
- \*
- /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/Data\_1.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/FilterFactory.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/ApplyImports.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/flwor/WhereClause.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trans/rules/RuleTarget.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/ItemMappingFunction.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/TeeDestination.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/value/YearMonthDurationValue.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/Sender.java
- \*
- /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/query/UndeclaredVariable.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/AttributeGetter.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/linked/TreeEnumeration.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/dom/DOMImplementationImpl.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/CastingExpression.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/iter/AdjacentTextNodeMergingIterator.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/LocationCopier.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/expr/VariableReference.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/type/AnySimpleType.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/sort/SortKeyEvaluator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trans/rules/ShallowSkipRuleSet.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/PackageData.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/parser/RetainedStaticContext.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/ma/map/HashTrieMap.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/dom/DocumentOverNodeInfo.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/RootExpression.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/pattern/GeneralPositionalPattern.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/StylesheetFunctionLibrary.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/streams/XdmCollectors.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trans/packages/UsePack.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/parser/ParserExtension.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/serialize/SerializationParamsHandler.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/OptionsParameter.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/String\_1.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/parser/Token.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/sort/CalendarValueComparer.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trace/Instrumentation.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/value/UntypedAtomicValue.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/sort/DescendingComparer.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/Comment.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/iter/SingletonIterator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/type/CastingTarget.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/FixedElement.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/UseWhenStaticContext.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/serialize/CharacterMapExpander.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trace/ModeTraceListener.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/StaticFunctionCall.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/NamedTemplate.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/CodedName.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/TailCallReturner.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/Block.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/InvalidityHandlerWrappingErrorReporter.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/regex/History.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/type/PrimitiveUType.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/serialize/HTML50Emitter.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/LookupAllExpression.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/PIGrabber.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/tiny/TinyCommentImpl.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/serialize/XMLIndenter.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/ItemTypeCheckingFunction.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/pattern/QNameTest.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/number/NumericGroupFormatter.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/ma/map/MapFunctionSet.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/type/ValidationException.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/jiter/ConcatenatingIterator.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/SimpleExpression.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/ResolveURI.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/expr/accum/Accumulator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/lib/Resource.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/hof/CoercedFunction.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLNextMatch.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/AttributeInfo.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/packages/PackageLibrary.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/SnapshotFn.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/number/AbstractNumberer.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/dom/DOMEnvelope.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/rules/Rule.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/XmlProcessingIncident.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/FilterExpression.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/serialize/XHTML1Emitter.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/pattern/VennPattern.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/pattern/ExceptPattern.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trace/InstructionInfo.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/ma/json/JsonHandlerMap.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/stax/ReceiverToXMLStreamWriter.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/DifferenceEnumeration.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/ValueOf.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/WherePopulated.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/flwor/WhereClausePull.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/ZeroOrMore.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/regex/LatinString.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/rules/FailRuleSet.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/tree/tiny/TinyParentNodeImpl.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/GlobalContextRequirement.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/packages/VersionedPackageName.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/AccumulatorFn.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/SaxonDuration.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/CompareToIntegerConstant.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/SmallAttributeMap.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/tiny/TinyBuilderMonitor.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/lib/ErrorReporterToListener.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/ma/arrays/ArrayItem.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/TimeValue.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/resource/JarCollection.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/util/DocumentNumberAllocator.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/IsIdRef.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/lib/StandardURIChecker.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/regex/JRegexIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/ma/json/XMLToJsonFn.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/type/Untyped.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/ContextAccessorFunction.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/DateValue.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/UserFunctionResolvable.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/CallTemplate.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLForEach.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/tiny/TinyProcInstImpl.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/tiny/WhitespaceTextImpl.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/functions/hof/FunctionArity.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/rules/BuiltInRuleSet.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/serialize/HTMLIndenter.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/event/DocumentValidator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/serialize/XHTMLURIEscaper.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/FormatNumber.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/option/local/Numberer\_nl.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/EagerLetExpression.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/hof/FoldLeftFn.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/tiny/AncestorIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/dom/DocumentBuilderImpl.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLFunction.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/option/dom4j/DOM4JObjectModel.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/flwor/OrderByClausePush.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/z/IntHashMap.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/ma/json/JsonHandlerXML.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/Action.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLMessage.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/AnyURIValue.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/type/AnyFunctionTypeWithAssertions.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/IntegratedFunctionLibrary.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/iter/LookaheadIteratorImpl.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/StringLiteral.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/z/IntBlockSet.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/RegexGroup.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/CopyOf.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/HeadFn.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/Count.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/parser/Evaluator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/option/exslt/Date.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/GeneralComparison.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/ScopedBindingElement.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/GenericTreeInfo.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/event/WherePopulatedOutputter.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/TailCallLoop.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/ParseLetfDate.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/pattern/AnyNodeTest.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLOutputCharacter.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/event/ProxyOutputter.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/ConditionalBlock.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/serialize/XML10ContentChecker.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/registry/ExtensionFunctionFactory.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/pattern/ContentTypeTest.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/lib/NamespaceConstant.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/lib/StandardErrorHandler.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/z/IntExceptPredicate.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/lib/Initializer.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/event/SequenceNormalizerWithItemSeparator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/sort/GroupByIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLInclude.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/ma/json/JsonReceiver.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/lib/StAXResultHandler.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/sort/UcaCollatorUsingJava.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/ComputedAttribute.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/Visibility.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/z/IntIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/s9api/MessageListener.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/linked/FollowingSiblingEnumeration.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/InsertBefore.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/resource/AbstractResourceCollection.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLOnEmpty.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/z/IntSetPredicate.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/InstanceOfExpression.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/packages/PackageDetails.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/option/jdom2/JDOM2Transform.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/s9api/Serializer.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/pattern/NameTest.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/tiny/TinyBuilderCondensed.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/AbsentExtensionElement.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/SourceBinding.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/MappingFunction.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/ItemConsumer.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/option/jdom2/JDOM2Query.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/event/IDFilter.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/flwor/OrderByClause.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/dom/DOMNodeWrapper.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/iter/SingleAtomicIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLPerformSort.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/parser/ExpressionAction.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/tiny/FollowingIterator.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/MappingIterator.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/jaxp/TransformerImpl.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLOriginalLibrary.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/PackageVersionRanges.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/value/DurationValue.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/z/IntSingletonIterator.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/ma/json/JsonParser.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/IdentityComparison.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/ResourceCollection.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/sort/GroupIterator.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/query/QueryModule.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/iter/ListIterator.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLImport.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/type/StringToDouble.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/AdjacentTextNodeMerger.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/pattern/Pattern.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/OccurrenceIndicator.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/query/Annotation.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/CopyInformee.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/accum/VirtualAccumulatorData.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/StatefulSystemFunction.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLElement.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/xpath/XPathFunctionCall.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/query/UnboundFunctionLibrary.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/wrapper/TypeStrippedDocument.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/rules/DeepCopyRuleSet.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/DeepEqual.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trace/XQueryTraceListener.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLChoose.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/DayTimeDurationValue.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLSourceDocument.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/accum/PathMappedAccumulatorData.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/wrapper/VirtualCopy.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/UserFunctionCall.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/z/IntComplementSet.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/One.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/AnalyzeString.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/option/jdom2/JDOM2DocumentWrapper.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/serialize/CharacterReferenceGenerator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/linked/DocumentImpl.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/linked/AttributeImpl.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/TreatExpression.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/event/PathMaintainer.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Ceiling.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/flwor/ForClausePull.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/serialize/XMLEmitter.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/UnaryExpression.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/GDateValue.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/Reverse.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/AtomizedValueIterator.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/XdmEmptySequence.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLPreserveSpace.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/iter/LookaheadIterator.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/lib/SaxonOutputKeys.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/ma/parray/ImmList1.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/iter/ArrayIterator.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/regex/charclass/InverseCharacterClass.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/XdmAtomicValue.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/UntypedSequenceConverter.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLMode.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/tiny/TinyAttributeMap.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/sort/RuleBasedSubstringMatcher.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/lib/SourceResolver.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/regex/RegexPrecondition.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/type/AnyExternalObjectType.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/BasicTransformerFactory.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/AttributeLocation.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/AccessorFn.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/option/jdom2/JDOM2NodeWrapper.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/query/AnnotationList.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/XdmSequenceIterator.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/XPathCompiler.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Innermost.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/serialize/MetaTagAdjuster.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLTemplate.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/regex/JTokenIterator.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/linked/ChildEnumeration.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/lib/FeatureKeys.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trace/TracingFilter.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLCopy.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/GeneralComparison20.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/ReverseRangeIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Replace.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/z/IntEmptySet.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/serialize/CharacterMapIndex.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/jaxp/IdentityTransformerHandler.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/type/BuiltInType.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/CompoundMode.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/query/XQueryExpression.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/ConsumingOperand.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/option/local/Numberer\_frBE.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/tiny/LargeStringBuffer.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/IntersectionEnumeration.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Subsequence\_3.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLFork.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/rules/RuleManager.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/CallableFunction.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLForEachGroup.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/pattern/PatternMaker.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/Literal.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/ma/parray/ImmList2.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/dom/DOMTransform.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/Validation.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/Doctype.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/BooleanExpression.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/ResolveQName.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/ProxyReceiver.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/NullDestination.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/pattern/BooleanExpressionPattern.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/iter/ManualIterator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/linked/LineNumberMap.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/flwor/ForClause.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/iter/GroupedIterator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/UseWhenFilter.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/PendingUpdateList.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/MemoFunction.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/linked/NodeFactory.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/util/FastStringBuffer.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/registry/ExsltCommonFunctionSet.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLExpose.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/NamePool.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/Adjust\_2.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/option/axiom/AxiomParentNodeWrapper.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/functions/registry/VendorFunctionSetHE.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/ma/arrays/SimpleArrayItem.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/serialize/HexCharacterReferenceGenerator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/ErrorExpression.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/ComparisonExpression.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/value/SequenceType.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/number/NumberFormatter.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/number/Numberer\_en.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/option/axiom/AxiomElementNodeWrapper.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/SchemaValidator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/type/UnionType.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/regex/charclass/CharacterClass.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/pattern/UnionPattern.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/resource/XMLResource.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/type/ExternalObjectType.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/z/IntStepIterator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/DOMDestination.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/util/NamespaceResolverWithDefault.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/DestinationHelper.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/WhitespaceStrippingPolicy.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/tiny/PrecedingIterator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/GlobalParameterSet.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/query/XQueryFunction.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/Outputter.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trans/Err.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/style/XSLApplyImports.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/EmptySequence.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/PackageVersion.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/wrapper/SpaceStrippedDocument.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/TryCatch.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLAttributeSet.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Aggregate.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/event/ReceiverOption.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/event/SequenceReceiver.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/option/jdom2/JDOM2Writer.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/BinaryExpression.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/dom/DOMSender.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/TailIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/Chain.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/sort/GenericAtomicComparer.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/CurrentGroup.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/FoldingFunction.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/AttributeSet.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/event/Stripper.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/event/NamespaceReducer.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/event/StreamWriterToReceiver.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/EarlyEvaluationContext.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/option/dom4j/DOM4JDocumentWrapper.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLLocalParam.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/DocumentFn.java  
 \*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/EvaluationMode.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/ExpressionContext.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/flwor/TraceClause.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/ma/arrays/SquareArrayConstructor.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/SpaceStrippingRule.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/FunctionStreamability.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/BigRangeIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/lib/Numberer.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/UnionEnumeration.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/serialize/codenorm/UnicodeDataGenerator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/GMonthValue.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/pattern/NodeKindTest.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/dom/NodeOverNodeInfo.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/util/ProcInstParser.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/s9api/HostLanguage.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trace/TraceEventMulticaster.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/s9api/SAXDestination.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/serialize/codenorm/Normalizer.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLMap.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/StreamAvailable.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/lib/ResourceFactory.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/event/PushToReceiver.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/ma/parray/ImmList0.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/s9api/streams/Steps.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/functions/ContainsToken.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/hof/CurriedFunction.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/linked/PrecedingOrAncestorEnumeration.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/type/AtomicType.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLWherePopulated.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/tiny/TinyTextImpl.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/event/EventBuffer.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/util/AttributeCollectionImpl.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/dom/ElementOverNodeInfo.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Put.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/DummyNamespaceResolver.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/rules/RuleSetWithWarnings.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/TreeModel.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/parser/OptimizerOptions.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/ConstantFunction.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLMerge.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/event/ReceiverWithoutOutputProperties.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/DocAvailable.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/DocumentURI.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/StylesheetCache.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/ForEach.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/regex/REFlags.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/serialize/PrincipalOutputGatekeeper.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/flwor/TupleExpression.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Floor.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLProcessingInstruction.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/SingletonIntersectExpression.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/EvaluateInstr.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/dom/DOMAttributeMap.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/jiter/MappingJavaIterator.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLOverride.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/type/Converter.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/TreeInfo.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trans/CompilerInfo.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLCopyOf.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/EventSource.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/sort/LRUCache.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/z/IntUnionPredicate.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/BindingReference.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/UserFunction.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/CurrentGroupCall.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/CastExpression.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/ma/arrays/ImmutableArrayItem.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/pattern/DocumentNodeTest.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/TransformerReceiver.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLOnCompletion.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/type/LocalUnionType.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/pull/PullProvider.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/Invalidity.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/ProcessingInstruction.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/SchemaURIResolver.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/flwor/GroupByClause.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/streams/XdmStream.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLTry.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/parser/Loc.java

\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/XQueryCompiler.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/flwor/WindowClause.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trans/TypeAliasManager.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/regex/ARegexIterator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/xpath/XPathEvaluator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/ElementAvailable.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/Instruction.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trans/ComponentTest.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLMergeAction.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/EnumSetTool.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/type/AnyFunctionType.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/CollectionFinder.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/hof/ForEachPairFn.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/flwor/WindowClausePush.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/TerminationException.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/z/IntHashSet.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/number/IrregularGroupFormatter.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/CastableExpression.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/value/QNameValue.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/CompareToConstant.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/sort/ConditionalSorter.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/XdmArray.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/XsltExecutable.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/NamePoolConverter.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/expr/flwor/TraceClausePull.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/TemplateRule.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/regex/charclass/Categories.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/value/Whitespace.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/FunctionCall.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/iter/HomogeneityCheckerIterator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/serialize/CharacterMap.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/regex/GeneralUnicodeString.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trans/SymbolicName.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/ListConstructorFunction.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/StandardURIResolver.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/CopyOfFn.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/CommentStripper.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/regex/charclass/EmptyCharacterClass.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/XdmFunctionItem.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/Axis.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/AbstractDestination.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/sort/EmptyGreatestComparer.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/ComponentBinding.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/LocalizerFactory.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLIf.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/serialize/charcode/UTF8CharacterSet.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/Item.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/value/SequenceExtent.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/serialize/HTMLEmitter.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLSequence.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/expr/parser/ExpressionVisitor.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/hof/RandomNumberGenerator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/iter/ConcatenatingAxisIterator.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/SystemFunctionCall.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/parser/Optimizer.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/Actor.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/sort/ItemWithMergeKeys.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/pattern/NamespaceTest.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/Transform.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/flwor/TraceClausePush.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLGlobalParam.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/pattern/UnionQNameTest.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/NameOfNode.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/rules/RuleSearchState.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/linked/PrecedingSiblingEnumeration.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/event/SequenceCopier.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/sort/DocumentOrderIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/parser/LoopLifter.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/lib/RelativeURIResolver.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/sort/ComparableAtomicValueComparer.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/type/JavaExternalObjectType.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Subsequence\_2.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLLocalVariable.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/query/DynamicQueryContext.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/expr/flwor/CountClausePush.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/parser/CodeInjector.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLValueOf.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/flwor/OperandProcessor.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/value/StringToDouble11.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/Event.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/regex/CaseVariants.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/ExportAgent.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/flwor/SingularityPull.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/UnparsedTextLines.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/QNameFn.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trans/packages/PackageInspector.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/value/Int64Value.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLApplyTemplates.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/GroupedValue.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/SystemFunction.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/ParseOptions.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/accum/AccumulatorManager.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/Controller.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/MemoSequence.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/ParameterSet.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/EmptyAttributeMap.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/serialize/charcode/XMLCharacterData.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/value/NotationValue.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/registry/XSLT30FunctionSet.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/sort/ComparisonException.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/iter/UntypedAtomizingIterator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/query/UpdateAgent.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/option/local/Numberer\_de.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/s9api/ItemTypeFactory.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/StylesheetSpaceStrippingRule.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/VennExpression.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/wrapper/RebasedDocument.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/NamespaceDeltaMap.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/CompareToStringConstant.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Concat.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/NextIteration.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLGlobalVariable.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trace/AbstractTraceListener.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/CollatingFunctionFree.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/flwor/ForClauseOuterPush.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/sapling/SaplingDocument.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/MutableDocumentInfo.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/UpperCase.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLUsePackage.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/LazySequence.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/z/IntRangeSet.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/NestedIntegerValue.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/FloatValue.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/XPathContextMajor.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/CurrentMergeKey.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/s9api/XdmExternalObject.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/RangeIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/lib/SerializerFactory.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/pattern/PatternWithPredicate.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/oper/OperandArray.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/serialize/charcode/ISO88591CharacterSet.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Number\_1.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/type/AlphaCode.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/sort/AtomicMatchKey.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/registry/XPath20FunctionSet.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/s9api/streams/Step.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/regex/RegularExpression.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/UriCollection.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/serialize/BinaryTextDecoder.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trace/Traceable.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLWithParam.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/s9api/StaticError.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/CurrentItemExpression.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trace/CountingFilter.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/DistinctValues.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/ConditionalInstruction.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/EncodeForUri.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/XmlCatalogResolver.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/ResultDocument.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/lib/Feature.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/NamespaceBinding.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/KeyDefinitionSet.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/lib/UnparsedTextURIResolver.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/SystemProperty.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLNumber.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/pull/PullSource.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/lib/ModuleURIResolver.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/accum/AccumulatorRule.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Name\_1.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/ElementCreator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/flwor/TuplePull.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/AvailableSystemProperties.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/option/xom/XomUriResolver.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/z/IntArraySet.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/AtomicSequenceConverter.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/tiny/AttributeInfoIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/lib/ErrorReporter.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/RangeExpression.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/Compilation.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/BooleanFn.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/type/ValidationParams.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/Copy.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/flwor/ForClauseOuterPull.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/s9api/Destination.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLCatch.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/AnalyzeMappingFunction.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/serialize/codenorm/UnicodeDataParserFromXML.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/query/XQueryParser.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/sort/MergeIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/expr/sort/EmptyIntIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/MultiIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/type/Type.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/GlobalVariableManager.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/parser/ICompilerService.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/OnNonEmptyExpr.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/event/BuilderMonitor.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/SubstringBefore.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/Base64BinaryValue.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/GenerateId\_1.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/option/xom/XOMDocumentWrapper.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/AxisExpression.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/s9api/SequenceType.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Exists.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/pattern/NodeTestPattern.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/linked/ProcInstImpl.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/ma/map/TupleType.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/dom/DOMExceptionImpl.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/wrapper/SiblingCountingNode.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Nilled\_1.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/flwor/ReturnClausePush.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/s9api/SaxonApiException.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/lib/StandardResultDocumentResolver.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/Configuration.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/type/FunctionItemType.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/tiny/SiblingIterator.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/TailExpression.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/NodeName\_1.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/TextValueTemplateContext.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/serialize/HTMLURIEscaper.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/MutableNodeInfo.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLAccept.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/type/PlainType.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/om/StandardNames.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/option/xom/XOMNodeWrapper.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/stax/XMLStreamWriterDestination.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/wrapper/SnapshotNode.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/SlotManager.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/resource/JSONResource.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLMatchingSubstring.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Remove.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/z/IntToIntArrayMap.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/FunctionAvailable.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/z/IntToIntMap.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/RegexFunctionSansFlags.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/StaticContext.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/rules/ShallowCopyRuleSet.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/serialize/JSONEmitter.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/jaxp/SaxonTransformerFactory.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/hof/LoadXqueryModule.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/ma/map/RangeKey.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/lib/OutputURIResolverWrapper.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/KeyManager.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/serialize/AdaptiveEmitter.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/SingleItemFilter.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/dom/DOMWriter.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/DecimalSymbols.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/QualifiedNameValue.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/NumericValue.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/Closure.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/ExecutableFunctionLibrary.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/flwor/GroupByClausePush.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/flwor/GroupByClausePull.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/hof/AtomicConstructorFunction.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/event/Valve.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/TypeAvailable.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/sort/TextComparer.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/flwor/CountClause.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/pull/UnfailingPullProvider.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/s9api/streams/Predicates.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/value/AtomicValue.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/event/CopyNamespaceSensitiveException.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLBreak.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/SimpleMode.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Sum.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/UnparsedTextFunction.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/sort/SortKeyDefinition.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/Bindery.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLGeneralIncorporate.java

- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/value/SaxonXMLGregorianCalendar.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/pull/PullFilter.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/registry/XPath30FunctionSet.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/IriToUri.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/sxpath/AbstractStaticContext.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/jiter/MonoIterator.java
- \*
- /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/NormalizeSpace\_1.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/accum/IAccumulatorData.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/regex/UnicodeBlocks.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/ITemplateCall.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/ParseXml.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/hof/PartialApply.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/ChecksumFilter.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/value/DoubleValue.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trans/rules/RuleChain.java
- \*
- /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/option/local/Numberer\_da.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/sapling/SaplingText.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/StackFrame.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/AnalyzeStringFn.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/IgnorableWhitespaceStripper.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLPackage.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/value/ObjectValue.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/ValidatingInstruction.java
- \*
- /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/Binding.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/regex/charclass/PredicateCharacterClass.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/type/UType.java
- \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/gizmo/JLine2Talker.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/resource/MetadataResource.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/resource/UnparsedTextResource.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLGeneralVariable.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/Doc\_2.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/pattern/MultipleNodeKindTest.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/FocusTrackingIterator.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/MessageListener2Proxy.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/sort/MergeInstr.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/query/QueryResult.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/value/GYearMonthValue.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/regex/Capture.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/ComponentTracer.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/sort/SortedGroupIterator.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/registry/ConstructorFunctionLibrary.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/Compare.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/RegularSequenceChecker.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/GlobalParam.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/AtomicSequence.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/sxpath/XPathEvaluator.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/KeyFn.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/AttributeMap.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLAccumulatorRule.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/regex/UnicodeString.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/Translate.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/parser/TypeChecker.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/Expression.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trans/Maker.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/ma/json/JsonToXMLFn.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/PseudoExpression.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/iter/NodeWrappingFunction.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/SingletonAttributeMap.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/InstructionWithComplexContent.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/ApplyNextMatchingTemplate.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLOutput.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/ProtocolRestricter.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/tiny/Statistics.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/InvalidityReportGenerator.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/regex/ATokenIterator.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/value/TextFragmentValue.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/IntegerRangeTest.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLWhen.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/StandardEntityResolver.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/tiny/TinyElementImpl.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/TailCall.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/AllElementsSpaceStrippingRule.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/OutputterEvent.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/linked/SystemIdMap.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLResultDocument.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trans/DynamicLoader.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/pattern/SameNameTest.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trans/VisibilityProvenance.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/value/DateTimeValue.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/sxpath/XPathDynamicContext.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/tiny/NodeVectorTree.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/HomogeneityChecker.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/StaticBaseUri.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/XdmDestination.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/Assignment.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/value/BigIntegerValue.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/EquivalenceComparer.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/ParseXmlFragment.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/iter/PrependSequenceIterator.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/LocalVariableReference.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/type/SimpleType.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/pattern/PatternParser.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trace/ContextStackFrame.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/query/Declaration.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/resource/CatalogCollection.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/NegateExpression.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/sort/CodepointCollatingComparer.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/AttributeCreator.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/Query.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/OrExpression.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLBreakOrContinue.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLStylesheet.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/NodeInfo.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/tiny/TreeStatistics.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/compat/ArithmeticExpression10.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/Negatable.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/KeyIndex.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/PJConverter.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/s9api/XdmValue.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/AvailableEnvironmentVariables.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/StartsWith.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/sort/AlphanumericCollator.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/event/SequenceNormalizerWithSpaceSeparator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/URIQueryParameters.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/query/XQueryFunctionLibrary.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/SuppliedParameterReference.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/Instantiator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Contains.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/MathFunctionSet.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/registry/UseWhen30FunctionSet.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/SuperId.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/ListCastableFunction.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/PositionAndLast.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/lib/FeatureCode.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/style/XSLImportSchema.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/dom/AttrOverNodeInfo.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/pull/PullPushCopier.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/Message.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/wrapper/VirtualTreeInfo.java  
 \*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trans/RecoveryPolicy.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/event/Receiver.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/java/JavaCollationFactory.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/lib/Logger.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/Atomizer.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/iter/AtomicIterator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/IntegratedFunctionCall.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/tree/util/SteppingNavigator.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/FormatDate.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trace/TimingTraceListener.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/parser/PathMap.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/hof/FilterFn.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/trace/ExpressionPresenter.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/BaseUri\_1.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/type/AnyItemType.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/TransformerFactoryImpl.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/FixedAttribute.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Tokenize\_1.java  
 \*  
 /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/Path\_1.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/pull/NamespaceContextImpl.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/GlobalVariableReference.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/UnparsedTextAvailable.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/expr/instruct/LocalParam.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/z/IntSet.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/functions/StringJoin.java  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/serialize/ExpandedStreamResult.java

\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/s9api/MessageListener2.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/flwor/LetClausePush.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/ma/trie/ImmutableList.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/ConversionRules.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/ContextSwitchingExpression.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/TypeCheckingFilter.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/SubstringMatcher.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/NamespaceUri\_1.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/iter/NodeWrappingAxisIterator.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/ApplyTemplates.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/option/axiom/AxiomLeafNodeWrapper.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/hof/CallableWithBoundFocus.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/flwor/ReturnClauseIterator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/sort/ObjectToBeSorted.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/FilterIterator.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/NodeName.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/value/Cardinality.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/OperandRole.java  
\*  
/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/CollationURIResolver.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/style/XSLText.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/event/TeeOutputter.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/wrapper/AbstractNodeWrapper.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/StaticContextAccessor.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/option/local/Numberer\_sv.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/ma/arrays/ArrayItemType.java  
\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/tree/linked/ParentNodeImpl.java

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/functions/registry/OnDemandFunctionSet.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/value/IntegerValue.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/lib/URIChecker.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/xpath/XPathFunctionLibrary.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/functions/Fold.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/tree/iter/AtomizingIterator.java

No license file was found, but licenses were detected in source scan.

## 2007 World Wide Web Consortium

(Massachusetts Institute of Technology, European Research Consortium  
for Informatics and Mathematics, Keio University).

All Rights Reserved.

Permission to use, copy, modify and distribute the XHTML Basic DTD  
and its accompanying documentation for any purpose and without fee is  
hereby granted in perpetuity, provided that the above copyright notice  
and this paragraph appear in all copies. The copyright holders make  
no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Editors: Murray M. Altheim <mailto:altheim@eng.sun.com>

Peter Stark <mailto:Peter.Stark@ecs.ericsson.se>

Shane McCarron <mailto:shane@aptest.com>

Revision: \$Id: xhtml

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/data/w3c/xhtml11/xhtml-basic11.dtd

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- XHTML Java Applet Module ..... -->

<!-- file: xhtml-applet-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-applet-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Java Applets 1.0//EN"

SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-applet-1.mod"

Revisions:

#2001-02-20: added PCDATA to content model of applet

..... -->

<!-- Java Applets

    applet

    This module declares the applet element type and its attributes, used to provide support for Java applets. The 'alt' attribute is now required (as it is on images). One of either code or object attributes must be present. In the document, place param elements before other content within the <applet> element.

    Note that use of this module requires instantiation of the Param Element Module.

-->

<!-- applet: Java Applet ..... -->

```
<!ENTITY % applet.element "INCLUDE" >
<![%applet.element;[
<!ENTITY % applet.content
    "( #PCDATA | %param.qname; | %Flow.mix; )*"
>
<!ENTITY % applet.qname "applet" >
<!ELEMENT %applet.qname; %applet.content; >
<!-- end of applet.element -->]]>
```

```
<!ENTITY % applet.attlist "INCLUDE" >
<![%applet.attlist;[
<!ATTLIST %applet.qname;
    %Core.attrib;
    alt      %Text.datatype;      #REQUIRED
    archive  CDATA                #IMPLIED
    code     CDATA                #IMPLIED
    codebase %URI.datatype;       #IMPLIED
    object   CDATA                #IMPLIED
    width
        %Length.datatype;        #REQUIRED
    height   %Length.datatype;    #REQUIRED
>
<!-- end of applet.attlist -->]]>
```

<!-- end of xhtml-applet-1.mod -->

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-applet-1.mod
```

No license file was found, but licenses were detected in source scan.

```
// This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0.
```

```
// This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v.  
2.0.
```

```
/*
```

```
* Licensed to the Apache Software Foundation (ASF) under one or more
```

```
* contributor license agreements. See the NOTICE file distributed with
```

```
* this work for additional information regarding copyright ownership.
```

```
* The ASF licenses this file to You under the Apache License, Version 2.0
```

```
* (the "License"); you may not use this file except in compliance with
```

```
* the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific
```

```
language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/regex/REProgram.java
```

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/regex/RECompiler.java
```

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/regex/REMatcher.java
```

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/regex/RESyntaxException.java
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
```

```
<!-- XHTML Name Identifier Module ..... -->
```

```
<!-- file: xhtml-nameident-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-nameident-1.mod,v 4.0 2001/04/02 22:42:49 alheim Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Name Identifier 1.0//EN"
```

```
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-nameident-1.mod"
```

Revisions:

(none)

..... -->

<!-- Name Identifier

'name' attribute on form, img, a, map, applet, frame, iframe

This module declares the 'name' attribute on element types when it is used as a node identifier for legacy linking and scripting support. This does not include those instances when 'name' is used as a container for form control, property or metainformation names.

This module should be instantiated following all modules it modifies.

-->

```
<!ENTITY % form.attlist "IGNORE" >
<![%form.attlist;[
<!ATTLIST %form.qname;
  name      CDATA          #IMPLIED
>
<!-- end of form.attlist -->]]>
```

```
<!ENTITY % img.attlist "IGNORE" >
<![%img.attlist;[
<!ATTLIST %img.qname;
  name      CDATA          #IMPLIED
>
<!-- end of img.attlist -->]]>
```

```
<!ENTITY % a.attlist "IGNORE" >
<![%a.attlist;[
<!ATTLIST %a.qname;
  name      CDATA          #IMPLIED
>
<!-- end of a.attlist -->]]>
```

```
<!ENTITY % map.attlist "IGNORE" >
<![%map.attlist;[
<!ATTLIST %map.qname;
  name      CDATA          #IMPLIED
>
<!-- end of map.attlist -->]]>
```

```
<!ENTITY % applet.attlist "IGNORE" >
<![%applet.attlist;[
<!ATTLIST %applet.qname;
  name
```

```

        CDATA          #IMPLIED
    >
<!-- end of applet.attlist -->]]>

<!ENTITY % frame.attlist "IGNORE" >
<![%frame.attlist;[
<!ATTLIST %frame.qname;
    name      CDATA          #IMPLIED
>
<!-- end of frame.attlist -->]]>

```

```

<!ENTITY % iframe.attlist "IGNORE" >
<![%iframe.attlist;[
<!ATTLIST %iframe.qname;
    name      CDATA          #IMPLIED
>
<!-- end of iframe.attlist -->]]>

<!-- end of xhtml-nameident.mod -->

```

Found in path(s):  
 \* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
 zip/net/sf/saxon/data/w3c/xhtml11/xhtml-nameident-1.mod  
 No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Hypertext Module ..... -->
<!-- file: xhtml-hypertext-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.  
 Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
 Revision: \$Id: xhtml-hypertext-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Hypertext 1.0//EN"
SYSTEM "http://www.w3.org/Markup/DTD/xhtml-hypertext-1.mod"

```

```

Revisions:
(none)
..... -->

```

```

<!-- Hypertext

```

```

    a

```

This module declares the anchor ('a') element type, which  
 defines the source of a hypertext link. The destination

(or link 'target') is identified via its  
'id' attribute  
rather than the 'name' attribute as was used in HTML.  
-->

<!-- ..... Anchor Element ..... -->

```
<!ENTITY % a.element "INCLUDE" >
<![%a.element;[
<!ENTITY % a.content
  "( #PCDATA | %InlNoAnchor.mix; )*"
>
<!ENTITY % a.qname "a" >
<!ELEMENT %a.qname; %a.content; >
<!-- end of a.element -->]]>
```

```
<!ENTITY % a.attlist "INCLUDE" >
<![%a.attlist;[
<!ATTLIST %a.qname;
  %Common.attrib;
  href      %URI.datatype;      #IMPLIED
  charset   %Charset.datatype;  #IMPLIED
  type      %ContentType.datatype; #IMPLIED
  hreflang  %LanguageCode.datatype; #IMPLIED
  rel       %LinkTypes.datatype; #IMPLIED
  rev       %LinkTypes.datatype; #IMPLIED
  accesskey %Character.datatype; #IMPLIED
  tabindex  %Number.datatype;   #IMPLIED
>
<!-- end of a.attlist -->]]>
```

<!-- end of xhtml-hypertext-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-hypertext-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Frames Module ..... -->
<!-- file: xhtml-frames-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-frames-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Frames 1.0//EN"  
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-frames-1.mod"

Revisions:

(none)

..... -->

<!-- Frames

frameset, frame, noframes

This module declares frame-related element types and attributes.

-->

<!ENTITY % frameset.qname "frameset" >

<!ENTITY % frame.qname "frame" >

<!ENTITY %  
noframes.qname "noframes" >

<!-- comma-separated list of MultiLength -->

<!ENTITY % MultiLengths.datatype "CDATA" >

<!-- The content model for XHTML documents depends on whether  
the <head> is followed by a <frameset> or <body> element.

-->

<!ENTITY % frameset.element "INCLUDE" >

<![%frameset.element;[

<!ENTITY % frameset.content

"(( %frameset.qname; | %frame.qname; )+, %noframes.qname;? )" >

<!ELEMENT %frameset.qname; %frameset.content; >

<!-- end of frameset.element -->]]>

<!ENTITY % frameset.attlist "INCLUDE" >

<![%frameset.attlist;[

<!ATTLIST %frameset.qname;

%Core.attrib;

rows %MultiLengths.datatype; #IMPLIED

cols %MultiLengths.datatype; #IMPLIED

>

<!-- end of frameset.attlist -->]]>

<![%xhtml-events.module;[

<!ATTLIST %frameset.qname;

onload %Script.datatype; #IMPLIED

onunload %Script.datatype; #IMPLIED

>

]]>

<!-- reserved frame names start with "\_" otherwise starts with letter -->

```
<!ENTITY % frame.element "INCLUDE" >
<![%frame.element;[
<!ENTITY % frame.content "EMPTY" >
<!ELEMENT %frame.qname; %frame.content; >
<!-- end of frame.element -->]]>
```

```
<!ENTITY % frame.attlist "INCLUDE" >
<![%frame.attlist;[
<!ATTLIST %frame.qname;
    %Core.attrib;
    longdesc %URI.datatype; #IMPLIED
    src %URI.datatype; #IMPLIED
    frameborder ( 1 | 0 ) '1'
    marginwidth %Pixels.datatype; #IMPLIED
    marginheight %Pixels.datatype; #IMPLIED
    noresize ( noresize ) #IMPLIED
    scrolling ( yes | no | auto ) 'auto'
>
<!-- end of frame.attlist -->]]>
```

<!-- changes to other declarations ..... -->

```
<!-- redefine content model for html element,
substituting frameset for body -->
<!ENTITY % html.content
    "( %head.qname;, %frameset.qname; )"
>
```

<!-- alternate content container for non frame-based rendering -->

```
<!ENTITY % noframes.element "INCLUDE"
>
<![%noframes.element;[
<!ENTITY % noframes.content "( %body.qname; )" >
<!ELEMENT %noframes.qname; %noframes.content; >
<!-- end of noframes.element -->]]>
```

```
<!ENTITY % noframes.attlist "INCLUDE" >
<![%noframes.attlist;[
<!ATTLIST %noframes.qname;
    %Common.attrib;
>
<!-- end of noframes.attlist -->]]>
```

<!-- end of xhtml-frames-1.mod -->

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-frames-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->  
<!-- XHTML Ruby Module ..... -->  
<!-- file: xhtml-ruby-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1999-2001 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-ruby-1.mod,v 1.1 2008/06/21 19:42:10 smccarro Exp \$

This module is based on the W3C Ruby Annotation Specification:

<http://www.w3.org/TR/ruby>

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Ruby 1.0//EN"  
SYSTEM "http://www.w3.org/TR/ruby/xhtml-ruby-1.mod"
```

```
..... -->
```

```
<!-- Ruby Elements
```

```
    ruby, rbc, rtc, rb, rt, rp
```

```
    This module declares the elements and their attributes used to  
    support ruby annotation  
markup.  
-->
```

```
<!-- declare qualified element type names:
```

```
-->
```

```
<!ENTITY % ruby.qname "ruby" >  
<!ENTITY % rbc.qname "rbc" >  
<!ENTITY % rtc.qname "rtc" >  
<!ENTITY % rb.qname "rb" >  
<!ENTITY % rt.qname "rt" >  
<!ENTITY % rp.qname "rp" >
```

```
<!-- rp fallback is included by default.
```

```
-->
```

```
<!ENTITY % Ruby.fallback "INCLUDE" >  
<!ENTITY % Ruby.fallback.mandatory "IGNORE" >
```

```

<!-- Complex ruby is included by default; it may be
      overridden by other modules to ignore it.
-->
<!ENTITY % Ruby.complex "INCLUDE" >

<!-- Fragments for the content model of the ruby element -->
<![%Ruby.fallback;[
<![%Ruby.fallback.mandatory;[
<!ENTITY % Ruby.content.simple
      "( %rb.qname;, %rp.qname;, %rt.qname;, %rp.qname; )"
>
>
]]>
<!ENTITY % Ruby.content.simple
      "( %rb.qname;, ( %rt.qname; | ( %rp.qname;, %rt.qname;, %rp.qname; ) ) )"
>
>
]]>
<!ENTITY % Ruby.content.simple "( %rb.qname;, %rt.qname; )" >

<![%Ruby.complex;[
<!ENTITY % Ruby.content.complex
      "| ( %rbc.qname;, %rtc.qname;, %rtc.qname;?"
      )"
>
>
]]>
<!ENTITY % Ruby.content.complex "" >

<!-- Content models of the rb and the rt elements are intended to
      allow other inline-level elements of its parent markup language,
      but it should not include ruby descendent elements. The following
      parameter entity %NoRuby.content; can be used to redefine
      those content models with minimum effort. It's defined as
      '( #PCDATA )' by default.
-->
<!ENTITY % NoRuby.content "( #PCDATA )" >

<!-- one or more digits (NUMBER) -->
<!ENTITY % Number.datatype "CDATA" >

<!-- ruby element ..... -->

<!ENTITY % ruby.element "INCLUDE" >
<![%ruby.element;[
<!ENTITY % ruby.content
      "( %Ruby.content.simple; %Ruby.content.complex; )"
>
>
<!ELEMENT %ruby.qname; %ruby.content; >
<!-- end of ruby.element -->]]>

```

```
<![%Ruby.complex;[
<!-- rbc (ruby base component) element ..... -->
```

```
<!ENTITY % rbc.element "INCLUDE" >
<![%rbc.element;[
<!ENTITY % rbc.content
  "(%rb.qname;)+"
>
<!ELEMENT
  %rbc.qname; %rbc.content; >
<!-- end of rbc.element -->]]>
```

```
<!-- rtc (ruby text component) element ..... -->
```

```
<!ENTITY % rtc.element "INCLUDE" >
<![%rtc.element;[
<!ENTITY % rtc.content
  "(%rt.qname;)+"
>
<!ELEMENT %rtc.qname; %rtc.content; >
<!-- end of rtc.element -->]]>
]]>
```

```
<!-- rb (ruby base) element ..... -->
```

```
<!ENTITY % rb.element "INCLUDE" >
<![%rb.element;[
<!-- %rb.content; uses %NoRuby.content; as its content model,
  which is '( #PCDATA )' by default. It may be overridden
  by other modules to allow other inline-level elements
  of its parent markup language, but it should not include
  ruby descendent elements.
-->
<!ENTITY % rb.content "%NoRuby.content;" >
<!ELEMENT %rb.qname; %rb.content; >
<!-- end of rb.element -->]]>
```

```
<!-- rt (ruby text) element ..... -->
```

```
<!ENTITY % rt.element "INCLUDE" >
<![%rt.element;[
<!-- %rt.content; uses %NoRuby.content; as its content model,
  which is '( #PCDATA
) by default. It may be overridden
  by other modules to allow other inline-level elements
  of its parent markup language, but it should not include
  ruby descendent elements.
-->
```

```
<!ENTITY % rt.content "%NoRuby.content;" >
```

```
<!ELEMENT %rt.qname; %rt.content; >  
<!-- end of rt.element -->]]>
```

```
<!-- rbspan attribute is used for complex ruby only ..... -->  
<![%Ruby.complex;[  
<!ENTITY % rt.attlist "INCLUDE" >  
<![%rt.attlist;[  
<!ATTLIST %rt.qname;  
    rbspan      %Number.datatype;    "1"  
>  
<!-- end of rt.attlist -->]]>  
]]>
```

```
<!-- rp (ruby parenthesis) element ..... -->
```

```
<![%Ruby.fallback;[  
<!ENTITY % rp.element "INCLUDE" >  
<![%rp.element;[  
<!ENTITY % rp.content  
    "( #PCDATA )"  
>  
<!ELEMENT %rp.qname; %rp.content; >  
<!-- end of rp.element -->]]>  
]]>
```

```
<!-- Ruby Common Attributes
```

The following optional ATTLIST declarations provide an easy way to define common attributes for ruby elements. These declarations are ignored by default.

Ruby elements are intended to have common attributes of its parent markup language. For example, if a markup language defines common attributes as a parameter entity %attrs;, you may add those attributes by just declaring the following parameter entities

```
<!ENTITY % Ruby.common.attlists "INCLUDE" >  
<!ENTITY % Ruby.common.attrib "%attrs;" >
```

before including the Ruby module.

```
-->
```

```
<!ENTITY % Ruby.common.attlists "IGNORE" >  
<![%Ruby.common.attlists;[  
<!ENTITY % Ruby.common.attrib "" >
```

<!-- common attributes for ruby ..... -->

```
<!ENTITY % Ruby.common.attlist "INCLUDE" >
<![%Ruby.common.attlist;[
<!ATTLIST %ruby.qname;
    %Ruby.common.attrib;
>
<!-- end of Ruby.common.attlist -->]]>
```

```
<![%Ruby.complex;[
<!-- common attributes for rbc ..... -->
```

```
<!ENTITY % Rbc.common.attlist "INCLUDE" >
<![%Rbc.common.attlist;[
<!ATTLIST %rbc.qname;
    %Ruby.common.attrib;
>
<!-- end of Rbc.common.attlist -->]]>
```

```
<!--
common attributes for rtc ..... -->
```

```
<!ENTITY % Rtc.common.attlist "INCLUDE" >
<![%Rtc.common.attlist;[
<!ATTLIST %rtc.qname;
    %Ruby.common.attrib;
>
<!-- end of Rtc.common.attlist -->]]>
]]>
```

```
<!-- common attributes for rb ..... -->
```

```
<!ENTITY % Rb.common.attlist "INCLUDE" >
<![%Rb.common.attlist;[
<!ATTLIST %rb.qname;
    %Ruby.common.attrib;
>
<!-- end of Rb.common.attlist -->]]>
```

```
<!-- common attributes for rt ..... -->
```

```
<!ENTITY % Rt.common.attlist "INCLUDE" >
<![%Rt.common.attlist;[
<!ATTLIST %rt.qname;
    %Ruby.common.attrib;
>
<!-- end of Rt.common.attlist -->]]>
```

```

<![%Ruby.fallback;[
<!-- common attributes for rp ..... -->

<!ENTITY % Rp.common.attlist "INCLUDE" >
<![%Rp.common.attlist;[
<!ATTLIST %rp.qname;
    %Ruby.common.attrib;
>
<!-- end of Rp.common.attlist -->]]>
]]>
]]>

<!-- end of xhtml-ruby-1.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-ruby-1.mod

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Editing Elements Module ..... -->
<!-- file: xhtml-edit-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.  
 Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
 Revision: \$Id: xhtml-edit-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Editing Markup 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-edit-1.mod"

```

Revisions:

(none)

```

..... -->

```

```

<!-- Editing Elements

```

```

    ins, del

```

This module declares element types and attributes used to indicate  
 inserted and deleted content while editing a document.

```

-->

```

```

<!-- ins: Inserted Text .....

```

```

-->

```

```
<!ENTITY % ins.element "INCLUDE" >
<![%ins.element;[
<!ENTITY % ins.content
    "( #PCDATA | %Flow.mix; )*"
>
<!ENTITY % ins.qname "ins" >
<!ELEMENT %ins.qname; %ins.content; >
<!-- end of ins.element -->]]>
```

```
<!ENTITY % ins.attlist "INCLUDE" >
<![%ins.attlist;[
<!ATTLIST %ins.qname;
    %Common.attrib;
    cite    %URI.datatype;    #IMPLIED
    datetime %Datetime.datatype; #IMPLIED
>
<!-- end of ins.attlist -->]]>
```

```
<!-- del: Deleted Text ..... -->
```

```
<!ENTITY % del.element "INCLUDE" >
<![%del.element;[
<!ENTITY % del.content
    "( #PCDATA | %Flow.mix; )*"
>
<!ENTITY % del.qname "del" >
<!ELEMENT %del.qname; %del.content; >
<!-- end of del.element -->]]>
```

```
<!ENTITY % del.attlist "INCLUDE" >
<![%del.attlist;[
<!ATTLIST %del.qname;
    %Common.attrib;
    cite    %URI.datatype;    #IMPLIED
    datetime %Datetime.datatype; #IMPLIED
>
<!-- end of del.attlist -->]]>
```

```
<!--
end of xhtml-edit-1.mod -->
```

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-edit-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Attribute Collection Module ..... -->
```

<!-- file: svg11-attribs.mod

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg11-attribs.mod,v 1.4 2002/11/14 15:11:03 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ENTITIES SVG 1.1 Attribute Collection//EN"  
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg11-attribs.mod"

..... -->

<!-- SVG 1.1 Attribute Collection

This module defines the set of common attributes that can be present  
on many SVG elements.

-->

<!-- module: svg-conditional.mod ..... -->

<!ENTITY

% ExtensionList.datatype "CDATA" >

<!ENTITY % FeatureList.datatype "CDATA" >

<!ENTITY % SVG.Conditional.extra.attrib "" >

<!ENTITY % SVG.Conditional.attrib

"requiredFeatures %FeatureList.datatype; #IMPLIED

requiredExtensions %ExtensionList.datatype; #IMPLIED

systemLanguage %LanguageCodes.datatype; #IMPLIED

%SVG.Conditional.extra.attrib;"

>

<!-- module: svg-style.mod ..... -->

<!ENTITY % ClassList.datatype "CDATA" >

<!ENTITY % StyleSheet.datatype "CDATA" >

<!ENTITY % SVG.Style.extra.attrib "" >

<!ENTITY % SVG.Style.attrib

"style %StyleSheet.datatype; #IMPLIED

class %ClassList.datatype; #IMPLIED

%SVG.Style.extra.attrib;"

>

<!-- module: svg-text.mod ..... -->

<!ENTITY % BaselineShiftValue.datatype "CDATA" >

```

<!ENTITY % FontFamilyValue.datatype "CDATA" >
<!ENTITY % FontSizeValue.datatype "CDATA" >
<!ENTITY % FontSizeAdjustValue.datatype "CDATA" >
<!ENTITY % GlyphOrientationHorizontalValue.datatype "CDATA"
>
<!ENTITY % GlyphOrientationVerticalValue.datatype "CDATA" >
<!ENTITY % KerningValue.datatype "CDATA" >
<!ENTITY % SpacingValue.datatype "CDATA" >
<!ENTITY % TextDecorationValue.datatype "CDATA" >

<!ENTITY % SVG.Text.extra.attrib "" >
<!ENTITY % SVG.Text.attrib
"writing-mode ( lr-tb | rl-tb | tb-rl | lr | rl | tb | inherit ) #IMPLIED
%SVG.Text.extra.attrib;"
>

<!ENTITY % SVG.TextContent.extra.attrib "" >
<!ENTITY % SVG.TextContent.attrib
"alignment-baseline ( auto | baseline | before-edge | text-before-edge |
middle | central | after-edge | text-after-edge |
ideographic | alphabetic | hanging | mathematical |
inherit ) #IMPLIED
baseline-shift %BaselineShiftValue.datatype; #IMPLIED
direction ( ltr | rtl | inherit ) #IMPLIED
dominant-baseline ( auto | use-script | no-change | reset-size |
ideographic | alphabetic | hanging | mathematical |

central | middle | text-after-edge | text-before-edge |
inherit ) #IMPLIED
glyph-orientation-horizontal %GlyphOrientationHorizontalValue.datatype;
#IMPLIED
glyph-orientation-vertical %GlyphOrientationVerticalValue.datatype;
#IMPLIED
kerning %KerningValue.datatype; #IMPLIED
letter-spacing %SpacingValue.datatype; #IMPLIED
text-anchor ( start | middle | end | inherit ) #IMPLIED
text-decoration %TextDecorationValue.datatype; #IMPLIED
unicode-bidi ( normal | embed | bidi-override | inherit ) #IMPLIED
word-spacing %SpacingValue.datatype; #IMPLIED
%SVG.TextContent.extra.attrib;"
>

<!ENTITY % SVG.Font.extra.attrib "" >
<!ENTITY % SVG.Font.attrib
"font-family %FontFamilyValue.datatype; #IMPLIED
font-size %FontSizeValue.datatype; #IMPLIED
font-size-adjust %FontSizeAdjustValue.datatype; #IMPLIED
font-stretch ( normal | wider | narrower

```

```
| ultra-condensed |
      extra-condensed | condensed | semi-condensed |
      semi-expanded | expanded | extra-expanded |
      ultra-expanded | inherit ) #IMPLIED
font-style ( normal | italic | oblique | inherit ) #IMPLIED
font-variant ( normal | small-caps | inherit ) #IMPLIED
font-weight ( normal | bold | bolder | lighter | 100 | 200 | 300 | 400 |
      500 | 600 | 700 | 800 | 900 | inherit ) #IMPLIED
%SVG.Font.extra.attrib;"
>
```

```
<!-- module: svg-marker.mod ..... -->
```

```
<!ENTITY % MarkerValue.datatype "CDATA" >
```

```
<!ENTITY % SVG.Marker.extra.attrib "" >
```

```
<!ENTITY % SVG.Marker.attrib
```

```
"marker-start %MarkerValue.datatype; #IMPLIED
marker-mid %MarkerValue.datatype; #IMPLIED
marker-end %MarkerValue.datatype; #IMPLIED
%SVG.Marker.extra.attrib;"
```

```
>
```

```
<!-- module: svg-profile.mod ..... -->
```

```
<!ENTITY % SVG.ColorProfile.extra.attrib "" >
```

```
<!ENTITY % SVG.ColorProfile.attrib
```

```
"color-profile CDATA #IMPLIED
%SVG.ColorProfile.extra.attrib;"
```

```
>
```

```
<!-- module: svg-gradient.mod ..... -->
```

```
<!ENTITY % NumberOrPercentage.datatype "CDATA" >
```

```
<!ENTITY % SVG.Gradient.extra.attrib "" >
```

```
<!ENTITY % SVG.Gradient.attrib
```

```
"stop-color %SVGColor.datatype; #IMPLIED
stop-opacity %OpacityValue.datatype; #IMPLIED
%SVG.Gradient.extra.attrib;"
```

```
>
```

```
<!-- module: svg-clip.mod ..... -->
```

```
<!ENTITY % ClipPathValue.datatype "CDATA" >
```

```
<!ENTITY % SVG.Clip.extra.attrib "" >
```

```
<!ENTITY % SVG.Clip.attrib
```

```

"clip-path %ClipPathValue.datatype; #IMPLIED
clip-rule %ClipFillRule.datatype; #IMPLIED
%SVG.Clip.extra.attrib;"
>

<!-- module: svg-mask.mod ..... -->

<!ENTITY % MaskValue.datatype "CDATA" >

<!ENTITY % SVG.Mask.extra.attrib "" >
<!ENTITY % SVG.Mask.attrib
"mask %MaskValue.datatype; #IMPLIED
%SVG.Mask.extra.attrib;"
>

<!-- module: svg-filter.mod .....
-->

<!ENTITY % FilterValue.datatype "CDATA" >
<!ENTITY % NumberOptionalNumber.datatype "CDATA" >

<!ENTITY % SVG.Filter.extra.attrib "" >
<!ENTITY % SVG.Filter.attrib
"filter %FilterValue.datatype; #IMPLIED
%SVG.Filter.extra.attrib;"
>

<!ENTITY % SVG.FilterColor.extra.attrib "" >
<!ENTITY % SVG.FilterColor.attrib
"color-interpolation-filters ( auto | sRGB | linearRGB | inherit )
#IMPLIED
%SVG.FilterColor.extra.attrib;"
>

<!-- module: svg-cursor.mod ..... -->

<!ENTITY % CursorValue.datatype "CDATA" >

<!ENTITY % SVG.Cursor.extra.attrib "" >
<!ENTITY % SVG.Cursor.attrib
"cursor %CursorValue.datatype; #IMPLIED
%SVG.Cursor.extra.attrib;"
>

<!-- end of svg11-attribs.mod -->

```

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-

attribs.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Document Model Module ..... -->
<!-- file: svg11-model.mod

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: $Id: svg11-model.mod,v 1.3 2002/11/14 15:11:03 fujisawa Exp $
```

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Document Model//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg11-model.mod"
```

```
..... -->
```

```
<!-- SVG 1.1 Document Model
```

This module describes the groupings of elements that make up  
common content models for SVG elements.

```
-->
```

```
<!-- module: svg-structure.mod ..... -->
```

```
<!ENTITY % SVG.Description.extra.class
"" >
<!ENTITY % SVG.Description.class
"%SVG.desc.qname; | %SVG.title.qname; | %SVG.metadata.qname;
%SVG.Description.extra.class;"
>
```

```
<!ENTITY % SVG.Use.extra.class "" >
<!ENTITY % SVG.Use.class
"| %SVG.use.qname; %SVG.Use.extra.class;"
>
```

```
<!ENTITY % SVG.Structure.extra.class "" >
<!ENTITY % SVG.Structure.class
"| %SVG.svg.qname; | %SVG.g.qname; | %SVG.defs.qname; | %SVG.symbol.qname;
%SVG.Use.class; %SVG.Structure.extra.class;"
>
```

```
<!-- module: svg-conditional.mod ..... -->
```

```
<!ENTITY % SVG.Conditional.extra.class "" >
<!ENTITY % SVG.Conditional.class
```

```

    "| %SVG.switch.qname; %SVG.Conditional.extra.class;"
>

<!-- module: svg-image.mod ..... -->

<!ENTITY % SVG.Image.extra.class "" >
<!ENTITY % SVG.Image.class
    "| %SVG.image.qname; %SVG.Image.extra.class;"
>

<!-- module: svg-style.mod ..... -->

<!ENTITY % SVG.Style.extra.class "" >
<!ENTITY % SVG.Style.class
    "| %SVG.style.qname;
    %SVG.Style.extra.class;"
>

<!-- module: svg-shape.mod ..... -->

<!ENTITY % SVG.Shape.extra.class "" >
<!ENTITY % SVG.Shape.class
    "| %SVG.path.qname; | %SVG.rect.qname; | %SVG.circle.qname;
    | %SVG.line.qname; | %SVG.ellipse.qname; | %SVG.polyline.qname;
    | %SVG.polygon.qname; %SVG.Shape.extra.class;"
>

<!-- module: svg-text.mod ..... -->

<!ENTITY % SVG.Text.extra.class "" >
<!ENTITY % SVG.Text.class
    "| %SVG.text.qname; | %SVG.altGlyphDef.qname; %SVG.Text.extra.class;"
>

<!ENTITY % SVG.TextContent.extra.class "" >
<!ENTITY % SVG.TextContent.class
    "| %SVG.tspan.qname; | %SVG.tref.qname; | %SVG.textPath.qname;
    | %SVG.altGlyph.qname; %SVG.TextContent.extra.class;"
>

<!-- module: svg-marker.mod ..... -->

<!ENTITY % SVG.Marker.extra.class "" >
<!ENTITY % SVG.Marker.class
    "| %SVG.marker.qname; %SVG.Marker.extra.class;"
>

<!-- module: svg-profile.mod .....

```

```

-->

<!ENTITY % SVG.ColorProfile.extra.class "" >
<!ENTITY % SVG.ColorProfile.class
  "| %SVG.color-profile.qname; %SVG.ColorProfile.extra.class;"
>

<!-- module: svg-gradient.mod ..... -->

<!ENTITY % SVG.Gradient.extra.class "" >
<!ENTITY % SVG.Gradient.class
  "| %SVG.linearGradient.qname; | %SVG.radialGradient.qname;
  %SVG.Gradient.extra.class;"
>

<!-- module: svg-pattern.mod ..... -->

<!ENTITY % SVG.Pattern.extra.class "" >
<!ENTITY % SVG.Pattern.class
  "| %SVG.pattern.qname; %SVG.Pattern.extra.class;"
>

<!-- module: svg-clip.mod ..... -->

<!ENTITY % SVG.Clip.extra.class "" >
<!ENTITY % SVG.Clip.class
  "| %SVG.clipPath.qname; %SVG.Clip.extra.class;"
>

<!-- module: svg-mask.mod ..... -->

<!ENTITY % SVG.Mask.extra.class "" >
<!ENTITY % SVG.Mask.class
  "| %SVG.mask.qname; %SVG.Mask.extra.class;"
>

<!-- module: svg-filter.mod ..... -->

<!ENTITY
  % SVG.Filter.extra.class "" >
<!ENTITY % SVG.Filter.class
  "| %SVG.filter.qname; %SVG.Filter.extra.class;"
>

<!ENTITY % SVG.FilterPrimitive.extra.class "" >
<!ENTITY % SVG.FilterPrimitive.class
  "| %SVG.feBlend.qname; | %SVG.feColorMatrix.qname;
  | %SVG.feComponentTransfer.qname; | %SVG.feComposite.qname;

```

```

| %SVG.feConvolveMatrix.qname; | %SVG.feDiffuseLighting.qname;
| %SVG.feDisplacementMap.qname; | %SVG.feFlood.qname;
| %SVG.feGaussianBlur.qname; | %SVG.feImage.qname; | %SVG.feMerge.qname;
| %SVG.feMorphology.qname; | %SVG.feOffset.qname;
| %SVG.feSpecularLighting.qname; | %SVG.feTile.qname;
| %SVG.feTurbulence.qname; %SVG.FilterPrimitive.extra.class;"
>

<!-- module: svg-cursor.mod ..... -->

<!ENTITY % SVG.Cursor.extra.class "" >
<!ENTITY % SVG.Cursor.class
  "| %SVG.cursor.qname; %SVG.Cursor.extra.class;"
>

<!-- module: svg-hyperlink.mod ..... -->

<!ENTITY % SVG.Hyperlink.extra.class "" >
<!ENTITY
  % SVG.Hyperlink.class
  "| %SVG.a.qname; %SVG.Hyperlink.extra.class;"
>

<!-- module: svg-view.mod ..... -->

<!ENTITY % SVG.View.extra.class "" >
<!ENTITY % SVG.View.class
  "| %SVG.view.qname; %SVG.View.extra.class;"
>

<!-- module: svg-script.mod ..... -->

<!ENTITY % SVG.Script.extra.class "" >
<!ENTITY % SVG.Script.class
  "| %SVG.script.qname; %SVG.Script.extra.class;"
>

<!-- module: svg-animation.mod ..... -->

<!ENTITY % SVG.Animation.extra.class "" >
<!ENTITY % SVG.Animation.class
  "%SVG.animate.qname; | %SVG.set.qname; | %SVG.animateMotion.qname; |
  %SVG.animateColor.qname; | %SVG.animateTransform.qname;
  %SVG.Animation.extra.class;"
>

<!-- module: svg-font.mod ..... -->

```

```
<!ENTITY % SVG.Font.extra.class "" >
<!ENTITY % SVG.Font.class
  "| %SVG.font.qname; | %SVG.font-face.qname; %SVG.Font.extra.class;"
>
```

```
<!-- module: svg-extensibility.mod .....
-->
```

```
<!ENTITY % SVG.Extensibility.extra.class "" >
<!ENTITY % SVG.Extensibility.class
  "| %SVG.foreignObject.qname; %SVG.Extensibility.extra.class;"
>
```

```
<!-- end of svg11-model.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-model.mod
```

No license file was found, but licenses were detected in source scan.

```
// This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0.
```

```
// This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.
```

```
// Original author: Michael Froh (published on Github). Released under MPL 2.0
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/ma/trie/ImmutableHashTrieMap.java
```

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/ma/trie/ImmutableMap.java
```

No license file was found, but licenses were detected in source scan.

```
<html>
```

```
<head>
```

```
<title>Package overview: net.sf.saxon.ma.trie</title>
```

```
</head>
```

```
<body>
```

```
<p>This package contains a general-purpose implementation of immutable hash trie maps, used to underpin the Saxon implementation of XSLT 3.0 maps.</p>
```

```
<p>The implementation was written by Michael S. Froh (msfroh) and released under an MIT license. It was forked from github project msfroh/functional_snippets on 28 March 2014. Very little code has been changed during the integration with Saxon, but a great deal of un-needed code has been removed. In addition, it has been retrofitted from Java 7 to Java 5.</p>
```

```
<p>The code betrays Scala origins in the use of classes such as Option, which is a class that provided a type-safe way of handling null values, and Tuple2 which can hold any pair of values.</p>
```

```
</body>
</html>
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/ma/trie/package.html
```

No license file was found, but licenses were detected in source scan.

```
<!--
```

File isopub.ent produced by the XSL script entities.xsl  
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the  
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle  
via the public W3C list [www-math@w3.org](mailto:www-math@w3.org).

The numeric character values assigned to each entity  
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the  
following notice:

(C) International Organization for Standardization 1986  
Permission to copy in any form is granted for use with  
conforming SGML systems and applications as defined in  
ISO 8879, provided this notice is included in all copies.

```
-->
```

```
<!--
```

Public identifier: `-//W3C//ENTITIES`

Publishing//EN//XML

System identifier: `http://www.w3.org/2003/entities/2007/isopub.ent`

The public identifier should always be used verbatim.  
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isopub PUBLIC
```

"-//W3C//ENTITIES Publishing//EN//XML"  
"http://www.w3.org/2003/entities/2007/isopub.ent"

>

%isopub;

-->

<!ENTITY blank	"&#x02423;" ><!--OPEN BOX -->
<!ENTITY blk12	"&#x02592;" ><!--MEDIUM SHADE -->
<!ENTITY blk14	"&#x02591;" ><!--LIGHT SHADE -->
<!ENTITY blk34	"&#x02593;" ><!--DARK SHADE -->
<!ENTITY block	"&#x02588;" ><!--FULL BLOCK -->
<!ENTITY bull	"&#x02022;" ><!--BULLET -->
<!ENTITY caret	"&#x02041;" ><!--CARET INSERTION POINT -->
<!ENTITY check	"&#x02713;" ><!--CHECK MARK -->
<!ENTITY cir	"&#x025CB;" ><!--WHITE CIRCLE -->
<!ENTITY clubs	"&#x02663;" ><!--BLACK
CLUB SUIT -->	
<!ENTITY copysr	"&#x02117;" ><!--SOUND RECORDING COPYRIGHT -->
<!ENTITY cross	"&#x02717;" ><!--BALLOT X -->
<!ENTITY dagger	"&#x02020;" ><!--DAGGER -->
<!ENTITY Dagger	"&#x02021;" ><!--DOUBLE DAGGER -->
<!ENTITY dash	"&#x02010;" ><!--HYPHEN -->
<!ENTITY diams	"&#x02666;" ><!--BLACK DIAMOND SUIT -->
<!ENTITY dlcrop	"&#x0230D;" ><!--BOTTOM LEFT CROP -->
<!ENTITY drcrop	"&#x0230C;" ><!--BOTTOM RIGHT CROP -->
<!ENTITY dttri	"&#x025BF;" ><!--WHITE DOWN-POINTING SMALL TRIANGLE -->
<!ENTITY dttri	"&#x025BE;" ><!--BLACK DOWN-POINTING SMALL TRIANGLE -->
<!ENTITY emsp	"&#x02003;" ><!--EM SPACE -->
<!ENTITY emsp13	"&#x02004;" ><!--THREE-PER-EM SPACE -->
<!ENTITY emsp14	"&#x02005;" ><!--FOUR-PER-EM SPACE -->
<!ENTITY ensp	"&#x02002;" ><!--EN SPACE -->
<!ENTITY female	"&#x02640;" ><!--FEMALE SIGN -->
<!ENTITY ffilig	"&#x0FB03;" ><!--LATIN SMALL LIGATURE FFI -->
<!ENTITY fflig	"&#x0FB00;" ><!--LATIN SMALL LIGATURE FF -->
<!ENTITY fflig	"&#x0FB04;" ><!--LATIN SMALL LIGATURE FFL -->
<!ENTITY filig	"&#x0FB01;" ><!--LATIN SMALL LIGATURE FI -->
<!ENTITY fjlig	"&#x00066;&#x0006A;" ><!--fj ligature -->
<!ENTITY flat	"&#x0266D;" ><!--MUSIC FLAT SIGN -->
<!ENTITY fllig	"&#x0FB02;" ><!--LATIN SMALL LIGATURE FL -->
<!ENTITY frac13	"&#x02153;" ><!--VULGAR FRACTION ONE THIRD -->
<!ENTITY frac15	"&#x02155;" ><!--VULGAR FRACTION ONE FIFTH -->
<!ENTITY frac16	"&#x02159;" ><!--VULGAR FRACTION ONE SIXTH -->
<!ENTITY frac23	"&#x02154;" ><!--VULGAR FRACTION TWO THIRDS -->
<!ENTITY frac25	"&#x02156;" ><!--VULGAR FRACTION TWO FIFTHS -->
<!ENTITY frac35	"&#x02157;" ><!--VULGAR FRACTION THREE FIFTHS -->
<!ENTITY frac45	"&#x02158;" ><!--VULGAR FRACTION FOUR FIFTHS -->

<!ENTITY frac56 " &#x0215A;" ><!--VULGAR FRACTION FIVE SIXTHS -->  
 <!ENTITY hairsp " &#x0200A;" ><!--HAIR SPACE -->  
 <!ENTITY hearts " &#x02665;" ><!--BLACK HEART SUIT -->  
 <!ENTITY hellip " &#x02026;" ><!--HORIZONTAL ELLIPSIS -->  
 <!ENTITY hybull " &#x02043;" ><!--HYPHEN BULLET -->  
 <!ENTITY incare " &#x02105;" ><!--CARE OF -->  
 <!ENTITY ldquor " &#x0201E;" ><!--DOUBLE LOW-9 QUOTATION MARK -->  
 <!ENTITY lhblk " &#x02584;" ><!--LOWER HALF BLOCK -->  
 <!ENTITY loz " &#x025CA;" ><!--LOZENGE -->  
 <!ENTITY lozf " &#x029EB;" ><!--BLACK LOZENGE -->  
 <!ENTITY lsquor " &#x0201A;" ><!--SINGLE LOW-9 QUOTATION MARK -->  
 <!ENTITY ltri " &#x025C3;" ><!--WHITE LEFT-POINTING SMALL TRIANGLE -->  
 <!ENTITY ltrif " &#x025C2;" ><!--BLACK LEFT-POINTING SMALL TRIANGLE -->  
 <!ENTITY male " &#x02642;" ><!--MALE SIGN -->  
 <!ENTITY malt " &#x02720;" ><!--MALTESE CROSS -->  
 <!ENTITY marker " &#x025AE;" ><!--BLACK VERTICAL RECTANGLE -->  
 <!ENTITY mdash " &#x02014;" ><!--EM DASH -->  
 <!ENTITY mldr " &#x02026;" ><!--HORIZONTAL ELLIPSIS -->  
 <!ENTITY natur " &#x0266E;" ><!--MUSIC NATURAL SIGN -->  
 <!ENTITY ndash " &#x02013;" ><!--EN DASH -->  
 <!ENTITY nldr " &#x02025;" ><!--TWO DOT LEADER -->  
 <!ENTITY numsp " &#x02007;" ><!--FIGURE SPACE -->  
 <!ENTITY phone " &#x0260E;" ><!--BLACK TELEPHONE -->  
 <!ENTITY puncsp " &#x02008;" ><!--PUNCTUATION SPACE -->  
 <!ENTITY rdquor " &#x0201D;" ><!--RIGHT DOUBLE QUOTATION MARK -->  
 <!ENTITY rect " &#x025AD;" ><!--WHITE RECTANGLE -->  
 <!ENTITY rsquor " &#x02019;" ><!--RIGHT SINGLE QUOTATION MARK -->  
 <!ENTITY rtri " &#x025B9;" ><!--WHITE RIGHT-POINTING SMALL TRIANGLE -->  
 <!ENTITY rtrif " &#x025B8;" ><!--BLACK RIGHT-POINTING SMALL TRIANGLE -->  
 <!ENTITY rx " &#x0211E;" ><!--PRESCRIPTION TAKE -->  
 <!ENTITY sext " &#x02736;" ><!--SIX POINTED BLACK STAR -->  
 <!ENTITY sharp " &#x0266F;" ><!--MUSIC SHARP SIGN -->  
 <!ENTITY spades " &#x02660;" ><!--BLACK SPADE SUIT -->  
 <!ENTITY squ " &#x025A1;" ><!--WHITE SQUARE -->  
 <!ENTITY squf " &#x025AA;" ><!--BLACK SMALL SQUARE -->  
 <!ENTITY star " &#x02606;" ><!--WHITE STAR -->  
 <!ENTITY starf " &#x02605;" ><!--BLACK STAR -->  
 <!ENTITY target " &#x02316;" ><!--POSITION INDICATOR -->  
 <!ENTITY telrec " &#x02315;" ><!--TELEPHONE RECORDER -->  
 <!ENTITY thinsp " &#x02009;" ><!--THIN SPACE -->  
 <!ENTITY uhblk " &#x02580;" ><!--UPPER HALF BLOCK -->  
 <!ENTITY ulcrop " &#x0230F;" ><!--TOP LEFT CROP -->  
 <!ENTITY urcrop " &#x0230E;" ><!--TOP RIGHT CROP -->  
 <!ENTITY utri " &#x025B5;" ><!--WHITE UP-POINTING SMALL TRIANGLE -->  
 <!ENTITY utrif " &#x025B4;" ><!--BLACK UP-POINTING SMALL TRIANGLE -->

```
<!ENTITY vellip      "&#x022EE;"
><!--VERTICAL ELLIPSIS -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isopub.ent
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Link Element Module ..... -->
<!-- file: xhtml-link-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-link-1.mod,v 4.1 2001/04/05 06:57:40 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Link Element 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-link-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Link element
```

link

This module declares the link element type and its attributes,  
which could (in principle) be used to define document-level links  
to external resources such as:

- a) for document specific toolbars/menus, e.g. start, contents,  
previous, next, index, end, help
- b) to link to a separate style sheet (rel="stylesheet")
- c) to make a link to a script (rel="script")
- d) by style sheets to control how collections of html nodes are  
rendered into printed documents
- e) to make a link to a printable version of this document  
e.g. a postscript or pdf version (rel="alternate" media="print")

```
-->
```

```
<!-- link: Media-Independent Link ..... -->
```

```
<!ENTITY % link.element "INCLUDE" >
```

```
<![%link.element;[
```

```
<!ENTITY % link.content "EMPTY" >
```

```

<!ENTITY % link.qname "link" >
<!ELEMENT %link.qname; %link.content; >
<!-- end of link.element -->]]>

<!ENTITY % link.attlist "INCLUDE" >
<![%link.attlist;[
<!ATTLIST %link.qname;
    %Common.attrib;
    charset %Charset.datatype; #IMPLIED
    href %URI.datatype; #IMPLIED
    hreflang %LanguageCode.datatype; #IMPLIED
    type
        %ContentType.datatype; #IMPLIED
    rel %LinkTypes.datatype; #IMPLIED
    rev %LinkTypes.datatype; #IMPLIED
    media %MediaDesc.datatype; #IMPLIED
>
<!-- end of link.attlist -->]]>

```

<!-- end of xhtml-link-1.mod -->

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-link-1.mod

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Embedded Object Module ..... -->
<!-- file: xhtml-object-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.  
 Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
 Revision: \$Id: xhtml-object-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Embedded Object 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-object-1.mod"

```

Revisions:

(none)

```

..... -->

```

<!-- Embedded Objects

object

This module declares the object element type and its attributes, used

to embed external objects as part of XHTML pages. In the document, place param elements prior to other content within the object element.

Note that use of this module requires instantiation of the Param Element Module.

-->

<!-- object: Generic Embedded Object ..... -->

```
<!ENTITY % object.element "INCLUDE" >
<![%object.element;[
<!ENTITY % object.content
  "( #PCDATA | %Flow.mix; | %param.qname; )*"
>
<!ENTITY % object.qname "object" >
<!ELEMENT %object.qname; %object.content; >
<!-- end of object.element -->]]>
```

```
<!ENTITY % object.attlist "INCLUDE" >
<![%object.attlist;[
<!ATTLIST %object.qname;
  %Common.attrib;
  declare ( declare ) #IMPLIED
  classid %URI.datatype; #IMPLIED
  codebase %URI.datatype; #IMPLIED
  data %URI.datatype; #IMPLIED
  type %ContentType.datatype; #IMPLIED
  codetype %ContentType.datatype; #IMPLIED
  archive %URIs.datatype; #IMPLIED
  standby %Text.datatype; #IMPLIED
  height %Length.datatype; #IMPLIED
  width %Length.datatype; #IMPLIED
  name CDATA #IMPLIED
  tabindex %Number.datatype; #IMPLIED
>
<!-- end of object.attlist -->]]>
```

<!-- end of xhtml-object-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-object-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Param Element Module ..... -->
<!-- file: xhtml-param-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-param-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Param Element 1.0//EN"  
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-param-1.mod"
```

Revisions:

(none)

..... -->

<!-- Parameters for Java Applets and Embedded Objects

param

This module provides declarations for the param element,  
used to provide named property values for the applet  
and  
object elements.  
-->

<!-- param: Named Property Value ..... -->

```
<!ENTITY % param.element "INCLUDE" >  
<![%param.element;[  
<!ENTITY % param.content "EMPTY" >  
<!ENTITY % param.qname "param" >  
<!ELEMENT %param.qname; %param.content; >  
<!-- end of param.element -->]]>
```

```
<!ENTITY % param.attlist "INCLUDE" >  
<![%param.attlist;[  
<!ATTLIST %param.qname;  
    %XHTML.xmlns.attrib;  
    %id.attrib;  
    name      CDATA          #REQUIRED  
    value     CDATA          #IMPLIED  
    valuetype ( data | ref | object ) 'data'  
    type      %ContentType.datatype; #IMPLIED  
>  
<!-- end of param.attlist -->]]>
```

<!-- end of xhtml-param-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-param-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Paint Attribute Module ..... -->
<!-- file: svg-paint-attrib.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-paint-attrib.mod,v 1.2 2002/04/20 18:07:43 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Paint Attribute//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-paint-attrib.mod"
```

```
..... -->
```

```
<!-- Paint Attribute
```

```
fill, fill-rule, stroke, stroke-dasharray, stroke-dashoffset,
stroke-linecap, stroke-linejoin, stroke-miterlimit, stroke-width, color,
color-interpolation, color-rendering
```

This module defines the Paint and Color attribute sets.

```
-->
```

```
<!-- a 'fill' or 'stroke' property/attribute value: <paint> -->
```

```
<!ENTITY % Paint.datatype "CDATA" >
```

```
<!-- 'stroke-dasharray' property/attribute value (e.g., 'none', list of <number>s) -->
```

```
<!ENTITY % StrokeDashArrayValue.datatype "CDATA" >
```

```
<!-- 'stroke-dashoffset' property/attribute value (e.g., 'none', <length>) -->
```

```
<!ENTITY % StrokeDashOffsetValue.datatype "CDATA" >
```

```
<!-- 'stroke-miterlimit' property/attribute value (e.g., <number>) -->
```

```
<!ENTITY % StrokeMiterLimitValue.datatype "CDATA" >
```

```
<!-- 'stroke-width' property/attribute value (e.g., <length>) -->
```

```
<!ENTITY % StrokeWidthValue.datatype "CDATA" >
```

```
<!ENTITY % SVG.fill.attrib
```

```
"fill %Paint.datatype; #IMPLIED"
```

```
>
```

```
<!ENTITY % SVG.fill-rule.attrib
```

```

"fill-rule %ClipFillRule.datatype; #IMPLIED"
>

<!ENTITY % SVG.stroke.attrib
"stroke %Paint.datatype; #IMPLIED"
>

<!ENTITY % SVG.stroke-dasharray.attrib
"stroke-dasharray %StrokeDashArrayValue.datatype;
#IMPLIED"
>

<!ENTITY % SVG.stroke-dashoffset.attrib
"stroke-dashoffset %StrokeDashOffsetValue.datatype; #IMPLIED"
>

<!ENTITY % SVG.stroke-linecap.attrib
"stroke-linecap ( butt | round | square | inherit ) #IMPLIED"
>

<!ENTITY % SVG.stroke-linejoin.attrib
"stroke-linejoin ( miter | round | bevel | inherit ) #IMPLIED"
>

<!ENTITY % SVG.stroke-miterlimit.attrib
"stroke-miterlimit %StrokeMiterLimitValue.datatype; #IMPLIED"
>

<!ENTITY % SVG.stroke-width.attrib
"stroke-width %StrokeWidthValue.datatype; #IMPLIED"
>

<!ENTITY % SVG.Paint.extra.attrib "" >

<!ENTITY % SVG.Paint.attrib
"%SVG.fill.attrib;
%SVG.fill-rule.attrib;
%SVG.stroke.attrib;
%SVG.stroke-dasharray.attrib;
%SVG.stroke-dashoffset.attrib;
%SVG.stroke-linecap.attrib;
%SVG.stroke-linejoin.attrib;
%SVG.stroke-miterlimit.attrib;
%SVG.stroke-width.attrib;
%SVG.Paint.extra.attrib;"
>

<!ENTITY % SVG.color.attrib

```

```

"color %Color.datatype; #IMPLIED"
>

<!ENTITY
% SVG.color-interpolation.attrib
"color-interpolation ( auto | sRGB | linearRGB | inherit ) #IMPLIED"
>

<!ENTITY % SVG.color-rendering.attrib
"color-rendering ( auto | optimizeSpeed | optimizeQuality | inherit )
#IMPLIED"
>

<!ENTITY % SVG.Color.extra.attrib "" >

<!ENTITY % SVG.Color.attrib
"%SVG.color.attrib;
%SVG.color-interpolation.attrib;
%SVG.color-rendering.attrib;
%SVG.Color.extra.attrib;"
>

<!-- end of svg-paint-attrib.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-paint-attrib.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Embedded Object Module ..... -->
<!-- file: xhtml-object-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.  
 Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.  
 Revision: \$Id: xhtml-object-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Embedded Object 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-object-1.mod"

```

Revisions:

(none)

```
..... -->
```

<!-- Embedded Objects

## object

This module declares the object element type and its attributes, used to embed external objects as part of XHTML pages. In the document,

place param elements prior to the object elements that require their content.

Note that use of this module requires instantiation of the Param Element Module prior to this module.

-->

```
<!-- object: Generic Embedded Object ..... -->
```

```
<!ENTITY % object.element "INCLUDE" >
<![%object.element;[
<!ENTITY % object.content
  "( #PCDATA | %Flow.mix; | %param.qname; )*"
>
<!ENTITY % object.qname "object" >
<!ELEMENT %object.qname; %object.content; >
<!-- end of object.element -->]]>
```

```
<!ENTITY % object.attlist "INCLUDE" >
<![%object.attlist;[
<!ATTLIST %object.qname;
  %Common.attrib;
  declare ( declare ) #IMPLIED
  classid %URI.datatype; #IMPLIED
  codebase %URI.datatype; #IMPLIED
  data %URI.datatype; #IMPLIED
  type %ContentType.datatype; #IMPLIED
  codetype %ContentType.datatype; #IMPLIED
  archive %URIs.datatype; #IMPLIED
  standby %Text.datatype; #IMPLIED
  height %Length.datatype; #IMPLIED
  width %Length.datatype; #IMPLIED
  name CDATA #IMPLIED
  tabindex %Number.datatype; #IMPLIED
>
<!-- end of object.attlist -->]]>
```

```
<!-- end of xhtml-object-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-
object-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- MathML Qualified Names Module ..... -->
<!-- file: mathml3-qname-1.mod
```

This is the Mathematical Markup Language (MathML) 2.0, an XML application for describing mathematical notation and capturing both its structure and content.

Copyright 1998-2009 W3C (MIT, INRIA, Keio), All Rights Reserved.

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES MathML 3.0 Qualified Names 1.0//EN"
SYSTEM "mathml3-qname.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- MathML Qualified Names
```

This module is contained in two parts, labeled Section 'A' and 'B':

Section A declares parameter entities to support namespace-qualified names, namespace declarations, and name prefixing for MathML.

Section B declares parameter entities used to provide namespace-qualified names for all MathML element types.

This module is derived from the XHTML Qualified Names Template module.

```
-->
```

```
<!-- Section A: XHTML XML Namespace Framework ..... -->
```

```
<!ENTITY % NS.prefixed "IGNORE" >
<!ENTITY % MATHML.prefixed "%NS.prefixed;" >
```

```
<!-- XLink ..... -->
```

```
<!ENTITY % XLINK.prefix "xlink" >
<!ENTITY % XLINK.xmlns "http://www.w3.org/1999/xlink" >
<!ENTITY % XLINK.xmlns.attrib
  "xmlns:%XLINK.prefix; CDATA #FIXED '%XLINK.xmlns;"
>
```

```

<!-- W3C XML Schema ..... -->

<!ENTITY % Schema.prefix      "xsi" >
<!ENTITY % Schema.xmlns      "http://www.w3.org/2001/XMLSchema-instance" >
<!ENTITY % Schema.xmlns.attrib
    "xmlns:%Schema.prefix; CDATA      #IMPLIED"
>

<!-- MathML ..... -->

<!ENTITY % MATHML.xmlns      "http://www.w3.org/1998/Math/MathML" >
<!ENTITY
    % MATHML.prefix      "m" >
<![%MATHML.prefixed;[
<!ENTITY % MATHML.xmlns.extra.attrib      "" >
]]>
<!ENTITY % MATHML.xmlns.extra.attrib
    "%XLINK.xmlns.attrib;
    %Schema.xmlns.attrib;" >

<![%MATHML.prefixed;[
<!ENTITY % MATHML.pfx      "%MATHML.prefix;:" >
<!ENTITY % MATHML.xmlns.attrib
    "xmlns:%MATHML.prefix; CDATA      #FIXED '%MATHML.xmlns;'
    %MATHML.xmlns.extra.attrib;"
>
]]>
<!ENTITY % MATHML.pfx      "" >
<!ENTITY % MATHML.xmlns.attrib
    "xmlns      CDATA      #FIXED '%MATHML.xmlns;'
    %MATHML.xmlns.extra.attrib;"
>

<![%NS.prefixed;[
<!ENTITY % XHTML.xmlns.extra.attrib
    "%MATHML.xmlns.attrib;" >
]]>
<!ENTITY % XHTML.xmlns.extra.attrib
    "%XLINK.xmlns.attrib;
    %Schema.xmlns.attrib;"
>

<!-- ignores subsequent instantiation of this module when
    used as external subset rather than module fragment.
    NOTE: Do not modify this parameter entity, otherwise
    a recursive parsing situation may result.

```

```

-->
<!ENTITY % mathml-qname.module "IGNORE"
>

<!-- Section B: MathML Qualified Names :::::::::::::::::::: -->

<!-- 9. This section declares parameter entities used to provide
      namespace-qualified names for all MathML element types.
-->

<!ENTITY % abs.qname "%MATHML.pfx;abs" >
<!ENTITY % and.qname "%MATHML.pfx;and" >
<!ENTITY % annotation-xml.qname "%MATHML.pfx;annotation-xml" >
<!ENTITY % annotation.qname "%MATHML.pfx;annotation" >
<!ENTITY % apply.qname "%MATHML.pfx;apply" >
<!ENTITY % approx.qname "%MATHML.pfx;approx" >
<!ENTITY % arccos.qname "%MATHML.pfx;arccos" >
<!ENTITY % arccosh.qname "%MATHML.pfx;arccosh" >
<!ENTITY % arccot.qname "%MATHML.pfx;arccot" >
<!ENTITY % arccoth.qname "%MATHML.pfx;arccoth" >
<!ENTITY % arccsc.qname "%MATHML.pfx;arccsc" >
<!ENTITY % arccsch.qname "%MATHML.pfx;arccsch" >
<!ENTITY % arcsec.qname "%MATHML.pfx;arcsec" >
<!ENTITY % arcsech.qname "%MATHML.pfx;arcsech" >
<!ENTITY % arcsin.qname "%MATHML.pfx;arcsin" >
<!ENTITY % arcsinh.qname "%MATHML.pfx;arcsinh" >
<!ENTITY % arctan.qname
"%MATHML.pfx;arctan" >
<!ENTITY % arctanh.qname "%MATHML.pfx;arctanh" >
<!ENTITY % arg.qname "%MATHML.pfx;arg" >
<!ENTITY % bind.qname "%MATHML.pfx;bind" >
<!ENTITY % bvar.qname "%MATHML.pfx;bvar" >
<!ENTITY % card.qname "%MATHML.pfx;card" >
<!ENTITY % cartesianproduct.qname "%MATHML.pfx;cartesianproduct" >
<!ENTITY % cbytes.qname "%MATHML.pfx;cbytes" >
<!ENTITY % ceiling.qname "%MATHML.pfx;ceiling" >
<!ENTITY % cerror.qname "%MATHML.pfx;cerror" >
<!ENTITY % ci.qname "%MATHML.pfx;ci" >
<!ENTITY % cn.qname "%MATHML.pfx;cn" >
<!ENTITY % codomain.qname "%MATHML.pfx;codomain" >
<!ENTITY % complexes.qname "%MATHML.pfx;complexes" >
<!ENTITY % compose.qname "%MATHML.pfx;compose" >
<!ENTITY % condition.qname "%MATHML.pfx;condition" >
<!ENTITY % conjugate.qname "%MATHML.pfx;conjugate" >
<!ENTITY % cos.qname "%MATHML.pfx;cos" >
<!ENTITY % cosh.qname "%MATHML.pfx;cosh" >
<!ENTITY % cot.qname "%MATHML.pfx;cot" >
<!ENTITY % coth.qname "%MATHML.pfx;coth" >

```

```

<!ENTITY % cs.qname "%MATHML.pfx;cs"
>
<!ENTITY % csc.qname "%MATHML.pfx;csc" >
<!ENTITY % csch.qname "%MATHML.pfx;csch" >
<!ENTITY % csymbol.qname "%MATHML.pfx;csymbol" >
<!ENTITY % curl.qname "%MATHML.pfx;curl" >
<!ENTITY % declare.qname "%MATHML.pfx;declare" >
<!ENTITY % degree.qname "%MATHML.pfx;degree" >
<!ENTITY % determinant.qname "%MATHML.pfx;determinant" >
<!ENTITY % diff.qname "%MATHML.pfx;diff" >
<!ENTITY % divergence.qname "%MATHML.pfx;divergence" >
<!ENTITY % divide.qname "%MATHML.pfx;divide" >
<!ENTITY % domain.qname "%MATHML.pfx;domain" >
<!ENTITY % domainofapplication.qname "%MATHML.pfx;domainofapplication" >
<!ENTITY % emptyset.qname "%MATHML.pfx;emptyset" >
<!ENTITY % eq.qname "%MATHML.pfx;eq" >
<!ENTITY % equivalent.qname "%MATHML.pfx;equivalent" >
<!ENTITY % eulergamma.qname "%MATHML.pfx;eulergamma" >
<!ENTITY % exists.qname "%MATHML.pfx;exists" >
<!ENTITY % exp.qname "%MATHML.pfx;exp" >
<!ENTITY % exponentiale.qname "%MATHML.pfx;exponentiale" >
<!ENTITY % factorial.qname "%MATHML.pfx;factorial" >
<!ENTITY
% factorof.qname "%MATHML.pfx;factorof" >
<!ENTITY % false.qname "%MATHML.pfx>false" >
<!ENTITY % floor.qname "%MATHML.pfx;floor" >
<!ENTITY % fn.qname "%MATHML.pfx;fn" >
<!ENTITY % forall.qname "%MATHML.pfx;forall" >
<!ENTITY % gcd.qname "%MATHML.pfx;gcd" >
<!ENTITY % geq.qname "%MATHML.pfx;geq" >
<!ENTITY % grad.qname "%MATHML.pfx;grad" >
<!ENTITY % gt.qname "%MATHML.pfx;gt" >
<!ENTITY % ident.qname "%MATHML.pfx;ident" >
<!ENTITY % image.qname "%MATHML.pfx;image" >
<!ENTITY % imaginary.qname "%MATHML.pfx;imaginary" >
<!ENTITY % imaginaryi.qname "%MATHML.pfx;imaginaryi" >
<!ENTITY % implies.qname "%MATHML.pfx;implies" >
<!ENTITY % in.qname "%MATHML.pfx;in" >
<!ENTITY % infinity.qname "%MATHML.pfx;infinity" >
<!ENTITY % int.qname "%MATHML.pfx;int" >
<!ENTITY % integers.qname "%MATHML.pfx;integers" >
<!ENTITY % intersect.qname "%MATHML.pfx;intersect" >
<!ENTITY % interval.qname "%MATHML.pfx;interval" >
<!ENTITY % inverse.qname "%MATHML.pfx;inverse" >
<!ENTITY % lambda.qname "%MATHML.pfx;lambda"
>
<!ENTITY % laplacian.qname "%MATHML.pfx;laplacian" >
<!ENTITY % lcm.qname "%MATHML.pfx;lcm" >

```

```

<!ENTITY % leq.qname "%MATHML.pfx;leq" >
<!ENTITY % limit.qname "%MATHML.pfx;limit" >
<!ENTITY % list.qname "%MATHML.pfx;list" >
<!ENTITY % ln.qname "%MATHML.pfx;ln" >
<!ENTITY % log.qname "%MATHML.pfx;log" >
<!ENTITY % logbase.qname "%MATHML.pfx;logbase" >
<!ENTITY % lowlimit.qname "%MATHML.pfx;lowlimit" >
<!ENTITY % lt.qname "%MATHML.pfx;lt" >
<!ENTITY % maction.qname "%MATHML.pfx;maction" >
<!ENTITY % maligngroup.qname "%MATHML.pfx;maligngroup" >
<!ENTITY % malignmark.qname "%MATHML.pfx;malignmark" >
<!ENTITY % math.qname "%MATHML.pfx;math" >
<!ENTITY % matrix.qname "%MATHML.pfx;matrix" >
<!ENTITY % matrixrow.qname "%MATHML.pfx;matrixrow" >
<!ENTITY % max.qname "%MATHML.pfx;max" >
<!ENTITY % mean.qname "%MATHML.pfx;mean" >
<!ENTITY % median.qname "%MATHML.pfx;median" >
<!ENTITY % menclose.qname "%MATHML.pfx;menclose" >
<!ENTITY % merror.qname "%MATHML.pfx;merror" >
<!ENTITY
% mfenced.qname "%MATHML.pfx;mfenced" >
<!ENTITY % mfrac.qname "%MATHML.pfx;mfrac" >
<!ENTITY % mglyph.qname "%MATHML.pfx;mglyph" >
<!ENTITY % mi.qname "%MATHML.pfx;mi" >
<!ENTITY % min.qname "%MATHML.pfx;min" >
<!ENTITY % minus.qname "%MATHML.pfx;minus" >
<!ENTITY % mlabeledtr.qname "%MATHML.pfx;mlabeledtr" >
<!ENTITY % mlongdiv.qname "%MATHML.pfx;mlongdiv" >
<!ENTITY % mmultiscripts.qname "%MATHML.pfx;mmultiscripts" >
<!ENTITY % mn.qname "%MATHML.pfx;mn" >
<!ENTITY % mo.qname "%MATHML.pfx;mo" >
<!ENTITY % mode.qname "%MATHML.pfx;mode" >
<!ENTITY % moment.qname "%MATHML.pfx;moment" >
<!ENTITY % momentabout.qname "%MATHML.pfx;momentabout" >
<!ENTITY % mover.qname "%MATHML.pfx;mover" >
<!ENTITY % mpadded.qname "%MATHML.pfx;mpadded" >
<!ENTITY % mphantom.qname "%MATHML.pfx;mphantom" >
<!ENTITY % mprescripts.qname "%MATHML.pfx;mprescripts" >
<!ENTITY % mroot.qname "%MATHML.pfx;mroot" >
<!ENTITY % mrow.qname "%MATHML.pfx;mrow" >
<!ENTITY % ms.qname "%MATHML.pfx;ms" >
<!ENTITY % mscarries.qname
"%MATHML.pfx;mscarries" >
<!ENTITY % mscarry.qname "%MATHML.pfx;mscarry" >
<!ENTITY % msgroup.qname "%MATHML.pfx;msgroup" >
<!ENTITY % msline.qname "%MATHML.pfx;msline" >
<!ENTITY % mspace.qname "%MATHML.pfx;mspace" >
<!ENTITY % msqrt.qname "%MATHML.pfx;msqrt" >

```

```

<!ENTITY % msrow.qname "%MATHML.pfx;msrow" >
<!ENTITY % mstack.qname "%MATHML.pfx;mstack" >
<!ENTITY % mstyle.qname "%MATHML.pfx;mstyle" >
<!ENTITY % msub.qname "%MATHML.pfx;msub" >
<!ENTITY % msubsup.qname "%MATHML.pfx;msubsup" >
<!ENTITY % msup.qname "%MATHML.pfx;msup" >
<!ENTITY % mtable.qname "%MATHML.pfx;mtable" >
<!ENTITY % mtd.qname "%MATHML.pfx;mtd" >
<!ENTITY % mtext.qname "%MATHML.pfx;mtext" >
<!ENTITY % mtr.qname "%MATHML.pfx;mtr" >
<!ENTITY % munder.qname "%MATHML.pfx;munder" >
<!ENTITY % munderover.qname "%MATHML.pfx;munderover" >
<!ENTITY % naturalnumbers.qname "%MATHML.pfx;naturalnumbers" >
<!ENTITY % neq.qname "%MATHML.pfx;neq" >
<!ENTITY % none.qname "%MATHML.pfx;none" >
<!ENTITY % not.qname "%MATHML.pfx;not"
>
<!ENTITY % notanumber.qname "%MATHML.pfx;notanumber" >
<!ENTITY % notin.qname "%MATHML.pfx;notin" >
<!ENTITY % notprsubset.qname "%MATHML.pfx;notprsubset" >
<!ENTITY % notsubset.qname "%MATHML.pfx;notsubset" >
<!ENTITY % or.qname "%MATHML.pfx;or" >
<!ENTITY % otherwise.qname "%MATHML.pfx;otherwise" >
<!ENTITY % outerproduct.qname "%MATHML.pfx;outerproduct" >
<!ENTITY % partialdiff.qname "%MATHML.pfx;partialdiff" >
<!ENTITY % pi.qname "%MATHML.pfx;pi" >
<!ENTITY % piece.qname "%MATHML.pfx;piece" >
<!ENTITY % piecewise.qname "%MATHML.pfx;piecewise" >
<!ENTITY % plus.qname "%MATHML.pfx;plus" >
<!ENTITY % power.qname "%MATHML.pfx;power" >
<!ENTITY % primes.qname "%MATHML.pfx;primes" >
<!ENTITY % product.qname "%MATHML.pfx;product" >
<!ENTITY % prsubset.qname "%MATHML.pfx;prsubset" >
<!ENTITY % quotient.qname "%MATHML.pfx;quotient" >
<!ENTITY % rationals.qname "%MATHML.pfx;rational" >
<!ENTITY % real.qname "%MATHML.pfx;real" >
<!ENTITY % reals.qname "%MATHML.pfx;reals" >
<!ENTITY %
reln.qname "%MATHML.pfx;reln" >
<!ENTITY % rem.qname "%MATHML.pfx;rem" >
<!ENTITY % root.qname "%MATHML.pfx;root" >
<!ENTITY % scalarproduct.qname "%MATHML.pfx;scalarproduct" >
<!ENTITY % sdev.qname "%MATHML.pfx;sdev" >
<!ENTITY % sec.qname "%MATHML.pfx;sec" >
<!ENTITY % sech.qname "%MATHML.pfx;sech" >
<!ENTITY % selector.qname "%MATHML.pfx;selector" >
<!ENTITY % semantics.qname "%MATHML.pfx;semantics" >
<!ENTITY % sep.qname "%MATHML.pfx;sep" >

```

```
<!ENTITY % set.qname "%MATHML.pfx;set" >
<!ENTITY % setdiff.qname "%MATHML.pfx;setdiff" >
<!ENTITY % share.qname "%MATHML.pfx;share" >
<!ENTITY % sin.qname "%MATHML.pfx;sin" >
<!ENTITY % sinh.qname "%MATHML.pfx;sinh" >
<!ENTITY % subset.qname "%MATHML.pfx;subset" >
<!ENTITY % sum.qname "%MATHML.pfx;sum" >
<!ENTITY % tan.qname "%MATHML.pfx;tan" >
<!ENTITY % tanh.qname "%MATHML.pfx;tanh" >
<!ENTITY % tendsto.qname "%MATHML.pfx;tendsto" >
<!ENTITY % times.qname "%MATHML.pfx;times" >
<!ENTITY % transpose.qname "%MATHML.pfx;transpose" >
<!ENTITY % true.qname
"%MATHML.pfx>true" >
<!ENTITY % union.qname "%MATHML.pfx;union" >
<!ENTITY % uplimit.qname "%MATHML.pfx;uplimit" >
<!ENTITY % variance.qname "%MATHML.pfx;variance" >
<!ENTITY % vector.qname "%MATHML.pfx;vector" >
<!ENTITY % vectorproduct.qname "%MATHML.pfx;vectorproduct" >
<!ENTITY % xor.qname "%MATHML.pfx;xor" >
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/mathml3-qname.mod
```

No license file was found, but licenses were detected in source scan.

<!--

File isolat1.ent produced by the XSL script entities.xsl  
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the  
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle  
via the public W3C list [www-math@w3.org](mailto:www-math@w3.org).

The numeric character values assigned to each entity  
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the  
following notice:

(C) International Organization for Standardization 1986  
Permission to copy in any form is granted for use with  
conforming SGML systems and applications as defined in

ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: -//W3C//ENTITIES

Added Latin 1//EN//XML

System identifier: <http://www.w3.org/2003/entities/2007/isolat1.ent>

The public identifier should always be used verbatim.

The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isolat1 PUBLIC
  "-//W3C//ENTITIES Added Latin 1//EN//XML"
  "http://www.w3.org/2003/entities/2007/isolat1.ent"
>
%isolat1;
```

-->

```
<!ENTITY aacute "&#x000E1;" ><!--LATIN SMALL LETTER A WITH ACUTE -->
<!ENTITY Aacute "&#x000C1;" ><!--LATIN CAPITAL LETTER A WITH ACUTE -->
<!ENTITY acirc "&#x000E2;" ><!--LATIN SMALL LETTER A WITH CIRCUMFLEX -->
<!ENTITY Acirc "&#x000C2;" ><!--LATIN CAPITAL LETTER A WITH CIRCUMFLEX -->
<!ENTITY aelig "&#x000E6;" ><!--LATIN SMALL LETTER AE -->
<!ENTITY Aelig "&#x000C6;" ><!--LATIN CAPITAL LETTER AE -->
<!ENTITY agrave "&#x000E0;" ><!--LATIN SMALL LETTER A WITH GRAVE -->
<!ENTITY Agrave
  "&#x000C0;" ><!--LATIN CAPITAL LETTER A WITH GRAVE -->
<!ENTITY aring "&#x000E5;" ><!--LATIN SMALL LETTER A WITH RING ABOVE -->
<!ENTITY Aring "&#x000C5;" ><!--LATIN CAPITAL LETTER A WITH RING ABOVE -->
<!ENTITY atilde "&#x000E3;" ><!--LATIN SMALL LETTER A WITH TILDE -->
<!ENTITY Atilde "&#x000C3;" ><!--LATIN CAPITAL LETTER A WITH TILDE -->
<!ENTITY auml "&#x000E4;" ><!--LATIN SMALL LETTER A WITH DIAERESIS -->
<!ENTITY Auml "&#x000C4;" ><!--LATIN CAPITAL LETTER A WITH DIAERESIS -->
<!ENTITY ccedil "&#x000E7;" ><!--LATIN SMALL LETTER C WITH CEDILLA -->
<!ENTITY Ccedil "&#x000C7;" ><!--LATIN CAPITAL LETTER C WITH CEDILLA -->
<!ENTITY eacute "&#x000E9;" ><!--LATIN SMALL LETTER E WITH ACUTE -->
<!ENTITY Eacute "&#x000C9;" ><!--LATIN CAPITAL LETTER E WITH ACUTE -->
<!ENTITY ecirc "&#x000EA;" ><!--LATIN SMALL LETTER E WITH CIRCUMFLEX -->
<!ENTITY Ecirc
  "&#x000CA;" ><!--LATIN CAPITAL LETTER E WITH CIRCUMFLEX -->
<!ENTITY egrave "&#x000E8;" ><!--LATIN SMALL LETTER E WITH GRAVE -->
<!ENTITY Egrave "&#x000C8;" ><!--LATIN CAPITAL LETTER E WITH GRAVE -->
```

```

<!ENTITY eth      "&#x00F0;" ><!--LATIN SMALL LETTER ETH -->
<!ENTITY ETH      "&#x00D0;" ><!--LATIN CAPITAL LETTER ETH -->
<!ENTITY euml     "&#x00EB;" ><!--LATIN SMALL LETTER E WITH DIAERESIS -->
<!ENTITY Euml     "&#x00CB;" ><!--LATIN CAPITAL LETTER E WITH DIAERESIS -->
<!ENTITY iacute   "&#x00ED;" ><!--LATIN SMALL LETTER I WITH ACUTE -->
<!ENTITY Iacute   "&#x00CD;" ><!--LATIN CAPITAL LETTER I WITH ACUTE -->
<!ENTITY icirc    "&#x00EE;" ><!--LATIN SMALL LETTER I WITH CIRCUMFLEX -->
<!ENTITY Icirc    "&#x00CE;" ><!--LATIN CAPITAL LETTER I WITH CIRCUMFLEX -->
<!ENTITY igrave   "&#x00EC;" ><!--LATIN SMALL LETTER I WITH GRAVE -->
<!ENTITY Igrave   "&#x00CC;" ><!--LATIN CAPITAL LETTER
I WITH GRAVE -->
<!ENTITY iuml     "&#x00EF;" ><!--LATIN SMALL LETTER I WITH DIAERESIS -->
<!ENTITY Iuml     "&#x00CF;" ><!--LATIN CAPITAL LETTER I WITH DIAERESIS -->
<!ENTITY ntilde   "&#x00F1;" ><!--LATIN SMALL LETTER N WITH TILDE -->
<!ENTITY Ntilde   "&#x00D1;" ><!--LATIN CAPITAL LETTER N WITH TILDE -->
<!ENTITY oacute   "&#x00F3;" ><!--LATIN SMALL LETTER O WITH ACUTE -->
<!ENTITY Oacute   "&#x00D3;" ><!--LATIN CAPITAL LETTER O WITH ACUTE -->
<!ENTITY ocirc    "&#x00F4;" ><!--LATIN SMALL LETTER O WITH CIRCUMFLEX -->
<!ENTITY Ocirc    "&#x00D4;" ><!--LATIN CAPITAL LETTER O WITH CIRCUMFLEX -->
<!ENTITY ograve   "&#x00F2;" ><!--LATIN SMALL LETTER O WITH GRAVE -->
<!ENTITY Ograve   "&#x00D2;" ><!--LATIN CAPITAL LETTER O WITH GRAVE -->
<!ENTITY oslash   "&#x00F8;" ><!--LATIN SMALL LETTER O WITH STROKE -->
<!ENTITY Oslash   "&#x00D8;" ><!--LATIN CAPITAL LETTER O WITH STROKE -->
<!ENTITY
otilde          "&#x00F5;" ><!--LATIN SMALL LETTER O WITH TILDE -->
<!ENTITY Otilde  "&#x00D5;" ><!--LATIN CAPITAL LETTER O WITH TILDE -->
<!ENTITY ouml     "&#x00F6;" ><!--LATIN SMALL LETTER O WITH DIAERESIS -->
<!ENTITY Ouml     "&#x00D6;" ><!--LATIN CAPITAL LETTER O WITH DIAERESIS -->
<!ENTITY szlig    "&#x00DF;" ><!--LATIN SMALL LETTER SHARP S -->
<!ENTITY thorn    "&#x00FE;" ><!--LATIN SMALL LETTER THORN -->
<!ENTITY THORN    "&#x00DE;" ><!--LATIN CAPITAL LETTER THORN -->
<!ENTITY uacute   "&#x00FA;" ><!--LATIN SMALL LETTER U WITH ACUTE -->
<!ENTITY Uacute   "&#x00DA;" ><!--LATIN CAPITAL LETTER U WITH ACUTE -->
<!ENTITY ucirc    "&#x00FB;" ><!--LATIN SMALL LETTER U WITH CIRCUMFLEX -->
<!ENTITY Ucirc    "&#x00DB;" ><!--LATIN CAPITAL LETTER U WITH CIRCUMFLEX -->
<!ENTITY ugrave   "&#x00F9;" ><!--LATIN SMALL LETTER U WITH GRAVE -->
<!ENTITY Ugrave   "&#x00D9;" ><!--LATIN
CAPITAL LETTER U WITH GRAVE -->
<!ENTITY uuml     "&#x00FC;" ><!--LATIN SMALL LETTER U WITH DIAERESIS -->
<!ENTITY Uuml     "&#x00DC;" ><!--LATIN CAPITAL LETTER U WITH DIAERESIS -->
<!ENTITY yacute   "&#x00FD;" ><!--LATIN SMALL LETTER Y WITH ACUTE -->
<!ENTITY Yacute   "&#x00DD;" ><!--LATIN CAPITAL LETTER Y WITH ACUTE -->
<!ENTITY yuml     "&#x00FF;" ><!--LATIN SMALL LETTER Y WITH DIAERESIS -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isolat1.ent

```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML-Print 1.0 Document Model Module ..... -->
<!-- file: xhtml-print10-model-1.mod
```

This is XHTML-Print 1.0, a variant of XHTML Basic for printing.  
Copyright 1998-2003 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-print10-model-1.mod,v 1.7 2003/10/24 22:14:40 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML-Print 1.0 Document Model 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-print10-model-1.mod"
```

```
..... -->
```

```
<!-- XHTML-Print 1.0 Document Model
```

This module describes the groupings of elements that make up  
common content models for XHTML-Print elements.

```
-->
```

```
<!-- Optional Elements in head .....
```

```
-->
```

```
<!ENTITY % HeadOpts.mix
```

```
"( %script.qname; | %style.qname; | %meta.qname; | %link.qname;
| %object.qname; )" >
```

```
<!-- Miscellaneous Elements ..... -->
```

```
<!ENTITY % Script.class "| %script.qname; | %noscript.qname;" >
```

```
<!ENTITY % Misc.extra "" >
```

```
<!ENTITY % Misc.class
```

```
"%Script.class;
%Misc.extra;"
```

```
>
```

```
<!-- Inline Elements ..... -->
```

```
<!ENTITY % InlStruct.class "%br.qname; | %span.qname;" >
```

```
<!ENTITY % InlPhras.class
```

```
"| %em.qname; | %strong.qname; | %dfn.qname; | %code.qname;
| %samp.qname; | %kbd.qname; | %var.qname; | %cite.qname;
```

```

| %abbr.qname; | %acronym.qname; | %q.qname;" >

<!ENTITY % InlPres.class
  "| %tt.qname; | %i.qname; | %b.qname; | %big.qname;
  | %small.qname; | %sub.qname; | %sup.qname; " >

<!ENTITY % I18n.class "" >

<!ENTITY % Anchor.class "| %a.qname;" >

<!ENTITY % InlSpecial.class "| %img.qname; | %object.qname;" >

<!ENTITY % InlForm.class
  "| %input.qname;
  | %select.qname; | %textarea.qname;
  | %label.qname;"
>

<!ENTITY % Inline.extra "" >

<!ENTITY % Inline.class
  "%InlStruct.class;
  %InlPhras.class;
  %InlPres.class;
  %Anchor.class;
  %InlSpecial.class;
  %InlForm.class;
  %Inline.extra;"
>

<!ENTITY % InlNoAnchor.class
  "%InlStruct.class;
  %InlPhras.class;
  %InlPres.class;
  %InlSpecial.class;
  %InlForm.class;
  %Inline.extra;"
>

<!ENTITY % InlNoAnchor.mix
  "%InlNoAnchor.class;
  %Misc.class;"
>

<!ENTITY % Inline.mix
  "%Inline.class;
  %Misc.class;"
>

```

```

<!-- Block Elements ..... -->

<!ENTITY % Heading.class
    "%h1.qname; | %h2.qname; | %h3.qname;
    | %h4.qname; | %h5.qname; | %h6.qname;"
>
<!ENTITY % List.class "%ul.qname; | %ol.qname; | %dl.qname;" >

<!ENTITY % Table.class "| %table.qname;" >

<!ENTITY % Form.class "| %form.qname;" >

<!ENTITY % BlkStruct.class "%p.qname; | %div.qname;" >

<!ENTITY %
    BlkPhras.class
    "| %pre.qname; | %blockquote.qname; | %address.qname;"
>

<!ENTITY % BlkPres.class "| %hr.qname;" >

<!ENTITY % BlkSpecial.class
    "%Table.class;
    %Form.class;"
>

<!ENTITY % Block.extra "" >

<!ENTITY % Block.class
    "%BlkStruct.class;
    %BlkPhras.class;
    %BlkPres.class;
    %BlkSpecial.class;
    %Block.extra;"
>

<!ENTITY % Block.mix
    "%Heading.class;
    | %List.class;
    | %Block.class;
    %Misc.class;"
>

<!-- All Content Elements ..... -->

<!ENTITY % FlowNoTable.mix
    "%Heading.class;

```

```
| %List.class;
| %BlkStruct.class;
%BlkPhras.class;
%BlkPres.class;
%Form.class;
%Block.extra;
| %Inline.class;
%Misc.class;"
>
```

```
<!ENTITY % Flow.mix
"%Heading.class;
| %List.class;
| %Block.class;
| %Inline.class;
%Misc.class;"
>
```

```
<!-- end of xhtml-print10-model-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-print10-model-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Extensibility Module ..... -->
<!-- file: svg-extensibility.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-extensibility.mod,v 1.4 2002/11/14 15:11:02 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Extensibility//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-extensibility.mod"
```

```
..... -->
```

```
<!-- Extensibility
```

```
foreignObject
```

This module declares markup to provide support for extensibility.

```
-->
```

```
<!-- Qualified Names (Default) ..... -->
```

```

<!ENTITY % SVG.foreignObject.qname
"foreignObject" >

<!-- Attribute Collections (Default) ..... -->

<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.Conditional.attrib "" >
<!ENTITY % SVG.Style.attrib "" >
<!ENTITY % SVG.Viewport.attrib "" >
<!ENTITY % SVG.Text.attrib "" >
<!ENTITY % SVG.TextContent.attrib "" >
<!ENTITY % SVG.Font.attrib "" >
<!ENTITY % SVG.Paint.attrib "" >
<!ENTITY % SVG.Color.attrib "" >
<!ENTITY % SVG.Opacity.attrib "" >
<!ENTITY % SVG.Graphics.attrib "" >
<!ENTITY % SVG.Marker.attrib "" >
<!ENTITY % SVG.Gradient.attrib "" >
<!ENTITY % SVG.Clip.attrib "" >
<!ENTITY % SVG.Mask.attrib "" >
<!ENTITY % SVG.Filter.attrib "" >
<!ENTITY % SVG.FilterColor.attrib "" >
<!ENTITY % SVG.GraphicalEvents.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Extensibility.class ..... -->

<!ENTITY % SVG.Extensibility.extra.class "" >

<!ENTITY % SVG.Extensibility.class
"| %SVG.foreignObject.qname; %SVG.Extensibility.extra.class;"
>

<!--
SVG.Presentation.attrib ..... -->

<!ENTITY % SVG.Presentation.extra.attrib "" >

<!ENTITY % SVG.Presentation.attrib
"%SVG.Container.attrib;
%SVG.Viewport.attrib;
%SVG.Text.attrib;
%SVG.TextContent.attrib;
%SVG.Font.attrib;
%SVG.Paint.attrib;
%SVG.Color.attrib;

```

```

%SVG.Opacity.attrib;
%SVG.Graphics.attrib;
%SVG.Marker.attrib;
%SVG.ColorProfile.attrib;
%SVG.Gradient.attrib;
%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;
%SVG.FilterColor.attrib;
%SVG.Cursor.attrib;
flood-color %SVGColor.datatype; #IMPLIED
flood-opacity %OpacityValue.datatype; #IMPLIED
lighting-color %SVGColor.datatype; #IMPLIED
%SVG.Presentation.extra.attrib;"
>

<!-- foreignObject: Foreign Object Element ..... -->

<!ENTITY % SVG.foreignObject.extra.content "" >

<!ENTITY % SVG.foreignObject.element "INCLUDE" >
<![%SVG.foreignObject.element;[
<!ENTITY % SVG.foreignObject.content
    "( #PCDATA %SVG.foreignObject.extra.content; )*"
>
<!ELEMENT %SVG.foreignObject.qname; %SVG.foreignObject.content; >
<!-- end of SVG.foreignObject.element -->]]>

<!ENTITY % SVG.foreignObject.attlist "INCLUDE" >
<![%SVG.foreignObject.attlist;[
<!ATTLIST %SVG.foreignObject.qname;
    %SVG.Core.attrib;
    %SVG.Conditional.attrib;
    %SVG.Style.attrib;
    %SVG.Presentation.attrib;
    %SVG.GraphicalEvents.attrib;
    %SVG.External.attrib;
    x %Coordinate.datatype; #IMPLIED
    y %Coordinate.datatype; #IMPLIED
    width %Length.datatype; #REQUIRED
    height %Length.datatype; #REQUIRED
    transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.foreignObject.attlist -->]]>

<!-- end of svg-extensibility.mod -->

```

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-  
extensibility.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->  
<!-- SVG 1.1 Document Events Attribute Module ..... -->  
<!-- file: svg-docevents-attrib.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-docevents-attrib.mod,v 1.2 2002/04/20 18:07:42 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Document Events Attribute//EN"  
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-docevents-attrib.mod"
```

```
..... -->
```

```
<!-- Document Events Attribute
```

```
    onunload, onabort, onerror, onresize, onscroll, onzoom
```

```
    This module defines the DocumentEvents attribute set.
```

```
-->
```

```
<!ENTITY % SVG.onunload.attrib  
    "onunload %Script.datatype; #IMPLIED"  
>
```

```
<!ENTITY % SVG.onabort.attrib  
    "onabort %Script.datatype; #IMPLIED"  
>
```

```
<!ENTITY % SVG.onerror.attrib  
    "onerror %Script.datatype; #IMPLIED"  
>
```

```
<!ENTITY % SVG.onresize.attrib  
    "onresize %Script.datatype; #IMPLIED"  
>
```

```
<!ENTITY % SVG.onscroll.attrib  
    "onscroll %Script.datatype; #IMPLIED"  
>
```

```
<!ENTITY % SVG.onzoom.attrib  
    "onzoom %Script.datatype; #IMPLIED"
```

>  
<!ENTITY % SVG.DocumentEvents.extra.attrib "" >

<!ENTITY % SVG.DocumentEvents.attrib  
"%SVG.onunload.attrib;  
%SVG.onabort.attrib;  
%SVG.onerror.attrib;  
%SVG.onresize.attrib;  
%SVG.onscroll.attrib;  
%SVG.onzoom.attrib;  
%SVG.DocumentEvents.extra.attrib;"  
>

<!-- end of svg-docevents-attrib.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-docevents-attrib.mod

No license file was found, but licenses were detected in source scan.

<!-- ..... -->  
<!-- XHTML Inline Style Module ..... -->  
<!-- file: xhtml-inlstyle-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-inlstyle-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ENTITIES XHTML Inline Style 1.0//EN"  
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-inlstyle-1.mod"

Revisions:

(none)

..... -->

<!-- Inline Style

This module declares the 'style' attribute, used to support inline style markup. This module must be instantiated prior to the XHTML Common Attributes module in order to be included in %Core.attrib;.  
-->

<!ENTITY % style.attrib  
"style CDATA #IMPLIED"

>

```
<!ENTITY % Core.extra.attrib
"%style.attrib;"
```

>

```
<!-- end of xhtml-instyle-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-instyle-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
```

```
<!-- SVG 1.1 Modular Framework Module ..... -->
```

```
<!-- file: svg-framework.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg-framework.mod,v 1.2 2002/04/20 18:07:43 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Modular Framework//EN"
```

```
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-framework.mod"
```

```
..... -->
```

```
<!-- Modular Framework
```

This module instantiates the modules needed to support the SVG modularization model, including:

- + Datatypes

- + Qualified Name

- + Document Model

- + Attribute

Collection

```
-->
```

```
<!ENTITY % svg-datatypes.module "INCLUDE" >
```

```
<![%svg-datatypes.module;[
```

```
<!ENTITY % svg-datatypes.mod
```

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Datatypes//EN"
```

```
"svg-datatypes.mod" >
```

```
%svg-datatypes.mod;]]>
```

```

<!ENTITY % svg-qname.module "INCLUDE" >
<![%svg-qname.module;[
<!ENTITY % svg-qname.mod
PUBLIC "-//W3C//ENTITIES SVG 1.1 Qualified Name//EN"
"svg-qname.mod" >
%svg-qname.mod;]]>

<!ENTITY % svg-model.module "INCLUDE" >
<![%svg-model.module;[
<!-- instantiate the Document Model declared in the DTD driver -->
%svg-model.mod;]]>

<!ENTITY % svg-attribs.module "INCLUDE" >
<![%svg-attribs.module;[
<!-- instantiate the Attribute Collection declared in the DTD driver -->
%svg-attribs.mod;]]>

<!-- end of svg-framework.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
framework.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- RDDL 1.0 Document Model Module ..... -->
<!-- file: xhtml-rddl-model-1.mod

```

Derived from:

```

-->
<!--

```

This is XHTML Basic, a proper subset of XHTML.

Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: xhtml-rddl-model-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//XML-DEV//ENTITIES RDDL Document Model 1.0//EN"
SYSTEM "http://www.rddl.org/xhtml-rddl-model-1.mod"

```

Revisions:

(none)

```

..... -->

```

```

<!-- RDDL Document Model

```

This module describes the groupings of elements that make up

common content models for XHTML elements.

-->

<!-- Optional Elements in head ..... -->

<!ENTITY

% HeadOpts.mix

"( %meta.qname; | %link.qname; | %object.qname; )" >

<!-- Miscellaneous Elements ..... -->

<!ENTITY % Misc.class "" >

<!-- Inline Elements ..... -->

<!ENTITY % InlStruct.class "%br.qname; | %span.qname;" >

<!ENTITY % InlPhras.class

"| %em.qname; | %strong.qname; | %dfn.qname; | %code.qname;

| %samp.qname; | %kbd.qname; | %var.qname; | %cite.qname;

| %abbr.qname; | %acronym.qname; | %q.qname;" >

<!ENTITY % InlPres.class "" >

<!ENTITY % I18n.class "" >

<!ENTITY % Anchor.class "| %a.qname;" >

<!ENTITY % InlSpecial.class "| %img.qname; | %object.qname;" >

<!ENTITY % InlForm.class

"| %input.qname; | %select.qname; | %textarea.qname;

| %label.qname;"

>

<!ENTITY % Inline.extra "" >

<!ENTITY % Inline.class

"%InlStruct.class;

%InlPhras.class;

%Anchor.class;

%InlSpecial.class;

%InlForm.class;

%Inline.extra;"

>

<!ENTITY % InlNoAnchor.class

"%InlStruct.class;

```

    %InlPhras.class;
    %InlSpecial.class;
    %InlForm.class;
    %Inline.extra;"
>

<!ENTITY % InlNoAnchor.mix
    "%InlNoAnchor.class;
    %Misc.class;"
>

<!ENTITY % Inline.mix
    "%Inline.class;
    %Misc.class;"
>

<!-- Block Elements ..... -->

<!ENTITY % Heading.class
    "%h1.qname; | %h2.qname; | %h3.qname;
    | %h4.qname; | %h5.qname; | %h6.qname;"
>
<!ENTITY % List.class "%ul.qname; | %ol.qname; | %dl.qname;" >

<!ENTITY % Table.class "| %table.qname;" >

<!ENTITY % Form.class "| %form.qname;" >

<!ENTITY % BlkStruct.class "%p.qname; | %div.qname; | %RDDL.resource.qname;" >

<!ENTITY % BlkPhras.class
    "| %pre.qname; | %blockquote.qname; | %address.qname;"
>

<!ENTITY % BlkPres.class "" >

<!ENTITY % BlkSpecial.class
    "%Table.class;
    %Form.class;"
>

<!ENTITY % Block.extra "" >

<!ENTITY % Block.class
    "%BlkStruct.class;
    %BlkPhras.class;
    %BlkSpecial.class;
    %Block.extra;"

```

```

>

<!ENTITY % Block.mix
  "%Heading.class;
  | %List.class;
  | %Block.class;
  %Misc.class;"
>

<!-- All Content Elements ..... -->

<!-- declares all content except tables
-->
<!ENTITY % FlowNoTable.mix
  "%Heading.class;
  | %List.class;
  | %BlkStruct.class;
  %BlkPhras.class;
  %Form.class;
  %Block.extra;
  | %Inline.class;
  %Misc.class;"
>

<!ENTITY % Flow.mix
  "%Heading.class;
  | %List.class;
  | %Block.class;
  | %Inline.class;
  %Misc.class;"
>

<!-- end of xhtml-basic10-model-1.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-rddl-model-1.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Images Module ..... -->
<!-- file: xhtml-image-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.  
 Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.  
 Revision: \$Id: xhtml-image-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Images 1.0//EN"  
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-image-1.mod"

Revisions:

(none)

..... -->

<!-- Images

img

This module provides markup to support basic image embedding.

-->

<!-- To avoid problems with text-only UAs as well as to make  
image content understandable and navigable  
to users of  
non-visual UAs, you need to provide a description with  
the 'alt' attribute, and avoid server-side image maps.

-->

<!ENTITY % img.element "INCLUDE" >  
<![%img.element;[  
<!ENTITY % img.content "EMPTY" >  
<!ENTITY % img.qname "img" >  
<!ELEMENT %img.qname; %img.content; >  
<!-- end of img.element -->]]>

<!ENTITY % img.attlist "INCLUDE" >  
<![%img.attlist;[  
<!ATTLIST %img.qname;  
%Common.attrib;  
src %URI.datatype; #REQUIRED  
alt %Text.datatype; #REQUIRED  
longdesc %URI.datatype; #IMPLIED  
height %Length.datatype; #IMPLIED  
width %Length.datatype; #IMPLIED  
>  
<!-- end of img.attlist -->]]>

<!-- end of xhtml-image-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-image-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Target Module ..... -->
<!-- file: xhtml-target-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-target-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Target 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-target-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Target
```

```
    target
```

This module declares the 'target' attribute used for opening windows  
-->

```
<!-- render in this frame -->
```

```
<!ENTITY % FrameTarget.datatype "CDATA" >
```

```
<!-- add 'target' attribute
```

```
to 'a' element -->
```

```
<!ATTLIST %a.qname;
```

```
    target    %FrameTarget.datatype; #IMPLIED
```

```
>
```

```
<!-- add 'target' attribute to 'area' element -->
```

```
<!ATTLIST %area.qname;
```

```
    target    %FrameTarget.datatype; #IMPLIED
```

```
>
```

```
<!-- add 'target' attribute to 'link' element -->
```

```
<!ATTLIST %link.qname;
```

```
    target    %FrameTarget.datatype; #IMPLIED
```

```
>
```

```
<!-- add 'target' attribute to 'form' element -->
```

```
<!ATTLIST %form.qname;
```

```
    target    %FrameTarget.datatype; #IMPLIED
```

```
>
```

```
<!-- add 'target' attribute to 'base' element -->
<!ATTLIST %base.qname;
  target    %FrameTarget.datatype; #IMPLIED
>
```

```
<!-- end of xhtml-target-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-target-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Block Phrasal Module ..... -->
<!-- file: xhtml-blkphras-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-blkphras-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Block Phrasal 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-blkphras-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Block Phrasal
```

```
  address, blockquote, pre, h1, h2, h3, h4, h5, h6
```

This module declares the elements and their attributes used to  
support block-level phrasal markup.

```
-->
```

```
<!ENTITY
% address.element "INCLUDE" >
<![%address.element;[
<!ENTITY % address.content
  "( #PCDATA | %Inline.mix; )*" >
<!ENTITY % address.qname "address" >
<!ELEMENT %address.qname; %address.content; >
<!-- end of address.element -->]]>
```

```
<!ENTITY % address.attlist "INCLUDE" >
<![%address.attlist;[
```

```

<!ATTLIST %address.qname;
    %Common.attrib;
>
<!-- end of address.attlist -->]]>

<!ENTITY % blockquote.element "INCLUDE" >
<![%blockquote.element;[
<!ENTITY % blockquote.content
    "( %Block.mix; )*"
>
<!ENTITY % blockquote.qname "blockquote" >
<!ELEMENT %blockquote.qname; %blockquote.content; >
<!-- end of blockquote.element -->]]>

<!ENTITY % blockquote.attlist "INCLUDE" >
<![%blockquote.attlist;[
<!ATTLIST %blockquote.qname;
    %Common.attrib;
    cite    %URI.datatype;    #IMPLIED
>
<!-- end of blockquote.attlist -->]]>

<!ENTITY % pre.element "INCLUDE" >
<![%pre.element;[
<!ENTITY % pre.content
    "( #PCDATA
    | %InlStruct.class;
    %InlPhras.class;
    | %tt.qname; | %i.qname; | %b.qname;
    %I18n.class;
    %Anchor.class;
    | %map.qname;
    %Misc.class;
    %Inline.extra; )*"
>
<!ENTITY % pre.qname "pre" >
<!ELEMENT %pre.qname; %pre.content; >
<!-- end of pre.element -->]]>

<!ENTITY % pre.attlist "INCLUDE" >
<![%pre.attlist;[
<!ATTLIST %pre.qname;
    %Common.attrib;
>
<!-- end of pre.attlist -->]]>

<!-- ..... Heading Elements ..... -->

```

```
<!ENTITY % Heading.content "( #PCDATA | %Inline.mix; )*" >
```

```
<!ENTITY % h1.element "INCLUDE" >
```

```
<![%h1.element;[
```

```
<!ENTITY % h1.qname "h1" >
```

```
<!ELEMENT %h1.qname; %Heading.content; >
```

```
<!-- end of h1.element -->]]>
```

```
<!ENTITY % h1.attlist "INCLUDE" >
```

```
<![%h1.attlist;[
```

```
<!ATTLIST %h1.qname;
```

```
    %Common.attrib;
```

```
>
```

```
<!-- end of h1.attlist -->]]>
```

```
<!ENTITY % h2.element "INCLUDE" >
```

```
<![%h2.element;[
```

```
<!ENTITY % h2.qname "h2" >
```

```
<!ELEMENT %h2.qname; %Heading.content; >
```

```
<!-- end of h2.element -->]]>
```

```
<!ENTITY % h2.attlist "INCLUDE" >
```

```
<![%h2.attlist;[
```

```
<!ATTLIST
```

```
%h2.qname;
```

```
    %Common.attrib;
```

```
>
```

```
<!-- end of h2.attlist -->]]>
```

```
<!ENTITY % h3.element "INCLUDE" >
```

```
<![%h3.element;[
```

```
<!ENTITY % h3.qname "h3" >
```

```
<!ELEMENT %h3.qname; %Heading.content; >
```

```
<!-- end of h3.element -->]]>
```

```
<!ENTITY % h3.attlist "INCLUDE" >
```

```
<![%h3.attlist;[
```

```
<!ATTLIST %h3.qname;
```

```
    %Common.attrib;
```

```
>
```

```
<!-- end of h3.attlist -->]]>
```

```
<!ENTITY % h4.element "INCLUDE" >
```

```
<![%h4.element;[
```

```
<!ENTITY % h4.qname "h4" >
```

```
<!ELEMENT %h4.qname; %Heading.content; >
```

```
<!-- end of h4.element -->]]>
```

```
<!ENTITY % h4.attlist "INCLUDE" >
<![%h4.attlist;[
<!ATTLIST %h4.qname;
    %Common.attrib;
>
<!-- end of h4.attlist -->]]>
```

```
<!ENTITY % h5.element "INCLUDE" >
<![%h5.element;[
<!ENTITY % h5.qname "h5" >
<!ELEMENT %h5.qname; %Heading.content; >
<!-- end of h5.element -->]]>
```

```
<!ENTITY % h5.attlist "INCLUDE" >
<![%h5.attlist;[
<!ATTLIST %h5.qname;
    %Common.attrib;
>
<!-- end of h5.attlist -->]]>
```

```
<!ENTITY % h6.element "INCLUDE" >
<![%h6.element;[
<!ENTITY % h6.qname "h6"
>
<!ELEMENT %h6.qname; %Heading.content; >
<!-- end of h6.element -->]]>
```

```
<!ENTITY % h6.attlist "INCLUDE" >
<![%h6.attlist;[
<!ATTLIST %h6.qname;
    %Common.attrib;
>
<!-- end of h6.attlist -->]]>
```

```
<!-- end of xhtml-blkphras-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-blkphras-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Block Structural Module ..... -->
<!-- file: xhtml-blkstruct-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: xhtml-blkstruct-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Block Structural 1.0//EN"

SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-blkstruct-1.mod"

Revisions:

(none)

..... -->

<!-- Block Structural

div, p

This module declares the elements and their attributes used to support block-level structural markup.

-->

<!ENTITY % div.element

"INCLUDE" >

<![%div.element;[

<!ENTITY % div.content

"( #PCDATA | %Flow.mix; )\*"

>

<!ENTITY % div.qname "div" >

<!ELEMENT %div.qname; %div.content; >

<!-- end of div.element -->]]>

<!ENTITY % div.attlist "INCLUDE" >

<![%div.attlist;[

<!-- end of div.attlist -->]]>

<!ATTLIST %div.qname;

%Common.attrib;

>

<!ENTITY % p.element "INCLUDE" >

<![%p.element;[

<!ENTITY % p.content

"( #PCDATA | %Inline.mix; )\*" >

<!ENTITY % p.qname "p" >

<!ELEMENT %p.qname; %p.content; >

<!-- end of p.element -->]]>

<!ENTITY % p.attlist "INCLUDE" >

<![%p.attlist;[

<!ATTLIST %p.qname;

%Common.attrib;

>

<!-- end of p.attlist -->]]>

<!-- end of xhtml-blkstruct-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-blkstruct-1.mod

No license file was found, but licenses were detected in source scan.

// This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0.

// This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

/\*\*

\* Get a Stack Frame Map containing definitions of all the declared variables. This will return a newly  
\* created object that the caller is free to modify by adding additional variables, without affecting  
\* the static context itself.  
\*  
\* @return a SlotManager object holding details of the allocation of variables on the stack frame.  
\*/

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/sxpath/XPathStaticContext.java

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- SVG 1.1 Graphics Attribute Module ..... -->

<!-- file: svg-graphics-attr.mod

This is SVG, a language for describing two-dimensional graphics in XML.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg-graphics-attr.mod,v 1.2 2002/04/20 18:07:43 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ENTITIES SVG 1.1 Graphics Attribute//EN"

SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-graphics-attr.mod"

..... -->

<!-- Graphics Attribute

display, image-rendering, pointer-events, shape-rendering,  
text-rendering, visibility

This module defines the Graphics attribute set.

-->

```

<!ENTITY %
SVG.display.attrib
"display ( inline | block | list-item | run-in | compact | marker |
table | inline-table | table-row-group | table-header-group |
table-footer-group | table-row | table-column-group |
table-column | table-cell | table-caption | none | inherit )
#IMPLIED"
>

<!ENTITY % SVG.image-rendering.attrib
"image-rendering ( auto | optimizeSpeed | optimizeQuality | inherit )
#IMPLIED"
>

<!ENTITY % SVG.pointer-events.attrib
"pointer-events ( visiblePainted | visibleFill | visibleStroke | visible |
painted | fill | stroke | all | none | inherit )
#IMPLIED"
>

<!ENTITY % SVG.shape-rendering.attrib
"shape-rendering ( auto | optimizeSpeed | crispEdges | geometricPrecision |
inherit ) #IMPLIED"
>

<!ENTITY % SVG.text-rendering.attrib
"text-rendering ( auto | optimizeSpeed | optimizeLegibility |
geometricPrecision | inherit ) #IMPLIED"
>

<!ENTITY % SVG.visibility.attrib
"visibility ( visible | hidden | inherit ) #IMPLIED"
>

<!ENTITY % SVG.Graphics.extra.attrib "" >

<!ENTITY % SVG.Graphics.attrib
"%SVG.display.attrib;
%SVG.image-rendering.attrib;
%SVG.pointer-events.attrib;
%SVG.shape-rendering.attrib;
%SVG.text-rendering.attrib;
%SVG.visibility.attrib;
%SVG.Graphics.extra.attrib;"
>

<!-- end of svg-graphics-attr.mod -->

```

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-graphics-attrib.mod

No license file was found, but licenses were detected in source scan.

<!--

File isogr3.ent produced by the XSL script entities.xml  
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the  
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle  
via the public W3C list [www-math@w3.org](mailto:www-math@w3.org).

The numeric character values assigned to each entity  
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the  
following notice:

(C) International Organization for Standardization 1991  
Permission to copy in any form is granted for use with  
conforming SGML systems and applications as defined in  
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: `-//W3C//ENTITIES  
Greek Symbols//EN//XML`  
System identifier: `http://www.w3.org/2003/entities/2007/isogr3.ent`

The public identifier should always be used verbatim.  
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isogr3 PUBLIC
"-//W3C//ENTITIES Greek Symbols//EN//XML"
"http://www.w3.org/2003/entities/2007/isogr3.ent"
>
```

%isogr3;

-->

<!ENTITY alpha	"&#x003B1;" ><!--GREEK SMALL LETTER ALPHA -->
<!ENTITY beta	"&#x003B2;" ><!--GREEK SMALL LETTER BETA -->
<!ENTITY chi	"&#x003C7;" ><!--GREEK SMALL LETTER CHI -->
<!ENTITY delta	"&#x003B4;" ><!--GREEK SMALL LETTER DELTA -->
<!ENTITY Delta	"&#x00394;" ><!--GREEK CAPITAL LETTER DELTA -->
<!ENTITY epsi	"&#x003B5;" ><!--GREEK SMALL LETTER EPSILON -->
<!ENTITY epsiv	"&#x003F5;" ><!--GREEK LUNATE EPSILON SYMBOL -->
<!ENTITY eta	"&#x003B7;" ><!--GREEK SMALL
LETTER ETA -->	
<!ENTITY gamma	"&#x003B3;" ><!--GREEK SMALL LETTER GAMMA -->
<!ENTITY Gamma	"&#x00393;" ><!--GREEK CAPITAL LETTER GAMMA -->
<!ENTITY gammad	"&#x003DD;" ><!--GREEK SMALL LETTER DIGAMMA -->
<!ENTITY Gammad	"&#x003DC;" ><!--GREEK LETTER DIGAMMA -->
<!ENTITY iota	"&#x003B9;" ><!--GREEK SMALL LETTER IOTA -->
<!ENTITY kappa	"&#x003BA;" ><!--GREEK SMALL LETTER KAPPA -->
<!ENTITY kappav	"&#x003F0;" ><!--GREEK KAPPA SYMBOL -->
<!ENTITY lambda	"&#x003BB;" ><!--GREEK SMALL LETTER LAMDA -->
<!ENTITY Lambda	"&#x0039B;" ><!--GREEK CAPITAL LETTER LAMDA -->
<!ENTITY mu	"&#x003BC;" ><!--GREEK SMALL LETTER MU -->
<!ENTITY nu	"&#x003BD;" ><!--GREEK SMALL LETTER NU -->
<!ENTITY omega	"&#x003C9;" ><!--GREEK SMALL LETTER OMEGA -->
<!ENTITY Omega	"&#x003A9;" ><!--GREEK CAPITAL LETTER OMEGA -->
<!ENTITY phi	"&#x003C6;" ><!--GREEK SMALL LETTER
PHI -->	
<!ENTITY Phi	"&#x003A6;" ><!--GREEK CAPITAL LETTER PHI -->
<!ENTITY phiv	"&#x003D5;" ><!--GREEK PHI SYMBOL -->
<!ENTITY pi	"&#x003C0;" ><!--GREEK SMALL LETTER PI -->
<!ENTITY Pi	"&#x003A0;" ><!--GREEK CAPITAL LETTER PI -->
<!ENTITY piv	"&#x003D6;" ><!--GREEK PI SYMBOL -->
<!ENTITY psi	"&#x003C8;" ><!--GREEK SMALL LETTER PSI -->
<!ENTITY Psi	"&#x003A8;" ><!--GREEK CAPITAL LETTER PSI -->
<!ENTITY rho	"&#x003C1;" ><!--GREEK SMALL LETTER RHO -->
<!ENTITY rhov	"&#x003F1;" ><!--GREEK RHO SYMBOL -->
<!ENTITY sigma	"&#x003C3;" ><!--GREEK SMALL LETTER SIGMA -->
<!ENTITY Sigma	"&#x003A3;" ><!--GREEK CAPITAL LETTER SIGMA -->
<!ENTITY sigmav	"&#x003C2;" ><!--GREEK SMALL LETTER FINAL SIGMA -->
<!ENTITY tau	"&#x003C4;" ><!--GREEK SMALL LETTER TAU -->
<!ENTITY theta	"&#x003B8;" ><!--GREEK SMALL LETTER THETA -->
<!ENTITY	
Theta	"&#x00398;" ><!--GREEK CAPITAL LETTER THETA -->
<!ENTITY thetav	"&#x003D1;" ><!--GREEK THETA SYMBOL -->
<!ENTITY upsi	"&#x003C5;" ><!--GREEK SMALL LETTER UPSILON -->
<!ENTITY Upsi	"&#x003D2;" ><!--GREEK UPSILON WITH HOOK SYMBOL -->
<!ENTITY xi	"&#x003BE;" ><!--GREEK SMALL LETTER XI -->

```
<!ENTITY Xi          "Ξ" ><!--GREEK CAPITAL LETTER XI -->
<!ENTITY zeta       "ζ" ><!--GREEK SMALL LETTER ZETA -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isogr3.ent
```

No license file was found, but licenses were detected in source scan.

```
<!--
```

File isonum.ent produced by the XSL script entities.xsl  
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the  
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle  
via the public W3C list [www-math@w3.org](mailto:www-math@w3.org).

The numeric character values assigned to each entity  
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the  
following notice:

(C) International Organization for Standardization 1986  
Permission to copy in any form is granted for use with  
conforming SGML systems and applications as defined in  
ISO 8879, provided this notice is included in all copies.

```
-->
```

```
<!--
```

Public identifier: `-//W3C//ENTITIES`  
Numeric and Special Graphic//EN//XML  
System identifier: <http://www.w3.org/2003/entities/2007/isonum.ent>

The public identifier should always be used verbatim.  
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isonum PUBLIC
"-//W3C//ENTITIES Numeric and Special Graphic//EN//XML"
```

```

"http://www.w3.org/2003/entities/2007/isonum.ent"
>
%isonum;

-->

<!ENTITY amp      "&#38;#38;" ><!--AMPERSAND -->
<!ENTITY apos     "&#x00027;" ><!--APOSTROPHE -->
<!ENTITY ast      "&#x0002A;" ><!--ASTERISK -->
<!ENTITY brvbar   "&#x000A6;" ><!--BROKEN BAR -->
<!ENTITY bsol     "&#x0005C;" ><!--REVERSE SOLIDUS -->
<!ENTITY cent     "&#x000A2;" ><!--CENT SIGN -->
<!ENTITY colon    "&#x0003A;" ><!--COLON -->
<!ENTITY comma    "&#x0002C;" ><!--COMMA -->
<!ENTITY commat   "&#x00040;" ><!--COMMERCIAL AT -->
<!ENTITY copy     "&#x000A9;" ><!--COPYRIGHT SIGN -->
<!ENTITY curren   "&#x000A4;" ><!--CURRENCY SIGN -->
<!ENTITY darr     "&#x02193;" ><!--DOWNWARDS ARROW -->
<!ENTITY deg      "&#x000B0;" ><!--DEGREE SIGN -->
<!ENTITY divide   "&#x000F7;" ><!--DIVISION SIGN -->
<!ENTITY dollar   "&#x00024;" ><!--DOLLAR SIGN -->
<!ENTITY equals   "&#x0003D;" ><!--EQUALS SIGN -->
<!ENTITY excl     "&#x00021;" ><!--EXCLAMATION MARK -->
<!ENTITY frac12   "&#x000BD;" ><!--VULGAR FRACTION ONE HALF -->
<!ENTITY frac14   "&#x000BC;" ><!--VULGAR FRACTION ONE QUARTER -->
<!ENTITY frac18   "&#x0215B;" ><!--VULGAR FRACTION ONE EIGHTH -->
<!ENTITY frac34   "&#x000BE;" ><!--VULGAR FRACTION THREE QUARTERS -->
<!ENTITY frac38   "&#x0215C;" ><!--VULGAR FRACTION THREE EIGHTHS -->
<!ENTITY frac58   "&#x0215D;" ><!--VULGAR FRACTION FIVE EIGHTHS -->
<!ENTITY frac78   "&#x0215E;" ><!--VULGAR FRACTION SEVEN EIGHTHS -->
<!ENTITY
gt      "&#x0003E;" ><!--GREATER-THAN SIGN -->
<!ENTITY half     "&#x000BD;" ><!--VULGAR FRACTION ONE HALF -->
<!ENTITY horbar   "&#x02015;" ><!--HORIZONTAL BAR -->
<!ENTITY hyphen   "&#x02010;" ><!--HYPHEN -->
<!ENTITY iexcl    "&#x000A1;" ><!--INVERTED EXCLAMATION MARK -->
<!ENTITY iquest   "&#x000BF;" ><!--INVERTED QUESTION MARK -->
<!ENTITY laquo    "&#x000AB;" ><!--LEFT-POINTING DOUBLE ANGLE QUOTATION MARK -->
<!ENTITY larr     "&#x02190;" ><!--LEFTWARDS ARROW -->
<!ENTITY lcub     "&#x0007B;" ><!--LEFT CURLY BRACKET -->
<!ENTITY ldquo    "&#x0201C;" ><!--LEFT DOUBLE QUOTATION MARK -->
<!ENTITY lowbar   "&#x0005F;" ><!--LOW LINE -->
<!ENTITY lpar     "&#x00028;" ><!--LEFT PARENTHESIS -->
<!ENTITY lsqb     "&#x0005B;" ><!--LEFT SQUARE BRACKET -->
<!ENTITY lsquo    "&#x02018;" ><!--LEFT SINGLE QUOTATION MARK -->
<!ENTITY lt       "&#38;#60;" ><!--LESS-THAN SIGN

```

```

-->
<!ENTITY micro      "&#x000B5;" ><!--MICRO SIGN -->
<!ENTITY middot    "&#x000B7;" ><!--MIDDLE DOT -->
<!ENTITY nbsp      "&#x000A0;" ><!--NO-BREAK SPACE -->
<!ENTITY not       "&#x000AC;" ><!--NOT SIGN -->
<!ENTITY num       "&#x00023;" ><!--NUMBER SIGN -->
<!ENTITY ohm       "&#x003A9;" ><!--GREEK CAPITAL LETTER OMEGA -->
<!ENTITY ordf      "&#x000AA;" ><!--FEMININE ORDINAL INDICATOR -->
<!ENTITY ordm      "&#x000BA;" ><!--MASCULINE ORDINAL INDICATOR -->
<!ENTITY para      "&#x000B6;" ><!--PILCROW SIGN -->
<!ENTITY percent   "&#x00025;" ><!--PERCENT SIGN -->
<!ENTITY period    "&#x0002E;" ><!--FULL STOP -->
<!ENTITY plus      "&#x0002B;" ><!--PLUS SIGN -->
<!ENTITY plusmn    "&#x000B1;" ><!--PLUS-MINUS SIGN -->
<!ENTITY pound     "&#x000A3;" ><!--POUND SIGN -->
<!ENTITY quest     "&#x0003F;" ><!--QUESTION MARK -->
<!ENTITY quot      "&#x00022;" ><!--QUOTATION MARK -->
<!ENTITY
  raquo          "&#x000BB;" ><!--RIGHT-POINTING DOUBLE ANGLE QUOTATION MARK -->
<!ENTITY rarr     "&#x02192;" ><!--RIGHTWARDS ARROW -->
<!ENTITY rcub     "&#x0007D;" ><!--RIGHT CURLY BRACKET -->
<!ENTITY rdquo    "&#x0201D;" ><!--RIGHT DOUBLE QUOTATION MARK -->
<!ENTITY reg      "&#x000AE;" ><!--REGISTERED SIGN -->
<!ENTITY rpar     "&#x00029;" ><!--RIGHT PARENTHESIS -->
<!ENTITY rsqb     "&#x0005D;" ><!--RIGHT SQUARE BRACKET -->
<!ENTITY rsquo    "&#x02019;" ><!--RIGHT SINGLE QUOTATION MARK -->
<!ENTITY sect     "&#x000A7;" ><!--SECTION SIGN -->
<!ENTITY semi     "&#x0003B;" ><!--SEMICOLON -->
<!ENTITY shy     "&#x000AD;" ><!--SOFT HYPHEN -->
<!ENTITY sol      "&#x0002F;" ><!--SOLIDUS -->
<!ENTITY sung     "&#x0266A;" ><!--EIGHTH NOTE -->
<!ENTITY sup1     "&#x000B9;" ><!--SUPERSCRIPT ONE -->
<!ENTITY sup2     "&#x000B2;" ><!--SUPERSCRIPT TWO -->
<!ENTITY sup3     "&#x000B3;" ><!--SUPERSCRIPT THREE -->
<!ENTITY times    "&#x000D7;" ><!--MULTIPLICATION SIGN -->
<!ENTITY trade    "&#x02122;" ><!--TRADE MARK SIGN -->
<!ENTITY uarr     "&#x02191;" ><!--UPWARDS ARROW -->
<!ENTITY verbar   "&#x0007C;" ><!--VERTICAL LINE -->
<!ENTITY yen     "&#x000A5;" ><!--YEN SIGN -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isonum.ent

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Intrinsic Events Module ..... -->

```

<!-- file: xhtml-events-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-events-1.mod,v 1.4 2008/10/08 21:02:30 jules Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ENTITIES XHTML Intrinsic Events 1.0//EN"  
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-events-1.mod"

Revisions:

(none)

..... -->

<!-- Intrinsic Event Attributes

These are the event attributes defined in HTML 4,  
Section 18.2.3 "Intrinsic Events". This module must be  
instantiated prior to the Attributes Module but  
after  
the Datatype Module in the Modular Framework module.

"Note: Authors of HTML documents are advised that changes  
are likely to occur in the realm of intrinsic events  
(e.g., how scripts are bound to events). Research in  
this realm is carried on by members of the W3C Document  
Object Model Working Group (see the W3C Web site at  
<http://www.w3.org/> for more information)."

-->

<!-- NOTE: Because the ATTLIST declarations in this module occur  
before their respective ELEMENT declarations in other  
modules, there may be a dependency on this module that  
should be considered if any of the parameter entities used  
for element type names (eg., %a.qname;) are redeclared.

-->

<!ENTITY % Events.attrib

"onclick %Script.datatype; #IMPLIED  
ondblclick %Script.datatype; #IMPLIED  
onmousedown %Script.datatype; #IMPLIED  
onmouseup %Script.datatype; #IMPLIED  
onmouseover %Script.datatype;  
#IMPLIED  
onmousemove %Script.datatype; #IMPLIED  
onmouseout %Script.datatype; #IMPLIED  
onkeypress %Script.datatype; #IMPLIED  
onkeydown %Script.datatype; #IMPLIED

```

    onkeyup    %Script.datatype;    #IMPLIED"
>

<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.events.attrib
"%XHTML.prefix::onclick    %Script.datatype;    #IMPLIED
%XHTML.prefix::ondblclick  %Script.datatype;    #IMPLIED
%XHTML.prefix::onmousedown %Script.datatype;    #IMPLIED
%XHTML.prefix::onmouseup   %Script.datatype;    #IMPLIED
%XHTML.prefix::onmouseover %Script.datatype;    #IMPLIED
%XHTML.prefix::onmousemove %Script.datatype;    #IMPLIED
%XHTML.prefix::onmouseout  %Script.datatype;    #IMPLIED
%XHTML.prefix::onkeypress  %Script.datatype;    #IMPLIED
%XHTML.prefix::onkeydown   %Script.datatype;    #IMPLIED
%XHTML.prefix::onkeyup     %Script.datatype;    #IMPLIED"
>
]]>

<!-- additional attributes on anchor element
-->
<!ATTLIST %a.qname;
    onfocus    %Script.datatype;    #IMPLIED
    onblur     %Script.datatype;    #IMPLIED
>

<!-- additional attributes on form element
-->
<!ATTLIST %form.qname;
    onsubmit    %Script.datatype;    #IMPLIED
    onreset     %Script.datatype;    #IMPLIED
>

<!-- additional attributes on label element
-->
<!ATTLIST %label.qname;
    onfocus    %Script.datatype;    #IMPLIED
    onblur     %Script.datatype;    #IMPLIED
>

<!-- additional attributes on input element
-->
<!ATTLIST %input.qname;
    onfocus    %Script.datatype;    #IMPLIED
    onblur     %Script.datatype;    #IMPLIED
    onselect    %Script.datatype;    #IMPLIED
    onchange    %Script.datatype;    #IMPLIED
>

```

```
<!-- additional attributes on select element
-->
<!ATTLIST %select.qname;
  onfocus   %Script.datatype;   #IMPLIED
  onblur     %Script.datatype;   #IMPLIED
  onchange   %Script.datatype;   #IMPLIED
>
```

```
<!-- additional attributes on textarea element
-->
<!ATTLIST %textarea.qname;
  onfocus   %Script.datatype;   #IMPLIED
  onblur     %Script.datatype;   #IMPLIED
  onselect   %Script.datatype;   #IMPLIED
  onchange   %Script.datatype;   #IMPLIED
>
```

```
<!-- additional attributes on button element
-->
<!ATTLIST %button.qname;
  onfocus   %Script.datatype;   #IMPLIED
  onblur     %Script.datatype;   #IMPLIED
>
```

```
<!-- additional attributes on body element
-->
<!ATTLIST %body.qname;
  onload     %Script.datatype;   #IMPLIED
  onunload   %Script.datatype;   #IMPLIED
>
```

```
<!-- additional attributes on area element
-->
<!ATTLIST %area.qname;
  onfocus   %Script.datatype;   #IMPLIED
  onblur     %Script.datatype;   #IMPLIED
>
```

```
<!-- end of xhtml-events-1.mod -->
```

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-events-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
```

```
<!-- SVG 1.1 Hyperlinking Module ..... -->
```

<!-- file: svg-hyperlink.mod

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-hyperlink.mod,v 1.4 2002/11/14 15:11:02 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS SVG 1.1 Hyperlinking//EN"  
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-hyperlink.mod"

..... -->

<!-- Hyperlinking

a

This module declares markup to provide support for hyper linking.

-->

<!-- link to this target -->

<!ENTITY % LinkTarget.datatype "NMTOKEN" >

<!-- Qualified Names (Default) .....

-->

<!ENTITY % SVG.a.qname "a" >

<!-- Attribute Collections (Default) ..... -->

<!ENTITY % SVG.Core.attrib "" >

<!ENTITY % SVG.Conditional.attrib "" >

<!ENTITY % SVG.Style.attrib "" >

<!ENTITY % SVG.Viewport.attrib "" >

<!ENTITY % SVG.Text.attrib "" >

<!ENTITY % SVG.TextContent.attrib "" >

<!ENTITY % SVG.Font.attrib "" >

<!ENTITY % SVG.Paint.attrib "" >

<!ENTITY % SVG.Color.attrib "" >

<!ENTITY % SVG.Opacity.attrib "" >

<!ENTITY % SVG.Graphics.attrib "" >

<!ENTITY % SVG.Marker.attrib "" >

<!ENTITY % SVG.Gradient.attrib "" >

<!ENTITY % SVG.Clip.attrib "" >

<!ENTITY % SVG.Mask.attrib "" >

<!ENTITY % SVG.Filter.attrib "" >

<!ENTITY % SVG.FilterColor.attrib "" >

<!ENTITY % SVG.GraphicalEvents.attrib "" >

```

<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.XLinkReplace.attrib "" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Hyperlink.class ..... -->

<!ENTITY % SVG.Hyperlink.extra.class "" >

<!ENTITY % SVG.Hyperlink.class
  "| %SVG.a.qname;
  %SVG.Hyperlink.extra.class;"
>

<!-- SVG.Presentation.attrib ..... -->

<!ENTITY % SVG.Presentation.extra.attrib "" >

<!ENTITY % SVG.Presentation.attrib
  "%SVG.Container.attrib;
  %SVG.Viewport.attrib;
  %SVG.Text.attrib;
  %SVG.TextContent.attrib;
  %SVG.Font.attrib;
  %SVG.Paint.attrib;
  %SVG.Color.attrib;
  %SVG.Opacity.attrib;
  %SVG.Graphics.attrib;
  %SVG.Marker.attrib;
  %SVG.ColorProfile.attrib;
  %SVG.Gradient.attrib;
  %SVG.Clip.attrib;
  %SVG.Mask.attrib;
  %SVG.Filter.attrib;
  %SVG.FilterColor.attrib;
  %SVG.Cursor.attrib;
  flood-color %SVGColor.datatype; #IMPLIED
  flood-opacity %OpacityValue.datatype; #IMPLIED
  lighting-color %SVGColor.datatype; #IMPLIED
  %SVG.Presentation.extra.attrib;"
>

<!-- a: Anchor Element ..... -->

<!ENTITY % SVG.a.extra.content "" >

<!ENTITY % SVG.a.element "INCLUDE" >
<![%SVG.a.element;[
<!ENTITY % SVG.a.content

```

```

"( #PCDATA | %SVG.Description.class; | %SVG.Animation.class;
  %SVG.Structure.class; %SVG.Conditional.class; %SVG.Image.class;
  %SVG.Style.class; %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
  %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
  %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
  %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
  %SVG.Font.class; %SVG.a.extra.content; )*"
>
<!ELEMENT %SVG.a.qname; %SVG.a.content; >
<!-- end of SVG.a.element -->]]>

<!ENTITY % SVG.a.attlist "INCLUDE" >
<![%SVG.a.attlist;[
<!ATTLIST %SVG.a.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.Presentation.attrib;
  %SVG.GraphicalEvents.attrib;
  %SVG.XLinkReplace.attrib;
  %SVG.External.attrib;
  transform %TransformList.datatype; #IMPLIED
  target %LinkTarget.datatype; #IMPLIED
>
<!-- end of SVG.a.attlist -->]]>

<!-- end of svg-hyperlink.mod -->

```

Found in

path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-hyperlink.mod

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML QName Module ..... -->
<!-- file: xhtml-qname-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.  
 Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
 Revision: \$Id: xhtml-qname-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ENTITIES XHTML Qualified Names 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-qname-1.mod"

```

Revisions:

#2000-10-22: added qname declarations for ruby elements

..... -->

<!-- XHTML Qname (Qualified Name) Module

This module is contained in two parts, labeled Section 'A' and 'B':

Section A declares parameter entities to support namespace-qualified names, namespace declarations, and name prefixing for XHTML and extensions.

Section B declares parameter entities used to provide namespace-qualified names for all XHTML element types:

%applet.qname; the xmlns-qualified name for <applet>  
%base.qname; the xmlns-qualified name for <base>  
...

XHTML extensions would create a module similar to this one.

Included in the XHTML distribution is a template module ('template-qname-1.mod') suitable for this purpose.

-->

<!-- Section A: XHTML XML Namespace Framework ..... -->

<!-- 1. Declare a %XHTML.prefixed; conditional section keyword, used to activate namespace prefixing. The default value should inherit '%NS.prefixed;' from the DTD driver, so that unless overridden, the default behaviour follows the overall DTD prefixing scheme.

-->

<!ENTITY % NS.prefixed "IGNORE" >  
<!ENTITY %  
XHTML.prefixed "%NS.prefixed;" >

<!-- By default, we always permit XHTML attribute collections to have namespace-qualified prefixes as well.

-->

<!ENTITY % XHTML.global.attrs.prefixed "INCLUDE" >  
<!-- By default, we allow the XML Schema attributes on the root element.

-->

<!ENTITY % XHTML.xsi.attrs "INCLUDE" >

<!-- 2. Declare a parameter entity (eg., %XHTML.xmlns;) containing the URI reference used to identify the XHTML namespace:

```

-->
<!ENTITY % XHTML.xmlns "http://www.w3.org/1999/xhtml" >

<!-- 3. Declare parameter entities (eg., %XHTML.prefix;) containing
the default namespace prefix string(s) to use when prefixing
is enabled. This may be overridden in the DTD driver or the
internal subset of an document instance. If no default prefix
is desired, this may be declared as an empty string.

NOTE: As specified in [XMLNAMES], the namespace prefix serves
as a proxy for the URI reference, and is not in itself significant.

-->
<!ENTITY
% XHTML.prefix "xhtml" >

<!-- 4. Declare parameter entities (eg., %XHTML.pfx;) containing the
colonized prefix(es) (eg., '%XHTML.prefix;') used when
prefixing is active, an empty string when it is not.

-->
<![%XHTML.prefixed;[
<!ENTITY % XHTML.pfx "%XHTML.prefix;" >
]]>
<!ENTITY % XHTML.pfx "" >

<!-- declare qualified name extensions here ..... -->
<!ENTITY % xhtml-qname-extra.mod "" >
%xhtml-qname-extra.mod;

<!-- 5. The parameter entity %XHTML.xmlns.extra.attrib; may be
redeclared to contain any non-XHTML namespace declaration
attributes for namespaces embedded in XHTML. The default
is an empty string. XLink should be included here if used
in the DTD.

-->
<!ENTITY % XHTML.xmlns.extra.attrib "" >

<!-- The remainder of Section A is only followed in XHTML, not extensions. -->

<!-- Declare a parameter entity %NS.decl.attrib; containing
all XML Namespace declarations used in the DTD, plus the
xmlns declaration
for XHTML, its form dependent on whether
prefixing is active.

-->
<!ENTITY % XHTML.xmlns.attrib.prefixed
"xmlns:%XHTML.prefix; %URI.datatype; #FIXED '%XHTML.xmlns;"
>
<![%XHTML.prefixed;[

```

```

<!ENTITY % NS.decl.attrib
  "%XHTML.xmlns.attrib.prefixed;
  %XHTML.xmlns.extra.attrib;"
>
]]>
<!ENTITY % NS.decl.attrib
  "%XHTML.xmlns.extra.attrib;"
>

<!-- Declare a parameter entity %XSI.prefix as a prefix to use for XML
  Schema Instance attributes.
-->
<!ENTITY % XSI.prefix "xsi" >

<!ENTITY % XSI.xmlns "http://www.w3.org/2001/XMLSchema-instance" >

<!-- Declare a parameter entity %XSI.xmlns.attrib as support for the
  schemaLocation attribute, since this is legal throughout the DTD.
-->
<!ENTITY % XSI.xmlns.attrib
  "xmlns:%XSI.prefix; %URI.datatype; #FIXED '%XSI.xmlns;'" >

<!-- This is a placeholder for future XLink support.
-->
<!ENTITY % XLINK.xmlns.attrib "" >

<!-- This is the attribute for the XML Schema namespace - XHTML
  Modularization is also
  expressed in XML Schema, and it needs to
  be legal to declare the XML Schema namespace and the
  schemaLocation attribute on the root element of XHTML family
  documents.
-->
<![%XHTML.xsi.attrs;[
<!ENTITY % XSI.prefix "xsi" >
<!ENTITY % XSI.pfx "%XSI.prefix;:" >
<!ENTITY % XSI.xmlns "http://www.w3.org/2001/XMLSchema-instance" >

<!ENTITY % XSI.xmlns.attrib
  "xmlns:%XSI.prefix; %URI.datatype; #FIXED '%XSI.xmlns;'"
>
]]>
<!ENTITY % XSI.prefix "" >
<!ENTITY % XSI.pfx "" >
<!ENTITY % XSI.xmlns.attrib "" >

<!-- Declare a parameter entity %NS.decl.attrib; containing all

```

XML namespace declaration attributes used by XHTML, including a default xmlns attribute when prefixing is inactive.

```
-->
<![%XHTML.prefixed;[
<!ENTITY % XHTML.xmlns.attrib
    "%NS.decl.attrib;
    %XSI.xmlns.attrib;
    %XLINK.xmlns.attrib;"
>
]]>
<!ENTITY % XHTML.xmlns.attrib
    "xmlns    %URI.datatype;    #FIXED '%XHTML.xmlns;'"
    %NS.decl.attrib;
    %XSI.xmlns.attrib;
    %XLINK.xmlns.attrib;"
>

<!--
placeholder for qualified name redeclarations -->
<!ENTITY % xhtml-qname.redecl "" >
%xhtml-qname.redecl;

<!-- Section B: XHTML Qualified Names :::::::::::::::::::: -->

<!-- 6. This section declares parameter entities used to provide
namespace-qualified names for all XHTML element types.
-->

<!-- module: xhtml-applet-1.mod -->
<!ENTITY % applet.qname "%XHTML.pfx;applet" >

<!-- module: xhtml-base-1.mod -->
<!ENTITY % base.qname "%XHTML.pfx;base" >

<!-- module: xhtml-bdo-1.mod -->
<!ENTITY % bdo.qname "%XHTML.pfx;bdo" >

<!-- module: xhtml-blkphras-1.mod -->
<!ENTITY % address.qname "%XHTML.pfx;address" >
<!ENTITY % blockquote.qname "%XHTML.pfx;blockquote" >
<!ENTITY % pre.qname "%XHTML.pfx;pre" >
<!ENTITY % h1.qname "%XHTML.pfx;h1" >
<!ENTITY % h2.qname "%XHTML.pfx;h2" >
<!ENTITY % h3.qname "%XHTML.pfx;h3" >
<!ENTITY % h4.qname "%XHTML.pfx;h4" >
<!ENTITY % h5.qname "%XHTML.pfx;h5" >
<!ENTITY % h6.qname
```

```
"%XHTML.pfx;h6" >

<!-- module: xhtml-blkpres-1.mod -->
<!ENTITY % hr.qname    "%XHTML.pfx;hr" >

<!-- module: xhtml-blkstruct-1.mod -->
<!ENTITY % div.qname   "%XHTML.pfx;div" >
<!ENTITY % p.qname     "%XHTML.pfx;p" >

<!-- module: xhtml-edit-1.mod -->
<!ENTITY % ins.qname   "%XHTML.pfx;ins" >
<!ENTITY % del.qname   "%XHTML.pfx;del" >

<!-- module: xhtml-form-1.mod -->
<!ENTITY % form.qname  "%XHTML.pfx;form" >
<!ENTITY % label.qname "%XHTML.pfx;label" >
<!ENTITY % input.qname "%XHTML.pfx;input" >
<!ENTITY % select.qname "%XHTML.pfx;select" >
<!ENTITY % optgroup.qname "%XHTML.pfx;optgroup" >
<!ENTITY % option.qname "%XHTML.pfx;option" >
<!ENTITY % textarea.qname "%XHTML.pfx;textarea" >
<!ENTITY % fieldset.qname "%XHTML.pfx;fieldset" >
<!ENTITY % legend.qname "%XHTML.pfx;legend" >
<!ENTITY % button.qname "%XHTML.pfx;button" >

<!-- module: xhtml-hypertext-1.mod -->
<!ENTITY % a.qname     "%XHTML.pfx;a" >

<!-- module: xhtml-image-1.mod -->
<!ENTITY
% img.qname    "%XHTML.pfx;img" >

<!-- module: xhtml-inlphras-1.mod -->
<!ENTITY % abbr.qname  "%XHTML.pfx;abbr" >
<!ENTITY % acronym.qname "%XHTML.pfx;acronym" >
<!ENTITY % cite.qname   "%XHTML.pfx;cite" >
<!ENTITY % code.qname   "%XHTML.pfx;code" >
<!ENTITY % dfn.qname    "%XHTML.pfx;dfn" >
<!ENTITY % em.qname     "%XHTML.pfx;em" >
<!ENTITY % kbd.qname    "%XHTML.pfx;kbd" >
<!ENTITY % q.qname      "%XHTML.pfx;q" >
<!ENTITY % samp.qname   "%XHTML.pfx;samp" >
<!ENTITY % strong.qname "%XHTML.pfx;strong" >
<!ENTITY % var.qname    "%XHTML.pfx;var" >

<!-- module: xhtml-inlpres-1.mod -->
<!ENTITY % b.qname     "%XHTML.pfx;b" >
<!ENTITY % big.qname   "%XHTML.pfx;big" >
```

```
<!ENTITY % i.qname      "%XHTML.pfx;i" >
<!ENTITY % small.qname  "%XHTML.pfx;small" >
<!ENTITY % sub.qname    "%XHTML.pfx;sub" >
<!ENTITY % sup.qname    "%XHTML.pfx;sup" >
<!ENTITY % tt.qname     "%XHTML.pfx;t" >

<!-- module: xhtml-instruct-1.mod -->
<!ENTITY % br.qname     "%XHTML.pfx;br"
>
<!ENTITY % span.qname   "%XHTML.pfx;span" >

<!-- module: xhtml-ismap-1.mod (also csismap, ssismap) -->
<!ENTITY % map.qname    "%XHTML.pfx;map" >
<!ENTITY % area.qname   "%XHTML.pfx;area" >

<!-- module: xhtml-link-1.mod -->
<!ENTITY % link.qname   "%XHTML.pfx;link" >

<!-- module: xhtml-list-1.mod -->
<!ENTITY % dl.qname     "%XHTML.pfx;dl" >
<!ENTITY % dt.qname     "%XHTML.pfx;dt" >
<!ENTITY % dd.qname     "%XHTML.pfx;dd" >
<!ENTITY % ol.qname     "%XHTML.pfx;ol" >
<!ENTITY % ul.qname     "%XHTML.pfx;ul" >
<!ENTITY % li.qname     "%XHTML.pfx;li" >

<!-- module: xhtml-meta-1.mod -->
<!ENTITY % meta.qname   "%XHTML.pfx;meta" >

<!-- module: xhtml-param-1.mod -->
<!ENTITY % param.qname  "%XHTML.pfx;param" >

<!-- module: xhtml-object-1.mod -->
<!ENTITY % object.qname "%XHTML.pfx;object" >

<!-- module: xhtml-script-1.mod -->
<!ENTITY % script.qname "%XHTML.pfx;script" >
<!ENTITY % noscript.qname "%XHTML.pfx;noscript" >

<!-- module: xhtml-struct-1.mod -->
<!ENTITY
% html.qname "%XHTML.pfx;html" >
<!ENTITY % head.qname "%XHTML.pfx;head" >
<!ENTITY % title.qname "%XHTML.pfx;title" >
<!ENTITY % body.qname "%XHTML.pfx;body" >

<!-- module: xhtml-style-1.mod -->
<!ENTITY % style.qname "%XHTML.pfx;style" >
```

```
<!-- module: xhtml-table-1.mod -->
<!ENTITY % table.qname "%XHTML.pfx;table" >
<!ENTITY % caption.qname "%XHTML.pfx;caption" >
<!ENTITY % thead.qname "%XHTML.pfx;thead" >
<!ENTITY % tfoot.qname "%XHTML.pfx;tfoot" >
<!ENTITY % tbody.qname "%XHTML.pfx;tbody" >
<!ENTITY % colgroup.qname "%XHTML.pfx;colgroup" >
<!ENTITY % col.qname "%XHTML.pfx;col" >
<!ENTITY % tr.qname "%XHTML.pfx;tr" >
<!ENTITY % th.qname "%XHTML.pfx;th" >
<!ENTITY % td.qname "%XHTML.pfx;td" >
```

```
<!-- module: xhtml-ruby-1.mod -->
```

```
<!ENTITY % ruby.qname "%XHTML.pfx;ruby" >
<!ENTITY % rbc.qname "%XHTML.pfx;rbc" >
<!ENTITY % rtc.qname "%XHTML.pfx;rtc" >
<!ENTITY % rb.qname "%XHTML.pfx;rb" >
<!ENTITY % rt.qname "%XHTML.pfx;rt"
>
<!ENTITY % rp.qname "%XHTML.pfx;rp" >
```

```
<!-- Provisional XHTML 2.0 Qualified Names ..... -->
```

```
<!-- module: xhtml-image-2.mod -->
```

```
<!ENTITY % alt.qname "%XHTML.pfx;alt" >
```

```
<!-- end of xhtml-qname-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-qname-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
```

```
<!-- SVG 1.1 Image Module ..... -->
```

```
<!-- file: svg-image.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg-image.mod,v 1.4 2002/11/14 15:11:03 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Image//EN"
```

```
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-image.mod"
```

```

..... -->

<!-- Image

    image

    This module declares markup to provide support for image.
-->

<!-- Qualified Names (Default) ..... -->

<!ENTITY % SVG.image.qname "image" >

<!-- Attribute Collections (Default) .....
-->

<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.Conditional.attrib "" >
<!ENTITY % SVG.Style.attrib "" >
<!ENTITY % SVG.Viewport.attrib "" >
<!ENTITY % SVG.Color.attrib "" >
<!ENTITY % SVG.Opacity.attrib "" >
<!ENTITY % SVG.Graphics.attrib "" >
<!ENTITY % SVG.ColorProfile.attrib "" >
<!ENTITY % SVG.Clip.attrib "" >
<!ENTITY % SVG.Mask.attrib "" >
<!ENTITY % SVG.Filter.attrib "" >
<!ENTITY % SVG.GraphicalEvents.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.XLinkEmbed.attrib "" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Image.class ..... -->

<!ENTITY % SVG.Image.extra.class "" >

<!ENTITY % SVG.Image.class
    "| %SVG.image.qname; %SVG.Image.extra.class;"
>

<!-- image: Image Element ..... -->

<!ENTITY % SVG.image.extra.content "" >

<!ENTITY % SVG.image.element "INCLUDE" >
<![%SVG.image.element;[
<!ENTITY % SVG.image.content
    "(( %SVG.Description.class; )*, ( %SVG.Animation.class;

```

```

    %SVG.image.extra.content;
  )*)"
>
<!ELEMENT %SVG.image.qname; %SVG.image.content; >
<!-- end of SVG.image.element -->]]>

<!ENTITY % SVG.image.attlist "INCLUDE" >
<![%SVG.image.attlist;[
<!ATTLIST %SVG.image.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.Viewport.attrib;
  %SVG.Color.attrib;
  %SVG.Opacity.attrib;
  %SVG.Graphics.attrib;
  %SVG.ColorProfile.attrib;
  %SVG.Clip.attrib;
  %SVG.Mask.attrib;
  %SVG.Filter.attrib;
  %SVG.GraphicalEvents.attrib;
  %SVG.Cursor.attrib;
  %SVG.XLinkEmbed.attrib;
  %SVG.External.attrib;
  x %Coordinate.datatype; #IMPLIED
  y %Coordinate.datatype; #IMPLIED
  width %Length.datatype; #REQUIRED
  height %Length.datatype; #REQUIRED
  preserveAspectRatio %PreserveAspectRatioSpec.datatype; 'xMidYMid meet'
  transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.image.attlist -->]]>

<!-- end of svg-image.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-image.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Images Module ..... -->
<!-- file: xhtml-image-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-image-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Images 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-image-1.mod"
```

Revisions:

(none)

..... -->

<!-- Images

img

This module provides markup to support basic image embedding.

-->

<!-- To avoid problems with text-only UAs as well as to make  
image content understandable and navigable to users  
of  
non-visual UAs, you need to provide a description with  
the 'alt' attribute, and avoid server-side image maps.

-->

```
<!ENTITY % img.element "INCLUDE" >
<![%img.element;[
<!ENTITY % img.content "EMPTY" >
<!ENTITY % img.qname "img" >
<!ELEMENT %img.qname; %img.content; >
<!-- end of img.element -->]]>
```

```
<!ENTITY % img.attlist "INCLUDE" >
<![%img.attlist;[
<!ATTLIST %img.qname;
    %Common.attrib;
    src      %URI.datatype;      #REQUIRED
    alt      %Text.datatype;     #REQUIRED
    longdesc %URI.datatype;     #IMPLIED
    height   %Length.datatype;  #IMPLIED
    width    %Length.datatype;  #IMPLIED
>
<!-- end of img.attlist -->]]>
```

<!-- end of xhtml-image-1.mod -->

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-image-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Structure Module ..... -->
<!-- file: xhtml-struct-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-struct-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Document Structure 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-struct-1.mod"
```

Revisions:  
(none)  
..... -->

```
<!-- Document Structure
```

title, head, body, html

The Structure Module defines the major structural elements and their attributes.

Note that the content model of the head element type is redeclared when the Base Module is included in the DTD.

The parameter entity containing the XML namespace URI value used for XHTML is '%XHTML.xmlns;', defined in the Qualified Names module.  
-->

```
<!-- title: Document Title ..... -->
```

```
<!-- The title element is not considered part of the flow of text.
It should be displayed, for example as the page header or
window title. Exactly one title is required per document.
-->
```

```
<!ENTITY % title.element "INCLUDE" >
<![%title.element;[
<!ENTITY % title.content "( #PCDATA )" >
<!ENTITY % title.qname "title" >
<!ELEMENT %title.qname; %title.content; >
<!-- end of title.element -->]]>
```

```

<!ENTITY % title.attlist "INCLUDE" >
<![%title.attlist;[
<!ATTLIST %title.qname;
    %XHTML.xmlns.attrib;
    %I18n.attrib;
>
<!-- end of title.attlist -->]]>

<!-- head: Document Head ..... -->

<!ENTITY % head.element "INCLUDE" >
<![%head.element;[
<!ENTITY % head.content
    "( %HeadOpts.mix;, %title.qname;, %HeadOpts.mix; )"
>
<!ENTITY % head.qname "head" >
<!ELEMENT %head.qname; %head.content; >
<!-- end of head.element -->]]>

<!ENTITY % head.attlist "INCLUDE" >
<![%head.attlist;[
<!-- reserved for future use with document profiles
-->
<!ENTITY % profile.attrib
    "profile %URI.datatype; %XHTML.profile;"
>

<!ATTLIST %head.qname;
    %XHTML.xmlns.attrib;
    %I18n.attrib;
    %profile.attrib;
    %id.attrib;
>
<!-- end of head.attlist -->]]>

<!-- body: Document Body ..... -->

<!ENTITY % body.element "INCLUDE" >
<![%body.element;[
<!ENTITY % body.content
    "( %Block.mix; )*"
>
<!ENTITY % body.qname "body" >
<!ELEMENT %body.qname; %body.content; >
<!-- end of body.element -->]]>

<!ENTITY % body.attlist "INCLUDE" >
<![%body.attlist;[

```

```

<!ATTLIST %body.qname;
    %Common.attrib;
>
<!-- end of body.attlist -->]]>

<!-- html: XHTML Document Element ..... -->

<!ENTITY %
html.element "INCLUDE" >
<![%html.element;[
<!ENTITY % html.content "( %head.qname;, %body.qname; )" >
<!ENTITY % html.qname "html" >
<!ELEMENT %html.qname; %html.content; >
<!-- end of html.element -->]]>

<![%XHTML.xsi.attrs;[
<!-- define a parameter for the XSI schemaLocation attribute -->
<!ENTITY % XSI.schemaLocation.attrib
    "%XSI.pfx;schemaLocation %URIs.datatype; #IMPLIED"
>
]]>
<!ENTITY % XSI.schemaLocation.attrib "">

<!ENTITY % html.attlist "INCLUDE" >
<![%html.attlist;[
<!-- version attribute value defined in driver
-->
<!ENTITY % XHTML.version.attrib
    "version %FPI.datatype; #FIXED '%XHTML.version;'"
>

<!-- see the Qualified Names module for information
on how to extend XHTML using XML namespaces
-->
<!ATTLIST %html.qname;
    %XHTML.xmlns.attrib;
    %XSI.schemaLocation.attrib;
    %XHTML.version.attrib;
    %I18n.attrib;
    %id.attrib;
>
<!-- end of html.attlist -->]]>

<!-- end of xhtml-struct-1.mod -->

```

Found in path(s):

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/xhtml11/xhtml-struct-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML+RDFa Document Model Module ..... -->
<!-- file: xhtml-rdfa-model-1.mod
```

This is XHTML+RDFa.  
Copyright 1998-2008 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-rdfa-model-1.mod,v 1.4 2009/06/26 14:05:13 smccarro Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML+RDFa Document Model 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-rdfa-model-1.mod"
```

Revisions:  
(none)  
..... -->

```
<!-- XHTML+RDFa Document Model
```

This module describes the groupings of elements that make up common content models for XHTML elements.

XHTML has three basic content models:

- %Inline.mix; character-level elements
- %Block.mix; block-like elements, eg., paragraphs and lists
- %Flow.mix; any block or inline elements

Any parameter entities declared in this module may be used to create element content models, but the above three are considered 'global' (insofar as that term applies here).

The reserved word '#PCDATA' (indicating a text string) is now included explicitly with each element declaration that is declared as mixed content, as XML requires that this token occur first in a content model specification.

```
-->
<!-- Extending the Model
```

While in some cases this module may need to be rewritten to accommodate changes to the document model, minor extensions may be accomplished by redeclaring any of the three \*.extra; parameter entities to contain extension element types as follows:

%Misc.extra; whose parent may be any block or inline element.

%Inline.extra; whose parent may be any inline element.

%Block.extra; whose parent may be any block element.

If used, these parameter entities must be an OR-separated list beginning with an OR separator ("|"), eg., "| a | b | c"

All block and inline \*.class parameter entities not part of the \*struct.class classes begin with "|" to allow for exclusion from mixes.

-->

<!-- ..... Optional Elements in head ..... -->

```
<!ENTITY % HeadOpts.mix
  "( %script.qname; | %style.qname; | %meta.qname;
  | %link.qname; | %object.qname; )*"
>
```

<!-- ..... Miscellaneous Elements ..... -->

```
<!-- ins and del are used to denote editing changes
-->
<!ENTITY % Edit.class "| %ins.qname; | %del.qname;" >
```

```
<!-- script and noscript are used to contain scripts
and alternative content
-->
<!ENTITY % Script.class "| %script.qname; | %noscript.qname;" >
```

```
<!ENTITY % Misc.extra "" >
```

```
<!-- These elements are neither block nor inline, and can
essentially be used anywhere in the document body.
-->
```

```
<!ENTITY % Misc.class
  "%Edit.class;
  %Script.class;
  %Misc.extra;"
>
```

<!-- ..... Inline Elements ..... -->

```

<!ENTITY % InlStruct.class "%br.qname; | %span.qname;" >

<!ENTITY % InlPhras.class
  "| %em.qname; | %strong.qname; | %dfn.qname; | %code.qname;
  | %samp.qname; | %kbd.qname; | %var.qname; | %cite.qname;
  | %abbr.qname; | %acronym.qname; | %q.qname;" >

<!ENTITY % InlPres.class
  "| %tt.qname; | %i.qname; | %b.qname; | %big.qname;
  | %small.qname; | %sub.qname; | %sup.qname;" >

<!ENTITY % I18n.class "| %bdo.qname;" >

<!ENTITY % Anchor.class "| %a.qname;" >

<!ENTITY % InlSpecial.class
  "| %img.qname; | %map.qname;
  | %object.qname;" >

<!ENTITY % InlForm.class
  "| %input.qname; | %select.qname; | %textarea.qname;
  | %label.qname; | %button.qname;" >

<!ENTITY % Inline.extra "" >

<!ENTITY % Ruby.class "| %ruby.qname;" >

<!-- %Inline.class;
includes all inline elements,
used as a component in mixes
-->
<!ENTITY % Inline.class
  "%InlStruct.class;
  %InlPhras.class;
  %InlPres.class;
  %I18n.class;
  %Anchor.class;
  %InlSpecial.class;
  %InlForm.class;
  %Ruby.class;
  %Inline.extra;"
>

<!-- %InlNoRuby.class; includes all inline elements
except ruby, used as a component in mixes
-->
<!ENTITY % InlNoRuby.class
  "%InlStruct.class;

```

```

    %InlPhras.class;
    %InlPres.class;
    %I18n.class;
    %Anchor.class;
    %InlSpecial.class;
    %InlForm.class;
    %Inline.extra;"
>

<!-- %NoRuby.content; includes all inlines except ruby
-->
<!ENTITY % NoRuby.content
    "( #PCDATA
    | %InlNoRuby.class;
    %Misc.class; )*"
>

<!-- %InlNoAnchor.class; includes all non-anchor inlines,
    used as a component in mixes
-->
<!ENTITY % InlNoAnchor.class
    "%InlStruct.class;
    %InlPhras.class;
    %InlPres.class;
    %I18n.class;
    %InlSpecial.class;
    %InlForm.class;
    %Ruby.class;
    %Inline.extra;"
>

<!-- %InlNoAnchor.mix; includes all non-anchor inlines
-->
<!ENTITY % InlNoAnchor.mix
    "%InlNoAnchor.class;
    %Misc.class;"
>

<!-- %Inline.mix; includes all inline elements, including %Misc.class;
-->
<!ENTITY % Inline.mix
    "%Inline.class;
    %Misc.class;"
>

<!-- ..... Block Elements ..... -->

<!-- In the HTML 4.0 DTD, heading and list elements were included

```

in the %block; parameter entity. The %Heading.class; and %List.class; parameter entities must now be included explicitly on element declarations where desired.

-->

```
<!ENTITY % Heading.class
  "%h1.qname; | %h2.qname; | %h3.qname;
  | %h4.qname; | %h5.qname; | %h6.qname;" >
```

```
<!ENTITY % List.class "%ul.qname; | %ol.qname; | %dl.qname;" >
```

```
<!ENTITY % Table.class "| %table.qname;" >
```

```
<!ENTITY % Form.class "| %form.qname;" >
```

```
<!ENTITY % Fieldset.class "| %fieldset.qname;" >
```

```
<!ENTITY % BlkStruct.class
  "%p.qname; | %div.qname;" >
```

```
<!ENTITY % BlkPhras.class
  "| %pre.qname; | %blockquote.qname; | %address.qname;" >
```

```
<!ENTITY % BlkPres.class "| %hr.qname;" >
```

```
<!ENTITY % BlkSpecial.class
  "%Table.class;
  %Form.class;
  %Fieldset.class;"
```

>

```
<!ENTITY % Block.extra "" >
```

```
<!-- %Block.class; includes all block elements,
  used as an component in mixes
```

-->

```
<!ENTITY % Block.class
  "%BlkStruct.class;
  %BlkPhras.class;
  %BlkPres.class;
  %BlkSpecial.class;
  %Block.extra;"
```

>

```
<!-- %Block.mix; includes all block elements plus %Misc.class;
```

-->

```
<!ENTITY % Block.mix
  "%Heading.class;
```

```

    | %List.class;
    | %Block.class;
    %Misc.class;"
>

<!-- ..... All Content Elements ..... -->

<!-- %Flow.mix; includes all text content, block and inline
-->
<!ENTITY % Flow.mix
    "%Heading.class;
    | %List.class;
    | %Block.class;
    | %Inline.class;
    %Misc.class;"
>
<!-- end of xhtml-rdfa-model-1.mod -->

```

#### Found

in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-rdfa-model-1.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML IFrame Module ..... -->
<!-- file: xhtml-iframe-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.  
 Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
 Revision: \$Id: xhtml-iframe-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Inline Frame Element 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-iframe-1.mod"

```

#### Revisions:

```

#2000-10-22: added #PCDATA to <iframe> content model as per HTML 4
..... -->

```

```
<!-- Inline Frames
```

```
    iframe
```

This module declares the iframe element type and its attributes,  
 used to create an inline frame

within a document.

-->

<!-- Inline Frames ..... -->

<!ENTITY % iframe.content "( #PCDATA | %Flow.mix; )\*" >

<!ENTITY % iframe.qname "iframe" >

<!ELEMENT %iframe.qname; %iframe.content; >

<!ATTLIST %iframe.qname;

  %Core.attrib;

  longdesc   %URI.datatype;       #IMPLIED

  src        %URI.datatype;       #IMPLIED

  frameborder ( 1 | 0 )        '1'

  marginwidth %Pixels.datatype;   #IMPLIED

  marginheight %Pixels.datatype;  #IMPLIED

  scrolling ( yes | no | auto )   'auto'

  height     %Length.datatype;   #IMPLIED

  width      %Length.datatype;   #IMPLIED

>

<!-- end of xhtml-iframe-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-iframe-1.mod

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- XHTML Base Element Module ..... -->

<!-- file: xhtml-base-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-base-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Base Element 1.0//EN"

SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-base-1.mod"

Revisions:

(none)

..... -->

<!-- Base element

  base

This module declares the base element type and its attributes, used to define a base URI against which relative URIs in the document will be resolved.

Note

that this module also redeclares the content model for the head element to include the base element.

-->

<!-- base: Document Base URI ..... -->

```
<!ENTITY % base.element "INCLUDE" >
<![%base.element;[
<!ENTITY % base.content "EMPTY" >
<!ENTITY % base.qname "base" >
<!ELEMENT %base.qname; %base.content; >
<!-- end of base.element -->]]>
```

```
<!ENTITY % base.attlist "INCLUDE" >
<![%base.attlist;[
<!ATTLIST %base.qname;
    %XHTML.xmlns.attrib;
    href %URI.datatype; #REQUIRED
>
<!-- end of base.attlist -->]]>
```

```
<!ENTITY % head.content
"( %HeadOpts.mix;,
 ( ( %title.qname;, %HeadOpts.mix;, ( %base.qname;, %HeadOpts.mix; )? )
 | ( %base.qname;, %HeadOpts.mix;, ( %title.qname;, %HeadOpts.mix; )))"
>
```

<!-- end of xhtml-base-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-base-1.mod

No license file was found, but licenses were detected in source scan.

<!--

- \* This is an umbrella schema for the various schema documents used
- \* to support XPath 3.0 functions and operators.
- \*
- \* The schema is made available under the terms of the W3C software notice and license
- \* at <http://www.w3.org/Consortium/Legal/copyright-software-19980720>
- \*

-->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/xpath-functions.xsd

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
```

```
<!-- XHTML Forms Module ..... -->
```

```
<!-- file: xhtml-form-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-form-1.mod,v 4.1 2001/04/10 09:42:30 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Forms 1.0//EN"
```

```
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-form-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Forms
```

form, label, input, select, optgroup, option,  
textarea, fieldset, legend, button

This module declares markup to provide support for online  
forms, based on the features found in  
HTML 4 forms.

```
-->
```

```
<!-- declare qualified element type names:
```

```
-->
```

```
<!ENTITY % form.qname "form" >
```

```
<!ENTITY % label.qname "label" >
```

```
<!ENTITY % input.qname "input" >
```

```
<!ENTITY % select.qname "select" >
```

```
<!ENTITY % optgroup.qname "optgroup" >
```

```
<!ENTITY % option.qname "option" >
```

```
<!ENTITY % textarea.qname "textarea" >
```

```
<!ENTITY % fieldset.qname "fieldset" >
```

```
<!ENTITY % legend.qname "legend" >
```

```
<!ENTITY % button.qname "button" >
```

```
<!-- %BlkNoForm.mix; includes all non-form block elements,  
plus %Misc.class;
```

```
-->
```

```
<!ENTITY % BlkNoForm.mix
```

```

"%Heading.class;
| %List.class;
| %BlkStruct.class;
%BlkPhras.class;
%BlkPres.class;
%Table.class;
%Block.extra;
%Misc.class;"
>

<!-- form: Form Element ..... -->

<!ENTITY % form.element "INCLUDE" >
<![%form.element;[
<!ENTITY % form.content
"( %BlkNoForm.mix;
| %fieldset.qname; )+"
>
<!ELEMENT %form.qname; %form.content; >
<!-- end of form.element -->]]>

<!ENTITY
% form.attlist "INCLUDE" >
<![%form.attlist;[
<!ATTLIST %form.qname;
%Common.attrib;
action %URI.datatype; #REQUIRED
method ( get | post ) 'get'
enctype %ContentType.datatype; 'application/x-www-form-urlencoded'
accept-charset %Charsets.datatype; #IMPLIED
accept %ContentTypes.datatype; #IMPLIED
>
<!-- end of form.attlist -->]]>

<!-- label: Form Field Label Text ..... -->

<!-- Each label must not contain more than ONE field
-->

<!ENTITY % label.element "INCLUDE" >
<![%label.element;[
<!ENTITY % label.content
"( #PCDATA
| %input.qname; | %select.qname; | %textarea.qname; | %button.qname;
| %InlStruct.class;
%InlPhras.class;
%I18n.class;
%InlPres.class;

```

```

    %Anchor.class;
    %InlSpecial.class;
    %Inline.extra;
    %Misc.class; )*"
>
<!ELEMENT %label.qname; %label.content; >
<!-- end of label.element -->]]>

<!ENTITY % label.attlist "INCLUDE"
>
<![%label.attlist;[
<!ATTLIST %label.qname;
    %Common.attrib;
    for      IDREF          #IMPLIED
    accesskey %Character.datatype; #IMPLIED
>
<!-- end of label.attlist -->]]>

<!-- input: Form Control ..... -->

<!ENTITY % input.element "INCLUDE" >
<![%input.element;[
<!ENTITY % input.content "EMPTY" >
<!ELEMENT %input.qname; %input.content; >
<!-- end of input.element -->]]>

<!ENTITY % input.attlist "INCLUDE" >
<![%input.attlist;[
<!ENTITY % InputType.class
    "( text | password | checkbox | radio | submit
    | reset | file | hidden | image | button )"
>
<!-- attribute 'name' required for all but submit & reset
-->
<!ATTLIST %input.qname;
    %Common.attrib;
    type      %InputType.class;    'text'
    name      CDATA                #IMPLIED
    value     CDATA                #IMPLIED
    checked   ( checked )          #IMPLIED
    disabled  ( disabled )
#IMPLIED
    readonly  ( readonly )         #IMPLIED
    size      %Number.datatype;    #IMPLIED
    maxlength %Number.datatype;    #IMPLIED
    src       %URI.datatype;       #IMPLIED
    alt       %Text.datatype;      #IMPLIED
    tabindex  %Number.datatype;    #IMPLIED

```

```

    accesskey %Character.datatype; #IMPLIED
    accept %ContentTypes.datatype; #IMPLIED
>
<!-- end of input.attlist -->]]>

<!-- select: Option Selector ..... -->

<!ENTITY % select.element "INCLUDE" >
<![%select.element;[
<!ENTITY % select.content
    "( %optgroup.qname; | %option.qname; )+"
>
<!ELEMENT %select.qname; %select.content; >
<!-- end of select.element -->]]>

<!ENTITY % select.attlist "INCLUDE" >
<![%select.attlist;[
<!ATTLIST %select.qname;
    %Common.attrib;
    name CDATA #IMPLIED
    size %Number.datatype; #IMPLIED
    multiple ( multiple )
    #IMPLIED
    disabled ( disabled ) #IMPLIED
    tabindex %Number.datatype; #IMPLIED
>
<!-- end of select.attlist -->]]>

<!-- optgroup: Option Group ..... -->

<!ENTITY % optgroup.element "INCLUDE" >
<![%optgroup.element;[
<!ENTITY % optgroup.content "( %option.qname; )+" >
<!ELEMENT %optgroup.qname; %optgroup.content; >
<!-- end of optgroup.element -->]]>

<!ENTITY % optgroup.attlist "INCLUDE" >
<![%optgroup.attlist;[
<!ATTLIST %optgroup.qname;
    %Common.attrib;
    disabled ( disabled ) #IMPLIED
    label %Text.datatype; #REQUIRED
>
<!-- end of optgroup.attlist -->]]>

<!-- option: Selectable Choice ..... -->

<!ENTITY % option.element "INCLUDE" >

```

```
<![%option.element;[
<!ENTITY % option.content "( #PCDATA )" >
<!ELEMENT %option.qname; %option.content; >
<!-- end of option.element -->]]>
```

```
<!ENTITY % option.attlist "INCLUDE" >
<![%option.attlist;[
<!ATTLIST %option.qname;
    %Common.attrib;
    selected ( selected )      #IMPLIED
    disabled ( disabled )     #IMPLIED
    label    %Text.datatype;   #IMPLIED
    value    CDATA             #IMPLIED
>
<!-- end of option.attlist -->]]>
```

```
<!-- textarea: Multi-Line Text Field ..... -->
```

```
<!ENTITY % textarea.element "INCLUDE" >
<![%textarea.element;[
<!ENTITY % textarea.content "( #PCDATA )" >
<!ELEMENT %textarea.qname; %textarea.content; >
<!-- end of textarea.element -->]]>
```

```
<!ENTITY % textarea.attlist "INCLUDE" >
<![%textarea.attlist;[
<!ATTLIST %textarea.qname;
    %Common.attrib;
    name    CDATA              #IMPLIED
    rows    %Number.datatype;  #REQUIRED
    cols    %Number.datatype;  #REQUIRED
    disabled ( disabled )     #IMPLIED
    readonly ( readonly )     #IMPLIED
    tabindex %Number.datatype; #IMPLIED
    accesskey %Character.datatype;
    #IMPLIED
>
<!-- end of textarea.attlist -->]]>
```

```
<!-- fieldset: Form Control Group ..... -->
```

```
<!-- #PCDATA is to solve the mixed content problem,
per specification only whitespace is allowed
-->
```

```
<!ENTITY % fieldset.element "INCLUDE" >
<![%fieldset.element;[
<!ENTITY % fieldset.content
```

```

    "( #PCDATA | %legend.qname; | %Flow.mix; )*"
>
<!ELEMENT %fieldset.qname; %fieldset.content; >
<!-- end of fieldset.element -->]]>

<!ENTITY % fieldset.attlist "INCLUDE" >
<![%fieldset.attlist;[
<!ATTLIST %fieldset.qname;
    %Common.attrib;
>
<!-- end of fieldset.attlist -->]]>

<!-- legend: Fieldset Legend ..... -->

<!ENTITY % legend.element "INCLUDE" >
<![%legend.element;[
<!ENTITY % legend.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ELEMENT %legend.qname; %legend.content; >
<!-- end of legend.element -->]]>

<!ENTITY % legend.attlist "INCLUDE" >
<![%legend.attlist;[
<!ATTLIST %legend.qname;
    %Common.attrib;
    accesskey
    %Character.datatype; #IMPLIED
>
<!-- end of legend.attlist -->]]>

<!-- button: Push Button ..... -->

<!ENTITY % button.element "INCLUDE" >
<![%button.element;[
<!ENTITY % button.content
    "( #PCDATA
    | %BlkNoForm.mix;
    | %InlStruct.class;
    %InlPhras.class;
    %InlPres.class;
    %I18n.class;
    %InlSpecial.class;
    %Inline.extra; )*"
>
<!ELEMENT %button.qname; %button.content; >
<!-- end of button.element -->]]>

```

```

<!ENTITY % button.attlist "INCLUDE" >
<![%button.attlist;[
<!ATTLIST %button.qname;
    %Common.attrib;
    name      CDATA          #IMPLIED
    value     CDATA          #IMPLIED
    type      ( button | submit | reset ) 'submit'
    disabled  ( disabled )   #IMPLIED
    tabindex  %Number.datatype; #IMPLIED
    accesskey %Character.datatype; #IMPLIED
>
<!-- end of button.attlist -->]]>

```

```

<!-- end of xhtml-form-1.mod -->

```

Found in path(s):

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/xhtml11/xhtml-form-1.mod

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Basic Table Module ..... -->
<!-- file: xhtml-basic-table-1.mod

```

This is XHTML Basic, a proper subset of XHTML.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-basic-table-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Basic Tables 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-basic-table-1.mod"

```

Revisions:

(none)

```

..... -->

```

```

<!-- Basic Tables

```

table, caption, tr, th, td

This table module declares elements and attributes defining a table model based fundamentally on features found in the widely-deployed HTML

3.2 table model. While this module

mimics the content model and table attributes of HTML 3.2 tables, the element types declared herein also includes all

HTML 4 common and most of the HTML 4 table attributes.

-->

<!-- declare qualified element type names:

-->

<!ENTITY % table.qname "table" >

<!ENTITY % caption.qname "caption" >

<!ENTITY % tr.qname "tr" >

<!ENTITY % th.qname "th" >

<!ENTITY % td.qname "td" >

<!-- horizontal alignment attributes for cell contents

-->

<!ENTITY % CellHAlign.attrib

"align ( left  
| center  
| right ) #IMPLIED"

>

<!-- vertical alignment attributes for cell contents

-->

<!ENTITY % CellVAlign.attrib

"valign ( top  
| middle  
| bottom ) #IMPLIED"

>

<!-- scope is simpler than axes attribute for common tables

-->

<!ENTITY % scope.attrib

"scope ( row | col ) #IMPLIED"

>

<!-- table: Table Element

..... -->

<!ENTITY % table.element "INCLUDE" >

<![%table.element;[

<!ENTITY % table.content

"( %caption.qname;?, %tr.qname;+ )"

>

<!ELEMENT %table.qname; %table.content; >

<!-- end of table.element -->]]>

<!ENTITY % table.attlist "INCLUDE" >

<![%table.attlist;[

<!ATTLIST %table.qname;

%Common.attrib;

```

summary    %Text.datatype;    #IMPLIED
width      %Length.datatype;  #IMPLIED
>
<!-- end of table.attlist -->]]>

<!-- caption: Table Caption ..... -->

<!ENTITY % caption.element "INCLUDE" >
<![%caption.element;[
<!ENTITY % caption.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ELEMENT %caption.qname; %caption.content; >
<!-- end of caption.element -->]]>

<!ENTITY % caption.attlist "INCLUDE" >
<![%caption.attlist;[
<!ATTLIST %caption.qname;
    %Common.attrib;
>
<!-- end of caption.attlist -->]]>

<!-- tr: Table Row ..... -->

<!ENTITY % tr.element "INCLUDE"
>
<![%tr.element;[
<!ENTITY % tr.content "( %th.qname; | %td.qname; )+" >
<!ELEMENT %tr.qname; %tr.content; >
<!-- end of tr.element -->]]>

<!ENTITY % tr.attlist "INCLUDE" >
<![%tr.attlist;[
<!ATTLIST %tr.qname;
    %Common.attrib;
    %CellHAlign.attrib;
    %CellVAlign.attrib;
>
<!-- end of tr.attlist -->]]>

<!-- th: Table Header Cell ..... -->

<!-- th is for header cells, td for data,
    but for cells acting as both use td
-->

<!ENTITY % th.element "INCLUDE" >
<![%th.element;[

```

```

<!ENTITY % th.content
  "( #PCDATA | %FlowNoTable.mix; )*"
>
<!ELEMENT %th.qname; %th.content; >
<!-- end of th.element -->]]>

<!ENTITY % th.attlist "INCLUDE" >
<![%th.attlist;[
<!ATTLIST %th.qname;
  %Common.attrib;
  abbr    %Text.datatype;    #IMPLIED
  axis    CDATA              #IMPLIED
  headers IDREFS             #IMPLIED
  %scope.attrib;
  rowspan %Number.datatype;  '1'
  colspan
%Number.datatype;  '1'
  %CellHAlign.attrib;
  %CellVAlign.attrib;
>
<!-- end of th.attlist -->]]>

<!-- td: Table Data Cell ..... -->

<!ENTITY % td.element "INCLUDE" >
<![%td.element;[
<!ENTITY % td.content
  "( #PCDATA | %FlowNoTable.mix; )*"
>
<!ELEMENT %td.qname; %td.content; >
<!-- end of td.element -->]]>

<!ENTITY % td.attlist "INCLUDE" >
<![%td.attlist;[
<!ATTLIST %td.qname;
  %Common.attrib;
  abbr    %Text.datatype;    #IMPLIED
  axis    CDATA              #IMPLIED
  headers IDREFS             #IMPLIED
  %scope.attrib;
  rowspan %Number.datatype;  '1'
  colspan %Number.datatype;  '1'
  %CellHAlign.attrib;
  %CellVAlign.attrib;
>
<!-- end of td.attlist -->]]>

<!-- end of xhtml-basic-table-1.mod -->

```

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-basic-table-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->  
<!-- XHTML Common Attributes Module ..... -->  
<!-- file: xhtml-attribs-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-attribs-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML Common Attributes 1.0//EN"  
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-attribs-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Common Attributes
```

This module declares many of the common attributes for the XHTML DTD.  
%NS.decl.attrib; is declared in the XHTML QName module.

Note that this file was extended  
in XHTML Modularization 1.1 to  
include declarations of "global" versions of the attribute collections.  
The global versions of the attributes are for use on elements in other  
namespaces. The global version of "common" includes the xmlns declaration  
for the prefixed version of the xhtml namespace. If you are only using a  
specific attribute or an individual attribute collection, you must also  
include the XHTML.xmlns.attrib.prefixed PE on your elements.

```
-->
```

```
<!ENTITY % id.attrib  
  "id ID #IMPLIED"  
>
```

```
<![%XHTML.global.attrs.prefixed;  
<!ENTITY % XHTML.global.id.attrib  
  "%XHTML.prefix;id ID #IMPLIED"  
>  
]]>
```

```

<!ENTITY % class.attrib
  "class      NMTOKENS      #IMPLIED"
>

<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.class.attrib
  "%XHTML.prefix;:class      NMTOKENS      #IMPLIED"
>
]]>

<!ENTITY % title.attrib
  "title      %Text.datatype;      #IMPLIED"
>

<![%XHTML.global.attrs.prefixed;[
<!ENTITY
  % XHTML.global.title.attrib
  "%XHTML.prefix;:title      %Text.datatype;      #IMPLIED"
>
]]>

<!ENTITY % Core.extra.attrib "" >

<!ENTITY % Core.attrib
  "%XHTML.xmlns.attrib;
  %id.attrib;
  %class.attrib;
  %title.attrib;
  xml:space ( preserve )      #FIXED 'preserve'
  %Core.extra.attrib;"
>

<!ENTITY % XHTML.global.core.extra.attrib "" >

<![%XHTML.global.attrs.prefixed;[

<!ENTITY % XHTML.global.core.attrib
  "%XHTML.global.id.attrib;
  %XHTML.global.class.attrib;
  %XHTML.global.title.attrib;
  %XHTML.global.core.extra.attrib;"
>
]]>

<!ENTITY % XHTML.global.core.attrib "" >

<!ENTITY % lang.attrib

```

```

    "xml:lang    %LanguageCode.datatype; #IMPLIED"
  >

<![%XHTML.bidi;[
<!ENTITY % dir.attrib
    "dir      ( ltr | rtl )      #IMPLIED"
  >

<!ENTITY % I18n.attrib
    "%dir.attrib;
    %lang.attrib;"
  >

<![%XHTML.global.attrs.prefixed;[
<!ENTITY XHTML.global.i18n.attrib

    "%XHTML.prefix;;dir      ( ltr | rtl )      #IMPLIED
    %lang.attrib;"
  >
]]>
<!ENTITY XHTML.global.i18n.attrib "" >

]]>
<!ENTITY % I18n.attrib
    "%lang.attrib;"
  >
<!ENTITY % XHTML.global.i18n.attrib
    "%lang.attrib;"
  >

<!ENTITY % Common.extra.attrib "" >
<!ENTITY % XHTML.global.common.extra.attrib "" >

<!-- intrinsic event attributes declared previously
-->
<!ENTITY % Events.attrib "" >

<!ENTITY % XHTML.global.events.attrib "" >

<!ENTITY % Common.attrib
    "%Core.attrib;
    %I18n.attrib;
    %Events.attrib;
    %Common.extra.attrib;"
  >

<!ENTITY % XHTML.global.common.attrib
    "%XHTML.xmlns.attrib.prefixed;

```

```
%XHTML.global.core.attrib;
%XHTML.global.i18n.attrib;
%XHTML.global.events.attrib;
%XHTML.global.common.extra.attrib;"
>
```

```
<!-- end of xhtml-attrs-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-attrs-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Container Attribute Module ..... -->
<!-- file: svg-container-attrib.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-container-attrib.mod,v 1.2 2002/04/20 18:07:42 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Container Attribute//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-container-attrib.mod"
```

```
..... -->
```

```
<!-- Container Attribute
```

```
enable-background
```

This module defines the Container attribute set.

```
-->
```

```
<!-- 'enable-background' property/attribute value (e.g., 'new', 'accumulate') -->
```

```
<!ENTITY
```

```
% EnableBackgroundValue.datatype "CDATA" >
```

```
<!ENTITY % SVG.enable-background.attrib
```

```
"enable-background %EnableBackgroundValue.datatype; #IMPLIED"
```

```
>
```

```
<!ENTITY % SVG.Container.extra.attrib "" >
```

```
<!ENTITY % SVG.Container.attrib
```

```
"%SVG.enable-background.attrib;
```

```
%SVG.Container.extra.attrib;"
```

>

<!-- end of svg-container-attrib.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-container-attrib.mod

No license file was found, but licenses were detected in source scan.

2001 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University).  
All Rights Reserved.

Permission to use, copy, modify and distribute the XHTML DTD and its accompanying documentation for any purpose and without fee is hereby granted in perpetuity, provided that the above copyright notice and this paragraph appear in all copies. The copyright holders make no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Author: Murray M. Altheim <altheim@eng.sun.com>  
Revision: \$Id: xhtml11.dtd,v 1.21 2001/05/29 16:37:01 ahby Exp \$

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml11.dtd

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/xhtml11/xhtml11.dtd

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- SVG 1.1 Basic Filter Module ..... -->

<!-- file: svg-basic-filter.mod

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-basic-filter.mod,v 1.4 2002/11/14 15:11:02 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS SVG 1.1 Basic Filter//EN"  
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-basic-filter.mod"

..... -->

<!-- Basic Filter

filter, feBlend, feColorMatrix, feComponentTransfer, feComposite,  
feFlood, feGaussianBlur, feImage, feMerge, feMergeNode, feOffset,  
feTile, feFuncR, feFuncG, feFuncB, feFuncA

This module declares markup to provide support for filter effect.

-->

<!-- 'filter' property/attribute value (e.g., 'none', <uri>) -->

<!ENTITY % FilterValue.datatype "CDATA" >

<!-- list of <number>s, but at least one and at most two -->

<!ENTITY % NumberOptionalNumber.datatype "CDATA" >

<!-- Qualified Names (Default) ..... -->

<!ENTITY % SVG.filter.qname "filter" >

<!ENTITY % SVG.feBlend.qname "feBlend" >

<!ENTITY % SVG.feColorMatrix.qname "feColorMatrix" >

<!ENTITY % SVG.feComponentTransfer.qname "feComponentTransfer" >

<!ENTITY % SVG.feComposite.qname "feComposite" >

<!ENTITY % SVG.feFlood.qname "feFlood" >

<!ENTITY % SVG.feGaussianBlur.qname "feGaussianBlur" >

<!ENTITY % SVG.feImage.qname "feImage" >

<!ENTITY % SVG.feMerge.qname "feMerge" >

<!ENTITY % SVG.feMergeNode.qname "feMergeNode" >

<!ENTITY % SVG.feOffset.qname "feOffset" >

<!ENTITY % SVG.feTile.qname "feTile" >

<!ENTITY % SVG.feFuncR.qname "feFuncR" >

<!ENTITY % SVG.feFuncG.qname "feFuncG"

>

<!ENTITY % SVG.feFuncB.qname "feFuncB" >

<!ENTITY % SVG.feFuncA.qname "feFuncA" >

<!-- Attribute Collections (Default) ..... -->

<!ENTITY % SVG.Core.attrib "" >

<!ENTITY % SVG.Container.attrib "" >

<!ENTITY % SVG.Style.attrib "" >

<!ENTITY % SVG.Viewport.attrib "" >

<!ENTITY % SVG.Text.attrib "" >

<!ENTITY % SVG.TextContent.attrib "" >

<!ENTITY % SVG.Font.attrib "" >

<!ENTITY % SVG.Paint.attrib "" >

<!ENTITY % SVG.Color.attrib "" >

<!ENTITY % SVG.Opacity.attrib "" >

<!ENTITY % SVG.Graphics.attrib "" >

<!ENTITY % SVG.Marker.attrib "" >

```

<!ENTITY % SVG.ColorProfile.attrib "" >
<!ENTITY % SVG.Gradient.attrib "" >
<!ENTITY % SVG.Clip.attrib "" >
<!ENTITY % SVG.Mask.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.XLink.attrib "" >
<!ENTITY % SVG.XLinkEmbed.attrib "" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Filter.class ..... -->

<!ENTITY % SVG.Filter.extra.class "" >

<!ENTITY % SVG.Filter.class
  "| %SVG.filter.qname;
  %SVG.Filter.extra.class;"
>

<!-- SVG.FilterPrimitive.class ..... -->

<!ENTITY % SVG.FilterPrimitive.extra.class "" >

<!ENTITY % SVG.FilterPrimitive.class
  "| %SVG.feBlend.qname; | %SVG.feColorMatrix.qname;
  | %SVG.feComponentTransfer.qname; | %SVG.feComposite.qname;
  | %SVG.feFlood.qname; | %SVG.feGaussianBlur.qname; | %SVG.feImage.qname;
  | %SVG.feMerge.qname; | %SVG.feOffset.qname; | %SVG.feTile.qname;
  %SVG.FilterPrimitive.extra.class;"
>

<!-- SVG.Filter.attrib ..... -->

<!ENTITY % SVG.Filter.extra.attrib "" >

<!ENTITY % SVG.Filter.attrib
  "filter %FilterValue.datatype; #IMPLIED
  %SVG.Filter.extra.attrib;"
>

<!-- SVG.FilterColor.attrib ..... -->

<!ENTITY % SVG.FilterColor.extra.attrib "" >

<!ENTITY % SVG.FilterColor.attrib
  "color-interpolation-filters ( auto | sRGB | linearRGB | inherit )
  #IMPLIED
  %SVG.FilterColor.extra.attrib;"
>

```

```

<!--
SVG.FilterPrimitive.attrib ..... -->

<!ENTITY % SVG.FilterPrimitive.extra.attrib "" >

<!ENTITY % SVG.FilterPrimitive.attrib
"x %Coordinate.datatype; #IMPLIED
y %Coordinate.datatype; #IMPLIED
width %Length.datatype; #IMPLIED
height %Length.datatype; #IMPLIED
result CDATA #IMPLIED
%SVG.FilterPrimitive.extra.attrib;"
>

<!-- SVG.FilterPrimitiveWithIn.attrib ..... -->

<!ENTITY % SVG.FilterPrimitiveWithIn.extra.attrib "" >

<!ENTITY % SVG.FilterPrimitiveWithIn.attrib
"%SVG.FilterPrimitive.attrib;
in CDATA #IMPLIED
%SVG.FilterPrimitiveWithIn.extra.attrib;"
>

<!-- SVG.Presentation.attrib ..... -->

<!ENTITY % SVG.Presentation.extra.attrib "" >

<!ENTITY % SVG.Presentation.attrib
"%SVG.Container.attrib;
%SVG.Viewport.attrib;
%SVG.Text.attrib;
%SVG.TextContent.attrib;
%SVG.Font.attrib;
%SVG.Paint.attrib;
%SVG.Color.attrib;
%SVG.Opacity.attrib;
%SVG.Graphics.attrib;
%SVG.Marker.attrib;
%SVG.ColorProfile.attrib;
%SVG.Gradient.attrib;
%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;
%SVG.FilterColor.attrib;
%SVG.Cursor.attrib;
flood-color %SVGColor.datatype; #IMPLIED

```

```

    flood-opacity %OpacityValue.datatype; #IMPLIED
    lighting-color %SVGColor.datatype; #IMPLIED
    %SVG.Presentation.extra.attrib;"
>

<!-- filter: Filter Element ..... -->

<!ENTITY % SVG.filter.extra.content "" >

<!ENTITY % SVG.filter.element "INCLUDE" >
<![%SVG.filter.element;[
<!ENTITY % SVG.filter.content
    "( (%SVG.Description.class;)*, ( %SVG.animate.qname; | %SVG.set.qname;
    %SVG.FilterPrimitive.class; %SVG.filter.extra.content; )*)"
>
<!ELEMENT %SVG.filter.qname; %SVG.filter.content; >
<!-- end of SVG.filter.element -->]]>

<!ENTITY % SVG.filter.attlist "INCLUDE" >
<![%SVG.filter.attlist;[
<!ATTLIST %SVG.filter.qname;
    %SVG.Core.attrib;
    %SVG.Style.attrib;
    %SVG.Presentation.attrib;
    %SVG.XLink.attrib;
    %SVG.External.attrib;
    x %Coordinate.datatype; #IMPLIED
    y %Coordinate.datatype; #IMPLIED
    width %Length.datatype; #IMPLIED
    height %Length.datatype; #IMPLIED
    filterRes %NumberOptionalNumber.datatype; #IMPLIED
    filterUnits ( userSpaceOnUse | objectBoundingBox ) #IMPLIED
    primitiveUnits ( userSpaceOnUse | objectBoundingBox ) #IMPLIED
>
<!-- end of SVG.filter.attlist -->]]>

<!-- feBlend: Filter Effect Blend Element ..... -->

<!ENTITY % SVG.feBlend.extra.content "" >

<!ENTITY % SVG.feBlend.element "INCLUDE" >
<![%SVG.feBlend.element;[
<!ENTITY % SVG.feBlend.content
    "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feBlend.extra.content; )*"
>
<!ELEMENT %SVG.feBlend.qname; %SVG.feBlend.content; >
<!-- end of SVG.feBlend.element -->]]>

```

```

<!ENTITY % SVG.feBlend.attlist "INCLUDE" >
<![%SVG.feBlend.attlist;[
<!ATTLIST %SVG.feBlend.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
  in2 CDATA #REQUIRED
  mode ( normal | multiply | screen | darken | lighten ) 'normal'
>
<!-- end of SVG.feBlend.attlist -->]]>

<!-- feColorMatrix: Filter Effect Color Matrix Element . -->

<!ENTITY % SVG.feColorMatrix.extra.content "" >

<!ENTITY % SVG.feColorMatrix.element "INCLUDE" >
<![%SVG.feColorMatrix.element;[
<!ENTITY % SVG.feColorMatrix.content
  "( %SVG.animate.qname; | %SVG.set.qname;
  %SVG.feColorMatrix.extra.content; )*"
>
<!ELEMENT %SVG.feColorMatrix.qname; %SVG.feColorMatrix.content; >
<!-- end of SVG.feColorMatrix.element -->]]>

<!ENTITY % SVG.feColorMatrix.attlist "INCLUDE" >
<![%SVG.feColorMatrix.attlist;[
<!ATTLIST %SVG.feColorMatrix.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
  type ( matrix | saturate | hueRotate | luminanceToAlpha ) 'matrix'
  values CDATA #IMPLIED
>
<!-- end of SVG.feColorMatrix.attlist -->]]>

<!-- feComponentTransfer: Filter Effect Component Transfer Element
-->

<!ENTITY % SVG.feComponentTransfer.extra.content "" >

<!ENTITY % SVG.feComponentTransfer.element "INCLUDE" >
<![%SVG.feComponentTransfer.element;[
<!ENTITY % SVG.feComponentTransfer.content
  "( %SVG.feFuncR.qname;?, %SVG.feFuncG.qname;?, %SVG.feFuncB.qname;?,
  %SVG.feFuncA.qname;? %SVG.feComponentTransfer.extra.content; )"
>
<!ELEMENT %SVG.feComponentTransfer.qname; %SVG.feComponentTransfer.content; >
<!-- end of SVG.feComponentTransfer.element -->]]>

```

```

<!ENTITY % SVG.feComponentTransfer.attlist "INCLUDE" >
<![%SVG.feComponentTransfer.attlist;[
<!ATTLIST %SVG.feComponentTransfer.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
>
<!-- end of SVG.feComponentTransfer.attlist -->]]>

<!-- feComposite: Filter Effect Composite Element ..... -->

<!ENTITY % SVG.feComposite.extra.content "" >

<!ENTITY % SVG.feComposite.element "INCLUDE" >
<![%SVG.feComposite.element;[
<!ENTITY % SVG.feComposite.content
  "( %SVG.animate.qname;
  | %SVG.set.qname; %SVG.feComposite.extra.content; )*"
>
<!ELEMENT %SVG.feComposite.qname; %SVG.feComposite.content; >
<!-- end of SVG.feComposite.element -->]]>

<!ENTITY % SVG.feComposite.attlist "INCLUDE" >
<![%SVG.feComposite.attlist;[
<!ATTLIST %SVG.feComposite.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
  in2 CDATA #REQUIRED
  operator ( over | in | out | atop | xor | arithmetic ) 'over'
  k1 %Number.datatype; #IMPLIED
  k2 %Number.datatype; #IMPLIED
  k3 %Number.datatype; #IMPLIED
  k4 %Number.datatype; #IMPLIED
>
<!-- end of SVG.feComposite.attlist -->]]>

<!-- feFlood: Filter Effect Flood Element ..... -->

<!ENTITY % SVG.feFlood.extra.content "" >

<!ENTITY % SVG.feFlood.element "INCLUDE" >
<![%SVG.feFlood.element;[
<!ENTITY % SVG.feFlood.content
  "( %SVG.animate.qname; | %SVG.set.qname; | %SVG.animateColor.qname;
  %SVG.feFlood.extra.content; )*"
>

```

```

<!ELEMENT %SVG.feFlood.qname; %SVG.feFlood.content;
>
<!-- end of SVG.feFlood.element -->]]>

<!ENTITY % SVG.feFlood.attlist "INCLUDE" >
<![%SVG.feFlood.attlist;[
<!ATTLIST %SVG.feFlood.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
  %SVG.Color.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
  flood-color %SVGColor.datatype; #IMPLIED
  flood-opacity %OpacityValue.datatype; #IMPLIED
>
<!-- end of SVG.feFlood.attlist -->]]>

<!-- feGaussianBlur: Filter Effect Gaussian Blur Element -->

<!ENTITY % SVG.feGaussianBlur.extra.content "" >

<!ENTITY % SVG.feGaussianBlur.element "INCLUDE" >
<![%SVG.feGaussianBlur.element;[
<!ENTITY % SVG.feGaussianBlur.content
  "( %SVG.animate.qname; | %SVG.set.qname;
  %SVG.feGaussianBlur.extra.content; )"
>
<!ELEMENT %SVG.feGaussianBlur.qname; %SVG.feGaussianBlur.content; >
<!-- end of SVG.feGaussianBlur.element -->]]>

<!ENTITY % SVG.feGaussianBlur.attlist "INCLUDE" >
<![%SVG.feGaussianBlur.attlist;[
<!ATTLIST %SVG.feGaussianBlur.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
  stdDeviation %NumberOptionalNumber.datatype; #IMPLIED
>
<!-- end of SVG.feGaussianBlur.attlist -->]]>

<!-- feImage: Filter Effect Image Element ..... -->

<!ENTITY % SVG.feImage.extra.content "" >

<!ENTITY % SVG.feImage.element "INCLUDE" >
<![%SVG.feImage.element;[
<!ENTITY % SVG.feImage.content
  "( %SVG.animate.qname; | %SVG.set.qname; | %SVG.animateTransform.qname;

```

```

    %SVG.feImage.extra.content; )*"
>
<!ELEMENT %SVG.feImage.qname; %SVG.feImage.content; >
<!-- end of SVG.feImage.element -->]]>

<!ENTITY % SVG.feImage.attlist "INCLUDE" >
<![%SVG.feImage.attlist;[
<!ATTLIST %SVG.feImage.qname;
    %SVG.Core.attrib;
    %SVG.Style.attrib;
    %SVG.Presentation.attrib;
    %SVG.FilterPrimitive.attrib;
    %SVG.XLinkEmbed.attrib;
    %SVG.External.attrib;
    preserveAspectRatio %PreserveAspectRatioSpec.datatype; 'xMidYMid meet'
>
<!-- end of SVG.feImage.attlist -->]]>

<!-- feMerge: Filter Effect
Merge Element ..... -->

<!ENTITY % SVG.feMerge.extra.content "" >

<!ENTITY % SVG.feMerge.element "INCLUDE" >
<![%SVG.feMerge.element;[
<!ENTITY % SVG.feMerge.content
    "( %SVG.feMergeNode.qname; %SVG.feMerge.extra.content; )*"
>
<!ELEMENT %SVG.feMerge.qname; %SVG.feMerge.content; >
<!-- end of SVG.feMerge.element -->]]>

<!ENTITY % SVG.feMerge.attlist "INCLUDE" >
<![%SVG.feMerge.attlist;[
<!ATTLIST %SVG.feMerge.qname;
    %SVG.Core.attrib;
    %SVG.FilterColor.attrib;
    %SVG.FilterPrimitive.attrib;
>
<!-- end of SVG.feMerge.attlist -->]]>

<!-- feMergeNode: Filter Effect Merge Node Element ..... -->

<!ENTITY % SVG.feMergeNode.extra.content "" >

<!ENTITY % SVG.feMergeNode.element "INCLUDE" >
<![%SVG.feMergeNode.element;[
<!ENTITY % SVG.feMergeNode.content
    "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feMergeNode.extra.content; )*"

```

```

>
<!ELEMENT %SVG.feMergeNode.qname; %SVG.feMergeNode.content; >
<!-- end of SVG.feMergeNode.element -->]]>

<!ENTITY % SVG.feMergeNode.attlist
"INCLUDE" >
<![%SVG.feMergeNode.attlist;[
<!ATTLIST %SVG.feMergeNode.qname;
  %SVG.Core.attrib;
  in CDATA #IMPLIED
>
<!-- end of SVG.feMergeNode.attlist -->]]>

<!-- feOffset: Filter Effect Offset Element ..... -->

<!ENTITY % SVG.feOffset.extra.content "" >

<!ENTITY % SVG.feOffset.element "INCLUDE" >
<![%SVG.feOffset.element;[
<!ENTITY % SVG.feOffset.content
  "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feOffset.extra.content; )*"
>
<!ELEMENT %SVG.feOffset.qname; %SVG.feOffset.content; >
<!-- end of SVG.feOffset.element -->]]>

<!ENTITY % SVG.feOffset.attlist "INCLUDE" >
<![%SVG.feOffset.attlist;[
<!ATTLIST %SVG.feOffset.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
  dx %Number.datatype; #IMPLIED
  dy %Number.datatype; #IMPLIED
>
<!-- end of SVG.feOffset.attlist -->]]>

<!-- feTile: Filter Effect Tile Element ..... -->

<!ENTITY % SVG.feTile.extra.content "" >

<!ENTITY % SVG.feTile.element "INCLUDE"
>
<![%SVG.feTile.element;[
<!ENTITY % SVG.feTile.content
  "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feTile.extra.content; )*"
>
<!ELEMENT %SVG.feTile.qname; %SVG.feTile.content; >
<!-- end of SVG.feTile.element -->]]>

```

```

<!ENTITY % SVG.feTile.attlist "INCLUDE" >
<![%SVG.feTile.attlist;[
<!ATTLIST %SVG.feTile.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
>
<!-- end of SVG.feTile.attlist -->]]>

<!-- feFuncR: Filter Effect Function Red Element ..... -->

<!ENTITY % SVG.feFuncR.extra.content "" >

<!ENTITY % SVG.feFuncR.element "INCLUDE" >
<![%SVG.feFuncR.element;[
<!ENTITY % SVG.feFuncR.content
  "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feFuncR.extra.content; )*"
>
<!ELEMENT %SVG.feFuncR.qname; %SVG.feFuncR.content; >
<!-- end of SVG.feFuncR.element -->]]>

<!ENTITY % SVG.feFuncR.attlist "INCLUDE" >
<![%SVG.feFuncR.attlist;[
<!ATTLIST %SVG.feFuncR.qname;
  %SVG.Core.attrib;
  type ( identity | table | discrete | linear
| gamma ) #REQUIRED
  tableValues CDATA #IMPLIED
  slope %Number.datatype; #IMPLIED
  intercept %Number.datatype; #IMPLIED
  amplitude %Number.datatype; #IMPLIED
  exponent %Number.datatype; #IMPLIED
  offset %Number.datatype; #IMPLIED
>
<!-- end of SVG.feFuncR.attlist -->]]>

<!-- feFuncG: Filter Effect Function Green Element ..... -->

<!ENTITY % SVG.feFuncG.extra.content "" >

<!ENTITY % SVG.feFuncG.element "INCLUDE" >
<![%SVG.feFuncG.element;[
<!ENTITY % SVG.feFuncG.content
  "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feFuncG.extra.content; )*"
>
<!ELEMENT %SVG.feFuncG.qname; %SVG.feFuncG.content; >
<!-- end of SVG.feFuncG.element -->]]>

```

```

<!ENTITY % SVG.feFuncG.attlist "INCLUDE" >
<![%SVG.feFuncG.attlist;[
<!ATTLIST %SVG.feFuncG.qname;
  %SVG.Core.attrib;
  type ( identity | table | discrete | linear | gamma ) #REQUIRED
  tableValues CDATA #IMPLIED
  slope %Number.datatype; #IMPLIED
  intercept %Number.datatype; #IMPLIED
  amplitude %Number.datatype;
  #IMPLIED
  exponent %Number.datatype; #IMPLIED
  offset %Number.datatype; #IMPLIED
>
<!-- end of SVG.feFuncG.attlist -->]]>

<!-- feFuncB: Filter Effect Function Blue Element ..... -->

<!ENTITY % SVG.feFuncB.extra.content "" >

<!ENTITY % SVG.feFuncB.element "INCLUDE" >
<![%SVG.feFuncB.element;[
<!ENTITY % SVG.feFuncB.content
  "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feFuncB.extra.content; )*"
>
<!ELEMENT %SVG.feFuncB.qname; %SVG.feFuncB.content; >
<!-- end of SVG.feFuncB.element -->]]>

<!ENTITY % SVG.feFuncB.attlist "INCLUDE" >
<![%SVG.feFuncB.attlist;[
<!ATTLIST %SVG.feFuncB.qname;
  %SVG.Core.attrib;
  type ( identity | table | discrete | linear | gamma ) #REQUIRED
  tableValues CDATA #IMPLIED
  slope %Number.datatype; #IMPLIED
  intercept %Number.datatype; #IMPLIED
  amplitude %Number.datatype; #IMPLIED
  exponent %Number.datatype; #IMPLIED
  offset %Number.datatype; #IMPLIED
>
<!-- end of SVG.feFuncB.attlist -->]]>

<!-- feFuncA: Filter Effect Function
Alpha Element ..... -->

<!ENTITY % SVG.feFuncA.extra.content "" >

<!ENTITY % SVG.feFuncA.element "INCLUDE" >

```

```
<![%SVG.feFuncA.element;[
<!ENTITY % SVG.feFuncA.content
  "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feFuncA.extra.content; )*"
>
<!ELEMENT %SVG.feFuncA.qname; %SVG.feFuncA.content; >
<!-- end of SVG.feFuncA.element -->]]>
```

```
<!ENTITY % SVG.feFuncA.attlist "INCLUDE" >
<![%SVG.feFuncA.attlist;[
<!ATTLIST %SVG.feFuncA.qname;
  %SVG.Core.attrib;
  type ( identity | table | discrete | linear | gamma ) #REQUIRED
  tableValues CDATA #IMPLIED
  slope %Number.datatype; #IMPLIED
  intercept %Number.datatype; #IMPLIED
  amplitude %Number.datatype; #IMPLIED
  exponent %Number.datatype; #IMPLIED
  offset %Number.datatype; #IMPLIED
>
<!-- end of SVG.feFuncA.attlist -->]]>
```

```
<!-- end of svg-basic-filter.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
basic-filter.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Legacy Markup Module ..... -->
<!-- file: xhtml-legacy-1.mod
```

This is an extension of XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-legacy-1.mod,v 4.1 2001/04/10 09:42:30 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Legacy Markup 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-legacy-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- HTML Legacy Markup
```

font, basefont, center, s, strike, u, dir, menu, isindex

(plus additional datatypes and attributes)

This optional module declares additional markup for simple presentation-related markup based on features found in the HTML 4 Transitional and Frameset DTDs. This relies on inclusion of the Legacy Redeclarations module. This module also declares the frames, inline frames and object modules.

This is to allow XHTML 1.1 documents to be transformed for display on HTML browsers where CSS support is inconsistent or unavailable.

-->

<!-- Constructing a Legacy DTD

To construct a DTD driver obtaining a close approximation of the HTML 4 Transitional and Frameset DTDs, declare the Legacy Redeclarations module as the pre-framework redeclaration parameter entity (%xhtml-prefw-redecl.mod;) and INCLUDE its conditional section:

```
...
<!ENTITY % xhtml-prefw-redecl.module "INCLUDE" >
<![%xhtml-prefw-redecl.module;[
<!ENTITY % xhtml-prefw-redecl.mod
    PUBLIC "-//W3C//ELEMENTS XHTML Legacy Redeclarations 1.0//EN"
        "xhtml-legacy-redecl-1.mod"
>
% xhtml-prefw-redecl.mod;]]>
```

Such a DTD should be named with a variant FPI and redeclare the value of the %XHTML.version; parameter entity to that FPI:

```
"-//Your Name Here//DTD XHTML Legacy 1.1//EN"
```

**IMPORTANT:** see also the notes included in the Legacy Redeclarations Module for information on how to construct a DTD using this module.

-->

<!-- Additional Element Types ..... -->

<!-- font: Local Font Modifier ..... -->

```
<!ENTITY % font.element "INCLUDE" >
<![%font.element;[
<!ENTITY % font.content
```

```

    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % font.qname "font" >
<!ELEMENT %font.qname; %font.content; >
<!-- end of font.element -->]]>

<!ENTITY % font.attlist "INCLUDE" >
<![%font.attlist;[
<!ATTLIST %font.qname;
    %Core.attrib;
    %I18n.attrib;
    size    CDATA          #IMPLIED
    color   %Color.datatype; #IMPLIED
    face
    CDATA          #IMPLIED
>
<!-- end of font.attlist -->]]>

<!-- basefont: Base Font Size ..... -->

<!ENTITY % basefont.element "INCLUDE" >
<![%basefont.element;[
<!ENTITY % basefont.content "EMPTY" >
<!ENTITY % basefont.qname "basefont" >
<!ELEMENT %basefont.qname; %basefont.content; >
<!-- end of basefont.element -->]]>

<!ENTITY % basefont.attlist "INCLUDE" >
<![%basefont.attlist;[
<!ATTLIST %basefont.qname;
    %id.attrib;
    size    CDATA          #REQUIRED
    color   %Color.datatype; #IMPLIED
    face    CDATA          #IMPLIED
>
<!-- end of basefont.attlist -->]]>

<!-- center: Center Alignment ..... -->

<!ENTITY % center.element "INCLUDE" >
<![%center.element;[
<!ENTITY % center.content
    "( #PCDATA | %Flow.mix; )*"
>
<!ENTITY % center.qname "center" >
<!ELEMENT %center.qname; %center.content; >
<!-- end of center.element -->]]>

```

```

<!ENTITY % center.attlist "INCLUDE"
>
<![%center.attlist;[
<!ATTLIST %center.qname;
    %Common.attrib;
>
<!-- end of center.attlist -->]]>

<!-- s: Strike-Thru Text Style ..... -->

<!ENTITY % s.element "INCLUDE" >
<![%s.element;[
<!ENTITY % s.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % s.qname "s" >
<!ELEMENT %s.qname; %s.content; >
<!-- end of s.element -->]]>

<!ENTITY % s.attlist "INCLUDE" >
<![%s.attlist;[
<!ATTLIST %s.qname;
    %Common.attrib;
>
<!-- end of s.attlist -->]]>

<!-- strike: Strike-Thru Text Style .....-->

<!ENTITY % strike.element "INCLUDE" >
<![%strike.element;[
<!ENTITY % strike.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % strike.qname "strike" >
<!ELEMENT %strike.qname; %strike.content; >
<!-- end of strike.element -->]]>

<!ENTITY % strike.attlist "INCLUDE" >
<![%strike.attlist;[
<!ATTLIST %strike.qname;
    %Common.attrib;
>
<!-- end of strike.attlist -->]]>

<!-- u: Underline Text Style .....-->

<!ENTITY

```

```

% u.element "INCLUDE" >
<![%u.element;[
<!ENTITY % u.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % u.qname "u" >
<!ELEMENT %u.qname; %u.content; >
<!-- end of u.element -->]]>

<!ENTITY % u.attlist "INCLUDE" >
<![%u.attlist;[
<!ATTLIST %u.qname;
    %Common.attrib;
>
<!-- end of u.attlist -->]]>

<!-- dir: Directory List ..... -->

<!-- NOTE: the content model for <dir> in HTML 4 excluded %Block.mix;
-->
<!ENTITY % dir.element "INCLUDE" >
<![%dir.element;[
<!ENTITY % dir.content
    "( %li.qname; )+"
>
<!ENTITY % dir.qname "dir" >
<!ELEMENT %dir.qname; %dir.content; >
<!-- end of dir.element -->]]>

<!ENTITY % dir.attlist "INCLUDE" >
<![%dir.attlist;[
<!ATTLIST %dir.qname;
    %Common.attrib;
    compact    ( compact )    #IMPLIED
>
<!-- end of dir.attlist -->]]>

<!-- menu: Menu List ..... -->

<!-- NOTE: the content model for <menu> in HTML 4 excluded %Block.mix;
-->
<!ENTITY %
menu.element "INCLUDE" >
<![%menu.element;[
<!ENTITY % menu.content
    "( %li.qname; )+"
>
<!ENTITY % menu.qname "menu" >

```

```

<!ELEMENT %menu.qname; %menu.content; >
<!-- end of menu.element -->]]>

<!ENTITY % menu.attlist "INCLUDE" >
<![%menu.attlist;[
<!ATTLIST %menu.qname;
    %Common.attrib;
    compact    ( compact )    #IMPLIED
>
<!-- end of menu.attlist -->]]>

<!-- isindex: Single-Line Prompt ..... -->

<!ENTITY % isindex.element "INCLUDE" >
<![%isindex.element;[
<!ENTITY % isindex.content "EMPTY" >
<!ENTITY % isindex.qname "isindex" >
<!ELEMENT %isindex.qname; %isindex.content; >
<!-- end of isindex.element -->]]>

<!ENTITY % isindex.attlist "INCLUDE" >
<![%isindex.attlist;[
<!ATTLIST %isindex.qname;
    %Core.attrib;
    %I18n.attrib;
    prompt    %Text.datatype;    #IMPLIED
>
<!-- end of isindex.attlist -->]]>

<!-- Additional Attributes ..... -->

<!-- Alignment attribute for Transitional
use in HTML browsers
    (this functionality is generally well-supported in CSS,
    except within some contexts)
-->
<!ENTITY % align.attrib
    "align    ( left | center | right | justify ) #IMPLIED"
>

<!ATTLIST %applet.qname;
    align    ( top | middle | bottom | left | right ) #IMPLIED
    hspace   %Pixels.datatype;    #IMPLIED
    vspace   %Pixels.datatype;    #IMPLIED
>

<!ATTLIST %body.qname;

```

```
background %URI.datatype; #IMPLIED
bgcolor %Color.datatype; #IMPLIED
text %Color.datatype; #IMPLIED
link %Color.datatype; #IMPLIED
vlink %Color.datatype; #IMPLIED
alink %Color.datatype; #IMPLIED
>
```

```
<!ATTLIST %br.qname;
  clear ( left | all | right | none ) 'none'
>
```

```
<!ATTLIST %caption.qname;
  align ( top | bottom | left | right ) #IMPLIED
>
```

```
<!ATTLIST %div.qname;
  %align.attrib;
>
```

```
<!ATTLIST %h1.qname;
  %align.attrib;
>
```

```
<!ATTLIST %h2.qname;
  %align.attrib;
>
```

```
<!ATTLIST %h3.qname;
  %align.attrib;
>
```

```
<!ATTLIST %h4.qname;
  %align.attrib;
>
```

```
<!ATTLIST %h5.qname;
  %align.attrib;
>
```

```
<!ATTLIST %h6.qname;
  %align.attrib;
>
```

```
<!ATTLIST %hr.qname;
  align ( left | center | right ) #IMPLIED
  noshade ( noshade ) #IMPLIED
  size %Pixels.datatype; #IMPLIED
>
```

```
width    %Length.datatype;    #IMPLIED
>

<!ATTLIST %img.qname;
  align   ( top | middle | bottom | left | right ) #IMPLIED
  border  %Pixels.datatype;    #IMPLIED
  hspace  %Pixels.datatype;    #IMPLIED
  vspace  %Pixels.datatype;    #IMPLIED
>

<!ATTLIST %input.qname;
  align   ( top | middle | bottom | left | right ) #IMPLIED
>

<!ATTLIST %legend.qname;
  align   ( top | bottom | left | right ) #IMPLIED
>

<!ATTLIST %li.qname;
  type    CDATA                #IMPLIED

  value   %Number.datatype;    #IMPLIED
>

<!ATTLIST %object.qname;
  align   ( top | middle | bottom | left | right ) #IMPLIED
  border  %Pixels.datatype;    #IMPLIED
  hspace  %Pixels.datatype;    #IMPLIED
  vspace  %Pixels.datatype;    #IMPLIED
>

<!ATTLIST %dl.qname;
  compact ( compact )         #IMPLIED
>

<!ATTLIST %ol.qname;
  type    CDATA                #IMPLIED
  compact ( compact )         #IMPLIED
  start   %Number.datatype;    #IMPLIED
>

<!ATTLIST %p.qname;
  %align.attrib;
>

<!ATTLIST %pre.qname;
  width   %Length.datatype;    #IMPLIED
>
```

```
<!ATTLIST %script.qname;
  language %ContentType.datatype; #IMPLIED
>
```

```
<!ATTLIST %table.qname;
  align    ( left | center | right ) #IMPLIED
  bgcolor  %Color.datatype;        #IMPLIED
>
```

```
<!ATTLIST %tr.qname;
  bgcolor  %Color.datatype;        #IMPLIED
>
```

```
<!ATTLIST %th.qname;
  nowrap   ( nowrap )             #IMPLIED
  bgcolor  %Color.datatype;        #IMPLIED
  width    %Length.datatype;      #IMPLIED
  height   %Length.datatype;      #IMPLIED
>
```

```
<!ATTLIST %td.qname;
  nowrap   ( nowrap )             #IMPLIED
  bgcolor  %Color.datatype;        #IMPLIED
  width    %Length.datatype;      #IMPLIED
  height   %Length.datatype;      #IMPLIED
>
```

```
<!ATTLIST %ul.qname;
  type     CDATA                   #IMPLIED
  compact  ( compact )            #IMPLIED
>
```

```
<!-- Frames Module ..... -->
<!ENTITY % xhtml-frames.module "IGNORE" >
<![%xhtml-frames.module;[
<!ENTITY % xhtml-frames.mod
  PUBLIC "-//W3C//ELEMENTS XHTML Frames 1.0//EN"
    "xhtml-frames-1.mod" >
%xhtml-frames.mod;]]>
```

```
<!-- Inline Frames Module ..... -->
<!ENTITY % xhtml-iframe.module "INCLUDE" >
<![%xhtml-iframe.module;[
<!ATTLIST
  %iframe.qname;
  align    ( top | middle | bottom | left | right ) #IMPLIED
>
```

```
<!ENTITY % xhtml-iframe.mod
PUBLIC "-//W3C//ELEMENTS XHTML Inline Frame Element 1.0//EN"
"xhtml-iframe-1.mod" >
%xhtml-iframe.mod;]]>
```

```
<!-- end of xhtml-legacy-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-legacy-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Style Module ..... -->
<!-- file: svg-style.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-style.mod,v 1.3 2002/10/24 17:40:16 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Style//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-style.mod"
```

```
..... -->
```

```
<!-- Style
```

```
style
```

This module declares markup to provide support for stylesheet.

```
-->
```

```
<!-- list of classes -->
<!ENTITY % ClassList.datatype "CDATA" >
```

```
<!-- comma-separated list of media descriptors. -->
<!ENTITY % MediaDesc.datatype
"CDATA" >
```

```
<!-- style sheet data -->
<!ENTITY % StyleSheet.datatype "CDATA" >
```

```
<!-- Qualified Names (Default) ..... -->
```

```
<!ENTITY % SVG.style.qname "style" >
```

```

<!-- Attribute Collections (Default) ..... -->

<!ENTITY % SVG.Core.attrib "" >

<!-- SVG.Style.class ..... -->

<!ENTITY % SVG.Style.extra.class "" >

<!ENTITY % SVG.Style.class
  "| %SVG.style.qname; %SVG.Style.extra.class;"
>

<!-- SVG.Style.attrib ..... -->

<!ENTITY % SVG.Style.extra.attrib "" >

<!ENTITY % SVG.Style.attrib
  "style %StyleSheet.datatype; #IMPLIED
  class %ClassList.datatype; #IMPLIED
  %SVG.Style.extra.attrib;"
>

<!-- style: Style Element ..... -->

<!ENTITY % SVG.style.extra.content "" >

<!ENTITY % SVG.style.element "INCLUDE" >
<![%SVG.style.element;[
<!ENTITY % SVG.style.content
  "( #PCDATA %SVG.style.extra.content; )*"
>
<!ELEMENT %SVG.style.qname; %SVG.style.content;
>
<!-- end of SVG.style.element -->]]>

<!ENTITY % SVG.style.attlist "INCLUDE" >
<![%SVG.style.attlist;[
<!ATTLIST %SVG.style.qname;
  xml:space ( preserve ) #FIXED 'preserve'
  %SVG.Core.attrib;
  type %ContentType.datatype; #REQUIRED
  media %MediaDesc.datatype; #IMPLIED
  title %Text.datatype; #IMPLIED
>
<!-- end of SVG.style.attlist -->]]>

<!-- end of svg-style.mod -->

```

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-style.mod

No license file was found, but licenses were detected in source scan.

<!--

File isomscr.ent produced by the XSL script entities.xml  
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the  
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle  
via the public W3C list [www-math@w3.org](mailto:www-math@w3.org).

The numeric character values assigned to each entity  
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the  
following notice:

(C) International Organization for Standardization 1991  
Permission to copy in any form is granted for use with  
conforming SGML systems and applications as defined in  
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: `-//W3C//ENTITIES`

Math Alphabets: Script//EN//XML

System identifier: <http://www.w3.org/2003/entities/2007/isomscr.ent>

The public identifier should always be used verbatim.

The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isomscr PUBLIC
  "-//W3C//ENTITIES Math Alphabets: Script//EN//XML"
  "http://www.w3.org/2003/entities/2007/isomscr.ent"
>
%isomscr;
```

-->

<!ENTITY ascr "&#x1D4B6;" ><!--MATHEMATICAL SCRIPT SMALL A -->  
<!ENTITY AscR "&#x1D49C;" ><!--MATHEMATICAL SCRIPT CAPITAL A -->  
<!ENTITY bscr "&#x1D4B7;" ><!--MATHEMATICAL SCRIPT SMALL B -->  
<!ENTITY Bscr "&#x0212C;" ><!--SCRIPT CAPITAL B -->  
<!ENTITY cscr "&#x1D4B8;" ><!--MATHEMATICAL SCRIPT SMALL C -->  
<!ENTITY Cscr "&#x1D49E;" ><!--MATHEMATICAL SCRIPT CAPITAL C -->  
<!ENTITY dscr "&#x1D4B9;" ><!--MATHEMATICAL SCRIPT SMALL D -->  
<!ENTITY Dscr "&#x1D49F;" ><!--MATHEMATICAL SCRIPT CAPITAL D -->  
<!ENTITY escr "&#x0212F;" ><!--SCRIPT SMALL E -->  
<!ENTITY Escr "&#x02130;" ><!--SCRIPT CAPITAL E -->  
<!ENTITY fscr "&#x1D4BB;" ><!--MATHEMATICAL SCRIPT SMALL F -->  
<!ENTITY Fscr "&#x02131;" ><!--SCRIPT CAPITAL F -->  
<!ENTITY gscr "&#x0210A;" ><!--SCRIPT SMALL G -->  
<!ENTITY Gscr "&#x1D4A2;" ><!--MATHEMATICAL SCRIPT CAPITAL G -->  
<!ENTITY hscr "&#x1D4BD;" ><!--MATHEMATICAL SCRIPT SMALL H -->  
<!ENTITY Hscr "&#x0210B;" ><!--SCRIPT CAPITAL H -->  
<!ENTITY iscr "&#x1D4BE;" ><!--MATHEMATICAL SCRIPT SMALL I -->  
<!ENTITY Iscr "&#x02110;" ><!--SCRIPT CAPITAL I -->  
<!ENTITY jscr "&#x1D4BF;" ><!--MATHEMATICAL SCRIPT SMALL J -->  
<!ENTITY Jscr "&#x1D4A5;" ><!--MATHEMATICAL SCRIPT CAPITAL J -->  
<!ENTITY kscr "&#x1D4C0;" ><!--MATHEMATICAL SCRIPT SMALL K -->  
<!ENTITY Kscr "&#x1D4A6;" ><!--MATHEMATICAL  
SCRIPT CAPITAL K -->  
<!ENTITY lscr "&#x1D4C1;" ><!--MATHEMATICAL SCRIPT SMALL L -->  
<!ENTITY Lscr "&#x02112;" ><!--SCRIPT CAPITAL L -->  
<!ENTITY mscr "&#x1D4C2;" ><!--MATHEMATICAL SCRIPT SMALL M -->  
<!ENTITY Mscr "&#x02133;" ><!--SCRIPT CAPITAL M -->  
<!ENTITY nscr "&#x1D4C3;" ><!--MATHEMATICAL SCRIPT SMALL N -->  
<!ENTITY Nscr "&#x1D4A9;" ><!--MATHEMATICAL SCRIPT CAPITAL N -->  
<!ENTITY oscr "&#x02134;" ><!--SCRIPT SMALL O -->  
<!ENTITY Oscr "&#x1D4AA;" ><!--MATHEMATICAL SCRIPT CAPITAL O -->  
<!ENTITY pscr "&#x1D4C5;" ><!--MATHEMATICAL SCRIPT SMALL P -->  
<!ENTITY Pscr "&#x1D4AB;" ><!--MATHEMATICAL SCRIPT CAPITAL P -->  
<!ENTITY qscr "&#x1D4C6;" ><!--MATHEMATICAL SCRIPT SMALL Q -->  
<!ENTITY Qscr "&#x1D4AC;" ><!--MATHEMATICAL SCRIPT CAPITAL Q -->  
<!ENTITY rscr "&#x1D4C7;" ><!--MATHEMATICAL SCRIPT SMALL R -->  
<!ENTITY Rscr "&#x0211B;" ><!--SCRIPT CAPITAL R -->  
<!ENTITY sscr "&#x1D4C8;" ><!--MATHEMATICAL SCRIPT SMALL S -->  
<!ENTITY Sscr "&#x1D4AE;" ><!--MATHEMATICAL SCRIPT CAPITAL S -->  
<!ENTITY tscr "&#x1D4C9;" ><!--MATHEMATICAL SCRIPT SMALL T -->  
<!ENTITY Tscr "&#x1D4AF;" ><!--MATHEMATICAL SCRIPT CAPITAL T -->  
<!ENTITY uscr "&#x1D4CA;" ><!--MATHEMATICAL SCRIPT SMALL U -->  
<!ENTITY Uscr "&#x1D4B0;" ><!--MATHEMATICAL SCRIPT CAPITAL U -->

```

<!ENTITY vscr      "𝓋" ><!--MATHEMATICAL SCRIPT SMALL V -->
<!ENTITY Vscr     "𝒱" ><!--MATHEMATICAL SCRIPT CAPITAL V -->
<!ENTITY wscr     "𝓌" ><!--MATHEMATICAL SCRIPT SMALL W -->
<!ENTITY Wscr     "𝒲" ><!--MATHEMATICAL SCRIPT CAPITAL W -->
<!ENTITY xscr     "𝓍" ><!--MATHEMATICAL SCRIPT SMALL X -->
<!ENTITY Xscr     "𝒳" ><!--MATHEMATICAL SCRIPT CAPITAL X -->
<!ENTITY yscr     "𝓎" ><!--MATHEMATICAL
SCRIPT SMALL Y -->
<!ENTITY Yscr     "𝒴" ><!--MATHEMATICAL SCRIPT CAPITAL Y -->
<!ENTITY zscr     "𝓏" ><!--MATHEMATICAL SCRIPT SMALL Z -->
<!ENTITY Zscr     "𝒵" ><!--MATHEMATICAL SCRIPT CAPITAL Z -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isomscr.ent

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Basic Table Module ..... -->
<!-- file: xhtml-basic-table-1.mod

```

This is XHTML Basic, a proper subset of XHTML.

Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: xhtml-basic-table-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Basic Tables 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-basic-table-1.mod"

```

Revisions:

(none)

```

..... -->

```

```

<!-- Basic Tables

```

table, caption, tr, th, td

This table module declares elements and attributes defining a table model based fundamentally on features found in the widely-deployed

HTML 3.2 table model. While this module

mimics the content model and table attributes of HTML 3.2 tables, the element types declared herein also includes all HTML 4 common and most of the HTML 4 table attributes.

```

-->

```

```

<!-- declare qualified element type names:

```

```

-->
<!ENTITY % table.qname "table" >
<!ENTITY % caption.qname "caption" >
<!ENTITY % tr.qname "tr" >
<!ENTITY % th.qname "th" >
<!ENTITY % td.qname "td" >

<!-- horizontal alignment attributes for cell contents
-->
<!ENTITY % CellHAlign.attrib
    "align    ( left
                | center
                | right )      #IMPLIED"
>

<!-- vertical alignment attributes for cell contents
-->
<!ENTITY % CellVAlign.attrib
    "valign   ( top
                | middle
                | bottom )     #IMPLIED"
>

<!-- scope is simpler than axes attribute for common tables
-->
<!ENTITY % scope.attrib
    "scope    ( row | col )    #IMPLIED"
>

<!-- table:
Table Element ..... -->

<!ENTITY % table.element "INCLUDE" >
<![%table.element;[
<!ENTITY % table.content
    "( %caption.qname;?, %tr.qname;+ )"
>
<!ELEMENT %table.qname; %table.content; >
<!-- end of table.element -->]]>

<!ENTITY % table.attlist "INCLUDE" >
<![%table.attlist;[
<!ATTLIST %table.qname;
    %Common.attrib;
    summary    %Text.datatype;    #IMPLIED
>
<!-- end of table.attlist -->]]>

```

```

<!-- caption: Table Caption ..... -->

<!ENTITY % caption.element "INCLUDE" >
<![%caption.element;[
<!ENTITY % caption.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ELEMENT %caption.qname; %caption.content; >
<!-- end of caption.element -->]]>

```

```

<!ENTITY % caption.attlist "INCLUDE" >
<![%caption.attlist;[
<!ATTLIST %caption.qname;
    %Common.attrib;
>
<!-- end of caption.attlist -->]]>

```

```

<!-- tr: Table Row ..... -->

<!ENTITY % tr.element "INCLUDE" >
<![%tr.element;[
<!ENTITY % tr.content
    "( %th.qname; | %td.qname; )+" >
<!ELEMENT %tr.qname; %tr.content; >
<!-- end of tr.element -->]]>

```

```

<!ENTITY % tr.attlist "INCLUDE" >
<![%tr.attlist;[
<!ATTLIST %tr.qname;
    %Common.attrib;
    %CellHAlign.attrib;
    %CellVAlign.attrib;
>
<!-- end of tr.attlist -->]]>

```

```

<!-- th: Table Header Cell ..... -->

<!-- th is for header cells, td for data,
    but for cells acting as both use td
-->

```

```

<!ENTITY % th.element "INCLUDE" >
<![%th.element;[
<!ENTITY % th.content
    "( #PCDATA | %FlowNoTable.mix; )*"
>
<!ELEMENT %th.qname; %th.content; >
<!-- end of th.element -->]]>

```

```

<!ENTITY % th.attlist "INCLUDE" >
<![%th.attlist;[
<!ATTLIST %th.qname;
  %Common.attrib;
  abbr      %Text.datatype;      #IMPLIED
  axis      CDATA                 #IMPLIED
  headers   IDREFS                #IMPLIED
  %scope.attrib;
  rowspan   %Number.datatype;    '1'
  colspan   %Number.datatype;    '1'
  %CellHAlign.attrib;
  %CellVAlign.attrib;
>
<!-- end of th.attlist -->]]>

```

```

<!-- td: Table Data Cell ..... -->

```

```

<!ENTITY % td.element "INCLUDE" >
<![%td.element;[
<!ENTITY % td.content
  "( #PCDATA | %FlowNoTable.mix; )*"
>
<!ELEMENT %td.qname; %td.content; >
<!-- end of td.element -->]]>

```

```

<!ENTITY % td.attlist "INCLUDE" >
<![%td.attlist;[
<!ATTLIST %td.qname;
  %Common.attrib;
  abbr      %Text.datatype;      #IMPLIED
  axis      CDATA                 #IMPLIED
  headers   IDREFS                #IMPLIED
  %scope.attrib;
  rowspan   %Number.datatype;    '1'
  colspan   %Number.datatype;    '1'
  %CellHAlign.attrib;
  %CellVAlign.attrib;
>
<!-- end of td.attlist -->]]>

```

```

<!-- end of xhtml-basic-table-1.mod -->

```

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtmll-basic-table-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG Template Qualified Name Module ..... -->
<!-- file: svg-template-qname.mod

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: $Id: svg-template-qname.mod,v 1.1 2002/04/20 18:08:11 fujisawa Exp $
```

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG Template Qualified Name//EN"
SYSTEM "svg-template-qname.mod"
```

```
..... -->
```

```
<!-- Template Qualified Name
```

This module is contained in two parts, labeled Section 'A' and 'B':

Section A declares parameter entities to support namespace-qualified names, namespace declarations, and name prefixing for SVG and extensions.

Section B declares parameter entities used to provide namespace-qualified names for all SVG element types:

```
-->
```

```
<!-- Section A: Template XML Namespace Framework ::::::::::::::: -->
```

```
<!-- 1. Declare a %MODULE.prefixed; conditional section keyword, used
to activate namespace prefixing. The default value should
inherit '%NS.prefixed;' from the DTD driver, so that unless
overridden, the default behaviour follows the overall DTD
prefixing scheme.
```

```
-->
```

```
<!ENTITY % NS.prefixed "IGNORE" >
<!ENTITY % MODULE.prefixed "%NS.prefixed;" >
```

```
<!-- 2. Declare a parameter entity (eg., %MODULE.xmlns;) containing
the URI reference used to identify the Template namespace:
```

```
-->
```

```
<!ENTITY % MODULE.xmlns "http://template-namespace-uri" >
```

```
<!-- 3. Declare parameter entities (eg., %MODULE.prefix;) containing
the default namespace prefix string(s) to use when prefixing
is enabled. This may be overridden in the
```

DTD driver or the

internal subset of an document instance. If no default prefix

is desired, this may be declared as an empty string.

-->

```
<!ENTITY % MODULE.prefix "" >
```

<!-- 4. Declare parameter entities (eg., %MODULE.pfx;) containing the colonized prefix(es) (eg., %MODULE.prefix;) used when prefixing is active, an empty string when it is not.

-->

```
<![%MODULE.prefixed;[  
<!ENTITY % MODULE.pfx "%MODULE.prefix;" >  
]]>  
<!ENTITY % MODULE.pfx "" >
```

<!-- 5. The parameter entity %MODULE.xmlns.extra.attrib; may be redeclared to contain any non-Template namespace declaration attributes for namespaces embedded in SVG. The default is an empty string.

-->

```
<![%MODULE.prefixed;[  
<!ENTITY % MODULE.xmlns.extra.attrib  
  "xmlns:%MODULE.prefix; %URI.datatype; #FIXED '%MODULE.xmlns;" >  
]]>  
<!ENTITY % MODULE.xmlns.extra.attrib "" >
```

```
<!ENTITY % SVG.xmlns.extra.attrib  
  "%MODULE.xmlns.extra.attrib;"  
>
```

<!-- Section B: SVG Qualified Names :::::::::::::::::::::  
-->

<!-- 6. This section declares parameter entities used to provide namespace-qualified names for all Template element types.  
-->

<!-- module: svg-template.mod ..... -->

```
<!ENTITY % MODULE.element.qname "%MODULE.pfx;element" >
```

<!-- end of svg-template-qname.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/svg11/templates/svg-template.mod

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/svg11/templates/svg-template-qname.mod

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- SVG 1.1 Basic Text Module ..... -->
<!-- file: svg-basic-text.mod

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: $Id: svg-basic-text.mod,v 1.4 2002/11/13 20:14:30 fujisawa Exp $

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS SVG 1.1 Basic Text//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-basic-text.mod"

..... -->

<!-- Basic Text

text

This module declares markup to provide support for text.
-->

<!-- 'font-family' property/attribute value (i.e., list of fonts) -->
<!ENTITY % FontFamilyValue.datatype "CDATA" >

<!--
'font-size' property/attribute value -->
<!ENTITY % FontSizeValue.datatype "CDATA" >

<!-- Qualified Names (Default) ..... -->

<!ENTITY % SVG.text.qname "text" >

<!-- Attribute Collections (Default) ..... -->

<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.Conditional.attrib "" >
<!ENTITY % SVG.Style.attrib "" >
<!ENTITY % SVG.Paint.attrib "" >
<!ENTITY % SVG.Color.attrib "" >
<!ENTITY % SVG.Opacity.attrib "" >
<!ENTITY % SVG.Graphics.attrib "" >
<!ENTITY % SVG.Clip.attrib "" >
<!ENTITY % SVG.Mask.attrib "" >
<!ENTITY % SVG.Filter.attrib "" >
<!ENTITY % SVG.GraphicalEvents.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.External.attrib "" >

```

```

<!-- SVG.Text.class ..... -->

<!ENTITY % SVG.Text.extra.class "" >

<!ENTITY % SVG.Text.class
  "| %SVG.text.qname; %SVG.Text.extra.class;"
>

<!-- SVG.TextContent.attrib ..... -->

<!ENTITY % SVG.TextContent.extra.attrib "" >

<!ENTITY % SVG.TextContent.attrib
  "text-anchor ( start | middle | end | inherit ) #IMPLIED
  %SVG.TextContent.extra.attrib;"
>

<!-- SVG.Font.attrib ..... -->

<!ENTITY % SVG.Font.extra.attrib "" >

<!ENTITY % SVG.Font.attrib
  "font-family %FontFamilyValue.datatype; #IMPLIED
  font-size %FontSizeValue.datatype; #IMPLIED
  font-style ( normal | italic | oblique | inherit ) #IMPLIED
  font-weight ( normal | bold | bolder | lighter | 100 | 200 | 300 | 400 |
    500 | 600 | 700 | 800 | 900 | inherit ) #IMPLIED
  %SVG.Font.extra.attrib;"
>

<!-- text: Text Element ..... -->

<!ENTITY % SVG.text.extra.content "" >

<!ENTITY % SVG.text.element "INCLUDE" >
<![%SVG.text.element;[
<!ENTITY % SVG.text.content
  "( #PCDATA | %SVG.Description.class; | %SVG.Animation.class;
  %SVG.Hyperlink.class; %SVG.text.extra.content; )*"
>
<!ELEMENT %SVG.text.qname; %SVG.text.content; >
<!-- end of SVG.text.element -->]]>

<!ENTITY
  % SVG.text.attlist "INCLUDE" >
<![%SVG.text.attlist;[
<!ATTLIST %SVG.text.qname;

```

```
%SVG.Core.attrib;
%SVG.Conditional.attrib;
%SVG.Style.attrib;
%SVG.TextContent.attrib;
%SVG.Font.attrib;
%SVG.Paint.attrib;
%SVG.Color.attrib;
%SVG.Opacity.attrib;
%SVG.Graphics.attrib;
%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;
%SVG.GraphicalEvents.attrib;
%SVG.Cursor.attrib;
%SVG.External.attrib;
x %Coordinates.datatype; #IMPLIED
y %Coordinates.datatype; #IMPLIED
rotate %Numbers.datatype; #IMPLIED
transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.text.attlist -->]]>

<!-- end of svg-basic-text.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
basic-text.mod
```

No license file was found, but licenses were detected in source scan.

2002 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de  
Recherche en Informatique et en Automatique, Keio University).  
All Rights Reserved.

Permission to use, copy, modify and distribute the MathML 2.0 DTD and  
its accompanying documentation for any purpose and without fee is  
hereby granted in perpetuity, provided that the above copyright notice  
and this paragraph appear in all copies. The copyright holders make  
no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Revision: \$Id: mathml2

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml2/mathml2-a.dtd
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Basic Paint Attribute Module ..... -->
<!-- file: svg-basic-paint-attrib.mod

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: $Id: svg-basic-paint-attrib.mod,v 1.1 2002/11/13 20:14:30 fujisawa Exp $

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ENTITIES SVG 1.1 Basic Paint Attribute//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-basic-paint-attrib.mod"
..... -->

<!-- Basic Paint Attribute

fill, fill-rule, stroke, stroke-dasharray, stroke-dashoffset,
stroke-linecap, stroke-linejoin, stroke-miterlimit, stroke-width, color,

color-rendering

This module defines the Paint and Color attribute sets.
-->

<!-- a 'fill' or 'stroke' property/attribute value: <paint> -->
<!ENTITY % Paint.datatype "CDATA" >

<!-- 'stroke-dasharray' property/attribute value (e.g., 'none', list of <number>s) -->
<!ENTITY % StrokeDashArrayValue.datatype "CDATA" >

<!-- 'stroke-dashoffset' property/attribute value (e.g., 'none', <length>) -->
<!ENTITY % StrokeDashOffsetValue.datatype "CDATA" >

<!-- 'stroke-miterlimit' property/attribute value (e.g., <number>) -->
<!ENTITY % StrokeMiterLimitValue.datatype "CDATA" >

<!-- 'stroke-width' property/attribute value (e.g., <length>) -->
<!ENTITY % StrokeWidthValue.datatype "CDATA" >

<!ENTITY % SVG.fill.attrib
"fill %Paint.datatype; #IMPLIED"
>

<!ENTITY % SVG.fill-rule.attrib
"fill-rule %ClipFillRule.datatype; #IMPLIED"
```

>

```
<!ENTITY % SVG.stroke.attrib
  "stroke %Paint.datatype; #IMPLIED"
```

>

```
<!ENTITY % SVG.stroke-dasharray.attrib
  "stroke-dasharray %StrokeDashArrayValue.datatype;
  #IMPLIED"
```

>

```
<!ENTITY % SVG.stroke-dashoffset.attrib
  "stroke-dashoffset %StrokeDashOffsetValue.datatype; #IMPLIED"
```

>

```
<!ENTITY % SVG.stroke-linecap.attrib
  "stroke-linecap ( butt | round | square | inherit ) #IMPLIED"
```

>

```
<!ENTITY % SVG.stroke-linejoin.attrib
  "stroke-linejoin ( miter | round | bevel | inherit ) #IMPLIED"
```

>

```
<!ENTITY % SVG.stroke-miterlimit.attrib
  "stroke-miterlimit %StrokeMiterLimitValue.datatype; #IMPLIED"
```

>

```
<!ENTITY % SVG.stroke-width.attrib
  "stroke-width %StrokeWidthValue.datatype; #IMPLIED"
```

>

```
<!ENTITY % SVG.Paint.extra.attrib "" >
```

```
<!ENTITY % SVG.Paint.attrib
  "%SVG.fill.attrib;
  %SVG.fill-rule.attrib;
  %SVG.stroke.attrib;
  %SVG.stroke-dasharray.attrib;
  %SVG.stroke-dashoffset.attrib;
  %SVG.stroke-linecap.attrib;
  %SVG.stroke-linejoin.attrib;
  %SVG.stroke-miterlimit.attrib;
  %SVG.stroke-width.attrib;
  %SVG.Paint.extra.attrib;"
```

>

```
<!ENTITY % SVG.color.attrib
  "color %Color.datatype; #IMPLIED"
```

```
>
<!ENTITY
% SVG.color-rendering.attrib
"color-rendering ( auto | optimizeSpeed | optimizeQuality | inherit )
#IMPLIED"
>
```

```
<!ENTITY % SVG.Color.extra.attrib "" >
```

```
<!ENTITY % SVG.Color.attrib
"%SVG.color.attrib;
%SVG.color-rendering.attrib;
%SVG.Color.extra.attrib;"
>
```

```
<!-- end of svg-basic-paint-attrib.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
basic-paint-attrib.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Mask Module ..... -->
<!-- file: svg-mask.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-mask.mod,v 1.4 2002/11/14 15:11:03 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Mask//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-mask.mod"
```

```
..... -->
```

```
<!-- Mask
```

```
mask
```

This module declares markup to provide support for masking.

```
-->
```

```
<!-- 'mask' property/attribute value (e.g., 'none', <uri>) -->
<!ENTITY % MaskValue.datatype "CDATA" >
```

```

<!-- Qualified Names (Default) .....
-->

<!ENTITY % SVG.mask.qname "mask" >

<!-- Attribute Collections (Default) ..... -->

<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.Container.attrib "" >
<!ENTITY % SVG.Conditional.attrib "" >
<!ENTITY % SVG.Style.attrib "" >
<!ENTITY % SVG.Viewport.attrib "" >
<!ENTITY % SVG.Text.attrib "" >
<!ENTITY % SVG.TextContent.attrib "" >
<!ENTITY % SVG.Font.attrib "" >
<!ENTITY % SVG.Paint.attrib "" >
<!ENTITY % SVG.Color.attrib "" >
<!ENTITY % SVG.Opacity.attrib "" >
<!ENTITY % SVG.Graphics.attrib "" >
<!ENTITY % SVG.Marker.attrib "" >
<!ENTITY % SVG.ColorProfile.attrib "" >
<!ENTITY % SVG.Gradient.attrib "" >
<!ENTITY % SVG.Clip.attrib "" >
<!ENTITY % SVG.Filter.attrib "" >
<!ENTITY % SVG.FilterColor.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Mask.class ..... -->

<!ENTITY % SVG.Mask.extra.class "" >

<!ENTITY % SVG.Mask.class
  "| %SVG.mask.qname; %SVG.Mask.extra.class;"
>

<!--
SVG.Mask.attrib ..... -->

<!ENTITY % SVG.Mask.extra.attrib "" >

<!ENTITY % SVG.Mask.attrib
  "mask %MaskValue.datatype; #IMPLIED
  %SVG.Mask.extra.attrib;"
>

<!-- SVG.Presentation.attrib ..... -->

```

<!ENTITY % SVG.Presentation.extra.attrib "" >

<!ENTITY % SVG.Presentation.attrib

"%SVG.Container.attrib;  
%SVG.Viewport.attrib;  
%SVG.Text.attrib;  
%SVG.TextContent.attrib;  
%SVG.Font.attrib;  
%SVG.Paint.attrib;  
%SVG.Color.attrib;  
%SVG.Opacity.attrib;  
%SVG.Graphics.attrib;  
%SVG.Marker.attrib;  
%SVG.ColorProfile.attrib;  
%SVG.Gradient.attrib;  
%SVG.Clip.attrib;  
%SVG.Mask.attrib;  
%SVG.Filter.attrib;  
%SVG.FilterColor.attrib;  
%SVG.Cursor.attrib;  
flood-color %SVGColor.datatype; #IMPLIED  
flood-opacity %OpacityValue.datatype; #IMPLIED  
lighting-color %SVGColor.datatype; #IMPLIED  
%SVG.Presentation.extra.attrib;"

>

<!-- mask: Mask Element .....

-->

<!ENTITY % SVG.mask.extra.content "" >

<!ENTITY % SVG.mask.element "INCLUDE" >

<![%SVG.mask.element;[

<!ENTITY % SVG.mask.content

"( %SVG.Description.class; | %SVG.Animation.class; %SVG.Structure.class;  
%SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;  
%SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;  
%SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;  
%SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;  
%SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;  
%SVG.Font.class; %SVG.mask.extra.content; )\*"

>

<!ELEMENT %SVG.mask.qname; %SVG.mask.content; >

<!-- end of SVG.mask.element -->]]>

<!ENTITY % SVG.mask.attlist "INCLUDE" >

<![%SVG.mask.attlist;[

<!ATTLIST %SVG.mask.qname;

```

%SVG.Core.attrib;
%SVG.Conditional.attrib;
%SVG.Style.attrib;
%SVG.Presentation.attrib;
%SVG.External.attrib;
x %Coordinate.datatype; #IMPLIED
y %Coordinate.datatype;
#IMPLIED
width %Length.datatype; #IMPLIED
height %Length.datatype; #IMPLIED
maskUnits ( userSpaceOnUse | objectBoundingBox ) #IMPLIED
maskContentUnits ( userSpaceOnUse | objectBoundingBox ) #IMPLIED
>
<!-- end of SVG.mask.attlist -->]]>

<!-- end of svg-mask.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-mask.mod
```

No license file was found, but licenses were detected in source scan.

## SVG 1.1 Basic DTD

This is SVG Basic, a proper subset of SVG.

The Scalable Vector Graphics (SVG)

Copyright 2001, 2002 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University).

All Rights Reserved.

Permission to use, copy, modify and distribute the SVG DTD and its accompanying documentation for any purpose and without fee is hereby granted in perpetuity, provided that the above copyright notice and this paragraph appear in all copies. The copyright holders make no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Author: Jun Fujisawa <fujisawa.jun@canon.co.jp>

Revision: \$Id: svg11

dimensional graphics in XML.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All

Rights Reserved.

Revision: \$Id: svg

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-basic-flat.dtd

No license file was found, but licenses were detected in source scan.

## SVG 1.1 Basic DTD

This is SVG Basic, a proper subset of SVG.

The Scalable Vector Graphics (SVG)

Copyright 2001, 2002 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de  
Recherche en Informatique et en Automatique, Keio University).

All Rights Reserved.

Permission to use, copy, modify and distribute the SVG DTD and its accompanying documentation for any purpose and without fee is hereby granted in perpetuity, provided that the above copyright notice and this paragraph appear in all copies. The copyright holders make no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Author: Jun Fujisawa <fujisawa.jun@canon.co.jp>

Revision: \$Id: svg11

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-basic.dtd

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Inline Structural Module ..... -->
<!-- file: xhtml-inlstruct-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: xhtml-inlstruct-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Inline Structural 1.0//EN"

SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-inlstruct-1.mod"

Revisions:

(none)

```
..... -->
```

```
<!-- Inline Structural
```

br, span

This module declares the elements and their attributes used to support inline-level structural markup.

-->

<!-- br: forced  
line break ..... -->

<!ENTITY % br.element "INCLUDE" >  
<![%br.element;[

<!ENTITY % br.content "EMPTY" >  
<!ENTITY % br.qname "br" >  
<!ELEMENT %br.qname; %br.content; >

<!-- end of br.element -->]]>

<!ENTITY % br.attlist "INCLUDE" >  
<![%br.attlist;[  
<!ATTLIST %br.qname;  
%Core.attrib;

>

<!-- end of br.attlist -->]]>

<!-- span: generic inline container ..... -->

<!ENTITY % span.element "INCLUDE" >  
<![%span.element;[  
<!ENTITY % span.content  
" ( #PCDATA | %Inline.mix; ) \*"  
>  
<!ENTITY % span.qname "span" >  
<!ELEMENT %span.qname; %span.content; >  
<!-- end of span.element -->]]>

<!ENTITY % span.attlist "INCLUDE" >  
<![%span.attlist;[  
<!ATTLIST %span.qname;  
%Common.attrib;

>

<!-- end of span.attlist -->]]>

<!-- end of xhtml-instruct-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtmll-

instruct-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Document Metainformation Module ..... -->
<!-- file: xhtml-meta-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-meta-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Metainformation 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-meta-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Meta Information
```

```
    meta
```

This module declares the meta element type and its attributes,  
used to provide declarative document metainformation.

```
-->
```

```
<!-- meta: Generic Metainformation .....
-->
```

```
<!ENTITY % meta.element "INCLUDE" >
<![%meta.element;[
<!ENTITY % meta.content "EMPTY" >
<!ENTITY % meta.qname "meta" >
<!ELEMENT %meta.qname; %meta.content; >
<!-- end of meta.element -->]]>
```

```
<!ENTITY % meta.attlist "INCLUDE" >
<![%meta.attlist;[
<!ATTLIST %meta.qname;
    %XHTML.xmlns.attrib;
    %I18n.attrib;
    http-equiv NMTOKEN          #IMPLIED
    name        NMTOKEN          #IMPLIED
    content     CDATA            #REQUIRED
    scheme     CDATA            #IMPLIED
>
```

<!-- end of meta.attlist -->]]>

<!-- end of xhtml-meta-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-meta-1.mod

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- XHTML Hypertext Attributes Module ..... -->

<!-- file: xhtml-hyperAttributes-1.mod

This is XHTML-RDFa, modules to annotate XHTML family documents.

Copyright 2007 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-hyperAttributes-1.mod,v 1.2 2007/08/11 19:06:51 jigsaw Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ENTITIES XHTML HyperAttributes 1.0//EN"

SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-hyperAttributes-1.mod"

Revisions:

..... -->

<!-- Common Attributes

This module declares a collection of hypertext related  
attributes.

%NS.decl.attrib; is declared in the XHTML QName module.

This file also includes declarations  
of "global" versions of the  
attributes. The global versions of the attributes are for use on  
elements in other namespaces.

-->

<!ENTITY % href.attrib

"href %URI.datatype; #IMPLIED"

>

<![%XHTML.global.attrs.prefixed;[

<!ENTITY % XHTML.global.href.attrib

"%XHTML.prefix;:href %URI.datatype; #IMPLIED"

>

]]>

```

<!ENTITY % hreflang.attrib
    "hreflang    %LanguageCode.datatype;    #IMPLIED"
>

<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.hreflang.attrib
    "%XHTML.prefix;:hreflang    %LanguageCode.datatype;    #IMPLIED"
>
]]>

<!ENTITY % hrefmedia.attrib
    "hrefmedia    %MediaDesc.datatype;    #IMPLIED"
>

<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.hrefmedia.attrib
    "%XHTML.prefix;:hrefmedia    %MediaDesc.datatype;    #IMPLIED"
>
]]>

<!ENTITY % hreftype.attrib
    "hreftype    %ContentTypes.datatype;    #IMPLIED"
>

<![%XHTML.global.attrs.prefixed;[
<!ENTITY
    % XHTML.global.hreftype.attrib
    "%XHTML.prefix;:hreftype    %ContentTypes.datatype;    #IMPLIED"
>
]]>

<!ENTITY % Hyper.attrib.extra "" >

<!ENTITY % Hyper.attrib
    "%href.attrib;
    %hreflang.attrib;
    %hrefmedia.attrib;
    %hreftype.attrib;
    %Hyper.attrib.extra;"
>

<!ENTITY % XHTML.global.hyper.attrib.extra "" >

<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.hyper.attrib
    "%XHTML.global.href.attrib;
    %XHTML.global.hreflang.attrib;
    %XHTML.global.hrefmedia.attrib;

```

```
%XHTML.global.href.type.attrib;  
%XHTML.global.hyper.attrib.extra;"  
>  
]]>
```

```
<!ENTITY % XHTML.global.hyper.attrib "" >
```

```
<!-- end of xhtml-hyperAttributes-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-hyperAttributes-1.mod  
No license file was found, but licenses were detected in source scan.
```

```
<!-- ..... -->  
<!-- XHTML Intrinsic Events Module ..... -->  
<!-- file: xhtml-events-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-events-1.mod,v 4.1 2001/04/10 09:42:30 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML Intrinsic Events 1.0//EN"  
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-events-1.mod"
```

Revisions:

```
(none)  
..... -->
```

```
<!-- Intrinsic Event Attributes
```

These are the event attributes defined in HTML 4,  
Section 18.2.3 "Intrinsic Events". This module must be  
instantiated prior to the Attributes Module but  
after  
the Datatype Module in the Modular Framework module.

"Note: Authors of HTML documents are advised that changes  
are likely to occur in the realm of intrinsic events  
(e.g., how scripts are bound to events). Research in  
this realm is carried on by members of the W3C Document  
Object Model Working Group (see the W3C Web site at  
<http://www.w3.org/> for more information)."

```
-->  
<!-- NOTE: Because the ATTLIST declarations in this module occur  
before their respective ELEMENT declarations in other
```

modules, there may be a dependency on this module that should be considered if any of the parameter entities used for element type names (eg., %a.qname;) are redeclared.

-->

```
<!ENTITY % Events.attrib
"onclick %Script.datatype; #IMPLIED
ondblclick %Script.datatype; #IMPLIED
onmousedown %Script.datatype; #IMPLIED
onmouseup %Script.datatype; #IMPLIED
onmouseover %Script.datatype;
#IMPLIED
onmousemove %Script.datatype; #IMPLIED
onmouseout %Script.datatype; #IMPLIED
onkeypress %Script.datatype; #IMPLIED
onkeydown %Script.datatype; #IMPLIED
onkeyup %Script.datatype; #IMPLIED"
```

>

```
<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.events.attrib
"%XHTML.prefix::onclick %Script.datatype; #IMPLIED
%XHTML.prefix::ondblclick %Script.datatype; #IMPLIED
%XHTML.prefix::onmousedown %Script.datatype; #IMPLIED
%XHTML.prefix::onmouseup %Script.datatype; #IMPLIED
%XHTML.prefix::onmouseover %Script.datatype; #IMPLIED
%XHTML.prefix::onmousemove %Script.datatype; #IMPLIED
%XHTML.prefix::onmouseout %Script.datatype; #IMPLIED
%XHTML.prefix::onkeypress %Script.datatype; #IMPLIED
%XHTML.prefix::onkeydown %Script.datatype; #IMPLIED
%XHTML.prefix::onkeyup
%Script.datatype; #IMPLIED"
```

>

]]>

<!-- additional attributes on anchor element

-->

```
<!ATTLIST %a.qname;
onfocus %Script.datatype; #IMPLIED
onblur %Script.datatype; #IMPLIED
```

>

<!-- additional attributes on form element

-->

```
<!ATTLIST %form.qname;
onsubmit %Script.datatype; #IMPLIED
onreset %Script.datatype; #IMPLIED
```

>

```
<!-- additional attributes on label element
-->
<!ATTLIST %label.qname;
  onfocus   %Script.datatype;   #IMPLIED
  onblur     %Script.datatype;   #IMPLIED
>
```

```
<!-- additional attributes on input element
-->
<!ATTLIST %input.qname;
  onfocus   %Script.datatype;   #IMPLIED
  onblur     %Script.datatype;   #IMPLIED
  onselect   %Script.datatype;   #IMPLIED
  onchange   %Script.datatype;   #IMPLIED
>
```

```
<!-- additional attributes on select element
-->
<!ATTLIST %select.qname;
  onfocus   %Script.datatype;   #IMPLIED
  onblur     %Script.datatype;   #IMPLIED
  onchange   %Script.datatype;   #IMPLIED
>
```

```
<!-- additional attributes on textarea element
-->
<!ATTLIST %textarea.qname;
  onfocus   %Script.datatype;   #IMPLIED
  onblur     %Script.datatype;   #IMPLIED
  onselect   %Script.datatype;   #IMPLIED
  onchange   %Script.datatype;   #IMPLIED
>
```

```
<!-- additional attributes on button element
-->
<!ATTLIST %button.qname;
  onfocus   %Script.datatype;   #IMPLIED
  onblur     %Script.datatype;   #IMPLIED
>
```

```
<!-- additional attributes on body element
-->
<!ATTLIST %body.qname;
  onload     %Script.datatype;   #IMPLIED
  onunload   %Script.datatype;   #IMPLIED
>
```

```
<!-- additional attributes on area element
-->
<!ATTLIST %area.qname;
  onfocus   %Script.datatype;   #IMPLIED
  onblur    %Script.datatype;   #IMPLIED
>
```

```
<!-- end of xhtml-events-1.mod -->
```

Found in path(s):

\*

/opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/xhtml11/xhtml-events-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Paint Opacity Attribute Module ..... -->
<!-- file: svg-opacity-attrib.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-opacity-attrib.mod,v 1.2 2002/04/20 18:07:43 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Paint Opacity Attribute//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-opacity-attrib.mod"
```

```
..... -->
```

```
<!-- Paint Opacity Attribute
```

```
  opacity, fill-opacity, stroke-opacity
```

This module defines the Opacity attribute set.

```
-->
```

```
<!ENTITY % SVG.opacity.attrib
  "opacity %OpacityValue.datatype;
  #IMPLIED"
>
```

```
<!ENTITY % SVG.fill-opacity.attrib
  "fill-opacity %OpacityValue.datatype; #IMPLIED"
>
```

```
<!ENTITY % SVG.stroke-opacity.attrib
  "stroke-opacity %OpacityValue.datatype; #IMPLIED"
```

>

```
<!ENTITY % SVG.Opacity.extra.attrib "" >
```

```
<!ENTITY % SVG.Opacity.attrib
```

```
"%SVG.opacity.attrib;  
%SVG.fill-opacity.attrib;  
%SVG.stroke-opacity.attrib;  
%SVG.Opacity.extra.attrib;"
```

>

```
<!-- end of svg-opacity-attrib.mod -->
```

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-opacity-attrib.mod

No license file was found, but licenses were detected in source scan.

```
<!--
```

File isoamsr.ent produced by the XSL script entities.xml  
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the  
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle  
via the public W3C list [www-math@w3.org](mailto:www-math@w3.org).

The numeric character values assigned to each entity  
(should) match the Unicode assignments in Unicode 5.x.

References to the VARIANT SELECTOR 1 character (&#x0FE00;) should match the uses listed in Unicode Technical Report 25.

Entity names in this file are derived from files carrying the following notice:

(C) International Organization for Standardization 1991  
Permission to copy in any form is granted for use with  
conforming SGML systems and applications  
as defined in  
ISO 8879, provided this notice is included in all copies.

```
-->
```

<!--

Public identifier: -//W3C//ENTITIES Added Math Symbols: Relations//EN//XML  
System identifier: http://www.w3.org/2003/entities/2007/isoamsr.ent

The public identifier should always be used verbatim.  
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isoamsr PUBLIC
"-//W3C//ENTITIES Added Math Symbols: Relations//EN//XML"
"http://www.w3.org/2003/entities/2007/isoamsr.ent"
>
%isoamsr;

-->

<!ENTITY ape      "&#x0224A;" ><!--ALMOST EQUAL OR EQUAL TO -->
<!ENTITY apE     "&#x02A70;" ><!--APPROXIMATELY EQUAL OR EQUAL TO -->
<!ENTITY apid    "&#x0224B;" ><!--TRIPLE TILDE -->
<!ENTITY asymp   "&#x02248;" ><!--ALMOST EQUAL TO -->
<!ENTITY Barv    "&#x02AE7;" ><!--SHORT DOWN TACK WITH OVERBAR -->
<!ENTITY bcong   "&#x0224C;" ><!--ALL EQUAL
TO -->
<!ENTITY bepsi   "&#x003F6;" ><!--GREEK REVERSED LUNATE EPSILON SYMBOL -->
<!ENTITY bowtie  "&#x022C8;" ><!--BOWTIE -->
<!ENTITY bsim    "&#x0223D;" ><!--REVERSED TILDE -->
<!ENTITY bsime   "&#x022CD;" ><!--REVERSED TILDE EQUALS -->
<!ENTITY bsolhsub "&#x027C8;" ><!--REVERSE SOLIDUS PRECEDING SUBSET -->
<!ENTITY bump    "&#x0224E;" ><!--GEOMETRICALLY EQUIVALENT TO -->
<!ENTITY bumpe   "&#x0224F;" ><!--DIFFERENCE BETWEEN -->
<!ENTITY bumpE   "&#x02AAE;" ><!--EQUALS SIGN WITH BUMPY ABOVE -->
<!ENTITY cire    "&#x02257;" ><!--RING EQUAL TO -->
<!ENTITY Colon   "&#x02237;" ><!--PROPORTION -->
<!ENTITY colone  "&#x02254;" ><!--COLON EQUALS -->
<!ENTITY Colone  "&#x02A74;" ><!--DOUBLE COLON EQUAL -->
<!ENTITY congdot "&#x02A6D;" ><!--CONGRUENT WITH DOT ABOVE -->
<!ENTITY csub    "&#x02ACF;" ><!--CLOSED SUBSET -->
<!ENTITY csube   "&#x02AD1;" ><!--CLOSED
SUBSET OR EQUAL TO -->
<!ENTITY csup    "&#x02AD0;" ><!--CLOSED SUPERSET -->
<!ENTITY csupe   "&#x02AD2;" ><!--CLOSED SUPERSET OR EQUAL TO -->
<!ENTITY cuepr   "&#x022DE;" ><!--EQUAL TO OR PRECEDES -->
<!ENTITY cuesc   "&#x022DF;" ><!--EQUAL TO OR SUCCEEDS -->
<!ENTITY dashv   "&#x022A3;" ><!--LEFT TACK -->
<!ENTITY Dashv   "&#x02AE4;" ><!--VERTICAL BAR DOUBLE LEFT TURNSTILE -->
```

<!ENTITY easter "&#x02A6E;" ><!--EQUALS WITH ASTERISK -->  
 <!ENTITY ecir "&#x02256;" ><!--RING IN EQUAL TO -->  
 <!ENTITY ecolon "&#x02255;" ><!--EQUALS COLON -->  
 <!ENTITY eDDot "&#x02A77;" ><!--EQUALS SIGN WITH TWO DOTS ABOVE AND TWO DOTS BELOW -->  
 <!ENTITY eDot "&#x02251;" ><!--GEOMETRICALLY EQUAL TO -->  
 <!ENTITY efDot "&#x02252;" ><!--APPROXIMATELY EQUAL TO OR THE IMAGE OF -->  
 <!ENTITY eg "&#x02A9A;" ><!--DOUBLE-LINE EQUAL TO OR GREATER-THAN -->  
 <!ENTITY egs "&#x02A96;"  
 ><!--SLANTED EQUAL TO OR GREATER-THAN -->  
 <!ENTITY egsgdot "&#x02A98;" ><!--SLANTED EQUAL TO OR GREATER-THAN WITH DOT INSIDE ->  
 <!ENTITY el "&#x02A99;" ><!--DOUBLE-LINE EQUAL TO OR LESS-THAN -->  
 <!ENTITY els "&#x02A95;" ><!--SLANTED EQUAL TO OR LESS-THAN -->  
 <!ENTITY elsdot "&#x02A97;" ><!--SLANTED EQUAL TO OR LESS-THAN WITH DOT INSIDE -->  
 <!ENTITY equest "&#x0225F;" ><!--QUESTIONED EQUAL TO -->  
 <!ENTITY equivDD "&#x02A78;" ><!--EQUIVALENT WITH FOUR DOTS ABOVE -->  
 <!ENTITY erDot "&#x02253;" ><!--IMAGE OF OR APPROXIMATELY EQUAL TO -->  
 <!ENTITY esdot "&#x02250;" ><!--APPROACHES THE LIMIT -->  
 <!ENTITY esim "&#x02242;" ><!--MINUS TILDE -->  
 <!ENTITY Esim "&#x02A73;" ><!--EQUALS SIGN ABOVE TILDE OPERATOR -->  
 <!ENTITY fork "&#x022D4;" ><!--PITCHFORK -->  
 <!ENTITY forkv "&#x02AD9;" ><!--ELEMENT OF OPENING DOWNWARDS -->  
 <!ENTITY frown "&#x02322;"  
 ><!--FROWN -->  
 <!ENTITY gap "&#x02A86;" ><!--GREATER-THAN OR APPROXIMATE -->  
 <!ENTITY gE "&#x02267;" ><!--GREATER-THAN OVER EQUAL TO -->  
 <!ENTITY gel "&#x022DB;" ><!--GREATER-THAN EQUAL TO OR LESS-THAN -->  
 <!ENTITY gEl "&#x02A8C;" ><!--GREATER-THAN ABOVE DOUBLE-LINE EQUAL ABOVE LESS-THAN -->  
 <!ENTITY ges "&#x02A7E;" ><!--GREATER-THAN OR SLANTED EQUAL TO -->  
 <!ENTITY gescc "&#x02AA9;" ><!--GREATER-THAN CLOSED BY CURVE ABOVE SLANTED EQUAL -->  
 <!ENTITY gesdot "&#x02A80;" ><!--GREATER-THAN OR SLANTED EQUAL TO WITH DOT INSIDE ->  
 <!ENTITY gesdoto "&#x02A82;" ><!--GREATER-THAN OR SLANTED EQUAL TO WITH DOT ABOVE -->  
 <!ENTITY gesdotol "&#x02A84;" ><!--GREATER-THAN OR SLANTED EQUAL TO WITH DOT ABOVE LEFT -->  
 <!ENTITY gesl "&#x022DB;&#x0FE00;" ><!--GREATER-THAN slanted EQUAL TO OR LESS-THAN -->  
 <!ENTITY gesles "&#x02A94;" ><!--GREATER-THAN ABOVE SLANTED EQUAL ABOVE LESS-THAN ABOVE SLANTED EQUAL -->  
 <!ENTITY Gg "&#x022D9;" ><!--VERY MUCH GREATER-THAN -->  
 <!ENTITY gl "&#x02277;" ><!--GREATER-THAN OR LESS-THAN -->  
 <!ENTITY gla "&#x02AA5;" ><!--GREATER-THAN BESIDE LESS-THAN -->  
 <!ENTITY glE "&#x02A92;" ><!--GREATER-THAN ABOVE LESS-THAN ABOVE DOUBLE-LINE

EQUAL -->

<!ENTITY glj "&#x02AA4;" ><!--GREATER-THAN OVERLAPPING LESS-THAN -->

<!ENTITY gsim "&#x02273;" ><!--GREATER-THAN OR EQUIVALENT TO -->

<!ENTITY gsime "&#x02A8E;" ><!--GREATER-THAN ABOVE SIMILAR OR EQUAL -->

<!ENTITY gsiml "&#x02A90;" ><!--GREATER-THAN ABOVE SIMILAR ABOVE LESS-THAN -->

<!ENTITY Gt "&#x0226B;" ><!--MUCH GREATER-THAN -->

<!ENTITY gtcc "&#x02AA7;" ><!--GREATER-THAN CLOSED BY CURVE -->

<!ENTITY gtcir "&#x02A7A;" ><!--GREATER-THAN WITH CIRCLE INSIDE -->

<!ENTITY gtdot "&#x022D7;" ><!--GREATER-THAN WITH DOT -->

<!ENTITY gtquest "&#x02A7C;"

><!--GREATER-THAN WITH QUESTION MARK ABOVE -->

<!ENTITY gtrarr "&#x02978;" ><!--GREATER-THAN ABOVE RIGHTWARDS ARROW -->

<!ENTITY homtht "&#x0223B;" ><!--HOMOTHETIC -->

<!ENTITY lap "&#x02A85;" ><!--LESS-THAN OR APPROXIMATE -->

<!ENTITY lat "&#x02AAB;" ><!--LARGER THAN -->

<!ENTITY late "&#x02AAD;" ><!--LARGER THAN OR EQUAL TO -->

<!ENTITY lates "&#x02AAD;&#x0FE0;" ><!--LARGER THAN OR slanted EQUAL -->

<!ENTITY lE "&#x02266;" ><!--LESS-THAN OVER EQUAL TO -->

<!ENTITY leg "&#x022DA;" ><!--LESS-THAN EQUAL TO OR GREATER-THAN -->

<!ENTITY lEg "&#x02A8B;" ><!--LESS-THAN ABOVE DOUBLE-LINE EQUAL ABOVE GREATER-THAN -->

<!ENTITY les "&#x02A7D;" ><!--LESS-THAN OR SLANTED EQUAL TO -->

<!ENTITY lescc "&#x02AA8;" ><!--LESS-THAN CLOSED BY CURVE ABOVE SLANTED EQUAL -->

<!ENTITY lesdot "&#x02A7F;" ><!--LESS-THAN OR SLANTED EQUAL TO WITH DOT INSIDE -->

<!ENTITY

lesdoto "&#x02A81;" ><!--LESS-THAN OR SLANTED EQUAL TO WITH DOT ABOVE -->

<!ENTITY lesdotor "&#x02A83;" ><!--LESS-THAN OR SLANTED EQUAL TO WITH DOT ABOVE RIGHT -->

<!ENTITY lesg "&#x022DA;&#x0FE0;" ><!--LESS-THAN slanted EQUAL TO OR GREATER-THAN ->

<!ENTITY lesges "&#x02A93;" ><!--LESS-THAN ABOVE SLANTED EQUAL ABOVE GREATER-THAN ABOVE SLANTED EQUAL -->

<!ENTITY lg "&#x02276;" ><!--LESS-THAN OR GREATER-THAN -->

<!ENTITY lGE "&#x02A91;" ><!--LESS-THAN ABOVE GREATER-THAN ABOVE DOUBLE-LINE EQUAL -->

<!ENTITY LI "&#x022D8;" ><!--VERY MUCH LESS-THAN -->

<!ENTITY lsim "&#x02272;" ><!--LESS-THAN OR EQUIVALENT TO -->

<!ENTITY lsime "&#x02A8D;" ><!--LESS-THAN ABOVE SIMILAR OR EQUAL -->

<!ENTITY lsimg "&#x02A8F;" ><!--LESS-THAN ABOVE SIMILAR ABOVE GREATER-THAN -->

<!ENTITY Lt "&#x0226A;" ><!--MUCH LESS-THAN -->

<!ENTITY ltcc "&#x02AA6;" ><!--LESS-THAN CLOSED BY CURVE -->

<!ENTITY ltcir "&#x02A79;" ><!--LESS-THAN WITH CIRCLE INSIDE -->

<!ENTITY ltdot "&#x022D6;" ><!--LESS-THAN WITH DOT -->

<!ENTITY ltlarr "&#x02976;" ><!--LESS-THAN ABOVE LEFTWARDS ARROW -->

<!ENTITY ltquest "&#x02A7B;" ><!--LESS-THAN WITH QUESTION MARK ABOVE -->

<!ENTITY ltrie "&#x022B4;" ><!--NORMAL SUBGROUP OF OR EQUAL TO -->

<!ENTITY mcomma "&#x02A29;" ><!--MINUS SIGN WITH COMMA ABOVE -->

<!ENTITY mDDot "&#x0223A;" ><!--GEOMETRIC PROPORTION -->  
 <!ENTITY mid "&#x02223;" ><!--DIVIDES -->  
 <!ENTITY mlcp "&#x02ADB;" ><!--TRANSVERSAL INTERSECTION -->  
 <!ENTITY models "&#x022A7;" ><!--MODELS -->  
 <!ENTITY mstpos "&#x0223E;" ><!--INVERTED LAZY S -->  
 <!ENTITY pr "&#x0227A;" ><!--PRECEDES -->  
 <!ENTITY Pr "&#x02ABB;" ><!--DOUBLE PRECEDES -->  
 <!ENTITY prap "&#x02AB7;" ><!--PRECEDES ABOVE ALMOST EQUAL TO -->  
 <!ENTITY  
 prcue "&#x0227C;" ><!--PRECEDES OR EQUAL TO -->  
 <!ENTITY pre "&#x02AAF;" ><!--PRECEDES ABOVE SINGLE-LINE EQUALS SIGN -->  
 <!ENTITY prE "&#x02AB3;" ><!--PRECEDES ABOVE EQUALS SIGN -->  
 <!ENTITY prsim "&#x0227E;" ><!--PRECEDES OR EQUIVALENT TO -->  
 <!ENTITY prurel "&#x022B0;" ><!--PRECEDES UNDER RELATION -->  
 <!ENTITY ratio "&#x02236;" ><!--RATIO -->  
 <!ENTITY rtrie "&#x022B5;" ><!--CONTAINS AS NORMAL SUBGROUP OR EQUAL TO -->  
 <!ENTITY rtriltri "&#x029CE;" ><!--RIGHT TRIANGLE ABOVE LEFT TRIANGLE -->  
 <!ENTITY sc "&#x0227B;" ><!--SUCCEEDS -->  
 <!ENTITY Sc "&#x02ABC;" ><!--DOUBLE SUCCEEDS -->  
 <!ENTITY scap "&#x02AB8;" ><!--SUCCEEDS ABOVE ALMOST EQUAL TO -->  
 <!ENTITY sccue "&#x0227D;" ><!--SUCCEEDS OR EQUAL TO -->  
 <!ENTITY sce "&#x02AB0;" ><!--SUCCEEDS ABOVE SINGLE-LINE EQUALS SIGN -->  
 <!ENTITY scE "&#x02AB4;" ><!--SUCCEEDS ABOVE EQUALS  
 SIGN -->  
 <!ENTITY scsim "&#x0227F;" ><!--SUCCEEDS OR EQUIVALENT TO -->  
 <!ENTITY sdote "&#x02A66;" ><!--EQUALS SIGN WITH DOT BELOW -->  
 <!ENTITY sfrown "&#x02322;" ><!--FROWN -->  
 <!ENTITY simg "&#x02A9E;" ><!--SIMILAR OR GREATER-THAN -->  
 <!ENTITY simgE "&#x02AA0;" ><!--SIMILAR ABOVE GREATER-THAN ABOVE EQUALS SIGN -->  
 <!ENTITY siml "&#x02A9D;" ><!--SIMILAR OR LESS-THAN -->  
 <!ENTITY simlE "&#x02A9F;" ><!--SIMILAR ABOVE LESS-THAN ABOVE EQUALS SIGN -->  
 <!ENTITY smid "&#x02223;" ><!--DIVIDES -->  
 <!ENTITY smile "&#x02323;" ><!--SMILE -->  
 <!ENTITY smt "&#x02AAA;" ><!--SMALLER THAN -->  
 <!ENTITY smte "&#x02AAC;" ><!--SMALLER THAN OR EQUAL TO -->  
 <!ENTITY smtes "&#x02AAC;&#x0FE0;" ><!--SMALLER THAN OR slanted EQUAL -->  
 <!ENTITY spar "&#x02225;" ><!--PARALLEL TO -->  
 <!ENTITY sqsub "&#x0228F;" ><!--SQUARE IMAGE OF -->  
 <!ENTITY sqsube  
 "&#x02291;" ><!--SQUARE IMAGE OF OR EQUAL TO -->  
 <!ENTITY sqsup "&#x02290;" ><!--SQUARE ORIGINAL OF -->  
 <!ENTITY sqsupe "&#x02292;" ><!--SQUARE ORIGINAL OF OR EQUAL TO -->  
 <!ENTITY ssmile "&#x02323;" ><!--SMILE -->  
 <!ENTITY Sub "&#x022D0;" ><!--DOUBLE SUBSET -->  
 <!ENTITY subE "&#x02AC5;" ><!--SUBSET OF ABOVE EQUALS SIGN -->  
 <!ENTITY subedot "&#x02AC3;" ><!--SUBSET OF OR EQUAL TO WITH DOT ABOVE -->  
 <!ENTITY submult "&#x02AC1;" ><!--SUBSET WITH MULTIPLICATION SIGN BELOW -->  
 <!ENTITY subplus "&#x02ABF;" ><!--SUBSET WITH PLUS SIGN BELOW -->

```

<!ENTITY subarr      "&#x02979;" ><!--SUBSET ABOVE RIGHTWARDS ARROW -->
<!ENTITY subsim     "&#x02AC7;" ><!--SUBSET OF ABOVE TILDE OPERATOR -->
<!ENTITY subsub     "&#x02AD5;" ><!--SUBSET ABOVE SUBSET -->
<!ENTITY subsup     "&#x02AD3;" ><!--SUBSET ABOVE SUPERSET -->
<!ENTITY Sup        "&#x022D1;" ><!--DOUBLE SUPERSET -->
<!ENTITY supdsb     "&#x02AD8;" ><!--SUPERSET BESIDE AND JOINED BY DASH WITH SUBSET -->
<!ENTITY supE       "&#x02AC6;" ><!--SUPERSET OF ABOVE EQUALS SIGN -->
<!ENTITY supedot    "&#x02AC4;" ><!--SUPERSET OF OR EQUAL TO WITH DOT ABOVE -->
<!ENTITY suphsol    "&#x027C9;" ><!--SUPERSET PRECEDING SOLIDUS -->
<!ENTITY suphsb     "&#x02AD7;" ><!--SUPERSET BESIDE SUBSET -->
<!ENTITY suplarr    "&#x0297B;" ><!--SUPERSET ABOVE LEFTWARDS ARROW -->
<!ENTITY supmult    "&#x02AC2;" ><!--SUPERSET WITH MULTIPLICATION SIGN BELOW -->
<!ENTITY supplus    "&#x02AC0;" ><!--SUPERSET WITH PLUS SIGN BELOW -->
<!ENTITY supsim     "&#x02AC8;" ><!--SUPERSET OF ABOVE TILDE OPERATOR -->
<!ENTITY supsub     "&#x02AD4;" ><!--SUPERSET ABOVE SUBSET -->
<!ENTITY supsup     "&#x02AD6;" ><!--SUPERSET ABOVE SUPERSET -->
<!ENTITY thkap     "&#x02248;" ><!--ALMOST EQUAL TO -->
<!ENTITY thksim    "&#x0223C;" ><!--TILDE OPERATOR -->
<!ENTITY topfork   "&#x02ADA;"
><!--PITCHFORK WITH TEE TOP -->
<!ENTITY trie      "&#x0225C;" ><!--DELTA EQUAL TO -->
<!ENTITY twixt     "&#x0226C;" ><!--BETWEEN -->
<!ENTITY vBar      "&#x02AE8;" ><!--SHORT UP TACK WITH UNDERBAR -->
<!ENTITY Vbar      "&#x02AEB;" ><!--DOUBLE UP TACK -->
<!ENTITY vBarv     "&#x02AE9;" ><!--SHORT UP TACK ABOVE SHORT DOWN TACK -->
<!ENTITY vdash     "&#x022A2;" ><!--RIGHT TACK -->
<!ENTITY vDash     "&#x022A8;" ><!--TRUE -->
<!ENTITY Vdash     "&#x022A9;" ><!--FORCES -->
<!ENTITY VDash     "&#x022AB;" ><!--DOUBLE VERTICAL BAR DOUBLE RIGHT TURNSTILE -->
<!ENTITY Vdashl    "&#x02AE6;" ><!--LONG DASH FROM LEFT MEMBER OF DOUBLE VERTICAL --
>
<!ENTITY vltri     "&#x022B2;" ><!--NORMAL SUBGROUP OF -->
<!ENTITY vprop     "&#x0221D;" ><!--PROPORTIONAL TO -->
<!ENTITY vrtri     "&#x022B3;" ><!--CONTAINS AS NORMAL SUBGROUP -->
<!ENTITY Vvdash    "&#x022AA;" ><!--TRIPLE VERTICAL BAR RIGHT TURNSTILE
-->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isoamsr.ent
```

No license file was found, but licenses were detected in source scan.

XHTML 1.1 plus MathML 2.0 plus SVG 1.1 DTD

This is a prototype extension of XHTML 1.1 incorporating MathML 2.0 and SVG 1.1.

Copyright 2002 World Wide Web Consortium  
(Massachusetts Institute of Technology, Institut National de  
Recherche en Informatique et en Automatique, Keio University).  
All Rights Reserved.

Permission to use, copy, modify and distribute this DTD and its  
accompanying documentation for any purpose and without fee is hereby  
granted in perpetuity, provided that the above copyright notice and  
this paragraph appear in all copies. The copyright holders make no  
representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Editors: Murray M. Altheim <altheim@eng.sun.com> (XHTML modules)  
David Carlisle <davidc@nag.co.uk> (MathML modules)  
Jun Fujisawa <fujisawa.jun@canon.co.jp> (SVG modules)  
Masayasu Ishikawa <mimasa@w3.org> (DTD driver)

Revision:

\$Id: xhtml

2001 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de  
Recherche en Informatique et en Automatique, Keio University).  
All Rights Reserved.

Permission to use, copy, modify and distribute the XHTML DTD and its  
accompanying documentation for any purpose and without fee is hereby  
granted in perpetuity, provided that the above copyright notice and  
this paragraph appear in all copies. The copyright holders make no  
representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Author: Murray M. Altheim <altheim@eng.sun.com>

Revision: \$Id: xhtml

2002 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National  
de  
Recherche en Informatique et en Automatique, Keio University).  
All Rights Reserved.

Permission to use, copy, modify and distribute the MathML 2.0 DTD and  
its accompanying documentation for any purpose and without fee is  
hereby granted in perpetuity, provided that the above copyright notice  
and this paragraph appear in all copies. The copyright holders make  
no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Revision: \$Id: xhtml

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/mathml/mathml2/xhtml-math11-f-a.dtd

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Notations Module ..... -->
<!-- file: xhtml-notations-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-notations-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//NOTATIONS XHTML Notations 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-notations-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Notations
```

defines the following notations, many of these imported from  
other specifications and standards. When an existing FPI is  
known, it is incorporated here.

```
-->
```

```
<!-- XML Notations
..... -->
```

```
<!-- SGML and XML Notations ..... -->
```

```
<!-- W3C XML 1.0 Recommendation -->
```

```
<!NOTATION w3c-xml
```

```
  PUBLIC "ISO 8879//NOTATION Extensible Markup Language (XML) 1.0//EN" >
```

```
<!-- XML 1.0 CDATA -->
```

```
<!NOTATION cdata
```

```
  PUBLIC "-//W3C//NOTATION XML 1.0: CDATA//EN" >
```

```
<!-- SGML Formal Public Identifiers -->
```

```
<!NOTATION fpi
```

```
  PUBLIC "ISO 8879:1986//NOTATION Formal Public Identifier//EN" >
```

```
<!-- XHTML Notations ..... -->
```

<!-- Length defined for cellpadding/cellspacing -->

<!-- nn for pixels or nn% for percentage length -->  
<!NOTATION length  
PUBLIC "-//W3C//NOTATION XHTML Datatype: Length//EN" >

<!-- space-separated list of link types -->  
<!NOTATION linkTypes  
PUBLIC "-//W3C//NOTATION XHTML Datatype: LinkTypes//EN" >

<!-- single or comma-separated list of media descriptors -->  
<!NOTATION mediaDesc  
PUBLIC "-//W3C//NOTATION XHTML Datatype: MediaDesc//EN" >

<!-- pixel, percentage,  
or relative -->  
<!NOTATION multiLength  
PUBLIC "-//W3C//NOTATION XHTML Datatype: MultiLength//EN" >

<!-- one or more digits (NUMBER) -->  
<!NOTATION number  
PUBLIC "-//W3C//NOTATION XHTML Datatype: Number//EN" >

<!-- integer representing length in pixels -->  
<!NOTATION pixels  
PUBLIC "-//W3C//NOTATION XHTML Datatype: Pixels//EN" >

<!-- script expression -->  
<!NOTATION script  
PUBLIC "-//W3C//NOTATION XHTML Datatype: Script//EN" >

<!-- textual content -->  
<!NOTATION text  
PUBLIC "-//W3C//NOTATION XHTML Datatype: Text//EN" >

<!-- Imported Notations ..... -->

<!-- a single character from [ISO10646] -->  
<!NOTATION character  
PUBLIC "-//W3C//NOTATION XHTML Datatype: Character//EN" >

<!-- a character encoding, as per [RFC2045] -->  
<!NOTATION charset  
PUBLIC "-//W3C//NOTATION XHTML Datatype: Charset//EN" >

<!-- a space separated list of character encodings, as per [RFC2045] -->  
<!NOTATION charsets

```

PUBLIC "-//W3C//NOTATION XHTML Datatype:
Charsets//EN" >

<!-- media type, as per [RFC2045] -->
<!NOTATION contentType
PUBLIC "-//W3C//NOTATION XHTML Datatype: ContentType//EN" >

<!-- comma-separated list of media types, as per [RFC2045] -->
<!NOTATION contentTypes
PUBLIC "-//W3C//NOTATION XHTML Datatype: ContentTypes//EN" >

<!-- date and time information. ISO date format -->
<!NOTATION datetime
PUBLIC "-//W3C//NOTATION XHTML Datatype: Datetime//EN" >

<!-- a language code, as per [RFC3066] -->
<!NOTATION languageCode
PUBLIC "-//W3C//NOTATION XHTML Datatype: LanguageCode//EN" >

<!-- a Uniform Resource Identifier, see [URI] -->
<!NOTATION uri
PUBLIC "-//W3C//NOTATION XHTML Datatype: URI//EN" >

<!-- a space-separated list of Uniform Resource Identifiers, see [URI] -->
<!NOTATION uris
PUBLIC "-//W3C//NOTATION XHTML Datatype: URIs//EN" >

<!-- end of xhtml-notations-1.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-notations-1.mod

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML MetaAttributes Module ..... -->
<!-- file: xhtml-metaAttributes-1.mod

```

This is XHTML-RDFa, modules to annotate XHTML family documents.  
 Copyright 2007-2008 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
 Revision: \$Id: xhtml-metaAttributes-1.mod,v 1.6 2008/08/01 20:01:00 smccarro Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ENTITIES XHTML MetaAttributes 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-metaAttributes-1.mod"

```

Revisions:

(none)

..... -->

```
<!ENTITY % XHTML.global.attrs.prefixed "IGNORE" >
```

```
<!-- Placeholder Compact URI-related types -->
```

```
<!ENTITY % CURIE.datatype "CDATA" >
```

```
<!ENTITY % CURIEs.datatype "CDATA" >
```

```
<!ENTITY % SafeCURIE.datatype
```

```
"CDATA" >
```

```
<!ENTITY % SafeCURIEs.datatype "CDATA" >
```

```
<!ENTITY % URIorSafeCURIE.datatype "CDATA" >
```

```
<!ENTITY % URIorSafeCURIEs.datatype "CDATA" >
```

```
<!-- Common Attributes
```

This module declares a collection of meta-information related attributes.

%NS.decl.attrib; is declared in the XHTML QName module.

This file also includes declarations of "global" versions of the attributes. The global versions of the attributes are for use on elements in other namespaces.

```
-->
```

```
<!ENTITY % about.attrib
```

```
"about %URIorSafeCURIE.datatype; #IMPLIED"
```

```
>
```

```
<![%XHTML.global.attrs.prefixed;[
```

```
<!ENTITY % XHTML.global.about.attrib
```

```
"%XHTML.prefix;;about %URIorSafeCURIE.datatype; #IMPLIED"
```

```
>
```

```
]]>
```

```
<!ENTITY % typeof.attrib
```

```
"typeof %CURIEs.datatype; #IMPLIED"
```

```
>
```

```
<![%XHTML.global.attrs.prefixed;[
```

```
<!ENTITY % XHTML.global.typeof.attrib
```

```
"%XHTML.prefix;;typeof %CURIEs.datatype; #IMPLIED"
```

```
>
```

```
]]>
```

```
<!ENTITY
```

```

% property.attrib
"property    %CURIEs.datatype;    #IMPLIED"
>

<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.property.attrib
"%XHTML.prefix;;property    %CURIEs.datatype;    #IMPLIED"
>
]]>

<!ENTITY % resource.attrib
"resource    %URIorSafeCURIE.datatype;    #IMPLIED"
>

<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.resource.attrib
"%XHTML.prefix;;resource    %URIorSafeCURIE.datatype;    #IMPLIED"
>
]]>

<!ENTITY % content.attrib
"content    CDATA    #IMPLIED"
>

<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.content.attrib
"%XHTML.prefix;;content    CDATA    #IMPLIED"
>
]]>

<!ENTITY % datatype.attrib
"datatype    %CURIE.datatype;    #IMPLIED"
>

<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.datatype.attrib
"%XHTML.prefix;;datatype    %CURIE.datatype;    #IMPLIED"
>
]]>

<!ENTITY % rel.attrib
"rel    %CURIEs.datatype;    #IMPLIED"
>

<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.rel.attrib
"%XHTML.prefix;;rel    %CURIEs.datatype;    #IMPLIED"
>
]]>

```

]]>

```
<!ENTITY % rev.attrib
  "rev    %CURIes.datatype;    #IMPLIED"
>
```

```
<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.rev.attrib
  "%XHTML.prefix;:rev    %CURIes.datatype;    #IMPLIED"
>
]]>
```

```
<!ENTITY % Metainformation.extra.attrib "" >
```

```
<!ENTITY % Metainformation.attrib
  "%about.attrib;
  %content.attrib;
  %datatype.attrib;
  %typeof.attrib;
  %property.attrib;
  %rel.attrib;
  %resource.attrib;
  %rev.attrib;
  %Metainformation.extra.attrib;"
>
```

```
<!ENTITY % XHTML.global.metainformation.extra.attrib "" >
```

```
<![%XHTML.global.attrs.prefixed;[

<!ENTITY % XHTML.global.metainformation.attrib
  "%XHTML.global.about.attrib;
  %XHTML.global.content.attrib;
  %XHTML.global.datatype.attrib;
  %XHTML.global.typeof.attrib;
  %XHTML.global.property.attrib;
  %XHTML.global.rel.attrib;
  %XHTML.global.resource.attrib;
  %XHTML.global.rev.attrib;
  %XHTML.global.metainformation.extra.attrib;"
>
]]>
```

```
<!ENTITY % XHTML.global.metainformation.attrib "" >
```

```
<!-- end of xhtml-metaAttributes-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-metaAttributes-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->  
<!-- SVG 1.1 Basic Graphics Attribute Module ..... -->  
<!-- file: svg-basic-graphics-attrib.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-basic-graphics-attrib.mod,v 1.2 2002/04/20 18:07:42 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Basic Graphics Attribute//EN"  
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-basic-graphics-attrib.mod"
```

```
..... -->
```

```
<!-- Basic Graphics Attribute
```

display, visibility

This module defines the Graphics attribute set.

```
-->
```

```
<!ENTITY % SVG.display.attrib  
"display ( inline |  
block | list-item | run-in | compact | marker |  
table | inline-table | table-row-group | table-header-group |  
table-footer-group | table-row | table-column-group |  
table-column | table-cell | table-caption | none | inherit )  
#IMPLIED"  
>
```

```
<!ENTITY % SVG.visibility.attrib  
"visibility ( visible | hidden | inherit ) #IMPLIED"  
>
```

```
<!ENTITY % SVG.Graphics.extra.attrib "" >
```

```
<!ENTITY % SVG.Graphics.attrib  
"%SVG.display.attrib;  
%SVG.visibility.attrib;  
%SVG.Graphics.extra.attrib;"  
>
```

<!-- end of svg-basic-graphics-attrib.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-basic-graphics-attrib.mod

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- XHTML Notations Module ..... -->

<!-- file: xhtml-notations-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: xhtml-notations-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//NOTATIONS XHTML Notations 1.0//EN"

SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-notations-1.mod"

Revisions:

(none)

..... -->

<!-- Notations

defines the following notations, many of these imported from other specifications and standards. When an existing FPI is known, it is incorporated here.

-->

<!--

XML Notations ..... -->

<!-- SGML and XML Notations ..... -->

<!-- W3C XML 1.0 Recommendation -->

<!NOTATION w3c-xml

PUBLIC "ISO 8879//NOTATION Extensible Markup Language (XML) 1.0//EN" >

<!-- XML 1.0 CDATA -->

<!NOTATION cdata

PUBLIC "-//W3C//NOTATION XML 1.0: CDATA//EN" >

<!-- SGML Formal Public Identifiers -->

<!NOTATION fpi

PUBLIC "ISO 8879:1986//NOTATION Formal Public Identifier//EN" >

<!-- XHTML Notations ..... -->

<!-- Length defined for cellpadding/cellspacing -->

<!-- nn for pixels or nn% for percentage length -->

<!NOTATION length

PUBLIC "-//W3C//NOTATION XHTML Datatype: Length//EN" >

<!-- space-separated list of link types -->

<!NOTATION linkTypes

PUBLIC "-//W3C//NOTATION XHTML Datatype: LinkTypes//EN" >

<!-- single or comma-separated list of media descriptors -->

<!NOTATION mediaDesc

PUBLIC "-//W3C//NOTATION XHTML Datatype: MediaDesc//EN" >

<!--

pixel, percentage, or relative -->

<!NOTATION multiLength

PUBLIC "-//W3C//NOTATION XHTML Datatype: MultiLength//EN" >

<!-- one or more digits (NUMBER) -->

<!NOTATION number

PUBLIC "-//W3C//NOTATION XHTML Datatype: Number//EN" >

<!-- integer representing length in pixels -->

<!NOTATION pixels

PUBLIC "-//W3C//NOTATION XHTML Datatype: Pixels//EN" >

<!-- script expression -->

<!NOTATION script

PUBLIC "-//W3C//NOTATION XHTML Datatype: Script//EN" >

<!-- textual content -->

<!NOTATION text

PUBLIC "-//W3C//NOTATION XHTML Datatype: Text//EN" >

<!-- Imported Notations ..... -->

<!-- a single character from [ISO10646] -->

<!NOTATION character

PUBLIC "-//W3C//NOTATION XHTML Datatype: Character//EN" >

<!-- a character encoding, as per [RFC2045] -->

<!NOTATION charset

PUBLIC "-//W3C//NOTATION XHTML Datatype: Charset//EN" >

<!-- a space separated list of character encodings, as per [RFC2045] -->

<!NOTATION charsets

```

PUBLIC
"-//W3C//NOTATION XHTML Datatype: Charsets//EN" >

<!-- media type, as per [RFC2045] -->
<!NOTATION contentType
PUBLIC "-//W3C//NOTATION XHTML Datatype: ContentType//EN" >

<!-- comma-separated list of media types, as per [RFC2045] -->
<!NOTATION contentTypes
PUBLIC "-//W3C//NOTATION XHTML Datatype: ContentTypes//EN" >

<!-- date and time information. ISO date format -->
<!NOTATION datetime
PUBLIC "-//W3C//NOTATION XHTML Datatype: Datetime//EN" >

<!-- a language code, as per [RFC1766] -->
<!NOTATION languageCode
PUBLIC "-//W3C//NOTATION XHTML Datatype: LanguageCode//EN" >

<!-- a Uniform Resource Identifier, see [URI] -->
<!NOTATION uri
PUBLIC "-//W3C//NOTATION XHTML Datatype: URI//EN" >

<!-- a space-separated list of Uniform Resource Identifiers, see [URI] -->
<!NOTATION uris
PUBLIC "-//W3C//NOTATION XHTML Datatype: URIs//EN" >

<!-- end of xhtml-notations-1.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-notations-1.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- SVG 1.1 Tiny Attribute Collection Module ..... -->
<!-- file: svg11-tiny-attribs.mod

```

This is SVG Tiny, a proper subset of SVG.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg11-tiny-attribs.mod,v 1.3 2002/11/13 20:14:31 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ENTITIES SVG 1.1 Tiny Attribute Collection//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg11-tiny-attribs.mod"

```

```
..... -->
```

<!-- SVG 1.1 Tiny Attribute Collection

This module defines the set of common attributes that can be present on many SVG elements.

-->

<!-- module: svg-conditional.mod ..... -->

<!ENTITY % ExtensionList.datatype

"CDATA" >

<!ENTITY % FeatureList.datatype "CDATA" >

<!ENTITY % SVG.Conditional.extra.attrib "" >

<!ENTITY % SVG.Conditional.attrib

"requiredFeatures %FeatureList.datatype; #IMPLIED

requiredExtensions %ExtensionList.datatype; #IMPLIED

systemLanguage %LanguageCodes.datatype; #IMPLIED

%SVG.Conditional.extra.attrib;"

>

<!-- module: svg-basic-text.mod ..... -->

<!ENTITY % FontFamilyValue.datatype "CDATA" >

<!ENTITY % FontSizeValue.datatype "CDATA" >

<!ENTITY % SVG.TextContent.extra.attrib "" >

<!ENTITY % SVG.TextContent.attrib

"text-anchor ( start | middle | end | inherit ) #IMPLIED

%SVG.TextContent.extra.attrib;"

>

<!ENTITY % SVG.Font.extra.attrib "" >

<!ENTITY % SVG.Font.attrib

"font-family %FontFamilyValue.datatype; #IMPLIED

font-size %FontSizeValue.datatype; #IMPLIED

font-style ( normal | italic | oblique | inherit ) #IMPLIED

font-weight ( normal | bold | bolder | lighter | 100 | 200 | 300 | 400 |

500 | 600 | 700 | 800 | 900 | inherit ) #IMPLIED

%SVG.Font.extra.attrib;"

>

<!-- end of svg11-tiny-attribs.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-tiny-attribs.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Basic Document Model Module ..... -->
<!-- file: svg11-basic-model.mod

This is SVG Basic, a proper subset of SVG.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: $Id: svg11-basic-model.mod,v 1.5 2002/11/14 15:11:03 fujisawa Exp $

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ENTITIES SVG 1.1 Basic Document Model//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg11-basic-model.mod"

..... -->

<!-- SVG 1.1 Basic Document Model

This module describes the groupings of elements that make up
common content models for SVG elements.
-->

<!-- Content Models (Default) ..... -->

<!ENTITY % SVG.Marker.class
"" >
<!ENTITY % SVG.Cursor.class "" >

<!-- module: svg-structure.mod ..... -->

<!ENTITY % SVG.Description.extra.class "" >
<!ENTITY % SVG.Description.class
"%SVG.desc.qname; | %SVG.title.qname; | %SVG.metadata.qname;
%SVG.Description.extra.class;"
>

<!ENTITY % SVG.Use.extra.class "" >
<!ENTITY % SVG.Use.class
"| %SVG.use.qname; %SVG.Use.extra.class;"
>

<!ENTITY % SVG.Structure.extra.class "" >
<!ENTITY % SVG.Structure.class
"| %SVG.svg.qname; | %SVG.g.qname; | %SVG.defs.qname; | %SVG.symbol.qname;
%SVG.Use.class; %SVG.Structure.extra.class;"
>
```

```

<!-- module: svg-conditional.mod ..... -->

<!ENTITY % SVG.Conditional.extra.class "" >
<!ENTITY % SVG.Conditional.class
  "| %SVG.switch.qname; %SVG.Conditional.extra.class;"
>

<!-- module: svg-image.mod ..... -->

<!ENTITY % SVG.Image.extra.class "" >
<!ENTITY % SVG.Image.class
  "| %SVG.image.qname; %SVG.Image.extra.class;"
>

<!-- module:
svg-style.mod ..... -->

<!ENTITY % SVG.Style.extra.class "" >
<!ENTITY % SVG.Style.class
  "| %SVG.style.qname; %SVG.Style.extra.class;"
>

<!-- module: svg-shape.mod ..... -->

<!ENTITY % SVG.Shape.extra.class "" >
<!ENTITY % SVG.Shape.class
  "| %SVG.path.qname; | %SVG.rect.qname; | %SVG.circle.qname;
  | %SVG.line.qname; | %SVG.ellipse.qname; | %SVG.polyline.qname;
  | %SVG.polygon.qname; %SVG.Shape.extra.class;"
>

<!-- module: svg-text.mod ..... -->

<!ENTITY % SVG.Text.extra.class "" >
<!ENTITY % SVG.Text.class
  "| %SVG.text.qname; | %SVG.altGlyphDef.qname; %SVG.Text.extra.class;"
>

<!ENTITY % SVG.TextContent.extra.class "" >
<!ENTITY % SVG.TextContent.class
  "| %SVG.tspan.qname; | %SVG.tref.qname; | %SVG.textPath.qname;
  | %SVG.altGlyph.qname; %SVG.TextContent.extra.class;"
>

<!-- module: svg-profile.mod ..... -->

<!ENTITY % SVG.ColorProfile.extra.class "" >
<!ENTITY

```

```

% SVG.ColorProfile.class
"| %SVG.color-profile.qname; %SVG.ColorProfile.extra.class;"
>

<!-- module: svg-gradient.mod ..... -->

<!ENTITY % SVG.Gradient.extra.class "" >
<!ENTITY % SVG.Gradient.class
"| %SVG.linearGradient.qname; | %SVG.radialGradient.qname;
%SVG.Gradient.extra.class;"
>

<!-- module: svg-pattern.mod ..... -->

<!ENTITY % SVG.Pattern.extra.class "" >
<!ENTITY % SVG.Pattern.class
"| %SVG.pattern.qname; %SVG.Pattern.extra.class;"
>

<!-- module: svg-basic-clip.mod ..... -->

<!ENTITY % SVG.Clip.extra.class "" >
<!ENTITY % SVG.Clip.class
"| %SVG.clipPath.qname; %SVG.Clip.extra.class;"
>

<!-- module: svg-mask.mod ..... -->

<!ENTITY % SVG.Mask.extra.class "" >
<!ENTITY % SVG.Mask.class
"| %SVG.mask.qname; %SVG.Mask.extra.class;"
>

<!-- module: svg-basic-filter.mod ..... -->

<!ENTITY % SVG.Filter.extra.class "" >
<!ENTITY % SVG.Filter.class
"| %SVG.filter.qname; %SVG.Filter.extra.class;"
>

<!ENTITY % SVG.FilterPrimitive.extra.class "" >
<!ENTITY % SVG.FilterPrimitive.class
"| %SVG.feBlend.qname; | %SVG.feColorMatrix.qname;
| %SVG.feComponentTransfer.qname; | %SVG.feComposite.qname;
| %SVG.feFlood.qname; | %SVG.feGaussianBlur.qname; | %SVG.feImage.qname;
| %SVG.feMerge.qname; | %SVG.feOffset.qname; | %SVG.feTile.qname;
%SVG.FilterPrimitive.extra.class;"
>

```

```

<!-- module: svg-hyperlink.mod ..... -->

<!ENTITY % SVG.Hyperlink.extra.class "" >
<!ENTITY % SVG.Hyperlink.class
  "| %SVG.a.qname; %SVG.Hyperlink.extra.class;"
>

<!-- module: svg-view.mod ..... -->

<!ENTITY % SVG.View.extra.class "" >
<!ENTITY % SVG.View.class
  "| %SVG.view.qname; %SVG.View.extra.class;"
>

<!-- module: svg-script.mod ..... -->

<!ENTITY % SVG.Script.extra.class "" >
<!ENTITY % SVG.Script.class
  "| %SVG.script.qname; %SVG.Script.extra.class;"
>

<!--
  module: svg-animation.mod ..... -->

<!ENTITY % SVG.Animation.extra.class "" >
<!ENTITY % SVG.Animation.class
  "%SVG.animate.qname; | %SVG.set.qname; | %SVG.animateMotion.qname; |
  %SVG.animateColor.qname; | %SVG.animateTransform.qname;
  %SVG.Animation.extra.class;"
>

<!-- module: svg-font.mod ..... -->

<!ENTITY % SVG.Font.extra.class "" >
<!ENTITY % SVG.Font.class
  "| %SVG.font.qname; | %SVG.font-face.qname; %SVG.Font.extra.class;"
>

<!-- module: svg-extensibility.mod ..... -->

<!ENTITY % SVG.Extensibility.extra.class "" >
<!ENTITY % SVG.Extensibility.class
  "| %SVG.foreignObject.qname; %SVG.Extensibility.extra.class;"
>

<!-- end of svg11-basic-model.mod -->

```

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-basic-model.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Graphical Element Events Attribute Module ..... -->
<!-- file: svg-graphevents-attrib.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-graphevents-attrib.mod,v 1.2 2002/04/20 18:07:43 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Graphical Element Events Attribute//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-graphevents-attrib.mod"
```

```
..... -->
```

```
<!-- Graphical Element Events Attribute
```

```
    onfocusin, onfocusout, onactivate, onclick, onmousedown, onmouseup,
    onmouseover, onmousemove, onmouseout, onload
```

This module defines the GraphicalEvents attribute set.

```
-->
```

```
<!ENTITY % SVG.onfocusin.attrib
"onfocusin %Script.datatype; #IMPLIED"
>
```

```
<!ENTITY % SVG.onfocusout.attrib
"onfocusout %Script.datatype; #IMPLIED"
>
```

```
<!ENTITY % SVG.onactivate.attrib
"onactivate %Script.datatype; #IMPLIED"
>
```

```
<!ENTITY % SVG.onclick.attrib
"onclick %Script.datatype; #IMPLIED"
>
```

```
<!ENTITY % SVG.onmousedown.attrib
"onmousedown %Script.datatype; #IMPLIED"
>
```

```
<!ENTITY % SVG.onmouseup.attrib
  "onmouseup %Script.datatype; #IMPLIED"
>

<!ENTITY % SVG.onmouseover.attrib
  "onmouseover %Script.datatype; #IMPLIED"
>

<!ENTITY % SVG.onmousemove.attrib
  "onmousemove %Script.datatype; #IMPLIED"
>

<!ENTITY % SVG.onmouseout.attrib
  "onmouseout %Script.datatype; #IMPLIED"
>

<!ENTITY % SVG.onload.attrib
  "onload %Script.datatype; #IMPLIED"
>

<!ENTITY % SVG.GraphicalEvents.extra.attrib "" >

<!ENTITY % SVG.GraphicalEvents.attrib
  "%SVG.onfocusin.attrib;
  %SVG.onfocusout.attrib;

  %SVG.onactivate.attrib;
  %SVG.onclick.attrib;
  %SVG.onmousedown.attrib;
  %SVG.onmouseup.attrib;
  %SVG.onmouseover.attrib;
  %SVG.onmousemove.attrib;
  %SVG.onmouseout.attrib;
  %SVG.onload.attrib;
  %SVG.GraphicalEvents.extra.attrib;"
>

<!-- end of svg-graphevents-attrib.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-graphevents-attrib.mod
```

No license file was found, but licenses were detected in source scan.

```
// This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0.
```

```
// This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.
```

```
/*
```

The following copyright notice is copied from the licence for xt, from which the original version of this module was derived:

-----  
Copyright (c) 1998, 1999 James Clark

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS'', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL JAMES CLARK BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of James Clark shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from James Clark.

-----  
\*/

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/parser/Tokenizer.java

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/parser/XPathParser.java

No license file was found, but licenses were detected in source scan.

<!-- ..... -->  
<!-- XHTML Access Module ..... -->  
<!-- file: xhtml-access-1.mod

This is XHTML Access - the Access Module for XHTML.

Copyright 2007-2008 W3C (MIT, ERCIM, Keio), All Rights Reserved.

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Access Element 1.0//EN"  
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-access-1.mod"
```

Revisions:

(none)

..... -->

```
<!ENTITY % Character.datatype "CDATA" >  
<!ENTITY % CURIEs.datatype "CDATA" >  
<!ENTITY % IDREFs.datatype "CDATA" >  
  
<!ENTITY % access.element "INCLUDE" >  
<![%access.element;[  
<!ENTITY % access.content "EMPTY" >  
<!ENTITY % XHTML-ACCESS.access.qname "access" >  
<!ELEMENT %XHTML-ACCESS.access.qname;  
%access.content; >  
<!-- end of access.element -->]]>
```

```
<!ENTITY % access.attlist "INCLUDE" >  
<![%access.attlist;[  
<!ATTLIST %access.qname;  
%Common.attrib;  
activate ( yes | no ) #IMPLIED  
key %Character.datatype; #IMPLIED  
targetid %IDREFs.datatype; #IMPLIED  
targetrole %CURIEs.datatype; #IMPLIED  
>  
<!-- end of access.attlist -->]]>
```

<!-- end of xhtml-access-1.mod -->

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-access-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->  
<!-- SVG 1.1 Basic Font Module ..... -->  
<!-- file: svg-basic-font.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg-basic-font.mod,v 1.5 2002/11/14 15:11:02 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS SVG 1.1 Basic Font//EN"

SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-basic-font.mod"

..... -->

<!-- Basic Font

font, font-face, glyph, missing-glyph, hkern, font-face-src,  
font-face-name

This module declares markup to provide support for template.

-->

<!-- Qualified Names (Default) .....

-->

<!ENTITY % SVG.font.qname "font" >

<!ENTITY % SVG.font-face.qname "font-face" >

<!ENTITY % SVG.glyph.qname "glyph" >

<!ENTITY % SVG.missing-glyph.qname "missing-glyph" >

<!ENTITY % SVG.hkern.qname "hkern" >

<!ENTITY % SVG.font-face-src.qname "font-face-src" >

<!ENTITY % SVG.font-face-name.qname "font-face-name" >

<!-- Attribute Collections (Default) ..... -->

<!ENTITY % SVG.Core.attrib "" >

<!ENTITY % SVG.Container.attrib "" >

<!ENTITY % SVG.Style.attrib "" >

<!ENTITY % SVG.Viewport.attrib "" >

<!ENTITY % SVG.Text.attrib "" >

<!ENTITY % SVG.TextContent.attrib "" >

<!ENTITY % SVG.Font.attrib "" >

<!ENTITY % SVG.Paint.attrib "" >

<!ENTITY % SVG.Color.attrib "" >

<!ENTITY % SVG.Opacity.attrib "" >

<!ENTITY % SVG.Graphics.attrib "" >

<!ENTITY % SVG.Marker.attrib "" >

<!ENTITY % SVG.ColorProfile.attrib "" >

<!ENTITY % SVG.Gradient.attrib "" >

<!ENTITY % SVG.Clip.attrib "" >

<!ENTITY % SVG.Mask.attrib "" >

<!ENTITY % SVG.Filter.attrib "" >

<!ENTITY % SVG.FilterColor.attrib

"" >

<!ENTITY % SVG.Cursor.attrib "" >

```

<!ENTITY % SVG.XLinkRequired.attrib "" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Font.class ..... -->

<!ENTITY % SVG.Font.extra.class "" >

<!ENTITY % SVG.Font.class
  "| %SVG.font.qname; | %SVG.font-face.qname; %SVG.Font.extra.class;"
>

<!-- font: Font Element ..... -->

<!ENTITY % SVG.font.extra.content "" >

<!ENTITY % SVG.font.element "INCLUDE" >
<![%SVG.font.element;[
<!ENTITY % SVG.font.content
  "(( %SVG.Description.class; )*, %SVG.font-face.qname;,
    %SVG.missing-glyph.qname;, ( %SVG.glyph.qname; | %SVG.hkern.qname;
    %SVG.font.extra.content; )*)"
>
<!ELEMENT %SVG.font.qname; %SVG.font.content; >
<!-- end of SVG.font.element -->]]>

<!ENTITY % SVG.font.attlist "INCLUDE" >
<![%SVG.font.attlist;[
<!ATTLIST %SVG.font.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
  %SVG.External.attrib;
  horiz-origin-x %Number.datatype; #IMPLIED
  horiz-adv-x %Number.datatype; #REQUIRED
>
<!-- end of SVG.font.attlist -->]]>

<!-- font-face: Font Face Element ..... -->

<!ENTITY % SVG.font-face.extra.content "" >

<!ENTITY % SVG.font-face.element "INCLUDE" >
<![%SVG.font-face.element;[
<!ENTITY % SVG.font-face.content
  "(( %SVG.Description.class; )*, %SVG.font-face-src.qname;?
    %SVG.font-face.extra.content; )"
>
<!ELEMENT %SVG.font-face.qname; %SVG.font-face.content; >
<!-- end of SVG.font-face.element -->]]>

```

```

<!ENTITY % SVG.font-face.attlist "INCLUDE" >
<![%SVG.font-face.attlist;[
<!ATTLIST %SVG.font-face.qname;
  %SVG.Core.attrib;
  font-family CDATA #IMPLIED
  font-style CDATA #IMPLIED
  font-variant CDATA #IMPLIED
  font-weight CDATA #IMPLIED
  font-stretch CDATA #IMPLIED
  font-size CDATA #IMPLIED
  unicode-range CDATA #IMPLIED
  units-per-em %Number.datatype; #IMPLIED
  panose-1 CDATA #IMPLIED
  stemv %Number.datatype; #IMPLIED
  stemh %Number.datatype; #IMPLIED
  slope
  %Number.datatype; #IMPLIED
  cap-height %Number.datatype; #IMPLIED
  x-height %Number.datatype; #IMPLIED
  accent-height %Number.datatype; #IMPLIED
  ascent %Number.datatype; #IMPLIED
  descent %Number.datatype; #IMPLIED
  widths CDATA #IMPLIED
  bbox CDATA #IMPLIED
  ideographic %Number.datatype; #IMPLIED
  alphabetic %Number.datatype; #IMPLIED
  mathematical %Number.datatype; #IMPLIED
  hanging %Number.datatype; #IMPLIED
  underline-position %Number.datatype; #IMPLIED
  underline-thickness %Number.datatype; #IMPLIED
  strikethrough-position %Number.datatype; #IMPLIED
  strikethrough-thickness %Number.datatype; #IMPLIED
  overline-position %Number.datatype; #IMPLIED
  overline-thickness %Number.datatype; #IMPLIED
>
<!-- end of SVG.font-face.attlist -->]]>

<!-- glyph: Glyph Element ..... -->

<!ENTITY % SVG.glyph.extra.content "" >

<!ENTITY % SVG.glyph.element "INCLUDE" >
<![%SVG.glyph.element;[
<!ENTITY % SVG.glyph.content
  "( %SVG.Description.class; %SVG.glyph.extra.content; )"
>
<!ELEMENT %SVG.glyph.qname; %SVG.glyph.content; >

```

```

<!-- end of SVG.glyph.element -->]]>

<!ENTITY % SVG.glyph.attlist "INCLUDE" >
<![%SVG.glyph.attlist;[
<!ATTLIST %SVG.glyph.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
  unicode CDATA #IMPLIED
  glyph-name CDATA #IMPLIED
  d %PathData.datatype; #IMPLIED
  arabic-form CDATA #IMPLIED
  lang %LanguageCodes.datatype; #IMPLIED
  horiz-adv-x %Number.datatype; #IMPLIED
>
<!-- end of SVG.glyph.attlist -->]]>

<!-- missing-glyph: Missing Glyph Element ..... -->

<!ENTITY % SVG.missing-glyph.extra.content "" >

<!ENTITY % SVG.missing-glyph.element "INCLUDE" >
<![%SVG.missing-glyph.element;[
<!ENTITY % SVG.missing-glyph.content
  "( %SVG.Description.class; %SVG.missing-glyph.extra.content; )*"
>
<!ELEMENT %SVG.missing-glyph.qname; %SVG.missing-glyph.content; >
<!-- end of SVG.missing-glyph.element -->]]>

<!ENTITY % SVG.missing-glyph.attlist "INCLUDE" >
<![%SVG.missing-glyph.attlist;[
<!ATTLIST
  %SVG.missing-glyph.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
  d %PathData.datatype; #IMPLIED
  horiz-adv-x %Number.datatype; #IMPLIED
>
<!-- end of SVG.missing-glyph.attlist -->]]>

<!-- hkern: Horizontal Kerning Element ..... -->

<!ENTITY % SVG.hkern.element "INCLUDE" >
<![%SVG.hkern.element;[
<!ENTITY % SVG.hkern.content "EMPTY" >
<!ELEMENT %SVG.hkern.qname; %SVG.hkern.content; >
<!-- end of SVG.hkern.element -->]]>

<!ENTITY % SVG.hkern.attlist "INCLUDE" >

```

```

<![%SVG.hkern.attlist;[
<!ATTLIST %SVG.hkern.qname;
  %SVG.Core.attrib;
  u1 CDATA #IMPLIED
  g1 CDATA #IMPLIED
  u2 CDATA #IMPLIED
  g2 CDATA #IMPLIED
  k %Number.datatype; #REQUIRED
>
<!-- end of SVG.hkern.attlist -->]]>

<!-- font-face-src: Font Face Source Element ..... -->

<!ENTITY % SVG.font-face-src.extra.content "" >

<!ENTITY % SVG.font-face-src.element "INCLUDE" >
<![%SVG.font-face-src.element;[
<!ENTITY % SVG.font-face-src.content
  "( %SVG.font-face-name.qname; %SVG.font-face-src.extra.content; )+"
>
<!ELEMENT %SVG.font-face-src.qname; %SVG.font-face-src.content; >
<!-- end of SVG.font-face-src.element -->]]>

<!ENTITY % SVG.font-face-src.attlist "INCLUDE" >
<![%SVG.font-face-src.attlist;[
<!ATTLIST %SVG.font-face-src.qname;
  %SVG.Core.attrib;
>
<!-- end of SVG.font-face-src.attlist -->]]>

<!-- font-face-name: Font Face Name Element ..... -->

<!ENTITY % SVG.font-face-name.element "INCLUDE" >
<![%SVG.font-face-name.element;[
<!ENTITY % SVG.font-face-name.content "EMPTY" >
<!ELEMENT %SVG.font-face-name.qname; %SVG.font-face-name.content; >
<!-- end of SVG.font-face-name.element -->]]>

<!ENTITY % SVG.font-face-name.attlist "INCLUDE" >
<![%SVG.font-face-name.attlist;[
<!ATTLIST %SVG.font-face-name.qname;
  %SVG.Core.attrib;
  name CDATA #IMPLIED
>
<!-- end of SVG.font-face-name.attlist -->]]>

<!-- end of svg-basic-font.mod -->

```

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-basic-font.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Qualified Name Module ..... -->
<!-- file: svg-qname.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-qname.mod,v 1.3 2002/11/03 15:54:14 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Qualified Name//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-qname.mod"
```

```
..... -->
```

```
<!-- Qualified Name
```

This module is contained in two parts, labeled Section 'A' and 'B':

Section A declares parameter entities to support namespace-qualified names, namespace declarations, and name prefixing for SVG and extensions.

Section B declares parameter entities used to provide namespace-qualified names for all SVG element types:

```
-->
```

```
<!-- Section A: SVG XML Namespace Framework ..... -->
```

```
<!-- 1. Declare a %SVG.prefixed; conditional section keyword, used
to activate namespace prefixing. The default value should
inherit '%NS.prefixed;' from the DTD driver, so that unless
overridden, the default behaviour follows the overall DTD
prefixing scheme.
```

```
-->
```

```
<!ENTITY % NS.prefixed "IGNORE" >
<!ENTITY % SVG.prefixed "%NS.prefixed;" >
```

```
<!-- 2. Declare a parameter entity (eg., %SVG.xmlns;) containing
the URI reference used to identify the SVG namespace:
```

```
-->
```

```
<!ENTITY % SVG.xmlns "http://www.w3.org/2000/svg" >
<!ENTITY % XLINK.xmlns "http://www.w3.org/1999/xlink" >
```

<!-- 3. Declare parameter entities (eg., %SVG.prefix;) containing the default namespace prefix string(s) to use when prefixing is enabled.

This may be overridden in the DTD driver or the internal subset of an document instance. If no default prefix is desired, this may be declared as an empty string.

```
-->
<!ENTITY % SVG.prefix "" >
<!ENTITY % XLINK.prefix "xlink" >
```

<!-- 4. Declare parameter entities (eg., %SVG.pfx;) containing the colonized prefix(es) (eg., %SVG.prefix;:) used when prefixing is active, an empty string when it is not.

```
-->
<![%SVG.prefixed;[
<!ENTITY % SVG.pfx "%SVG.prefix;:" >
]]>
<!ENTITY % SVG.pfx "" >
<!ENTITY % XLINK.pfx "%XLINK.prefix;:" >
```

<!-- 5. The parameter entity %SVG.xmlns.extra.attrib; may be redeclared to contain any non-SVG namespace declaration attributes for namespaces embedded in SVG. The default is an empty string.

```
-->
<!ENTITY % SVG.xmlns.extra.attrib "" >
```

<!-- Declare a parameter entity XLINK.xmlns.attrib containing the XML Namespace declarations for XLink.

```
-->
<!ENTITY % XLINK.xmlns.attrib
  "xmlns:%XLINK.prefix; %URI.datatype;
  #FIXED '%XLINK.xmlns;'"
>
```

<!-- Declare a parameter entity %NS.decl.attrib; containing all XML Namespace declarations used in the DTD, plus the xmlns declaration for SVG, its form dependent on whether prefixing is active.

```
-->
<![%SVG.prefixed;[
<!ENTITY % NS.decl.attrib
  "xmlns:%SVG.prefix; %URI.datatype; #FIXED '%SVG.xmlns;'
  %XLINK.xmlns.attrib;
  %SVG.xmlns.extra.attrib;"
>
]]>
```

```

<!ENTITY % NS.decl.attrib
  "%XLINK.xmlns.attrib;
  %SVG.xmlns.extra.attrib;"
>

<!-- Declare a parameter entity %SVG.xmlns.attrib; containing
  all XML namespace declaration attributes used by SVG,
  including a default xmlns attribute when prefixing is
  inactive.
-->
<![%SVG.prefixes;[
<!ENTITY % SVG.xmlns.attrib
  "%NS.decl.attrib;"
>
]]>
<!ENTITY % SVG.xmlns.attrib
  "xmlns %URI.datatype; #FIXED '%SVG.xmlns;
  %XLINK.xmlns.attrib;"
>

<!-- Section B: SVG Qualified Names :::::::::::::::::::: -->

<!-- 6. This section declares parameter
  entities used to provide
  namespace-qualified names for all SVG element types.
-->

<!-- module: svg-structure.mod ..... -->

<!ENTITY % SVG.svg.qname "%SVG.pfx;svg" >
<!ENTITY % SVG.g.qname "%SVG.pfx;g" >
<!ENTITY % SVG.defs.qname "%SVG.pfx;defs" >
<!ENTITY % SVG.desc.qname "%SVG.pfx;desc" >
<!ENTITY % SVG.title.qname "%SVG.pfx;title" >
<!ENTITY % SVG.metadata.qname "%SVG.pfx;metadata" >
<!ENTITY % SVG.symbol.qname "%SVG.pfx;symbol" >
<!ENTITY % SVG.use.qname "%SVG.pfx;use" >

<!-- module: svg-conditional.mod ..... -->

<!ENTITY % SVG.switch.qname "%SVG.pfx;switch" >

<!-- module: svg-image.mod ..... -->

<!ENTITY % SVG.image.qname "%SVG.pfx;image" >

<!-- module: svg-style.mod ..... -->

```

```

<!ENTITY % SVG.style.qname "%SVG.pfx;style" >

<!-- module: svg-shape.mod ..... -->

<!ENTITY % SVG.path.qname "%SVG.pfx;path" >
<!ENTITY % SVG.rect.qname "%SVG.pfx;rect" >
<!ENTITY
% SVG.circle.qname "%SVG.pfx;circle" >
<!ENTITY % SVG.line.qname "%SVG.pfx;line" >
<!ENTITY % SVG.ellipse.qname "%SVG.pfx;ellipse" >
<!ENTITY % SVG.polyline.qname "%SVG.pfx;polyline" >
<!ENTITY % SVG.polygon.qname "%SVG.pfx;polygon" >

<!-- module: svg-text.mod ..... -->

<!ENTITY % SVG.text.qname "%SVG.pfx;text" >
<!ENTITY % SVG.tspan.qname "%SVG.pfx;tspan" >
<!ENTITY % SVG.tref.qname "%SVG.pfx;tref" >
<!ENTITY % SVG.textPath.qname "%SVG.pfx;textPath" >
<!ENTITY % SVG.altGlyph.qname "%SVG.pfx;altGlyph" >
<!ENTITY % SVG.altGlyphDef.qname "%SVG.pfx;altGlyphDef" >
<!ENTITY % SVG.altGlyphItem.qname "%SVG.pfx;altGlyphItem" >
<!ENTITY % SVG.glyphRef.qname "%SVG.pfx;glyphRef" >

<!-- module: svg-marker.mod ..... -->

<!ENTITY % SVG.marker.qname "%SVG.pfx;marker" >

<!-- module: svg-profile.mod ..... -->

<!ENTITY % SVG.color-profile.qname "%SVG.pfx;color-profile" >

<!-- module: svg-gradient.mod .....
-->

<!ENTITY % SVG.linearGradient.qname "%SVG.pfx;linearGradient" >
<!ENTITY % SVG.radialGradient.qname "%SVG.pfx;radialGradient" >
<!ENTITY % SVG.stop.qname "%SVG.pfx;stop" >

<!-- module: svg-pattern.mod ..... -->

<!ENTITY % SVG.pattern.qname "%SVG.pfx;pattern" >

<!-- module: svg-clip.mod ..... -->

<!ENTITY % SVG.clipPath.qname "%SVG.pfx;clipPath" >

<!-- module: svg-mask.mod ..... -->

```

```

<!ENTITY % SVG.mask.qname "%SVG.pfx;mask" >

<!-- module: svg-filter.mod ..... -->

<!ENTITY % SVG.filter.qname "%SVG.pfx;filter" >
<!ENTITY % SVG.feBlend.qname "%SVG.pfx;feBlend" >
<!ENTITY % SVG.feColorMatrix.qname "%SVG.pfx;feColorMatrix" >
<!ENTITY % SVG.feComponentTransfer.qname "%SVG.pfx;feComponentTransfer" >
<!ENTITY % SVG.feComposite.qname "%SVG.pfx;feComposite" >
<!ENTITY % SVG.feConvolveMatrix.qname "%SVG.pfx;feConvolveMatrix" >
<!ENTITY % SVG.feDiffuseLighting.qname "%SVG.pfx;feDiffuseLighting"
>
<!ENTITY % SVG.feDisplacementMap.qname "%SVG.pfx;feDisplacementMap" >
<!ENTITY % SVG.feFlood.qname "%SVG.pfx;feFlood" >
<!ENTITY % SVG.feGaussianBlur.qname "%SVG.pfx;feGaussianBlur" >
<!ENTITY % SVG.feImage.qname "%SVG.pfx;feImage" >
<!ENTITY % SVG.feMerge.qname "%SVG.pfx;feMerge" >
<!ENTITY % SVG.feMergeNode.qname "%SVG.pfx;feMergeNode" >
<!ENTITY % SVG.feMorphology.qname "%SVG.pfx;feMorphology" >
<!ENTITY % SVG.feOffset.qname "%SVG.pfx;feOffset" >
<!ENTITY % SVG.feSpecularLighting.qname "%SVG.pfx;feSpecularLighting" >
<!ENTITY % SVG.feTile.qname "%SVG.pfx;feTile" >
<!ENTITY % SVG.feTurbulence.qname "%SVG.pfx;feTurbulence" >
<!ENTITY % SVG.feDistantLight.qname "%SVG.pfx;feDistantLight" >
<!ENTITY % SVG.fePointLight.qname "%SVG.pfx;fePointLight" >
<!ENTITY % SVG.feSpotLight.qname "%SVG.pfx;feSpotLight" >
<!ENTITY % SVG.feFuncR.qname "%SVG.pfx;feFuncR" >
<!ENTITY % SVG.feFuncG.qname "%SVG.pfx;feFuncG" >
<!ENTITY % SVG.feFuncB.qname "%SVG.pfx;feFuncB" >
<!ENTITY % SVG.feFuncA.qname
"%SVG.pfx;feFuncA" >

<!-- module: svg-cursor.mod ..... -->

<!ENTITY % SVG.cursor.qname "%SVG.pfx;cursor" >

<!-- module: svg-hyperlink.mod ..... -->

<!ENTITY % SVG.a.qname "%SVG.pfx;a" >

<!-- module: svg-view.mod ..... -->

<!ENTITY % SVG.view.qname "%SVG.pfx;view" >

<!-- module: svg-script.mod ..... -->

<!ENTITY % SVG.script.qname "%SVG.pfx;script" >

```

```
<!-- module: svg-animation.mod ..... -->

<!ENTITY % SVG.animate.qname "%SVG.pfx;animate" >
<!ENTITY % SVG.set.qname "%SVG.pfx;set" >
<!ENTITY % SVG.animateMotion.qname "%SVG.pfx;animateMotion" >
<!ENTITY % SVG.animateColor.qname "%SVG.pfx;animateColor" >
<!ENTITY % SVG.animateTransform.qname "%SVG.pfx;animateTransform" >
<!ENTITY % SVG.mpath.qname "%SVG.pfx;mpath" >
```

```
<!-- module: svg-font.mod ..... -->
```

```
<!ENTITY % SVG.font.qname "%SVG.pfx;font" >
<!ENTITY % SVG.font-face.qname "%SVG.pfx;font-face"
>
<!ENTITY % SVG.glyph.qname "%SVG.pfx;glyph" >
<!ENTITY % SVG.missing-glyph.qname "%SVG.pfx;missing-glyph" >
<!ENTITY % SVG.hkern.qname "%SVG.pfx;hkern" >
<!ENTITY % SVG.vkern.qname "%SVG.pfx;vkern" >
<!ENTITY % SVG.font-face-src.qname "%SVG.pfx;font-face-src" >
<!ENTITY % SVG.font-face-uri.qname "%SVG.pfx;font-face-uri" >
<!ENTITY % SVG.font-face-format.qname "%SVG.pfx;font-face-format" >
<!ENTITY % SVG.font-face-name.qname "%SVG.pfx;font-face-name" >
<!ENTITY % SVG.definition-src.qname "%SVG.pfx;definition-src" >
```

```
<!-- module: svg-extensibility.mod ..... -->
```

```
<!ENTITY % SVG.foreignObject.qname "%SVG.pfx;foreignObject" >
```

```
<!-- end of svg-qname.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-qname.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Text Module ..... -->
<!-- file: svg-text.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.  
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.  
Revision: \$Id: svg-text.mod,v 1.4 2002/10/24 17:40:16 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Text//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-text.mod"
```

```

..... -->

<!-- Text

    text, tspan, tref, textPath, altGlyph, altGlyphDef, altGlyphItem,
    glyphRef

    This module declares markup to provide support for alternate glyph.
-->

<!-- 'baseline-shift' property/attribute value (e.g., 'baseline',
'sub', etc.) -->
<!ENTITY % BaselineShiftValue.datatype "CDATA" >

<!-- 'font-family' property/attribute value (i.e., list of fonts) -->
<!ENTITY % FontFamilyValue.datatype "CDATA" >

<!-- 'font-size' property/attribute value -->
<!ENTITY % FontSizeValue.datatype "CDATA" >

<!-- 'font-size-adjust' property/attribute value -->
<!ENTITY % FontSizeAdjustValue.datatype "CDATA" >

<!-- 'glyph-orientation-horizontal' property/attribute value (e.g., <angle>) -->
<!ENTITY % GlyphOrientationHorizontalValue.datatype "CDATA" >

<!-- 'glyph-orientation-vertical' property/attribute value (e.g., 'auto', <angle>) -->
<!ENTITY % GlyphOrientationVerticalValue.datatype "CDATA" >

<!-- 'kerning' property/attribute value (e.g., 'auto', <length>) -->
<!ENTITY % KerningValue.datatype "CDATA" >

<!-- 'letter-spacing' or 'word-spacing' property/attribute value (e.g., 'normal', <length>) -->
<!ENTITY % SpacingValue.datatype "CDATA" >

<!-- 'text-decoration' property/attribute value (e.g., 'none', 'underline')
-->
<!ENTITY % TextDecorationValue.datatype "CDATA" >

<!-- Qualified Names (Default) ..... -->

<!ENTITY % SVG.text.qname "text" >
<!ENTITY % SVG.tspan.qname "tspan" >
<!ENTITY % SVG.tref.qname "tref" >
<!ENTITY % SVG.textPath.qname "textPath" >
<!ENTITY % SVG.altGlyph.qname "altGlyph" >
<!ENTITY % SVG.altGlyphDef.qname "altGlyphDef" >

```

```

<!ENTITY % SVG.altGlyphItem.qname "altGlyphItem" >
<!ENTITY % SVG.glyphRef.qname "glyphRef" >

<!-- Attribute Collections (Default) ..... -->

<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.Conditional.attrib "" >
<!ENTITY % SVG.Style.attrib "" >
<!ENTITY % SVG.Paint.attrib "" >
<!ENTITY % SVG.Color.attrib "" >
<!ENTITY % SVG.Opacity.attrib "" >
<!ENTITY % SVG.Graphics.attrib "" >
<!ENTITY % SVG.Clip.attrib "" >
<!ENTITY % SVG.Mask.attrib "" >
<!ENTITY % SVG.Filter.attrib "" >
<!ENTITY % SVG.GraphicalEvents.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.XLink.attrib "" >
<!ENTITY % SVG.XLinkRequired.attrib
"" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Text.class ..... -->

<!ENTITY % SVG.Text.extra.class "" >

<!ENTITY % SVG.Text.class
"%SVG.text.qname; | %SVG.altGlyphDef.qname; %SVG.Text.extra.class;"
>

<!-- SVG.TextContent.class ..... -->

<!ENTITY % SVG.TextContent.extra.class "" >

<!ENTITY % SVG.TextContent.class
"%SVG.tspan.qname; | %SVG.tref.qname; | %SVG.textPath.qname;
| %SVG.altGlyph.qname; %SVG.TextContent.extra.class;"
>

<!-- SVG.Text.attrib ..... -->

<!ENTITY % SVG.Text.extra.attrib "" >

<!ENTITY % SVG.Text.attrib
"writing-mode ( lr-tb | rl-tb | tb-rl | lr | rl | tb | inherit ) #IMPLIED
%SVG.Text.extra.attrib;"
>

```

```

<!-- SVG.TextContent.attrb ..... -->

<!ENTITY % SVG.TextContent.extra.attrb "" >

<!ENTITY % SVG.TextContent.attrb
"alignment-baseline ( auto | baseline | before-edge | text-before-edge |
middle | central | after-edge | text-after-edge |
        ideographic | alphabetic | hanging | mathematical |
        inherit ) #IMPLIED
baseline-shift %BaselineShiftValue.datatype; #IMPLIED
direction ( ltr | rtl | inherit ) #IMPLIED
dominant-baseline ( auto | use-script | no-change | reset-size |
        ideographic | alphabetic | hanging | mathematical |
        central | middle | text-after-edge | text-before-edge |
        inherit ) #IMPLIED
glyph-orientation-horizontal %GlyphOrientationHorizontalValue.datatype;
        #IMPLIED
glyph-orientation-vertical %GlyphOrientationVerticalValue.datatype;
        #IMPLIED
kerning %KerningValue.datatype; #IMPLIED
letter-spacing %SpacingValue.datatype; #IMPLIED
text-anchor ( start | middle | end | inherit ) #IMPLIED
text-decoration %TextDecorationValue.datatype;
#IMPLIED
unicode-bidi ( normal | embed | bidi-override | inherit ) #IMPLIED
word-spacing %SpacingValue.datatype; #IMPLIED
%SVG.TextContent.extra.attrb;"
>

```

```

<!-- SVG.Font.attrb ..... -->

<!ENTITY % SVG.Font.extra.attrb "" >

<!ENTITY % SVG.Font.attrb
"font-family %FontFamilyValue.datatype; #IMPLIED
font-size %FontSizeValue.datatype; #IMPLIED
font-size-adjust %FontSizeAdjustValue.datatype; #IMPLIED
font-stretch ( normal | wider | narrower | ultra-condensed |
        extra-condensed | condensed | semi-condensed |
        semi-expanded | expanded | extra-expanded |
        ultra-expanded | inherit ) #IMPLIED
font-style ( normal | italic | oblique | inherit ) #IMPLIED
font-variant ( normal | small-caps | inherit ) #IMPLIED
font-weight ( normal | bold | bolder | lighter | 100 | 200 | 300 | 400 |
        500 | 600 | 700 | 800 | 900 | inherit ) #IMPLIED
%SVG.Font.extra.attrb;"
>

```

```

<!--
text: Text Element ..... -->

<!ENTITY % SVG.text.extra.content "" >

<!ENTITY % SVG.text.element "INCLUDE" >
<![%SVG.text.element;[
<!ENTITY % SVG.text.content
"( #PCDATA | %SVG.Description.class; | %SVG.Animation.class;
  %SVG.TextContent.class; %SVG.Hyperlink.class;
  %SVG.text.extra.content; )*"
>
<!ELEMENT %SVG.text.qname; %SVG.text.content; >
<!-- end of SVG.text.element -->]]>

<!ENTITY % SVG.text.attlist "INCLUDE" >
<![%SVG.text.attlist;[
<!ATTLIST %SVG.text.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.Text.attrib;
  %SVG.TextContent.attrib;
  %SVG.Font.attrib;
  %SVG.Paint.attrib;
  %SVG.Color.attrib;
  %SVG.Opacity.attrib;
  %SVG.Graphics.attrib;
  %SVG.Clip.attrib;
  %SVG.Mask.attrib;
  %SVG.Filter.attrib;
  %SVG.GraphicalEvents.attrib;
  %SVG.Cursor.attrib;
  %SVG.External.attrib;
  x %Coordinates.datatype; #IMPLIED
  y %Coordinates.datatype;
  #IMPLIED
  dx %Lengths.datatype; #IMPLIED
  dy %Lengths.datatype; #IMPLIED
  rotate %Numbers.datatype; #IMPLIED
  textLength %Length.datatype; #IMPLIED
  lengthAdjust ( spacing | spacingAndGlyphs ) #IMPLIED
  transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.text.attlist -->]]>

<!-- tspan: Text Span Element ..... -->

```

```

<!ENTITY % SVG.tspan.extra.content "" >

<!ENTITY % SVG.tspan.element "INCLUDE" >
<![%SVG.tspan.element;[
<!ENTITY % SVG.tspan.content
"( #PCDATA | %SVG.tspan.qname; | %SVG.tref.qname; | %SVG.altGlyph.qname;
| %SVG.animate.qname; | %SVG.set.qname; | %SVG.animateColor.qname;
| %SVG.Description.class; %SVG.Hyperlink.class;
%SVG.tspan.extra.content; )*"
>
>
<!ELEMENT %SVG.tspan.qname; %SVG.tspan.content; >
<!-- end of SVG.tspan.element -->]]>

```

```

<!ENTITY % SVG.tspan.attlist "INCLUDE" >
<![%SVG.tspan.attlist;[
<!ATTLIST %SVG.tspan.qname;
%SVG.Core.attrib;
%SVG.Conditional.attrib;
%SVG.Style.attrib;
%SVG.TextContent.attrib;
%SVG.Font.attrib;
%SVG.Paint.attrib;
%SVG.Color.attrib;
%SVG.Opacity.attrib;
%SVG.Graphics.attrib;
%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;
%SVG.GraphicalEvents.attrib;
%SVG.Cursor.attrib;
%SVG.External.attrib;
x %Coordinates.datatype; #IMPLIED
y %Coordinates.datatype; #IMPLIED
dx %Lengths.datatype; #IMPLIED
dy %Lengths.datatype; #IMPLIED
rotate %Numbers.datatype; #IMPLIED
textLength %Length.datatype; #IMPLIED
lengthAdjust ( spacing | spacingAndGlyphs ) #IMPLIED
>
>
<!-- end of SVG.tspan.attlist -->]]>

```

```

<!-- tref: Text Reference Element ..... -->

```

```

<!ENTITY % SVG.tref.extra.content "" >

```

```

<!ENTITY % SVG.tref.element "INCLUDE" >
<![%SVG.tref.element;[

```

```

<!ENTITY % SVG.tref.content
  "( %SVG.animate.qname; | %SVG.set.qname; | %SVG.animateColor.qname;
  | %SVG.Description.class; %SVG.tref.extra.content; )*"
>
<!ELEMENT %SVG.tref.qname; %SVG.tref.content;
>
<!-- end of SVG.tref.element -->]]>

```

```

<!ENTITY % SVG.tref.attlist "INCLUDE" >
<![%SVG.tref.attlist;[
<!ATTLIST %SVG.tref.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.TextContent.attrib;
  %SVG.Font.attrib;
  %SVG.Paint.attrib;
  %SVG.Color.attrib;
  %SVG.Opacity.attrib;
  %SVG.Graphics.attrib;
  %SVG.Clip.attrib;
  %SVG.Mask.attrib;
  %SVG.Filter.attrib;
  %SVG.GraphicalEvents.attrib;
  %SVG.Cursor.attrib;
  %SVG.XLinkRequired.attrib;
  %SVG.External.attrib;
  x %Coordinates.datatype; #IMPLIED
  y %Coordinates.datatype; #IMPLIED
  dx %Lengths.datatype; #IMPLIED
  dy %Lengths.datatype; #IMPLIED
  rotate %Numbers.datatype; #IMPLIED
  textLength %Length.datatype; #IMPLIED
  lengthAdjust ( spacing | spacingAndGlyphs ) #IMPLIED
>
<!-- end of SVG.tref.attlist -->]]>

```

```

<!-- textPath: Text Path Element ..... -->

```

```

<!ENTITY % SVG.textPath.extra.content "" >

```

```

<!ENTITY % SVG.textPath.element "INCLUDE"
>
<![%SVG.textPath.element;[
<!ENTITY % SVG.textPath.content
  "( #PCDATA | %SVG.tspan.qname; | %SVG.tref.qname; | %SVG.altGlyph.qname;
  | %SVG.animate.qname; | %SVG.set.qname; | %SVG.animateColor.qname;
  | %SVG.Description.class; %SVG.Hyperlink.class;

```

```

    %SVG.textPath.extra.content; )*"
>
<!ELEMENT %SVG.textPath.qname; %SVG.textPath.content; >
<!-- end of SVG.textPath.element -->]]>

<!ENTITY % SVG.textPath.attlist "INCLUDE" >
<![%SVG.textPath.attlist;[
<!ATTLIST %SVG.textPath.qname;
    %SVG.Core.attrib;
    %SVG.Conditional.attrib;
    %SVG.Style.attrib;
    %SVG.TextContent.attrib;
    %SVG.Font.attrib;
    %SVG.Paint.attrib;
    %SVG.Color.attrib;
    %SVG.Opacity.attrib;
    %SVG.Graphics.attrib;
    %SVG.Clip.attrib;
    %SVG.Mask.attrib;
    %SVG.Filter.attrib;
    %SVG.GraphicalEvents.attrib;
    %SVG.Cursor.attrib;
    %SVG.XLinkRequired.attrib;
    %SVG.External.attrib;
    startOffset %Length.datatype; #IMPLIED
    textLength %Length.datatype; #IMPLIED
    lengthAdjust ( spacing | spacingAndGlyphs ) #IMPLIED
    method ( align | stretch ) #IMPLIED
    spacing ( auto | exact ) #IMPLIED
>
<!-- end of SVG.textPath.attlist -->]]>

<!-- altGlyph: Alternate Glyph Element ..... -->

<!ENTITY % SVG.altGlyph.extra.content "" >

<!ENTITY % SVG.altGlyph.element "INCLUDE" >
<![%SVG.altGlyph.element;[
<!ENTITY % SVG.altGlyph.content
    "( #PCDATA %SVG.altGlyph.extra.content; )*"
>
<!ELEMENT %SVG.altGlyph.qname; %SVG.altGlyph.content; >
<!-- end of SVG.altGlyph.element -->]]>

<!ENTITY % SVG.altGlyph.attlist "INCLUDE" >
<![%SVG.altGlyph.attlist;[
<!ATTLIST %SVG.altGlyph.qname;
    %SVG.Core.attrib;

```

```

%SVG.Conditional.attrib;
%SVG.Style.attrib;
%SVG.TextContent.attrib;
%SVG.Font.attrib;
%SVG.Paint.attrib;
%SVG.Color.attrib;
%SVG.Opacity.attrib;
%SVG.Graphics.attrib;
%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;
%SVG.GraphicalEvents.attrib;
%SVG.Cursor.attrib;
%SVG.XLink.attrib;
%SVG.External.attrib;
x %Coordinates.datatype; #IMPLIED
y %Coordinates.datatype; #IMPLIED
dx %Lengths.datatype; #IMPLIED
dy %Lengths.datatype; #IMPLIED
glyphRef CDATA #IMPLIED
format CDATA #IMPLIED
rotate %Numbers.datatype; #IMPLIED
>
<!-- end of SVG.altGlyph.attlist -->]]>

<!-- altGlyphDef: Alternate Glyph Definition Element ... -->

<!ENTITY % SVG.altGlyphDef.extra.content "" >

<!ENTITY % SVG.altGlyphDef.element "INCLUDE" >
<![%SVG.altGlyphDef.element;[
<!ENTITY % SVG.altGlyphDef.content
"(( %SVG.glyphRef.qname;+ | %SVG.altGlyphItem.qname;+ )
%SVG.altGlyphDef.extra.content; )"
>
<!ELEMENT %SVG.altGlyphDef.qname; %SVG.altGlyphDef.content; >
<!-- end of SVG.altGlyphDef.element -->]]>

<!ENTITY % SVG.altGlyphDef.attlist "INCLUDE" >
<![%SVG.altGlyphDef.attlist;[
<!ATTLIST %SVG.altGlyphDef.qname;
%SVG.Core.attrib;
>
<!-- end of SVG.altGlyphDef.attlist -->]]>

<!-- altGlyphItem: Alternate Glyph Item Element ..... -->

<!ENTITY % SVG.altGlyphItem.extra.content

```

```
"" >

<!ENTITY % SVG.altGlyphItem.element "INCLUDE" >
<![%SVG.altGlyphItem.element;[
<!ENTITY % SVG.altGlyphItem.content
  "( %SVG.glyphRef.qname;+ %SVG.altGlyphItem.extra.content; )"
>
<!ELEMENT %SVG.altGlyphItem.qname; %SVG.altGlyphItem.content; >
<!-- end of SVG.altGlyphItem.element -->]]>
```

```
<!ENTITY % SVG.altGlyphItem.attlist "INCLUDE" >
<![%SVG.altGlyphItem.attlist;[
<!ATTLIST %SVG.altGlyphItem.qname;
  %SVG.Core.attrib;
>
<!-- end of SVG.altGlyphItem.attlist -->]]>
```

```
<!-- glyphRef: Glyph Reference Element ..... -->
```

```
<!ENTITY % SVG.glyphRef.element "INCLUDE" >
<![%SVG.glyphRef.element;[
<!ENTITY % SVG.glyphRef.content "EMPTY" >
<!ELEMENT %SVG.glyphRef.qname; %SVG.glyphRef.content; >
<!-- end of SVG.glyphRef.element -->]]>
```

```
<!ENTITY % SVG.glyphRef.attlist "INCLUDE" >
<![%SVG.glyphRef.attlist;[
<!ATTLIST %SVG.glyphRef.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
  %SVG.Font.attrib;
  %SVG.XLink.attrib;
  x %Number.datatype; #IMPLIED
  y %Number.datatype; #IMPLIED
  dx %Number.datatype; #IMPLIED
  dy %Number.datatype; #IMPLIED
  glyphRef CDATA #IMPLIED
  format CDATA #IMPLIED
>
<!-- end of SVG.glyphRef.attlist -->]]>
```

```
<!-- end of svg-text.mod -->
```

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-text.mod

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- SVG 1.1 Animation Events Attribute Module ..... -->
<!-- file: svg-animevents-attr.mod

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: $Id: svg-animevents-attr.mod,v 1.3 2002/04/28 13:50:23 fujisawa Exp $

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ENTITIES SVG 1.1 Animation Events Attribute//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-animevents-attr.mod"

..... -->

<!-- Animation Events Attribute

onbegin, onend, onrepeat, onload

This module defines the AnimationEvents attribute set.
-->

<!ENTITY % SVG.onbegin.attrib
"onbegin
%Script.datatype; #IMPLIED"
>

<!ENTITY % SVG.onend.attrib
"onend %Script.datatype; #IMPLIED"
>

<!ENTITY % SVG.onrepeat.attrib
"onrepeat %Script.datatype; #IMPLIED"
>

<!ENTITY % SVG.onload.attrib
"onload %Script.datatype; #IMPLIED"
>

<!ENTITY % SVG.AnimationEvents.extra.attrib "" >

<!ENTITY % SVG.AnimationEvents.attrib
"%SVG.onbegin.attrib;
%SVG.onend.attrib;
%SVG.onrepeat.attrib;
%SVG.onload.attrib;
%SVG.AnimationEvents.extra.attrib;"
>

```

<!-- end of svg-animevents-attrib.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-animevents-attrib.mod

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- XHTML Role QName Module ..... -->

<!-- file: xhtml-role-qname-1.mod

This is XHTML Role - the Role Attribute Module for XHTML.

Copyright 2006 W3C (MIT, ERCIM, Keio), All Rights Reserved.

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ENTITIES XHTML Role Attribute Qnames 1.0//EN"

SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-role-qname-1.mod"

Revisions:

(none)

..... -->

<!-- XHTML Role Attribute QName (Qualified Name) Module

This module is contained in two parts, labeled Section 'A' and 'B':

Section A declares parameter entities to support namespace-qualified names, namespace declarations, and name prefixing for XHTML Role

and extensions.

Section B declares parameter entities used to provide namespace-qualified names for the XHTML role attribute:

%role.qname; the xmlns-qualified name for @role

...

XHTML Role extensions would create a module similar to this one.

-->

<!-- Section A: XHTML Role Attribute XML Namespace Framework ..... -->

<!-- 1. Declare a %XHTML-ROLE.prefixed; conditional section keyword, used to activate namespace prefixing. The default value should inherit '%NS.prefixed;' from the DTD driver, so that unless

overridden, the default behavior follows the overall DTD prefixing scheme.

-->

```
<!ENTITY % NS.prefixed "IGNORE" >
```

```
<!ENTITY % XHTML-ROLE.prefixed "%NS.prefixed;" >
```

<!-- 2. Declare a parameter entity (eg., %XHTML-ROLE.xmlns;) containing the URI reference used to identify the XHTML Role Attribute namespace

-->

```
<!ENTITY % XHTML-ROLE.xmlns "http://www.w3.org/1999/xhtml" >
```

<!-- 3. Declare parameter

entities (eg., %XML.prefix;) containing

the default namespace prefix string(s) to use when prefixing is enabled. This may be overridden in the DTD driver or the internal subset of an document instance. If no default prefix is desired, this may be declared as an empty string.

NOTE: As specified in [XMLNAMES], the namespace prefix serves as a proxy for the URI reference, and is not in itself significant.

-->

```
<!ENTITY % XHTML-ROLE.prefix "" >
```

<!-- 4. Declare parameter entities (eg., %XHTML-ROLE.pfx;) containing the colonized prefix(es) (eg., %XHTML-ROLE.prefix;) used when prefixing is active, an empty string when it is not.

-->

```
<![%XHTML-ROLE.prefixed;[
```

```
<!ENTITY % XHTML-ROLE.pfx "%XHTML-ROLE.prefix;:" >
```

```
]]>
```

```
<!ENTITY % XHTML-ROLE.pfx "" >
```

<!-- declare qualified name extensions here ..... -->

```
<!ENTITY % xhtml-role-qname-extra.mod "" >
```

```
%xhtml-role-qname-extra.mod;
```

<!-- 5. The parameter entity %XHTML-ROLE.xmlns.extra.attrib;

may be

redeclared to contain any non-XHTML Role Attribute namespace declaration attributes for namespaces embedded in XML. The default is an empty string. XLink should be included here if used in the DTD.

-->

```
<!ENTITY % XHTML-ROLE.xmlns.extra.attrib "" >
```

<!-- Section B: XML Qualified Names ..... -->

<!-- 6. This section declares parameter entities used to provide namespace-qualified names for the XHTML role attribute.

-->

```
<!ENTITY % xhtml-role.role.qname "%XHTML-ROLE.pfx;role" >
```

<!-- The following defines a PE for use in the attribute sets of elements in other namespaces that want to incorporate the XML Event attributes. Note that in this case the XHTML-ROLE.pfx should always be defined. -->

```
<!ENTITY % xhtml-role.attrs.qname
"%XHTML-ROLE.pfx;role      CDATA      #IMPLIED"
>
```

<!-- end of xhtml-role-qname-1.mod -->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-role-qname-1.mod

No license file was found, but licenses were detected in source scan.

<!--

\* This is a schema for the XML representation of JSON used as the target for the

\* function fn:json-to-xml()

\*

\* The schema is made available under the terms of the W3C software notice and license

\* at <http://www.w3.org/Consortium/Legal/copyright-software-19980720>

\*

-->

Found in path(s):

\* /opt/cola/permits/1290493648\_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/json.xsd

No license file was found, but licenses were detected in source scan.

<!-- ..... -->

<!-- SVG 1.1 Basic Structure Module ..... -->

<!-- file: svg-basic-structure.mod

This is SVG, a language for describing two-dimensional graphics in XML.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg-basic-structure.mod,v 1.6 2002/11/14 15:11:02 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS SVG 1.1 Basic Structure//EN"

SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-basic-structure.mod"

```

..... -->

<!-- Basic Structure

    svg, g, defs, desc, title, metadata, use

    This module declares the major structural elements and their attributes.

-->

<!-- Qualified Names (Default) .....
-->

<!ENTITY % SVG.svg.qname "svg" >
<!ENTITY % SVG.g.qname "g" >
<!ENTITY % SVG.defs.qname "defs" >
<!ENTITY % SVG.desc.qname "desc" >
<!ENTITY % SVG.title.qname "title" >
<!ENTITY % SVG.metadata.qname "metadata" >
<!ENTITY % SVG.use.qname "use" >

<!-- Attribute Collections (Default) ..... -->

<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.Container.attrib "" >
<!ENTITY % SVG.Conditional.attrib "" >
<!ENTITY % SVG.Style.attrib "" >
<!ENTITY % SVG.Viewport.attrib "" >
<!ENTITY % SVG.Text.attrib "" >
<!ENTITY % SVG.TextContent.attrib "" >
<!ENTITY % SVG.Font.attrib "" >
<!ENTITY % SVG.Paint.attrib "" >
<!ENTITY % SVG.Color.attrib "" >
<!ENTITY % SVG.Opacity.attrib "" >
<!ENTITY % SVG.Graphics.attrib "" >
<!ENTITY % SVG.Marker.attrib "" >
<!ENTITY % SVG.ColorProfile.attrib "" >
<!ENTITY % SVG.Gradient.attrib "" >
<!ENTITY % SVG.Clip.attrib "" >
<!ENTITY % SVG.Mask.attrib "" >
<!ENTITY % SVG.Filter.attrib "" >
<!ENTITY % SVG.FilterColor.attrib "" >
<!ENTITY %
SVG.DocumentEvents.attrib "" >
<!ENTITY % SVG.GraphicalEvents.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.XLinkEmbed.attrib "" >
<!ENTITY % SVG.External.attrib "" >

```

```

<!-- SVG.Description.class ..... -->

<!ENTITY % SVG.Description.extra.class "" >

<!ENTITY % SVG.Description.class
"%SVG.desc.qname; | %SVG.title.qname; | %SVG.metadata.qname;
%SVG.Description.extra.class;"
>

<!-- SVG.Use.class ..... -->

<!ENTITY % SVG.Use.extra.class "" >

<!ENTITY % SVG.Use.class
"| %SVG.use.qname; %SVG.Use.extra.class;"
>

<!-- SVG.Structure.class ..... -->

<!ENTITY % SVG.Structure.extra.class "" >

<!ENTITY % SVG.Structure.class
"| %SVG.g.qname; | %SVG.defs.qname; %SVG.Use.class;
%SVG.Structure.extra.class;"
>

<!-- SVG.Presentation.attrib ..... -->

<!ENTITY % SVG.Presentation.extra.attrib "" >

<!ENTITY % SVG.Presentation.attrib
"%SVG.Container.attrib;
%SVG.Viewport.attrib;
%SVG.Text.attrib;
%SVG.TextContent.attrib;
%SVG.Font.attrib;
%SVG.Paint.attrib;
%SVG.Color.attrib;
%SVG.Opacity.attrib;
%SVG.Graphics.attrib;
%SVG.Marker.attrib;
%SVG.ColorProfile.attrib;
%SVG.Gradient.attrib;
%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;
%SVG.FilterColor.attrib;
%SVG.Cursor.attrib;

```

```

    flood-color %SVGColor.datatype; #IMPLIED
    flood-opacity %OpacityValue.datatype; #IMPLIED
    lighting-color %SVGColor.datatype; #IMPLIED
    %SVG.Presentation.extra.attrib;"
>

<!-- svg: SVG Document Element ..... -->

<!ENTITY % SVG.svg.extra.content "" >

<!ENTITY % SVG.svg.element "INCLUDE" >
<![%SVG.svg.element;[
<!ENTITY % SVG.svg.content
"( %SVG.Description.class; | %SVG.Animation.class; %SVG.Structure.class;
  %SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;
  %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
  %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
  %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
  %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
  %SVG.Font.class; %SVG.svg.extra.content; )*"
>
<!ELEMENT %SVG.svg.qname; %SVG.svg.content; >
<!-- end of SVG.svg.element -->]]>

<!ENTITY % SVG.svg.attlist "INCLUDE" >
<![%SVG.svg.attlist;[
<!ATTLIST %SVG.svg.qname;
  %SVG.xmlns.attrib;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.Presentation.attrib;
  %SVG.DocumentEvents.attrib;
  %SVG.GraphicalEvents.attrib;
  %SVG.External.attrib;
  x %Coordinate.datatype; #IMPLIED
  y %Coordinate.datatype; #IMPLIED
  width %Length.datatype; #IMPLIED
  height %Length.datatype; #IMPLIED
  viewBox %ViewBoxSpec.datatype; #IMPLIED
  preserveAspectRatio %PreserveAspectRatioSpec.datatype; 'xMidYMid meet'
  zoomAndPan ( disable | magnify ) 'magnify'
  version %Number.datatype;
#FIXED '1.1'
  baseProfile %Text.datatype; #IMPLIED
>
<!-- end of SVG.svg.attlist -->]]>

```

```

<!-- g: Group Element ..... -->

<!ENTITY % SVG.g.extra.content "" >

<!ENTITY % SVG.g.element "INCLUDE" >
<![%SVG.g.element;[
<!ENTITY % SVG.g.content
"( %SVG.Description.class; | %SVG.Animation.class; %SVG.Structure.class;
 %SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;
 %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
 %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
 %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
 %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
 %SVG.Font.class; %SVG.g.extra.content; )*"
>
<!ELEMENT %SVG.g.qname; %SVG.g.content; >
<!-- end of SVG.g.element -->]]>

<!ENTITY % SVG.g.attlist "INCLUDE" >
<![%SVG.g.attlist;[
<!ATTLIST %SVG.g.qname;
 %SVG.Core.attrib;
 %SVG.Conditional.attrib;
 %SVG.Style.attrib;
 %SVG.Presentation.attrib;
 %SVG.GraphicalEvents.attrib;
 %SVG.External.attrib;
 transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.g.attlist -->]]>

<!-- defs: Definitions Element ..... -->

<!ENTITY % SVG.defs.extra.content "" >

<!ENTITY % SVG.defs.element "INCLUDE" >
<![%SVG.defs.element;[
<!ENTITY % SVG.defs.content
"( %SVG.Description.class; | %SVG.Animation.class; %SVG.Structure.class;
 %SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;
 %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
 %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
 %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
 %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
 %SVG.Font.class; %SVG.defs.extra.content; )*"
>
<!ELEMENT %SVG.defs.qname; %SVG.defs.content; >
<!-- end of SVG.defs.element -->]]>

```

```

<!ENTITY % SVG.defs.attlist "INCLUDE" >
<![%SVG.defs.attlist;[
<!ATTLIST %SVG.defs.qname;

    %SVG.Core.attrib;
    %SVG.Conditional.attrib;
    %SVG.Style.attrib;
    %SVG.Presentation.attrib;
    %SVG.GraphicalEvents.attrib;
    %SVG.External.attrib;
    transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.defs.attlist -->]]>

<!-- desc: Description Element ..... -->

<!ENTITY % SVG.desc.extra.content "" >

<!ENTITY % SVG.desc.element "INCLUDE" >
<![%SVG.desc.element;[
<!ENTITY % SVG.desc.content
    "( #PCDATA %SVG.desc.extra.content; )*"
>
<!ELEMENT %SVG.desc.qname; %SVG.desc.content; >
<!-- end of SVG.desc.element -->]]>

<!ENTITY % SVG.desc.attlist "INCLUDE" >
<![%SVG.desc.attlist;[
<!ATTLIST %SVG.desc.qname;
    %SVG.Core.attrib;
    %SVG.Style.attrib;
>
<!-- end of SVG.desc.attlist -->]]>

<!-- title: Title Element ..... -->

<!ENTITY % SVG.title.extra.content "" >

<!ENTITY % SVG.title.element "INCLUDE" >
<![%SVG.title.element;[
<!ENTITY % SVG.title.content
    "( #PCDATA %SVG.title.extra.content; )*"
>
<!ELEMENT
    %SVG.title.qname; %SVG.title.content; >
<!-- end of SVG.title.element -->]]>

```

```

<!ENTITY % SVG.title.attlist "INCLUDE" >
<![%SVG.title.attlist;[
<!ATTLIST %SVG.title.qname;
    %SVG.Core.attrib;
    %SVG.Style.attrib;
>
<!-- end of SVG.title.attlist -->]]>

<!-- metadata: Metadata Element ..... -->

<!ENTITY % SVG.metadata.extra.content "" >

<!ENTITY % SVG.metadata.element "INCLUDE" >
<![%SVG.metadata.element;[
<!ENTITY % SVG.metadata.content
    "( #PCDATA %SVG.metadata.extra.content; )*"
>
<!ELEMENT %SVG.metadata.qname; %SVG.metadata.content; >
<!-- end of SVG.metadata.element -->]]>

<!ENTITY % SVG.metadata.attlist "INCLUDE" >
<![%SVG.metadata.attlist;[
<!ATTLIST %SVG.metadata.qname;
    %SVG.Core.attrib;
>
<!-- end of SVG.metadata.attlist -->]]>

<!-- use: Use Element ..... -->

<!ENTITY % SVG.use.extra.content "" >

<!ENTITY % SVG.use.element "INCLUDE" >
<![%SVG.use.element;[
<!ENTITY % SVG.use.content
    "( (%SVG.Description.class;
)*, (%SVG.Animation.class;
    %SVG.use.extra.content; )*)"
>
<!ELEMENT %SVG.use.qname; %SVG.use.content; >
<!-- end of SVG.use.element -->]]>

<!ENTITY % SVG.use.attlist "INCLUDE" >
<![%SVG.use.attlist;[
<!ATTLIST %SVG.use.qname;
    %SVG.Core.attrib;
    %SVG.Conditional.attrib;
    %SVG.Style.attrib;
    %SVG.Presentation.attrib;

```

```
%SVG.GraphicalEvents.attrib;
%SVG.XLinkEmbed.attrib;
%SVG.External.attrib;
x %Coordinate.datatype; #IMPLIED
y %Coordinate.datatype; #IMPLIED
width %Length.datatype; #IMPLIED
height %Length.datatype; #IMPLIED
transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.use.atlist -->]]>
```

```
<!-- end of svg-basic-structure.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
basic-structure.mod
```

No license file was found, but licenses were detected in source scan.

```
<!--
* This is a schema for the XML representation of the result of the
* function fn:analyze-string()
*
* The schema is made available under the terms of the W3C software notice and license
* at http://www.w3.org/Consortium/Legal/copyright-software-19980720
*
-->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/analyze-string.xsd
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Table Module ..... -->
<!-- file: xhtml-table-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.  
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.  
Revision: \$Id: xhtml-table-1.mod,v 4.1 2001/04/10 09:42:30 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Tables 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-table-1.mod"
```

Revisions:

```
(none)
..... -->
```

<!-- Tables

table, caption, thead, tfoot, tbody, colgroup, col, tr, th, td

This module declares element types and attributes used to provide table markup similar to HTML 4, including features

that enable

better accessibility for non-visual user agents.

-->

<!-- declare qualified element type names:

-->

<!ENTITY % table.qname "table" >

<!ENTITY % caption.qname "caption" >

<!ENTITY % thead.qname "thead" >

<!ENTITY % tfoot.qname "tfoot" >

<!ENTITY % tbody.qname "tbody" >

<!ENTITY % colgroup.qname "colgroup" >

<!ENTITY % col.qname "col" >

<!ENTITY % tr.qname "tr" >

<!ENTITY % th.qname "th" >

<!ENTITY % td.qname "td" >

<!-- The frame attribute specifies which parts of the frame around the table should be rendered. The values are not the same as CALS to avoid a name clash with the valign attribute.

-->

<!ENTITY % frame.attrib

```
"frame    ( void
           | above
           | below
           | hside
           | lhs
           | rhs
           | vside
           | box
           | border )    #IMPLIED"
```

>

<!-- The rules attribute defines which rules to draw between cells:

If rules is absent then assume:

"none" if border is absent or border="0" otherwise "all"

-->

<!ENTITY % rules.attrib

```
"rules    ( none
           | groups
```

```

        | rows
        | cols
        | all )          #IMPLIED"
>

<!-- horizontal alignment attributes for cell contents
-->
<!ENTITY % CellHAlign.attrib
"align    ( left
          | center
          | right
          | justify
          | char )          #IMPLIED
char      %Character.datatype; #IMPLIED
charoff   %Length.datatype;  #IMPLIED"
>

<!-- vertical alignment attribute for cell contents
-->
<!ENTITY % CellVAlign.attrib
"valign   ( top
          | middle
          | bottom
          | baseline )     #IMPLIED"
>

<!-- scope is simpler than axes attribute for common tables
-->
<!ENTITY % scope.attrib
"scope    ( row
          | col
          | rowgroup
          | colgroup )     #IMPLIED"
>

<!-- table: Table Element ..... -->

<!ENTITY % table.element "INCLUDE" >
<![%table.element;[
<!ENTITY % table.content
"( %caption.qname;?, ( %col.qname;* | %colgroup.qname;* ),
  (( %thead.qname;?, %tfoot.qname;?, %tbody.qname;+ ) | ( %tr.qname;+ )))"
>
<!ELEMENT %table.qname; %table.content; >
<!-- end of table.element -->]]>

<!ENTITY % table.attlist "INCLUDE" >

```

```

<![%table.attlist;[
<!ATTLIST %table.qname;
    %Common.attrib;
    summary    %Text.datatype;    #IMPLIED
    width      %Length.datatype;   #IMPLIED
    border     %Pixels.datatype;   #IMPLIED
    %frame.attrib;
    %rules.attrib;
    cellpadding %Length.datatype;  #IMPLIED
    cellspacing %Length.datatype;  #IMPLIED
>
<!-- end of table.attlist -->]]>

```

```

<!-- caption: Table Caption ..... -->

```

```

<!ENTITY % caption.element
"INCLUDE" >
<![%caption.element;[
<!ENTITY % caption.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ELEMENT %caption.qname; %caption.content; >
<!-- end of caption.element -->]]>

```

```

<!ENTITY % caption.attlist "INCLUDE" >
<![%caption.attlist;[
<!ATTLIST %caption.qname;
    %Common.attrib;
>
<!-- end of caption.attlist -->]]>

```

```

<!-- thead: Table Header ..... -->

```

```

<!-- Use thead to duplicate headers when breaking table
    across page boundaries, or for static headers when
    tbody sections are rendered in scrolling panel.
-->

```

```

<!ENTITY % thead.element "INCLUDE" >
<![%thead.element;[
<!ENTITY % thead.content "( %tr.qname; )+" >
<!ELEMENT %thead.qname; %thead.content; >
<!-- end of thead.element -->]]>

```

```

<!ENTITY % thead.attlist "INCLUDE" >
<![%thead.attlist;[
<!ATTLIST %thead.qname;
    %Common.attrib;

```

```

    %CellHAlign.attrib;
    %CellVAlign.attrib;
>
<!-- end of thead.attlist -->]]>

<!-- tfoot: Table Footer .....
-->

<!-- Use tfoot to duplicate footers when breaking table
across page boundaries, or for static footers when
tbody sections are rendered in scrolling panel.
-->

<!ENTITY % tfoot.element "INCLUDE" >
<![%tfoot.element;[
<!ENTITY % tfoot.content "( %tr.qname; )+" >
<!ELEMENT %tfoot.qname; %tfoot.content; >
<!-- end of tfoot.element -->]]>

<!ENTITY % tfoot.attlist "INCLUDE" >
<![%tfoot.attlist;[
<!ATTLIST %tfoot.qname;
    %Common.attrib;
    %CellHAlign.attrib;
    %CellVAlign.attrib;
>
<!-- end of tfoot.attlist -->]]>

<!-- tbody: Table Body ..... -->

<!-- Use multiple tbody sections when rules are needed
between groups of table rows.
-->

<!ENTITY % tbody.element "INCLUDE" >
<![%tbody.element;[
<!ENTITY % tbody.content "( %tr.qname; )+" >
<!ELEMENT %tbody.qname; %tbody.content; >
<!-- end of tbody.element -->]]>

<!ENTITY % tbody.attlist "INCLUDE" >
<![%tbody.attlist;[
<!ATTLIST %tbody.qname;
    %Common.attrib;
    %CellHAlign.attrib;
    %CellVAlign.attrib;
>
<!-- end of tbody.attlist -->]]>

```

<!-- colgroup: Table Column Group ..... -->

<!-- colgroup groups a set of col elements. It allows you  
to group several semantically-related columns together.  
-->

```
<!ENTITY % colgroup.element "INCLUDE" >
<![%colgroup.element;[
<!ENTITY % colgroup.content "( %col.qname; )*" >
<!ELEMENT %colgroup.qname; %colgroup.content; >
<!-- end of colgroup.element -->]]>
```

```
<!ENTITY % colgroup.attlist "INCLUDE" >
<![%colgroup.attlist;[
<!ATTLIST %colgroup.qname;
    %Common.attrib;
    span    %Number.datatype;    '1'
    width   %MultiLength.datatype; #IMPLIED
    %CellHAlign.attrib;
    %CellVAlign.attrib;
>
<!-- end of colgroup.attlist -->]]>
```

<!-- col: Table Column ..... -->

<!-- col elements define the alignment properties for  
cells in one or more columns.

The width attribute specifies the width of the  
columns, e.g.

```
width="64"    width in screen pixels
width="0.5*"  relative width of 0.5
```

The span attribute causes the attributes of one  
col element to apply to more than one column.

-->

```
<!ENTITY % col.element "INCLUDE" >
<![%col.element;[
<!ENTITY % col.content "EMPTY" >
<!ELEMENT %col.qname; %col.content; >
<!-- end of col.element -->]]>
```

```
<!ENTITY % col.attlist "INCLUDE" >
<![%col.attlist;[
```

```

<!ATTLIST %col.qname;
    %Common.attrib;
    span      %Number.datatype;    '1'
    width     %MultiLength.datatype; #IMPLIED
    %CellHAlign.attrib;
    %CellVAlign.attrib;
>
<!-- end of col.attlist -->]]>

<!-- tr: Table Row ..... -->

<!ENTITY % tr.element "INCLUDE" >
<![%tr.element;[
<!ENTITY % tr.content "( %th.qname; | %td.qname; )" >
<!ELEMENT %tr.qname; %tr.content; >
<!-- end of tr.element -->]]>

<!ENTITY % tr.attlist "INCLUDE" >
<![%tr.attlist;[
<!ATTLIST %tr.qname;
    %Common.attrib;
    %CellHAlign.attrib;
    %CellVAlign.attrib;
>
<!-- end of tr.attlist -->]]>

<!-- th: Table Header Cell ..... -->

<!-- th is for header cells, td for data,
    but for cells acting as both use td
-->

<!ENTITY % th.element "INCLUDE" >
<![%th.element;[
<!ENTITY % th.content
    "( #PCDATA | %Flow.mix; )" *
>
<!ELEMENT %th.qname; %th.content; >
<!-- end of th.element -->]]>

<!ENTITY % th.attlist "INCLUDE" >
<![%th.attlist;[
<!ATTLIST %th.qname;
    %Common.attrib;
    abbr      %Text.datatype;      #IMPLIED
    axis      CDATA                 #IMPLIED
    headers   IDREFS                #IMPLIED
    %scope.attrib;

```

```

        rowspan    %Number.datatype;    '1'
        colspan    %Number.datatype;    '1'
        %CellHAlign.attrib;
        %CellVAlign.attrib;
    >
<!-- end of th.attlist -->]]>

<!-- td: Table Data Cell ..... -->

<!ENTITY % td.element "INCLUDE" >
<![%td.element;[
<!ENTITY % td.content
    "( #PCDATA | %Flow.mix;
    )*"
>
<!ELEMENT %td.qname; %td.content; >
<!-- end of td.element -->]]>

<!ENTITY % td.attlist "INCLUDE" >
<![%td.attlist;[
<!ATTLIST %td.qname;
    %Common.attrib;
    abbr    %Text.datatype;    #IMPLIED
    axis    CDATA                #IMPLIED
    headers IDREFS                #IMPLIED
    %scope.attrib;
    rowspan %Number.datatype;    '1'
    colspan %Number.datatype;    '1'
    %CellHAlign.attrib;
    %CellVAlign.attrib;
>
<!-- end of td.attlist -->]]>

<!-- end of xhtml-table-1.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-table-1.mod
```

No license file was found, but licenses were detected in source scan.

<!--

File isotech.ent produced by the XSL script entities.xsl  
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the  
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle  
via the public W3C list [www-math@w3.org](mailto:www-math@w3.org).

The numeric character values assigned to each entity  
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the  
following notice:

(C) International Organization for Standardization 1991  
Permission to copy in any form is granted for use with  
conforming SGML systems and applications as defined in  
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: `://W3C//ENTITIES`  
General Technical//EN//XML  
System identifier: `http://www.w3.org/2003/entities/2007/isotech.ent`

The public identifier should always be used verbatim.  
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isotech PUBLIC
  "-//W3C//ENTITIES General Technical//EN//XML"
  "http://www.w3.org/2003/entities/2007/isotech.ent"
>
%isotech;
```

-->

```
<!ENTITY acd      "∿" ><!--SINE WAVE -->
<!ENTITY aleph   "ℵ" ><!--ALEF SYMBOL -->
<!ENTITY and     "∧" ><!--LOGICAL AND -->
<!ENTITY And     "⩓" ><!--DOUBLE LOGICAL AND -->
<!ENTITY andand  "⩕" ><!--TWO INTERSECTING LOGICAL AND -->
<!ENTITY andd    "⩜" ><!--LOGICAL AND WITH HORIZONTAL DASH -->
<!ENTITY andslope "⩘" ><!--SLOPING LARGE AND -->
<!ENTITY andv    "⩚" ><!--LOGICAL AND WITH MIDDLE STEM -->
<!ENTITY angrt
```

"&#x0221F;" ><!--RIGHT ANGLE -->

<!ENTITY ang sph "&#x02222;" ><!--SPHERICAL ANGLE -->

<!ENTITY ang st "&#x000C5;" ><!--LATIN CAPITAL LETTER A WITH RING ABOVE -->

<!ENTITY ap "&#x02248;" ><!--ALMOST EQUAL TO -->

<!ENTITY ap acir "&#x02A6F;" ><!--ALMOST EQUAL TO WITH CIRCUMFLEX ACCENT -->

<!ENTITY aw conint "&#x02233;" ><!--ANTICLOCKWISE CONTOUR INTEGRAL -->

<!ENTITY aw int "&#x02A11;" ><!--ANTICLOCKWISE INTEGRATION -->

<!ENTITY becaus "&#x02235;" ><!--BECAUSE -->

<!ENTITY bernou "&#x0212C;" ><!--SCRIPT CAPITAL B -->

<!ENTITY bne "&#x0003D;&#x020E5;" ><!--EQUALS SIGN with reverse slash -->

<!ENTITY bnequiv "&#x02261;&#x020E5;" ><!--IDENTICAL TO with reverse slash -->

<!ENTITY bnot "&#x02310;" ><!--REVERSED NOT SIGN -->

<!ENTITY bNot "&#x02AED;" ><!--REVERSED DOUBLE STROKE NOT SIGN -->

<!ENTITY bottom "&#x022A5;" ><!--UP TACK -->

<!ENTITY cap  
"&#x02229;" ><!--INTERSECTION -->

<!ENTITY Cconint "&#x02230;" ><!--VOLUME INTEGRAL -->

<!ENTITY cirfnint "&#x02A10;" ><!--CIRCULATION FUNCTION -->

<!ENTITY compfn "&#x02218;" ><!--RING OPERATOR -->

<!ENTITY cong "&#x02245;" ><!--APPROXIMATELY EQUAL TO -->

<!ENTITY conint "&#x0222E;" ><!--CONTOUR INTEGRAL -->

<!ENTITY Conint "&#x0222F;" ><!--SURFACE INTEGRAL -->

<!ENTITY ctdot "&#x022EF;" ><!--MIDLINE HORIZONTAL ELLIPSIS -->

<!ENTITY cup "&#x0222A;" ><!--UNION -->

<!ENTITY cwconint "&#x02232;" ><!--CLOCKWISE CONTOUR INTEGRAL -->

<!ENTITY cwint "&#x02231;" ><!--CLOCKWISE INTEGRAL -->

<!ENTITY cylcty "&#x0232D;" ><!--CYLINDRICITY -->

<!ENTITY disin "&#x022F2;" ><!--ELEMENT OF WITH LONG HORIZONTAL STROKE -->

<!ENTITY Dot "&#x000A8;" ><!--DIAERESIS -->

<!ENTITY DotDot "&#x020DC;" ><!--COMBINING FOUR DOTS ABOVE -->

<!ENTITY dsol  
"&#x029F6;" ><!--SOLIDUS WITH OVERBAR -->

<!ENTITY dtidot "&#x022F1;" ><!--DOWN RIGHT DIAGONAL ELLIPSIS -->

<!ENTITY dwangle "&#x029A6;" ><!--OBLIQUE ANGLE OPENING UP -->

<!ENTITY elinters "&#x023E7;" ><!--ELECTRICAL INTERSECTION -->

<!ENTITY epar "&#x022D5;" ><!--EQUAL AND PARALLEL TO -->

<!ENTITY eparsl "&#x029E3;" ><!--EQUALS SIGN AND SLANTED PARALLEL -->

<!ENTITY equiv "&#x02261;" ><!--IDENTICAL TO -->

<!ENTITY eqvparsl "&#x029E5;" ><!--IDENTICAL TO AND SLANTED PARALLEL -->

<!ENTITY exist "&#x02203;" ><!--THERE EXISTS -->

<!ENTITY fltns "&#x025B1;" ><!--WHITE PARALLELOGRAM -->

<!ENTITY fnof "&#x00192;" ><!--LATIN SMALL LETTER F WITH HOOK -->

<!ENTITY forall "&#x02200;" ><!--FOR ALL -->

<!ENTITY fpartint "&#x02A0D;" ><!--FINITE PART INTEGRAL -->

<!ENTITY ge "&#x02265;" ><!--GREATER-THAN OR EQUAL TO -->

<!ENTITY hamilt  
CAPITAL H -->

<!ENTITY iff "&#x021D4;" ><!--LEFT RIGHT DOUBLE ARROW -->

<!ENTITY iinfin "&#x029DC;" ><!--INCOMPLETE INFINITY -->  
 <!ENTITY imped "&#x001B5;" ><!--LATIN CAPITAL LETTER Z WITH STROKE -->  
 <!ENTITY infin "&#x0221E;" ><!--INFINITY -->  
 <!ENTITY infintie "&#x029DD;" ><!--TIE OVER INFINITY -->  
 <!ENTITY int "&#x0222B;" ><!--INTEGRAL -->  
 <!ENTITY Int "&#x0222C;" ><!--DOUBLE INTEGRAL -->  
 <!ENTITY intlarhk "&#x02A17;" ><!--INTEGRAL WITH LEFTWARDS ARROW WITH HOOK -->  
 <!ENTITY isin "&#x02208;" ><!--ELEMENT OF -->  
 <!ENTITY isindot "&#x022F5;" ><!--ELEMENT OF WITH DOT ABOVE -->  
 <!ENTITY isinE "&#x022F9;" ><!--ELEMENT OF WITH TWO HORIZONTAL STROKES -->  
 <!ENTITY isins "&#x022F4;" ><!--SMALL ELEMENT OF WITH VERTICAL BAR AT END OF HORIZONTAL STROKE -->  
 <!ENTITY isinsv "&#x022F3;" ><!--ELEMENT OF WITH VERTICAL BAR AT END OF HORIZONTAL STROKE -->  
 <!ENTITY isinv "&#x02208;" ><!--ELEMENT OF -->  
 <!ENTITY lagran "&#x02112;" ><!--SCRIPT CAPITAL L -->  
 <!ENTITY lang "&#x027E8;" ><!--MATHEMATICAL LEFT ANGLE BRACKET -->  
 <!ENTITY Lang "&#x027EA;" ><!--MATHEMATICAL LEFT DOUBLE ANGLE BRACKET -->  
 <!ENTITY lArr "&#x021D0;" ><!--LEFTWARDS DOUBLE ARROW -->  
 <!ENTITY lbrk "&#x02772;" ><!--LIGHT LEFT TORTOISE SHELL BRACKET ORNAMENT -->  
 <!ENTITY le "&#x02264;" ><!--LESS-THAN OR EQUAL TO -->  
 <!ENTITY loang "&#x027EC;" ><!--MATHEMATICAL LEFT WHITE TORTOISE SHELL BRACKET -->  
 >  
 <!ENTITY lobrk "&#x027E6;" ><!--MATHEMATICAL LEFT WHITE SQUARE BRACKET -->  
 <!ENTITY lopar "&#x02985;" ><!--LEFT WHITE PARENTHESIS -->  
 <!ENTITY lowast "&#x02217;" ><!--ASTERISK OPERATOR -->  
 <!ENTITY minus "&#x02212;" ><!--MINUS SIGN -->  
 <!ENTITY mnplus "&#x02213;" ><!--MINUS-OR-PLUS SIGN -->  
 <!ENTITY nabla "&#x02207;" ><!--NABLA -->  
 -->  
 <!ENTITY ne "&#x02260;" ><!--NOT EQUAL TO -->  
 <!ENTITY nedot "&#x02250;&#x00338;" ><!--APPROACHES THE LIMIT with slash -->  
 <!ENTITY nhpar "&#x02AF2;" ><!--PARALLEL WITH HORIZONTAL STROKE -->  
 <!ENTITY ni "&#x0220B;" ><!--CONTAINS AS MEMBER -->  
 <!ENTITY nis "&#x022FC;" ><!--SMALL CONTAINS WITH VERTICAL BAR AT END OF HORIZONTAL STROKE -->  
 <!ENTITY nisd "&#x022FA;" ><!--CONTAINS WITH LONG HORIZONTAL STROKE -->  
 <!ENTITY niv "&#x0220B;" ><!--CONTAINS AS MEMBER -->  
 <!ENTITY Not "&#x02AEC;" ><!--DOUBLE STROKE NOT SIGN -->  
 <!ENTITY notin "&#x02209;" ><!--NOT AN ELEMENT OF -->  
 <!ENTITY notindot "&#x022F5;&#x00338;" ><!--ELEMENT OF WITH DOT ABOVE with slash -->  
 <!ENTITY notinE "&#x022F9;&#x00338;" ><!--ELEMENT OF WITH TWO HORIZONTAL STROKES with slash -->  
 <!ENTITY notinva "&#x02209;" ><!--NOT AN ELEMENT OF -->  
 <!ENTITY notinvb "&#x022F7;" ><!--SMALL ELEMENT OF WITH OVERBAR -->  
 <!ENTITY notinvc "&#x022F6;" ><!--ELEMENT OF WITH OVERBAR -->

<!ENTITY notni	"&#x0220C;" ><!--DOES NOT CONTAIN AS MEMBER -->
<!ENTITY notniva	"&#x0220C;" ><!--DOES NOT CONTAIN AS MEMBER -->
<!ENTITY notnivb	"&#x022FE;" ><!--SMALL CONTAINS WITH OVERBAR -->
<!ENTITY notnivc	"&#x022FD;" ><!--CONTAINS WITH OVERBAR -->
<!ENTITY nparsl	"&#x02AFD;&#x020E5;" ><!--DOUBLE SOLIDUS OPERATOR with reverse slash -->
<!ENTITY npart	"&#x02202;&#x00338;" ><!--PARTIAL DIFFERENTIAL with slash -->
<!ENTITY npolint	"&#x02A14;" ><!--LINE INTEGRATION NOT INCLUDING THE POLE -->
<!ENTITY nvinfin	"&#x029DE;" ><!--INFINITY NEGATED WITH VERTICAL BAR -->
<!ENTITY olcross	"&#x029BB;" ><!--CIRCLE WITH SUPERIMPOSED X -->
<!ENTITY or	"&#x02228;" ><!--LOGICAL OR -->
<!ENTITY Or	"&#x02A54;" ><!--DOUBLE LOGICAL OR -->
<!ENTITY ord	"&#x02A5D;" ><!--LOGICAL OR WITH HORIZONTAL DASH -->
<!ENTITY order	"&#x02134;" ><!--SCRIPT SMALL O -->
<!ENTITY oror	"&#x02A56;" ><!--TWO INTERSECTING LOGICAL OR -->
<!ENTITY orslope	"&#x02A57;" ><!--SLOPING LARGE OR -->
<!ENTITY orv	"&#x02A5B;" ><!--LOGICAL OR WITH MIDDLE STEM -->
<!ENTITY par	"&#x02225;" ><!--PARALLEL TO -->
<!ENTITY parsl	"&#x02AFD;" ><!--DOUBLE SOLIDUS OPERATOR -->
<!ENTITY part	"&#x02202;" ><!--PARTIAL DIFFERENTIAL -->
<!ENTITY permit	"&#x02030;" ><!--PER MILLE SIGN -->
<!ENTITY perp	"&#x022A5;" ><!--UP TACK -->
<!ENTITY pertenk	"&#x02031;" ><!--PER TEN THOUSAND SIGN -->
<!ENTITY phmmat	"&#x02133;" ><!--SCRIPT CAPITAL M -->
<!ENTITY pointint	"&#x02A15;" ><!--INTEGRAL AROUND A POINT OPERATOR -->
<!ENTITY prime	"&#x02032;" ><!--PRIME -->
<!ENTITY Prime	"&#x02033;" ><!--DOUBLE PRIME -->
<!ENTITY profalar	"&#x0232E;" ><!--ALL AROUND-PROFILE -->
<!ENTITY profline	"&#x02312;" ><!--ARC -->
<!ENTITY profsurf	"&#x02313;" ><!--SEGMENT -->
<!ENTITY prop	"&#x0221D;" ><!--PROPORTIONAL TO -->
<!ENTITY qint	"&#x02A0C;" ><!--QUADRUPLE INTEGRAL OPERATOR -->
<!ENTITY qprime	"&#x02057;" ><!--QUADRUPLE PRIME -->
<!ENTITY quatint	"&#x02A16;" ><!--QUATERNION INTEGRAL OPERATOR -->
<!ENTITY radic	"&#x0221A;" ><!--SQUARE ROOT -->
<!ENTITY rang	"&#x027E9;" ><!--MATHEMATICAL RIGHT ANGLE BRACKET -->
<!ENTITY Rang	"&#x027EB;" ><!--MATHEMATICAL RIGHT DOUBLE ANGLE BRACKET -->
<!ENTITY rArr	"&#x021D2;" ><!--RIGHTWARDS DOUBLE ARROW -->
<!ENTITY rbrk	"&#x02773;" ><!--LIGHT RIGHT TORTOISE SHELL BRACKET ORNAMENT -->
<!ENTITY roang	"&#x027ED;" ><!--MATHEMATICAL RIGHT WHITE TORTOISE SHELL BRACKET -->
<!ENTITY robrk	"&#x027E7;" ><!--MATHEMATICAL RIGHT WHITE SQUARE BRACKET -->
<!ENTITY ropar	"&#x02986;" ><!--RIGHT WHITE PARENTHESIS -->
<!ENTITY rppolint	"&#x02A12;" ><!--LINE INTEGRATION WITH RECTANGULAR PATH AROUND POLE -->
<!ENTITY scpolint	"&#x02A13;" ><!--LINE INTEGRATION WITH SEMICIRCULAR PATH AROUND

POLE -->

<!ENTITY sim	"&#x0223C;" ><!--TILDE OPERATOR -->
<!ENTITY simdot	"&#x02A6A;" ><!--TILDE OPERATOR WITH DOT ABOVE -->
<!ENTITY sime	"&#x02243;" ><!--ASYMPTOTICALLY EQUAL TO -->
<!ENTITY smeparl	"&#x029E4;" ><!--EQUALS SIGN AND SLANTED PARALLEL WITH TILDE ABOVE -->
<!ENTITY square	"&#x025A1;" ><!--WHITE SQUARE -->
<!ENTITY squarf	"&#x025AA;" ><!--BLACK SMALL SQUARE -->
<!ENTITY strns	"&#x000AF;" ><!--MACRON -->
<!ENTITY sub	"&#x02282;" ><!--SUBSET OF -->
<!ENTITY sube	"&#x02286;" ><!--SUBSET OF OR EQUAL TO -->
<!ENTITY sup	"&#x02283;" ><!--SUPERSET OF -->
<!ENTITY supe	"&#x02287;" ><!--SUPERSET OF OR EQUAL TO -->
<!ENTITY tdot	"&#x020DB;" ><!--COMBINING THREE DOTS ABOVE -->
<!ENTITY there4	"&#x02234;" ><!--THEREFORE -->
<!ENTITY tint	"&#x0222D;" ><!--TRIPLE INTEGRAL -->
<!ENTITY top	"&#x022A4;" ><!--DOWN TACK -->
<!ENTITY topbot	"&#x02336;" ><!--APL FUNCTIONAL SYMBOL I-BEAM -->
<!ENTITY topcir	"&#x02AF1;" ><!--DOWN TACK WITH CIRCLE BELOW -->
<!ENTITY tprime	"&#x02034;" ><!--TRIPLE PRIME -->
<!ENTITY utdot	"&#x022F0;" ><!--UP RIGHT DIAGONAL ELLIPSIS -->
<!ENTITY uwangle	"&#x029A7;" ><!--OBLIQUE ANGLE OPENING DOWN -->
<!ENTITY vangrt	"&#x0299C;" ><!--RIGHT ANGLE VARIANT WITH SQUARE -->
<!ENTITY veeeq	"&#x0225A;" ><!--EQUIANGULAR TO -->
<!ENTITY Verbar	"&#x02016;" ><!--DOUBLE VERTICAL LINE -->
<!ENTITY wedgeq	"&#x02259;" ><!--ESTIMATES -->
<!ENTITY xnis	"&#x022FB;" ><!--CONTAINS WITH VERTICAL BAR AT END OF HORIZONTAL STROKE -->

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isotech.ent
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Datatypes Module ..... -->
<!-- file: xhtml-datatypes-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: xhtml-datatypes-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML Datatypes 1.0//EN"
```

```
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-datatypes-1.mod"
```

Revisions:

(none)

..... -->

<!-- Datatypes

defines containers for the following datatypes, many of these imported from other specifications and standards.

-->

<!-- Length defined for cellpadding/cellspacing

-->

<!-- nn for pixels or nn% for percentage length -->

<!ENTITY % Length.datatype "CDATA" >

<!-- space-separated list of link types -->

<!ENTITY % LinkTypes.datatype "NMTOKENS" >

<!-- single or comma-separated list of media descriptors -->

<!ENTITY % MediaDesc.datatype "CDATA" >

<!-- pixel, percentage, or relative -->

<!ENTITY % MultiLength.datatype "CDATA" >

<!-- one or more digits (NUMBER) -->

<!ENTITY % Number.datatype "CDATA" >

<!-- integer representing length in pixels -->

<!ENTITY % Pixels.datatype "CDATA" >

<!-- script expression -->

<!ENTITY % Script.datatype "CDATA" >

<!-- textual content -->

<!ENTITY % Text.datatype "CDATA" >

<!-- Imported Datatypes ..... -->

<!-- a single character from [ISO10646] -->

<!ENTITY % Character.datatype "CDATA" >

<!-- a character encoding, as per [RFC2045] -->

<!ENTITY % Charset.datatype "CDATA" >

<!-- a space separated list of character encodings, as per [RFC2045] -->

<!ENTITY % Charsets.datatype "CDATA"

```
>

<!-- media type, as per [RFC2045] -->
<!ENTITY % ContentType.datatype "CDATA" >

<!-- comma-separated list of media types, as per [RFC2045] -->
<!ENTITY % ContentTypes.datatype "CDATA" >

<!-- date and time information. ISO date format -->
<!ENTITY % Datetime.datatype "CDATA" >

<!-- formal public identifier, as per [ISO8879] -->
<!ENTITY % FPI.datatype "CDATA" >

<!-- a language code, as per [RFC1766] -->
<!ENTITY % LanguageCode.datatype "NMTOKEN" >

<!-- a Uniform Resource Identifier, see [URI] -->
<!ENTITY % URI.datatype "CDATA" >

<!-- a space-separated list of Uniform Resource Identifiers, see [URI] -->
<!ENTITY % URIs.datatype "CDATA" >

<!-- end of xhtml-datatypes-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-datatypes-1.mod
```

# 1.117 mockito v2.24.5

## 1.117.1 Available under license :

The MIT License

Copyright (c) 2007 Mockito contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.118 jakarta-expression-language-3.0-implementation 3.0.4

## 1.118.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement

or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is

licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

- i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

- ii) effectively excludes on behalf of all other Contributors all

liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified

Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

## Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted,

and the output from the Program is

covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this

License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost

of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular

circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but  
WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole

combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

# Notices for Jakarta Expression Language

This content is produced and maintained by the Jakarta Expression Language project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.el>

## Trademarks

Jakarta Expression Language is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/el-ri>

## Third-party Content

## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# 1.119 jakarta-mail 1.5.0-b01

## 1.119.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must

make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and .commercial

computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any

program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program).

Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the

section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE

PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

#### Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

## 1.120 kotlin-stdlib-common 1.2.51

### 1.120.1 Available under license :

Apache-2.0

## 1.121 error\_prone\_annotations 2.0.2

### 1.121.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 Google Inc. All Rights Reserved.

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1290493585\_1647560234.34/0/error-prone-annotations-2-0-2-sources-jar/com/google/errorprone/annotations/IncompatibleModifiers.java  
\* /opt/cola/permits/1290493585\_1647560234.34/0/error-prone-annotations-2-0-2-sources-jar/com/google/errorprone/annotations/CompileTimeConstant.java

\*  
/opt/cola/permits/1290493585\_1647560234.34/0/error-prone-annotations-2-0-2-sources-jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java  
\* /opt/cola/permits/1290493585\_1647560234.34/0/error-prone-annotations-2-0-2-sources-jar/com/google/errorprone/annotations/ForOverride.java  
\* /opt/cola/permits/1290493585\_1647560234.34/0/error-prone-annotations-2-0-2-sources-jar/com/google/errorprone/annotations/RequiredModifiers.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2014 Google Inc. All Rights Reserved.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1290493585\_1647560234.34/0/error-prone-annotations-2-0-2-sources-jar/com/google/errorprone/annotations/concurrent/LockMethod.java  
\* /opt/cola/permits/1290493585\_1647560234.34/0/error-prone-annotations-2-0-2-sources-

jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java  
\*  
/opt/cola/permits/1290493585\_1647560234.34/0/error-prone-annotations-2-0-2-sources-  
jar/com/google/errorprone/annotations/NoAllocation.java

## 1.122 archunit 0.22.0

### 1.122.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Built-By: Gradle 6.8.3  
Built-Date: 2021-10-29  
Specification-Title: ArchUnit - Module 'archunit'  
Specification-Version: 0.22.0  
Specification-Vendor: TNG Technology Consulting GmbH  
Implementation-Title: com.tngtech.archunit  
Implementation-Version: 0.22.0  
Implementation-Vendor: TNG Technology Consulting GmbH  
Issue-Tracker: <https://github.com/TNG/ArchUnit/issues>  
Documentation-URL: <https://github.com/TNG/ArchUnit>  
Copyright: 2021 TNG Technology Consulting GmbH  
License: The Apache Software License, Version 2.0  
Automatic-Module-Name: com.tngtech.archunit

Found in path(s):

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014-2021 TNG Technology Consulting GmbH

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-

jar/com/tngtech/archunit/lang/syntax/CodeUnitsThatInternal.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/library/dependencies/SliceIdentifier.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/syntax/elements/GivenFields.java  
\*  
/opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/properties/HasModifiers.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/syntax/elements/MethodsShould.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/syntax/ArchRuleDefinition.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/base/PackageMatchers.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/InstanceofCheck.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/base/DescribedPredicate.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/DomainPlugin.java  
\*  
/opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/conditions/JavaAccessPackagePredicate.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/JavaWildcardType.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/base/ForwardingList.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/importer/Locations.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/conditions/JavaAccessCondition.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/ReferencedClassObject.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/base/DescribedIterable.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/library/metrics/ArchitectureMetrics.java  
\*  
/opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/base/ForwardingCollection.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/extension/ExtensionLoadingException.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/conditions/EventsDescription.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/base/HasDescription.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/JavaClassTransitiveDependencies.java

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/importer/RawInstanceOfCheck.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/domain/properties/HasName.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/library/metrics/VisibilityMetrics.java  
 \*  
 /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/domain/AnnotationPropertiesFormatter.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/InitialConfiguration.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/library/dependencies/Slices.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/importer/DomainBuilders.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/importer/Location.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/base/Predicate.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/lang/syntax/ClassesShouldInternal.java  
 \*  
 /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/domain/properties/HasUpperBounds.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/library/metrics/LakosMetrics.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/domain/JavaAnnotation.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/library/dependencies/TarjanGraph.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/library/plantuml/ComponentIdentifier.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/library/dependencies/SliceCycleArchCondition.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/lang/syntax/AbstractMembersShouldInternal.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/lang/syntax/elements/MembersShouldConjunction.java  
 \*  
 /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/domain/JavaClass.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/importer/GenericMemberTypeProcessor.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/importer/ClassFileImporter.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/domain/properties/HasOwner.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-

jar/com/tngtech/archunit/lang/syntax/elements/GivenCodeUnits.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/syntax/elements/GivenConjunction.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/syntax/ConstructorsShouldInternal.java  
\*  
/opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/importer/RawReferencedClassObject.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/conditions/ArchPredicates.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/importer/ClassGraphCreator.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/JavaCodeUnit.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/FailureDisplayFormat.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/Formatters.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/conditions/ContainAnyCondition.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/importer/UrlSource.java  
\*  
/opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/FailureDisplayFormatInitializationFailedException.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/FailureMessages.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/conditions/ClassAccessesCondition.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/AbstractClassesTransformer.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/extension/ArchUnitExtension.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/Java14DomainPlugin.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/syntax/elements/GivenClasses.java  
\*  
/opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/importer/LocationResolver.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/conditions/ContainsOnlyCondition.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/MayResolveTypesViaReflection.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/syntax/GivenFieldsInternal.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/JavaClassMembers.java

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/library/plantuml/ParsedDependency.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/lang/syntax/elements/ClassesShould.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/lang/conditions/DependencyCondition.java  
 \*  
 /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/lang/syntax/elements/CodeUnitsThat.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/importer/ImportOptions.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/library/freeze/StoreInitializationFailedException.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/lang/syntax/elements/GivenClassesConjunction.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/lang/conditions/AllDependenciesCondition.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/library/plantuml/ComponentName.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/library/dependencies/syntax/SlicesShould.java  
 \*  
 /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/lang/syntax/elements/OnlyBeAccessedSpecification.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/library/dependencies/syntax/GivenSlices.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/domain/JavaMethod.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/library/freeze/ViolationStore.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/lang/syntax/elements/MethodsShouldConjunction.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/lang/syntax/AbstractGivenObjects.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/importer/resolvers/ClassResolverFromClasspath.java  
 \*  
 /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/library/plantuml/PlantUmlComponents.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/importer/ClassFileImportRecord.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/base/Guava.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/library/dependencies/SliceAssignment.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/lang/syntax/elements/ClassesThat.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/ArchConfiguration.java

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/dependencies/syntax/GivenSlicesConjunction.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/Source.java  
\*  
/opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/FailureReport.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/plantuml/PlantUmlDiagram.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/GivenClassesInternal.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/properties/HasType.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/PredicateAggregator.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/elements/GivenObjects.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/properties/HasSourceCodeLocation.java  
\*  
/opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/AbstractGivenCodeUnitsInternal.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/plantuml/PlantUmlParseException.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/metrics/MetricsComponentDependencyGraph.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/conditions/ClassOnlyAccessesCondition.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/JavaModifier.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/freeze/ViolationStoreFactory.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/ProxyRules.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/importer/NormalizedUri.java  
\*  
/opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/properties/HasAnnotations.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/EvaluationResult.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/properties/HasTypeParameters.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/properties/HasDescriptor.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/properties/CanOverrideDescription.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-

jar/com/tngtech/archunit/library/freeze/StoreReadException.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/library/plantuml/PlantUmlComponent.java  
\*  
/opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/extension/ArchUnitExtensionLoader.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/base/Optional.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/importer/JavaCodeUnitSignatureImporter.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/importer/JavaFieldTypeSignatureImporter.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/syntax/elements/GivenMembersConjunction.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/syntax/GivenMethodsInternal.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/syntax/ObjectsShouldInternal.java  
\*  
/opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/Priority.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/JavaEnumConstant.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/syntax/MethodsShouldInternal.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/CanBeEvaluated.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/importer/JavaClassProcessor.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/base/ArchUnitException.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/syntax/FieldsThatInternal.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/syntax/MembersThatInternal.java  
\*  
/opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/syntax/elements/FieldsShould.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/library/plantuml/Stereotype.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/properties/HasReturnType.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/library/dependencies/PrimitiveGraph.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/library/plantuml/JavaClassDiagramAssociation.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/importer/SourceDescriptor.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-

```

jar/com/tngtech/archunit/core/domain/ImportContext.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/elements/GivenConstructors.java
*
/opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/AnnotationProxy.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/importer/SignatureTypeParameterProcessor.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/MethodsThatInternal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/freeze/FreezingArchRule.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/Transformers.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/base/Supplier.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/AbstractCodeUnitsShouldInternal.java
*
/opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/base/ForwardingSet.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/ResolvesTypesViaReflection.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/ReverseDependencies.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/properties/HasParameterTypes.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/conditions/AllAccessesCondition.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/importer/ClassFileProcessor.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/importer/ImportedClasses.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/base/ClassLoaders.java
*
/opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/freeze/ViolationLineMatcherFactory.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/importer/ImportOption.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/elements/GivenMethods.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/elements/GivenConstructorsConjunction.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/conditions/NeverCondition.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/base/ReflectionUtils.java

```

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/library/GeneralCodingRules.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/domain/JavaConstructorCall.java  
 \*  
 /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/lang/extension/ArchUnitExtensions.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/library/dependencies/Graph.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/lang/syntax/ClassesThatInternal.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/library/freeze/StoreUpdateFailedException.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/domain/JavaMember.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/domain/JavaGenericType.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/library/dependencies/JohnsonComponent.java  
 \*  
 /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/domain/JavaTypeVariable.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/library/metrics/ComponentDependencyMetrics.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/domain/DomainObjectCreationContext.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/lang/syntax/elements/FieldsShouldConjunction.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/lang/syntax/elements/CodeUnitsShould.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/domain/JavaParameter.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/library/freeze/ViolationLineMatcherInitializationFailedException.java  
 \*  
 /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/domain/JavaAccess.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/importer/SignatureTypeArgumentProcessor.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/library/plantuml/IllegalDiagramException.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/PublicAPI.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/lang/syntax/elements/MembersShould.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/core/domain/JavaStaticInitializer.java  
 \* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
 jar/com/tngtech/archunit/library/plantuml/Alias.java

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/FieldsShouldInternal.java

\*

/opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/elements/GivenClass.java

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/JavaClasses.java

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/importer/ClassFileLocation.java

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/conditions/AnyAttributeMatchesCondition.java

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/OnlyBeAccessedSpecificationInternal.java

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/plantuml/PlantUmlComponentDependency.java

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/conditions/ClassAccessesFieldCondition.java

\*

/opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/GivenObjectsInternal.java

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/freeze/ViolationLineMatcher.java

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/properties/CanBeAnnotated.java

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/dependencies/JohnsonCycleFinder.java

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/elements/CodeUnitsShouldConjunction.java

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/dependencies/SliceDependency.java

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/dependencies/SliceRule.java

\*

/opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/importer/JavaClassSignatureImporter.java

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/elements/GivenCodeUnitsConjunction.java

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/elements/FieldsThat.java

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/Architectures.java

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/elements/GivenFieldsConjunction.java

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/base/Function.java

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/dependencies/TarjanComponentFinder.java

\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-

```

jar/com/tngtech/archunit/lang/ConditionEvents.java
*
/opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/importer/resolvers/ClassResolver.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/ViolationHandler.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/importer/NormalizedResourceName.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/metrics/MetricsComponents.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/elements/GivenMembers.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/PluginLoader.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/dependencies/Edge.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/ClassesTransformer.java
*
/opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/plantuml/PlantUmlArchCondition.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/base/ChainableFunction.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/CompositeArchRule.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/Internal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/dependencies/SlicesRuleDefinition.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/JavaFieldAccess.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/dependencies/CycleConfiguration.java
*
/opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/conditions/FieldAccessCondition.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/importer/JavaClassDescriptorImporter.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/ElementsDeclaredInClassesThat.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/JavaConstructor.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/elements/GivenMethodsConjunction.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/elements/MembersThat.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/JavaCall.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-

```

jar/com/tngtech/archunit/lang/FailureDisplayFormatFactory.java  
\*  
/opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/syntax/AbstractGivenMembersInternal.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/properties/HasThrowsClause.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/syntax/elements/MethodsThat.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/AccessTarget.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/JavaMethodCall.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/base/PackageMatcher.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/JavaField.java  
\*  
/opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/library/plantuml/PlantUmlParser.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/importer/AccessRecord.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/conditions/AnyDependencyCondition.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/syntax/elements/ClassesShouldConjunction.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/importer/RawAccessRecord.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/SourceCodeLocation.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/syntax/GivenConstructorsInternal.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/JavaAnnotationParameterVisitorAcceptor.java  
\*  
/opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/JavaClassDependencies.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/importer/ImportPlugin.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/JavaPackage.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/JavaClassDescriptor.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/importer/resolvers/SelectedClassResolverFromClasspath.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/ArchCondition.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/library/dependencies/Path.java

\*  
/opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/library/plantuml/PlantUmlPatterns.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/library/dependencies/PrimitiveDataTypes.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/syntax/SyntaxPredicates.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/ThrowsClause.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/library/DependencyRules.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/library/dependencies/Slice.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/library/metrics/MetricsComponent.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/library/plantuml/ComponentIntersectionException.java  
\*  
/opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/JavaParameterizedType.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/JavaType.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/syntax/GivenClassInternal.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/Dependency.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/library/dependencies/GivenSlicesInternal.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/domain/ThrowsDeclaration.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/ConditionEvent.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/library/dependencies/Cycle.java  
\*  
/opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/conditions/AllAttributesMatchCondition.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/SimpleConditionEvent.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/core/importer/ClassFileSource.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/conditions/ArchConditions.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/library/dependencies/syntax/GivenNamedSlices.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-  
jar/com/tngtech/archunit/lang/extension/EvaluatedRule.java  
\* /opt/cola/permits/1290493552\_1647560221.4/0/archunit-0-22-0-sources-

# 1.123 byte-buddy-agent 1.9.7

## 1.123.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 - 2019 Rafael Winterhalter
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1290493727_1647560228.0/0/byte-buddy-agent-1-9-7-sources-
jar/net/bytebuddy/agent/Attacher.java
* /opt/cola/permits/1290493727_1647560228.0/0/byte-buddy-agent-1-9-7-sources-
jar/net/bytebuddy/agent/VirtualMachine.java
* /opt/cola/permits/1290493727_1647560228.0/0/byte-buddy-agent-1-9-7-sources-
jar/net/bytebuddy/agent/Installer.java
*
/opt/cola/permits/1290493727_1647560228.0/0/byte-buddy-agent-1-9-7-sources-jar/net/bytebuddy/agent/package-
info.java
* /opt/cola/permits/1290493727_1647560228.0/0/byte-buddy-agent-1-9-7-sources-
jar/net/bytebuddy/agent/ByteBuddyAgent.java
```

# 1.124 jna 5.9.0

## 1.124.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2009 Timothy Wall, All Rights Reserved
 *
 * The contents of this file is dual-licensed under 2
 * alternative Open Source/Free licenses: LGPL 2.1 or later and
 * Apache License 2.0. (starting with JNA version 4.0.0).
```

\*  
\* You can freely decide which license you want to apply to  
\* the project.  
\*  
\* You may obtain a copy of the LGPL License at:  
\*  
\* <http://www.gnu.org/licenses/licenses.html>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "LGPL2.1".  
\*  
\* You may obtain a copy of the Apache License at:  
\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".  
\*/

Found in path(s):

\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/LastErrorException.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (c) 2007 Wayne Meissner, All Rights Reserved  
\*  
\* The contents of this file is dual-licensed under 2  
\* alternative Open Source/Free licenses: LGPL 2.1 or later and  
\* Apache License 2.0. (starting with JNA version 4.0.0).  
\*  
\* You can freely decide which license you want to apply to  
\* the project.  
\*  
\* You may obtain a copy of the LGPL License at:  
\*  
\* <http://www.gnu.org/licenses/licenses.html>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "LGPL2.1".  
\*  
\* You may obtain a copy of the Apache License at:  
\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".  
\*/

Found in path(s):

\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ToNativeConverter.java

No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2007-2012 Timothy Wall, All Rights Reserved

\*

\* The contents of this file is dual-licensed under 2

\* alternative Open Source/Free licenses: LGPL 2.1 or later and

\* Apache License 2.0. (starting with JNA version 4.0.0).

\*

\* You can freely decide which license you want to apply to

\* the project.

\*

\* You may obtain a copy of the LGPL License at:

\*

\* <http://www.gnu.org/licenses/licenses.html>

\*

\* A copy is also included in the downloadable source code package

\* containing JNA, in file "LGPL2.1".

\*

\* You may obtain a copy of the Apache License at:

\*

\* <http://www.apache.org/licenses/>

\*

\* A copy is also included in the downloadable source code package

\* containing JNA, in file "AL2.0".

\*/

Found in path(s):

\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/Version.java

\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/Union.java

No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2007 Timothy Wall, All Rights Reserved

\*

\* The contents of this file is dual-licensed under 2

\* alternative Open Source/Free licenses: LGPL 2.1 or later and

\* Apache License 2.0. (starting with JNA version 4.0.0).

\*

\* You can freely decide which license you want to apply to

\* the project.

\*

\* You may obtain a copy of the LGPL License at:

\*

\* <http://www.gnu.org/licenses/licenses.html>

\*

\* A copy is also included in the downloadable source code package

\* containing JNA, in file "LGPL2.1".

\*  
\* You may obtain a copy of the Apache License at:  
\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".  
\*/

Found in path(s):

\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/NativeMappedConverter.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/TypeMapper.java  
\*  
/opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/WString.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ptr/ByteByReference.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ptr/ShortByReference.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ptr/LongByReference.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/win32/W32APIFunctionMapper.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/TypeConverter.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ptr/PointerByReference.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/win32/W32APITypeMapper.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ptr/ByReference.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ptr/NativeLongByReference.java  
\*  
/opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/win32/StdCallFunctionMapper.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/CallbackParameterContext.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ptr/IntByReference.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ptr/FloatByReference.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/StructureReadContext.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/FunctionResultContext.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/win32/StdCall.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ptr/DoubleByReference.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/win32/StdCallLibrary.java  
\*  
/opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/FromNativeContext.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/FunctionMapper.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/PointerType.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/Callback.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/AltCallingConvention.java  
No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2017 Matthias Bläsing. All Rights Reserved  
\*  
\*

\* The contents of this file is dual-licensed under 2  
\* alternative Open Source/Free licenses: LGPL 2.1 or later and  
\* Apache License 2.0. (starting with JNA version 4.0.0).  
\*  
\* You can freely decide which license you want to apply to  
\* the project.  
\*  
\* You may obtain a copy of the LGPL License at:  
\*  
\* <http://www.gnu.org/licenses/licenses.html>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "LGPL2.1".  
\*  
\* You may obtain a copy of the Apache License at:  
\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".  
\*/

Found in path(s):

\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ELFAnalyser.java

No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2011 Timothy Wall, All Rights Reserved

\*  
\* The contents of this file is dual-licensed under 2  
\* alternative Open Source/Free licenses: LGPL 2.1 or later and  
\* Apache License 2.0. (starting with JNA version 4.0.0).  
\*  
\* You can freely decide which license you want to apply to  
\* the project.  
\*  
\* You may obtain a copy of the LGPL License at:  
\*  
\* <http://www.gnu.org/licenses/licenses.html>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "LGPL2.1".  
\*  
\* You may obtain a copy of the Apache License at:  
\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".

\*/

Found in path(s):

\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/CallbackThreadInitializer.java  
No license file was found, but licenses were detected in source scan.

/\*

\* The contents of this file is dual-licensed under 2  
\* alternative Open Source/Free licenses: LGPL 2.1 or later and  
\* Apache License 2.0. (starting with JNA version 4.0.0).  
\*  
\* You can freely decide which license you want to apply to  
\* the project.  
\*  
\* You may obtain a copy of the LGPL License at:  
\*  
\* <http://www.gnu.org/licenses/licenses.html>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "LGPL2.1".  
\*  
\* You may obtain a copy of the Apache License at:  
\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".  
\*/

Found in path(s):

\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/Memory.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/Function.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/NativeString.java  
\*  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/win32/W32APIOptions.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/Pointer.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/Platform.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/InvocationMapper.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/CallbackResultContext.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/WeakMemoryHolder.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/JNIEnv.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/Library.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/VarArgsChecker.java  
No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2018 Matthias Bläsing

\*/

\* The contents of this file is dual-licensed under 2

\* alternative Open Source/Free licenses: LGPL 2.1 or later and  
\* Apache License 2.0. (starting with JNA version 4.0.0).  
\*  
\* You can freely decide which license you want to apply to  
\* the project.  
\*  
\* You may obtain a copy of the LGPL License at:  
\*  
\* <http://www.gnu.org/licenses/licenses.html>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "LGPL2.1".  
\*  
\* You may obtain a copy of the Apache License at:  
\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".  
\*/

Found in path(s):

\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/Klass.java

No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2007-2008 Timothy Wall, All Rights Reserved  
\*  
\* The contents of this file is dual-licensed under 2  
\* alternative Open Source/Free licenses: LGPL 2.1 or later and  
\* Apache License 2.0. (starting with JNA version 4.0.0).  
\*  
\* You can freely decide which license you want to apply to  
\* the project.  
\*  
\* You may obtain a copy of the LGPL License at:  
\*  
\* <http://www.gnu.org/licenses/licenses.html>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "LGPL2.1".  
\*  
\* You may obtain a copy of the Apache License at:  
\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".  
\*/

Found in path(s):

\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/StringArray.java

No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2007 Wayne Meissner, All Rights Reserved

\* Copyright (c) 2007-2013 Timothy Wall, All Rights Reserved

\*

\* The contents of this file is dual-licensed under 2

\* alternative Open Source/Free licenses: LGPL 2.1 or later and

\* Apache License 2.0. (starting with JNA version 4.0.0).

\*

\* You can freely decide which license you want to apply to

\* the project.

\*

\* You may obtain a copy of the LGPL License at:

\*

\* <http://www.gnu.org/licenses/licenses.html>

\*

\* A copy is also included in the downloadable source code package

\* containing JNA, in file "LGPL2.1".

\*

\* You may obtain a copy of the Apache License at:

\*

\* <http://www.apache.org/licenses/>

\*

\* A copy is also included in the downloadable source code package

\* containing JNA, in file "AL2.0".

\*/

Found in path(s):

\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/NativeLibrary.java

No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2007-2015 Timothy Wall, All Rights Reserved

\*

\* The contents of this file is dual-licensed under 2

\* alternative Open Source/Free licenses: LGPL 2.1 or later and

\* Apache License 2.0. (starting with JNA version 4.0.0).

\*

\* You can freely decide which license you want to apply to

\* the project.

\*

\* You may obtain a copy of the LGPL License at:

\*

\* <http://www.gnu.org/licenses/licenses.html>

\*

\* A copy is also included in the downloadable source code package

\* containing JNA, in file "LGPL2.1".  
\*  
\* You may obtain a copy of the Apache License at:  
\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".  
\*/

Found in path(s):

\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/Native.java  
No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2007 Wayne Meissner, All Rights Reserved

\*  
\* The contents of this file is dual-licensed under 2  
\* alternative Open Source/Free licenses: LGPL 2.1 or later and  
\* Apache License 2.0. (starting with JNA version 4.0.0).  
\*  
\* You can freely decide which license you want to apply to  
\* the project.  
\*  
\* You may obtain a copy of the LGPL License at:  
\*  
\* <http://www.gnu.org/licenses/licenses.html>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "LGPL2.1".  
\*  
\* You may obtain a copy of the Apache License at:  
\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".  
\*/

Found in path(s):

\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ToNativeContext.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/DefaultTypeMapper.java  
\*  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/StructureWriteContext.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/MethodParameterContext.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/FromNativeConverter.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/CallbackProxy.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-  
jar/com/sun/jna/FunctionParameterContext.java

\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/MethodResultContext.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/NativeMapped.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/NativeLong.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/IntegerType.java  
No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2007-2013 Timothy Wall, All Rights Reserved

\*  
\* The contents of this file is dual-licensed under 2  
\* alternative Open Source/Free licenses: LGPL 2.1 or later and  
\* Apache License 2.0. (starting with JNA version 4.0.0).  
\*  
\* You can freely decide which license you want to apply to  
\* the project.  
\*  
\* You may obtain a copy of the LGPL License at:  
\*  
\* <http://www.gnu.org/licenses/licenses.html>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "LGPL2.1".  
\*  
\* You may obtain a copy of the Apache License at:  
\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".  
\*/

Found in path(s):

\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/CallbackReference.java  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/Structure.java  
No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2012 Timothy Wall, All Rights Reserved

\*  
\* The contents of this file is dual-licensed under 2  
\* alternative Open Source/Free licenses: LGPL 2.1 or later and  
\* Apache License 2.0. (starting with JNA version 4.0.0).  
\*  
\* You can freely decide which license you want to apply to  
\* the project.  
\*  
\* You may obtain a copy of the LGPL License at:  
\*  
\* <http://www.gnu.org/licenses/licenses.html>  
\*  
\*

\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "LGPL2.1".  
\*  
\* You may obtain a copy of the Apache License at:  
\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".  
\*/

Found in path(s):

\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/win32/DLLCallback.java  
No license file was found, but licenses were detected in source scan.

Copyright (c) 2007 Timothy Wall, All Rights Reserved

The contents of this file is dual  
licensed under 2  
alternative Open Source/Free licenses: LGPL 2.1 or later and  
Apache License 2.0. (starting with JNA version 4.0.0).

You can freely decide which license you want to apply to  
the project.

You may obtain a copy of the LGPL License at:

<http://www.gnu.org/licenses/licenses.html>

A copy is also included in the downloadable source code package  
containing JNA, in file "LGPL2.1".

You may obtain a copy of the Apache License at:

<http://www.apache.org/licenses/>

A copy is also included in the downloadable source code package  
containing JNA, in file "AL2.0".

Found in path(s):

\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/internal/package.html  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/win32/package.html  
\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ptr/package.html  
\*  
/opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/package.html  
No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2019 Matthias Bläsing, All Rights Reserved

\*  
\* The contents of this file is dual-licensed under 2  
\* alternative Open Source/Free licenses: LGPL 2.1 or later and  
\* Apache License 2.0. (starting with JNA version 4.0.0).  
\*  
\* You can freely decide which license you want to apply to  
\* the project.  
\*  
\* You may obtain a copy of the LGPL License at:  
\*  
\* <http://www.gnu.org/licenses/licenses.html>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "LGPL2.1".  
\*  
\* You may obtain a copy of the Apache License at:  
\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".  
\*/

Found in path(s):

\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/internal/ReflectionUtils.java

No license file was found, but licenses were detected in source scan.

<li>Type mapping behavior may be customized by providing a {@link com.sun.jna.TypeMapper} for the {@link com.sun.jna.Library#OPTION\_TYPE\_MAPPER} option when initializing a library interface. See {@link com.sun.jna.win32.W32APITypeMapper} for an example which provides custom conversion of boolean and String types. You are free to use whatever types are convenient in your defined interfaces, but all custom types *must* provide a mapping to one of the basic or derived types listed above.

Found in path(s):

\* /opt/cola/permits/1290493685\_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/overview.html

## 1.125 byte-buddy byte-buddy-1.9.7

### 1.125.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 - 2019 Rafael Winterhalter

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1290493577\_1655334222.6922812/0/byte-buddy-agent-1-9-7-sources-jar/net/bytebuddy/agent/package-info.java  
\* /opt/cola/permits/1290493577\_1655334222.6922812/0/byte-buddy-agent-1-9-7-sources-jar/net/bytebuddy/agent/ByteBuddyAgent.java  
\* /opt/cola/permits/1290493577\_1655334222.6922812/0/byte-buddy-agent-1-9-7-sources-jar/net/bytebuddy/agent/VirtualMachine.java  
\*  
/opt/cola/permits/1290493577\_1655334222.6922812/0/byte-buddy-agent-1-9-7-sources-jar/net/bytebuddy/agent/Installer.java  
\* /opt/cola/permits/1290493577\_1655334222.6922812/0/byte-buddy-agent-1-9-7-sources-jar/net/bytebuddy/agent/Attacher.java

## 1.126 jetty-toolchain 1.0.4

### 1.126.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved. This program and the accompanying materials
// are made available under the terms of the Eclipse Public License v1.0
// and Apache License v2.0 which accompanies this distribution.
// The Eclipse Public License is available at
// The Apache License v2.0 is available at
// You may elect to redistribute this code under either of these licenses.
```

Found in path(s):

\* /opt/cola/permits/1293852964\_1649804864.87/0/jetty-setuid-java-1-0-4-sources-jar/org/eclipse/jetty/setuid/Group.java  
\* /opt/cola/permits/1293852964\_1649804864.87/0/jetty-setuid-java-1-0-4-sources-jar/org/eclipse/jetty/setuid/SetUIDServer.java  
\* /opt/cola/permits/1293852964\_1649804864.87/0/jetty-setuid-java-1-0-4-sources-jar/org/eclipse/jetty/setuid/SetUID.java  
\* /opt/cola/permits/1293852964\_1649804864.87/0/jetty-setuid-java-1-0-4-sources-jar/org/eclipse/jetty/setuid/Passwd.java  
\* /opt/cola/permits/1293852964\_1649804864.87/0/jetty-setuid-java-1-0-4-sources-jar/org/eclipse/jetty/setuid/RLimit.java  
\*

# 1.127 jakarta-activation 1.1

## 1.127.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means

having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of

computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable

by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance

with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c)

The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License.

You must include a copy of this License

with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4.

Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license

of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled

for the Covered Software.

#### 4. Versions of the License.

##### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

##### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use,

distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

##### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor

or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this

License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As

between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The GlassFish code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

# 1.128 jakarta-expression-language-3.0-api

## 3.0.3

### 1.128.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily

used for software exchange; and

- b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:
  - i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and
  - iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential

liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS

SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its

Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and

to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

#### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under

the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how

to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost

of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not

excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free

Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you

may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

# Notices for Jakarta Expression Language

This content is produced and maintained by the Jakarta Expression Language project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.el>

## ## Trademarks

Jakarta Expression Language is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made

available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/el-ri>

## Third-party Content

## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

## 1.129 javax.inject:javax.inject 1

### 1.129.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The JSR-330 Expert Group

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

```
* /opt/cola/permits/1299411403_1650627395.55/0/javax-inject-1-sources-jar/javax/inject/Provider.java
* /opt/cola/permits/1299411403_1650627395.55/0/javax-inject-1-sources-jar/javax/inject/Named.java
* /opt/cola/permits/1299411403_1650627395.55/0/javax-inject-1-sources-jar/javax/inject/Qualifier.java
*
/opt/cola/permits/1299411403_1650627395.55/0/javax-inject-1-sources-jar/javax/inject/Inject.java
* /opt/cola/permits/1299411403_1650627395.55/0/javax-inject-1-sources-jar/javax/inject/package-info.java
* /opt/cola/permits/1299411403_1650627395.55/0/javax-inject-1-sources-jar/javax/inject/Scope.java
* /opt/cola/permits/1299411403_1650627395.55/0/javax-inject-1-sources-jar/javax/inject/Singleton.java
```

# 1.130 jersey-core-server 2.35

## 1.130.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

#### aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

#### Bean Validation API 2.0.2

\* License: Apache License, 2.0

\* Project: <http://beanvalidation.org/1.1/>

\* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

\* by the @authors tag.

#### Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

#### Bootstrap

v3.3.7

\* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

\* Project: <http://getbootstrap.com>

\* Copyright: 2011-2016 Twitter, Inc

#### Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright (C) 2009 The Guava Authors

#### javax.inject Version: 1

\* License: Apache License, 2.0

\* Copyright (C) 2009 The JSR-330 Expert Group

#### Javassist Version 3.25.0-GA

\* License: Apache License, 2.0

\* Project: <http://www.javassist.org/>

\* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

#### Jackson JAX-RS Providers Version 2.10.1

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

#### jQuery v1.12.4

\* License: [jquery.org/license](http://jquery.org/license)

\* Project: [jquery.org](http://jquery.org)

\* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

\* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)

\*

Project: <http://www.pasella.it/projects/jquery/barcode>

\* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

\* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

\* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Notice for Jersey Core Server module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright: (c) 2000-2011 INRIA, France Telecom. All rights reserved.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright

license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than

those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent,

trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR

IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and

may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335

USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will

individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in

whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of

physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the

Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new

versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software

Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

# 1.131 jersey-inject-hk2 2.35

## 1.131.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

\* License: Apache License, 2.0

\* Project: <http://beanvalidation.org/1.1/>

\* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

\* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap

v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \*

Project: <http://www.pasella.it/projects/jquery/barcode>

- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this

Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition

of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

- i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness

for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program

in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient.

No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you

want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not

covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you

distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the

executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under

any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This  
program is distributed in the hope that it will be useful, but  
WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.132 jcl-1-2-implemented-over-slf4j 1.7.32

### 1.132.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

Found in path(s):

\* /opt/cola/permits/1300428401\_1649931151.46/0/jcl-over-slf4j-1-7-32-jar/META-INF/maven/org.slf4j/jcl-over-slf4j/pom.xml

## 1.133 jersey-container-servlet 2.35

### 1.133.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at

<http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

\* License: Apache License, 2.0

\* Project: <http://beanvalidation.org/1.1/>

\* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

\* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap

v3.3.7

\* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

\* Project: <http://getbootstrap.com>

\* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

#### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

#### Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

#### jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

#### jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \*
- Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

#### JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

#### KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

#### org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

#### org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

#### org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that

contains any contents of the Program. Modified

Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright

license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the

patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity

(including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis

or for a fee, you must give the recipients all the rights that you have.  
You must make sure that they, too, receive or can get the source code.  
And you  
must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and  
(2) offer you this license which gives you legal permission to copy,  
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain  
that everyone understands that there is no warranty for this free  
software. If the software is modified by someone else and passed on, we  
want its recipients to know that what they have is not the original, so  
that any problems introduced by others will not reflect on the original  
authors' reputations.

Finally, any free program is threatened constantly by software patents.  
We wish to avoid the danger that redistributors of a free program will  
individually obtain patent licenses, in effect making the program  
proprietary. To prevent this, we have made it clear that any patent must  
be licensed for everyone's free use or not licensed at  
all.

The precise terms and conditions for copying, distribution and  
modification follow.

#### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a  
notice placed by the copyright holder saying it may be distributed under  
the terms of this General Public License. The "Program", below, refers  
to any such program or work, and a "work based on the Program" means  
either the Program or any derivative work under copyright law: that is  
to say, a work containing the Program or a portion of it, either  
verbatim or with modifications and/or translated into another language.  
(Hereinafter, translation is included without limitation in the term  
"modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not  
covered by this License; they are outside its scope. The act of running  
the Program is not restricted,  
and the output from the Program is  
covered only if its contents constitute a work based on the Program  
(independent of having been made by running the Program). Whether that  
is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source  
code as you receive it, in any medium, provided that you conspicuously

and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or

collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of

physically performing source distribution, a complete

machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program

except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented

by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software

Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE

ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This  
program is distributed in the hope that it will be useful, but  
WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU  
General Public License for more details.

You should have received a copy of the GNU General Public License  
along with this program; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this

exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.134 jersey-container-servlet-core 2.35

### 1.134.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

#### aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

#### Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

#### Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

#### Bootstrap

v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

#### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

#### javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

#### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

#### Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

#### jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

#### jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)

\*

Project: <http://www.pasella.it/projects/jquery/barcode>

\* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

\* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

\* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.
- e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all

risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement

Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at

all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how

to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of

physically performing source distribution, a complete

machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium

customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions

on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it

free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

# 1.135 jaxen 1.1.6

## 1.135.1 Available under license :

/\*

\$Id: LICENSE.txt 1128 2006-02-05 21:49:04Z elharo \$

Copyright 2003-2006 The Werken Company. All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the Jaxen Project nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

## 1.136 jackson-bom 2.13.2

### 1.136.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.137 junit-platform-junit-platform-commons

## 1.8.2

### 1.137.1 Available under license :

Eclipse Public License - v 2.0

=====

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### ### 1. Definitions

Contribution means:

\* \*\*a)\*\* in the case of the initial Contributor, the initial content Distributed under this Agreement, and

\* \*\*b)\*\* in the case of each subsequent Contributor:

\* \*\*i)\*\* changes to the Program, and

\* \*\*ii)\*\* additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent

claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes,

structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of \*\*a)\*\* distributing or \*\*b)\*\* making available in any manner that enables the transfer

of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

### ### 2. Grant of Rights

**\*\*a)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

**\*\*b)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

**\*\*c)\*\*** Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

**\*\*d)\*\*** Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

**\*\*e)\*\*** Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

###

### 3. Requirements

**\*\*3.1)\*\*** If a Contributor Distributes the Program in any form, then:

**\*\*a)\*\*** the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

\* \*\*b)\*\*\* the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

- \* \*\*i)\*\*\* effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
- \* \*\*ii)\*\*\* effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
- \* \*\*iii)\*\*\* does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and
- \* \*\*iv)\*\*\* requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

**3.2** When the Program is Distributed as Source Code:

- \* \*\*a)\*\*\* it must be made available under this Agreement, or if the Program **(i)** is combined with other material in a separate file or files made available under a Secondary License, and **(ii)** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- \* \*\*b)\*\*\* a copy of this Agreement must be included with each copy of the Program.

**3.3** Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### ### 4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such

Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: **a)** promptly notify the Commercial Contributor in writing of such claim, and **b)** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial

Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor

must pay those damages.

### ### 5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

### ### 6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

### ### 7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If

Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the

Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property

of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory)

where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Open Source Licenses

=====

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE-<subcomponent>.md files.

## 1.138 junit-5-bill-of-materials 5.8.2

### 1.138.1 Available under license :

```
import java.io.File
import java.net.URI
```

```
data class License(val name: String, val url: URI, val headerFile: File)
    Apache License
```

=====

```
_Version 2.0, January 2004_
```

```
_&lt;<https://www.apache.org/licenses/>&gt;_
```

### ### Terms and Conditions for use, reproduction, and distribution

#### #### 1. Definitions

License shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

Licensor shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

Legal Entity shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, control means **(i)** the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or **(ii)** ownership of fifty percent (50%) or more of the outstanding shares, or **(iii)** beneficial ownership of such entity.

You (or Your) shall mean an individual or Legal Entity exercising permissions granted by this License.

Source form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

Object form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

Work shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

Derivative Works shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

Contribution shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, submitted means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as Not a Contribution.

Contributor shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

#### #### 2. Grant of Copyright License

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

#### #### 3. Grant of Patent License

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

#### #### 4. Redistribution

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- \* **(a)** You must give any other recipients of the Work or Derivative Works a copy of this License; and
- \* **(b)** You must cause any modified files to carry prominent notices stating that You changed the files; and
- \* **(c)** You must retain, in the Source form of any Derivative

Works that You distribute,  
all copyright, patent, trademark, and attribution notices from the Source form  
of the Work, excluding those notices that do not pertain to any part of the  
Derivative Works; and  
\* **(d)** \* If the Work includes a NOTICE text file as part of its distribution, then any  
Derivative Works that You distribute must include a readable copy of the  
attribution notices contained within such NOTICE file, excluding those notices  
that do not pertain to any part of the Derivative Works, in at least one of the  
following places: within a NOTICE text file distributed as part of the  
Derivative Works; within the Source form or documentation, if provided along  
with the Derivative Works; or, within a display generated by the Derivative  
Works, if and wherever such third-party notices normally appear. The contents of  
the NOTICE file are for informational purposes only and do not modify the  
License. You may add Your own attribution notices within Derivative Works that  
You distribute,  
alongside or as an addendum to the NOTICE text from the Work,  
provided that such additional attribution notices cannot be construed as  
modifying the License.

You may add Your own copyright statement to Your modifications and may provide  
additional or different license terms and conditions for use, reproduction, or  
distribution of Your modifications, or for any such Derivative Works as a whole,  
provided Your use, reproduction, and distribution of the Work otherwise complies  
with the conditions stated in this License.

#### #### 5. Submission of Contributions

Unless You explicitly state otherwise, any Contribution intentionally submitted  
for inclusion in the Work by You to the Licensor shall be under the terms and  
conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of  
any separate license agreement you may have executed with Licensor regarding  
such Contributions.

#### #### 6. Trademarks

This License  
does not grant permission to use the trade names, trademarks,  
service marks, or product names of the Licensor, except as required for  
reasonable and customary use in describing the origin of the Work and  
reproducing the content of the NOTICE file.

#### #### 7. Disclaimer of Warranty

Unless required by applicable law or agreed to in writing, Licensor provides the  
Work (and each Contributor provides its Contributions) on an AS IS BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied,  
including, without limitation, any warranties or conditions of TITLE,

NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

#### #### 8. Limitation of Liability

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

#### #### 9. Accepting Warranty or Additional Liability

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

Apache License

=====

\_Version 2.0, January 2004\_

\_&lt;<https://www.apache.org/licenses/>&gt;\_

### ### Terms and Conditions for use, reproduction, and distribution

#### #### 1. Definitions

License shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

Licensors shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

Legal Entity shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, control means **(i)** the power, direct or

indirect, to cause the direction or management of such entity, whether by contract or otherwise, or **(ii)** ownership of fifty percent (50%) or more of the outstanding shares, or **(iii)** beneficial ownership of such entity.

You (or Your) shall mean an individual or Legal Entity exercising permissions granted by this License.

Source form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

Object form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

Work shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

Derivative Works shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

Contribution shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, submitted means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as Not a Contribution.

Contributor shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

#### 2. Grant of Copyright License

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

#### #### 3. Grant of Patent License

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

#### #### 4. Redistribution

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

\* **(a)** You must give any other recipients of the Work or Derivative Works a copy of this License; and

\* **(b)** You must cause any modified files to carry prominent notices stating that You changed the files; and

\* **(c)** You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

\* **(d)** If the Work includes a NOTICE text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute,

alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

#### #### 5. Submission of Contributions

Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

#### #### 6. Trademarks

This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

#### #### 7. Disclaimer of Warranty

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

#### #### 8. Limitation of Liability

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or

any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

#### #### 9. Accepting Warranty or Additional Liability

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree

to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

\_END OF TERMS AND CONDITIONS\_

#### ### APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets `[ ]` replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same printed page as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Eclipse Public License - v 2.0

=====

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### ### 1. Definitions

Contribution means:

\* \*\*a)\*\*\* in the case of the initial Contributor, the initial content Distributed under this Agreement, and

\* \*\*b)\*\*\* in the case of each subsequent Contributor:

\* \*\*i)\*\*\* changes to the Program, and

\* \*\*ii)\*\*\* additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent

claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of \*\*a)\*\*\* distributing or \*\*b)\*\*\* making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## ### 2. Grant of Rights

\* \*\*a)\*\*\* Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative

Works.

**\*\*b)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

**\*\*c)\*\*** Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

**\*\*d)\*\*** Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

**\*\*e)\*\*** Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

###

### 3. Requirements

**\*\*3.1)\*\*** If a Contributor Distributes the Program in any form, then:

**\*\*a)\*\*** the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

**\*\*b)\*\*** the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

**\*\*i)\*\*** effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

**\*\*ii)\*\*** effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

**\*\*iii)\*\*** does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

**\*\*iv)\*\*** requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

**\*\*3.2)\*\*** When the Program is Distributed as Source Code:

\* \*\*a)\*\*\* it must be made available under this Agreement, or if the Program \*(i)\* is combined with other material in a separate file or files made available under a Secondary License, and \*(ii)\* the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and  
\* \*\*b)\*\*\* a copy of this Agreement must be included with each copy of the Program.

\*3.3\* Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### ### 4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such

Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: \*\*a)\*\* promptly notify the Commercial Contributor in writing of such claim, and \*\*b)\*\* allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### ### 5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or

interruption of operations.

### ### 6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

### ### 7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If

Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

[[contributors]]

== Contributors

Browse the {junit5-repo}/graphs/contributors[current list of contributors] directly on GitHub.

Open Source Licenses

=====

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE-<subcomponent>.md files.

# 1.139 junit-jupiter-junit-jupiter-api 5.8.2

## 1.139.1 Available under license :

Eclipse Public License - v 2.0

=====

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### ### 1. Definitions

Contribution means:

- \* \*\*a)\*\* in the case of the initial Contributor, the initial content Distributed under this Agreement, and
- \* \*\*b)\*\* in the case of each subsequent Contributor:
  - \* \*\*i)\*\* changes to the Program, and
  - \* \*\*ii)\*\* additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that

are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent

claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of **\*\*a)\*\*** distributing or **\*\*b)\*\*** making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## ### 2. Grant of Rights

**\*\*a)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

**\*\*b)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

**\*\*c)\*\*** Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein,

no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

**\*\*d)\*\*** Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

**\*\*e)\*\*** Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

###

### 3. Requirements

**\*\*3.1)\*\*** If a Contributor Distributes the Program in any form, then:

**\*\*a)\*\*** the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

**\*\*b)\*\*** the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

**\*\*i)\*\*** effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

**\*\*ii)\*\*** effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

**\*\*iii)\*\*** does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

**\*\*iv)\*\*** requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

**\*\*3.2)\*\*** When the Program is Distributed as Source Code:

**\*\*a)\*\*** it must be made available under this Agreement, or if the Program **\*\*i)\*\*** is combined with other material in a separate file or files made available under a Secondary License, and **\*\*ii)\*\*** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

**\*\*b)\*\*** a copy of this Agreement must be included with each copy of the Program.

**\*\*3.3)\*\*** Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices)

contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### ### 4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such

Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: **\*\*a)\*\*** promptly notify the Commercial Contributor in writing of such claim, and **\*\*b)\*\*** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial

Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### ### 5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### ### 6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE

EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

### ### 7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If

Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property

of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

### #### Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here }.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location

(such as a LICENSE file in a relevant directory)  
where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Open Source Licenses

=====

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE-<subcomponent>.md files.

## 1.140 jackson-core 2.13.2

### 1.140.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0. To find the details that apply to this artifact see the accompanying LICENSE file.

## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

## 1.141 jackson-datatype-jdk8 2.13.2

### 1.141.1 Available under license :

Apache-2.0

## 1.142 jackson-databind 2.13.2.2

### 1.142.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0. To find the details that apply to this artifact see the accompanying LICENSE file.

## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included

in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

# 1.143 junit-platform-junit-platform-engine

## 1.8.2

### 1.143.1 Available under license :

Eclipse Public License - v 2.0

=====

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### ### 1. Definitions

Contribution means:

\* \*\*a)\*\* in the case of the initial Contributor, the initial content Distributed under this Agreement, and

\* \*\*b)\*\* in the case of each subsequent Contributor:

\* \*\*i)\*\* changes to the Program, and

\* \*\*ii)\*\* additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent

claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes,

structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of **\*\*a)\*\*** distributing or **\*\*b)\*\*** making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

### ### 2. Grant of Rights

**\*\*a)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

**\*\*b)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

**\*\*c)\*\*** Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

**\*\*d)\*\*** Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

**\*\*e)\*\*** Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

###

### 3. Requirements

**\*\*3.1)\*\*** If a Contributor Distributes the Program in any form, then:

\* **\*\*a)\*\*** the Program must also be made available as Source Code, in accordance with section 3.2, and the

Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

\* \*\*b)\*\*\* the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

\* \*\*i)\*\*\* effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

\* \*\*ii)\*\*\* effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental

and consequential damages, such as lost profits;

\* \*\*iii)\*\*\* does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

\* \*\*iv)\*\*\* requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

\*\*3.2\*\* When the Program is Distributed as Source Code:

\* \*\*a)\*\*\* it must be made available under this Agreement, or if the Program \*(i)\* is combined with other material in a separate file or files made available under a Secondary License, and \*(ii)\* the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

\* \*\*b)\*\*\* a copy of this Agreement must be included with each copy of the Program.

\*\*3.3\*\* Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### ### 4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such

Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: \*\*a)\*\* promptly notify the Commercial Contributor in writing of such claim, and \*\*b)\*\* allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or

offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial

Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

### ### 5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

### ### 6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

### ### 7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If

Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement,

but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.  
Open Source Licenses

=====

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE-<subcomponent>.md files.

## 1.144 jackson-annotations 2.13.2

### 1.144.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.145 junit-jupiter-junit-jupiter-engine 5.8.2

### 1.145.1 Available under license :

Eclipse Public License - v 2.0

=====

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC  
LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM  
CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### ### 1. Definitions

Contribution means:

- \* \*\*a)\*\* in the case of the initial Contributor, the initial content Distributed under this Agreement, and
- \* \*\*b)\*\* in the case of each subsequent Contributor:
  - \* \*\*i)\*\* changes to the Program, and
  - \* \*\*ii)\*\* additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent

claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of **\*\*a)\*\*** distributing or **\*\*b)\*\*** making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## ### 2. Grant of Rights

**\*\*a)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

**\*\*b)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

**\*\*c)\*\*** Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

**\*\*d)\*\*** Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

**\*\*e)\*\*** Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any

Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

###

### 3. Requirements

**\*\*3.1\*\*** If a Contributor Distributes the Program in any form, then:

**\*\*a)\*\*** the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

**\*\*b)\*\*** the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

**\*\*i)\*\*** effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

**\*\*ii)\*\*** effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

**\*\*iii)\*\*** does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

**\*\*iv)\*\*** requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

**\*\*3.2\*\*** When the Program is Distributed as Source Code:

**\*\*a)\*\*** it must be made available under this Agreement, or if the Program **\*\*i)\*\*** is combined with other material in a separate file or files made available under a Secondary License, and **\*\*ii)\*\*** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

**\*\*b)\*\*** a copy of this Agreement must be included with each copy of the Program.

**\*\*3.3\*\*** Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

### ### 4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such

Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: **\*\*a)\*\*** promptly notify the Commercial Contributor in writing of such claim, and **\*\*b)\*\*** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### ### 5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### ### 6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### ### 7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If

Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such

litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Open Source Licenses

=====

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE-<subcomponent>.md files.

# 1.146 slf4j-api-module 1.7.36

## 1.146.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2004-2011 QOS.ch
 * All rights reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining
 * a copy of this software and associated documentation files (the
 * "Software"), to deal in the Software without restriction, including
 * without limitation the rights to use, copy, modify, merge, publish,
 * distribute, sublicense, and/or sell copies of the Software, and to
 * permit persons to whom the Software is furnished to do so, subject to
 * the following conditions:
 *
 * The above copyright notice and this permission notice shall be
 * included in all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
 * EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
 * MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
 * NONINFRINGEMENT. IN
 * NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
 * LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
 * OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
 * WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
 */
```

Found in path(s):

```
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-
jar/org/slf4j/helpers/FormattingTuple.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-
jar/org/slf4j/helpers/NOPLoggerFactory.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-
jar/org/slf4j/spi/MDCAdapter.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/MarkerFactory.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-
jar/org/slf4j/impl/StaticLoggerBinder.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-
jar/org/slf4j/impl/StaticMarkerBinder.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/MDC.java
*
```

```

/opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-
jar/org/slf4j/helpers/MessageFormatter.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/Marker.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-
jar/org/slf4j/helpers/BasicMDCAdapter.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-
jar/org/slf4j/helpers/BasicMarker.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/ILoggerFactory.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-
jar/org/slf4j/impl/StaticMDCBinder.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-
jar/org/slf4j/helpers/MarkerIgnoringBase.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-
jar/org/slf4j/helpers/NOPMDCAdapter.java
*
/opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-
jar/org/slf4j/helpers/NamedLoggerBase.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-
jar/org/slf4j/helpers/BasicMarkerFactory.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/helpers/Util.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/LoggerFactory.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-
jar/org/slf4j/spi/LoggerFactoryBinder.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-
jar/org/slf4j/spi/LocationAwareLogger.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-
jar/org/slf4j/helpers/SubstituteLogger.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/Logger.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-
jar/org/slf4j/spi/MarkerFactoryBinder.java
*
/opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-
jar/org/slf4j/helpers/NOPLogger.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/IMarkerFactory.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-
jar/org/slf4j/helpers/SubstituteLoggerFactory.java

```

## 1.147 jackson-dataformat-yaml 2.13.2

### 1.147.1 Available under license :

This copy of Jackson JSON processor YAML module is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

## 1.148 metrics-health-checks 4.1.31

### 1.148.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.codahale.metrics.health

Build-Jdk-Spec: 1.8

Bundle-Description: An addition to Metrics which provides the ability to run application-specific health checks, allowing you to check your application's health in production.

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Metrics Health Checks

Bundle-SymbolicName: io.dropwizard.metrics.healthchecks

Bundle-Version: 4.1.31

Created-By: Apache Maven Bundle Plugin 5.1.4

Export-Package: com.codahale.metrics.health;uses:="com.codahale.metrics";version="4.1.31",com.codahale.metrics.health.jvm;uses:="com.codahale.metrics.health,com.codahale.metrics.jvm";version="4.1.31",com.codahale.metrics.health.annotation;version="4.1.31"

Implementation-Title: Metrics Health Checks

Implementation-Version: 4.1.31

Import-Package: org.slf4j;version="[1.6.0,2.0.0)",com.codahale.metrics

```
;version="[4.1,5)",com.codahale.metrics.health,com.codahale.metrics.h  
ealth.annotation,com.codahale.metrics.jvm;version="[4.1,5)";resolutio  
n:=optional  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-5.1.1.202006162103
```

Found in path(s):

```
* /opt/cola/permits/1337070162_1654119235.6978068/0/metrics-healthchecks-4-1-31-1-jar/META-  
INF/MANIFEST.MF
```

# 1.149 logback-access-module 1.2.11

## 1.149.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# Logback: the reliable, generic, fast and flexible logging framework.  
# Copyright (C) 1999-2010, QOS.ch. All rights reserved.  
#  
# See http://logback.qos.ch/license.html for the applicable licensing  
# conditions.
```

```
# This SQL script creates the required tables by ch.qos.logback.access.db.DBAppender  
#  
# It is intended for HSQL databases.
```

```
DROP TABLE access_event_header IF EXISTS;  
DROP TABLE access_event IF EXISTS;
```

```
CREATE TABLE access_event (  
  timestmp BIGINT NOT NULL,  
  requestURI VARCHAR(254),  
  requestURL VARCHAR(254),  
  remoteHost VARCHAR(254),  
  remoteUser VARCHAR(254),  
  remoteAddr VARCHAR(254),  
  protocol VARCHAR(254),  
  method VARCHAR(254),  
  serverName VARCHAR(254),  
  postContent VARCHAR(254),  
  event_id BIGINT NOT NULL IDENTITY);
```

```
CREATE TABLE access_event_header (  
  event_id BIGINT NOT NULL,  
  header_key VARCHAR(254) NOT NULL,  
  header_value LONGVARCHAR,
```

```
PRIMARY KEY(event_id, header_key),
FOREIGN KEY
(event_id) REFERENCES access_event(event_id));
```

Found in path(s):

```
* /opt/cola/permits/1337070156_1654208172.7145326/0/logback-access-1-2-11-
jar/ch/qos/logback/access/db/script/hsqldb.sql
```

No license file was found, but licenses were detected in source scan.

```
# Logback: the reliable, generic, fast and flexible logging framework.
```

```
# Copyright (C) 1999-2010, QOS.ch. All rights reserved.
```

```
#
```

```
# See http://logback.qos.ch/license.html for the applicable licensing
```

```
# conditions.
```

```
# This SQL script creates the required tables by ch.qos.logback.access.db.DBAppender
```

```
#
```

```
# It is intended for IBM DB2 databases.
```

```
#
```

```
# WARNING WARNING WARNING WARNING
```

```
# =====
```

```
# This SQL script has not been tested on an actual DB2
```

```
# instance. It may contain errors or even invalid SQL
```

```
# statements.
```

```
DROP TABLE access_event_header;
```

```
DROP TABLE access_event;
```

```
CREATE TABLE access_event
```

```
(
```

```
  timestmp      BIGINT NOT NULL,
```

```
  requestURI    VARCHAR(254),
```

```
  requestURL    VARCHAR(254),
```

```
  remoteHost    VARCHAR(254),
```

```
  remoteUser    VARCHAR(254),
```

```
  remoteAddr    VARCHAR(254),
```

```
  protocol      VARCHAR(254),
```

```
  method        VARCHAR(254),
```

```
  serverName
```

```
    VARCHAR(254),
```

```
  postContent   VARCHAR(254),
```

```
  event_id      INTEGER GENERATED ALWAYS AS IDENTITY (START WITH 1)
```

```
);
```

```
CREATE TABLE access_event_header
```

```
(
```

```
  event_id      INTEGER NOT NULL,
```

```
  header_key    VARCHAR(254) NOT NULL,
```

```
header_value    VARCHAR(1024),
PRIMARY KEY(event_id, header_key),
FOREIGN KEY (event_id) REFERENCES access_event(event_id)
);
```

Found in path(s):

```
* /opt/cola/permits/1337070156_1654208172.7145326/0/logback-access-1-2-11-
jar/ch/qos/logback/access/db/script/db2.sql
```

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bundle-Description: logback-access module

Bundle-License: <http://www.eclipse.org/legal/epl-v10.html>, <http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>

Bundle-SymbolicName: ch.qos.logback.access

Bundle-ManifestVersion: 2

Bundle-RequiredExecutionEnvironment: JavaSE-1.6

Bundle-DocURL: <http://www.qos.ch>

Bundle-Vendor: QOS.ch

Import-Package: javax.servlet;version="2.5";resolution:=optional,javax.servlet.http;version="2.5";resolution:=optional,javax.management;resolution:=optional,org.apache.catalina;version="8.5.9";resolution:=optional,org.apache.catalina.connector;version="8.5.9";resolution:=optional,org.apache.catalina.valves;version="8.5.9";resolution:=optional,org.eclipse.jetty.http;version="8.2.0.v20160908";resolution:=optional,org.eclipse.jetty.server;version="8.2.0.v20160908";resolution:=optional,org.eclipse.jetty.util.component;version="8.2.0.v20160908";resolution:=optional,ch.qos.logback.access;version="[1.2,2)",ch.qos.logback.access.boolex;version="[1.2,2)",ch.qos.logback.access.joran;version="[1.2,2)",ch.qos.logback.access.joran.action;version="[1.2,2)",ch.qos.logback.access.net;version="[1.2,2)",ch.qos.logback.access.pattern;version="[1.2,2)",ch.qos.logback.access.servlet;version="[1.2,2)",ch.qos.logback.access.sift;version="[1.2,2)",ch.qos.logback.access.spi;version="[1.2,2)",ch.qos.logback.core;version="[1.2,2)",ch.qos.logback.core.boolex;version="[1.2,2)",ch.qos.logback.core.filter;version="[1.2,2)",ch.qos.logback.core.helpers;version="[1.2,2)",ch.qos.logback.core.html;version="[1.2,2)",ch.qos.logback.core.joran;version="[1.2,2)",ch.qos.logback.core.joran.action;version="[1.2,2)",ch.qos.logback.core.joran.conditional;version="[1.2,2)",ch.qos.logback.core.joran.event;version="[1.2,2)",ch.qos.logback.core.joran.spi;version="[1.2,2)",ch.qos.logback.core.net;version="[1.2,2)",ch.qos.logback.core.net.server;version="[1.2,2)",ch.qos.logback.core.net.ssl;version="[1.2,2)",ch.qos.logback.core.pattern;version="[1.2,2)",ch.qos.logback.core.pattern.color;version="[1.2,2)",ch.qos.logback.core.pattern.parser;version="[1.2,2)",ch.qos.logback.core.sift;version="[1.2,2)",ch.qos.logback.core.spi;version="[1.2,2)",ch.qos.logback.core.status;version="[1.2,2)",ch.qos.logback.core.util;version="[1.2,2)",org.apache.coyote;resolution:=optional,org.xml.sax,ch.qos.logback.core.rolling;version="[1.2,

2)",ch.qos.logback.core.rolling.helper;version="[1.2,2)"  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"  
Tool: Bnd-5.1.1.202006162103  
Originally-Created-By: Apache Maven Bundle Plugin 5.1.4  
Export-Package: ch.qos.logback.access;version="1.2.11";uses:="ch.qos.l  
ogback.access.spi,ch.qos.logback.core.pattern,ch.qos.logback.core.sta  
tus,javax.servlet.http",ch.qos.logback.access.boolex;version="1.2.11"  
;uses:="ch.qos.logback.access.spi,ch.qos.logback.core.boolex",ch.qos.  
logback.access.db.script;version="1.2.11",ch.qos.logback.access.filte  
r;version="1.2.11";uses:="ch.qos.logback.core.filter,ch.qos.logback.c  
ore.spi",ch.qos.logback.access.html;version="1.2.11";uses:="ch.qos.lo  
gback.access.spi,ch.qos.logback.core.html",ch.qos.logback.access.jett  
y;version="1.2.11";uses:="ch.qos.logback.access.spi,ch.qos.logback.co  
re,ch.qos.logback.core.filter,ch.qos.logback.core.spi,org.eclipse.jet  
ty.server,org.eclipse.jetty.util.component",ch.qos.logback.access.jor  
an;version="1.2.11";uses:="ch.qos.logback.access.spi,ch.qos.logback.c  
ore.joran,ch.qos.logback.core.joran.spi",ch.qos.logback.access.joran.  
action;version="1.2.11";uses:="ch.qos.logback.core.joran.action,ch.qo  
s.logback.core.joran.spi,org.xml.sax",ch.qos.logback.access.net;versi  
on="1.2.11";uses:="ch.qos.logback.access,ch.qos.logback.access.spi,ch  
.qos.logback.core,ch.qos.logback.core.boolex,ch.qos.logback.core.help  
ers,ch.qos.logback.core.net,ch.qos.logback.core.pattern,ch.qos.logbac  
k.core.spi",ch.qos.logback.access.net.server;version="1.2.11";uses:=""  
ch.qos.logback.access.spi,ch.qos.logback.core.net.server,ch.qos.logba  
ck.core.spi",ch.qos.logback.access.pattern;version="1.2.11";uses:="ch  
.qos.logback.access.spi,ch.qos.logback.core,ch.qos.logback.core.patte  
rn,ch.qos.logback.core.spi,ch.qos.logback.core.status",ch.qos.logback  
.access.servlet;version="1.2.11";uses:="javax.servlet,javax.servlet.h  
ttp",ch.qos.logback.access.sift;version="1.2.11";uses:="ch.qos.logbac  
k.access.spi,ch.qos.logback.core,ch.qos.logback.core.joran.action,ch.  
qos.logback.core.joran.event,ch.qos.logback.core.joran.spi,ch.qos.log  
back.core.sift,org.xml.sax",ch.qos.logback.access.spi;version="1.2.11  
";uses:="ch.qos.logback.core,ch.qos.logback.core.filter,ch.qos.logbac  
k.core.spi,javax.servlet.http",ch.qos.logback.access.tomcat;version=""  
1.2.11";uses:="ch.qos.logback.access.spi,ch.qos.logback.core,ch.qos.l  
ogback.core.filter,ch.qos.logback.core.spi,ch.qos.logback.core.status  
.javax.servlet,org.apache.catalina,org.apache.catalina.connector,org.  
apache.catalina.valves"

Bundle-Name: Logback Access Module  
Bundle-Version: 1.2.11  
Build-Jdk-Spec: 1.8  
Created-By: Apache Maven Bundle Plugin 5.1.4

Found in path(s):

\* /opt/cola/permits/1337070156\_1654208172.7145326/0/logback-access-1-2-11-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

# Logback: the reliable, generic, fast and flexible logging framework.

```
# Copyright (C) 1999-2010, QOS.ch. All rights reserved.
#
# See http://logback.qos.ch/license.html for the applicable licensing
# conditions.

# This SQL script creates the required tables by ch.qos.logback.access.db.DBAppender.
#
# It is intended for MySQL databases. It has been tested on MySQL 5.5.31 with
# INNODB tables.
```

```
BEGIN;
DROP TABLE IF EXISTS access_event_header;
DROP TABLE IF EXISTS access_event;
COMMIT;
```

```
BEGIN;
CREATE TABLE access_event
(
  timestmp      BIGINT NOT NULL,
  requestURI    VARCHAR(254),
  requestURL    VARCHAR(254),
  remoteHost    VARCHAR(254),
  remoteUser    VARCHAR(254),
  remoteAddr    VARCHAR(254),
  protocol      VARCHAR(254),
  method        VARCHAR(254),
  serverName    VARCHAR(254),
  postContent   VARCHAR(254),
  event_id      BIGINT NOT NULL
  AUTO_INCREMENT PRIMARY KEY
);
COMMIT;
```

```
BEGIN;
CREATE TABLE access_event_header
(
  event_id      BIGINT NOT NULL,
  header_key    VARCHAR(254) NOT NULL,
  header_value  VARCHAR(1024),
  PRIMARY KEY(event_id, header_key),
  FOREIGN KEY (event_id) REFERENCES access_event(event_id)
);
COMMIT;
```

Found in path(s):

```
* /opt/cola/permits/1337070156_1654208172.7145326/0/logback-access-1-2-11-
jar/ch/qos/logback/access/db/script/mysql.sql
```

No license file was found, but licenses were detected in source scan.

-- Logback: the reliable, generic, fast and flexible logging framework.

-- Copyright (C) 1999-2010, QOS.ch. All rights reserved.

--

-- See <http://logback.qos.ch/license.html> for the applicable licensing

-- conditions.

-- This SQL script creates the required tables by ch.qos.logback.access.db.DBAppender

--

-- It is intended for Oracle databases.

```
CREATE SEQUENCE access_event_id_seq MINVALUE 1 START WITH 1;
```

```
CREATE TABLE access_event
```

```
(  
  timestmp      NUMBER(20) NOT NULL,  
  requestURI    VARCHAR(254),  
  requestURL    VARCHAR(254),  
  remoteHost    VARCHAR(254),  
  remoteUser    VARCHAR(254),  
  remoteAddr    VARCHAR(254),  
  protocol      VARCHAR(254),  
  method        VARCHAR(254),  
  serverName    VARCHAR(254),  
  postContent   VARCHAR(254),  
  event_id      NUMBER(20) PRIMARY KEY  
);
```

-- the / suffix may or may not be needed depending on your SQL Client

--

Some SQL Clients, e.g. Squirrel SQL has trouble with the following

-- trigger creation command, while SQLPlus (the basic SQL Client which

-- ships with Oracle) has no trouble at all.

```
CREATE TRIGGER access_event_id_seq_trig
```

```
BEFORE INSERT ON access_event
```

```
FOR EACH ROW
```

```
BEGIN
```

```
  SELECT access_event_id_seq.NEXTVAL
```

```
  INTO :NEW.event_id
```

```
  FROM DUAL;
```

```
END access_event_id_seq_trig;
```

```
/
```

```
CREATE TABLE access_event_header
```

```
(
  event_id    NUMBER(20) NOT NULL,
  header_key  VARCHAR2(254) NOT NULL,
  header_value VARCHAR2(1024),
  PRIMARY KEY(event_id, header_key),
  FOREIGN KEY (event_id) REFERENCES access_event(event_id)
);
```

Found in path(s):

```
* /opt/cola/permits/1337070156_1654208172.7145326/0/logback-access-1-2-11-
jar/ch/qos/logback/access/db/script/oracle.sql
```

No license file was found, but licenses were detected in source scan.

```
# Logback: the reliable, generic, fast and flexible logging framework.
```

```
# Copyright (C) 1999-2010, QOS.ch. All rights reserved.
```

```
#
```

```
# See http://logback.qos.ch/license.html for the applicable licensing
```

```
# conditions.
```

```
# This SQL script creates the required tables by ch.qos.logback.classic.db.DBAppender
```

```
#
```

```
# It is intended for PostgreSQL databases.
```

```
DROP TABLE access_event_exception;
```

```
DROP SEQUENCE access_event_id_seq;
```

```
DROP TABLE access_event;
```

```
CREATE SEQUENCE access_event_id_seq MINVALUE 1 START 1;
```

```
CREATE TABLE access_event
```

```
(
  timestmp    BIGINT NOT NULL,
  requestURI   VARCHAR(254),
  requestURL   VARCHAR(254),
  remoteHost   VARCHAR(254),
  remoteUser   VARCHAR(254),
  remoteAddr   VARCHAR(254),
  protocol     VARCHAR(254),
  method       VARCHAR(254),
  serverName   VARCHAR(254),
  postContent  VARCHAR(254),
  event_id     BIGINT DEFAULT
  nextval('access_event_id_seq') PRIMARY KEY
);
```

```
CREATE TABLE access_event_header
```

```
(
  event_id    BIGINT NOT NULL,
```

```
header_key    VARCHAR(254) NOT NULL,  
header_value  VARCHAR(1024),  
PRIMARY KEY(event_id, header_key),  
FOREIGN KEY (event_id) REFERENCES access_event(event_id)  
);
```

Found in path(s):

```
* /opt/cola/permits/1337070156_1654208172.7145326/0/logback-access-1-2-11-  
jar/ch/qos/logback/access/db/script/postgresql.sql
```

No license file was found, but licenses were detected in source scan.

-- Logback: the reliable, generic, fast and flexible logging framework.

-- Copyright (C) 1999-2010, QOS.ch. All rights reserved.

--

-- See <http://logback.qos.ch/license.html> for the applicable licensing

-- conditions.

-- This SQL script creates the required tables by ch.qos.logback.access.db.DBAppender

--

```
DROP TABLE access_event_header
```

```
DROP TABLE access_event
```

```
CREATE TABLE access_event
```

```
(  
    timestmp    BIGINT NOT NULL,  
    requestURI  VARCHAR(254),  
    requestURL  VARCHAR(254),  
    remoteHost  VARCHAR(254),  
    remoteUser  VARCHAR(254),  
    remoteAddr  VARCHAR(254),  
    protocol    VARCHAR(254),  
    method      VARCHAR(254),  
    serverName  VARCHAR(254),  
    postContent VARCHAR(254),  
    event_id    INT NOT NULL identity,  
    PRIMARY KEY(event_id)  
)
```

```
CREATE TABLE access_event_header
```

```
(  
    event_id    INT NOT NULL,  
    header_key  VARCHAR(254) NOT NULL,  
    header_value VARCHAR(1024),  
    PRIMARY KEY(event_id, header_key),  
    FOREIGN KEY (event_id) REFERENCES access_event(event_id)  
)
```

Found in path(s):

\* /opt/cola/permits/1337070156\_1654208172.7145326/0/logback-access-1-2-11-jar/ch/qos/logback/access/db/script/msSQLServer.sql

## 1.150 metrics-jetty 4.1.31

### 1.150.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.codahale.metrics.jetty9

Build-Jdk-Spec: 1.8

Bundle-Description: A set of extensions for Jetty 9.3 and higher which provide instrumentation of thread pools, connector metrics, and application latency and utilization.

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Metrics Integration for Jetty 9.3 and higher

Bundle-SymbolicName: io.dropwizard.metrics.jetty9

Bundle-Version: 4.1.31

Created-By: Apache Maven Bundle Plugin 5.1.4

Export-Package: com.codahale.metrics.jetty9;uses:="com.codahale.metrics, javax.servlet, javax.servlet.http, org.eclipse.jetty.io, org.eclipse.jetty.server, org.eclipse.jetty.server.handler, org.eclipse.jetty.util.annotation, org.eclipse.jetty.util.component, org.eclipse.jetty.util.thread";version="4.1.31"

Implementation-Title: Metrics Integration for Jetty 9.3 and higher

Implementation-Version:

4.1.31

Import-Package: javax.servlet;version="[2.5.0,4.0.0)", javax.servlet.http;version="[2.5.0,4.0.0)", com.codahale.metrics;version="[4.1,5)", org.eclipse.jetty.http;version="[9.4,10)", org.eclipse.jetty.io;version="[9.4,10)", org.eclipse.jetty.server;version="[9.4,10)", org.eclipse.jetty.server.handler;version="[9.4,10)", org.eclipse.jetty.util.annotation;version="[9.4,10)", org.eclipse.jetty.util.component;version="[9.4,10)", org.eclipse.jetty.util.thread;version="[9.4,10)"

Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"

Tool: Bnd-5.1.1.202006162103

Found in path(s):

\* /opt/cola/permits/1337069560\_1654119423.5832577/0/metrics-jetty9-4-1-31-1-jar/META-INF/MANIFEST.MF

## 1.151 jul-to-slf4j-bridge 1.7.36

## 1.151.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2004-2011 QOS.ch
 * All rights reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining
 * a copy of this software and associated documentation files (the
 * "Software"), to deal in the Software without restriction, including
 * without limitation the rights to use, copy, modify, merge, publish,
 * distribute, sublicense, and/or sell copies of the Software, and to
 * permit persons to whom the Software is furnished to do so, subject to
 * the following conditions:
 *
 * The above copyright notice and this permission notice shall be
 * included in all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
 * EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
 * MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
 * NONINFRINGEMENT. IN
 * NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
 * LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
 * OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
 * WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
 */
```

Found in path(s):

```
*/opt/cola/permits/1337069837_1654208675.2587817/0/jul-to-slf4j-1-7-36-sources-
jar/org/slf4j/bridge/SLF4JBridgeHandler.java
```

## 1.152 metrics-integration-for-logback 4.1.31

### 1.152.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
Manifest-Version: 1.0
Automatic-Module-Name: com.codahale.metrics.logback
Build-Jdk-Spec: 1.8
Bundle-Description: An instrumented appender for Logback.
Bundle-License: https://www.apache.org/licenses/LICENSE-2.0.html
Bundle-ManifestVersion: 2
Bundle-Name: Metrics Integration for Logback
Bundle-SymbolicName: io.dropwizard.metrics.logback
Bundle-Version: 4.1.31
```

Created-By: Apache Maven Bundle Plugin 5.1.4  
Export-Package: com.codahale.metrics.logback;uses:="ch.qos.logback.classic.spi,ch.qos.logback.core,com.codahale.metrics";version="4.1.31"  
Implementation-Title: Metrics Integration for Logback  
Implementation-Version: 4.1.31  
Import-Package: ch.qos.logback.classic;version="[1.2,2)",ch.qos.logback.classic.spi;version="[1.2,2)",ch.qos.logback.core;version="[1.2,2)",com.codahale.metrics;version="[4.1,5)"  
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-5.1.1.202006162103

Found in path(s):

\*

/opt/cola/permits/1337069338\_1654206079.885904/0/metrics-logback-4-1-31-jar/META-INF/MANIFEST.MF

## 1.153 jackson-integration-for-metrics 4.1.31

### 1.153.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Automatic-Module-Name: com.codahale.metrics.logback  
Build-Jdk-Spec: 1.8  
Bundle-Description: An instrumented appender for Logback.  
Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>  
Bundle-ManifestVersion: 2  
Bundle-Name: Metrics Integration for Logback  
Bundle-SymbolicName: io.dropwizard.metrics.logback  
Bundle-Version: 4.1.31  
Created-By: Apache Maven Bundle Plugin 5.1.4  
Export-Package: com.codahale.metrics.logback;uses:="ch.qos.logback.classic.spi,ch.qos.logback.core,com.codahale.metrics";version="4.1.31"  
Implementation-Title: Metrics Integration for Logback  
Implementation-Version: 4.1.31  
Import-Package: ch.qos.logback.classic;version="[1.2,2)",ch.qos.logback.classic.spi;version="[1.2,2)",ch.qos.logback.core;version="[1.2,2)",com.codahale.metrics;version="[4.1,5)"  
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-5.1.1.202006162103

Found in path(s):

\*

/opt/cola/permits/1337070396\_1654214338.9270978/0/metrics-logback-4-1-31-jar/META-INF/MANIFEST.MF

# 1.154 annotations-for-metrics 4.1.31

## 1.154.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Automatic-Module-Name: com.codahale.metrics.annotation  
Build-Jdk-Spec: 1.8  
Bundle-Description: A dependency-less package of just the annotations used by other Metrics modules.  
Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>  
Bundle-ManifestVersion: 2  
Bundle-Name: Annotations for Metrics  
Bundle-SymbolicName: io.dropwizard.metrics.annotation  
Bundle-Version: 4.1.17  
Created-By: Apache Maven Bundle Plugin  
Export-Package: com.codahale.metrics.annotation;version="4.1.17"  
Implementation-Title: Annotations for Metrics  
Implementation-Version: 4.1.17  
Private-Package: com.codahale.metrics.annotation  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-5.1.1.202006162103

Found in path(s):

\* /opt/cola/permits/1337069873\_1654215265.519441/0/metrics-annotation-4-1-17-jar/META-INF/MANIFEST.MF

# 1.155 metrics-utility-servlets 4.1.31

## 1.155.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Automatic-Module-Name: com.codahale.metrics.logback  
Build-Jdk-Spec: 1.8  
Bundle-Description: An instrumented appender for Logback.  
Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>  
Bundle-ManifestVersion: 2  
Bundle-Name: Metrics Integration for Logback  
Bundle-SymbolicName: io.dropwizard.metrics.logback  
Bundle-Version: 4.1.31  
Created-By: Apache Maven Bundle Plugin 5.1.4  
Export-Package: com.codahale.metrics.logback;uses="ch.qos.logback.classic.spi,ch.qos.logback.core,com.codahale.metrics";version="4.1.31"  
Implementation-Title: Metrics Integration for Logback  
Implementation-Version: 4.1.31  
Import-Package: ch.qos.logback.classic;version="[1.2,2)",ch.qos.logbac

k.classic.spi;version="[1.2,2)",ch.qos.logback.core;version="[1.2,2)"  
,com.codahale.metrics;version="[4.1,5)"  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-5.1.1.202006162103

Found in path(s):

\*

/opt/cola/permits/1337069981\_1654205986.5498152/0/metrics-logback-4-1-31-jar/META-INF/MANIFEST.MF

## 1.156 metrics-integration-with-jmx 4.1.31

### 1.156.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Automatic-Module-Name: com.codahale.metrics.logback  
Build-Jdk-Spec: 1.8  
Bundle-Description: An instrumented appender for Logback.  
Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>  
Bundle-ManifestVersion: 2  
Bundle-Name: Metrics Integration for Logback  
Bundle-SymbolicName: io.dropwizard.metrics.logback  
Bundle-Version: 4.1.31  
Created-By: Apache Maven Bundle Plugin 5.1.4  
Export-Package: com.codahale.metrics.logback;uses:="ch.qos.logback.classic.spi,ch.qos.logback.core,com.codahale.metrics";version="4.1.31"  
Implementation-Title: Metrics Integration for Logback  
Implementation-Version: 4.1.31  
Import-Package: ch.qos.logback.classic;version="[1.2,2)",ch.qos.logback.k.classic.spi;version="[1.2,2)",ch.qos.logback.core;version="[1.2,2)",com.codahale.metrics;version="[4.1,5)"  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-5.1.1.202006162103

Found in path(s):

\*

/opt/cola/permits/1337069951\_1654206102.3804739/0/metrics-logback-4-1-31-jar/META-INF/MANIFEST.MF

## 1.157 logback-core 1.2.11

### 1.157.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*\*

\* Logback: the reliable, generic, fast and flexible logging framework.

\* Copyright (C) 1999-2015, QOS.ch. All rights reserved.

\*  
\* This program and the accompanying materials are dual-licensed under  
\* either the terms of the Eclipse Public License v1.0 as published by  
\* the Eclipse Foundation  
\*  
\* or (per the licensee's choosing)  
\*  
\* under the terms of the GNU Lesser General Public License version 2.1  
\* as published by the Free Software Foundation.  
\*/

Found in path(s):

\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/spi/ContextAwareImpl.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/ConsoleAppender.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/spi/InterpretationContext.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/pattern/color/BoldBlueCompositeConverter.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/pattern/ConverterUtil.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/rolling/helper/FileNamePattern.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/status/InfoStatus.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/action/ParamAction.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/net/SyslogAppenderBase.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/event/stax/EndEvent.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/encoder/EchoEncoder.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/rolling/helper/ArchiveRemover.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/net/ssl/ConfigurableSSLServerSocketFactory.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/node/ComponentNode.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/util/LocationUtil.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/subst/Parser.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/pattern/PatternLayoutBase.java

```

* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/parser/FormattingNode.java
*
/opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/TimestampAction.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/encoder/NonClosableInputStream.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/subst/Tokenizer.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/server/ServerSocketListener.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/AutoFlushingObjectWriter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/AbstractEventEvaluatorAction.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/event/EndEvent.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/AppenderAction.java
*
/opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/ssl/SSLConfigurable.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/FormattingConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/SyslogConstants.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/server/SSLServerSocketAppenderBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/ssl/SSLContextFactoryBean.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/ssl/SSLConfigurableServerSocket.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/sift/AbstractDiscriminator.java
*
/opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/spi/AppenderAttachable.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/spi/AbstractComponentTracker.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/spi/PropertyContainer.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/sift/SiftingJoranConfiguratorBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/html/CssBuilder.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/EnvUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-

```

jar/ch/qos/logback/core/rolling/helper/PeriodicityType.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/net/server/ServerRunner.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/net/server/RemoteReceiverClient.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/BasicStatusManager.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/net/SyslogOutputStream.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/pattern/parser/SimpleKeywordNode.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/joran/conditional/IfAction.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/sift/AppenderFactory.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/pattern/color/RedCompositeConverter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/util/CharSequenceToRegexMapper.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/AppenderBase.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/rolling/SizeBasedTriggeringPolicy.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/encoder/LayoutWrappingEncoder.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/net/server/ClientVisitor.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/util/Loader.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/PropertyDefinerBase.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/pattern/ReplacingCompositeConverter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/pattern/color/ANSIConstants.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/helpers/ThrowableToStringArray.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/util/CharSequenceState.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/util/DelayStrategy.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/net/ssl/TrustManagerFactoryFactoryBean.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/pattern/parser/Node.java

```

*
/opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/event/InPlayListener.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/ssl/SSLConfiguration.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/status/StatusUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/recovery/ResilientSyslogOutputStream.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/DynamicClassLoadingException.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/PropertySetterException.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/SMTPAppenderBase.java
*
/opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/ObjectWriterFactory.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/spi/AppenderAttachableImpl.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/server/ServerListener.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/DefaultTimeBasedFileNamingAndTriggeringPolicy.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/layout/EchoLayout.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/helper/DateTokenConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/status/HttpStatus.java
*
/opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/recovery/ResilientOutputStreamBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/FileUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/spi/ComponentTracker.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/ssl/SSLConfigurableSocket.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/util/IEscapeUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/spi/FilterReply.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/spi/ElementPath.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/IADDataForComplexProperty.java
*

```

/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/net/LoginAuthenticator.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/util/FixedDelay.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/Appender.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/action/StatusListenerAction.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/LayoutBase.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/net/AbstractSocketAppender.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/rolling/SizeAndTimeBasedFNATP.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/html/NOThrowableRenderer.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/util/DatePatternToRegexUtil.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/net/SocketConnector.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/pattern/parser/Compiler.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/pattern/PatternLayoutEncoderBase.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/action/ActionConst.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/net/DefaultSocketConnector.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/pattern/parser/Parser.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/hook/ShutdownHookBase.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/util/ConfigurationWatchListUtil.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/pattern/util/RegularEscapeUtil.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/util/PropertySetter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/rolling/helper/FileFilterUtil.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/status/StatusBase.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/status/StatusManager.java  
\*

/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/spi/FilterAttachable.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/sift/Discriminator.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/status/WarnStatus.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/hook/ShutdownHook.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/net/server/AbstractServerSocketAppender.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/pattern/FormatInfo.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/spi/CyclicBufferTracker.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/util/Duration.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/spi/HostClassAndPropertyDouble.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/pattern/color/MagentaCompositeConverter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/action/ShutdownHookAction.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/util/SystemInfo.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/net/ssl/KeyStoreFactoryBean.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/status/NopStatusListener.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/util/TimeUtil.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/spi/EventPlayer.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/net/AbstractSSLSocketAppender.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/pattern/color/GreenCompositeConverter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/boolex/JaninoEventEvaluatorBase.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/pattern/LiteralConverter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/net/server/RemoteReceiverStreamClient.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/pattern/color/WhiteCompositeConverter.java  
\*

/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/net/ObjectWriter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/rolling/helper/MonoTypedConverter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/spi/FilterAttachableImpl.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/pattern/CompositeConverter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/rolling/helper/RollingCalendar.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/sift/DefaultDiscriminator.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/sift/SiftingAppenderBase.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/util/DefaultInvocationGate.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/util/FileSize.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/pattern/color/BoldYellowCompositeConverter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/ContextBase.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/spi/SimpleRuleStore.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/property/FileExistsPropertyDefiner.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/action/NewRuleAction.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/spi/NoAutoStartUtil.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/LifeCycleManager.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/subst/Node.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/encoder/ByteArrayUtil.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/spi/ScanException.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/status/OnPrintStreamStatusListenerBase.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/rolling/helper/SizeAndTimeBasedArchiveRemover.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/rolling/TriggeringPolicy.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-

jar/ch/qos/logback/core/joran/event/stax/BodyEvent.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/boolex/Matcher.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/pattern/color/CyanCompositeConverter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/pattern/IdentityCompositeConverter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/pattern/color/BoldWhiteCompositeConverter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/net/QueueFactory.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/pattern/SpacePadder.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/joran/action/DefinePropertyAction.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/joran/spi/JoranException.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/pattern/DynamicConverter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/joran/spi/Interpreter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/pattern/parser/OptionTokenizer.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/filter/Filter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/util/StatusListenerConfigHelper.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/LogbackException.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/filter/EvaluatorFilter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/html/IThrowableRenderer.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/util/JNDIUtil.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/joran/event/BodyEvent.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/pattern/color/GrayCompositeConverter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/pattern/PostCompileProcessor.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/CoreConstants.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/util/StringCollectionUtil.java

\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/OutputStreamAppender.java  
 \* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/net/ssl/ConfigurableSSLSocketFactory.java  
 \* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/spi/ConsoleTarget.java  
 \* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/Context.java  
 \* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/rolling/RollingFileAppender.java  
 \* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/rolling/helper/TimeBasedArchiveRemover.java  
 \*  
 /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/util/StringToObjectConverter.java  
 \* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/status/StatusListenerAsList.java  
 \* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/filter/AbstractMatcherFilter.java  
 \* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/event/SaxEvent.java  
 \* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/net/ssl/SSLParametersConfiguration.java  
 \* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/action/ContextPropertyAction.java  
 \* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/spi/LogbackLock.java  
 \*  
 /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/rolling/RolloverFailure.java  
 \* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/util/ContextUtil.java  
 \* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/boolex/EventEvaluator.java  
 \* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/rolling/helper/TokenConverter.java  
 \* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/html/HTMLLayoutBase.java  
 \* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/pattern/color/BlueCompositeConverter.java  
 \* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/pattern/color/ForegroundCompositeConverterBase.java  
 \*  
 /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/recovery/RecoveryCoordinator.java  
 \* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/conditional/PropertyEvalScriptBuilder.java  
 \* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-

jar/ch/qos/logback/core/recovery/ResilientFileOutputStream.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/joran/conditional/Condition.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/UnsynchronizedAppenderBase.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/rolling/FixedWindowRollingPolicy.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/rolling/TriggeringPolicyBase.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/pattern/util/AsIsEscapeUtil.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/spi/PropertyDefiner.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/joran/event/stax/StaxEvent.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/pattern/color/BoldGreenCompositeConverter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/read/ListAppender.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/rolling/RollingPolicyBase.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/encoder/Encoder.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/pattern/color/BlackCompositeConverter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/joran/event/stax/StaxEventRecorder.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/status/Status.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/joran/spi/XMLUtil.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/rolling/TimeBasedFileNamingAndTriggeringPolicy.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/joran/conditional/PropertyWrapperForScripts.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/joran/action/ImplicitAction.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/sift/AbstractAppenderFactoryUsingJoran.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/status/OnErrorConsoleStatusListener.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/util/OptionHelper.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/joran/action/ConversionRuleAction.java

\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/helpers/CyclicBuffer.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/GenericConfigurator.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/event/stax/StartEvent.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/net/ssl/SSL.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/rolling/TimeBasedFileNamingAndTriggeringPolicyBase.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/spi/ContextAware.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/action/ActionUtil.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/net/ssl/SSLComponent.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/subst/Token.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/util/CachingDateFormat.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/action/IncludeAction.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/util/ExecutorServiceUtil.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/net/server/RemoteReceiverServerListener.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/action/NOPAction.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/spi/DefaultNestedComponentRegistry.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/hook/DelayingShutdownHook.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/net/server/RemoteReceiverServerRunner.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/action/AppenderRefAction.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/net/ssl/SSLNestedComponentRegistryRules.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/event/StartEvent.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/read/CyclicBufferAppender.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/rolling/RollingPolicy.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-

jar/ch/qos/logback/core/rolling/helper/CompressionMode.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/rolling/helper/IntegerTokenConverter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/spi/ContextAwareBase.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/spi/LifeCycle.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/rolling/helper/FileStoreUtil.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/util/CloseUtil.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/helpers/Transform.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/joran/conditional/ThenAction.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/util/StatusPrinter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/boolex/EvaluationException.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/status/StatusListener.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/pattern/util/AlmostAsIsEscapeUtil.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/FileAppender.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/joran/JoranConfiguratorBase.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/net/ssl/KeyManagerFactoryFactoryBean.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/rolling/helper/Compressor.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/net/ssl/SecureRandomFactoryBean.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/joran/spi/ActionException.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/pattern/color/YellowCompositeConverter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/rolling/TimeBasedRollingPolicy.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/sift/AppenderTracker.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/pattern/color/BoldRedCompositeConverter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-  
jar/ch/qos/logback/core/spi/PreSerializationTransformer.java

\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/spi/ElementSelector.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/AsyncAppenderBase.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/action/NestedBasicPropertyIA.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/action/IADDataForBasicProperty.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/action/Action.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/rolling/helper/RenameUtil.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/action/NestedComplexPropertyIA.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/spi/DeferredProcessingAware.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/event/SaxEventRecorder.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/util/IncompatibleClassException.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/pattern/util/RestrictedEscapeUtil.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/encoder/EncoderBase.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/spi/NoAutoStart.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/pattern/parser/Token.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/boolex/EventEvaluatorBase.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/util/AggregationType.java  
\*  
/opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/conditional/ThenOrElseActionBase.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/status/OnConsoleStatusListener.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/pattern/Converter.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/pattern/parser/TokenStream.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/util/ContentTypeUtil.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/Layout.java  
\* /opt/cola/permits/1337069885\_1654119262.0130525/0/logback-core-1-2-11-sources-3-

```
jar/ch/qos/logback/core/pattern/color/BoldCyanCompositeConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/conditional/ElseAction.java
*
/opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/server/ConcurrentServerRunner.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/spi/ConfigurationWatchList.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/parser/CompositeNode.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/helpers/NOPAppender.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/spi/DefaultClass.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/property/ResourceExistsPropertyDefiner.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/status/ViewStatusMessagesServletBase.java
*
/opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/subst/NodeToStringTransformer.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/server/Client.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/color/BoldMagentaCompositeConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/spi/RuleStore.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/PropertyAction.java
```

## 1.158 jersey's-jersey 2.35

### 1.158.1 Available under license :

# Notice for Jersey Core Common module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright: (C) 2009 The Guava Authors

JSR-166 Extension - JEP 266

\* License: Creative Commons 1.0 (CC0)

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166

\* Expert Group and released to the public domain, as explained at

\* <http://creativecommons.org/publicdomain/zero/1.0/>

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## ## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms

of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0  
OR GPL-2.0 WITH Classpath-exception-2.0

### ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

### ## Third-party Content

#### Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Copyright: (c) 2010-2017 Google, Inc.

#### aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

#### Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

#### Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

#### Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \*
- Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

#### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \* Project: <http://www.pasella.it/projects/jquery/barcode>
- \*
- Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer,  
Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology,  
Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE  
PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION  
OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content

Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from  
and are Distributed by that particular Contributor. A Contribution  
"originates" from a Contributor if it was added to the Program by  
such Contributor itself or anyone acting on such Contributor's behalf.  
Contributions do not include changes or additions to the Program that  
are not Modified Works.

"Contributor" means any person or entity  
that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which  
are necessarily infringed by the use or sale of its Contribution alone  
or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this  
Agreement.

"Recipient" means anyone who receives the Program under this Agreement  
or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other  
form, that is based on (or derived from) the Program and for which the  
editorial revisions, annotations, elaborations, or other modifications  
represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that

contains any contents of the Program. Modified

Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright

license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the

patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity

(including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis

or for a fee, you must give the recipients all the rights that you have.  
You must make sure that they, too, receive or can get the source code.  
And you  
must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and  
(2) offer you this license which gives you legal permission to copy,  
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain  
that everyone understands that there is no warranty for this free  
software. If the software is modified by someone else and passed on, we  
want its recipients to know that what they have is not the original, so  
that any problems introduced by others will not reflect on the original  
authors' reputations.

Finally, any free program is threatened constantly by software patents.  
We wish to avoid the danger that redistributors of a free program will  
individually obtain patent licenses, in effect making the program  
proprietary. To prevent this, we have made it clear that any patent must  
be licensed for everyone's free use or not licensed at  
all.

The precise terms and conditions for copying, distribution and  
modification follow.

#### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a  
notice placed by the copyright holder saying it may be distributed under  
the terms of this General Public License. The "Program", below, refers  
to any such program or work, and a "work based on the Program" means  
either the Program or any derivative work under copyright law: that is  
to say, a work containing the Program or a portion of it, either  
verbatim or with modifications and/or translated into another language.  
(Hereinafter, translation is included without limitation in the term  
"modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not  
covered by this License; they are outside its scope. The act of running  
the Program is not restricted,  
and the output from the Program is  
covered only if its contents constitute a work based on the Program  
(independent of having been made by running the Program). Whether that  
is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source  
code as you receive it, in any medium, provided that you conspicuously

and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications

or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how

to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or

collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of

physically performing source distribution, a complete

machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program

except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented

by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software

Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE

ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This  
program is distributed in the hope that it will be useful, but  
WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU  
General Public License for more details.

You should have received a copy of the GNU General Public License  
along with this program; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this

exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.159 metrics-integration-for-jersey-2.x 4.1.31

### 1.159.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Automatic-Module-Name: com.codahale.metrics.logback  
Build-Jdk-Spec: 1.8  
Bundle-Description: An instrumented appender for Logback.  
Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>  
Bundle-ManifestVersion: 2  
Bundle-Name: Metrics Integration for Logback  
Bundle-SymbolicName: io.dropwizard.metrics.logback  
Bundle-Version: 4.1.31  
Created-By: Apache Maven Bundle Plugin 5.1.4  
Export-Package: com.codahale.metrics.logback;uses:="ch.qos.logback.classic.spi,ch.qos.logback.core,com.codahale.metrics";version="4.1.31"  
Implementation-Title: Metrics Integration for Logback  
Implementation-Version: 4.1.31  
Import-Package: ch.qos.logback.classic;version="[1.2,2)",ch.qos.logback.classic.spi;version="[1.2,2)",ch.qos.logback.core;version="[1.2,2)",com.codahale.metrics;version="[4.1,5)"  
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-5.1.1.202006162103

Found in path(s):

\*

/opt/cola/permits/1337069801\_1654206120.7940183/0/metrics-logback-4-1-31-jar/META-INF/MANIFEST.MF

## 1.160 google-gson 2.9.0

### 1.160.1 Available under license :

Google Gson

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2008-2011 Google Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.161 jackson-module-afterburner 2.13.2

## 1.161.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components (as well their dependencies) may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-afterburner` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Additional licensing information exists for following 3rd party library dependencies

### ### ASM

ASM: a very small and fast Java bytecode manipulation framework

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH

DAMAGE.

## 1.162 jackson-datatype-guava 2.13.2

### 1.162.1 Available under license :

This copy of Jackson JSON processor `jackson-datatype-guava` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.163 jackson-module-parameter-names

### 2.13.2

### 1.163.1 Available under license :

Apache-2.0

## 1.164 jackson-jaxrs 2.13.2

### 1.164.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact

FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

# 1.165 osgi-resource-locator-bundle 1.0.3

## 1.165.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved.

\*

\* This program and the accompanying materials are made available under the

\* terms of the Eclipse Public License v. 2.0, which is available at

\* <http://www.eclipse.org/legal/epl-2.0>.

\*

\* This Source Code may also be made available under the following Secondary

\* Licenses when the conditions for such availability set forth in the

\* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

\* version 2 with the GNU Classpath Exception, which is available at

\* <https://www.gnu.org/software/classpath/license.html>.

\*

\* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

\*/

Found in path(s):

\* /opt/cola/permits/1340031775\_1654680102.675777/0/osgi-resource-locator-1-0-3-sources-2-jar/org/glassfish/hk2/osgiresourcelocator/ServiceLoader.java

\* /opt/cola/permits/1340031775\_1654680102.675777/0/osgi-resource-locator-1-0-3-sources-2-jar/org/glassfish/hk2/osgiresourcelocator/ResourceFinder.java

\*

/opt/cola/permits/1340031775\_1654680102.675777/0/osgi-resource-locator-1-0-3-sources-2-jar/org/glassfish/hk2/osgiresourcelocator/Activator.java

\* /opt/cola/permits/1340031775\_1654680102.675777/0/osgi-resource-locator-1-0-3-sources-2-jar/org/glassfish/hk2/osgiresourcelocator/ServiceLoaderImpl.java

\* /opt/cola/permits/1340031775\_1654680102.675777/0/osgi-resource-locator-1-0-3-sources-2-jar/org/glassfish/hk2/osgiresourcelocator/ResourceFinderImpl.java

# 1.166 prometheus-java-simpleclient-common 0.15.0

## 1.166.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1341561718\_1654802874.19552/0/simpleclient-common-0-15-0-sources-jar/META-

INF/maven/io.prometheus/simpleclient\_common/pom.xml

# 1.167 prometheus-java-simpleclient 0.15.0

## 1.167.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1341561591\_1654802717.0915134/0/simpleclient-0-15-0-sources-jar/META-

INF/maven/io.prometheus/simpleclient/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

Copyright 2012 Andrew Wang (andrew@umbrant.com)

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and  
limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1341561591\_1654802717.0915134/0/simpleclient-0-15-0-sources-

jar/io/prometheus/client/CKMSQuantiles.java

No license file was found, but licenses were detected in source scan.

/\*

\* Written by Doug Lea with assistance from members of JCP JSR-166

\* Expert Group and released to the public domain, as explained at

\* <http://creativecommons.org/publicdomain/zero/1.0/>

\*

\* Source: <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/jsr166e/DoubleAdder.java?revision=1.12>

\*/

Found in path(s):

\* /opt/cola/permits/1341561591\_1654802717.0915134/0/simpleclient-0-15-0-sources-jar/io/prometheus/client/DoubleAdder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Written by Doug Lea with assistance from members of JCP JSR-166

\* Expert Group and released to the public domain, as explained at

\* <http://creativecommons.org/publicdomain/zero/1.0/>

\*

\* Source: <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/jsr166e/Striped64.java?revision=1.10>

\*/

Found in path(s):

\* /opt/cola/permits/1341561591\_1654802717.0915134/0/simpleclient-0-15-0-sources-jar/io/prometheus/client/Striped64.java

## 1.168 jersey-ext-bean-validation 2.35

### 1.168.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0  
OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

### Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Coyright: (c) 2010-2017 Google, Inc.

### aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

### Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

### Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

### Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \*
- Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

### javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>

\* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

\* License: [jquery.org/license](http://jquery.org/license)

\* Project: [jquery.org](http://jquery.org)

\* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

\* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> &  
<http://www.gnu.org/licenses/gpl.html>)

\* Project: <http://www.pasella.it/projects/jquery/barcode>

\*

Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

\* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

\* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer,  
Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Notice for Jersey Bean Validation module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content  
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no

Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS"

BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement,

but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor

Boston, MA 02110-1335

USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have.

You must make sure that they, too, receive or can get the source code.

And you

must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents.

We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how

to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost

of  
physically performing source distribution, a complete  
machine-readable copy of the corresponding source code, to be  
distributed under the terms of Sections 1 and 2 above on a medium  
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to  
distribute corresponding source code. (This alternative is allowed  
only for noncommercial distribution and only if you received the  
program in object code or executable form with such an offer, in  
accord with Subsection b above.)

The source code for a work means the preferred form of the work for  
making modifications to it. For an executable work, complete source code  
means all the source code for all modules it contains, plus any  
associated interface definition files, plus the scripts used to control  
compilation and installation of the executable. However, as a special  
exception, the source code distributed  
need not include anything that is  
normally distributed (in either source or binary form) with the major  
components (compiler, kernel, and so on) of the operating system on  
which the executable runs, unless that component itself accompanies the  
executable.

If distribution of executable or object code is made by offering access  
to copy from a designated place, then offering equivalent access to copy  
the source code from the same place counts as distribution of the source  
code, even though third parties are not compelled to copy the source  
along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program  
except as expressly provided under this License. Any attempt otherwise  
to copy, modify, sublicense or distribute the Program is void, and will  
automatically terminate your rights under this License. However, parties  
who have received copies, or rights, from you under this License will  
not have  
their licenses terminated so long as such parties remain in  
full compliance.

5. You are not required to accept this License, since you have not  
signed it. However, nothing else grants you permission to modify or  
distribute the Program or its derivative works. These actions are  
prohibited by law if you do not accept this License. Therefore, by  
modifying or distributing the Program (or any work based on the  
Program), you indicate your acceptance of this License to do so, and all  
its terms and conditions for copying, distributing or modifying the  
Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

## How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.169 jersey-ext-metainf-services 2.35

### 1.169.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0  
OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

\* License: Apache License, 2.0

\* Project: <http://beanvalidation.org/1.1/>

\* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

\* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap v3.3.7

\* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

\*

Project: <http://getbootstrap.com>

\* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

\* License: Apache License, 2.0

\* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

\* License: Apache License, 2.0

\* Project: <http://www.javassist.org/>

\* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

\* License: [jquery.org/license](http://jquery.org/license)

\* Project: [jquery.org](http://jquery.org)

\* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

\* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> &  
<http://www.gnu.org/licenses/gpl.html>)

\* Project: <http://www.pasella.it/projects/jquery/barcode>

\*

Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

\* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

\* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer,  
Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this

Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition

of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

- i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness

for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program

in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient.

No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you

want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not

covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you

distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the

executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under

any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This  
program is distributed in the hope that it will be useful, but  
WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# 1.170 jna 5.11.0

## 1.170.1 Available under license :

SPDX-License-Identifier: Apache-2.0 OR LGPL-2.1

Java Native Access (JNA) is licensed under the LGPL, version 2.1 or later, or (from version 4.0 onward) the Apache License, version 2.0.

You can freely decide which license you want to apply to the project.

You may obtain a copy of the LGPL License at:

<http://www.gnu.org/licenses/licenses.html>

A copy is also included in the downloadable source code package containing JNA, in file "LGPL2.1", under the same directory as this file.

You may obtain a copy of the Apache License at:

<http://www.apache.org/licenses/>

A copy is also included in the downloadable source code package containing JNA, in file "AL2.0", under the same directory as this file.

Commercial support may be available, please e-mail [twall\[at\]users\[dot\]sf\[dot\]net](mailto:twall[at]users[dot]sf[dot]net).

# 1.171 junit-platform-junit-platform-launcher

## 1.8.2

### 1.171.1 Available under license :

Eclipse Public License - v 2.0

=====

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### ### 1. Definitions

Contribution means:

\* \*\*a)\*\* in the case of the initial Contributor, the initial content Distributed under this Agreement, and

\* \*\*b)\*\* in the case of each subsequent Contributor:

\* \*\*i)\*\* changes to the Program, and

\* \*\*ii)\*\* additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent

claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes,

structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of \*\*a)\*\* distributing or \*\*b)\*\* making available in any manner that enables the transfer

of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

### ### 2. Grant of Rights

**\*\*a)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

**\*\*b)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

**\*\*c)\*\*** Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

**\*\*d)\*\*** Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

**\*\*e)\*\*** Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

###

### 3. Requirements

**\*\*3.1)\*\*** If a Contributor Distributes the Program in any form, then:

**\*\*a)\*\*** the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

\* \*\*b)\*\*\* the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

- \* \*\*i)\*\*\* effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
- \* \*\*ii)\*\*\* effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
- \* \*\*iii)\*\*\* does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and
- \* \*\*iv)\*\*\* requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

**3.2** When the Program is Distributed as Source Code:

- \* \*\*a)\*\*\* it must be made available under this Agreement, or if the Program **(i)** is combined with other material in a separate file or files made available under a Secondary License, and **(ii)** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- \* \*\*b)\*\*\* a copy of this Agreement must be included with each copy of the Program.

**3.3** Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### ### 4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such

Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: **a)** promptly notify the Commercial Contributor in writing of such claim, and **b)** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial

Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor

must pay those damages.

### ### 5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

### ### 6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

### ### 7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If

Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the

Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.  
Open Source Licenses

=====

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE-<subcomponent>.md files.

## 1.172 jcl-1-2-implemented-over-slf4j 1.7.36

### 1.172.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

Found in path(s):

\* /opt/cola/permits/1343419808\_1655258676.3036547/0/jcl-over-slf4j-1-7-36-jar/META-INF/maven/org.slf4j/jcl-over-slf4j/pom.xml

# 1.173 archaius-core 0.7.1

## 1.173.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2014 Netflix, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/WatchedUpdateResult.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/AbstractDynamicPropertyListener.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/DynamicStringListProperty.java
*
/opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/DynamicBooleanProperty.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/samples/SampleApplicationWithDefaultConfiguration.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/sources/JDBCConfigurationSource.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/PolledConfigurationSource.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/ExpandedConfigurationListenerAdapter.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/PollResult.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/WatchedConfigurationSource.java
*
/opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/PollListener.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
```

jar/com/netflix/config/PropertyListener.java  
\* /opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/MissingConfigurationSourceException.java  
\* /opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/DynamicPropertyFactory.java  
\* /opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/AggregatedConfiguration.java  
\* /opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/DynamicSetProperty.java  
\* /opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/jmx/ConfigMBean.java  
\* /opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/DynamicProperty.java  
\*  
/opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/validation/PropertyChangeValidator.java  
\* /opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/DynamicDoubleProperty.java  
\* /opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/validation/ValidationException.java  
\* /opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/DynamicStringMapProperty.java  
\* /opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/util/HttpVerbUriRegexPropertyValue.java  
\* /opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/ConcurrentCompositeConfiguration.java  
\* /opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/ConfigurationManager.java  
\*  
/opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/sources/URLConfigurationSource.java  
\* /opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/PropertyWrapper.java  
\* /opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/ConfigurationWithPollingSource.java  
\* /opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/DefaultContextualPredicate.java  
\* /opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/DynamicContextualProperty.java  
\* /opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/AbstractPollingScheduler.java  
\* /opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/FixedDelayPollingScheduler.java  
\*  
/opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/StringDerivedProperty.java  
\* /opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/DynamicLongProperty.java

```

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/DynamicPropertyUpdater.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/DynamicConfiguration.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/ChainedDynamicProperty.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/DynamicListProperty.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/DynamicMapProperty.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/ClasspathPropertiesConfiguration.java
*
/opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/util/ConfigurationUtils.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/samples/SampleApplication.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/WatchedUpdateListener.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/DynamicURLConfiguration.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/jmx/BaseConfigMBean.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/DynamicStringProperty.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/DynamicFloatProperty.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/DynamicIntProperty.java
*
/opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/SimpleDeploymentContext.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/DeploymentContext.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/ConfigurationBackedDynamicPropertySupportImpl.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/DynamicWatchedConfiguration.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/jmx/ConfigJMXManager.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/WebApplicationProperties.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/ConfigurationBasedDeploymentContext.java
*
/opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-
jar/com/netflix/config/ConcurrentMapConfiguration.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-

```

jar/com/netflix/config/DynamicPropertySupport.java  
\* /opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/DerivedStringProperty.java  
No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2014 Netflix, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):  
\* /opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-  
jar/com/netflix/config/Property.java  
No license file was found, but licenses were detected in source scan.

```
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
# http://www.apache.org/licenses/LICENSE-2.0
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):  
\* /opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/sampleapp.properties  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 Netflix, Inc.
 *
 * Copyright 2013 Netflix, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
```

- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

\*/opt/cola/permits/1343907377\_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DynamicStringSetProperty.java

## 1.174 dropwizard-utility-classes 2.0.29

### 1.174.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this  
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of  
the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.175 zt-process 1.3

### 1.175.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE  
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully

about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you.

You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries

into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications

to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful. (For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy

the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library

even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce

a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d)

If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy. For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you

permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12.

If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Libraries

If you develop a new library, and

you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

one line to give the library's name and an idea of what it does.

Copyright (C) year name of author

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,  
but WITHOUT ANY

WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

signature of Ty Coon, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2007 Timothy Wall, All Rights Reserved
```

```
*
```

```
* This library is free software; you can redistribute it and/or  
* modify it under the terms of the GNU Lesser General Public  
* License as published by the Free Software Foundation; either  
* version 2.1 of the License, or (at your option) any later version.
```

```
*
```

```
* This library is distributed in the hope that it will be useful,  
* but WITHOUT ANY WARRANTY; without even the implied warranty of  
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU  
* Lesser General Public License for more details.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1343907395_1655169445.1266608/0/zt-process-1-3-sources-2-  
jar/org/zeroturnaround/process/win/W32API.java
```

No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2007 Timothy Wall, All Rights Reserved
```

```
*
```

```
* This library is free software; you can redistribute it and/or  
* modify it under the terms of the GNU Lesser General Public  
* License as published by the Free Software Foundation; either  
* version 2.1 of the License, or (at your option) any later version.
```

```
*
```

```
* This library is distributed in the hope that it will be useful,
```

\* but WITHOUT ANY WARRANTY; without even the implied warranty of  
\* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU  
\* Lesser General Public License for more details.  
\*/

Found in path(s):

\* /opt/cola/permits/1343907395\_1655169445.1266608/0/zt-process-1-3-sources-2-jar/org/zeroturnaround/process/win/W32Errors.java

# 1.176 dropwizard 2.0.29

## 1.176.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.177 dropwizard-request-logging-support

## 2.0.29

### 1.177.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of  
the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.178 jetbrains-kotlin-kotlin-stdlib-jdk8 1.2.71

### 1.178.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2010-2017 JetBrains s.r.o.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1343907313_1655332498.241981/0/kotlin-stdlib-jdk8-1-2-71-sources-jar/kotlin/collections/Collections.kt  
* /opt/cola/permits/1343907313_1655332498.241981/0/kotlin-stdlib-jdk8-1-2-71-sources-jar/kotlin/internal/jdk8/JDK8PlatformImplementations.kt  
* /opt/cola/permits/1343907313_1655332498.241981/0/kotlin-stdlib-jdk8-1-2-71-sources-
```

jar/kotlin/text/RegexExtensions.kt

\*

/opt/cola/permits/1343907313\_1655332498.241981/0/kotlin-stdlib-jdk8-1-2-71-sources-jar/kotlin/streams/Streams.kt

## 1.179 args4j 2.32

### 1.179.1 Available under license :

Copyright (c) 2013 Kohsuke Kawaguchi and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.180 pact-jvm-pact-broker 3.5.25

### 1.180.1 Available under license :

Apache-2.0

## 1.181 compiler-com-github-spullara-mustache-java-compiler 0.8.15

### 1.181.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License 2.0</name>

<url><http://www.apache.org/licenses/LICENSE-2.0></url>

Found in path(s):

\* /opt/cola/permits/1343907305\_1655313226.794729/0/compiler-0-8-15-jar/META-INF/maven/com.github.spullara.mustache.java/compiler/pom.xml

# 1.182 prometheus-java-simpleclient-dropwizard 0.15.0

## 1.182.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1343907287\_1655246815.1750922/0/simpleclient-dropwizard-0-15-0-jar/META-INF/maven/io.prometheus/simpleclient\_dropwizard/pom.xml

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bnd-LastModified: 1644098880357

Build-Jdk: 11.0.13

Built-By: fabian

Bundle-Description: Collector of data from Dropwizard metrics library.

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>

Bundle-ManifestVersion: 2

Bundle-Name: Prometheus Java Simpleclient Dropwizard

Bundle-SymbolicName: io.prometheus.simpleclient\_dropwizard

Bundle-Version: 0.15.0

Created-By: Apache Maven Bundle Plugin

Export-Package: io.prometheus.client.dropwizard.samplebuilder;uses:="io.prometheus.client";version="0.15.0",io.prometheus.client.dropwizard;uses:="com.codahale.metrics,io.prometheus.client,io.prometheus.client.dropwizard.samplebuilder";version="0.15.0"

Import-Package: com.codahale.metrics;version="[4.2,5)",io.prometheus.client;version="[0.15,1)"

Tool: Bnd-2.1.0.20130426-122213

Found in path(s):

\* /opt/cola/permits/1343907287\_1655246815.1750922/0/simpleclient-dropwizard-0-15-0-jar/META-INF/MANIFEST.MF

# 1.183 dropwizard-validation-support 2.0.29

## 1.183.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Hibernate Validator, declare and validate application constraints  
\*  
\* License: Apache License, Version 2.0  
\* See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.  
\*/

Found in path(s):

\* /opt/cola/permits/1343907443\_1655332601.1413095/0/dropwizard-validation-2-0-29-sources-jar/io/dropwizard/validation/InterpolationHelper.java

# 1.184 pact-jvm-provider-junit\_2.12 3.5.25

## 1.184.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"  
(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations,  
or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

## 1.185 simpleclient-servlet 0.15.0

### 1.185.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1343907467\_1655169509.6449938/0/simpleclient-servlet-0-15-0-sources-1-jar/META-INF/maven/io.prometheus/simpleclient\_servlet/pom.xml

## 1.186 pact-jvm-model 3.5.25

### 1.186.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"  
(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations,  
or other modifications  
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems

that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.187 jackson-dataformats-binary 2.13.2

### 1.187.1 Available under license :

JacksonIon

Copyright 2012-2016 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

# 1.188 dropwizard-configuration-support

## 2.0.29

### 1.188.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of  
the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.189 pact-jvm-consumer\_2.12 3.5.25

## 1.189.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You"  
(or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical  
transformation or translation of a Source form, including but  
not limited to compiled object code, generated documentation,  
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution

of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental,

or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.190 dropwizard-servlet-support 2.0.29

## 1.190.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of  
the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.191 dropwizard-jetty-support 2.0.29

## 1.191.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership  
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of  
the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.192 dropwizard-jackson-support 2.0.29

## 1.192.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of  
the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.193 dropwizard-metrics-support 2.0.29

### 1.193.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of  
the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

# 1.194 jetbrains-kotlin-kotlin-stdlib-jdk7 1.2.71

## 1.194.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2010-2017 JetBrains s.r.o.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1343907329_1655332393.33486/0/kotlin-stdlib-jdk7-1-2-71-sources-jar/kotlin/AutoCloseable.kt
* /opt/cola/permits/1343907329_1655332393.33486/0/kotlin-stdlib-jdk7-1-2-71-sources-
jar/kotlin/internal/jdk7/JDK7PlatformImplementations.kt
```

# 1.195 dropwizard-lifecycle-support 2.0.29

## 1.195.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of

the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.196 pact-jvm-consumer-junit 3.5.25

## 1.196.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"  
(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations,  
or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

## 1.197 jvm-integration-for-metrics 4.1.31

### 1.197.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bnd-LastModified: 1515178493049

Build-Jdk: 1.8.0\_151

Built-By: artem

Bundle-Description: An Apache HttpClient wrapper providing Metrics instrumentation of connection pools, request durations and rates, and other useful information.

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Metrics Integration for Apache HttpClient

Bundle-SymbolicName: io.dropwizard.metrics.httpclient

Bundle-Version: 4.0.2

Created-By: Apache Maven Bundle Plugin

Export-Package: com.codahale.metrics.httpclient;uses:="com.codahale.metrics,org.apache.http,org.apache.http.config,org.apache.http.conn,org.apache.http.conn.routing,org.apache.http.conn.socket,org.apache.http.impl.client,org.apache.http.impl.conn,org.apache.http.protocol";version="4.0.2"

Implementation-Title: Metrics Integration for Apache HttpClient

Implementation-URL: <http://metrics.dropwizard.io/metrics-httpclient>

Implementation-Vendor-Id:

io.dropwizard.metrics

Implementation-Version: 4.0.2

Import-Package: com.codahale.metrics;version="[4.0,5)",org.apache.http,org.apache.http.client,org.apache.http.client.methods,org.apache.http.client.utils,org.apache.http.config,org.apache.http.conn,org.apache.http.conn.routing,org.apache.http.conn.socket,org.apache.http.conn.ssl,org.apache.http.impl.client,org.apache.http.impl.conn,org.apache.http.pool,org.apache.http.protocol

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"

Tool: Bnd-3.3.0.201609221906

Found in path(s):

\* /opt/cola/permits/1343907431\_1655257384.7181604/0/metrics-httpclient-4-0-2-jar/META-INF/MANIFEST.MF

## 1.198 pact-jvm-consumer-java8\_2.12 3.5.25

## 1.198.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"

(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants

to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work

or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.199 pact-jvm-matchers\_2.12 3.5.25

### 1.199.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You"  
(or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical  
transformation or translation of a Source form, including but  
not limited to compiled object code, generated documentation,  
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution

of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental,

or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.200 throttling-appender 1.1.9

## 1.200.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<name>Apache License 2.0</name>
<url>http://www.apache.org/licenses/LICENSE-2.0.html</url>
```

Found in path(s):

```
* /opt/cola/permits/1343907294_1655245931.774105/0/logback-throttling-appender-1-1-9-jar/META-INF/maven/io.dropwizard.logback/logback-throttling-appender/pom.xml
```

# 1.201 pact-jvm-provider\_2.12 3.5.25

## 1.201.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"

(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental,

or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.202 dropwizard-jersey-support 2.0.29

## 1.202.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial  
revisions, annotations, elaborations, or other modifications  
represent, as a whole, an original work of authorship. For the purposes  
of this License, Derivative Works shall not include works that remain  
separable from, or merely link (or bind by name) to the interfaces of,  
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including  
the original version of the Work and any modifications or additions  
to that Work or Derivative Works thereof, that is intentionally  
submitted to Licensor for inclusion in the Work by the copyright owner  
or by an individual or Legal Entity authorized to submit on behalf of  
the copyright owner. For the purposes of this definition, "submitted"  
means any form of electronic, verbal, or written communication sent  
to the Licensor or its representatives, including but not limited to  
communication on electronic mailing lists, source code control systems,  
and issue tracking systems that are managed by, or on behalf of, the  
Licensor for the purpose of discussing and improving the Work, but  
excluding communication that is conspicuously marked or otherwise  
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity  
on behalf of whom a Contribution has been received by Licensor and  
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of  
this License, each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
copyright license to reproduce, prepare Derivative Works of,  
publicly display, publicly perform, sublicense, and distribute the  
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of  
this

License, each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
(except as stated in this section) patent license to make, have made,  
use, offer to sell, sell, import, and otherwise transfer the Work,  
where such license applies only to those patent claims licensable  
by such Contributor that are necessarily infringed by their  
Contribution(s) alone or by combination of their Contribution(s)  
with the Work to which such Contribution(s) was submitted. If You  
institute patent litigation against any entity (including a  
cross-claim or counterclaim in a lawsuit) alleging that the Work  
or a Contribution incorporated within the Work constitutes direct  
or contributory patent infringement, then any patent licenses  
granted to You under this License for that Work shall terminate  
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of  
the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.203 dropwizard-logging-support 2.0.29

### 1.203.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of  
the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.204 netty-transport-native-unix-common

### 4.1.78.Final

#### 1.204.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2022 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-  
2-jar/io/netty/channel/unix/IntegerUnixChannelOption.java  
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-  
2-jar/io/netty/channel/unix/RawUnixChannelOption.java  
*
```

```
/opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-  
2-jar/io/netty/channel/unix/GenericUnixChannelOption.java
```

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2021 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
*
```

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/SegmentedDatagramPacket.java  
\* /opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/DomainDatagramPacket.java  
\*

/opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/DomainDatagramSocketAddress.java  
\* /opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/DomainDatagramChannelConfig.java  
\* /opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/DomainDatagramChannel.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/netty\_unix\_filedescriptor.c  
\* /opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/DomainSocketChannel.java  
\*

/opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/netty\_unix\_errors.h  
\* /opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/DomainSocketReadMode.java  
\* /opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-

```
2-jar/netty_unix_socket.c
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-
2-jar/netty_unix_errors.c
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-
2-jar/io/netty/channel/unix/UnixChannel.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-
2-jar/io/netty/channel/unix/NativeInetAddress.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-
2-jar/io/netty/channel/unix/FileDescriptor.java
*
/opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-
2-jar/io/netty/channel/unix/Errors.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-
2-jar/netty_unix_socket.h
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-
2-jar/io/netty/channel/unix/DatagramSocketAddress.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-
2-jar/io/netty/channel/unix/ServerDomainSocketChannel.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-
2-jar/io/netty/channel/unix/Socket.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-
2-jar/netty_unix_filedescriptor.h
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-
2-jar/io/netty/channel/unix/DomainSocketAddress.java
*
/opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-
2-jar/io/netty/channel/unix/DomainSocketChannelConfig.java
No license file was found, but licenses were detected in source scan.
```

```
<!--
~ Copyright 2016 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-
2-jar/META-INF/maven/io.netty/netty-transport-native-unix-common/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/IovArray.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/UnixChannelOption.java
*
/opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/package-info.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/Unix.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-
```

2-jar/netty\_unix\_jni.h

\* /opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-

2-jar/io/netty/channel/unix/UnixChannelUtil.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-

2-jar/io/netty/channel/unix/SocketWritableByteChannel.java

\* /opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-

2-jar/io/netty/channel/unix/Limits.java

\*

/opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-

2-jar/io/netty/channel/unix/PeerCredentials.java

\* /opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-

2-jar/netty\_unix\_util.h

\* /opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-

2-jar/io/netty/channel/unix/ErrorsStaticallyReferencedJniMethods.java

\* /opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-

2-jar/netty\_unix\_limits.h

\* /opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-

2-jar/netty\_unix\_util.c

\* /opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-

2-jar/io/netty/channel/unix/LimitsStaticallyReferencedJniMethods.java

\* /opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-

2-jar/netty\_unix\_limits.c

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/netty\_unix.h  
\* /opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/netty\_unix.c

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/PreferredDirectByteBufferAllocator.java  
\* /opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/Buffer.java  
\*

/opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/netty\_unix\_buffer.h

\* /opt/cola/permits/1355678727\_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/netty\_unix\_buffer.c

# 1.205 netty/transport/classes/kqueue

## 4.1.78.Final

### 1.205.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2021 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1355678769_1656719353.582928/0/netty-transport-classes-kqueue-4-1-78-final-jar/META-INF/maven/io.netty/netty-transport-classes-kqueue/pom.xml
```

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Implementation-Title: Netty/Transport/Classes/KQueue

Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

Automatic-Module-Name: io.netty.transport.classes.kqueue

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>

Bundle-SymbolicName: io.netty.transport-classes-kqueue

Implementation-Version: 4.1.78.Final

Built-By: chris

Bnd-LastModified: 1655246951875

Bundle-ManifestVersion: 2

Implementation-Vendor-Id: io.netty

Bundle-DocURL: <https://netty.io/>

Bundle-Vendor: The Netty Project

Import-Package: io.netty.buffer;version="[4.1,5)",io.netty.channel,io.netty.channel.socket;version="[4.1,5)",io.netty.channel.unix;version="[4.1,5)",io.netty.util;version="[4.1,5)",io.netty.util.collection;version="[4.1,5)",io.netty.util.concurrent;version="[4.1,5)",io.netty.u

til.internal;version="[4.1,5)",io.netty.util.internal.logging;version  
="[4.1,5)",sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;vers  
ion="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2  
)";resolution:=optional  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"  
Tool: Bnd-2.4.1.201501161923  
Implementation-Vendor: The Netty Project  
Export-Package: io.netty.channel.kqueue;uses:="io.netty.buffer,io.nett  
y.channel,io.netty.channel.socket,io.netty.channel.unix,io.netty.util  
.concurrent";version="4.1.78"  
Bundle-Name: Netty/Transport/Classes/KQueue  
Bundle-Version: 4.1.78.Final  
Created-By: Apache Maven Bundle Plugin  
Build-Jdk: 1.8.0\_312  
Implementation-URL: <https://netty.io/netty-transport-classes-kqueue/>

Found in path(s):

\* /opt/cola/permits/1355678769\_1656719353.582928/0/netty-transport-classes-kqueue-4-1-78-final-jar/META-  
INF/MANIFEST.MF

# 1.206 ant-antlr 1.10.12

## 1.206.1 Available under license :

Apache Ant

Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

The <sync> task is based on code Copyright (c) 2002, Landmark  
Graphics Corp that has been kindly donated to the Apache Software  
Foundation.

/\*

\* Apache License  
\* Version 2.0, January 2004  
\* <http://www.apache.org/licenses/>

\*

\* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

\*

\* 1. Definitions.

\*

\* "License" shall mean the terms and conditions for use, reproduction,  
\* and distribution as defined by Sections 1 through 9 of this document.

\*

\* "Licensor" shall mean the copyright owner or entity authorized by  
\* the copyright owner that is granting the License.

\*

\* "Legal Entity" shall mean the union of the acting entity and all  
\* other entities that control, are controlled by, or are under common  
\* control with that entity. For the purposes of this definition,  
\* "control" means (i) the power, direct or indirect, to cause the  
\* direction or management of such entity, whether by contract or  
\* otherwise, or (ii) ownership of fifty percent (50%) or more of the  
\*

outstanding shares, or (iii) beneficial ownership of such entity.

\*  
\* "You" (or "Your") shall mean an individual or Legal Entity  
\* exercising permissions granted by this License.  
\*

\* "Source" form shall mean the preferred form for making modifications,  
\* including but not limited to software source code, documentation  
\* source, and configuration files.  
\*

\* "Object" form shall mean any form resulting from mechanical  
\* transformation or translation of a Source form, including but  
\* not limited to compiled object code, generated documentation,  
\* and conversions to other media types.  
\*

\* "Work" shall mean the work of authorship, whether in Source or  
\* Object form, made available under the License, as indicated by a  
\* copyright notice that is included in or attached to the work  
\* (an example is provided in the Appendix below).  
\*

\* "Derivative Works" shall mean any work, whether in Source or Object  
\*

form, that is based on (or derived from) the Work and for which the  
\* editorial revisions, annotations, elaborations, or other modifications  
\* represent, as a whole, an original work of authorship. For the purposes  
\* of this License, Derivative Works shall not include works that remain  
\* separable from, or merely link (or bind by name) to the interfaces of,  
\* the Work and Derivative Works thereof.  
\*

\* "Contribution" shall mean any work of authorship, including  
\* the original version of the Work and any modifications or additions  
\* to that Work or Derivative Works thereof, that is intentionally  
\* submitted to Licensor for inclusion in the Work by the copyright owner  
\* or by an individual or Legal Entity authorized to submit on behalf of  
\* the copyright owner. For the purposes of this definition, "submitted"  
\* means any form of electronic, verbal, or written communication sent  
\* to the Licensor or its representatives,

including but not limited to

\* communication on electronic mailing lists, source code control systems,  
\* and issue tracking systems that are managed by, or on behalf of, the  
\* Licensor for the purpose of discussing and improving the Work, but  
\* excluding communication that is conspicuously marked or otherwise

\* designated in writing by the copyright owner as "Not a Contribution."

\*

\* "Contributor" shall mean Licensor and any individual or Legal Entity  
\* on behalf of whom a Contribution has been received by Licensor and  
\* subsequently incorporated within the Work.

\*

\* 2. Grant of Copyright License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* copyright license to reproduce, prepare Derivative Works of,  
\* publicly display, publicly perform, sublicense, and distribute the

\*

Work and such Derivative Works in Source or Object form.

\*

\* 3. Grant of Patent License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* (except as stated in this section) patent license to make, have made,  
\* use, offer to sell, sell, import, and otherwise transfer the Work,  
\* where such license applies only to those patent claims licensable  
\* by such Contributor that are necessarily infringed by their  
\* Contribution(s) alone or by combination of their Contribution(s)  
\* with the Work to which such Contribution(s) was submitted. If You  
\* institute patent litigation against any entity (including a  
\* cross-claim or counterclaim in a lawsuit) alleging that the Work  
\* or a Contribution incorporated within the Work constitutes direct  
\* or contributory patent infringement, then any patent licenses  
\* granted to You under this License for that Work shall terminate  
\* as of the date such litigation is filed.

\*

\* 4. Redistribution. You may reproduce and distribute copies of the  
\* Work or Derivative Works thereof in any medium, with or without  
\* modifications, and in Source or Object form, provided that You  
\* meet the following conditions:

\*

\* (a) You must give any other recipients of the Work or  
\* Derivative Works a copy of this License; and

\*

\* (b) You must cause any modified files to carry prominent notices  
\* stating that You changed the files; and

\*

\* (c) You must retain, in the Source form of any Derivative Works  
\* that You distribute, all copyright, patent, trademark, and  
\* attribution notices from the Source form of the Work,  
\* excluding those notices that do not pertain to any part of  
\* the Derivative Works; and

\*

\* (d) If the Work includes a "NOTICE"

text file as part of its

\* distribution, then any Derivative Works that You distribute must  
\* include a readable copy of the attribution notices contained  
\* within such NOTICE file, excluding those notices that do not  
\* pertain to any part of the Derivative Works, in at least one  
\* of the following places: within a NOTICE text file distributed  
\* as part of the Derivative Works; within the Source form or  
\* documentation, if provided along with the Derivative Works; or,  
\* within a display generated by the Derivative Works, if and  
\* wherever such third-party notices normally appear. The contents  
\* of the NOTICE file are for informational purposes only and  
\* do not modify the License. You may add Your own attribution  
\* notices within Derivative Works that You distribute, alongside  
\* or as an addendum to the NOTICE text from the Work, provided  
\* that

such additional attribution notices cannot be construed

\* as modifying the License.

\*

\* You may add Your own copyright statement to Your modifications and  
\* may provide additional or different license terms and conditions  
\* for use, reproduction, or distribution of Your modifications, or  
\* for any such Derivative Works as a whole, provided Your use,  
\* reproduction, and distribution of the Work otherwise complies with  
\* the conditions stated in this License.

\*

\* 5. Submission of Contributions. Unless You explicitly state otherwise,  
\* any Contribution intentionally submitted for inclusion in the Work  
\* by You to the Licensor shall be under the terms and conditions of  
\* this License, without any additional terms or conditions.  
\* Notwithstanding the above, nothing herein shall supersede or modify  
\* the terms of any separate license agreement you may have executed  
\* with Licensor regarding such Contributions.

\*

\* 6. Trademarks. This License does not grant permission to use the trade  
\* names, trademarks, service marks, or product names of the Licensor,  
\* except as required for reasonable and customary use in describing the  
\* origin of the Work and reproducing the content of the NOTICE file.

\*

\* 7. Disclaimer of Warranty. Unless required by applicable law or  
\* agreed to in writing, Licensor provides the Work (and each  
\* Contributor provides its Contributions) on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
\* implied, including, without limitation, any warranties or conditions  
\* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A  
\* PARTICULAR PURPOSE. You are solely responsible for determining the  
\* appropriateness of using or redistributing the Work and assume any  
\* risks associated with Your exercise of permissions under this License.

\*

\* 8. Limitation of Liability.

In no event and under no legal theory,

- \* whether in tort (including negligence), contract, or otherwise,
- \* unless required by applicable law (such as deliberate and grossly
- \* negligent acts) or agreed to in writing, shall any Contributor be
- \* liable to You for damages, including any direct, indirect, special,
- \* incidental, or consequential damages of any character arising as a
- \* result of this License or out of the use or inability to use the
- \* Work (including but not limited to damages for loss of goodwill,
- \* work stoppage, computer failure or malfunction, or any and all
- \* other commercial damages or losses), even if such Contributor
- \* has been advised of the possibility of such damages.

- \* 9. Accepting Warranty or Additional Liability. While redistributing
- \* the Work or Derivative Works thereof, You may choose to offer,
- \* and charge a fee for, acceptance of support, warranty, indemnity,
- \* or other

liability obligations and/or rights consistent with this

- \* License. However, in accepting such obligations, You may act only
- \* on Your own behalf and on Your sole responsibility, not on behalf
- \* of any other Contributor, and only if You agree to indemnify,
- \* defend, and hold each Contributor harmless for any liability
- \* incurred by, or claims asserted against, such Contributor by reason
- \* of your accepting any such warranty or additional liability.

\* END OF TERMS AND CONDITIONS

\* APPENDIX: How to apply the Apache License to your work.

- \* To apply the Apache License to your work, attach the following
- \* boilerplate notice, with the fields enclosed by brackets "[ ]"
- \* replaced with your own identifying information. (Don't include
- \* the brackets!) The text should be enclosed in the appropriate
- \* comment syntax for the file format. We also recommend that a
- \* file or class name and description of purpose

be included on the

- \* same "printed page" as the copyright notice for easier
- \* identification within third-party archives.

\* Copyright [yyyy] [name of copyright owner]

- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at

\* <https://www.apache.org/licenses/LICENSE-2.0>

- \* Unless required by applicable law or agreed to in writing, software

- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

#### W3C SOFTWARE NOTICE AND LICENSE

<https://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders

under the following

license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission.

Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002.

This version

removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

This license came from: <http://www.megginson.com/SAX/copying.html>

However please note future versions of SAX may be covered

under <http://saxproject.org/?selected=pd>

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, [david@megginson.com](mailto:david@megginson.com)

2000-05-05

## 1.207 netty/transport/classes/epoll

### 4.1.78.Final

#### 1.207.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Implementation-Title: Netty/Transport/Classes/Epoll

Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

Automatic-Module-Name: io.netty.transport.classes.epoll

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>

Bundle-SymbolicName: io.netty.transport-classes-epoll

Implementation-Version: 4.1.78.Final

Built-By: root  
Bnd-LastModified: 1655245401253  
Bundle-ManifestVersion: 2  
Implementation-Vendor-Id: io.netty  
Bundle-DocURL: <https://netty.io/>  
Bundle-Vendor: The Netty Project  
Import-Package: io.netty.buffer;version="[4.1,5)",io.netty.channel,io.netty.channel.socket;version="[4.1,5)",io.netty.channel.unix;version="[4.1,5)",io.netty.util;version="[4.1,5)",io.netty.util.collection;version="[4.1,5)",io.netty.util.concurrent;version="[4.1,5)",io.netty.util.internal;version="[4.1,5)",io.netty.util.internal.logging;version="[4.1,5)",sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;version="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2)";resolution:=optional  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"  
Tool: Bnd-2.4.1.201501161923  
Implementation-Vendor: The Netty Project  
Export-Package: io.netty.channel.epoll;uses:="io.netty.buffer,io.netty.channel,io.netty.channel.socket,io.netty.channel.unix,io.netty.util,io.netty.util.concurrent";version="4.1.78"  
Bundle-Name: Netty/Transport/Classes/Epoll  
Bundle-Version: 4.1.78.Final  
Created-By: Apache Maven Bundle Plugin  
Build-Jdk: 1.8.0\_332  
Implementation-URL: <https://netty.io/netty-transport-classes-epoll/>

Found in path(s):

\* /opt/cola/permits/1355678763\_1656719393.3217473/0/netty-transport-classes-epoll-4-1-78-final-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2021 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

-->

Found in path(s):

\* /opt/cola/permits/1355678763\_1656719393.3217473/0/netty-transport-classes-epoll-4-1-78-final-jar/META-INF/maven/io.netty/netty-transport-classes-epoll/pom.xml

# 1.208 apache-groovy 3.0.11

## 1.208.1 Available under license :

This directory contains generated LICENSE files and snippets used to generate those files. See the assemble.gradle file (updateLicenses task) for details on how this is done. Snippets have predefined suffix values in their name to determine which files they go into. LICENSE (the one for source), LICENSE-DOC and LICENSE-JARJAR get snippets containing SRC, DOC and JARJAR respectively. LICENSE-BINZIP gets JARJAR and BINZIP snippets. In addition, LICENSE files are generated for these subprojects: groovy-docgenerator, groovy-groovydoc, groovy-groovysh, groovy-jsr223  
Apache Groovy  
Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)  
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)  
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

This product bundles the javax.servlet.jsp-api jar in binary form which is available under the CDDL 1.1 license and for which the following copyright notice applies  
Copyright (c) 1997-2013 Oracle and/or its affiliates. All rights reserved.

This product bundles the JUnit4 jar (junit.org)  
which is available under the terms of the Eclipse Public License v1.0

This product bundles several of the JUnit5 jars (junit.org)  
which are available under the terms of the Eclipse Public License v2.0

This product embeds the OpenBeans jar within its grooid jar artifacts  
OpenBeans includes/uses files from Apache  
Harmony and the following notice applies  
Copyright 2006, 2010 The Apache Software Foundation.  
Portions of Apache Harmony were originally developed by Intel Corporation and are licensed to the Apache Software Foundation under the "Software Grant and Corporate Contribution License Agreement" and for which the following copyright notices apply  
(C) Copyright 2005 Intel Corporation  
(C) Copyright 2005-2006 Intel Corporation  
(C) Copyright 2006 Intel Corporation

This product bundles the javax.servlet-api jar in binary form which is available under the CDDL 1.0 license and for which the following copyright notice applies  
Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.

This product bundles icons from the famfamfam.com silk icons set  
<http://www.famfamfam.com/lab/icons/silk/>  
Licensed under the Creative Commons Attribution Licence v2.5  
<http://creativecommons.org/licenses/by/2.5/>

This convenience zip embeds Groovy's src and doc zips.  
See also src/NOTICE and doc/NOTICE files for additional notice information.  
Copyright jQuery Foundation and other contributors, <https://jquery.org/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
ANTLR 4 License

[The "BSD 3-clause license"]  
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

---

### JSR223 License

The following classes within this product:

```
org.codehaus.groovy.jsr223.GroovyCompiledScript  
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory  
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl
```

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

XStream License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a "3-clause BSD" license. For details, see licenses/xstream-license.txt.  
NORMALIZE.CSS LICENSE

The following file is used with documentation:

`org/codehaus/groovy/tools/stylesheet.css`

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

////////////////////////////////////

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

////////////////////////////////////

= License

This work is licensed under the <http://www.apache.org/licenses/LICENSE-2.0>[Apache License, Version 2.0].  
JSR166y License (optionally used by the optional GPar dependency)

This product bundles the jsr166y jar (containing works from the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in the public domain. For details, see [licenses/jsr166y-license.txt](#).  
Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by

any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and

conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses,

damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF

LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor

under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

#### ANTLR 2 License

Antlr2 is released in the public domain.  
See licenses/antlr2-license.txt for details.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

---

#### ANTLR 2 License

Antlr2 is released in the public domain.  
See licenses/antlr2-license.txt for details.

---

#### ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.  
See licenses/antlr4-license.txt for details.

---

## ASM License

ASM uses a 3-clause BSD license. For details, see [licenses/asm-license.txt](#).

-----

## Hamcrest License (needed when using optional JUnit dependency)

This product bundles the Hamcrest jar, which is available under a BSD license. For details, see [licenses/hamcrest-license.txt](#).

-----

## JAXB License (for optional groovy-jaxb extensions)

This product bundles several JAXB related jars in binary form.

The "jaxax.activation" jar is available under the CDDL 1.0 license: [licenses/activation-license.txt](#)

The jaxb-api, jaxb-core and jaxb-impl jars use the CDDL 1.1 license: [licenses/jaxb-license.txt](#)

-----

## JLine2 License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a BSD License. For details, see [licenses/jline2-license.txt](#).

-----

## javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet.jsp-api jar in binary form which is available under the CDDL 1.1 license: [licenses/jsp-api-license.txt](#)

-----

## JSR166y License (optionally used by the optional GPar dependency)

This product bundles the jsr166y jar (containing works from the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in the public domain. For details, see [licenses/jsr166y-license.txt](#).

---

## JSR223 License

The following classes within this product:

```
org.codehaus.groovy.jsr223.GroovyCompiledScript
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl
```

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: [licenses/jsr223-license.txt](#)

---

## JUnit

Licenses (optional dependencies when using Groovy for testing)

This product bundles the JUnit 4 jar, which is available under the Eclipse Public License v1.0. For details, see [licenses/junit4-license.txt](#).

This product bundles several JUnit 5 jars, which are available under the Eclipse Public License v2.0. For details, see [licenses/junit5-license.txt](#).

---

## normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation. It is made available under a MIT License:  
[licenses/normalize-stylesheet-license.txt](#)

---

## javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet-api jar in binary form which is available under the CDDL 1.0 license:  
[licenses/servlet-api-license.txt](#)

---

## XStream

License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a

"3-clause BSD" license. For details, see licenses/xstream-license.txt.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

---

#### ANTLR 2 License

Antlr2 is released in the public domain.  
See licenses/antlr2-license.txt for details.

---

#### ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.  
See licenses/antlr4-license.txt for details.

---

#### ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.  
Apache Groovy  
Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product bundles icons from the famfamfam.com silk icons set  
<http://www.famfamfam.com/lab/icons/silk/>  
Licensed under the Creative Commons Attribution Licence v2.5

<http://creativecommons.org/licenses/by/2.5/>  
Apache Groovy  
Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)  
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)  
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.  
Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. Definitions

Contribution means:

- a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program; where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. Grant of Rights

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

## 3. Requirements

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must

also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

- i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
- ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
- iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and
- iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. Commercial Distribution

### Commercial

distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR

CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS

SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in

this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product embeds the OpenBeans jar within its grooid jar artifacts  
OpenBeans includes/uses files from Apache Harmony and the following notice applies  
Copyright 2006, 2010 The Apache Software Foundation.

Portions of Apache Harmony were originally developed by Intel Corporation and are licensed to the Apache Software Foundation under the "Software Grant and Corporate Contribution License Agreement" and for which the following copyright notices apply

(C) Copyright 2005 Intel Corporation

(C) Copyright 2005-2006 Intel Corporation

(C) Copyright 2006 Intel Corporation

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

#### 1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original

Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following: A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications; B. Any new file that contains any part of the Original Software or previous Modification; or C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

2.1. The Initial Developer Grant. Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce,

modify, display, perform,  
sublicense and distribute the Original Software (or portions thereof), with or  
without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original  
Software, to make, have made, use, practice, sell, and offer for sale, and/or  
otherwise dispose of the Original Software (or portions thereof);

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date  
Initial Developer first distributes or otherwise makes the Original Software  
available to a third party under the terms of this License;

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for  
code that You delete from the Original Software, or (2) for infringements  
caused by: (i) the modification of the Original Software, or (ii) the  
combination of the Original Software with other software or devices.

2.2. Contributor Grant. Conditioned upon Your compliance with Section 3.1 below  
and subject to

third party intellectual property claims, each Contributor  
hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)  
Licensable by Contributor to use, reproduce, modify, display, perform,  
sublicense and distribute the Modifications created by such Contributor (or  
portions thereof), either on an unmodified basis, with other Modifications, as  
Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of  
Modifications made by that Contributor either alone and/or in combination with  
its Contributor Version (or portions of such combination), to make, use, sell,  
offer for sale, have made, and/or otherwise dispose of: (1) Modifications made  
by that Contributor (or portions thereof); and (2) the combination of  
Modifications made by that Contributor with its Contributor Version (or  
portions of such combination).

(c) The licenses granted in Sections  
2.2(a) and 2.2(b) are effective on the  
date Contributor first distributes or otherwise makes the Modifications  
available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for  
any code that Contributor has deleted from the Contributor Version; (2) for  
infringements caused by: (i) third party modifications of Contributor Version,  
or (ii) the combination of Modifications made by that Contributor with other  
software (except as part of the Contributor Version) or other devices; or (3)  
under Patent Claims infringed by Covered Software in the absence of  
Modifications made by that Contributor.

### 3. Distribution Obligations.

3.1. Availability of Source Code. Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications. The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices. You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms. You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions. You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer

or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works. You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions. Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions. You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions. When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY. COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer)

directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY. UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS. The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software

(as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS. This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS. As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

For Covered Software in this distribution, this License shall be governed by the laws of the State of California (excluding conflict-of-law provisions).

Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)  
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)  
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

This product embeds the OpenBeans jar within its grooid jar artifacts  
OpenBeans includes/uses files from Apache Harmony and the following notice applies  
Copyright 2006, 2010 The Apache Software Foundation.

Portions of Apache Harmony were originally developed by Intel Corporation and are  
licensed to the Apache Software Foundation under the "Software Grant and Corporate  
Contribution License Agreement" and for which the following copyright notices apply

(C) Copyright 2005 Intel Corporation

(C) Copyright 2005-2006 Intel Corporation

(C) Copyright 2006 Intel Corporation

ASM License

ASM uses a 3-clause BSD license. For details, see [licenses/asm-license.txt](#).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership  
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

---

## NORMALIZE.CSS LICENSE

The following file is used with documentation:

[org/codehaus/groovy/tools/stylesheet.css](http://org/codehaus/groovy/tools/stylesheet.css)

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache Groovy  
Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
The MIT License

Copyright (C) 2012-2015 Dan Allen, Ryan Waldron and the AsciiDoctor Project

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Hamcrest License (needed when using optional JUnit dependency)

This product bundles the Hamcrest jar, which is available under a BSD license. For details, see licenses/hamcrest-license.txt.

JUnit Licenses (optional dependencies when using Groovy for testing)

This product bundles the JUnit 4 jar, which is available under the Eclipse Public License v1.0. For details, see licenses/junit4-license.txt.

This product bundles several JUnit 5 jars, which are available under the Eclipse Public License v2.0. For details, see licenses/junit5-license.txt.

NORMALIZE.CSS LICENSE

The following file is used with documentation:

`org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/stylesheet.css`

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

AsciiDoc License

This product uses the style.css from asciidoctor.org within documentation. The file is available under the MIT License.

For details, see licenses/asciidoc-style-license.txt.

Copyright (c) 2006, Sun Microsystems, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Sun Microsystems, Inc. nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet.jsp-api jar in binary form which is available under the CDDL 1.1 license:  
licenses/jsp-api-license.txt  
Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.

Apache Commons Lang

Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes software from the Spring Framework,  
under the Apache License 2.0 (see: `StringUtils.containsWhitespace()`)  
`javax.servlet.jsp-api` License (for groovy-servlet module)

This product bundles the `javax.servlet-api` jar in binary form  
which is available under the CDDL 1.0 license:  
`licenses/servlet-api-license.txt`  
ANTLR 2 License

We reserve no legal rights to the ANTLR--it is fully in the public domain. An individual or company may do  
whatever they wish with source code distributed with ANTLR or the code generated by ANTLR, including the  
incorporation of ANTLR, or its output, into commercial software.

We encourage users to develop software with ANTLR. However, we do ask that credit is given to us for  
developing ANTLR. By "credit", we mean that if you use ANTLR or incorporate any source code into one of your  
programs (commercial product, research project, or otherwise) that you acknowledge this fact somewhere in  
the documentation, research report, etc... If you like ANTLR and have developed a nice tool with the output,  
please mention that you developed it using ANTLR. In addition, we ask that the headers remain intact in our  
source code. As long as these guidelines are kept, we expect to continue enhancing this system and expect to  
make other tools available as they are completed.

In countries

where the Public Domain status of the work may not be valid, the author grants a copyright  
licence to the general public to deal in the work without restriction and permission to sublicense derivatives  
under the terms of any (OSI approved) Open Source licence.

The Python parser generator code under `antlr/actions/python/` is covered by the 3-clause BSD licence (this  
part is included in the binary JAR files); the run-time part under `lib/python/` is covered by the GNU GPL,  
version 3 or later (this part is not included in the binary JAR files). See [1] for the full details.

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=750643#80%22>

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a

Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License

from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

#### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising,

directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California

and the state courts of the State of California, with venue lying in Santa Clara County, California.

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

### 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software

or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and

offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3)

under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such

Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version

of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under

Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation"

as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation. It is made available under a MIT License:

licenses/normalize-stylesheet-license.txt

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----

#### AsciiDoc License

This product uses the style.css from asciidoctor.org within documentation. The file is available under the MIT License. For details, see licenses/asciidoc-style-license.txt.

-----

#### jQuery License

The following file is used within documentation:

src/spec/assets/css/jquery-2.1.1.min.js

This file is made available under the following MIT license:  
licenses/jquery-js-license.txt

-----

#### JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript  
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory  
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

-----

#### normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation.

It is made available under a MIT License:

licenses/normalize-stylesheet-license.txt

#### JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript  
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory  
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

#### COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

##### 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject

to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such

combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make

it

absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any

terms which differ from this License

are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

#### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the

termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY

RESULTING FROM SUCH

PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is

responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----  
NOTICE PURSUANT TO SECTION  
9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION  
LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)  
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)  
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

This product bundles the javax.servlet.jsp-api jar in binary form which is available under the CDDL 1.1 license and for which the following copyright notice applies  
Copyright (c) 1997-2013 Oracle and/or its affiliates. All rights reserved.

This product bundles the JUnit4 jar ([junit.org](http://junit.org))  
which is available under the terms of the Eclipse Public License v1.0

This product bundles several of the JUnit5 jars ([junit.org](http://junit.org))  
which are available under the terms of the Eclipse Public License v2.0

This product embeds the OpenBeans jar within its grooid jar artifacts  
OpenBeans includes/uses files from Apache  
Harmony and the following notice applies  
Copyright 2006, 2010 The Apache Software Foundation.  
Portions of Apache Harmony were originally developed by Intel Corporation and are licensed to the Apache Software Foundation under the "Software Grant and Corporate Contribution License Agreement" and for which the following copyright notices apply

(C) Copyright 2005 Intel Corporation  
(C) Copyright 2005-2006 Intel Corporation  
(C) Copyright 2006 Intel Corporation

This product bundles the javax.servlet-api jar in binary form which is available under the CDDL 1.0 license and for which the following copyright notice applies  
Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.

This product bundles icons from the famfamfam.com silk icons set  
<http://www.famfamfam.com/lab/icons/silk/>  
Licensed under the Creative Commons Attribution Licence v2.5  
<http://creativecommons.org/licenses/by/2.5/>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

---

#### ANTLR 2 License

Antlr2 is released in the public domain.  
See licenses/antlr2-license.txt for details.

---

#### ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.  
See licenses/antlr4-license.txt for details.

## ASM License

ASM uses a 3-clause BSD license. For details, see [licenses/asm-license.txt](#).

-----

## Hamcrest License (needed when using optional JUnit dependency)

This product bundles the Hamcrest jar, which is available under a BSD license. For details, see [licenses/hamcrest-license.txt](#).

-----

## JAXB License (for optional groovy-jaxb extensions)

This product bundles several JAXB related jars in binary form.

The "jaxb.activation" jar is available under the CDDL 1.0 license: [licenses/activation-license.txt](#)

The jaxb-api, jaxb-core and jaxb-impl jars use the CDDL 1.1 license: [licenses/jaxb-license.txt](#)

-----

## JLine2 License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a BSD License. For details, see [licenses/jline2-license.txt](#).

-----

## javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet.jsp-api jar in binary form which is available under the CDDL 1.1 license: [licenses/jsp-api-license.txt](#)

-----

## JSR166y License (optionally used by the optional GPar dependency)

This product bundles the jsr166y jar (containing works from the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in the public domain. For details, see [licenses/jsr166y-license.txt](#).

---

## JSR223 License

The following classes within this product:

```
org.codehaus.groovy.jsr223.GroovyCompiledScript
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl
```

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: [licenses/jsr223-license.txt](#)

---

## JUnit

Licenses (optional dependencies when using Groovy for testing)

This product bundles the JUnit 4 jar, which is available under the Eclipse Public License v1.0. For details, see [licenses/junit4-license.txt](#).

This product bundles several JUnit 5 jars, which are available under the Eclipse Public License v2.0. For details, see [licenses/junit5-license.txt](#).

---

## normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation. It is made available under a MIT License:  
[licenses/normalize-stylesheet-license.txt](#)

---

## javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet-api jar in binary form which is available under the CDDL 1.0 license:  
[licenses/servlet-api-license.txt](#)

---

## XStream

License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a

"3-clause BSD" license. For details, see licenses/xstream-license.txt.

-----  
This convenience zip embeds Groovy's src and doc zips.

See also src/LICENSE and doc/LICENSE files for additional license information.

Revised BSD license

This is a specific instance of the Open Source Initiative (OSI) BSD license template

<http://www.opensource.org/licenses/bsd-license.php>

Copyright 2004-2009 Brent Fulgham

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of "The Computer Language Benchmarks Game" nor the name of "The Computer Language Shootout Benchmarks" nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

JLine2 License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a BSD License. For details, see licenses/jline2-license.txt.

ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.

See licenses/antlr4-license.txt for details.

JAXB License (for optional groovy-jaxb extensions)

This product bundles several JAXB related jars in binary form.

The "javax.activation" jar is available under the CDDL 1.0 license:  
licenses/activation-license.txt

The jaxb-api, jaxb-core and jaxb-impl jars use the CDDL 1.1 license:  
licenses/jaxb-license.txt

BSD License

Copyright (c) 2000-2015 www.hamcrest.org  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of  
conditions and the following disclaimer. Redistributions in binary form must reproduce  
the above copyright notice, this list of conditions and the following disclaimer in  
the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse  
or promote products derived from this software without specific prior written  
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND  
ANY  
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED  
WARRANTIES  
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO  
EVENT  
SHALL THE COPYRIGHT OWNER  
OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,  
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
LIMITED  
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR  
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN  
ANY  
WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH  
DAMAGE.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The Java source files in `src/main/java/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/` are from <https://github.com/ben-manes/concurrentlinkedhashmap> and the following notice applies: Copyright 2010-2012 Google Inc. All Rights Reserved.

This product bundles icons from the famfamfam.com silk icons set  
<http://www.famfamfam.com/lab/icons/silk/>  
Licensed under the Creative Commons Attribution Licence v2.5  
<http://creativecommons.org/licenses/by/2.5/>  
ASM License

ASM: a very small and fast Java bytecode manipulation framework  
Copyright (c) 2000-2011 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-----

#### AsciiDoc License

This product uses the style.css from asciidoctor.org within  
documentation. The file is available under the MIT License.  
For details, see licenses/asciidoc-style-license.txt.

-----

#### JQuery License

The following file is used within documentation:

`src/spec/assets/css/jquery-2.1.1.min.js`

This file is made available under the following MIT license:  
licenses/jquery-js-license.txt

-----

#### normalize.css License

The  
stylesheet.css file (originally normalize.css) is used by the  
groovydoc and docgenerator components for groovy-jdk/gapi documentation.  
It is made available under a MIT License:  
licenses/normalize-stylesheet-license.txt  
Copyright (c) 2003-2006, Joe Walnes  
Copyright (c) 2006-2009, 2011 XStream Committers  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of

conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of XStream nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicator holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be

freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

## JQuery License

The following file is used within documentation:

`src/spec/assets/css/jquery-2.1.1.min.js`

This file is made available under the following MIT license:

`licenses/jquery-js-license.txt`

////////////////////////////////////

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

////////////////////////////////////

= Contributors

The Groovy team would like to thank the contributors of this documentation (in alphabetical order of last/surname):

- \* <https://github.com/mojavelinux>[Dan Allen]
- \* <https://github.com/and-dmitry>[Dmitry Andreychuk]
- \* <http://hamletdarcy.blogspot.fr/>[Hamlet D'Arcy]
- \* <https://github.com/anshbansal>[Aseem Bansal]
- \* <https://github.com/bura>[Andrey Bloshchetsov]
- \* <https://github.com/JBrownVisualSpection>[J Brown]
- \* <https://github.com/jeffbrown>[Jeff Scott Brown]
- \* <http://twitter.com/CedricChampeau>[Cdric Champeau]
- \* <https://github.com/tobia>[Tobia Conforto]
- \* <https://github.com/ddimitrov>[Dimitar Dimitrov]

- \* <http://twitter.com/werdnagreb>[Andrew Eisenberg]
- \* <https://github.com/erdi>[Marcin Erdmann]
- \* <https://github.com/christoph-frick>[Christoph Frick]
- \* <http://twitter.com/marioggar>[Mario Garca]
- \* <https://github.com/davidmichaelkarr>[David Michael Karr]
- \* [http://twitter.com/paulk\\_asert](http://twitter.com/paulk_asert)[Paul King]
- \* <http://twitter.com/glaforge>[Guillaume Laforge]
- \* <http://twitter.com/pledbrook>[Peter Ledbrook]
- \* <http://grantmcconnaughey.github.io/>[Grant McConnaughey]
- \* <https://github.com/eric-milles>[Eric Milles]
- \* <https://github.com/dnahodil>[David Nahodil]
- \* <https://github.com/jnorthr>[James Northrop]
- \* <https://github.com/marcpa00>[Marc Paquette]
- \* <https://github.com/michaelss>[Michael Schuenck]
- \* <https://github.com/PascalSchumacher>[Pascal Schumacher]
- \* <https://github.com/shils>[Shil Sinha]
- \* <https://github.com/stavytskyi>[Maksym Stavytskyi]
- \* <https://twitter.com/asteingr>[Andr Steingre]
- \* [https://twitter.com/daniel\\_sun](https://twitter.com/daniel_sun)[Daniel Sun]
- \* <https://github.com/EPadronU>[Edinson Padrn Urdaneta]
- \* <https://github.com/keeganwitt>[Keegan Witt]

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----

#### NORMALIZE.CSS LICENSE

The following file is used with documentation:

[org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/stylesheet.css](http://org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/stylesheet.css)

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2002-2012, the original author or authors.  
All rights reserved.

<http://www.opensource.org/licenses/bsd-license.php>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.209 netty-codec-redis 4.1.78.Final

### 1.209.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2016 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

\* /opt/cola/permits/1355678745\_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/META-INF/maven/io.netty/netty-codec-redis/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

\* "License"); you may not use this file except in compliance with the License. You may obtain a

\* copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1355678745\_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/InlineCommandRedisMessage.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

\* "License"); you may not use this file except in compliance with the License. You may obtain a

\* copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1355678745\_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/AbstractStringRedisMessage.java

\* /opt/cola/permits/1355678745\_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/RedisMessageType.java

```

*
/opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-
jar/io/netty/handler/codec/redis/RedisConstants.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-
jar/io/netty/handler/codec/redis/RedisDecoder.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-
jar/io/netty/handler/codec/redis/ArrayHeaderRedisMessage.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-
jar/io/netty/handler/codec/redis/package-info.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-
jar/io/netty/handler/codec/redis/RedisArrayAggregator.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-
jar/io/netty/handler/codec/redis/RedisBulkStringAggregator.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-
jar/io/netty/handler/codec/redis/RedisEncoder.java
*
/opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-
jar/io/netty/handler/codec/redis/RedisCodecUtil.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-
jar/io/netty/handler/codec/redis/FixedRedisMessagePool.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-
jar/io/netty/handler/codec/redis/RedisCodecException.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-
jar/io/netty/handler/codec/redis/BulkStringRedisContent.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-
jar/io/netty/handler/codec/redis/DefaultLastBulkStringRedisContent.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-
jar/io/netty/handler/codec/redis/ArrayRedisMessage.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-
jar/io/netty/handler/codec/redis/RedisMessage.java
*
/opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-
jar/io/netty/handler/codec/redis/BulkStringHeaderRedisMessage.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-
jar/io/netty/handler/codec/redis/RedisMessagePool.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-
jar/io/netty/handler/codec/redis/ErrorRedisMessage.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-
jar/io/netty/handler/codec/redis/IntegerRedisMessage.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-
jar/io/netty/handler/codec/redis/LastBulkStringRedisContent.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-
jar/io/netty/handler/codec/redis/SimpleStringRedisMessage.java
*
/opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-
jar/io/netty/handler/codec/redis/FullBulkStringRedisMessage.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-
jar/io/netty/handler/codec/redis/DefaultBulkStringRedisContent.java

```

# 1.210 netty/resolver/dns/classes/macos

## 4.1.78.Final

### 1.210.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2021 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1355678799_1656718628.6192284/0/netty-resolver-dns-classes-macos-4-1-78-final-sources-1-
jar/META-INF/maven/io.netty/netty-resolver-dns-classes-macos/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1355678799_1656718628.6192284/0/netty-resolver-dns-classes-macos-4-1-78-final-sources-1-
```

```
jar/io/netty/resolver/dns/macos/MacOSDnsServerAddressStreamProvider.java
* /opt/cola/permits/1355678799_1656718628.6192284/0/netty-resolver-dns-classes-macos-4-1-78-final-sources-1-
jar/io/netty/resolver/dns/macos/DnsResolver.java
*
/opt/cola/permits/1355678799_1656718628.6192284/0/netty-resolver-dns-classes-macos-4-1-78-final-sources-1-
jar/io/netty/resolver/dns/macos/package-info.java
```

# 1.211 netty-codec-smtp 4.1.78.Final

## 1.211.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/SmtpRequests.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/SmtpContent.java
*
/opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/SmtpRequest.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/SmtpRequestEncoder.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/LastSmtpContent.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/DefaultSmtpContent.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/SmtpResponseDecoder.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/DefaultLastSmtpContent.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
```

```
jar/io/netty/handler/codec/smtp/DefaultSmtpResponse.java
*
/opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/DefaultSmtpRequest.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/SmtpCommand.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/package-info.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/SmtpResponse.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/SmtpUtils.java
No license file was found, but licenses were detected in source scan.
```

```
<!--
~ Copyright 2016 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

```
Found in path(s):
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-jar/META-
INF/maven/io.netty.netty-codec-smtp/pom.xml
```

## 1.212 apache-groovy 3.0.11

### 1.212.1 Available under license :

This directory contains generated LICENSE files and snippets used to generate those files.

See the assemble.gradle file (updateLicenses task) for details on how this is done.

Snippets have predefined suffix values in their name to determine which files they go into.

LICENSE (the one for source), LICENSE-DOC and LICENSE-JARJAR

get snippets containing SRC, DOC and JARJAR respectively.

LICENSE-BINZIP gets JARJAR and BINZIP snippets.

In addition, LICENSE files are generated for these subprojects:

groovy-docgenerator, groovy-groovydoc, groovy-groovysh, groovy-jsr223

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)  
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)  
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

This product bundles the javax.servlet.jsp-api jar in binary  
form which is available under the CDDL 1.1 license  
and for which the following copyright notice applies  
Copyright (c) 1997-2013 Oracle and/or its affiliates. All rights reserved.

This product bundles the JUnit4 jar ([junit.org](http://junit.org))  
which is available under the terms of the Eclipse Public License v1.0

This product bundles several of the JUnit5 jars ([junit.org](http://junit.org))  
which are available under the terms of the Eclipse Public License v2.0

This product embeds the OpenBeans jar within its grooid jar artifacts  
OpenBeans includes/uses files from Apache  
Harmony and the following notice applies  
Copyright 2006, 2010 The Apache Software Foundation.  
Portions of Apache Harmony were originally developed by Intel Corporation and are  
licensed to the Apache Software Foundation under the "Software Grant and Corporate  
Contribution License Agreement" and for which the following copyright notices apply  
(C) Copyright 2005 Intel Corporation  
(C) Copyright 2005-2006 Intel Corporation  
(C) Copyright 2006 Intel Corporation

This product bundles the javax.servlet-api jar in binary  
form which is available under the CDDL 1.0 license  
and for which the following copyright notice applies  
Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.

This product bundles icons from the famfamfam.com silk icons set  
<http://www.famfamfam.com/lab/icons/silk/>  
Licensed under the Creative Commons Attribution Licence v2.5  
<http://creativecommons.org/licenses/by/2.5/>

This convenience zip embeds Groovy's src and doc zips.  
See also src/NOTICE and  
doc/NOTICE files for additional notice information.  
Copyright jQuery Foundation and other contributors, <https://jquery.org/>

Permission is hereby granted, free of charge, to any person obtaining

a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
ANTLR 4 License

[The "BSD 3-clause license"]

Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

---

#### JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript  
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory  
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: licenses/jsr223-license.txt  
XStream License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a "3-clause BSD" license. For details, see licenses/xstream-license.txt.  
NORMALIZE.CSS LICENSE

The following file is used with documentation:

org/codehaus/groovy/tools/stylesheet.css

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies

of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

////////////////////////////////////

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

////////////////////////////////////

= License

This work is licensed under the <http://www.apache.org/licenses/LICENSE-2.0>[Apache License, Version 2.0]. JSR166y License (optionally used by the optional GPars dependency)

This product bundles the jsr166y jar (containing works from the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in the public domain. For details, see <licenses/jsr166y-license.txt>.  
Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient

a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by

any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and

conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other

legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including

a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

ANTLR 2 License

Antlr2 is released in the public domain.  
See [licenses/antlr2-license.txt](#) for details.

Apache License

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----

#### ANTLR 2 License

Antlr2 is released in the public domain.  
See licenses/antlr2-license.txt for details.

-----

#### ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.  
See licenses/antlr4-license.txt for details.

-----

#### ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.

-----

Hamcrest License (needed when using optional  
JUnit dependency)

This product bundles the Hamcrest jar, which is available under a  
BSD license. For details, see licenses/hamcrest-license.txt.

-----

JAXB License (for optional groovy-jaxb extensions)

This product bundles several JAXB related jars in binary form.

The "javax.activation" jar is available under the CDDL 1.0 license:  
licenses/activation-license.txt

The jaxb-api, jaxb-core and jaxb-impl jars use the CDDL 1.1 license:  
licenses/jaxb-license.txt

-----  
JLine2 License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a  
BSD License. For details, see licenses/jline2-license.txt.

-----  
javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet.jsp-api jar in binary form  
which  
is available under the CDDL 1.1 license:  
licenses/jsp-api-license.txt

-----  
JSR166y License (optionally used by the optional GParas dependency)

This product bundles the jsr166y jar (containing works from  
the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in  
the public domain. For details, see licenses/jsr166y-license.txt.

-----  
JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript  
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory  
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in  
collaboration with the Groovy community. The reference implementation  
has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

## JUnit

Licenses (optional dependencies when using Groovy for testing)

This product bundles the JUnit 4 jar, which is available under the Eclipse Public License v1.0. For details, see [licenses/junit4-license.txt](#).

This product bundles several JUnit 5 jars, which are available under the Eclipse Public License v2.0. For details, see [licenses/junit5-license.txt](#).

---

## normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation. It is made available under a MIT License:  
[licenses/normalize-stylesheet-license.txt](#)

---

## javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet-api jar in binary form which is available under the CDDL 1.0 license:  
[licenses/servlet-api-license.txt](#)

---

## XStream

License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a "3-clause BSD" license. For details, see [licenses/xstream-license.txt](#).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

---

#### ANTLR 2 License

Antlr2 is released in the public domain.  
See licenses/antlr2-license.txt for details.

---

#### ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.  
See licenses/antlr4-license.txt for details.

---

#### ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.  
Apache Groovy  
Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product bundles icons from the famfamfam.com silk icons set  
<http://www.famfamfam.com/lab/icons/silk/>  
Licensed under the Creative Commons Attribution Licence v2.5  
<http://creativecommons.org/licenses/by/2.5/>  
Apache Groovy  
Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)  
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)  
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.  
Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. Definitions

Contribution means:

- a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program; where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. Grant of Rights

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby

grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. Requirements

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must

also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source

Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. Commercial Distribution

##### Commercial

distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR

DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

### Exhibit A - Form of Secondary Licenses Notice

This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Apache Groovy  
Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product embeds the OpenBeans jar within its grooid jar artifacts  
OpenBeans includes/uses files from Apache Harmony and the following notice applies  
Copyright 2006, 2010 The Apache Software Foundation.

Portions of Apache Harmony were originally developed by Intel Corporation and are  
licensed to the Apache Software Foundation under the "Software Grant and Corporate  
Contribution License Agreement" and for which the following copyright notices apply

(C) Copyright 2005 Intel Corporation

(C) Copyright 2005-2006 Intel Corporation

(C) Copyright 2006 Intel Corporation

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

## 1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to  
the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior  
Modifications used by a Contributor (if any), and the Modifications made by  
that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or  
(c) the combination of files containing Original Software with files containing  
Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original  
Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions  
thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having the right  
to grant, to the maximum extent  
possible, whether at the time of the initial grant or subsequently acquired,  
any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the  
following: A. Any file that results from an addition to, deletion from or  
modification of the contents of a file containing Original Software or previous

Modifications; B. Any new file that contains any part of the Original Software or previous Modification; or C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

2.1. The Initial Developer Grant. Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)

Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof);

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License;

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant. Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

3.1. Availability of Source Code. Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications. The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You

believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices. You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms. You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions. You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works. You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions. Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this

License.

4.2. Effect of New Versions. You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions. When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY. COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer)

directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the

Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY. UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS. The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS. This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions

conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS. As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

For Covered Software in this distribution, this License shall be governed by the laws of the State of California (excluding conflict-of-law provisions).

Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)  
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)  
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

This product embeds the OpenBeans jar within its grooid jar artifacts  
OpenBeans includes/uses files from Apache Harmony and the following notice applies  
Copyright 2006, 2010 The Apache Software Foundation.

Portions of Apache Harmony were originally developed by Intel Corporation and are licensed to the Apache Software Foundation under the "Software Grant and Corporate Contribution License Agreement" and for which the following copyright notices apply

(C) Copyright 2005 Intel Corporation  
(C) Copyright 2005-2006 Intel Corporation  
(C) Copyright 2006 Intel Corporation  
ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----

#### NORMALIZE.CSS LICENSE

The following file is used with documentation:

[org/codehaus/groovy/tools/stylesheet.css](http://org/codehaus/groovy/tools/stylesheet.css)

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
The MIT License

Copyright (C) 2012-2015 Dan Allen, Ryan Waldron and the AsciiDoctor Project

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Hamcrest License (needed when using optional JUnit dependency)

This product bundles the Hamcrest jar, which is available under a BSD license. For details, see `licenses/hamcrest-license.txt`.

JUnit Licenses (optional dependencies when using Groovy for testing)

This product bundles the JUnit 4 jar, which is available under the Eclipse Public License v1.0. For details, see `licenses/junit4-license.txt`.

This product bundles several JUnit 5 jars, which are available under the Eclipse Public License v2.0. For details, see `licenses/junit5-license.txt`.

NORMALIZE.CSS LICENSE

The following file is used with documentation:

`org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/stylesheet.css`

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

AsciiDoc License

This product uses the style.css from [asciidoctor.org](http://asciidoctor.org) within documentation. The file is available under the MIT License.

For details, see [licenses/asciidoc-style-license.txt](#).

Copyright (c) 2006, Sun Microsystems, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Sun Microsystems, Inc. nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO

EVENT SHALL THE  
COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY  
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER  
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE  
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH  
DAMAGE.

javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet.jsp-api jar in binary form  
which is available under the CDDL 1.1 license:

licenses/jsp-api-license.txt

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of  
this software and associated documentation files (the "Software"), to deal in  
the Software without restriction, including without limitation the rights to  
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies  
of the Software, and to permit persons to whom the Software is furnished to do  
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all  
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.

Apache Commons Lang

Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes software from the Spring Framework,  
under the Apache License 2.0 (see: `StringUtils.containsWhitespace()`)  
javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet-api jar in binary form  
which is available under the CDDL 1.0 license:

licenses/servlet-api-license.txt

## ANTLR 2 License

We reserve no legal rights to the ANTLR--it is fully in the public domain. An individual or company may do whatever they wish with source code distributed with ANTLR or the code generated by ANTLR, including the incorporation of ANTLR, or its output, into commercial software.

We encourage users to develop software with ANTLR. However, we do ask that credit is given to us for developing ANTLR. By "credit", we mean that if you use ANTLR or incorporate any source code into one of your programs (commercial product, research project, or otherwise) that you acknowledge this fact somewhere in the documentation, research report, etc... If you like ANTLR and have developed a nice tool with the output, please mention that you developed it using ANTLR. In addition, we ask that the headers remain intact in our source code. As long as these guidelines are kept, we expect to continue enhancing this system and expect to make other tools available as they are completed.

In countries

where the Public Domain status of the work may not be valid, the author grants a copyright licence to the general public to deal in the work without restriction and permission to sublicense derivatives under the terms of any (OSI approved) Open Source licence.

The Python parser generator code under antlr/actions/python/ is covered by the 3-clause BSD licence (this part is included in the binary JAR files); the run-time part under lib/python/ is covered by the GNU GPL, version 3 or later (this part is not included in the binary JAR files). See [1] for the full details.

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=750643#80%22>

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the

combination of the Original Software  
with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices

contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

#### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

### 4. Versions of the License.

#### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

#### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the

name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH

## LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California

and the state courts of the State of California, with venue lying in Santa Clara County, California.

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

#### 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or

contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable

by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such

Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or

Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or

license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within

the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation. It is made available under a MIT License:  
licenses/normalize-stylesheet-license.txt

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

---

#### Asciidoc License

This product uses the style.css from asciidoctor.org within documentation. The file is available under the MIT License. For details, see licenses/asciidoc-style-license.txt.

---

#### JQuery License

The following file is used within documentation:

src/spec/assets/css/jquery-2.1.1.min.js

This file is made available under the following MIT license:  
licenses/jquery-js-license.txt

---

#### JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript  
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory  
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

---

#### normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation. It is made available under a MIT License:  
licenses/normalize-stylesheet-license.txt

#### JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript  
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory  
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: licenses/jsr223-license.txt  
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

## 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on

the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License

if You: (a) rename the license and

remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60

day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights

clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of

Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----  
NOTICE PURSUANT TO SECTION  
9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION  
LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the

state courts of the State of California, with venue lying in Santa Clara County, California.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)  
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)  
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

This product bundles the javax.servlet.jsp-api jar in binary form which is available under the CDDL 1.1 license and for which the following copyright notice applies  
Copyright (c) 1997-2013 Oracle and/or its affiliates. All rights reserved.

This product bundles the JUnit4 jar ([junit.org](http://junit.org)) which is available under the terms of the Eclipse Public License v1.0

This product bundles several of the JUnit5 jars ([junit.org](http://junit.org)) which are available under the terms of the Eclipse Public License v2.0

This product embeds the OpenBeans jar within its grooid jar artifacts  
OpenBeans includes/uses files from Apache Harmony and the following notice applies  
Copyright 2006, 2010 The Apache Software Foundation.  
Portions of Apache Harmony were originally developed by Intel Corporation and are licensed to the Apache Software Foundation under the "Software Grant and Corporate Contribution License Agreement" and for which the following copyright notices apply  
(C) Copyright 2005 Intel Corporation  
(C) Copyright 2005-2006 Intel Corporation  
(C) Copyright 2006 Intel Corporation

This product bundles the javax.servlet-api jar in binary form which is available under the CDDL 1.0 license and for which the following copyright notice applies  
Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.

This product bundles icons from the famfamfam.com silk icons set  
<http://www.famfamfam.com/lab/icons/silk/>  
Licensed under the Creative Commons Attribution Licence v2.5  
<http://creativecommons.org/licenses/by/2.5/>

Apache License  
Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-----

#### ANTLR 2 License

Antlr2 is released in the public domain.  
See licenses/antlr2-license.txt for details.

-----

#### ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.  
See licenses/antlr4-license.txt for details.

-----

#### ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.

-----

Hamcrest License (needed when using optional  
JUnit dependency)

This product bundles the Hamcrest jar, which is available under a  
BSD license. For details, see licenses/hamcrest-license.txt.

-----

JAXB License (for optional groovy-jaxb extensions)

This product bundles several JAXB related jars in binary form.

The "javax.activation" jar is available under the CDDL 1.0 license:  
licenses/activation-license.txt

The jaxb-api, jaxb-core and jaxb-impl jars use the CDDL 1.1 license:  
licenses/jaxb-license.txt

-----  
JLine2 License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a  
BSD License. For details, see licenses/jline2-license.txt.

-----  
javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet.jsp-api jar in binary form  
which  
is available under the CDDL 1.1 license:  
licenses/jsp-api-license.txt

-----  
JSR166y License (optionally used by the optional GPars dependency)

This product bundles the jsr166y jar (containing works from  
the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in  
the public domain. For details, see licenses/jsr166y-license.txt.

-----  
JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript  
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory  
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in  
collaboration with the Groovy community. The reference implementation  
has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

## JUnit

Licenses (optional dependencies when using Groovy for testing)

This product bundles the JUnit 4 jar, which is available under the Eclipse Public License v1.0. For details, see licenses/junit4-license.txt.

This product bundles several JUnit 5 jars, which are available under the Eclipse Public License v2.0. For details, see licenses/junit5-license.txt.

---

## normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation. It is made available under a MIT License:  
licenses/normalize-stylesheet-license.txt

---

## javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet-api jar in binary form which is available under the CDDL 1.0 license:  
licenses/servlet-api-license.txt

---

## XStream

License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a "3-clause BSD" license. For details, see licenses/xstream-license.txt.

---

This convenience zip embeds Groovy's src and doc zips. See also src/LICENSE and doc/LICENSE files for additional license information.  
Revised BSD license

This is a specific instance of the Open Source Initiative (OSI) BSD license template  
<http://www.opensource.org/licenses/bsd-license.php>

Copyright 2004-2009 Brent Fulgham  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of "The Computer Language Benchmarks Game" nor the name of "The Computer Language Shootout Benchmarks" nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

JLine2 License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a BSD License. For details, see licenses/jline2-license.txt.

ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.

See licenses/antlr4-license.txt for details.

JAXB License (for optional groovy-jaxb extensions)

This product bundles several JAXB related jars in binary form.

The "javax.activation" jar is available under the CDDL 1.0 license:

licenses/activation-license.txt

The jaxb-api, jaxb-core and jaxb-impl jars use the CDDL 1.1 license:

licenses/jaxb-license.txt

BSD License

Copyright (c) 2000-2015 www.hamcrest.org

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The Java source files in `src/main/java/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/` are from <https://github.com/ben-manes/concurrentlinkedhashmap> and the following notice applies:  
Copyright 2010-2012 Google Inc. All Rights Reserved.

This product bundles icons from the famfamfam.com silk icons set  
<http://www.famfamfam.com/lab/icons/silk/>  
Licensed under the Creative Commons Attribution Licence v2.5  
<http://creativecommons.org/licenses/by/2.5/>  
ASM License

ASM: a very small and fast Java bytecode manipulation framework  
Copyright (c) 2000-2011 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions

are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----

## AsciiDoc License

This product uses the style.css from asciidoctor.org within documentation. The file is available under the MIT License. For details, see licenses/asciidoc-style-license.txt.

-----

## JQuery License

The following file is used within documentation:

src/spec/assets/css/jquery-2.1.1.min.js

This file is made available under the following MIT license:  
licenses/jquery-js-license.txt

-----

## normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation. It is made available under a MIT License:  
licenses/normalize-stylesheet-license.txt  
Copyright (c) 2003-2006, Joe Walnes  
Copyright (c) 2006-2009, 2011 XStream Committers  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of XStream nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT

SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED

TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY

WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicator holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity

of all present

and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

JQuery License

The following file is used within documentation:

src/spec/assets/css/jquery-2.1.1.min.js

This file is made available under the following MIT license:

licenses/jquery-js-license.txt

////////////////////////////////////

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

////////////////////////////////////

= Contributors

The Groovy team would like to thank the contributors of this documentation (in alphabetical order of last/surname):

- \* <https://github.com/mojavelinux>[Dan Allen]
- \* <https://github.com/and-dmitry>[Dmitry Andreychuk]
- \* <http://hamletdarcy.blogspot.fr/>[Hamlet D'Arcy]
- \* <https://github.com/anshbansal>[Aseem Bansal]
- \* <https://github.com/bura>[Andrey Bloschetsov]
- \* <https://github.com/JBrownVisualSpection>[J Brown]
- \* <https://github.com/jeffbrown>[Jeff Scott Brown]
- \* <http://twitter.com/CedricChampeau>[Cdric Champeau]
- \* <https://github.com/tobia>[Tobia Conforto]
- \* <https://github.com/ddimitrov>[Dimitar Dimitrov]
- \* <http://twitter.com/werdnagreb>[Andrew Eisenberg]
- \* <https://github.com/erdi>[Marcin Erdmann]
- \* <https://github.com/christoph-frick>[Christoph Frick]
- \* <http://twitter.com/marioggar>[Mario Garca]
- \* <https://github.com/davidmichaelkarr>[David Michael Karr]
- \* [http://twitter.com/paulk\\_asert](http://twitter.com/paulk_asert)[Paul King]
- \* <http://twitter.com/glaforge>[Guillaume Laforge]
- \* <http://twitter.com/pledbrook>[Peter Ledbrook]
- \* <http://grantmcconnaughey.github.io/>[Grant McConnaughey]
- \* <https://github.com/eric-milles>[Eric Milles]
- \* <https://github.com/dnahodil>[David Nahodil]
- \* <https://github.com/jnorthr>[James Northrop]
- \* <https://github.com/marcpa00>[Marc Paquette]

- \* <https://github.com/michaelss>[Michael Schuenck]
- \* <https://github.com/PascalSchumacher>[Pascal Schumacher]
- \* <https://github.com/shils>[Shil Sinha]
- \* <https://github.com/stavytskyi>[Maksym Stavytskyi]
- \* <https://twitter.com/asteingr>[Andr Steingre]
- \* [https://twitter.com/daniel\\_sun](https://twitter.com/daniel_sun)[Daniel Sun]
- \* <https://github.com/EPadronU>[Edinson Padrn Urdaneta]
- \* <https://github.com/keeganwitt>[Keegan Witt]

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----

## NORMALIZE.CSS LICENSE

The following file is used with documentation:

`org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/stylesheet.css`

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the

Software is furnished to do

so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2002-2012, the original author or authors.

All rights reserved.

<http://www.opensource.org/licenses/bsd-license.php>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.213 netty-project 4.1.78.Final

### 1.213.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The MIT License

Copyright (c) 2009 William Kinney

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2014 Cory Benfield

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/\*

\* Copyright (c) 2004-2006, 2008, 2009, 2011 Apple Inc. All rights reserved.

\*

\* @APPLE\_LICENSE\_HEADER\_START@

\*

\* This file contains Original Code and/or Modifications of Original Code

\* as defined in and that are subject to the Apple Public Source License

\* Version 2.0 (the 'License'). You may not use this file except in

\* compliance with the License. Please obtain a copy of the License at

\* <https://www.opensource.apple.com/apsl/> and read it before using this

\* file.

\*

\* The Original Code and all software distributed under the License are

\* distributed on an 'AS IS' basis, WITHOUT WARRANTY OF ANY KIND, EITHER

\* EXPRESS OR IMPLIED, AND APPLE HEREBY DISCLAIMS ALL SUCH WARRANTIES,

\* INCLUDING WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY,

\* FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT OR NON-INFRINGEMENT.

\* Please see the License for the specific language governing rights and

\* limitations under the License.

\*

\* @APPLE\_LICENSE\_HEADER\_END@

\*/

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever

copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

Copyright 2009-2010 Ning, Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright 2011, Google Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its

contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS

BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2010-2011 Matthew J. Francis and Contributors of the jbzip2 Project

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License

Copyright (c) 2012, 2014, 2015, 2016 Tatsuhiro Tsujikawa

Copyright (c) 2012, 2014, 2015, 2016 nghttp2 contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicator holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuate of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes

the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

The MIT License (MIT)

Copyright (c) 2000 - 2013 The Legion of the Bouncy Castle Inc.  
(<https://www.bouncycastle.org>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This copy of Aalto XML processor is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<https://www.apache.org/licenses/>

A copy is also included with both the the downloadable source code package and jar that contains class bytecodes, as file "ASL 2.0". In both cases, that file should be located next to this file: in source distribution the location should be "release-notes/asl"; and in jar "META-INF/"

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Protocol Buffers - Google's data interchange format

Copyright 2013 Google Inc. All rights reserved.

<https://developers.google.com/protocol-buffers/>

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above  
copyright notice, this list of conditions and the following disclaimer  
in the documentation and/or other materials provided with the  
distribution.

- \* Neither the name of Google Inc. nor the names of its  
contributors may be used to endorse or promote products derived from  
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT  
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY  
AND FITNESS FOR  
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT  
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE  
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner  
of the input file used when generating it. This code is not  
standalone and requires a support library to be linked with it. This

support library is itself covered by the above license.  
(BSD License: <https://www.opensource.org/licenses/bsd-license>)

Copyright (c) 2011, Joe Walnes, Aslak Hellesy and contributors  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Webbit nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The Netty Project  
=====

Please visit the Netty web site for more information:

\* <https://netty.io/>

Copyright 2014 The Netty Project

The Netty Project licenses this file to you under the Apache License, version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at:

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Also, please refer to each LICENSE.<component>.txt file, which is located in the 'license' directory of the distribution file, for the license terms of the components that this product depends on.

-----  
This

product contains the extensions to Java Collections Framework which has been derived from the works by JSR-166 EG, Doug Lea, and Jason T. Greene:

\* LICENSE:

\* license/LICENSE.jsr166y.txt (Public Domain)

\* HOMEPAGE:

\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/>

\* <http://viewvc.jboss.org/cgi-bin/viewvc.cgi/jboss/cache/experimental/jsr166/>

This product contains a modified version of Robert Harder's Public Domain Base64 Encoder and Decoder, which can be obtained at:

\* LICENSE:

\* license/LICENSE.base64.txt (Public Domain)

\* HOMEPAGE:

\* <http://iharder.sourceforge.net/current/java/base64/>

This product contains a modified portion of 'Webbit', an event based WebSocket and HTTP server, which can be obtained at:

\* LICENSE:

\* license/LICENSE.webbit.txt (BSD License)

\* HOMEPAGE:

\* <https://github.com/joewalnes/webbit>

This product contains a modified portion of 'SLF4J', a simple logging facade for Java, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.slf4j.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://www.slf4j.org/>

This product contains a modified portion of 'Apache Harmony', an open source Java SE, which can be obtained at:

- \* NOTICE:
  - \* license/NOTICE.harmony.txt
- \* LICENSE:
  - \* license/LICENSE.harmony.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://archive.apache.org/dist/harmony/>

This product contains a modified portion of 'jzip2', a Java bzip2 compression and decompression library written by Matthew J. Francis. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jzip2.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://code.google.com/p/jzip2/>

This product contains a modified portion of 'libdivsufsort', a C API library to construct the suffix array and the Burrows-Wheeler transformed string for any input string of a constant-size alphabet written by Yuta Mori. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.libdivsufsort.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://github.com/y-256/libdivsufsort>

This product contains a modified portion of Nitsan Wakart's 'JCTools', Java Concurrency Tools for the JVM, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jctools.txt (ASL2 License)
- \* HOMEPAGE:
  - \* <https://github.com/JCTools/JCTools>

This product optionally depends on 'JZlib', a re-implementation of zlib in pure Java, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jzlib.txt (BSD style License)
- \* HOMEPAGE:
  - \* <http://www.jcraft.com/jzlib/>

This product optionally depends on 'Compress-LZF', a Java library for encoding and decoding data in LZF format, written by Tatu Saloranta. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.compress-lzf.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/ning/compress>

This product optionally depends on 'lz4', a LZ4 Java compression and decompression library written by Adrien Grand. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.lz4.txt  
(Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/jpountz/lz4-java>

This product optionally depends on 'lzma-java', a LZMA Java compression and decompression library, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.lzma-java.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/jponge/lzma-java>

This product optionally depends on 'zstd-jni', a zstd-jni Java compression and decompression library, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.zstd-jni.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/luben/zstd-jni>

This product contains a modified portion of 'jfastlz', a Java port of FastLZ compression and decompression library written by William Kinney. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jfastlz.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://code.google.com/p/jfastlz/>

This product contains a modified portion of and optionally depends on 'Protocol Buffers', Google's data interchange format, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.protobuf.txt (New BSD License)

\* HOMEPAGE:

\* <https://github.com/google/protobuf>

This product optionally depends on 'Bouncy Castle Crypto APIs' to generate a temporary self-signed X.509 certificate when the JVM does not provide the equivalent functionality. It can be obtained at:

\* LICENSE:

\* [license/LICENSE.bouncycastle.txt](#) (MIT License)

\* HOMEPAGE:

\* <https://www.bouncycastle.org/>

This product optionally depends on 'Snappy', a compression library produced by Google Inc, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.snappy.txt](#) (New BSD License)

\* HOMEPAGE:

\* <https://github.com/google/snappy>

This product optionally depends on 'JBoss Marshalling', an alternative Java serialization API, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.jboss-marshalling.txt](#) (Apache License 2.0)

\* HOMEPAGE:

\* <https://github.com/jboss-remoting/jboss-marshalling>

This product optionally depends on 'Caliper', Google's micro-benchmarking framework, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.caliper.txt](#) (Apache License 2.0)

\* HOMEPAGE:

\* <https://github.com/google/caliper>

This product optionally depends on 'Apache Commons Logging', a logging framework, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.commons-logging.txt](#) (Apache License 2.0)

\* HOMEPAGE:

\* <https://commons.apache.org/logging/>

This product optionally depends on 'Apache Log4J', a logging framework, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.log4j.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://logging.apache.org/log4j/>

This product optionally depends on 'Aalto XML', an ultra-high performance non-blocking XML processor, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.aalto-xml.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://wiki.fasterxml.com/AaltoHome>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Twitter. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.hpack.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/twitter/hpack>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Cory Benfield. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.hyper-hpack.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://github.com/python-hyper/hpack/>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Tatsuhiro Tsujikawa. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.nghttp2-hpack.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://github.com/nghttp2/nghttp2/>

This product contains a modified portion of 'Apache Commons Lang', a Java library provides utilities for the java.lang API, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.commons-lang.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://commons.apache.org/proper/commons-lang/>

This product contains the Maven wrapper scripts from 'Maven Wrapper', that provides an easy way to ensure a user has everything necessary to run the Maven build.

\* LICENSE:

\* license/LICENSE.mvn-wrapper.txt (Apache License 2.0)

\* HOMEPAGE:

\* <https://github.com/takari/maven-wrapper>

This product contains the dnsinfo.h header file, that provides a way to retrieve the system DNS configuration on MacOS.

This private header is also used by Apple's open source mDNSResponder (<https://opensource.apple.com/tarballs/mDNSResponder/>).

\* LICENSE:

\* license/LICENSE.dnsinfo.txt (Apple Public Source License 2.0)

\* HOMEPAGE:

\* <https://www.opensource.apple.com/source/configd/configd-453.19/dnsinfo/dnsinfo.h>

This product optionally depends on 'Brotli4j', Brotli compression and decompression for Java., which can be obtained at:

\* LICENSE:

\* license/LICENSE.brotli4j.txt (Apache License 2.0)

\* HOMEPAGE:

\* <https://github.com/hyperxpro/Brotli4j>

Copyright (c) 2003-2008 Yuta Mori All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/\*

\* Copyright (c) 2004-2007 QOS.ch

\* All rights reserved.

/\*

\* Permission is hereby granted, free of charge, to any person obtaining

\* a copy of this software and associated documentation files (the

\* "Software"), to deal in the Software without restriction, including

\* without limitation the rights to use, copy, modify, merge, publish,

\* distribute, sublicense, and/or sell copies of the Software, and to

\* permit persons to whom the Software is furnished to do so, subject to

\* the following conditions:

/\*

\* The above copyright notice and this permission notice shall be

\* included in all copies or substantial portions of the Software.

/\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

\* LIABLE FOR ANY

CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*/

Apache Harmony

Copyright 2006, 2010 The Apache Software Foundation.

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Copyright (c) 2000,2001,2002,2003,2004 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,  
this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in  
the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products  
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,  
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT,

INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE  
BE LIABLE FOR ANY DIRECT, INDIRECT,  
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA,  
OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,  
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.214 javaparser-core 3.24.2

## 1.215 javabeans-activation-framework-api

### 1.2.2

#### 1.215.1 Available under license :

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

- Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its  
contributors may be used to endorse or promote products derived  
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,  
THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR  
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING

NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

[subs="normal"]

....

Specification: {doctitle}

Version: {revnumber}

ifeval::["{revremark}" != ""]

Status: {revremark}

endif::[]

ifeval::["{revremark}" == ""]

Status: Final Release

endif::[]

Release: {revdate}

....

Copyright (c) 2019 Eclipse Foundation.

=== Eclipse Foundation Specification License

By using and/or copying this document, or the Eclipse Foundation document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the Eclipse Foundation document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

- \* link or URL to the original Eclipse Foundation document.
- \* All existing copyright notices, or if one does not exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright (c) [\$date-of-document] Eclipse Foundation, Inc. <<url to this license>>"

Inclusion of the full text of this NOTICE must be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of Eclipse Foundation documents is granted pursuant to this license, except anyone may

prepare and distribute derivative works and portions of this document in software that implements the specification, in supporting materials accompanying such software, and in documentation of such software, PROVIDED that all such works include the notice below. HOWEVER, the publication of derivative works of this document for use as a technical specification is expressly prohibited.

The notice is:

"Copyright (c) 2018 Eclipse Foundation.

This software or document includes material copied from or derived from [title and URI of the Eclipse Foundation specification document]."

==== Disclaimers

THIS DOCUMENT IS PROVIDED "AS IS," AND THE COPYRIGHT HOLDERS AND THE ECLIPSE FOUNDATION MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

THE COPYRIGHT HOLDERS AND THE ECLIPSE FOUNDATION WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of the copyright holders or the Eclipse Foundation may NOT be used in advertising or publicity pertaining to this

document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

# Notices for Jakarta Activation

This content is produced and maintained by Jakarta Activation project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jaf>

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0, which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jaf>

## ## Third-party Content

This project leverages the following third party content.

JUnit (4.12)

\* License: Eclipse Public License

# 1.216 javabeans-activation-framework-api

## 1.2.0

### 1.216.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

#### 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first

makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

## 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor

Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any

descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

#### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT

LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute

or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language.

(Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this

License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and

can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative  
or  
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under  
the terms of Sections 1 and 2 above on a medium  
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major

components (compiler, kernel, and so on) of the operating system on which the executable runs,  
unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works.

These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from

distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be

guided by the  
two goals of preserving the free status of all derivatives of our free  
software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version
69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#

Certain source files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special

exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

You should also note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and

others. For example, the package includes programs licensed under the Apache License, Version 2.0. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result. Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included

in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

#### CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under

terms of your choice, provided that you also meet,  
for each linked  
independent module, the terms and conditions of the license of that  
module. An independent module is a module which is not derived from or  
based on this library. If you modify this library, you may extend this  
exception to your version of the library, but you are not obligated to  
do so. If you do not wish to do so, delete this exception statement  
from your version.

# 1.217 jetty-java-based-http-1-x-http-2-servlet- websocket-server 9.4.48.v20220622

## 1.217.1 Available under license :

This program and the accompanying materials are made available under the  
terms of the Eclipse Public License 2.0 which is available at  
<http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License  
2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC  
LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM  
CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation  
distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are  
distributed by that particular Contributor. A Contribution 'originates'  
from a Contributor if it was added to the Program by such  
Contributor  
itself or anyone acting on such Contributor's behalf. Contributions do not  
include additions to the Program which: (i) are separate modules of  
software distributed in conjunction with the Program under their own  
license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program

in object code form under  
its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property

infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable

law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited

to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS  
OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and  
limitations under the License.

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

#### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However,

you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION,

## WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of

.commercial computer software. (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any

program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its

contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under

the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY

COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits

your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but

you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

Apache Tomcat

Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache Standard Taglib Implementation  
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of

Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

#### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

#### 4. Versions of the License.

##### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

##### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

##### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if

the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for

compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show

them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

How to Apply These  
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a

pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular

source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright 2007 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, California 95054, U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to technology embodied in the product that is described in this document. In particular, and without limitation, these intellectual property rights may include one or more of the U.S. patents listed at <http://www.sun.com/patents> and one or more additional patents or pending patent applications in the U.S. and in other countries.

Unpublished - rights reserved under the Copyright Laws of the United States.

U.S. Government Rights - Commercial software. Government users are subject to the Sun Microsystems, Inc. standard license agreement and applicable provisions of the FAR and its supplements.

Use is subject to license terms.

This distribution may include materials developed by third parties.

Parts of the product may be derived from Berkeley BSD systems, licensed from the University of California. UNIX is a registered trademark in the U.S. and in other countries, exclusively licensed through X/Open Company, Ltd.

Sun, Sun Microsystems, the Sun logo, Java, Jini, Netra, Solaris, Sun Ray, Sun Java System Application Server, Java API for XML-based RPC, Java APIs for XML Web Services, Java Architecture for XML Binding, Java Authorization Contract for Containers, Java EE, Java Message Queue, Java Persistence API, Java Servlet, JavaMail, Enterprise JavaBeans, JavaServer Pages, JavaServer Faces, JDBC and Java API for XML Registries are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries.

This product is covered and controlled by U.S. Export Control laws and may be subject to the export or import laws in other countries. Nuclear, missile, chemical biological weapons or nuclear maritime end uses or end users, whether direct or indirect, are strictly prohibited. Export or reexport to countries subject to U.S. embargo or to entities identified on U.S.

export exclusion lists, including, but not limited to, the denied persons and specially designated nationals lists is strictly prohibited.

Copyright 2007 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, California 95054, Etats-Unis. Tous droits réservés.

Sun Microsystems, Inc. détient les droits de propriété intellectuelle relatifs à la technologie incorporée dans le produit qui est décrit dans ce document. En particulier, et ce sans limitation, ces droits de propriété intellectuelle peuvent inclure un ou plus des brevets américains à l'adresse <http://www.sun.com/patents> et un ou les brevets supplémentaires ou les applications de brevet en attente aux Etats - Unis et dans les autres pays.

Non publié - droits réservés selon la législation des Etats-Unis sur le droit d'auteur.

L'utilisation est soumise aux termes de la Licence.

Cette distribution peut comprendre des composants développés par des tierces parties.

Des parties de ce produit pourront être dérivées des systèmes Berkeley BSD

licenciés par l'Université de Californie. UNIX est une marque déposée aux Etats-Unis et dans d'autres pays et licenciée exclusivement par X/Open Company, Ltd.

Sun, Sun Microsystems, le logo Sun, Java, Jini, Netra, Solaris, Sun Ray, Sun Java System Application Server, Java API for XML-based RPC, Java APIs for XML Web Services, Java Architecture for XML Binding, Java Authorization Contract for Containers, Java EE, Java Message Queue, Java Persistence API, Java Servlet, JavaMail, Enterprise JavaBeans, JavaServer Pages, JavaServer Faces, JDBC et Java API for XML Registries sont des marques de fabrique ou des marques déposées de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays.

Ce produit est soumis à la législation américaine en matière de contrôle des exportations et peut être soumis à la réglementation en vigueur dans d'autres pays dans le domaine des exportations et importations. Les utilisations, ou utilisateurs finaux, pour des armes nucléaires, des missiles, des armes biologiques et chimiques ou du nucléaire maritime, directement ou indirectement, sont strictement interdites. Les exportations ou réexportations vers les pays sous embargo américain, ou vers des entités figurant sur les listes d'exclusion d'exportation américaines, y compris, mais de manière non exhaustive, la liste de personnes qui font objet d'un ordre de ne pas participer, d'une façon directe ou indirecte, aux exportations des produits ou des services qui sont régis par la législation

américaine en matière de contrôle des exportations et la liste de ressortissants spécifiquement désignés, sont rigoureusement interdites.

Apache Standard Taglib Specification API  
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

## 1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce,

modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b)

are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose

any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New

#### Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

#### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR)

ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the

Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

#### 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The GlassFish code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Java Authentication SPI for Containers  
Copyright 2003-2009 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

=====  
Jetty Web Container  
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd  
unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License  
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License  
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----  
Eclipse

The following artifacts are EPL.  
\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.  
\* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javafx.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* javax.servlet:javax.servlet-api

\* javax.annotation:javax.annotation-api

\* javax.transaction:javax.transaction-api

\* javax.websocket:javax.websocket-api

-----

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

\* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

-----

## MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp  
org.apache.tomcat:tomcat-jasper  
org.apache.tomcat:tomcat-juli  
org.apache.tomcat:tomcat-jsp-api  
org.apache.tomcat:tomcat-el-api  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-api  
org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----

## Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

## Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

DO NOT TRANSLATE OR LOCALIZE.

%% The following software may be included in this product: Java Pack200-ant-task  
Use of any of this software is governed by the terms of the license below:

SUN PUBLIC LICENSE Version 1.0

## 1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof and corresponding documentation released with the source code.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

B. Any new file that contains any part of the Original Code

or  
previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated documentation, interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. Source Code License.

### 2.1 The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

## 2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants

You a world-wide, royalty-free, non-exclusive license

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor

Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

#### 3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

#### 3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

#### 3.4. Intellectual Property Matters.

(a) Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source

Code distribution titled

"LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

(b) Contributor APIs.

If Contributor's Modifications include an application programming interface ("API") and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

(c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

### 3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is

offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

## 4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be

sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

## 6. Versions of the License.

### 6.1. New Versions.

Sun

Microsystems, Inc. ("Sun") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

### 6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Sun. No one other than Sun has the right to modify the terms applicable to Covered Code created under this License.

### 6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must: (a) rename Your license so that the phrases "Sun," "Sun Public License," or "SPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Sun Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

## 7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE

IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or

indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

#### 9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

#### 11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if

any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

## 12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## 13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as "Multiple-Licensed". "Multiple-Licensed" means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

Exhibit A -Sun Public License Notice.

The contents of this file are subject to the Sun Public License Version 1.0 (the "License"); you may not use this file except in compliance with the License. A copy of the License is available at <http://www.sun.com/>

The Original Code is \_\_\_\_\_. The Initial Developer of the Original Code is \_\_\_\_\_. Portions created by \_\_\_\_\_ are Copyright (C)\_\_\_\_\_. All Rights Reserved.

Contributor(s): \_\_\_\_\_.

Alternatively, the contents of this file may be used under the terms of the \_\_\_\_\_ license (the "[\_\_\_\_] License"), in which case the

provisions of [\_\_\_\_\_] License are applicable instead of those above.  
If you wish to allow use of your version of this file only under the  
terms of the [\_\_\_\_\_] License and  
not to allow others to use your  
version of this file under the SPL, indicate your decision by deleting  
the provisions above and replace them with the notice and other  
provisions required by the [\_\_\_\_\_] License. If you do not delete the  
provisions above, a recipient may use your version of this file under  
either the SPL or the [\_\_\_\_\_] License."

[NOTE: The text of this Exhibit A may differ slightly from the text of  
the notices in the Source Code files of the Original Code. You should  
use the text of this Exhibit A rather than the text found in the  
Original Code Source Code for Your Modifications.]

%% The following software may be included in this product: Java DB (Derby)  
Use of any of this software is governed by the terms of the license below:

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms  
and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

#### 5. Submission of Contributions.

Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,

either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure

or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

%% The following software may be included in this product: Base64  
Use of any of this software is governed by the terms of the license below:

Apache License  
Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction

or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names,

trademarks, service marks, or product names of the Licensor,  
except as required for reasonable and customary use in describing the  
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or  
agreed to in writing, Licensor provides the Work (and each  
Contributor provides its Contributions) on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
implied, including, without limitation, any warranties or conditions  
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A  
PARTICULAR PURPOSE. You are solely responsible for determining the  
appropriateness of using or redistributing the Work and assume any  
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,  
whether in tort (including negligence), contract, or otherwise,  
unless  
required by applicable law (such as deliberate and grossly  
negligent acts) or agreed to in writing, shall any Contributor be  
liable to You for damages, including any direct, indirect, special,  
incidental, or consequential damages of any character arising as a  
result of this License or out of the use or inability to use the  
Work (including but not limited to damages for loss of goodwill,  
work stoppage, computer failure or malfunction, or any and all  
other commercial damages or losses), even if such Contributor  
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing  
the Work or Derivative Works thereof, You may choose to offer,  
and charge a fee for, acceptance of support, warranty, indemnity,  
or other liability obligations and/or rights consistent with this  
License. However, in accepting such obligations, You may act only  
on Your own behalf and  
on Your sole responsibility, not on behalf  
of any other Contributor, and only if You agree to indemnify,  
defend, and hold each Contributor harmless for any liability  
incurred by, or claims asserted against, such Contributor by reason  
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following  
boilerplate notice, with the fields enclosed by brackets "[ ]"  
replaced with your own identifying information. (Don't include  
the brackets!) The text should be enclosed in the appropriate  
comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under

the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

%% The following software may be included in this product: JSTL 1.1.0-D13  
Use of any of this software is governed by the terms of the license below:

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims

licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within

a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any

Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation,

any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages  
or losses), even if such Contributor  
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

%% The following software may be included in this product: BCEL 5.1. Use of any of this software is governed by the terms of the license below:

The Apache Software License, Version 1.1

\*  
\* Copyright (c) 2001 The Apache Software Foundation. All rights  
\* reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\*  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.  
\*  
\* 3. The end-user documentation included with the redistribution,  
\* if any, must include the following acknowledgment:  
\* "This product includes software developed by the  
\* Apache Software Foundation (<http://www.apache.org/>)."  
\* Alternately, this acknowledgment may appear in the software itself,  
\* if and wherever such third-party acknowledgments normally appear.  
\*  
\* 4. The names "Apache" and "Apache Software Foundation" and  
\* "Apache BCEL" must not be used to endorse or promote products  
\* derived from this software without prior written permission. For  
\* written permission, please contact [apache@apache.org](mailto:apache@apache.org).  
\*  
\* 5. Products derived from this software may not be called "Apache",  
\* "Apache BCEL", nor may "Apache" appear in their name, without  
\* prior written permission of the Apache Software Foundation.  
\*  
\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
\* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
\* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
\* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
\* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.  
\* =====  
\*

\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation. For more  
\* information on the Apache Software Foundation, please see  
\* <<http://www.apache.org/>>.  
\*/

%% The following software may be included in this product: REGEXP 1.2. Use of any of this software is governed by the terms of the license below:

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of

discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the

following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided

Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in

writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this

License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty  
or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed  
under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

%% The following software may be included in this product: sfx4j. Use of any of this software is governed by the terms of the license below:

Copyright (c) 2003, Kohsuke Kawaguchi  
All rights reserved.

Redistribution and use in source and binary forms,  
with or without modification, are permitted provided  
that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

%% The following software may be included in this product: Stax API. Use of any of this software is governed by the terms of the license below:

Streaming API for XML (JSR-173) Specification  
Reference Implementation  
License Agreement

READ THE TERMS OF THIS (THE "AGREEMENT") CAREFULLY BEFORE VIEWING OR USING THE SOFTWARE LICENSED HEREUNDER. BY VIEWING OR USING THE SOFTWARE, YOU AGREE TO THE TERMS OF THIS AGREEMENT. IF YOU ARE ACCESSING THE SOFTWARE ELECTRONICALLY, INDICATE YOUR ACCEPTANCE OF THESE TERMS BY SELECTING THE "ACCEPT" BUTTON AT THE END OF THIS AGREEMENT. IF YOU DO NOT AGREE TO ALL THESE TERMS, PROMPTLY RETURN THE UNUSED SOFTWARE TO ORIGINAL CONTRIBUTOR, DEFINED HEREIN.

## 1.0 DEFINITIONS.

1.1. "BEA" means BEA Systems, Inc., the licensor of the Original Code.

1.2. "Contributor" means BEA and each entity that creates or contributes to the creation of Modifications.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof and

corresponding documentation released with the source code.

1.4. "Executable" means Covered Code in any form other than Source Code.

1.5. "FCS" means first commercial shipment of a product.

1.6. "Modifications"

means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

(a) Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

(b) Any new file that contains any part of the Original Code or previous Modifications.

1.7. "Original Code" means Source Code of computer software code Reference Implementation.

1.8. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent for which the grantor has the right to grant a license.

1.9. "Reference Implementation" means the prototype or "proof of concept" implementation of the Specification developed and made available for license by or on behalf of BEA.

1.10. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated documentation, interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice.

1.11. "Specification" means the written specification for the Streaming API for XML, Java technology developed pursuant to the Java Community Process.

1.12. "Technology Compatibility Kit" or "TCK" means the documentation, testing

tools and test suites associated with the Specification as may be revised by BEA from time to time, that is provided so that an implementer of the Specification may determine if its implementation is compliant with the Specification.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this Agreement or a future version of this Agreement issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2.0 SOURCE CODE LICENSE.

2.1. Copyright Grant. Subject to the terms of this Agreement, each Contributor hereby grants You a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Covered Code of such Contributor, if any, and such derivative works, in Source Code and Executable form.

2.2. Patent Grant. Subject to the terms of this Agreement, each Contributor hereby grants You a non-exclusive, worldwide, royalty-free patent license under the Patent Claims to make, use, sell, offer to sell, import and otherwise transfer the Covered Code prepared and provided by such Contributor, if any, in Source Code and Executable form. This patent license shall apply to the Covered Code if, at the time a Modification is added by the Contributor, such addition of the Modification causes such combination to be covered by the Patent Claims. The patent license shall not apply to any other combinations which include the Modification.

2.3. Conditions to Grants. You understand that although each Contributor grants the licenses to the Covered Code prepared by it, no assurances are provided by any Contributor that the Covered Code does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to You for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, You hereby assume sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow You to distribute Covered Code, it is Your responsibility to acquire that license before distributing such code.

2.4. Contributors' Representation. Each Contributor represents that to its knowledge it has sufficient copyright rights in the Covered Code it provides, if any, to grant the copyright license set forth in this Agreement.

### 3.0 DISTRIBUTION RESTRICTIONS.

#### 3.1. Application of Agreement.

The Modifications which You create or to which You contribute are governed by the terms of this Agreement, including without limitation Section 2.0. The Source Code version of Covered Code may be distributed only under the terms of this Agreement or a future version of this Agreement released under Section 6.1, and You must include a copy of this Agreement with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this Agreement or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.3.

#### 3.2. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by BEA and including the name of BEA in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

%% The following software may be included in this product: RelaxNGCC. Use of any of this software is governed by the terms of the license below:

Copyright (c) 2000-2003 Daisuke Okajima and Kohsuke Kawaguchi.  
All rights reserved.

#### Redistribution

and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by Daisuke Okajima and Kohsuke Kawaguchi (<http://relaxngcc.sf.net/>)."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names of the copyright holders must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact the copyright holders.
5. Products derived from this software may not be called "RELAXNGCC", nor may "RELAXNGCC" appear in their name, without prior written permission of the copyright holders.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED

WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

%% The following software may be included in

this product: RelaxNG Object Model/Parser. Use of any of this software is governed by the terms of the license below:

The MIT License

Copyright (c)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

%% The following software may be included in this product: ASM. Use of any of this software is governed by the terms of the license below:

Copyright (c) 2000-2005 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

%% The following software may be included in this product: zlib. Use of any of this software is governed by the terms of the license below:

License

```
/* zlib.h -- interface
of the 'zlib' general purpose compression library
version 1.2.1, November 17th, 2003
```

Copyright (C) 1995-2003 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly jloup@gzip.org  
Mark Adler madler@alumni.caltech.edu

\*/

Copyright 2004 by the Open Source Initiative  
Technical questions about the website go to Steve M.: webmaster at  
opensource.org / Policy questions about open source go to the Board of Directors.

The contents of this website are licensed under the Open Software License 2.0 or  
Academic Free License 2.0

OSI is a registered non-profit with 501(c)(3) status. Contact our Board for  
further donation information.

%% The following software may be included in this product: Sun Multi-Schema Validator v. relaxngDatatype.jar .  
Use of any of this software is governed by the terms of the license below:

Copyright (c) 2001, Thai Open Source Software Center Ltd, Sun Microsystems.  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

Redistributions of source code must retain the above copyright  
notice, this  
list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in  
the documentation and/or other materials provided with the  
distribution.

Neither the names of the copyright holders nor the names of its  
contributors may be used to endorse or promote products derived  
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT  
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR  
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR  
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED

AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

%% The following software may be included in this product: XML Security: XML Dsig & XML Encryption. Use of any of this software is governed by the terms of the license below:

The Apache Software License, v2.0

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

%% The following software may be included in this product: Tomcat. Use of any of this software is governed by the terms of the license below:

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places:

within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor

provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out

of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

%% The following software may be included in this product: ANT. Use of any of this software is governed by the terms of the license below:

\*

\* =====

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated

with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance

of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

%% Portions of this product were developed using ANTLR. ANTLR 1989-2000 developed by jGuru.com, <http://www.ANTLR.org> and <http://www.jGuru.com>.

ANTLR 1989-2000 Developed by jGuru.com (MageLang Institute), <http://www.ANTLR.org> and <http://www.jGuru.com>

We reserve no legal rights to the ANTLR--it is fully in the public domain. An individual or company may do whatever they wish with source code distributed with ANTLR or the code generated by ANTLR, including the incorporation of ANTLR, or its output, into commercial software.

We encourage users to develop software with ANTLR. However, we do ask that credit is given to us for developing

ANTLR. By "credit", we mean that if you use ANTLR or incorporate any source code into one of your programs (commercial product, research project, or otherwise) that you acknowledge this fact somewhere in the documentation, research report, etc... If you like ANTLR and have developed a nice tool with the output, please mention that you developed it using ANTLR. In addition, we ask that the headers remain intact in our source code. As long as these guidelines are kept, we expect to continue enhancing this system and expect to make other tools available as they are completed.

%% The following software may be included in this product: schema2beans, dbschema from the Netbeans Project, <http://www.netbeans.org>. Use of any of this software is governed by the terms of the license below:

#### SUN PUBLIC LICENSE Version 1.0

##### 1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof and corresponding documentation released with the source code.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

B. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated documentation, interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to

cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. Source Code License.

### 2.1 The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).
- (c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.
- (d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by:
  - i) the modification of the Original Code or
  - ii) the combination of the Original Code with other software or devices.

### 2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants

You a world-wide, royalty-free, non-exclusive license

- (a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using, or selling of

Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

#### 3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six

(6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

### 3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

### 3.4. Intellectual Property Matters.

#### (a) Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

#### (b) Contributor APIs.

If Contributor's Modifications include an application programming interface ("API") and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

#### (c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has

sufficient rights to grant the rights conveyed by this License.

### 3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product.

In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

### 4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

### 5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

### 6. Versions of the License.

#### 6.1.

##### New Versions.

Sun Microsystems, Inc. ("Sun") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

#### 6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Sun. No one other than Sun has the right to modify the terms applicable to Covered Code created under this License.

#### 6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code

governed by this License), You must: (a) rename Your license so that the phrases "Sun," "Sun Public License," or "SPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Sun Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

## 7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such

Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

## 9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation,"

as such terms are

used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

## 11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa

Clara County,

California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

## 12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## 13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as "Multiple-Licensed". "Multiple-Licensed" means that the Initial Developer permits you to utilize portions of the Covered Code under

Your choice of the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

Exhibit A -Sun Public License Notice.

The contents of this file are subject to the Sun Public License Version 1.0 (the "License"); you may not use this file except in compliance with the License. A copy of the License is available at <http://www.sun.com/>

The Original Code is \_\_\_\_\_. The Initial Developer of the Original Code is \_\_\_\_\_. Portions created by \_\_\_\_\_ are Copyright (C)\_\_\_\_\_. All Rights Reserved.

Contributor(s): \_\_\_\_\_.

Alternatively, the contents of this file may be used under the terms of the \_\_\_\_\_ license (the "[\_\_\_\_\_] License?"), in which case the provisions of [\_\_\_\_\_] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the [\_\_\_\_\_] License and not to allow others to use your version of this file under the SPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [\_\_\_\_\_] License. If you do not delete the provisions above, a recipient may use your version of this file under either the SPL or the [\_\_\_\_\_] License."

[NOTE: The text of this Exhibit A may differ slightly from the text of the notices in the Source Code files of the Original Code. You should use the text of this Exhibit A rather than the text found in the Original Code Source Code for Your Modifications.]

@@ JAXB

%% The following software may be included in this product: iso-relax.jar v2002/07/07. Use of any of this software is governed by the terms of the license below:

The MIT License

Copyright (c)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software

without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A

PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

%% The following software may be included in this product: relaxNGDatatype.jar. Use of any of this software is governed by the terms of the license below:

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

%%

The following software may be included in this product: Resolver. Use of any of this software is governed by the terms of the license below:

xml-commons/LICENSE.txt \$Id: 3RD-PARTY-LICENSE.txt,v 1.1 2008/08/12 04:07:34 david\_williams Exp \$  
See README.txt for additional licensing information.

/\* =====

- \* The Apache Software License, Version 1.1
- \*
- \* Copyright (c) 2001-2002 The Apache Software Foundation. All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \*
- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \*
- \* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

\* "This product includes software developed by the  
\* Apache Software Foundation (<http://www.apache.org/>)."  
\* Alternately, this acknowledgment may appear in the software itself,  
\* if and wherever such third-party acknowledgments normally appear.

\*  
\* 4. The names "Apache" and "Apache Software Foundation" must  
\* not be used to endorse or promote products derived from this  
\* software without prior written permission. For written  
\* permission, please contact [apache@apache.org](mailto:apache@apache.org).

\*  
\* 5. Products derived from this software may not be called "Apache",  
\* nor may "Apache" appear in their name, without prior written  
\* permission of the Apache Software Foundation.

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
\* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
\* OF  
\* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
\* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
\* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
\* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation. For more  
\* information on the Apache Software Foundation, please see  
\* <http://www.apache.org/>.

% The following software may be included in this product: Jakarta Commons.

Use of any of this software is governed by the terms of the license below:

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not

limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,  
excluding those notices that do not pertain to any part of  
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its  
distribution, then any Derivative Works that You distribute must  
include a readable  
copy of the attribution notices contained  
within such NOTICE file, excluding those notices that do not  
pertain to any part of the Derivative Works, in at least one  
of the following places: within a NOTICE text file distributed  
as part of the Derivative Works; within the Source form or  
documentation, if provided along with the Derivative Works; or,  
within a display generated by the Derivative Works, if and  
wherever such third-party notices normally appear. The contents  
of the NOTICE file are for informational purposes only and  
do not modify the License. You may add Your own attribution  
notices within Derivative Works that You distribute, alongside  
or as an addendum to the NOTICE text from the Work, provided  
that such additional attribution notices cannot be construed  
as modifying the License.

You may add Your own copyright statement to Your modifications  
and  
may provide additional or different license terms and conditions  
for use, reproduction, or distribution of Your modifications, or  
for any such Derivative Works as a whole, provided Your use,  
reproduction, and distribution of the Work otherwise complies with  
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,  
any Contribution intentionally submitted for inclusion in the Work  
by You to the Licensor shall be under the terms and conditions of  
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify  
the terms of any separate license agreement you may have executed  
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade  
names, trademarks, service marks, or product names of the Licensor,  
except as required for reasonable  
and customary use in describing the  
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or  
agreed to in writing, Licensor provides the Work (and each  
Contributor provides its Contributions) on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance

with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

%% The following software may be included in this product: Apache XML Security. Use of any of this software is governed by the terms of the license below:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: Redistribution of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistribution in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. All advertising materials mentioning features or use of this software must display the following acknowledgment: This product includes software developed by the Java Apache Project for use in the Apache JServ servlet engine project (<http://java.apache.org/>).

The names "Apache JServ", "Apache JServ Servlet Engine" and "Java Apache Project" must not be used to endorse or promote products derived from this software without prior written permission. Products derived from this software may not be called "Apache JServ" nor may "Apache" nor "Apache JServ" appear in their names without prior written permission of the Java Apache Project. Redistribution of any form whatsoever must retain the following acknowledgment: This product includes software developed by the Java Apache Project for use in the Apache JServ servlet engine project (<http://java.apache.org/>).

THIS SOFTWARE IS PROVIDED BY THE JAVA APACHE PROJECT "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE JAVA APACHE PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

@@ XML Web Services Security

%% The following software may be included in this product: Apache XML Security. Use of any of this software is governed by the terms of the license below:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: Redistribution of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistribution in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. All advertising materials mentioning features or use of this software must display the following acknowledgment: This product includes software developed by the Java Apache Project for use in the Apache JServ servlet engine

project (<http://java.apache.org/>).

The names "Apache JServ", "Apache JServ Servlet Engine" and "Java Apache Project" must not be used to endorse or promote products derived from this software without prior written permission. Products derived from this software may not be called "Apache JServ" nor may "Apache" nor "Apache JServ" appear in their names without prior written permission of the Java Apache Project. Redistribution of any form

whatsoever must retain the following acknowledgment: This product includes software developed by the Java Apache Project for use in the Apache JServ servlet engine project (<http://java.apache.org/>).

THIS SOFTWARE IS PROVIDED BY THE JAVA APACHE PROJECT "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE JAVA APACHE PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

%% The following software may be included in this

product: Apache Commons Logging, Apache Commons Digester, Apache Commons Bean Utils, Apache Commons Collections.. Use of any of this software is governed by the terms of the license below:

/\*

\* =====

\*

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 2001-2003 The Apache Software Foundation. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*

\* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgement:

\* "This product includes software developed by the

\* Apache Software Foundation (<http://www.apache.org/>)."

\* Alternately, this acknowledgement may appear in the software itself,

\* if and wherever such third-party acknowledgements normally appear.

\*

\* 4. The names "Apache", "The Jakarta Project", "Commons", and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.

\*

\* 5. Products derived from this software may not be called "Apache" nor may "Apache" appear in their name without prior written permission of the Apache Software Foundation.

\*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

\* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\*

\* This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see <<http://www.apache.org/>>.

\*

\*/

\*Woodstock 4.0

%% The following software may be included in this product: Dojo

Use of any of this software is

governed by the terms of the license below:

This Academic Free License (the "License") applies to any original work of authorship (the "Original Work") whose owner (the "Licensor") has placed the following notice immediately following the copyright notice for the Original Work:

Licensed under the Academic Free License version 2.1

1) Grant of Copyright License. Licensor hereby grants You a world-wide, royalty-free, non-exclusive, perpetual, sublicenseable license to do the following:

- \* to reproduce the Original Work in copies;
- \* to prepare derivative works ("Derivative Works") based upon the Original Work;
- \* to distribute copies of the Original Work and Derivative Works to the public;
- \* to perform the Original Work publicly; and
- \* to display the Original Work publicly.

2) Grant of Patent License. Licensor hereby grants You a world-wide, royalty-free, non-exclusive, perpetual, sublicenseable license, under patent claims owned or controlled by the Licensor that are embodied in the Original Work as furnished by the Licensor, to make, use, sell and offer for sale the Original Work and Derivative Works.

3) Grant of Source Code License. The term "Source Code" means the preferred form of the Original Work for making modifications to it and all available documentation describing how to modify the Original Work. Licensor hereby agrees to provide a machine-readable copy of the Source Code of the Original Work along with each copy of the Original Work that Licensor distributes. Licensor reserves the right to satisfy this obligation by placing a machine-readable copy of the Source Code in an information repository reasonably calculated to permit inexpensive and convenient access by You for as long as Licensor continues to distribute the Original Work, and by publishing the address of that information repository in a notice immediately following the copyright notice that applies to the Original Work.

4) Exclusions From License Grant. Neither the names of Licensor, nor the names of any contributors to the Original Work, nor any of their trademarks or service marks, may be used to endorse or promote products derived from this Original Work without express prior written permission of the Licensor. Nothing in this License shall be deemed to grant any rights to trademarks, copyrights, patents, trade secrets or any other intellectual property of Licensor except as expressly stated herein. No patent license is granted to make, use, sell or offer to sell embodiments of any patent claims other than the licensed claims defined in Section 2. No right is granted to the trademarks of Licensor even if such marks are included in the Original Work. Nothing in this License shall be interpreted to prohibit Licensor from licensing under different terms from this License any Original Work that Licensor otherwise would have a right to license.

5) This section intentionally omitted.

6) Attribution Rights. You must retain, in the Source Code of any Derivative Works that You create, all copyright, patent or trademark notices from the Source Code of the Original Work, as well as any notices of licensing and any descriptive text identified therein as an "Attribution Notice." You must cause the Source Code for any Derivative Works that You create to carry a prominent Attribution Notice reasonably calculated to inform recipients that You have

modified the Original Work.

7) Warranty of Provenance and Disclaimer of Warranty. Licensor warrants that the copyright in and to the Original Work and the patent rights granted herein by Licensor are owned by the Licensor or are sublicensed to You under the terms of this License with the permission of the contributor(s) of those copyrights and patent rights. Except as expressly stated in the immediately preceding sentence, the Original Work is provided under this License on an "AS IS" BASIS and WITHOUT WARRANTY, either express or implied, including, without limitation, the warranties of NON-INFRINGEMENT,

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY OF THE ORIGINAL WORK IS WITH YOU. This DISCLAIMER OF WARRANTY constitutes an essential part of this License. No license to Original Work is granted hereunder except under this disclaimer.

8) Limitation of Liability. Under no circumstances and under no legal theory, whether in tort (including negligence), contract, or otherwise, shall the Licensor be liable to any person for any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or the use of the Original Work including, without limitation, damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses. This limitation of liability shall not apply to liability for death or personal injury resulting from Licensor's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow

the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

9) Acceptance and Termination. If You distribute copies of the Original Work or a Derivative Work, You must make a reasonable effort under the circumstances to obtain the express assent of recipients to the terms of this License. Nothing else but this License (or another written agreement between Licensor and You) grants You permission to create Derivative Works based upon the Original Work or to exercise any of the rights granted in Section 1 herein, and any attempt to do so except under the terms of this License (or another written agreement between Licensor and You) is expressly prohibited by U.S. copyright law, the equivalent laws of other countries, and by international treaty. Therefore, by exercising any of the rights granted to You in Section 1 herein, You indicate Your acceptance of this License and all of its terms and conditions.

10) Termination for

Patent Action. This License shall terminate automatically and You may no longer exercise any of the rights granted to You by this License as of the date You commence an action, including a cross-claim or counterclaim, against Licensor or any licensee alleging that the Original Work infringes a patent. This termination provision shall not apply for an action alleging patent infringement by combinations of the Original Work with other software or hardware.

11) Jurisdiction, Venue and Governing Law. Any action or suit relating to this License may be brought only in the courts of a jurisdiction wherein the Licensor resides or in which Licensor conducts its primary business, and under the laws of that jurisdiction excluding its conflict-of-law provisions. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any use of the Original Work outside the scope of this License or after its termination shall be subject to the requirements and penalties of the U.S. Copyright Act, 17 U.S.C. 101 et seq., the equivalent laws of other countries, and international treaty. This section shall survive the termination of this License.

12) Attorneys Fees. In any action to enforce the terms of this License or seeking damages relating thereto, the prevailing party shall be entitled to recover its costs and expenses, including, without limitation, reasonable attorneys' fees and costs incurred in connection with such action, including any appeal of such action. This section shall survive the termination of this License.

13) Miscellaneous. This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable.

14) Definition of "You" in This License. "You" throughout this License, whether in upper or lower case, means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with you. For purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

15) Right to Use. You may use the Original Work in all ways not otherwise restricted or conditioned by this License or by law, and Licensor promises not to interfere with or be responsible for such uses by You.

This license is Copyright (C) 2003-2004 Lawrence E. Rosen. All rights reserved. Permission is hereby granted to copy and distribute this license without modification. This license may not be modified without the express written permission of its copyright owner.

Previous Approved Versions: AFL 2.0, AFL 1.2, AFL  
1.1  
Plain Text Version

Copyright ? 2005 by the Open Source Initiative

Technical questions about the website go to Steve M.: webmaster at  
opensource.org / Policy questions about open source go to the Board of Directors.

The contents of this website are licensed under the Open Software License 2.1 or  
Academic Free License 2.1

OSI is a registered non-profit with 501(c)(3) status. Donating to OSI is one way  
to show your support.

%% The following software may be included in this product: JSON  
Use of any of this software is governed by the terms of the license below:

Copyright (c) 2002 JSON.org

Permission is hereby granted, free of charge, to any person obtaining a copy of  
this software and associated documentation files (the "Software"), to deal in  
the Software without restriction, including without limitation the rights to  
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of  
the Software, and to permit persons to whom the Software is furnished to do so,  
subject  
to the following conditions:

The above copyright notice and this permission notice shall be included in all  
copies or substantial portions of the Software.

The Software shall be used for Good, not Evil.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS  
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR  
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER  
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN  
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

%% The following software may be included in this product: Shale, Velocity  
Use of any of this software is governed by the terms of the license below:

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean  
the terms and conditions for use, reproduction, and  
distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

1. You must give any other recipients of the Work or Derivative Works a copy of this License; and

2. You must cause any modified files to carry prominent notices stating that You changed the files; and

3. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

4. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the

Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such

damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

%% The

following software may be included in this product: Prototype

Use of any of this software is governed by the terms of the license below:

Copyright (c) 2005-2007 Sam Stephenson

2

3 Permission is hereby granted, free of charge, to any person obtaining a copy

4 of this software and associated documentation files (the "Software"), to deal

5 in the Software without restriction, including without limitation the rights

6 to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

7 copies of the Software, and to permit persons to whom the Software is

8 furnished to do so, subject to the following conditions:

9

10 THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

11 IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

12 FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

13 AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

14 LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT

OR OTHERWISE, ARISING FROM,

15 OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

16 SOFTWARE.

\*Update Center 1.0

%% The following software may be included in this product: JDIC, Swing Layout extensions. Use of any of this software is governed by the terms of the license below:

#### GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies

of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and

passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library.

A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified

version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1.

You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- \* a) The modified work must itself be a software library.
- \* b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- \* c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- \* d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License

instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in

length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- \* a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

- \* b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

- \* c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

- \* d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

- \* e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

\* a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

\* b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to

copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time.

Such new versions will be similar in spirit to the present version, but may differ in detail to address

new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

one line to give

the library's name and an idea of what it does.

Copyright (C) year name of author

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

signature of Ty Coon, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

\*Shoal

%% The following software may be included in this product: JXTA  
Use of any of this software is governed by the terms of the license below:

Copyright (c) 2001-2004 Sun Microsystems, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by Sun Microsystems, Inc. for JXTA(TM) technology." Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
4. The names "Sun", "Sun Microsystems, Inc.", "JXTA" and "Project JXTA" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact Project JXTA at <http://www.jxta.org>.
5. Products derived from this software may not be called "JXTA", nor may "JXTA" appear in their name, without prior written permission of Sun.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL SUN MICROSYSTEMS OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

JXTA is a registered trademark of Sun Microsystems, Inc. in the United States and other countries.

\*JBI

%% The following software may be included in this product: XML Beans, commons-httpclient.jar, resolver.jar, commons-codec, commons-logging

Use of any of this software is governed by the terms of the license below:

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

1. You must give any other recipients of the Work or Derivative Works a copy of this License; and

2. You must cause any modified files to carry prominent notices stating that You changed the files; and

3. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

4. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any

direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

%% The following software may be included in this product: wsdl4j.jar  
Use of any of this software is governed by the terms of the license below:

Common Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and  
b) in the case of each subsequent Contributor:

i) changes to the Program, and  
ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered

by that Contributor alone and not by any other party; and  
iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in

a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection

with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense. For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF

TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY

SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to

software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably

practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this

Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect

to distribute the Program (including its Contributions)

under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

## 1.218 kotlin 1.2.51

### 1.218.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
{"version":3,"file":"kotlin.js","sources":["wrapper.js","arrayUtils.js","callableReferenceUtils.js","conversions.js","core.js","long.js","markerFunctions.js","misc.js","polyfills.js","rtti.js","runtime/arrayUtils.kt","runtime/Enum.kt","runtime/primitiveCompanionObjects.kt","generated/_Arrays.kt","generated/_Ranges.kt","Ranges.kt","collections/Collections.kt","collections/Maps.kt","collections/Sets.kt","text/StringNumberConversions.kt","util/Preconditions.kt","generated/_ArraysJs.kt","comparisons/Comparisons.kt","kotlin/Comparator.kt","util/Standard.kt","generated/_ComparisonsJs.kt","collections/Iterables.kt","collections/Sequences.kt","generated/_Collections.kt","kotlin/collections.kt","collections/Iterators.kt","generated/_Comparisons.kt","generated/_Maps.kt","kotlin/ranges.kt","generated/_Sequences.kt","generated/_Sets.kt","generated/_Strings.kt","text/Strings.kt","kotlin/string.kt","Collections.kt","Iterators.kt","ProgressionIterators.kt","Progressions.kt","Range.kt","Unit.kt","annotation/Annotations.kt","internal/InternalAnnotations.kt","internal/progressionUtil.kt","reflect/KParameter.kt","reflect/KType.kt","reflect/KVariance.kt","reflect/KVisibility.kt","kotlin/builtins.kt","generated/_CollectionsJs.kt","jquery/ui.kt","kotlin/annotations.kt","kotlin/annotationsJVM.kt","kotlin/jsTypeOf.kt","kotlin/kotlin.kt","kotlin/char.kt","kotlin/math.kt","kotlin/collections/AbstractMutableCollection.kt","kotlin/collections/AbstractMutableList.kt","kotlin/collections/AbstractMutableMap.kt","kotlin/collections/AbstractMutableSet.kt","kotlin/collections/ArrayList.kt","kotlin/collections/EqualityComparator.kt","kotlin/collections/HashMap.kt","kotlin/collections/HashSet.kt","kotlin/collections/InternalHashCodeMap.kt","kotlin/collections/Utils.kt","kotlin/collections/InternalMap.kt","kotlin/collections/InternalStringMap.kt","kotlin/collections/LinkedHashMap.kt","kotlin/collections/LinkedHashSet.kt","kotlin/concurrent.kt","kotlin/console.kt","kotlin/coroutines.kt","coroutines/experimental/CoroutinesLibrary.kt","kotlin/coroutinesIntrinsics.kt","kotlin/date.kt","kotlin/dom/Builders.kt","kotlin/dom/Classes.kt","text/regex/RegexExtensions.kt","text/StringBuilder.kt","kotlin/dom/Dom.kt","kotlin/dom/EventListener.kt","kotlin/dom/ItemArrayLike.kt","kotlin/dom/Mutations.kt","kotlin/dynamic.kt","kotlin/exceptionUtils.kt","kotlin/exceptions.kt","collections/Grouping.kt","kotlin/grouping.kt","kotlin/js.math.kt","kotlin/json.kt","kotlin/numbers.kt","kotlin/numberConversions.kt","kotlin/promise.kt","kotlin/reflect/JsClass.kt","kotlin/reflect/KClassImpl.kt","kotlin/reflect/primitives.kt","kotlin/reflect/reflection.kt","kotlin/regex.kt","kotlin/TextH.kt","kotlin/reg
```

exp.kt", "kotlin/sequence.kt", "kotlin/stringsCode.kt", "kotlin/text.kt", "org.w3c/org.khronos.webgl.kt", "org.w3c/org.w3c.dom.css.kt", "org.w3c/org.w3c.dom.events.kt", "org.w3c/org.w3c.dom.kt", "org.w3c/org.w3c.fetch.kt", "org.w3c/org.w3c.dom.svg.kt", "org.w3c/org.w3c.files.kt", "org.w3c/org.w3c.notifications.kt", "org.w3c/org.w3c.workers.kt", "org.w3c/org.w3c.xhr.kt", "annotations/Experimental.kt", "collections/AbstractCollection.kt", "collections/AbstractIterator.kt", "collections/AbstractList.kt", "collections/AbstractMap.kt", "collections/AbstractSet.kt", "collections/Arrays.kt", "collections/IndexedValue.kt", "collections/MapAccessors.kt", "collections/MapWithDefault.kt", "collections/MutableCollections.kt", "collections/ReversedViews.kt", "collections/SlidingWindow.kt", "coroutines/experimental/ContinuationInterceptor.kt", "coroutines/experimental/CoroutineContext.kt", "coroutines/experimental/CoroutineContextImpl.kt", "coroutines/experimental/Coroutines.kt", "coroutines/experimental/SequenceBuilder.kt", "coroutines/experimental/intrinsics/Intrinsics.kt", "experimental/bitwiseOperations.kt", "internal/Annotations.kt", "internal/contracts/ContractBuilder.kt", "properties/Delegates.kt", "properties/ObservableProperty.kt", "ranges/Ranges.kt", "text/Char.kt", "text/Indent.kt", "dummy.kt", "text/Typography.kt", "text/regex/MatchResult.kt", "util/KotlinVersion.kt", "util/Lateinit.kt", "util/Lazy.kt", "util/Suspend.kt", "util/Tuples.kt", "kotlin/MathH.kt"], "sourcesContent": ["(function (root, factory) {\n if (typeof define === 'function' && define.amd) {\n define('kotlin', ['exports'], factory);\n }\n else if (typeof exports === 'object') {\n factory(module.exports);\n }\n else {\n root.kotlin = {};\n factory(root.kotlin);\n }\n})(this, function (Kotlin) {\n var \_ = Kotlin;\n\n insertContent();\n});\n", "/\*\n \* Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n \* that can be found in the license/LICENSE.txt file.\n \*\n Kotlin.isBooleanArray = function (a) {\n return (Array.isArray(a) || a instanceof Int8Array) && a.\$type\$ === \"BooleanArray\";\n }\n\n Kotlin.isByteArray = function (a) {\n return a instanceof Int8Array && a.\$type\$ !== \"BooleanArray\";\n }\n\n Kotlin.isShortArray = function (a) {\n return a instanceof Int16Array;\n }\n\n Kotlin.isCharArray = function (a) {\n return a instanceof Uint16Array && a.\$type\$ === \"CharArray\";\n }\n\n Kotlin.isIntArray = function (a) {\n return a instanceof Int32Array;\n }\n\n Kotlin.isFloatArray = function (a) {\n return a instanceof Float32Array;\n }\n\n Kotlin.isDoubleArray = function (a) {\n return a instanceof Float64Array;\n }\n\n Kotlin.isLongArray = function (a) {\n return Array.isArray(a) && a.\$type\$ === \"LongArray\";\n }\n\n Kotlin.isArray = function (a) {\n return Array.isArray(a) && !a.\$type\$;\n }\n\n Kotlin.isArrayish = function (a) {\n return Array.isArray(a) || ArrayBuffer.isView(a);\n }\n\n Kotlin.arrayToString = function (a) {\n var toString = Kotlin.isCharArray(a) ? String.fromCharCode : Kotlin.toString;\n return \"[\" + Array.prototype.map.call(a, function(e) { return toString(e); }).join(\", \") + \"]\";\n }\n\n Kotlin.arrayDeepToString = function (a, visited) {\n visited = visited || [];\n var toString = Kotlin.isCharArray(a) ? String.fromCharCode : Kotlin.toString;\n return \"[\" + Array.prototype.map.call(a, function (e) {\n if (Kotlin.isArrayish(e) && visited.indexOf(e) < 0) {\n visited.push(e);\n var result = Kotlin.arrayDeepToString(e, visited);\n visited.pop();\n return result;\n } else {\n return toString(e);\n }\n }).join(\", \") + \"]\";\n }\n\n Kotlin.arrayEquals = function (a, b) {\n if (a === b) {\n return true;\n }\n if (!Kotlin.isArrayish(b) || a.length !== b.length) {\n return false;\n }\n\n for (var i = 0, n = a.length; i < n; i++) {\n if (!Kotlin.equals(a[i], b[i])) {\n return false;\n }\n }\n\n return true;\n }\n\n Kotlin.arrayDeepEquals = function (a, b) {\n if (a === b) {\n return true;\n }\n if (!Kotlin.isArrayish(b) || a.length !== b.length) {\n return false;\n }\n\n for (var i = 0, n = a.length; i < n; i++) {\n if (Kotlin.isArrayish(a[i])) {\n if (!Kotlin.arrayDeepEquals(a[i], b[i])) {\n return false;\n }\n }\n else if (!Kotlin.equals(a[i], b[i])) {\n return false;\n }\n }\n\n return true;\n }\n\n Kotlin.arrayHashCode = function (arr) {\n var result = 1;\n for (var i = 0, n = arr.length; i < n; i++) {\n result = ((31 \* result | 0) + Kotlin.hashCode(arr[i])) | 0;\n }\n\n return result;\n }\n\n Kotlin.arrayDeepHashCode = function (arr) {\n var result = 1;\n for (var i = 0, n = arr.length; i < n; i++) {\n var e = arr[i];\n result = ((31 \* result | 0) + (Kotlin.isArrayish(e) ? Kotlin.arrayDeepHashCode(e) : Kotlin.hashCode(e))) | 0;\n }\n\n return result;\n }\n\n Kotlin.primitiveArraySort = function (array) {\n array.sort(Kotlin.doubleCompareTo);\n }\n", "/\*\n \* Copyright

```

2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
* that can be found in the license/LICENSE.txt file.
*/
Kotlin.getCallableRef = function(name, f) {
  f.callableName = name;
  return f;
};
Kotlin.getPropertyCallableRef = function(name, paramCount, getter, setter) {
  getter.get =
getter;
  getter.set = setter;
  getter.callableName = name;
  return getPropertyRefClass(getter, setter,
propertyRefClassMetadataCache[paramCount]);
};
function getPropertyRefClass(obj, setter, cache) {
  obj.$metadata$ = getPropertyRefMetadata(typeof setter === "function" ? cache.mutable : cache.immutable);
  obj.constructor = obj;
  return obj;
}
var propertyRefClassMetadataCache = [
  { mutable: { value:
null, implementedInterface: function () {
return Kotlin.kotlin.reflect.KMutableProperty0 }
},
immutable: { value: null, implementedInterface: function () {
return Kotlin.kotlin.reflect.KProperty0 }
}
},
  { mutable: { value: null, implementedInterface:
function () {
return Kotlin.kotlin.reflect.KMutableProperty1 }
},
immutable: { value: null,
implementedInterface: function () {
return Kotlin.kotlin.reflect.KProperty1 }
}
}
];
function
getPropertyRefMetadata(cache) {
  if (cache.value === null) {
    cache.value = {
      interfaces:
[cache.implementedInterface()],
      baseClass: null,
      functions: {},
      properties: {},
      types: {},
      staticMembers: {}
    };
  }
  return cache.value;
}
/*
Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
* that can be found in the
license/LICENSE.txt file.
*/
Kotlin.toShort = function (a) {
  return (a & 0xFFFF) << 16 >>
16;
};
Kotlin.toByte = function (a) {
  return
(a & 0xFF) << 24 >> 24;
};
Kotlin.toChar = function (a) {
  return a &
0xFFFF;
};
Kotlin.numberToLong = function (a) {
  return a instanceof Kotlin.Long ? a :
Kotlin.Long.fromNumber(a);
};
Kotlin.numberToInt = function (a) {
  return a instanceof Kotlin.Long ?
a.toInt() : Kotlin.doubleToInt(a);
};
Kotlin.numberToShort = function (a) {
  return
Kotlin.toShort(Kotlin.numberToInt(a));
};
Kotlin.numberToByte = function (a) {
  return
Kotlin.toByte(Kotlin.numberToInt(a));
};
Kotlin.numberToDouble = function (a) {
  return
+a;
};
Kotlin.numberToChar = function (a) {
  return
Kotlin.toChar(Kotlin.numberToInt(a));
};
Kotlin.doubleToInt = function(a) {
  if (a > 2147483647) return
2147483647;
  if (a < -2147483648) return -2147483648;
  return a | 0;
};
Kotlin.toBoxedChar = function
(a) {
  if (a == null) return a;
  if (a instanceof Kotlin.BoxedChar) return a;
  return new
Kotlin.BoxedChar(a);
};
Kotlin.unboxChar
= function(a) {
  if (a == null) return a;
  return Kotlin.toChar(a);
};
/*
Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license
* that can be found in the
license/LICENSE.txt file.
*/
Kotlin.equals = function (obj1, obj2) {
  if (obj1 == null) {
    return obj2 ==
null;
  }
  if (obj2 == null) {
    return false;
  }
  if (obj1 !== obj2) {
    return obj2 !== obj2;
  }
  if (typeof obj1 === "object" && typeof obj1.equals === "function") {
    return obj1.equals(obj2);
  }
  if (typeof obj1 === "number" && typeof obj2 === "number") {
    return obj1 === obj2 && (obj1 !==
0 || 1 / obj1 === 1 / obj2);
  }
  return obj1 === obj2;
};
Kotlin.hashCode = function (obj) {
  if (obj ==
null) {
    return 0;
  }
  var objType = typeof obj;
  if ("object" === objType) {
    return "function"
=== type of obj.hashCode ? obj.hashCode()
: getObjectHashCode(obj);
  }
  if ("function" === objType) {
    return getObjectHashCode(obj);
  }
  if ("number" === objType) {
    return Kotlin.numberHashCode(obj);
  }
  if ("boolean" === objType) {
    return Number(obj);
  }
  var str = String(obj);
  return
getStringHashCode(str);
};
Kotlin.toString = function (o) {
  if (o == null) {
    return "null";
  }
  else if (Kotlin.isArrayish(o)) {
    return "[...]";
  }
  else {
    return o.toString();
  }
};
/**
@const
*/
var POW_2_32 = 4294967296;
// TODO: consider switching to Symbol type once we are on ES6.
/**
@const
*/
var OBJECT_HASH_CODE_PROPERTY_NAME = "kotlinHashCodeValue";
function
getObjectHashCode(obj) {
  if (!(OBJECT_HASH_CODE_PROPERTY_NAME in obj)) {
    var hash =
(Math.random() * POW_2_32) | 0;
// Make 32-bit signed integer.
Object.defineProperty(obj,
OBJECT_HASH_CODE_PROPERTY_NAME, { value:

```

```

    hash, enumerable: false });\n    }\n    return obj[OBJECT_HASH_CODE_PROPERTY_NAME];\n}\n\nfunction
getStringHashCode(str) {\n    var hash = 0;\n    for (var i = 0; i < str.length; i++) {\n        var code =
str.charCodeAt(i);\n        hash = (hash * 31 + code) | 0; // Keep it 32-bit.\n    }\n    return
hash;\n}\n\nKotlin.identityHashCode = getObjectHashCode;\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of
this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\n// Copyright 2009 The Closure Library Authors. All Rights Reserved.\n\n// Licensed under the Apache
License, Version 2.0 (the \"License\");\n// you may not use this file except in compliance with the License.\n// You
may obtain a copy of the License at\n// http://www.apache.org/licenses/LICENSE-2.0\n// Unless required
by applicable law or agreed to in writing, software\n// distributed under the License is distributed on an \"AS-IS\"
BASIS,\n//

```

```

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n\n/**\n * Constructs a
64-bit two's-complement integer, given its low and high 32-bit\n * values as *signed* integers. See the from*
functions below for more\n * convenient ways of constructing Longs.\n *\n * The internal representation of a long is
the two given signed, 32-bit values.\n * We use 32-bit pieces because these are the size of integers on which\n *
Javascript performs bit-operations. For operations like addition and\n * multiplication, we split each number into
16-bit pieces, which can easily be\n * multiplied within Javascript's floating-point representation without overflow\n
* or change in sign.\n *\n * In the algorithms below, we frequently reduce the negative case to the\n * positive case
by negating the input(s) and then post-processing the result.\n * Note that we must ALWAYS check specially
whether those values are MIN_VALUE\n * (-2^63) because -MIN_VALUE == MIN_VALUE (since 2^63 cannot
be represented as\n * a positive number, it overflows back into a negative). Not handling this\n * case would often
result in infinite recursion.\n *\n * @param {number} low The low (signed) 32 bits of the long.\n * @param
{number} high The high (signed) 32 bits of the long.\n * @constructor\n * @final\n */\nKotlin.Long =
function(low, high) {\n    /**\n * @type {number}\n * @private\n */\n    this.low_ = low | 0; // force into 32
signed bits.\n\n    /**\n * @type {number}\n * @private\n */\n    this.high_ = high | 0; // force into 32 signed
bits.\n};\n\nKotlin.Long.$metadata$ = {\n    kind: \"class\",\n    simpleName: \"Long\",\n    interfaces: []\n};\n\n//
NOTE: Common constant values ZERO, ONE, NEG_ONE, etc. are defined below the\n// from* methods on which
they depend.\n\n/**\n * A cache of the Long representations of small integer values.\n * @type {!Object}\n *
@private\n */\nKotlin.Long.IntCache_ = {};\n\n/**\n * Returns a Long representing the given (32-bit) integer
value.\n * @param {number} value The 32-bit integer in question.\n * @return {!Kotlin.Long} The corresponding
Long value.\n */\nKotlin.Long.fromInt = function(value) {\n    if (-128 <= value && value < 128) {\n        var
cachedObj = Kotlin.Long.IntCache_[value];\n        if (cachedObj) {\n            return cachedObj;\n        }\n    }\n    var obj =
new Kotlin.Long(value | 0, value < 0 ? -1 : 0);\n    if (-128 <= value && value < 128) {\n        Kotlin.Long.IntCache_[value] = obj;\n    }\n    return obj;\n};\n\n/**\n * Returns a Long representing the given
value, provided that it is a finite\n * number. Otherwise, zero is returned.\n * @param {number} value The number
in question.\n * @return {!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromNumber =
function(value) {\n    if (isNaN(value) || !isFinite(value)) {\n        return Kotlin.Long.ZERO;\n    } else if (value <= -
Kotlin.Long.TWO_PWR_63_DBL_) {\n        return Kotlin.Long.MIN_VALUE;\n    } else if (value + 1 >=
Kotlin.Long.TWO_PWR_63_DBL_) {\n        return Kotlin.Long.MAX_VALUE;\n    } else if (value < 0) {\n        return Kotlin.Long.fromNumber(-
value).negate();\n    } else {\n        return new Kotlin.Long(\n            (value % Kotlin.Long.TWO_PWR_32_DBL_) | 0,\n            (value / Kotlin.Long.TWO_PWR_32_DBL_) | 0);\n    }\n};\n\n/**\n * Returns a Long representing the 64-bit
integer that comes by concatenating\n * the given high and low bits. Each is assumed to use 32 bits.\n * @param
{number} lowBits The low 32-bits.\n * @param {number} highBits The high 32-bits.\n * @return {!Kotlin.Long}
The corresponding Long value.\n */\nKotlin.Long.fromBits = function(lowBits, highBits) {\n    return new
Kotlin.Long(lowBits, highBits);\n};\n\n/**\n * Returns a Long representation of the given string, written using the
given\n * radix.\n * @param {string} str The textual representation of the Long.\n * @param {number=} opt_radix
The radix in which the text is written.\n * @return {!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromString = function(str,

```

```

opt_radix) {\n if (str.length == 0) {\n throw Error('number format error: empty string');\n }\n\n var radix =
opt_radix || 10;\n if (radix < 2 || 36 < radix) {\n throw Error('radix out of range: ' + radix);\n }\n\n if
(str.charAt(0) == '-') {\n return Kotlin.Long.fromString(str.substring(1), radix).negate();\n } else if (str.indexOf('-
') >= 0) {\n throw Error('number format error: interior \"-\" character: ' + str);\n }\n\n // Do several (8) digits each
time through the loop, so as to\n // minimize the calls to the very expensive emulated div.\n var radixToPower =
Kotlin.Long.fromNumber(Math.pow(radix, 8));\n\n var result = Kotlin.Long.ZERO;\n for (var i = 0; i < str.length;
i += 8) {\n var size = Math.min(8, str.length - i);\n var value = parseInt(str.substring(i, i + size), radix);\n if
(size < 8) {\n var power = Kotlin.Long.fromNumber(Math.pow(radix, size));\n result =
result.multiply(power).add(Kotlin.Long.fromNumber(value));\n
} else {\n result = result.multiply(radixToPower);\n result = result.add(Kotlin.Long.fromNumber(value));\n
}\n }\n\n return result;\n};\n\n\n// NOTE: the compiler should inline these constant values below and then
remove\n// these variables, so there should be no runtime penalty for these.\n\n\n**\n * Number used repeated
below in calculations. This must appear before the\n * first call to any from* function below.\n * @type
{number}\n * @private\n *^\nKotlin.Long.TWO_PWR_16_DBL_ = 1 << 16;\n\n\n**\n * @type {number}\n *
@private\n *^\nKotlin.Long.TWO_PWR_24_DBL_ = 1 << 24;\n\n\n**\n * @type {number}\n * @private\n
*^\nKotlin.Long.TWO_PWR_32_DBL_ =\n Kotlin.Long.TWO_PWR_16_DBL_ *
Kotlin.Long.TWO_PWR_16_DBL_;\n\n\n**\n * @type {number}\n * @private\n
*^\nKotlin.Long.TWO_PWR_31_DBL_ =\n Kotlin.Long.TWO_PWR_32_DBL_ / 2;\n\n\n**\n * @type
{number}\n * @private\n *^\nKotlin.Long.TWO_PWR_48_DBL_ =\n Kotlin.Long.TWO_PWR_32_DBL_ *
Kotlin.Long.TWO_PWR_16_DBL_;\n\n\n**\n
* @type {number}\n * @private\n *^\nKotlin.Long.TWO_PWR_64_DBL_ =\n
Kotlin.Long.TWO_PWR_32_DBL_ * Kotlin.Long.TWO_PWR_32_DBL_;\n\n\n**\n * @type {number}\n *
@private\n *^\nKotlin.Long.TWO_PWR_63_DBL_ =\n Kotlin.Long.TWO_PWR_64_DBL_ / 2;\n\n\n**\n * @type
{!Kotlin.Long} *^\nKotlin.Long.ZERO = Kotlin.Long.fromInt(0);\n\n\n**\n * @type {!Kotlin.Long}
*^\nKotlin.Long.ONE = Kotlin.Long.fromInt(1);\n\n\n**\n * @type {!Kotlin.Long} *^\nKotlin.Long.NEG_ONE =
Kotlin.Long.fromInt(-1);\n\n\n**\n * @type {!Kotlin.Long} *^\nKotlin.Long.MAX_VALUE =\n
Kotlin.Long.fromBits(0xFFFFFFFF | 0, 0x7FFFFFFF | 0);\n\n\n**\n * @type {!Kotlin.Long}
*^\nKotlin.Long.MIN_VALUE = Kotlin.Long.fromBits(0, 0x80000000 | 0);\n\n\n**\n * @type {!Kotlin.Long}\n *
@private\n *^\nKotlin.Long.TWO_PWR_24_ = Kotlin.Long.fromInt(1 << 24);\n\n\n**\n * @return {number} The
value, assuming it is a 32-bit integer. *^\nKotlin.Long.prototype.toInt = function() {\n return this.low_;\n};\n\n\n**\n
* @return {number} The closest floating-point
representation to this value. *^\nKotlin.Long.prototype.toNumber = function() {\n return this.high_ *
Kotlin.Long.TWO_PWR_32_DBL_ +\n this.getLowBitsUnsigned();\n};\n\n\n**\n * @return {number} The 32-bit
hashCode of this value. *^\nKotlin.Long.prototype.hashCode = function() {\n return this.high_ ^
this.low_;\n};\n\n\n**\n * @param {number=} opt_radix The radix in which the text should be written.\n * @return
{string} The textual representation of this value.\n * @override\n *^\nKotlin.Long.prototype.toString =
function(opt_radix) {\n var radix = opt_radix || 10;\n if (radix < 2 || 36 < radix) {\n throw Error('radix out of
range: ' + radix);\n }\n\n if (this.isZero()) {\n return '0';\n }\n\n if (this.isNegative()) {\n if
(this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n // We need to change the Long value before it can be negated,
so we remove\n // the bottom-most digit in this base and then recurse to do the rest.\n var radixLong =
Kotlin.Long.fromNumber(radix);\n
var div = this.div(radixLong);\n var rem = div.multiply(radixLong).subtract(this);\n return
div.toString(radix) + rem.toInt().toString(radix);\n } else {\n return '-' + this.negate().toString(radix);\n
}\n }\n\n // Do several (6) digits each time through the loop, so as to\n // minimize the calls to the very expensive
emulated div.\n var radixToPower = Kotlin.Long.fromNumber(Math.pow(radix, 6));\n\n var rem = this;\n var
result = '';\n while (true) {\n var remDiv = rem.div(radixToPower);\n var intval =
rem.subtract(remDiv.multiply(radixToPower)).toInt();\n var digits = intval.toString(radix);\n\n rem = remDiv;\n
if (rem.isZero()) {\n return digits + result;\n } else {\n while (digits.length < 6) {\n digits = '0' +

```





```

(approxRem.isNegative() || approxRem.greaterThan(rem)) {
    approx -= delta;
    approxRes = Kotlin.Long.fromNumber(approx);
    approxRem = approxRes.multiply(other);
} // We know the answer can't be zero...

and actually, zero would cause // infinite recursion since we would make no progress.
if (approxRes.isZero()) {
    approxRes = Kotlin.Long.ONE;
    res = res.add(approxRes);
    rem = rem.subtract(approxRem);
} return res;
}

Returns this Long modulo the given one.
@param {Kotlin.Long} other Long by which to mod.
@return {!Kotlin.Long} This Long modulo the given one.
Kotlin.Long.prototype.modulo = function(other) {
    return this.subtract(this.div(other).multiply(other));
}

Returns the bitwise-NOT of this value.
Kotlin.Long.prototype.not = function() {
    return Kotlin.Long.fromBits(~this.low_, ~this.high_);
}

Returns the bitwise-AND of this Long and the given one.
@param {Kotlin.Long} other The Long with which to AND.
@return {!Kotlin.Long} The bitwise-AND of this and the other.
Kotlin.Long.prototype.and = function(other) {
    return Kotlin.Long.fromBits(this.low_ & other.low_, this.high_ & other.high_);
}

Returns the bitwise-OR of this Long and the given one.
@param {Kotlin.Long} other The Long with which to OR.
@return {!Kotlin.Long} The bitwise-OR of this and the other.
Kotlin.Long.prototype.or = function(other) {
    return Kotlin.Long.fromBits(this.low_ | other.low_, this.high_ | other.high_);
}

Returns the bitwise-XOR of this Long and the given one.
@param {Kotlin.Long} other The Long with which to XOR.
@return {!Kotlin.Long} The bitwise-XOR of this and the other.
Kotlin.Long.prototype.xor = function(other) {
    return Kotlin.Long.fromBits(this.low_ ^ other.low_, this.high_ ^ other.high_);
}

Returns this Long with bits shifted to the left by the given amount.
@param {number} numBits The number of bits by which to shift.
@return {!Kotlin.Long} This shifted to the left by the given amount.
Kotlin.Long.prototype.shiftLeft = function(numBits) {
    numBits &= 63;
    if (numBits == 0) {
        return this;
    } else {
        var low = this.low_;
        if (numBits < 32) {
            var high = this.high_;
            return Kotlin.Long.fromBits(low << numBits, (high << numBits) | (low >>> (32 - numBits)));
        } else {
            return Kotlin.Long.fromBits(0, low << (numBits - 32));
        }
    }
}

Returns this Long with bits shifted to the right by the given amount.
@param {number} numBits The number of bits by which to shift.
@return {!Kotlin.Long} This shifted to the right by the given amount.
Kotlin.Long.prototype.shiftRight = function(numBits) {
    numBits &= 63;
    if (numBits == 0) {
        return this;
    } else {
        var high = this.high_;
        if (numBits < 32) {
            var low = this.low_;
            return Kotlin.Long.fromBits((low >>> numBits) | (high << (32 - numBits)), high >>> numBits);
        } else {
            return Kotlin.Long.fromBits(high >> (numBits - 32), high >= 0 ? 0 : -1);
        }
    }
}

Returns this Long with bits shifted to the right by the given amount, with zeros placed into the new leading bits.
@param {number} numBits The number of bits by which to shift.
@return {!Kotlin.Long} This shifted to the right by the given amount, with zeros placed into the new leading bits.
Kotlin.Long.prototype.shiftRightUnsigned = function(numBits) {
    numBits &= 63;
    if (numBits == 0) {
        return this;
    } else {
        var high = this.high_;
        if (numBits < 32) {
            var low = this.low_;
            return Kotlin.Long.fromBits((low >>> numBits) | (high << (32 - numBits)), high >>> numBits);
        } else if (numBits == 32) {
            return Kotlin.Long.fromBits(high, 0);
        } else {
            return Kotlin.Long.fromBits(high >>> (numBits - 32), 0);
        }
    }
}

Support for Kotlin
Kotlin.Long.prototype.equals = function (other) {
    return other instanceof Kotlin.Long && this.equalsLong(other);
}

Kotlin.Long.prototype.compareTo_11rb$ = Kotlin.Long.prototype.compare;
Kotlin.Long.prototype.inc = function() {
    return this.add(Kotlin.Long.ONE);
}

Kotlin.Long.prototype.dec = function() {
    return this.add(Kotlin.Long.NEG_ONE);
}

Kotlin.Long.prototype.valueOf = function() {
    return this.toNumber();
}

Kotlin.Long.prototype.unaryPlus = function() {
    return this;
}

Kotlin.Long.prototype.unaryMinus = Kotlin.Long.prototype.negate;
Kotlin.Long.prototype.inv = Kotlin.Long.prototype.not;
Kotlin.Long.prototype.rangeTo = function (other) {
    return new

```

```

Kotlin.kotlin.ranges.LongRange(this, other);\n};"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source
code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n**\n *
@param {string} id\n * @param {Object}
  declaration\n */\nKotlin.defineModule = function (id, declaration) {\n};\n\nKotlin.defineInlineFunction =
function(tag, fun) {\n  return fun;\n};\n\nKotlin.wrapFunction = function(fun) {\n  var f = function() {\n    f =
fun();\n    return f.apply(this, arguments);\n  };\n  return function() {\n    return f.apply(this, arguments);\n
};\n};\n\nKotlin.isTypeOf = function(type) {\n  return function (object) {\n    return typeof object === type;\n
};\n};\n\nKotlin.isInstanceOf = function (klass) {\n  return function (object) {\n    return Kotlin.isType(object,
klass);\n  };\n};\n\nKotlin.orNull = function (fn) {\n  return function (object) {\n    return object == null ||
fn(object);\n  };\n};\n\nKotlin.andPredicate = function (a, b) {\n  return function (object) {\n    return a(object)
&& b(object);\n  };\n};\n\nKotlin.kotlinModuleMetadata = function (abiVersion, moduleName, data)
{\n};\n\nKotlin.suspendCall = function(value) {\n  return
value;\n};\n\nKotlin.coroutineResult = function(qualifier) {\n
throwMarkerError();\n};\n\nKotlin.coroutineController = function(qualifier) {\n
throwMarkerError();\n};\n\nKotlin.coroutineReceiver = function(qualifier) {\n
throwMarkerError();\n};\n\nKotlin.setCoroutineResult = function(value, qualifier) {\n
throwMarkerError();\n};\n\nfunction throwMarkerError() {\n  throw new Error(\n    \"This marker function
should never be called. \" +\n    \"Looks like compiler did not eliminate it properly. \" +\n    \"Please, report
an issue if you caught this exception.\");\n}\n\nKotlin.getFunctionById = function(id, defaultValue) {\n  return
function() {\n    return defaultValue;\n  };\n};"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source
code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.compareTo = function (a, b) {\n  var typeA = typeof a;\n  if (typeA === \"number\") {\n
if (typeof b === \"number\") {\n    return Kotlin.doubleCompareTo(a, b);\n  }\n  return
Kotlin.primitiveCompareTo(a, b);\n };\n  if (typeA === \"string\" || typeA === \"boolean\") {\n    return
Kotlin.primitiveCompareTo(a, b);\n };\n  return a.compareTo_11rb$(b);\n};\n\nKotlin.primitiveCompareTo =
function (a, b) {\n  return a < b ? -1 : a > b ? 1 : 0;\n};\n\nKotlin.doubleCompareTo = function (a, b) {\n  if (a < b)
return -1;\n  if (a > b) return 1;\n\n  if (a === b) {\n    if (a !== 0) return 0;\n\n    var ia = 1 / a;\n    return ia
=== 1 / b ? 0 : (ia < 0 ? -1 : 1);\n  };\n\n  return a !== a ? (b !== b ? 0 : 1) : -1;\n};\n\nKotlin.charInc = function
(value) {\n  return Kotlin.toChar(value+1);\n};\n\nKotlin.charDec = function (value) {\n  return
Kotlin.toChar(value-1);\n};\n\nKotlin.imul = Math.imul || imul;\n\nKotlin.imulEmulated = imul;\n\nfunction imul(a,
b) {\n  return ((a & 0xffff0000) * (b & 0xffff) + (a & 0xffff) * (b
| 0)) | 0;\n}\n\n(function() {\n  var buf = new ArrayBuffer(8);\n  var bufFloat64 = new Float64Array(buf);\n  var
bufFloat32 = new Float32Array(buf);\n  var bufInt32 = new Int32Array(buf);\n  var lowIndex = 0;\n  var
highIndex = 1;\n\n  bufFloat64[0] = -1; // bff00000_00000000\n  if (bufInt32[lowIndex] !== 0) {\n    lowIndex
= 1;\n    highIndex = 0;\n  };\n\n  Kotlin.doubleToBits = function(value) {\n    return
Kotlin.doubleToRawBits(isNaN(value) ? NaN : value);\n  };\n\n  Kotlin.doubleToRawBits = function(value) {\n
bufFloat64[0] = value;\n    return Kotlin.Long.fromBits(bufInt32[lowIndex], bufInt32[highIndex]);\n  };\n\n
Kotlin.doubleFromBits = function(value) {\n  bufInt32[lowIndex] = value.low_;\n  bufInt32[highIndex] =
value.high_;\n  return bufFloat64[0];\n };\n\n  Kotlin.floatToBits = function(value) {\n    return
Kotlin.floatToRawBits(isNaN(value) ? NaN : value);\n  };\n\n  Kotlin.floatToRawBits
= function(value) {\n  bufFloat32[0] = value;\n  return bufInt32[0];\n };\n\n  Kotlin.floatFromBits =
function(value) {\n  bufInt32[0] = value;\n  return bufFloat32[0];\n };\n\n  // returns zero value for
number with positive sign bit and non-zero value for number with negative sign bit.\n  Kotlin.doubleSignBit =
function(value) {\n  bufFloat64[0] = value;\n  return bufInt32[highIndex] & 0x80000000;\n };\n\n
Kotlin.numberHashCode = function(obj) {\n  if ((obj | 0) === obj) {\n    return obj | 0;\n  };\n  else
{\n    bufFloat64[0] = obj;\n    return (bufInt32[highIndex] * 31 | 0) + bufInt32[lowIndex] | 0;\n  };\n
}\n\n})();\n\nKotlin.ensureNotNull = function(x) {\n  return x != null ? x : Kotlin.throwNPE();\n};\n\n"/*\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be

```

found in the license/LICENSE.txt file.\n \*\n\n

```
(typeof String.prototype.startsWith === "undefined") {\n  String.prototype.startsWith = function(searchString,\n  position) {\n    position = position || 0;\n    return this.lastIndexOf(searchString, position) === position;\n  };\n}\n\n(typeof String.prototype.endsWith === "undefined") {\n  String.prototype.endsWith =\n  function(searchString, position) {\n    var subjectString = this.toString();\n    if (position === undefined ||\n    position > subjectString.length) {\n      position = subjectString.length;\n    }\n    position -=\n    searchString.length;\n    var lastIndex = subjectString.indexOf(searchString, position);\n    return lastIndex !==\n    -1 && lastIndex === position;\n  };\n}\n\n// ES6 Math polyfills\n\n(typeof Math.sign === "undefined") {\n  Math.sign = function(x) {\n    x = +x; // convert to a number\n    if (x === 0 || isNaN(x)) {\n      return\n      Number(x);\n    }\n    return x > 0 ? 1 : -1;\n  };\n}\n\n(typeof\n  Math.trunc === "undefined") {\n  Math.trunc = function(x) {\n    if (isNaN(x)) {\n      return NaN;\n    }\n    if (x > 0) {\n      return Math.floor(x);\n    }\n    return Math.ceil(x);\n  };\n}\n\n(function() {\n  var epsilon = 2.220446049250313E-16;\n  var taylor_2_bound = Math.sqrt(epsilon);\n  var taylor_n_bound =\n  Math.sqrt(taylor_2_bound);\n  var upper_taylor_2_bound = 1/taylor_2_bound;\n  var upper_taylor_n_bound =\n  1/taylor_n_bound;\n\n  if (typeof Math.sinh === "undefined") {\n    Math.sinh = function(x) {\n      if\n      (Math.abs(x) < taylor_n_bound) {\n        var result = x;\n        if (Math.abs(x) > taylor_2_bound) {\n          result += (x * x * x) / 6;\n        }\n        return result;\n      } else {\n        var y =\n        Math.exp(x);\n        var y1 = 1 / y;\n        if (!isFinite(y)) return Math.exp(x - Math.LN2);\n        if\n        (!isFinite(y1))\n        return -Math.exp(-x - Math.LN2);\n        return (y - y1) / 2;\n      }\n    };\n  }\n\n  if (typeof Math.cosh\n    === "undefined") {\n    Math.cosh = function(x) {\n      var y = Math.exp(x);\n      var y1 = 1 / y;\n      if (!isFinite(y) || !isFinite(y1))\n        return Math.exp(Math.abs(x) - Math.LN2);\n      return (y + y1) / 2;\n    };\n  }\n\n  if (typeof Math.tanh === "undefined") {\n    Math.tanh = function(x) {\n      if (Math.abs(x) <\n      taylor_n_bound) {\n        var result = x;\n        if (Math.abs(x) > taylor_2_bound) {\n          result -=\n          (x * x * x) / 3;\n        }\n        return result;\n      }\n      else {\n        var a = Math.exp(+x), b =\n        Math.exp(-x);\n        return a === Infinity ? 1 : b === Infinity ? -1 : (a - b) / (a + b);\n      }\n    };\n  }\n\n  // Inverse hyperbolic function implementations derived from boost\n  special math functions,\n  // Copyright Eric Ford & Hubert Holin 2001.\n\n  if (typeof Math.asinh ===\n    "undefined") {\n    var asinh = function(x) {\n      if (x >= +taylor_n_bound)\n        {\n          if (x >\n          upper_taylor_n_bound)\n            {\n              //\n              approximation by laurent series in 1/x at 0+ order from -1 to 0\n              return Math.log(x) + Math.LN2;\n            }\n            else\n              {\n                // approximation by laurent series in 1/x at 0+ order\n                from -1 to 1\n                return Math.log(x * 2 + (1 / (x * 2)));\n              }\n            }\n          else\n            {\n              // approximation by laurent series in x at 0 up to order 2\n              var\n              result = x;\n              if (Math.abs(x) >= taylor_2_bound)\n                {\n                  var x3 = x * x * x;\n                  // approximation by taylor series in x at 0 up to order 4\n                  result -= x3 / 6;\n                }\n              return\n              result;\n            }\n          };\n    }\n\n    Math.asinh = asinh;\n  }\n\n  if (typeof Math.acosh === "undefined") {\n    Math.acosh = function(x) {\n      if (x < 1)\n        {\n          return NaN;\n        }\n        else if (x - 1 >=\n        taylor_n_bound)\n          {\n            if (x > upper_taylor_2_bound)\n              {\n                // approximation\n                by laurent series in 1/x at 0+ order from -1 to 0\n                return Math.log(x) + Math.LN2;\n              }\n              else\n                {\n                  return Math.log(x + Math.sqrt(x * x - 1));\n                }\n              }\n            }\n          else\n            {\n              return Math.log(x + Math.sqrt(x * x - 1));\n            }\n          }\n\n          var y = Math.sqrt(x - 1);\n          // approximation by taylor series in y at 0 up to order 2\n          var result =\n          y;\n          if (y >= taylor_2_bound)\n            {\n              var y3 = y * y * y;\n              // approximation\n              by taylor series in y at 0 up to order 4\n              result -= y3 / 12;\n            }\n            return Math.sqrt(2) *\n            result;\n          }\n        };\n    }\n\n    if (typeof Math.atanh === "undefined") {\n    Math.atanh = function(x) {\n
```

```

    if (Math.abs(x) < taylor_n_bound) {\n        var result = x;\n        result += (x * x * x) / 3;\n    }\n    if (Math.abs(x) > taylor_2_bound) {\n        return result;\n    }\n    return Math.log((1 + x) / (1 - x)) / 2;\n};\n\nif (typeof Math.log1p === \"undefined\") {\n    Math.log1p = function(x) {\n        if (Math.abs(x) < taylor_n_bound) {\n            var x2 = x * x;\n            var x3 = x2 * x;\n            var x4 = x3 * x;\n            // approximation by taylor series in x at 0 up to order 4\n            return (-x4 / 4 + x3 / 3 - x2 / 2 + x);\n        }\n        return Math.log(x + 1);\n    };\n}\n\nif (typeof Math.expm1 === \"undefined\") {\n    Math.expm1 = function(x) {\n        if (Math.abs(x) < taylor_n_bound) {\n            var x2 = x * x;\n            var x3 = x2 * x;\n            var x4 = x3 * x;\n            // approximation by taylor series in x at 0 up to order 4\n            return (x4 / 24 + x3 / 6 + x2 / 2 + x);\n        }\n        return Math.exp(x) - 1;\n    };\n}\n\nif (typeof Math.hypot === \"undefined\") {\n    Math.hypot = function() {\n        var y = 0;\n        var length = arguments.length;\n        for (var i = 0; i < length; i++) {\n            if (arguments[i] === Infinity || arguments[i] === -Infinity) {\n                return Infinity;\n            }\n            y += arguments[i] * arguments[i];\n        }\n        return Math.sqrt(y);\n    };\n}\n\nif (typeof Math.log10 === \"undefined\") {\n    Math.log10 = function(x) {\n        return Math.log(x) * Math.LOG10E;\n    };\n}\n\nif (typeof Math.log2 === \"undefined\") {\n    Math.log2 = function(x) {\n        return Math.log(x) * Math.LOG2E;\n    };\n}\n\n// For HtmlUnit and PhantomJs\nif (typeof ArrayBuffer.isView === \"undefined\") {\n    ArrayBuffer.isView = function(a) {\n        return a != null && a.__proto__ != null && a.__proto__.__proto__ === Int8Array.prototype.__proto__;\n    };\n}\n\n(function() {\n    function normalizeOffset(offset, length) {\n        if (offset < 0) return Math.max(0, offset + length);\n        return Math.min(offset, length);\n    }\n\n    function TypedArraySlice(begin, end) {\n        if (typeof end === \"undefined\") {\n            end = this.length;\n        }\n        begin = normalizeOffset(begin || 0, this.length);\n        end = Math.max(begin, normalizeOffset(end, this.length));\n        return new this.constructor(this.subarray(begin, end));\n    }\n\n    var arrays = [Int8Array, Int16Array, Uint16Array, Int32Array, Float32Array, Float64Array];\n    for (var i = 0; i < arrays.length; ++i) {\n        var TypedArray = arrays[i];\n        if (typeof TypedArray.prototype.slice === \"undefined\") {\n            Object.defineProperty(TypedArray.prototype, 'slice', {\n                value: TypedArraySlice\n            });\n        }\n\n        // Patch apply to work with TypedArrays if needed.\n        try {\n            (function() {}).apply(null, new Int32Array(0))\n        } catch (e) {\n            var apply = Function.prototype.apply;\n            Object.defineProperty(Function.prototype, 'apply', {\n                value: function(self, array) {\n                    return apply.call(this, self, [].slice.call(array));\n                }\n            });\n        }\n\n        // Patch map to work with TypedArrays if needed.\n        for (var i = 0; i < arrays.length; ++i) {\n            var TypedArray = arrays[i];\n            if (typeof TypedArray.prototype.map === \"undefined\") {\n                Object.defineProperty(TypedArray.prototype, 'map', {\n                    value: function(callback, self) {\n                        return [].slice.call(this).map(callback, self);\n                    }\n                });\n            }\n\n            // Patch sort to work with TypedArrays if needed.\n            for (var i = 0; i < arrays.length; ++i) {\n                var TypedArray = arrays[i];\n                if (typeof TypedArray.prototype.sort === \"undefined\") {\n                    Object.defineProperty(TypedArray.prototype, 'sort', {\n                        value: function(compareFunction) {\n                            return Array.prototype.sort.call(this, compareFunction);\n                        }\n                    });\n                }\n            }\n        }\n    };\n\n    \"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.Kind = {\n    CLASS: \"class\",\n    INTERFACE: \"interface\",\n    OBJECT: \"object\"\n};\n\nKotlin.callGetter = function (thisObject, klass, propertyName) {\n    var propertyDescriptor = Object.getOwnPropertyDescriptor(klass, propertyName);\n    if (propertyDescriptor != null && propertyDescriptor.get != null) {\n        return propertyDescriptor.get.call(thisObject);\n    }\n\n    propertyDescriptor = Object.getOwnPropertyDescriptor(thisObject, propertyName);\n    if (propertyDescriptor != null && \"value\" in propertyDescriptor) {\n        return thisObject[propertyName];\n    }\n\n    return Kotlin.callGetter(thisObject, Object.getPrototypeOf(klass), propertyName);\n}\n\nKotlin.callSetter = function (thisObject, klass, propertyName, value) {\n    var propertyDescriptor = Object.getOwnPropertyDescriptor(klass,

```

```

    propertyName);\n    if (propertyDescriptor != null && propertyDescriptor.set != null) {\n
propertyDescriptor.set.call(thisObject, value);\n    return;\n    }\n\n    propertyDescriptor =
Object.getOwnPropertyDescriptor(thisObject, propertyName);\n    if (propertyDescriptor != null && \"value\" in
propertyDescriptor) {\n    thisObject[propertyName] = value;\n    return\n    }\n\n    Kotlin.callSetter(thisObject,
Object.getPrototypeOf(class), propertyName, value);\n};\n\nfunction isInheritanceFromInterface(ctor, iface) {\n    if
(ctor === iface) return true;\n\n    var metadata = ctor.$metadata$;\n    if (metadata != null) {\n        var interfaces =
metadata.interfaces;\n        for (var i = 0; i < interfaces.length; i++) {\n            if
(isInheritanceFromInterface(interfaces[i], iface)) {\n                return true;\n            }\n        }\n    }\n\n    var
superPrototype = ctor.prototype != null ? Object.getPrototypeOf(ctor.prototype) : null;\n
    var superConstructor = superPrototype != null ? superPrototype.constructor : null;\n    return superConstructor !=
null && isInheritanceFromInterface(superConstructor, iface);\n}\n\n/**\n * @param {*} object\n * @param
{Function|Object} klass\n * @returns {Boolean}\n */\nKotlin.isType = function (object, klass) {\n    if (klass ===
Object) {\n        switch (typeof object) {\n            case \"string\":\n                case \"number\":\n                case
\"boolean\":\n                case \"function\":\n                    return true;\n                default:\n                    return object instanceof
Object;\n            }\n        }\n\n        if (object == null || klass == null || (typeof object !== 'object' && typeof object !==
'function')) {\n            return false;\n        }\n\n        if (typeof klass === \"function\" && object instanceof klass) {\n
return true;\n        }\n\n        var proto = Object.getPrototypeOf(klass);\n        var constructor = proto != null ?
proto.constructor : null;\n        if (constructor
!= null && \"$metadata$\" in constructor) {\n            var metadata = constructor.$metadata$;\n            if (metadata.kind
=== Kotlin.Kind.OBJECT) {\n                return object === klass;\n            }\n        }\n\n        var klassMetadata =
klass.$metadata$;\n\n        // In WebKit (JavaScriptCore) for some interfaces from DOM typeof returns \"object\",
nevertheless they can be used in RHS of instanceof\n        if (klassMetadata == null) {\n            return object instanceof
klass;\n        }\n\n        if (klassMetadata.kind === Kotlin.Kind.INTERFACE && object.constructor != null) {\n
return isInheritanceFromInterface(object.constructor, klass);\n        }\n\n        return false;\n    }\n\n    Kotlin.isNumber =
function (a) {\n        return typeof a == \"number\" || a instanceof Kotlin.Long;\n    };\n\n    Kotlin.isChar = function (value)
{\n        return value instanceof Kotlin.BoxedChar;\n    };\n\n    Kotlin.isComparable = function (value) {\n        var type =
typeof value;\n\n        return type === \"string\" ||\n            type === \"boolean\"
||\n            Kotlin.isNumber(value) ||\n            Kotlin.isType(value,
Kotlin.kotlin.Comparable);\n    };\n\n    Kotlin.isCharSequence = function (value) {\n        return typeof value === \"string\"
|| Kotlin.isType(value, Kotlin.kotlin.CharSequence);\n    };\n};\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this
source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n// a
package is omitted to get declarations directly under the module\n\n@PublishedApi\n\ninternal fun <T>
Array(size: Int): Array<T>\n\n@JsName(\"newArray\")\n\nfun <T> newArray(size: Int, initialValue: T) =
fillArrayVal(Array<T>(size), initialValue)\n\n@JsName(\"newArrayF\")\n\ninline fun <T> arrayWithFun(size: Int, init:
(Int) -> T) = fillArrayFun(Array<T>(size), init)\n\n@JsName(\"fillArray\")\n\ninline fun <T> fillArrayFun(array:
Array<T>, init: (Int) -> T): Array<T> {\n    for (i in 0..array.size - 1) {\n        array[i] = init(i)\n    }\n    return
array\n}\n\n@JsName(\"booleanArray\")\n\nfun
booleanArray(size: Int, init: dynamic): Array<Boolean> {\n    val result: dynamic = Array<Boolean>(size)\n
result.`$type$` = \"BooleanArray\"\n    return when (init) {\n        null, true -> fillArrayVal(result, false)\n        false -
> result\n        else -> fillArrayFun<Boolean>(result, init)\n    }\n}\n\n@JsName(\"booleanArrayF\")\n\ninline fun
booleanArrayWithFun(size: Int, init: (Int) -> Boolean): Array<Boolean> = fillArrayFun(booleanArray(size, false),
init)\n\n@JsName(\"charArray\")\n\n@Suppress(\"UNUSED_PARAMETER\")\n\nfun charArray(size: Int, init:
dynamic): Array<Char> {\n    val result = js(\"new Uint16Array(size)\")\n    result.`$type$` = \"CharArray\"\n
return when (init) {\n        null, true, false -> result // For consistency\n        else -> fillArrayFun<Char>(result,
init)\n    }\n}\n\n@JsName(\"charArrayF\")\n\ninline fun charArrayWithFun(size: Int, init: (Int) -> Char):
Array<Char> {\n    val array = charArray(size, null)\n    for (i in 0..array.size
- 1) {\n        val value = init(i)\n        js(\"array[i] = value;\")\n    }\n    return
array\n}\n\n@JsName(\"untypedCharArrayF\")\n\ninline fun untypedCharArrayWithFun(size: Int, init: (Int) -> Char):

```

```

Array<Char> {\n    val array = Array<Char>(size)\n    for (i in 0..array.size - 1) {\n        val value = init(i)\n    }\n    js("array[i] = value;")\n    }\n    return array\n}\n\n@JsName("longArray")\nfun longArray(size: Int, init: dynamic): Array<Long> {\n    val result: dynamic = Array<Long>(size)\n    result.`$type$` = "LongArray"\n    return when (init) {\n        null, true -> fillArrayVal(result, 0L)\n        false -> result\n        else -> fillArrayFun<Long>(result, init)\n    }\n}\n\n@JsName("longArrayF")\ninline fun longArrayWithFun(size: Int, init: (Int) -> Long): Array<Long> = fillArrayFun(longArray(size, false), init)\n\nprivate fun <T> fillArrayVal(array: Array<T>, initialValue: T): Array<T> {\n    for (i in 0..array.size - 1) {\n        array[i] = initialValue\n    }\n    return array\n}\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\npublic class Enum<T : Enum<T>> : Comparable<Enum<T>> {\n    @JsName("name$") private var _name: String = ""\n    @JsName("ordinal$") private var _ordinal: Int = 0\n    val name: String\n    get() = _name\n    val ordinal: Int\n    get() = _ordinal\n    override fun compareTo(other: Enum<T>) = ordinal.compareTo(other.ordinal)\n    override fun equals(other: Any?) = this === other\n    override fun hashCode(): Int = js("Kotlin.identityHashCode")(this)\n    override fun toString() = name\n    companion object\n}\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js.internal\n\n@JsName("DoubleCompanionObject")\nprivate object DoubleCompanionObject {\n    @JsName("MIN_VALUE") val MIN_VALUE: Double = js("Number.MIN_VALUE")\n    @JsName("MAX_VALUE") val MAX_VALUE: Double = js("Number.MAX_VALUE")\n    @JsName("POSITIVE_INFINITY") val POSITIVE_INFINITY: Double = js("Number.POSITIVE_INFINITY")\n    @JsName("NEGATIVE_INFINITY") val NEGATIVE_INFINITY: Double = js("Number.NEGATIVE_INFINITY")\n    @JsName("NaN") val NaN: Double = js("Number.NaN")\n}\n\n@JsName("FloatCompanionObject")\nprivate object FloatCompanionObject {\n    @JsName("MIN_VALUE") val MIN_VALUE: Float = js("Number.MIN_VALUE")\n    @JsName("MAX_VALUE") val MAX_VALUE: Float = js("Number.MAX_VALUE")\n    @JsName("POSITIVE_INFINITY") val POSITIVE_INFINITY: Float = js("Number.POSITIVE_INFINITY")\n    @JsName("NEGATIVE_INFINITY") val NEGATIVE_INFINITY: Float = js("Number.NEGATIVE_INFINITY")\n    @JsName("NaN") val NaN: Float = js("Number.NaN")\n}\n\n@JsName("IntCompanionObject")\nprivate object IntCompanionObject {\n    @JsName("MIN_VALUE") val MIN_VALUE: Int = -2147483647 - 1\n    @JsName("MAX_VALUE") val MAX_VALUE: Int = 2147483647\n}\n\n@JsName("LongCompanionObject")\nprivate object LongCompanionObject {\n    @JsName("MIN_VALUE") val MIN_VALUE: Long = js("Kotlin.Long.MIN_VALUE")\n    @JsName("MAX_VALUE") val MAX_VALUE: Long = js("Kotlin.Long.MAX_VALUE")\n}\n\n@JsName("ShortCompanionObject")\nprivate object ShortCompanionObject {\n    @JsName("MIN_VALUE") val MIN_VALUE: Short = -32768\n    @JsName("MAX_VALUE") val MAX_VALUE: Short = 32767\n}\n\n@JsName("ByteCompanionObject")\nprivate object ByteCompanionObject {\n    @JsName("MIN_VALUE") val MIN_VALUE: Byte = -128\n    @JsName("MAX_VALUE") val MAX_VALUE: Byte = 127\n}\n\n@JsName("CharCompanionObject")\nprivate object CharCompanionObject {\n    @JsName("MIN_HIGH_SURROGATE") public const val MIN_HIGH_SURROGATE: Char = "\u00000000"\n    @JsName("MAX_HIGH_SURROGATE") public const val MAX_HIGH_SURROGATE: Char = "\u00000000"\n    @JsName("MIN_LOW_SURROGATE") public const val MIN_LOW_SURROGATE: Char = "\u00000000"\n    @JsName("MAX_LOW_SURROGATE") public const val MAX_LOW_SURROGATE: Char = "\u00000000"\n    @JsName("MIN_SURROGATE") public const val MIN_SURROGATE: Char = MIN_HIGH_SURROGATE\n    @JsName("MAX_SURROGATE") public const val MAX_SURROGATE: Char = MAX_LOW_SURROGATE\n}\n\nprivate object StringCompanionObject {\n}\n\n/*\n * Copyright 2010-2018

```

JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license [that can be found in the license/LICENSE.txt file.](#)

```
*/n/n@file:kotlin.jvm.JvmMultifileClass/n@file:kotlin.jvm.JvmName("ArraysKt")/n/npackage
kotlin.collections/n/n/n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt/n/n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib/n/n/nimport
kotlin.*nimport kotlin.text.*nimport kotlin.comparisons.*n/n/**n * Returns 1st *element* from the collection.n
*/n/n@kotlin.internal.InlineOnly/npublic inline operator fun <T> Array<out T>.component1(): T {n return
get(0)/n}/n/n/**n * Returns 1st *element* from the collection.n */n/n@kotlin.internal.InlineOnly/npublic inline
operator fun ByteArray.component1(): Byte {n return get(0)/n}/n/n/**n * Returns 1st *element* from the
collection.n */n/n@kotlin.internal.InlineOnly/npublic inline operator fun ShortArray.component1(): Short {n
return get(0)/n}/n/n/**n * Returns 1st *element* from the collection.n */n/n@kotlin.internal.InlineOnly/npublic
inline operator fun IntArray.component1(): Int {n return get(0)/n}/n/n/**n * Returns 1st *element* from the
collection.n */n/n@kotlin.internal.InlineOnly/npublic inline operator fun LongArray.component1(): Long {n
return get(0)/n}/n/n/**n * Returns 1st *element* from the collection.n */n/n@kotlin.internal.InlineOnly/npublic
inline operator fun FloatArray.component1(): Float {n return get(0)/n}/n/n/**n * Returns 1st *element* from the
collection.n */n/n@kotlin.internal.InlineOnly/npublic inline operator fun DoubleArray.component1(): Double {n
return get(0)/n}/n/n/**n * Returns 1st *element* from the collection.n */n/n@kotlin.internal.InlineOnly/npublic
inline operator fun BooleanArray.component1(): Boolean {n return get(0)/n}/n/n/**n * Returns 1st *element*
from the collection.n */n/n@kotlin.internal.InlineOnly/npublic inline operator fun CharArray.component1(): Char
{n return get(0)/n}/n/n/**n * Returns 2nd *element* from the collection.n
*/n/n@kotlin.internal.InlineOnly/npublic inline operator fun <T> Array<out T>.component2(): T {n return
get(1)/n}/n/n/**n * Returns 2nd *element* from the collection.n */n/n@kotlin.internal.InlineOnly/npublic inline
operator fun ByteArray.component2(): Byte {n return get(1)/n}/n/n/**n * Returns 2nd *element* from the
collection.n */n/n@kotlin.internal.InlineOnly/npublic inline operator fun ShortArray.component2(): Short {n
return get(1)/n}/n/n/**n * Returns 2nd *element* from the collection.n */n/n@kotlin.internal.InlineOnly/npublic
inline operator fun IntArray.component2(): Int {n return get(1)/n}/n/n/**n * Returns 2nd *element* from the
collection.n */n/n@kotlin.internal.InlineOnly/npublic inline operator fun LongArray.component2(): Long {n
return get(1)/n}/n/n/**n * Returns 2nd *element* from the collection.n */n/n@kotlin.internal.InlineOnly/npublic
inline operator fun FloatArray.component2(): Float {n return get(1)/n}/n/n/**n * Returns 2nd *element* from
the collection.n */n/n@kotlin.internal.InlineOnly/npublic inline operator fun DoubleArray.component2(): Double {n
return get(1)/n}/n/n/**n * Returns 2nd *element* from the collection.n */n/n@kotlin.internal.InlineOnly/npublic
inline operator fun BooleanArray.component2(): Boolean {n return get(1)/n}/n/n/**n * Returns
2nd *element* from the collection.n */n/n@kotlin.internal.InlineOnly/npublic inline operator fun
CharArray.component2(): Char {n return get(1)/n}/n/n/**n * Returns 3rd *element* from the collection.n
*/n/n@kotlin.internal.InlineOnly/npublic inline operator fun <T> Array<out T>.component3(): T {n return
get(2)/n}/n/n/**n * Returns 3rd *element* from the collection.n */n/n@kotlin.internal.InlineOnly/npublic inline
operator fun ByteArray.component3(): Byte {n return get(2)/n}/n/n/**n * Returns 3rd *element* from the
collection.n */n/n@kotlin.internal.InlineOnly/npublic inline operator fun ShortArray.component3(): Short {n
return get(2)/n}/n/n/**n * Returns 3rd *element* from the collection.n */n/n@kotlin.internal.InlineOnly/npublic
inline operator fun IntArray.component3(): Int {n return get(2)/n}/n/n/**n * Returns 3rd *element* from the
collection.n */n/n@kotlin.internal.InlineOnly/npublic inline operator fun LongArray.component3(): Long {n
return get(2)/n}/n/n/**n
* Returns 3rd *element* from the collection.n */n/n@kotlin.internal.InlineOnly/npublic inline operator fun
FloatArray.component3(): Float {n return get(2)/n}/n/n/**n * Returns 3rd *element* from the collection.n
*/n/n@kotlin.internal.InlineOnly/npublic inline operator fun DoubleArray.component3(): Double {n return
get(2)/n}/n/n/**n * Returns 3rd *element* from the collection.n */n/n@kotlin.internal.InlineOnly/npublic inline
operator fun BooleanArray.component3(): Boolean {n return get(2)/n}/n/n/**n * Returns 3rd *element* from the
collection.n */n/n@kotlin.internal.InlineOnly/npublic inline operator fun CharArray.component3(): Char {n return
```

```

get(2)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline
operator fun <T> Array<out T>.component4(): T {\n    return get(3)\n}\n\n/**\n * Returns 4th *element* from the
collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component4():
Byte {\n    return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n
*/\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component4(): Short {\n    return
get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline
operator fun IntArray.component4(): Int {\n    return get(3)\n}\n\n/**\n * Returns 4th *element* from the
collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component4(): Long {\n
return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic
inline operator fun FloatArray.component4(): Float {\n    return get(3)\n}\n\n/**\n * Returns 4th *element*
from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component4():
Double {\n    return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic
inline operator fun BooleanArray.component4():
Boolean {\n    return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n
*/\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component4(): Char {\n    return
get(3)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline
operator fun <T> Array<out T>.component5(): T {\n    return get(4)\n}\n\n/**\n * Returns 5th *element*
from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component5(): Byte {\n
return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline
operator fun ShortArray.component5(): Short {\n    return get(4)\n}\n\n/**\n * Returns 5th *element*
from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component5(): Int {\n
return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic
inline operator fun LongArray.component5(): Long {\n    return get(4)\n}\n\n/**\n * Returns 5th *element*
from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component5():
Float {\n    return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic
inline operator fun DoubleArray.component5(): Double {\n    return get(4)\n}\n\n/**\n * Returns 5th *element*
from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component5():
Boolean {\n    return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n
*/\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component5(): Char {\n    return
get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\n@kotlin.internal.InlineOnly\npublic
operator fun
<@kotlin.internal.OnlyInputTypes T> Array<out T>.contains(element: T): Boolean {\n    return indexOf(element)
>= 0\n}\n\n/**\n * Returns `true` if [element]
is found in the array.\n */\n@kotlin.internal.InlineOnly\npublic operator fun
ByteArray.contains(element: Byte): Boolean {\n    return
indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n
*/\n@kotlin.internal.InlineOnly\npublic operator fun
ShortArray.contains(element: Short): Boolean {\n    return
indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if
[element] is found in the array.\n */\n@kotlin.internal.InlineOnly\npublic operator fun
IntArray.contains(element: Int): Boolean {\n    return
indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if
[element] is found in the array.\n */\n@kotlin.internal.InlineOnly\npublic operator fun
LongArray.contains(element: Long): Boolean {\n    return
indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if
[element] is found in the array.\n */\n@kotlin.internal.InlineOnly\npublic operator fun
FloatArray.contains(element: Float): Boolean {\n    return
indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if
[element] is found in the array.\n */\n@kotlin.internal.InlineOnly\npublic operator fun
DoubleArray.contains(element: Double): Boolean {\n    return
indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if
[element] is found in the array.\n */\n@kotlin.internal.InlineOnly\npublic operator fun
BooleanArray.contains(element:
Boolean): Boolean {\n    return
indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if
[element] is found in the array.\n */\n@kotlin.internal.InlineOnly\npublic operator fun
CharArray.contains(element: Char): Boolean {\n    return
indexOf(element) >=
0\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out
T>.elementAt(index: Int): T {\n    return get(index)\n}\n\n/**\n * Returns an element at the given [index] or throws
an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n

```

```

*  

@kotlin.internal.InlineOnly  

public inline fun ByteArray.elementAt(index: Int): Byte {  

    return  

    get(index)  

}

* Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the  

[index] is out of bounds of this array.

*  

@kotlin.internal.InlineOnly  

public inline fun ShortArray.elementAt(index: Int): Short {  

    return  

    get(index)  

}

* Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the  

[index] is out of bounds of this array.

*  

@kotlin.internal.InlineOnly  

public inline fun  

IntArray.elementAt(index: Int): Int {  

    return  

    get(index)  

}

* Returns an element at the given [index] or  

throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.

*  

@kotlin.internal.InlineOnly  

public inline fun  

LongArray.elementAt(index: Int): Long {  

    return  

    get(index)  

}

* Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the  

[index] is out of bounds of this array.

*  

@kotlin.internal.InlineOnly  

public inline fun  

FloatArray.elementAt(index: Int): Float {  

    return  

    get(index)  

}

* Returns an element at the given  

[index] or throws an [IndexOutOfBoundsException] if the [index]  

is out of bounds of this array.

*  

@kotlin.internal.InlineOnly  

public inline fun  

DoubleArray.elementAt(index:  

Int): Double {  

    return  

    get(index)  

}

* Returns an element at the given [index] or throws an  

[IndexOutOfBoundsException] if the [index] is out of bounds of this array.

*  

@kotlin.internal.InlineOnly  

public inline fun  

BooleanArray.elementAt(index: Int): Boolean {  

    return  

    get(index)  

}

* Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the  

[index] is out of bounds of this array.

*  

@kotlin.internal.InlineOnly  

public inline fun  

CharArray.elementAt(index: Int): Char {  

    return  

    get(index)  

}

* Returns an element at the given [index]  

or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

*  

@kotlin.internal.InlineOnly  

public inline fun  

<T> Array<out T>.elementAtOrElse(index: Int, defaultValue:  

(Int) -> T): T {  

    return  

    if (index >= 0 && index <= lastIndex)  

    get(index)  

    else  

    defaultValue(index)  

}

* Returns an element at the given [index] or the result of calling the  

[defaultValue] function if the [index] is out of bounds of this array.

*  

@kotlin.internal.InlineOnly  

public inline  

fun  

ByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Byte): Byte {  

    return  

    if (index >= 0 && index  

<= lastIndex)  

    get(index)  

    else  

    defaultValue(index)  

}

* Returns an element at the given [index] or the result  

of calling the [defaultValue] function if the [index] is out of bounds of this array.

*  

@kotlin.internal.InlineOnly  

public inline  

fun  

ShortArray.elementAtOrElse(index: Int, defaultValue: (Int) ->  

Short): Short {  

    return  

    if (index >= 0 && index <= lastIndex)  

    get(index)  

    else  

    defaultValue(index)  

}

* Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of  

bounds of this array.

*  

@kotlin.internal.InlineOnly  

public inline  

fun  

IntArray.elementAtOrElse(index:  

Int, defaultValue: (Int) -> Int): Int {  

    return  

    if (index >= 0 && index <= lastIndex)  

    get(index)  

    else  

    defaultValue(index)  

}

* Returns an element at the given [index] or the result of calling the [defaultValue]  

function if the [index] is out of bounds of this array.

*  

@kotlin.internal.InlineOnly  

public inline  

fun  

LongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Long): Long {  

    return  

    if (index >= 0 && index <=  

lastIndex)  

    get(index)  

    else  

    defaultValue(index)  

}

* Returns an element at the given [index] or the result of  

calling the [defaultValue] function if the [index] is out of bounds of this array.

*  

@kotlin.internal.InlineOnly  

public inline  

fun  

FloatArray.elementAtOrElse(index: Int, defaultValue: (Int) ->  

Float): Float {  

    return  

    if (index >= 0 && index <= lastIndex)  

    get(index)  

    else  

    defaultValue(index)  

}

* Returns an element at the given [index] or the result of calling the [defaultValue] function if the  

[index] is out of bounds of this array.

*  

@kotlin.internal.InlineOnly  

public inline  

fun  

DoubleArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Double): Double {  

    return  

    if (index >= 0 &&  

index <= lastIndex)  

    get(index)  

    else  

    defaultValue(index)  

}

* Returns an element at the given [index] or the  

result of calling the [defaultValue] function if the [index] is out of bounds of this array.

*  

@kotlin.internal.InlineOnly  

public inline  

fun  

BooleanArray.elementAtOrElse(index: Int, defaultValue: (Int) ->  

Boolean): Boolean {  

    return  

    if (index >= 0 && index <= lastIndex)  

    get(index)  

    else  

    defaultValue(index)  

}

* Returns an element at the given [index] or the result of calling the [defaultValue]

```

```

function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n
* Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.elementAtOrNull(index: Int): T? {\n    return
this.getOrNull(index)\n}\n\n/**\n
* Returns an element at the given [index] or `null` if the [index] is out of bounds
of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.elementAtOrNull(index: Int): Byte?
{\n    return this.getOrNull(index)\n}\n\n/**\n
* Returns an element at the given [index] or `null` if the [index] is out
of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.elementAtOrNull(index:
Int): Short? {\n    return this.getOrNull(index)\n}\n\n/**\n
* Returns an element at the given [index] or `null` if the
[index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.elementAtOrNull(index: Int): Int? {\n    return this.getOrNull(index)\n}\n\n/**\n
* Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.elementAtOrNull(index: Int): Long? {\n    return
this.getOrNull(index)\n}\n\n/**\n
* Returns an element at the given [index] or `null` if the [index] is out of bounds
of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.elementAtOrNull(index: Int): Float?
{\n    return this.getOrNull(index)\n}\n\n/**\n
* Returns an element at the given [index] or `null` if the [index] is out
of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.elementAtOrNull(index:
Int): Double? {\n    return this.getOrNull(index)\n}\n\n/**\n
* Returns an element at the given [index] or `null` if the
[index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.elementAtOrNull(index: Int): Boolean? {\n    return this.getOrNull(index)\n}\n\n/**\n
* Returns
an element at the given [index] or `null` if the [index] is out of bounds of this array.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.elementAtOrNull(index: Int): Char? {\n    return
this.getOrNull(index)\n}\n\n/**\n
* Returns the first element matching the given [predicate], or `null` if no such
element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.find(predicate: (T) ->
Boolean): T? {\n    return firstOrNull(predicate)\n}\n\n/**\n
* Returns the first element matching the given
[predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.find(predicate: (Byte) -> Boolean): Byte? {\n    return firstOrNull(predicate)\n}\n\n/**\n
* Returns the
first element matching the given [predicate], or `null` if no such element was found.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.find(predicate: (Short) -> Boolean): Short? {\n
    return firstOrNull(predicate)\n}\n\n/**\n
* Returns the first element matching the given [predicate], or `null` if no such element was found.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.find(predicate: (Int) -> Boolean): Int? {\n    return
firstOrNull(predicate)\n}\n\n/**\n
* Returns the first element matching the given [predicate], or `null` if no such
element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.find(predicate: (Long) ->
Boolean): Long? {\n    return firstOrNull(predicate)\n}\n\n/**\n
* Returns the first element matching the given
[predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.find(predicate: (Float) -> Boolean): Float? {\n    return firstOrNull(predicate)\n}\n\n/**\n
* Returns the
first element matching the given [predicate], or `null` if no such element was found.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.find(predicate: (Double) -> Boolean): Double? {\n
    return firstOrNull(predicate)\n}\n\n/**\n
* Returns the first element matching the given [predicate], or `null` if no such element was found.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.find(predicate: (Boolean) -> Boolean): Boolean?
{\n    return firstOrNull(predicate)\n}\n\n/**\n
* Returns the first element matching the given [predicate], or `null` if
no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.find(predicate: (Char) -
> Boolean): Char? {\n    return firstOrNull(predicate)\n}\n\n/**\n
* Returns the last element matching the given
[predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Array<out T>.findLast(predicate: (T) -> Boolean): T? {\n    return lastOrNull(predicate)\n}\n\n/**\n
* Returns the

```

last element matching the given [predicate], or `null` if no such element was found.\n

```
*\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.findLast(predicate: (Byte) -> Boolean): Byte? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.findLast(predicate: (Short) -> Boolean): Short? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.findLast(predicate: (Int) -> Boolean): Int? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.findLast(predicate: (Long) -> Boolean): Long? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.findLast(predicate: (Float) -> Boolean): Float? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.findLast(predicate: (Double) -> Boolean): Double? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.findLast(predicate: (Boolean) -> Boolean): Boolean? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.findLast(predicate: (Char) -> Boolean): Char? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun <T> Array<out T>.first(): T {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ByteArray.first(): Byte {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ShortArray.first(): Short {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun IntArray.first(): Int {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun LongArray.first(): Long {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun FloatArray.first(): Float {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun DoubleArray.first(): Double {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun BooleanArray.first(): Boolean {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun CharArray.first(): Char {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> Array<out T>.first(predicate: (T) -> Boolean): T {\n    for (element in this) if (predicate(element)) return element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ByteArray.first(predicate: (Byte) -> Boolean): Byte {\n    for (element in this) if (predicate(element)) return element\n    throw NoSuchElementException("Array contains no element matching the
```

```

predicate.)\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun ShortArray.first(predicate: (Short) -
> Boolean): Short {\n    for (element
in this) if (predicate(element)) return element\n    throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun IntArray.first(predicate: (Int) ->
Boolean): Int {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*/\npublic inline fun LongArray.first(predicate: (Long) -> Boolean): Long {\n    for (element in this) if
(predicate(element)) return element\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such
element is found.\n */\npublic inline fun FloatArray.first(predicate: (Float) -> Boolean): Float {\n    for (element in
this) if (predicate(element)) return element\n    throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun DoubleArray.first(predicate:
(Double) -> Boolean): Double {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*/\npublic inline fun BooleanArray.first(predicate: (Boolean) -> Boolean): Boolean {\n    for (element in this) if
(predicate(element)) return element\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n */\npublic inline fun CharArray.first(predicate: (Char) -> Boolean): Char {\n    for (element in
this) if (predicate(element)) return element\n    throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun
<T> Array<out T>.firstOrNull(): T? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first
element, or `null` if the array is empty.\n */\npublic fun ByteArray.firstOrNull(): Byte? {\n    return if (isEmpty())
null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun
ShortArray.firstOrNull(): Short? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element,
or `null` if the array is empty.\n */\npublic fun IntArray.firstOrNull():
Int? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is
empty.\n */\npublic fun LongArray.firstOrNull(): Long? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n *
Returns the first element, or `null` if the array is empty.\n */\npublic fun FloatArray.firstOrNull(): Float? {\n
return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n
*/\npublic fun DoubleArray.firstOrNull(): Double? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns
the first element, or `null` if the array is empty.\n */\npublic fun BooleanArray.firstOrNull(): Boolean? {\n
return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n
*/\npublic fun CharArray.firstOrNull(): Char? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element
matching the given [predicate], or `null`
if element was not found.\n */\npublic inline fun <T> Array<out T>.firstOrNull(predicate: (T) -> Boolean): T? {\n
for (element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element
matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun
ByteArray.firstOrNull(predicate: (Byte) -> Boolean): Byte? {\n    for (element in this) if (predicate(element)) return
element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element
was not found.\n */\npublic inline fun ShortArray.firstOrNull(predicate: (Short) -> Boolean): Short? {\n    for
(element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element

```

matching the given [predicate], or `null` if element was not found.

```

    * public inline fun IntArray.firstOrNull(predicate: (Int) -> Boolean): Int? {
        for (element in this) if (predicate(element)) return element
        return null
    }

```

\* Returns the first element matching the given [predicate], or `null` if element was not found.

```

    * public inline fun LongArray.firstOrNull(predicate: (Long) -> Boolean): Long? {
        for (element in this) if (predicate(element)) return element
        return null
    }

```

\* Returns the first element matching the given [predicate], or `null` if element was not found.

```

    * public inline fun FloatArray.firstOrNull(predicate: (Float) -> Boolean): Float? {
        for (element in this) if (predicate(element)) return element
        return null
    }

```

\* Returns the first element matching the given [predicate], or `null` if element was not found.

```

    * public inline fun DoubleArray.firstOrNull(predicate: (Double) -> Boolean): Double? {
        for (element in this) if (predicate(element)) return element
        return null
    }

```

\* Returns the first element matching the given [predicate], or `null` if element was not found.

```

    * public inline fun BooleanArray.firstOrNull(predicate: (Boolean) -> Boolean): Boolean? {
        for (element in this) if (predicate(element)) return element
        return null
    }

```

\* Returns the first element matching the given [predicate], or `null` if element was not found.

```

    * public inline fun CharArray.firstOrNull(predicate: (Char) -> Boolean): Char? {
        for (element in this) if (predicate(element)) return element
        return null
    }

```

\* Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

```

    * @kotlin.internal.InlineOnly
    * public inline fun <T> Array<out T>.getOrNull(index: Int, defaultValue: (Int) -> T): T? {
        return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)
    }

```

\* Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

```

    * @kotlin.internal.InlineOnly
    * public inline fun ByteArray.getOrNull(index: Int, defaultValue: (Int) -> Byte): Byte? {
        return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)
    }

```

\* Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

```

    * @kotlin.internal.InlineOnly
    * public inline fun ShortArray.getOrNull(index: Int, defaultValue: (Int) -> Short): Short? {
        return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)
    }

```

\* Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

```

    * @kotlin.internal.InlineOnly
    * public inline fun IntArray.getOrNull(index: Int, defaultValue: (Int) -> Int): Int? {
        return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)
    }

```

\* Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

```

    * @kotlin.internal.InlineOnly
    * public inline fun LongArray.getOrNull(index: Int, defaultValue: (Int) -> Long): Long? {
        return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)
    }

```

\* Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

```

    * @kotlin.internal.InlineOnly
    * public inline fun FloatArray.getOrNull(index: Int, defaultValue: (Int) -> Float): Float? {
        return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)
    }

```

\* Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

```

    * @kotlin.internal.InlineOnly
    * public inline fun DoubleArray.getOrNull(index: Int, defaultValue: (Int) -> Double): Double? {
        return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)
    }

```

\* Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

```

    * @kotlin.internal.InlineOnly
    * public inline fun BooleanArray.getOrNull(index: Int, defaultValue: (Int) -> Boolean): Boolean? {
        return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)
    }

```

\* Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

```

    * @kotlin.internal.InlineOnly
    * public inline fun CharArray.getOrNull(index: Int, defaultValue: (Int) -> Char): Char? {
        return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)
    }

```

\* Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.

```

    * public fun <T> Array<out T>.getOrNull(index: Int): T? {
        return if

```



```

element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
ShortArray.indexOfFirst(predicate: (Short) -> Boolean): Int {\n for (index in indices) {\n if
(predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
IntArray.indexOfFirst(predicate: (Int) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index]))
{\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such
element.\n */\npublic inline fun LongArray.indexOfFirst(predicate: (Long) -> Boolean): Int {\n for (index in
indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns
index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\npublic inline fun FloatArray.indexOfFirst(predicate: (Float) -> Boolean): Int {\n for (index in indices) {\n
if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
DoubleArray.indexOfFirst(predicate: (Double) -> Boolean): Int {\n for (index in indices) {\n if
(predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not
contain such element.\n */\npublic inline fun BooleanArray.indexOfFirst(predicate: (Boolean) ->
Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n
return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not
contain such element.\n */\npublic inline fun CharArray.indexOfFirst(predicate: (Char) -> Boolean): Int {\n for
(index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n *
Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\npublic inline fun <T> Array<out T>.indexOfLast(predicate: (T) -> Boolean): Int {\n for (index in
indices.reversed()) {\n if (predicate(this[index]))
{\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the
given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
ByteArray.indexOfLast(predicate: (Byte) -> Boolean): Int {\n for (index in indices.reversed()) {\n if
(predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
ShortArray.indexOfLast(predicate: (Short) -> Boolean): Int {\n for (index in indices.reversed()) {\n if
(predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
IntArray.indexOfLast(predicate: (Int) -> Boolean): Int {\n for (index in indices.reversed()) {\n if
(predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
LongArray.indexOfLast(predicate: (Long) -> Boolean): Int {\n for (index in indices.reversed()) {\n if
(predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
FloatArray.indexOfLast(predicate: (Float) -> Boolean): Int {\n for (index in indices.reversed()) {\n if
(predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
DoubleArray.indexOfLast(predicate:
(Double) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return
index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -
1 if the array does not contain such element.\n */\npublic inline fun BooleanArray.indexOfLast(predicate: (Boolean)
-> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n
}\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n */\npublic inline fun CharArray.indexOfLast(predicate: (Char) -> Boolean):

```



```

matching the predicate.}")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws\n [NoSuchElementException] if no such element is found.\n */\npublic inline fun DoubleArray.last(predicate:\n (Double)\n -> Boolean): Double {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if\n (predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element\n matching the predicate.}")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws\n [NoSuchElementException] if no such element is found.\n */\npublic inline fun BooleanArray.last(predicate:\n (Boolean) -> Boolean): Boolean {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if\n (predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element\n matching the predicate.}")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws\n [NoSuchElementException] if no such element is found.\n */\npublic inline fun CharArray.last(predicate: (Char) ->\n Boolean): Char {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if\n (predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element\n matching the predicate.}")\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain\n element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.lastIndexOf(element: T): Int {\n    if\n (element == null) {\n        for (index in indices.reversed()) {\n            if (this[index] == null) {\n                return\n index\n            }\n        }\n    } else {\n        for (index in indices.reversed()) {\n            if (element == this[index]) {\n                return\n index\n            }\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the\n array does not contain element.\n */\npublic fun ByteArray.lastIndexOf(element: Byte): Int {\n    for (index in\n indices.reversed()) {\n        if (element == this[index]) {\n            return\n index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index\n of [element], or -1 if the array does not contain element.\n */\npublic fun ShortArray.lastIndexOf(element: Short):\n Int {\n    for (index in indices.reversed()) {\n        if (element == this[index]) {\n            return\n index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun\n IntArray.lastIndexOf(element: Int): Int {\n    for (index in indices.reversed()) {\n        if (element == this[index]) {\n            return\n index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not\n contain element.\n */\npublic fun LongArray.lastIndexOf(element: Long): Int {\n    for (index in\n indices.reversed()) {\n        if (element == this[index]) {\n            return\n index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last\n index of [element], or -1 if the array does not contain element.\n */\npublic fun FloatArray.lastIndexOf(element:\n Float): Int {\n    for (index in indices.reversed()) {\n        if (element == this[index]) {\n            return\n index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun\n DoubleArray.lastIndexOf(element: Double): Int {\n    for (index in indices.reversed()) {\n        if (element ==\n this[index]) {\n            return\n index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if\n the array does not contain element.\n */\npublic fun BooleanArray.lastIndexOf(element: Boolean): Int {\n    for\n (index in indices.reversed()) {\n        if (element == this[index]) {\n            return\n index\n        }\n    }\n    return -\n 1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun\n CharArray.lastIndexOf(element: Char): Int {\n    for (index in indices.reversed()) {\n        if (element == this[index])\n {\n            return\n index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun <T>\n Array<out T>.lastOrNull(): T? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last\n element, or `null` if the array is empty.\n */\npublic fun ByteArray.lastOrNull(): Byte? {\n    return if (isEmpty())\n null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun\n ShortArray.lastOrNull(): Short? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last\n element, or `null` if the array is empty.\n */\npublic fun IntArray.lastOrNull(): Int? {\n    return if (isEmpty()) null\n else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun\n LongArray.lastOrNull(): Long? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last\n element, or `null` if the array is empty.\n */\npublic fun FloatArray.lastOrNull():

```

```

Float? {
    return if (isEmpty()) null else this[size - 1]
}
/**
 * Returns the last element, or `null` if the array
is empty.
*/
public fun DoubleArray.lastOrNull(): Double? {
    return if (isEmpty()) null else this[size -
1]
}
/**
 * Returns the last element, or `null` if the array is empty.
*/
public fun BooleanArray.lastOrNull():
Boolean? {
    return if (isEmpty()) null else this[size - 1]
}
/**
 * Returns the last element, or `null` if the
array is empty.
*/
public fun CharArray.lastOrNull(): Char? {
    return if (isEmpty()) null else this[size -
1]
}
/**
 * Returns the last element matching the given [predicate], or `null` if no such element was found.
*/
public inline fun <T> Array<out T>.lastOrNull(predicate: (T) -> Boolean): T? {
    for (index in
this.indices.reversed()) {
        val element = this[index]
        if (predicate(element)) return element
    }
    return null
}
/**
 * Returns the last element matching
the given [predicate], or `null` if no such element was found.
*/
public inline fun
ByteArray.lastOrNull(predicate: (Byte) -> Boolean): Byte? {
    for (index in this.indices.reversed()) {
        val
element = this[index]
        if (predicate(element)) return element
    }
    return null
}
/**
 * Returns the last
element matching the given [predicate], or `null` if no such element was found.
*/
public inline fun
ShortArray.lastOrNull(predicate: (Short) -> Boolean): Short? {
    for (index in this.indices.reversed()) {
        val
element = this[index]
        if (predicate(element)) return element
    }
    return null
}
/**
 * Returns the last
element matching the given [predicate], or `null` if no such element was found.
*/
public inline fun
IntArray.lastOrNull(predicate: (Int) -> Boolean): Int? {
    for (index in this.indices.reversed()) {
        val element
= this[index]
        if (predicate(element)) return element
    }
    return null
}
/**
 * Returns the last element matching the given [predicate], or `null` if no such element was found.
*/
public inline
fun LongArray.lastOrNull(predicate: (Long) -> Boolean): Long? {
    for (index in this.indices.reversed()) {
        val
element = this[index]
        if (predicate(element)) return element
    }
    return null
}
/**
 * Returns the
last element matching the given [predicate], or `null` if no such element was found.
*/
public inline fun
FloatArray.lastOrNull(predicate: (Float) -> Boolean): Float? {
    for (index in this.indices.reversed()) {
        val
element = this[index]
        if (predicate(element)) return element
    }
    return null
}
/**
 * Returns the last
element matching the given [predicate], or `null` if no such element was found.
*/
public inline fun
DoubleArray.lastOrNull(predicate: (Double) -> Boolean): Double? {
    for (index in this.indices.reversed()) {
        val
element = this[index]
        if (predicate(element))
return element
    }
    return null
}
/**
 * Returns the last element matching the given [predicate], or `null`
if no such element was found.
*/
public inline fun BooleanArray.lastOrNull(predicate: (Boolean) -> Boolean):
Boolean? {
    for (index in this.indices.reversed()) {
        val element = this[index]
        if (predicate(element))
return element
    }
    return null
}
/**
 * Returns the last element matching the given [predicate], or `null` if
no such element was found.
*/
public inline fun CharArray.lastOrNull(predicate: (Char) -> Boolean): Char? {
    for (index in this.indices.reversed()) {
        val element = this[index]
        if (predicate(element)) return element
    }
    return null
}
/**
 * Returns the single element, or throws an exception if the array is empty or has more
than one element.
*/
public fun <T> Array<out T>.single(): T {
    return when (size) {
        0 -> throw
NoSuchElementException("Array is
empty.")
        1 -> this[0]
        else -> throw IllegalArgumentException("Array has more than one element.")
    }
}
/**
 * Returns the single element, or throws an exception if the array is empty or has more than one
element.
*/
public fun ByteArray.single(): Byte {
    return when (size) {
        0 -> throw
NoSuchElementException("Array is empty.")
        1 -> this[0]
        else -> throw
IllegalArgumentException("Array has more than one element.")
    }
}
/**
 * Returns the single element, or
throws an exception if the array is empty or has more than one element.
*/
public fun ShortArray.single(): Short
{
    return when (size) {
        0 -> throw NoSuchElementException("Array is empty.")
        1 -> this[0]
        else -> throw IllegalArgumentException("Array has more than one element.")
    }
}
/**
 * Returns the
single element, or throws an exception if the array is empty or has more than one element.
*/
public fun
IntArray.single():
Int {
    return when (size) {
        0 -> throw NoSuchElementException("Array is empty.")
        1 -> this[0]
        else -> throw IllegalArgumentException("Array has more than one element.")
    }
}
/**
 * Returns the

```

```

single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun
LongArray.single(): Long {\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is
empty.")\n        1 -> this[0]\n        else -> throw IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one
element.\n */\npublic fun FloatArray.single(): Float {\n    return when (size) {\n        0 -> throw
NoSuchElementException("Array is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the single element,
or throws an exception if the array is empty or has more than one element.\n */\npublic fun DoubleArray.single():
Double {\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is empty.")\n        1 ->
this[0]\n        else -> throw IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n *
Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic
fun BooleanArray.single(): Boolean {\n    return when (size) {\n        0 -> throw NoSuchElementException("Array
is empty.")\n        1 -> this[0]\n        else -> throw IllegalArgumentException("Array has more than one
element.")\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more
than one element.\n */\npublic fun CharArray.single(): Char {\n    return when (size) {\n        0 -> throw
NoSuchElementException("Array is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("Array
has more than one element.")\n    }\n}\n\n/**\n * Returns the single element matching the given [predicate], or
throws exception if there is no or more than one matching element.\n */\npublic inline fun <T> Array<out
T>.single(predicate: (T) -> Boolean): T {\n    var single: T? = null\n    var found = false\n    for (element in this) {\n
        if (predicate(element)) {\n            if (found) throw IllegalArgumentException("Array contains more than one
matching element.")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n@Suppress("UNCHECKED_CAST")\n return single as T\n}\n\n/**\n * Returns the single element matching the
given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun
ByteArray.single(predicate: (Byte) -> Boolean): Byte {\n    var single: Byte? = null\n
    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n            single = element\n
            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n@Suppress("UNCHECKED_CAST")\n return single as Byte\n}\n\n/**\n * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n */\npublic inline fun ShortArray.single(predicate: (Short) -> Boolean): Short {\n    var single: Short? =
null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found)
throw
IllegalArgumentException("Array contains more than one matching element.")\n            single = element\n
            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array
contains no element matching the predicate.")\n}\n\n@Suppress("UNCHECKED_CAST")\n return single as
Short\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or
more than one matching element.\n */\npublic inline fun IntArray.single(predicate: (Int) -> Boolean): Int {\n    var
single: Int? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n
            if (found)
throw IllegalArgumentException("Array contains more than one matching element.")\n            single = element\n
            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n@Suppress("UNCHECKED_CAST")\n return single as Int\n}\n\n/**\n * Returns
the single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n */\npublic inline fun LongArray.single(predicate: (Long) -> Boolean):
Long {\n    var single: Long? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element))
{\n            if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n            single = element\n
            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array
contains no element matching the predicate.")\n}\n\n@Suppress("UNCHECKED_CAST")\n return single as

```

```

Long\n}\n\n**\n * Returns the single element matching the given [predicate], or throws exception if there is no or
more than one matching element.\n */\npublic inline fun FloatArray.single(predicate: (Float) -> Boolean): Float {\n
var single: Float? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if
(found) throw IllegalArgumentException("Array contains more than one matching element.")\n single =
element\n found = true\n }\n }\n
if (!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n
@Suppress("UNCHECKED_CAST")\n return single as Float\n}\n\n**\n * Returns the single element matching
the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun
DoubleArray.single(predicate: (Double) -> Boolean): Double {\n var single: Double? = null\n var found =
false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n single = element\n
found = true\n }\n }\n if (!found) throw NoSuchElementException("Array contains no element matching
the predicate.")\n @Suppress("UNCHECKED_CAST")\n return single as Double\n}\n\n**\n * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n
*/\npublic inline fun BooleanArray.single(predicate: (Boolean) -> Boolean): Boolean {\n var single: Boolean? =
null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n single = element\n
found = true\n }\n }\n if (!found) throw NoSuchElementException("Array contains no element matching
the predicate.")\n @Suppress("UNCHECKED_CAST")\n return single as Boolean\n}\n\n**\n * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n */\npublic inline fun CharArray.single(predicate: (Char) -> Boolean): Char {\n var single: Char? =
null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n
single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException("Array
contains no element matching the predicate.")\n @Suppress("UNCHECKED_CAST")\n return single as
Char\n}\n\n**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic
fun <T> Array<out T>.singleOrNull(): T? {\n return if (size == 1) this[0] else null\n}\n\n**\n * Returns single
element, or `null` if the array is empty or has more than one element.\n */\npublic fun ByteArray.singleOrNull():
Byte? {\n return if (size == 1) this[0] else null\n}\n\n**\n * Returns single element, or `null` if the array is empty
or has more than one element.\n */\npublic fun ShortArray.singleOrNull(): Short? {\n return if (size == 1) this[0]
else null\n}\n\n**\n * Returns single element, or `null` if the array is empty or has more than one element.\n
*/\npublic fun IntArray.singleOrNull(): Int? {\n return if (size
== 1) this[0] else null\n}\n\n**\n * Returns single element, or `null` if the array is empty or has more than one
element.\n */\npublic fun LongArray.singleOrNull(): Long? {\n return if (size == 1) this[0] else null\n}\n\n**\n *
Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun
FloatArray.singleOrNull(): Float? {\n return if (size == 1) this[0] else null\n}\n\n**\n * Returns single element, or
`null` if the array is empty or has more than one element.\n */\npublic fun DoubleArray.singleOrNull(): Double? {\n
return if (size == 1) this[0] else null\n}\n\n**\n * Returns single element, or `null` if the array is empty or has
more than one element.\n */\npublic fun BooleanArray.singleOrNull(): Boolean? {\n return if (size == 1) this[0]
else null\n}\n\n**\n * Returns single element, or `null` if the array is empty or has more than one element.\n
*/\npublic fun CharArray.singleOrNull(): Char? {\n return if (size == 1)
this[0] else null\n}\n\n**\n * Returns the single element matching the given [predicate], or `null` if element was
not found or more than one element was found.\n */\npublic inline fun <T> Array<out T>.singleOrNull(predicate:
(T) -> Boolean): T? {\n var single: T? = null\n var found = false\n for (element in this) {\n if
(predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n
if (!found) return null\n return single\n}\n\n**\n * Returns the single element matching the given [predicate], or
`null` if element was not found or more than one element was found.\n */\npublic inline fun

```

```

ByteArray.singleOrNull(predicate: (Byte) -> Boolean): Byte? {\n  var single: Byte? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return\n  null\n  return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element\n  was not found or more than one element was found.\n */\npublic inline fun ShortArray.singleOrNull(predicate:\n(Short) -> Boolean): Short? {\n  var single: Short? = null\n  var found = false\n  for (element in this) {\n    if\n(predicate(element)) {\n      if (found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or\n `null` if element was not found or more than one element was found.\n */\npublic inline fun\nIntArray.singleOrNull(predicate: (Int) -> Boolean): Int? {\n  var single: Int? = null\n  var found = false\n  for\n(element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found)\n  return null\n  return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if\n  element was not found or more than one element was found.\n */\npublic inline fun\nLongArray.singleOrNull(predicate: (Long) -> Boolean): Long? {\n  var single: Long? = null\n  var found =\n  false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single =\n  element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the\n  single element matching the given [predicate], or `null` if element was not found or more than one element was\n  found.\n */\npublic inline fun FloatArray.singleOrNull(predicate: (Float) -> Boolean): Float? {\n  var single: Float?\n  = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return\n  null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the single element matching the given\n  [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun\nDoubleArray.singleOrNull(predicate: (Double) -> Boolean): Double? {\n  var single: Double? = null\n  var found\n  = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single =\n  element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the\n  single element matching the given [predicate], or `null` if element was not found or more than one element was\n  found.\n */\npublic inline fun BooleanArray.singleOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n  var\n  single: Boolean? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if\n  (found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the single element\n  matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic\n  inline fun CharArray.singleOrNull(predicate: (Char) -> Boolean): Char? {\n  var single: Char? = null\n  var found\n  = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single =\n  element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns a list\n  containing all elements except first [n] elements.\n */\n\n * @sample\n  samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Array<out T>.drop(n: Int): List<T> {\n  require(n >= 0) {\n  "Requested element count $n is less than zero." }\n  return takeLast((size -\n  n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n */\n\n * @sample\n  samples.collections.Collections.Transformations.drop\n */\npublic fun ByteArray.drop(n: Int):\n  List<Byte> {\n  require(n >= 0) {\n  "Requested element count $n is less than zero." }\n  return takeLast((size -\n  n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n */\n\n * @sample\n  samples.collections.Collections.Transformations.drop\n */\npublic fun ShortArray.drop(n: Int): List<Short> {\n  require(n >= 0) {\n  "Requested element count $n is less than zero." }\n  return takeLast((size -\n  n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n */\n\n * @sample\n  samples.collections.Collections.Transformations.drop\n */\npublic fun IntArray.drop(n: Int): List<Int> {\n  require(n >= 0) {\n  "Requested element count $n is less than zero." }\n  return takeLast((size -\n  n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n */\n\n * @sample

```

```

samples.collections.Collections.Transformations.drop\n *^npublic fun LongArray.drop(n: Int): List<Long> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *^npublic fun FloatArray.drop(n: Int): List<Float> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *^npublic fun DoubleArray.drop(n: Int): List<Double> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*^npublic fun BooleanArray.drop(n: Int): List<Boolean> {\n  require(n >= 0) { \"Requested element count $n is
less than zero.\" }\n  return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all
elements except first [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*^npublic fun CharArray.drop(n: Int): List<Char> {\n  require(n >= 0) { \"Requested element count $n is less than
zero.\" }\n  return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except
last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n *^npublic fun <T>
Array<out T>.dropLast(n: Int): List<T> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n
return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n]
elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*^npublic fun ByteArray.dropLast(n: Int): List<Byte> {\n  require(n >= 0) { \"Requested element count $n is less
than zero.\" }\n  return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except
last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n *^npublic fun
ShortArray.dropLast(n: Int): List<Short> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\"
}\n  return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n]
elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n *^npublic fun
IntArray.dropLast(n: Int): List<Int> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n
return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n]
elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*^npublic fun LongArray.dropLast(n: Int): List<Long> {\n  require(n >= 0) { \"Requested element count $n is less
than zero.\" }\n  return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except
last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n *^npublic fun
FloatArray.dropLast(n: Int): List<Float> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\"
}\n  return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n]
elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n *^npublic fun
DoubleArray.dropLast(n: Int): List<Double> {\n  require(n >= 0) { \"Requested element count $n is less than
zero.\" }\n  return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last
[n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*^npublic fun BooleanArray.dropLast(n: Int): List<Boolean> {\n  require(n >= 0) { \"Requested element count $n
is less than zero.\" }\n  return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements
except last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n *^npublic fun
CharArray.dropLast(n: Int): List<Char> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n
return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements
that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*^npublic inline fun <T> Array<out T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n  for (index in
lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return
emptyList()\n}\n\n/**\n * Returns a list containing
all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *^npublic inline fun ByteArray.dropLastWhile(predicate:

```

```

(Byte) -> Boolean): List<Byte> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun ShortArray.dropLastWhile(predicate:
(Short) -> Boolean): List<Short> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\npublic inline fun IntArray.dropLastWhile(predicate: (Int) -> Boolean): List<Int> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\npublic inline fun LongArray.dropLastWhile(predicate: (Long) -> Boolean): List<Long> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\npublic inline fun FloatArray.dropLastWhile(predicate: (Float) -> Boolean): List<Float> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\npublic inline fun DoubleArray.dropLastWhile(predicate: (Double) -> Boolean): List<Double> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\npublic inline fun BooleanArray.dropLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\npublic inline fun CharArray.dropLastWhile(predicate: (Char) -> Boolean): List<Char> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\npublic inline fun <T> Array<out T>.dropWhile(predicate: (T) -> Boolean): List<T> {\n  var yielding = false\n  val list = ArrayList<T>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\npublic inline fun ByteArray.dropWhile(predicate: (Byte) -> Boolean): List<Byte> {\n  var yielding = false\n  val list = ArrayList<Byte>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\npublic inline fun ShortArray.dropWhile(predicate: (Short) -> Boolean): List<Short> {\n  var yielding = false\n  val list = ArrayList<Short>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\npublic inline fun IntArray.dropWhile(predicate: (Int) -> Boolean): List<Int> {\n  var yielding = false\n  val list =

```

```

ArrayList<Int>()
  for (item in this)
    if (yielding)
      list.add(item)
    else if (!predicate(item)) {
      list.add(item)
      yielding = true
    }
  return list
}
// Returns a list containing all elements
// except first elements that satisfy the given [predicate].
// @sample
samples.collections.Collections.Transformations.drop
// public inline fun LongArray.dropWhile(predicate:
// (Long) -> Boolean): List<Long> {
//   var yielding = false
//   val list = ArrayList<Long>()
//   for (item in this)
//     if (yielding)
//       list.add(item)
//     else if (!predicate(item)) {
//       list.add(item)
//       yielding = true
//     }
//   return list
// }
// Returns a list containing all elements except first
// elements that satisfy the given [predicate].
// @sample
samples.collections.Collections.Transformations.drop
// public inline fun FloatArray.dropWhile(predicate:
// (Float) -> Boolean): List<Float> {
//   var yielding = false
//   val list = ArrayList<Float>()
//   for (item in this)
//     if (yielding)
//       list.add(item)
//     else if (!predicate(item)) {
//       list.add(item)
//       yielding =
// true
//     }
//   return list
// }
// Returns a list containing all elements except first elements that satisfy the
// given [predicate].
// @sample
samples.collections.Collections.Transformations.drop
// public inline fun DoubleArray.dropWhile(predicate: (Double) -> Boolean): List<Double> {
//   var yielding = false
//   val list =
// ArrayList<Double>()
//   for (item in this)
//     if (yielding)
//       list.add(item)
//     else if (!predicate(item)) {
//       list.add(item)
//       yielding = true
//     }
//   return list
// }
// Returns a list containing all elements except first elements that satisfy the given [predicate].
// @sample
samples.collections.Collections.Transformations.drop
// public inline fun BooleanArray.dropWhile(predicate:
// (Boolean) -> Boolean): List<Boolean> {
//   var yielding = false
//   val list = ArrayList<Boolean>()
//   for (item in
// this)
//     if (yielding)
//       list.add(item)
//     else if (!predicate(item)) {
//       list.add(item)
//       yielding = true
//     }
//   return list
// }
// Returns a list containing all elements except first elements that
// satisfy the given [predicate].
// @sample
samples.collections.Collections.Transformations.drop
// public inline fun CharArray.dropWhile(predicate: (Char) -> Boolean): List<Char> {
//   var yielding = false
//   val list =
// ArrayList<Char>()
//   for (item in this)
//     if (yielding)
//       list.add(item)
//     else if (!predicate(item)) {
//       list.add(item)
//       yielding = true
//     }
//   return list
// }
// Returns a list containing only elements
// matching the given [predicate].
// public inline fun <T> Array<out T>.filter(predicate: (T) -> Boolean): List<T>
// {
//   return filterTo(ArrayList<T>(), predicate)
// }
// Returns a list containing only elements matching the
// given [predicate].
// public inline fun ByteArray.filter(predicate: (Byte) -> Boolean): List<Byte> {
//   return
// filterTo(ArrayList<Byte>(), predicate)
// }
// Returns a list containing only elements matching the given
// [predicate].
// public inline fun ShortArray.filter(predicate: (Short) -> Boolean): List<Short> {
//   return
// filterTo(ArrayList<Short>(), predicate)
// }
// Returns a list containing only elements matching the given
// [predicate].
// public inline fun IntArray.filter(predicate: (Int)
// -> Boolean): List<Int> {
//   return filterTo(ArrayList<Int>(), predicate)
// }
// Returns a list containing
// only elements matching the given [predicate].
// public inline fun LongArray.filter(predicate: (Long) ->
// Boolean): List<Long> {
//   return filterTo(ArrayList<Long>(), predicate)
// }
// Returns a list containing
// only elements matching the given [predicate].
// public inline fun FloatArray.filter(predicate: (Float) ->
// Boolean): List<Float> {
//   return filterTo(ArrayList<Float>(), predicate)
// }
// Returns a list containing
// only elements matching the given [predicate].
// public inline fun DoubleArray.filter(predicate: (Double) ->
// Boolean): List<Double> {
//   return filterTo(ArrayList<Double>(), predicate)
// }
// Returns a list
// containing only elements matching the given [predicate].
// public inline fun BooleanArray.filter(predicate:
// (Boolean) -> Boolean): List<Boolean> {
//   return filterTo(ArrayList<Boolean>(), predicate)
// }
// Returns a list containing only elements matching the given [predicate].
// public inline fun
// CharArray.filter(predicate: (Char) -> Boolean): List<Char> {
//   return filterTo(ArrayList<Char>(),
// predicate)
// }
// Returns a list containing only elements matching the given [predicate].
// @param
// [predicate] function that takes the index of an element and the element itself
// and returns the result of predicate
// evaluation on the element.
// public inline fun <T> Array<out T>.filterIndexed(predicate: (index: Int, T) ->
// Boolean): List<T> {
//   return filterIndexedTo(ArrayList<T>(), predicate)
// }
// Returns a list containing

```

only elements matching the given [predicate].\n \* @param [predicate] function that takes the index of an element and the element itself\n \* and returns the result of predicate evaluation on the element.\n \*/\npublic inline fun ByteArray.filterIndexed(predicate: (index: Int, Byte) -> Boolean): List<Byte> {\n return filterIndexedTo(ArrayList<Byte>(), predicate)\n}\n\n/\*\*\n \* Returns a list containing only elements matching the given [predicate].\n \* @param [predicate] function that takes the index of an element and the element itself\n \* and returns the result of predicate evaluation on the element.\n \*/\npublic inline fun ShortArray.filterIndexed(predicate: (index: Int, Short) -> Boolean): List<Short> {\n return filterIndexedTo(ArrayList<Short>(), predicate)\n}\n\n/\*\*\n \* Returns a list containing only elements matching the given [predicate].\n \* @param [predicate] function that takes the index of an element and the element itself\n \* and returns the result of predicate evaluation on the element.\n \*/\npublic inline fun IntArray.filterIndexed(predicate: (index: Int, Int) -> Boolean): List<Int> {\n return filterIndexedTo(ArrayList<Int>(), predicate)\n}\n\n/\*\*\n \* Returns a list containing only elements matching the given [predicate].\n \* @param [predicate] function that takes the index of an element and the element itself\n \* and returns the result of predicate evaluation on the element.\n \*/\npublic inline fun LongArray.filterIndexed(predicate: (index: Int, Long) -> Boolean): List<Long> {\n return filterIndexedTo(ArrayList<Long>(), predicate)\n}\n\n/\*\*\n \* Returns a list containing only elements matching the given [predicate].\n \* @param [predicate] function that takes the index of an element and the element itself\n \* and returns the result of predicate evaluation on the element.\n \*/\npublic inline fun FloatArray.filterIndexed(predicate: (index: Int, Float) -> Boolean): List<Float> {\n return filterIndexedTo(ArrayList<Float>(), predicate)\n}\n\n/\*\*\n \* Returns a list containing only elements matching the given [predicate].\n \* @param [predicate] function that takes the index of an element and the element itself\n \* and returns the result of predicate evaluation on the element.\n \*/\npublic inline fun DoubleArray.filterIndexed(predicate: (index: Int, Double) -> Boolean): List<Double> {\n return filterIndexedTo(ArrayList<Double>(), predicate)\n}\n\n/\*\*\n \* Returns a list containing only elements matching the given [predicate].\n \* @param [predicate] function that takes the index of an element and the element itself\n \* and returns the result of predicate evaluation on the element.\n \*/\npublic inline fun BooleanArray.filterIndexed(predicate: (index: Int, Boolean) -> Boolean): List<Boolean> {\n return filterIndexedTo(ArrayList<Boolean>(), predicate)\n}\n\n/\*\*\n \* Returns a list containing only elements matching the given [predicate].\n \* @param [predicate] function that takes the index of an element and the element itself\n \* and returns the result of predicate evaluation on the element.\n \*/\npublic inline fun CharArray.filterIndexed(predicate: (index: Int, Char) -> Boolean): List<Char> {\n return filterIndexedTo(ArrayList<Char>(), predicate)\n}\n\n/\*\*\n \* Appends all elements matching the given [predicate] to the given [destination].\n \* @param [predicate] function that takes the index of an element and the element itself\n \* and returns the result of predicate evaluation on the element.\n \*/\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/\*\*\n \* Appends all elements matching the given [predicate] to the given [destination].\n \* @param [predicate] function that takes the index of an element and the element itself\n \* and returns the result of predicate evaluation on the element.\n \*/\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterIndexedTo(destination: C, predicate: (index: Int, Byte) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/\*\*\n \* Appends all elements matching the given [predicate] to the given [destination].\n \* @param [predicate] function that takes the index of an element and the element itself\n \* and returns the result of predicate evaluation on the element.\n \*/\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterIndexedTo(destination: C, predicate: (index: Int, Short) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/\*\*\n \* Appends all elements matching the given [predicate] to the given [destination].\n \* @param [predicate] function that takes the index of an element and the element itself\n \* and returns the result of predicate evaluation on the element.\n \*/\npublic inline fun <C :

```

MutableCollection<in Int>> IntArray.filterIndexedTo(destination: C, predicate: (index: Int, Int) -> Boolean): C {
    forEachIndexed { index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}
Append all elements matching the given [predicate] to the given [destination].
@param [predicate] function that takes the index of an element and the element itself
and returns the result of predicate evaluation on the element.
public inline fun <C : MutableCollection<in Long>>
LongArray.filterIndexedTo(destination: C, predicate: (index: Int, Long) -> Boolean): C {
    forEachIndexed {
index, element ->
    if (predicate(index, element)) destination.add(element)
}
    return destination
}
Append all elements matching the given [predicate] to the given [destination].
@param [predicate] function that takes the index of an element and the element itself
and returns the result of predicate evaluation on the element.
public inline fun <C : MutableCollection<in Float>>
FloatArray.filterIndexedTo(destination: C, predicate: (index: Int, Float) -> Boolean): C {
    forEachIndexed {
index, element ->
    if (predicate(index,
element)) destination.add(element)
}
    return destination
}
Append all elements matching the
given [predicate] to the given [destination].
@param [predicate] function that takes the index of an element and
the element itself
and returns the result of predicate evaluation on the element.
public inline fun <C :
MutableCollection<in Double>> DoubleArray.filterIndexedTo(destination: C, predicate: (index: Int, Double) ->
Boolean): C {
    forEachIndexed { index, element ->
        if (predicate(index, element))
destination.add(element)
}
    return destination
}
Append all elements matching the given
[predicate] to the given [destination].
@param [predicate] function that takes the index of an element and the
element itself
and returns the result of predicate evaluation on the element.
public inline fun <C :
MutableCollection<in Boolean>> BooleanArray.filterIndexedTo(destination: C, predicate: (index: Int,
Boolean) -> Boolean): C {
    forEachIndexed { index, element ->
        if (predicate(index, element))
destination.add(element)
}
    return destination
}
Append all elements matching the given
[predicate] to the given [destination].
@param [predicate] function that takes the index of an element and the
element itself
and returns the result of predicate evaluation on the element.
public inline fun <C :
MutableCollection<in Char>> CharArray.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean):
C {
    forEachIndexed { index, element ->
        if (predicate(index, element)) destination.add(element)
}
    return destination
}
Returns a list containing all elements that are instances of specified type parameter
R.
public inline fun <reified R> Array<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {
    return filterIsInstanceTo(ArrayList<R>())
}
Append all elements that are instances
of specified type parameter R to the given [destination].
public inline fun <reified R, C :
MutableCollection<in R>> Array<*>.filterIsInstanceTo(destination: C): C {
    for (element in this) if (element is
R) destination.add(element)
    return destination
}
Returns a list containing all elements not matching
the given [predicate].
public inline fun <T> Array<out T>.filterNot(predicate: (T) -> Boolean): List<T> {
    return filterNotTo(ArrayList<T>(), predicate)
}
Returns a list containing all elements not matching the
given [predicate].
public inline fun ByteArray.filterNot(predicate: (Byte) -> Boolean): List<Byte> {
    return filterNotTo(ArrayList<Byte>(), predicate)
}
Returns a list containing all elements not matching the
given [predicate].
public inline fun ShortArray.filterNot(predicate: (Short) -> Boolean): List<Short> {
    return filterNotTo(ArrayList<Short>(), predicate)
}
Returns a list containing
all elements not matching the given [predicate].
public inline fun IntArray.filterNot(predicate: (Int) ->
Boolean): List<Int> {
    return filterNotTo(ArrayList<Int>(), predicate)
}
Returns a list containing all
elements not matching the given [predicate].
public inline fun LongArray.filterNot(predicate: (Long) ->
Boolean): List<Long> {
    return filterNotTo(ArrayList<Long>(), predicate)
}
Returns a list
containing all elements not matching the given [predicate].
public inline fun FloatArray.filterNot(predicate:
(Float) -> Boolean): List<Float> {
    return filterNotTo(ArrayList<Float>(), predicate)
}
Returns a list
containing all elements not matching the given [predicate].
public inline fun DoubleArray.filterNot(predicate:
(Double) -> Boolean): List<Double> {
    return filterNotTo(ArrayList<Double>(), predicate)
}
Returns a list containing all elements not matching the given [predicate].
public inline

```

```

fun BooleanArray.filterNot(predicate: (Boolean) -> Boolean): List<Boolean> {\n  return
filterNotTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n */\npublic inline fun CharArray.filterNot(predicate: (Char) -> Boolean): List<Char> {\n  return
filterNotTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing all elements that are not `null`.\n */\npublic fun <T : Any> Array<out T?>.filterNotNull(): List<T> {\n  return
filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n */\npublic fun <C : MutableCollection<in T>, T : Any> Array<out T?>.filterNotNullTo(destination: C): C {\n  for
(element in this) if (element != null) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <T, C :
MutableCollection<in T>> Array<out
T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n  for (element in this) if (!predicate(element))
destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not matching the given
[predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Byte>>
ByteArray.filterNotTo(destination: C, predicate: (Byte) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Short>>
ShortArray.filterNotTo(destination: C, predicate: (Short) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Int>>
IntArray.filterNotTo(destination:
C, predicate: (Int) -> Boolean): C {\n  for (element in this) if (!predicate(element)) destination.add(element)\n
return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given
[destination].\n */\npublic inline fun <C : MutableCollection<in Long>> LongArray.filterNotTo(destination: C,
predicate: (Long) -> Boolean): C {\n  for (element in this) if (!predicate(element)) destination.add(element)\n
return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given
[destination].\n */\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterNotTo(destination: C,
predicate: (Float) -> Boolean): C {\n  for (element in this) if (!predicate(element)) destination.add(element)\n
return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given
[destination].\n */\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterNotTo(destination:
C, predicate: (Double) -> Boolean): C {\n  for (element in this) if (!predicate(element)) destination.add(element)\n
return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given
[destination].\n */\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterNotTo(destination:
C, predicate: (Boolean) -> Boolean): C {\n  for (element in this) if (!predicate(element)) destination.add(element)\n
return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given
[destination].\n */\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterNotTo(destination: C,
predicate: (Char) -> Boolean): C {\n  for (element in this) if (!predicate(element)) destination.add(element)\n
return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterTo(destination:
C, predicate: (T) -> Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n
return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterTo(destination: C, predicate: (Byte) ->
Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterTo(destination: C, predicate: (Short) ->
Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Int>> IntArray.filterTo(destination: C, predicate: (Int) -> Boolean):
C

```

```

    {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n *
Appends all elements matching the given [predicate] to the given [destination].\n *\npublic inline fun <C :
MutableCollection<in Long>> LongArray.filterTo(destination: C, predicate: (Long) -> Boolean): C {\n  for
(element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n *\npublic inline fun <C :
MutableCollection<in Float>> FloatArray.filterTo(destination: C, predicate: (Float) -> Boolean): C {\n  for
(element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n *\npublic inline fun <C :
MutableCollection<in Double>> DoubleArray.filterTo(destination: C, predicate: (Double) -> Boolean): C {\n  for
(element in this)
if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n *\npublic inline fun <C : MutableCollection<in Boolean>>
BooleanArray.filterTo(destination: C, predicate: (Boolean) -> Boolean): C {\n  for (element in this) if
(predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n *\npublic inline fun <C : MutableCollection<in Char>>
CharArray.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n  for (element in this) if
(predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Returns a list containing elements
at indices in the specified [indices] range.\n *\npublic fun <T> Array<out T>.slice(indices: IntRange): List<T> {\n
if (indices.isEmpty()) return listOf()\n  return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n *\npublic fun
ByteArray.slice(indices: IntRange): List<Byte> {\n  if (indices.isEmpty()) return listOf()\n  return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n *\npublic fun ShortArray.slice(indices: IntRange): List<Short> {\n  if
(indices.isEmpty()) return listOf()\n  return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n *\npublic
fun IntArray.slice(indices: IntRange): List<Int> {\n  if (indices.isEmpty()) return listOf()\n  return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n *\npublic fun LongArray.slice(indices: IntRange): List<Long>
{\n  if (indices.isEmpty()) return listOf()\n  return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n *\npublic
fun FloatArray.slice(indices: IntRange): List<Float> {\n  if (indices.isEmpty()) return listOf()\n  return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n *\npublic fun DoubleArray.slice(indices: IntRange): List<Double> {\n
if (indices.isEmpty()) return listOf()\n  return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n *\npublic
fun BooleanArray.slice(indices: IntRange): List<Boolean> {\n  if (indices.isEmpty()) return listOf()\n  return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing
elements at indices in the specified [indices] range.\n *\npublic fun CharArray.slice(indices: IntRange):
List<Char> {\n  if (indices.isEmpty()) return listOf()\n  return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n *\npublic fun <T> Array<out
T>.slice(indices: Iterable<Int>): List<T> {\n  val size = indices.collectionSizeOrDefault(10)\n  if (size == 0)
return emptyList()\n  val list = ArrayList<T>(size)\n  for (index in indices) {\n    list.add(get(index))\n  }\n
return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n *\npublic fun
ByteArray.slice(indices: Iterable<Int>): List<Byte> {\n  val size = indices.collectionSizeOrDefault(10)\n  if (size
== 0) return emptyList()\n  val list = ArrayList<Byte>(size)\n  for (index in indices) {\n    list.add(get(index))\n
}\n  return list\n}\n\n/**\n * Returns a list containing elements

```

```

at specified [indices].\n */\npublic fun ShortArray.slice(indices: Iterable<Int>): List<Short> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Short>(size)\n
for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing
elements at specified [indices].\n */\npublic fun IntArray.slice(indices: Iterable<Int>): List<Int> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Int>(size)\n
for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at
specified [indices].\n */\npublic fun LongArray.slice(indices: Iterable<Int>): List<Long> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Long>(size)\n
for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at
specified [indices].\n */\npublic fun FloatArray.slice(indices: Iterable<Int>): List<Float> {\n    val size = indices.collectionSizeOrDefault(10)\n
if (size == 0) return emptyList()\n    val list = ArrayList<Float>(size)\n    for (index in indices) {\n
list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n
*/\npublic fun DoubleArray.slice(indices: Iterable<Int>): List<Double> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Double>(size)\n
for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at
specified [indices].\n */\npublic fun BooleanArray.slice(indices: Iterable<Int>): List<Boolean> {\n    val
size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val
list = ArrayList<Boolean>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return
list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun CharArray.slice(indices:
Iterable<Int>): List<Char> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return
emptyList()\n    val list = ArrayList<Char>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n
return list\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
<T> Array<T>.sliceArray(indices: Collection<Int>): Array<T> {\n    val result = arrayOfNulls(this, indices.size)\n
var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n
return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
ByteArray.sliceArray(indices: Collection<Int>): ByteArray {\n
    val result = ByteArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n
result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing elements
of this array at specified [indices].\n */\npublic fun ShortArray.sliceArray(indices: Collection<Int>): ShortArray {\n
    val result = ShortArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n
result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing elements
of this array at specified [indices].\n */\npublic fun IntArray.sliceArray(indices: Collection<Int>): IntArray {\n    val
result = IntArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++]
= this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing elements of this array at
specified [indices].\n */\npublic fun LongArray.sliceArray(indices:
Collection<Int>): LongArray {\n    val result = LongArray(indices.size)\n    var targetIndex = 0\n    for
(sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n
* Returns an array containing elements of this array at specified [indices].\n */\npublic fun FloatArray.sliceArray(indices:
Collection<Int>): FloatArray {\n    val result = FloatArray(indices.size)\n    var
targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n
return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
DoubleArray.sliceArray(indices: Collection<Int>): DoubleArray {\n    val result = DoubleArray(indices.size)\n
var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n
return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n
*/\npublic fun BooleanArray.sliceArray(indices: Collection<Int>): BooleanArray {\n    val result =
BooleanArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] =
this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing elements of this array at specified

```

```

[indices].\n *\npublic fun CharArray.sliceArray(indices: Collection<Int>): CharArray {\n  val result =
CharArray(indices.size)\n  var targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++] =
this[sourceIndex]\n  }\n  return result\n}\n\n/**\n * Returns a list containing elements at indices in the specified
[indices] range.\n *\npublic fun <T> Array<T>.sliceArray(indices: IntRange): Array<T> {\n  if
(indices.isEmpty()) return copyOfRange(0, 0)\n  return copyOfRange(indices.start, indices.endInclusive +
1)\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n *\npublic
fun ByteArray.sliceArray(indices: IntRange): ByteArray {\n  if (indices.isEmpty()) return ByteArray(0)\n  return
copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing elements at indices in
the specified [indices] range.\n *\npublic fun ShortArray.sliceArray(indices: IntRange): ShortArray {\n  if
(indices.isEmpty()) return ShortArray(0)\n  return copyOfRange(indices.start, indices.endInclusive +
1)\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n *\npublic fun
IntArray.sliceArray(indices: IntRange): IntArray {\n  if (indices.isEmpty()) return IntArray(0)\n  return
copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing elements at indices in
the specified [indices] range.\n *\npublic fun LongArray.sliceArray(indices: IntRange): LongArray {\n  if
(indices.isEmpty()) return LongArray(0)\n  return copyOfRange(indices.start, indices.endInclusive
+ 1)\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n *\npublic fun
FloatArray.sliceArray(indices: IntRange): FloatArray {\n  if (indices.isEmpty()) return FloatArray(0)\n  return
copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing elements at indices in
the specified [indices] range.\n *\npublic fun DoubleArray.sliceArray(indices: IntRange): DoubleArray {\n  if
(indices.isEmpty()) return DoubleArray(0)\n  return copyOfRange(indices.start, indices.endInclusive +
1)\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n *\npublic fun
BooleanArray.sliceArray(indices: IntRange): BooleanArray {\n  if (indices.isEmpty()) return BooleanArray(0)\n
return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n *\npublic fun CharArray.sliceArray(indices:
IntRange): CharArray {\n  if (indices.isEmpty()) return CharArray(0)\n  return copyOfRange(indices.start,
indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic fun <T> Array<out T>.take(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  if (n >=
size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<T>(n)\n  for
(item in this) {\n    if (count++ == n)\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic
fun ByteArray.take(n: Int): List<Byte> {\n  require(n >= 0) { \"Requested element count $n is less than
zero.\" }\n  if (n == 0) return emptyList()\n  if (n >= size) return
toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<Byte>(n)\n  for (item in this)
{\n    if (count++ == n)\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list
containing first [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic
fun ShortArray.take(n: Int): List<Short> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\"
}\n  if (n == 0) return emptyList()\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[0])\n  var
count = 0\n  val list = ArrayList<Short>(n)\n  for (item in this) {\n    if (count++ == n)\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic fun IntArray.take(n: Int): List<Int> {\n
require(n >= 0) { \"Requested element
count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  if (n >= size) return toList()\n  if (n == 1)
return listOf(this[0])\n  var count = 0\n  val list = ArrayList<Int>(n)\n  for (item in this) {\n    if (count++ ==
n)\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n
*\n * @sample samples.collections.Collections.Transformations.take\n *\npublic fun LongArray.take(n: Int):
List<Long> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return
emptyList()\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list =

```

```

ArrayList<Long>(n)\n for (item in this) {\n     if (count++ == n)\n         break\n     list.add(item)\n }
return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic
fun FloatArray.take(n: Int): List<Float> {\n     require(n >= 0) { \"Requested element count $n is less than zero.\"
}\n     if (n == 0) return emptyList()\n     if (n >= size) return toList()\n     if (n == 1) return listOf(this[0])\n     var
count = 0\n     val list = ArrayList<Float>(n)\n     for (item in this) {\n         if (count++ == n)\n             break\n
list.add(item)\n     }\n     return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun DoubleArray.take(n: Int): List<Double> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n     if (n == 0) return emptyList()\n     if (n >=
size) return toList()\n     if (n == 1) return listOf(this[0])\n     var count = 0\n     val list = ArrayList<Double>(n)\n
for (item in this) {\n         if (count++ == n)\n             break\n         list.add(item)\n     }\n     return list\n}\n\n/**\n *
Returns a list containing
first [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun
BooleanArray.take(n: Int): List<Boolean> {\n     require(n >= 0) { \"Requested element count $n is less than zero.\"
}\n     if (n == 0) return emptyList()\n     if (n >= size) return toList()\n     if (n == 1) return listOf(this[0])\n     var
count = 0\n     val list = ArrayList<Boolean>(n)\n     for (item in this) {\n         if (count++ == n)\n             break\n
list.add(item)\n     }\n     return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun CharArray.take(n: Int): List<Char> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n     if (n == 0) return emptyList()\n     if (n >=
size) return toList()\n     if (n == 1) return listOf(this[0])\n     var count = 0\n     val list = ArrayList<Char>(n)\n
for (item in this) {\n         if (count++ == n)\n             break\n         list.add(item)\n     }\n     return list\n}\n\n/**\n *
Returns a list containing last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T>
Array<out T>.takeLast(n: Int): List<T> {\n     require(n >= 0) { \"Requested element count $n is less than zero.\" }\n     if (n == 0)
return
emptyList()\n     val size = size\n     if (n >= size) return toList()\n     if (n == 1) return listOf(this[size - 1])\n     val list
= ArrayList<T>(n)\n     for (index in size - n until size)\n         list.add(this[index])\n     return list\n}\n\n/**\n *
Returns a list containing last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun
ByteArray.takeLast(n: Int): List<Byte> {\n     require(n >= 0) { \"Requested element count $n is less
than zero.\" }\n     if (n == 0) return emptyList()\n     val size = size\n     if (n >= size) return toList()\n     if (n == 1)
return listOf(this[size - 1])\n     val list
= ArrayList<Byte>(n)\n     for (index in size - n until size)\n         list.add(this[index])\n     return list\n}\n\n/**\n *
Returns a list containing last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun
ShortArray.takeLast(n: Int): List<Short> {\n     require(n >= 0) { \"Requested element count $n is less
than zero.\" }\n     if (n == 0) return emptyList()\n     val size = size\n     if (n >= size) return toList()\n     if (n == 1)
return listOf(this[size - 1])\n     val list = ArrayList<Short>(n)\n     for (index in size - n until size)\n         list.add(this[index])\n
return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun IntArray.takeLast(n: Int): List<Int> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n     if (n == 0) return emptyList()\n     val size =
size\n     if (n >= size) return toList()\n     if
(n == 1) return listOf(this[size - 1])\n     val list = ArrayList<Int>(n)\n     for (index in size - n until size)\n         list.add(this[index])\n
return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun LongArray.takeLast(n: Int): List<Long> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n     if (n == 0) return emptyList()\n     val size =
size\n     if (n >= size) return toList()\n     if (n == 1) return listOf(this[size - 1])\n     val list = ArrayList<Long>(n)\n
for (index in size - n until size)\n         list.add(this[index])\n     return list\n}\n\n/**\n * Returns a list containing last
[n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun
FloatArray.takeLast(n: Int): List<Float> {\n     require(n >= 0) { \"Requested element count $n is less than zero.\" }\n
if (n == 0) return emptyList()\n     val size

```



```

downTo 0) {\n    if (!predicate(this[index])) {\n        return drop(index + 1)\n    }\n    return
toList()\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun <T> Array<out
T>.takeWhile(predicate: (T) -> Boolean): List<T> {\n    val list = ArrayList<T>()\n    for (item in this) {\n        if
(!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first
elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\npublic inline fun ByteArray.takeWhile(predicate: (Byte) -> Boolean): List<Byte> {\n    val list =
ArrayList<Byte>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n
return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun ShortArray.takeWhile(predicate:
(Short) -> Boolean): List<Short> {\n    val list = ArrayList<Short>()\n    for (item in this) {\n        if
(!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first
elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\npublic inline fun IntArray.takeWhile(predicate: (Int) -> Boolean): List<Int> {\n    val list = ArrayList<Int>()\n
for (item in this) {\n
        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list
containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun LongArray.takeWhile(predicate:
(Long) -> Boolean): List<Long> {\n    val list = ArrayList<Long>()\n    for (item in this) {\n        if
(!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first
elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\npublic inline fun FloatArray.takeWhile(predicate: (Float) -> Boolean): List<Float> {\n    val list =
ArrayList<Float>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n
return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun
DoubleArray.takeWhile(predicate: (Double) -> Boolean): List<Double> {\n    val list = ArrayList<Double>()\n
for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n *
Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun BooleanArray.takeWhile(predicate:
(Boolean) -> Boolean): List<Boolean> {\n    val list = ArrayList<Boolean>()\n    for (item in this) {\n        if
(!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first
elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\npublic inline fun CharArray.takeWhile(predicate: (Char) -> Boolean): List<Char> {\n    val list
= ArrayList<Char>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n
return list\n}\n\n/**\n * Reverses elements in the array in-place.\n *\npublic fun <T> Array<T>.reverse(): Unit {\n
val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in
0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n
reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n *\npublic fun ByteArray.reverse():
Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in
0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n
reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n *\npublic fun ShortArray.reverse():
Unit {\n    val
midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint)
{\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n
reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n *\npublic fun IntArray.reverse(): Unit
{\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in
0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n
reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n *\npublic fun LongArray.reverse():

```

```

Unit {
    val midPoint = (size / 2) - 1
    if (midPoint < 0) return
    var reverseIndex = lastIndex
    for (index in 0..midPoint) {
        val tmp = this[index]
        this[index] = this[reverseIndex]
        this[reverseIndex] = tmp
        reverseIndex--
    }
}

/**
 * Reverses elements in the array in-place.
 */
public fun FloatArray.reverse(): Unit {
    val midPoint = (size / 2) - 1
    if (midPoint < 0) return
    var reverseIndex = lastIndex
    for (index in 0..midPoint) {
        val tmp = this[index]
        this[index] = this[reverseIndex]
        this[reverseIndex] = tmp
        reverseIndex--
    }
}

/**
 * Reverses elements in the array in-place.
 */
public fun DoubleArray.reverse(): Unit {
    val midPoint = (size / 2) - 1
    if (midPoint < 0) return
    var reverseIndex = lastIndex
    for (index in 0..midPoint) {
        val tmp = this[index]
        this[index] = this[reverseIndex]
        this[reverseIndex] = tmp
        reverseIndex--
    }
}

/**
 * Reverses elements in the array in-place.
 */
public fun BooleanArray.reverse(): Unit {
    val midPoint = (size / 2) - 1
    if (midPoint < 0) return
    var reverseIndex = lastIndex
    for (index in 0..midPoint) {
        val tmp = this[index]
        this[index] = this[reverseIndex]
        this[reverseIndex] = tmp
        reverseIndex--
    }
}

/**
 * Reverses elements in the array in-place.
 */
public fun CharArray.reverse(): Unit {
    val midPoint = (size / 2) - 1
    if (midPoint < 0) return
    var reverseIndex = lastIndex
    for (index in 0..midPoint) {
        val tmp = this[index]
        this[index] = this[reverseIndex]
        this[reverseIndex] = tmp
        reverseIndex--
    }
}

/**
 * Returns a list with elements in reversed order.
 */
public fun <T> Array<out T>.reversed(): List<T> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

/**
 * Returns a list with elements in reversed order.
 */
public fun ByteArray.reversed(): List<Byte> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

/**
 * Returns a list with elements in reversed order.
 */
public fun ShortArray.reversed(): List<Short> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

/**
 * Returns a list with elements in reversed order.
 */
public fun IntArray.reversed(): List<Int> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

/**
 * Returns a list with elements in reversed order.
 */
public fun LongArray.reversed(): List<Long> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

/**
 * Returns a list with elements in reversed order.
 */
public fun FloatArray.reversed(): List<Float> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

/**
 * Returns a list with elements in reversed order.
 */
public fun DoubleArray.reversed(): List<Double> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

/**
 * Returns a list with elements in reversed order.
 */
public fun BooleanArray.reversed(): List<Boolean> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

/**
 * Returns a list with elements in reversed order.
 */
public fun CharArray.reversed(): List<Char> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

/**
 * Returns an array with elements of this array in reversed order.
 */
public fun <T> Array<T>.reversedArray(): Array<T> {
    if (isEmpty()) return this
    val result = arrayOfNulls<T>(this.size)
    val lastIndex = lastIndex
    for (i in 0..lastIndex)
        result[lastIndex - i] = this[i]
    return result
}

/**
 * Returns an array with elements of this array in reversed order.
 */
public fun ByteArray.reversedArray(): ByteArray {
    if (isEmpty()) return this
    val result = ByteArray(size)
    val lastIndex = lastIndex
    for (i in 0..lastIndex)
        result[lastIndex - i] = this[i]
    return result
}

/**
 * Returns an array with elements of this array in reversed order.
 */
public fun ShortArray.reversedArray(): ShortArray {
    if (isEmpty()) return this
    val result = ShortArray(size)
    val lastIndex = lastIndex
    for (i in 0..lastIndex)
        result[lastIndex - i] = this[i]
    return result
}

/**
 * Returns an array with elements of this array in reversed order.
 */
public fun IntArray.reversedArray(): IntArray {
    if (isEmpty()) return this
    val result = IntArray(size)
    val lastIndex = lastIndex
    for (i in 0..lastIndex)
        result[lastIndex - i] = this[i]
    return result
}

/**
 * Returns an array with elements of this array in reversed order.
 */
public fun LongArray.reversedArray(): LongArray {
    if (isEmpty()) return this
    val result = LongArray(size)

```

```

    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun FloatArray.reversedArray():\nFloatArray {\n    if (isEmpty()) return this\n    val result = FloatArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this\n array in reversed order.\n */\npublic fun DoubleArray.reversedArray(): DoubleArray {\n    if (isEmpty()) return\nthis\n    val result = DoubleArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex -\ni] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun BooleanArray.reversedArray(): BooleanArray {\n    if (isEmpty()) return this\n    val result =\nBooleanArray(size)\n    val lastIndex = lastIndex\n\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with\n elements of this array in reversed order.\n */\npublic fun CharArray.reversedArray(): CharArray {\n    if (isEmpty())\nreturn this\n    val result = CharArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Sorts elements in the array in-place according to natural\n sort order of the value returned by specified [selector] function.\n */\npublic inline fun <T, R : Comparable<R>>\nArray<out T>.sortBy(crossinline selector: (T) -> R?): Unit {\n    if (size > 1)\n        sortByWith(compareBy(selector))\n}\n\n/**\n * Sorts elements in the array in-place descending according to natural\n sort order of the value returned by specified [selector] function.\n */\npublic inline fun <T, R : Comparable<R>>\nArray<out T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n    if (size > 1)\n        sortByDescendingWith(compareByDescending(selector))\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun <T : Comparable<T>> Array<out T>.sortDescending(): Unit {\n    sortByDescendingWith(reverseOrder())\n}\n\n/**\n * Sorts elements\n in the array in-place descending according to their natural sort order.\n */\npublic fun ByteArray.sortDescending():\nUnit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place\n descending according to their natural sort order.\n */\npublic fun ShortArray.sortDescending(): Unit {\n    if (size >\n1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending according to\n their natural sort order.\n */\npublic fun IntArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic\nfun LongArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts\n elements in the array in-place descending according to their natural sort order.\n */\npublic fun\nFloatArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts\n elements in the array in-place descending according to their natural sort order.\n */\npublic fun\nDoubleArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts\n elements in the array in-place descending according to their natural sort order.\n */\npublic fun\nCharArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Returns a list\n of all elements sorted according to their natural sort order.\n */\npublic fun <T : Comparable<T>> Array<out\nT>.sorted(): List<T> {\n    return sortedArray().asList()\n}\n\n/**\n * Returns a list of all elements\n sorted according to their natural sort order.\n */\npublic fun ByteArray.sorted(): List<Byte> {\n    return\ntoTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural\n sort order.\n */\npublic fun ShortArray.sorted(): List<Short> {\n    return toTypedArray().apply { sort()\n}\n}.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun\nIntArray.sorted(): List<Int> {\n    return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all\n elements sorted according to their natural sort order.\n */\npublic fun LongArray.sorted(): List<Long> {\n    return\ntoTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural\n sort order.\n */\npublic fun FloatArray.sorted(): List<Float> {\n    return toTypedArray().apply { sort()\n}\n}.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural\n sort order.\n */\npublic fun DoubleArray.sorted(): List<Double> {\n    return toTypedArray().apply { sort()\n}\n}.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun

```

```

CharArray.sorted(): List<Char> {\n  return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun <T : Comparable<T>> Array<T>.sortedArray(): Array<T> {\n  if (isEmpty()) return this\n  return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun ByteArray.sortedArray(): ByteArray {\n  if (isEmpty()) return this\n  return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun ShortArray.sortedArray(): ShortArray {\n  if (isEmpty()) return this\n  return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun IntArray.sortedArray(): IntArray {\n  if (isEmpty()) return this\n  return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun LongArray.sortedArray(): LongArray {\n  if (isEmpty()) return this\n  return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun FloatArray.sortedArray(): FloatArray {\n  if (isEmpty()) return this\n  return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun DoubleArray.sortedArray(): DoubleArray {\n  if (isEmpty()) return this\n  return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun CharArray.sortedArray(): CharArray {\n  if (isEmpty()) return this\n  return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun <T : Comparable<T>> Array<T>.sortedArrayDescending(): Array<T> {\n  if (isEmpty()) return this\n  return this.copyOf().apply { sortWith(reverseOrder()) }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun ByteArray.sortedArrayDescending(): ByteArray {\n  if (isEmpty()) return this\n  return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun ShortArray.sortedArrayDescending(): ShortArray {\n  if (isEmpty()) return this\n  return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun IntArray.sortedArrayDescending(): IntArray {\n  if (isEmpty()) return this\n  return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun LongArray.sortedArrayDescending(): LongArray {\n  if (isEmpty()) return this\n  return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun FloatArray.sortedArrayDescending(): FloatArray {\n  if (isEmpty()) return this\n  return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun DoubleArray.sortedArrayDescending(): DoubleArray {\n  if (isEmpty()) return this\n  return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun CharArray.sortedArrayDescending(): CharArray {\n  if (isEmpty()) return this\n  return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according the specified [comparator].\n */\npublic fun <T> Array<out T>.sortedArrayWith(comparator: Comparator<in T>): Array<out T> {\n  if (isEmpty()) return this\n  return this.copyOf().apply { sortWith(comparator) }\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n  return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> ByteArray.sortedBy(crossinline selector: (Byte) -> R?): List<Byte> {\n  return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :

```

Comparable<R>> ShortArray.sortedBy(crossinline selector: (Short) -> R?): List<Short> {\n return sortedWith(compareBy(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>>

IntArray.sortedBy(crossinline selector: (Int) -> R?): List<Int> {\n return sortedWith(compareBy(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>>

LongArray.sortedBy(crossinline selector: (Long) -> R?): List<Long> {\n return sortedWith(compareBy(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>>

FloatArray.sortedBy(crossinline selector: (Float) -> R?): List<Float> {\n return sortedWith(compareBy(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>>

DoubleArray.sortedBy(crossinline selector: (Double) -> R?): List<Double> {\n return sortedWith(compareBy(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>>

BooleanArray.sortedBy(crossinline selector: (Boolean) -> R?): List<Boolean> {\n return sortedWith(compareBy(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>>

CharArray.sortedBy(crossinline selector: (Char) -> R?): List<Char> {\n return sortedWith(compareBy(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <T, R : Comparable<R>>

Array<out T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n return sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>>

ByteArray.sortedByDescending(crossinline selector: (Byte) -> R?): List<Byte> {\n return sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>>

ShortArray.sortedByDescending(crossinline selector: (Short) -> R?): List<Short> {\n return sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>>

IntArray.sortedByDescending(crossinline selector: (Int) -> R?): List<Int> {\n return sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>>

LongArray.sortedByDescending(crossinline selector: (Long) -> R?): List<Long> {\n return sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>>

FloatArray.sortedByDescending(crossinline selector: (Float) -> R?): List<Float> {\n return sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>>

DoubleArray.sortedByDescending(crossinline selector: (Double) -> R?): List<Double> {\n return sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>>

BooleanArray.sortedByDescending(crossinline selector: (Boolean) -> R?): List<Boolean> {\n return sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>>

CharArray.sortedByDescending(crossinline selector: (Char) -> R?): List<Char> {\n return sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending

according to their natural sort order.\n \*/\npublic fun <T : Comparable<T>> Array<out T>.sortedDescending(): List<T> {\n return sortedWith(reverseOrder())\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\npublic fun ByteArray.sortedDescending(): List<Byte> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\npublic fun ShortArray.sortedDescending(): List<Short> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\npublic fun IntArray.sortedDescending(): List<Int> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\npublic fun LongArray.sortedDescending(): List<Long> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\npublic fun FloatArray.sortedDescending(): List<Float> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\npublic fun DoubleArray.sortedDescending(): List<Double> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\npublic fun CharArray.sortedDescending(): List<Char> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\npublic fun <T> Array<out T>.sortedWith(comparator: Comparator<in T>): List<T> {\n return sortedArrayWith(comparator).asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\npublic fun ByteArray.sortedWith(comparator: Comparator<in Byte>): List<Byte> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\npublic fun ShortArray.sortedWith(comparator: Comparator<in Short>): List<Short> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\npublic fun IntArray.sortedWith(comparator: Comparator<in Int>): List<Int> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\npublic fun LongArray.sortedWith(comparator: Comparator<in Long>): List<Long> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\npublic fun FloatArray.sortedWith(comparator: Comparator<in Float>): List<Float> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\npublic fun DoubleArray.sortedWith(comparator: Comparator<in Double>): List<Double> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\npublic fun BooleanArray.sortedWith(comparator: Comparator<in Boolean>): List<Boolean> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\npublic fun CharArray.sortedWith(comparator: Comparator<in Char>): List<Char> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*/\npublic expect fun <T> Array<out T>.asList(): List<T>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*/\npublic expect fun ByteArray.asList(): List<Byte>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*/\npublic expect fun ShortArray.asList(): List<Short>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*/\npublic expect fun IntArray.asList(): List<Int>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*/\npublic expect fun LongArray.asList(): List<Long>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*/\npublic expect fun FloatArray.asList(): List<Float>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*/\npublic expect fun DoubleArray.asList(): List<Double>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*/\npublic expect fun BooleanArray.asList(): List<Boolean>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*/\npublic expect fun CharArray.asList(): List<Char>\n\n/\*\*\n \* Returns `true` if the two specified arrays are \*deeply\* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \*/\n \* \n \* If two corresponding elements are nested arrays,

they are also compared deeply.\n \* If any of arrays contains itself on any nesting level the behavior is undefined.\n

```

*\n@SinceKotlin("1.1")\npublic expect infix fun <T> Array<out T>.contentDeepEquals(other: Array<out T>):
Boolean\n\n**\n * Returns a hash code based on the contents of this array as if it is [List].\n * Nested arrays are
treated as lists too.\n * \n * If any of arrays contains itself on any nesting level the behavior
is undefined.\n *\n@SinceKotlin("1.1")\npublic expect fun <T> Array<out T>.contentDeepHashCode():
Int\n\n**\n * Returns a string representation of the contents of this array as if it is a [List].\n * Nested arrays are
treated as lists too.\n * \n * If any of arrays contains itself on any nesting level that reference\n * is rendered as
`"[...]"` to prevent recursion.\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentDeepToString\n *\n@SinceKotlin("1.1")\npublic expect fun
<T> Array<out T>.contentDeepToString(): String\n\n**\n * Returns `true` if the two specified arrays are
*structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n
*\n@SinceKotlin("1.1")\npublic expect infix fun <T> Array<out T>.contentEquals(other: Array<out T>):
Boolean\n\n**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain
the same number of the same elements in the same order.\n
*\n@SinceKotlin("1.1")\npublic expect infix fun ByteArray.contentEquals(other: ByteArray): Boolean\n\n**\n *
Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of
the same elements in the same order.\n *\n@SinceKotlin("1.1")\npublic expect infix fun
ShortArray.contentEquals(other: ShortArray): Boolean\n\n**\n * Returns `true` if the two specified arrays are
*structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n
*\n@SinceKotlin("1.1")\npublic expect infix fun IntArray.contentEquals(other: IntArray): Boolean\n\n**\n *
Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of
the same elements in the same order.\n *\n@SinceKotlin("1.1")\npublic expect infix fun
LongArray.contentEquals(other: LongArray): Boolean\n\n**\n * Returns `true` if the two specified arrays are
*structurally* equal
to one another,\n * i.e. contain the same number of the same elements in the same order.\n
*\n@SinceKotlin("1.1")\npublic expect infix fun FloatArray.contentEquals(other: FloatArray): Boolean\n\n**\n
* Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number
of the same elements in the same order.\n *\n@SinceKotlin("1.1")\npublic expect infix fun
DoubleArray.contentEquals(other: DoubleArray): Boolean\n\n**\n * Returns `true` if the two specified arrays are
*structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n
*\n@SinceKotlin("1.1")\npublic expect infix fun BooleanArray.contentEquals(other: BooleanArray):
Boolean\n\n**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain
the same number of the same elements in the same order.\n *\n@SinceKotlin("1.1")\npublic expect infix fun
CharArray.contentEquals(other:
CharArray): Boolean\n\n**\n * Returns a hash code based on the contents of this array as if it is [List].\n
*\n@SinceKotlin("1.1")\npublic expect fun <T> Array<out T>.contentHashCode(): Int\n\n**\n * Returns a hash
code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\npublic expect fun
ByteArray.contentHashCode(): Int\n\n**\n * Returns a hash code based on the contents of this array as if it is
[List].\n *\n@SinceKotlin("1.1")\npublic expect fun ShortArray.contentHashCode(): Int\n\n**\n * Returns a hash
code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\npublic expect fun
IntArray.contentHashCode(): Int\n\n**\n * Returns a hash code based on the contents of this array as if it is
[List].\n *\n@SinceKotlin("1.1")\npublic expect fun LongArray.contentHashCode(): Int\n\n**\n * Returns a hash
code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\npublic expect fun
FloatArray.contentHashCode():
Int\n\n**\n * Returns a hash code based on the contents of this array as if it is [List].\n
*\n@SinceKotlin("1.1")\npublic expect fun DoubleArray.contentHashCode(): Int\n\n**\n * Returns a hash code
based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\npublic expect fun
BooleanArray.contentHashCode(): Int\n\n**\n * Returns a hash code based on the contents of this array as if it is

```

[List].\n \* \n @SinceKotlin("1.1")\n public expect fun CharArray.contentHashCode(): Int\n\n \*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \* \n @SinceKotlin("1.1")\n public expect fun <T> Array<out T>.contentToString(): String\n\n \*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \* \n @SinceKotlin("1.1")\n public expect fun ByteArray.contentToString(): String\n\n \*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \* \n @SinceKotlin("1.1")\n public expect fun ShortArray.contentToString(): String\n\n \*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \* \n @SinceKotlin("1.1")\n public expect fun IntArray.contentToString(): String\n\n \*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \* \n @SinceKotlin("1.1")\n public expect fun LongArray.contentToString(): String\n\n \*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \* \n @SinceKotlin("1.1")\n public expect fun FloatArray.contentToString(): String\n\n \*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \* \n @SinceKotlin("1.1")\n public expect fun DoubleArray.contentToString(): String\n\n \*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \* \n @SinceKotlin("1.1")\n public expect fun BooleanArray.contentToString(): String\n\n \*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \* \n @SinceKotlin("1.1")\n public expect fun CharArray.contentToString(): String\n\n \*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOf\n \* \n @Suppress("NO\_ACTUAL\_FOR\_EXPECT")\n public expect fun <T> Array<T>.copyOf(): Array<T>\n\n \*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOf\n \* \n public expect fun ByteArray.copyOf(): ByteArray\n\n \*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOf\n \* \n public expect fun ShortArray.copyOf(): ShortArray\n\n \*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOf\n \* \n public expect fun IntArray.copyOf(): IntArray\n\n \*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOf\n \* \n public expect fun LongArray.copyOf(): LongArray\n\n \*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOf\n \* \n public expect fun FloatArray.copyOf(): FloatArray\n\n \*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOf\n \* \n public expect fun DoubleArray.copyOf(): DoubleArray\n\n \*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOf\n \* \n public expect fun BooleanArray.copyOf(): BooleanArray\n\n \*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOf\n \* \n public expect fun CharArray.copyOf(): CharArray\n\n \*\*\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* \n \* The copy is either truncated or padded at the end with zero values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* \n \* - If [newSize] is

greater than the size of the original array, the extra elements in the copy array are filled with zero values.

@sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \*^\\npublic expect fun  
 ByteArray.copyOf(newSize: Int): ByteArray\n\n/\*\*\n \* Returns new array which is a copy of the original array,  
 resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero values if necessary.\n  
 \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If  
 [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero  
 values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \*^\\npublic  
 expect fun ShortArray.copyOf(newSize: Int): ShortArray\n\n/\*\*\n \* Returns new array which is a copy of the  
 original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end  
 with zero values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is  
 truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the  
 copy array are filled with zero values.\n \* \n \* @sample  
 samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \*^\\npublic expect fun  
 IntArray.copyOf(newSize: Int): IntArray\n\n/\*\*\n \* Returns new array which is a copy of the original array, resized  
 to the given [newSize].\n \* The copy is either truncated or padded at the end with zero values if necessary.\n \* \n \* -  
 If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize]  
 is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n \* \n \*  
 @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \*^\\npublic expect fun  
 LongArray.copyOf(newSize: Int):  
 LongArray\n\n/\*\*\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \*  
 The copy is either truncated or padded at the end with zero values if necessary.\n \* \n \* - If [newSize] is less than the  
 size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of  
 the original array, the extra elements in the copy array are filled with zero values.\n \* \n \* @sample  
 samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \*^\\npublic expect fun  
 FloatArray.copyOf(newSize: Int): FloatArray\n\n/\*\*\n \* Returns new array which is a copy of the original array,  
 resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero values if necessary.\n  
 \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If  
 [newSize] is greater than the size of the original array, the extra elements in the copy array  
 are filled with zero values.\n \* \n \* @sample  
 samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \*^\\npublic expect fun  
 DoubleArray.copyOf(newSize: Int): DoubleArray\n\n/\*\*\n \* Returns new array which is a copy of the original  
 array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with `false` values if  
 necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the  
 [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are  
 filled with `false` values.\n \* \n \* @sample  
 samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \*^\\npublic expect fun  
 BooleanArray.copyOf(newSize: Int): BooleanArray\n\n/\*\*\n \* Returns new array which is a copy of the original  
 array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with null char (`\u0000`)  
 values if necessary.\n \* \n \* - If [newSize]  
 is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater  
 than the size of the original array, the extra elements in the copy array are filled with null char (`\u0000`) values.\n  
 \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \*^\\npublic expect fun  
 CharArray.copyOf(newSize: Int): CharArray\n\n/\*\*\n \* Returns new array which is a copy of the original array,  
 resized to the given [newSize].\n \* The copy is either truncated or padded at the end with `null` values if  
 necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the  
 [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are  
 filled with `null` values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n  
 \*^\\n@Suppress(\"NO\_ACTUAL\_FOR\_EXPECT\")\npublic expect fun <T> Array<T>.copyOf(newSize: Int):

```

Array<T?>\n\n/**\n * Returns new array which is a copy of range of original array.\n
*\n\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect fun <T> Array<T>.copyOfRange(fromIndex:
Int, toIndex: Int): Array<T>\n\n/**\n * Returns new array which is a copy of range of original array.\n *\n\npublic
expect fun ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray\n\n/**\n * Returns new array which is
a copy of range of original array.\n *\n\npublic expect fun ShortArray.copyOfRange(fromIndex: Int, toIndex: Int):
ShortArray\n\n/**\n * Returns new array which is a copy of range of original array.\n *\n\npublic expect fun
IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray\n\n/**\n * Returns new array which is a copy of
range of original array.\n *\n\npublic expect fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int):
LongArray\n\n/**\n * Returns new array which is a copy of range of original array.\n *\n\npublic expect fun
FloatArray.copyOfRange(fromIndex: Int, toIndex: Int):
FloatArray\n\n/**\n * Returns new array which is a copy of range of original array.\n *\n\npublic expect fun
DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray\n\n/**\n * Returns new array which is a
copy of range of original array.\n *\n\npublic expect fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int):
BooleanArray\n\n/**\n * Returns new array which is a copy of range of original array.\n *\n\npublic expect fun
CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray\n\n/**\n * Returns the range of valid indices for
the array.\n *\n\npublic val <T> Array<out T>.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n *
Returns the range of valid indices for the array.\n *\n\npublic val ByteArray.indices: IntRange\n    get() = IntRange(0,
lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *\n\npublic val ShortArray.indices:
IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *\n\npublic
val IntArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid
indices for the array.\n *\n\npublic val LongArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n *
Returns the range of valid indices for the array.\n *\n\npublic val FloatArray.indices: IntRange\n    get() =
IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *\n\npublic val
DoubleArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for
the array.\n *\n\npublic val BooleanArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the
range of valid indices for the array.\n *\n\npublic val CharArray.indices: IntRange\n    get() = IntRange(0,
lastIndex)\n\n/**\n * Returns `true` if the array is empty.\n *\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T>
Array<out T>.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array
is empty.\n *\n\n@kotlin.internal.InlineOnly\n\npublic inline fun ByteArray.isEmpty(): Boolean {\n    return size ==
0\n}\n\n/**\n * Returns `true` if the array is empty.\n *\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
ShortArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n *\n\n@kotlin.internal.InlineOnly\n\npublic inline fun IntArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n *
Returns `true` if the array is empty.\n *\n\n@kotlin.internal.InlineOnly\n\npublic inline fun LongArray.isEmpty():
Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n *\n\n@kotlin.internal.InlineOnly\n\npublic inline fun FloatArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n *
Returns `true` if the array is empty.\n *\n\n@kotlin.internal.InlineOnly\n\npublic inline fun DoubleArray.isEmpty():
Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n *\n\n@kotlin.internal.InlineOnly\n\npublic
inline fun BooleanArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is
empty.\n *\n\n@kotlin.internal.InlineOnly\n\npublic inline fun CharArray.isEmpty(): Boolean {\n    return size ==
0\n}\n\n/**\n * Returns `true` if the array is not empty.\n *\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T>
Array<out T>.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not
empty.\n *\n\n@kotlin.internal.InlineOnly\n\npublic inline fun ByteArray.isNotEmpty(): Boolean {\n    return
!isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n *\n\n@kotlin.internal.InlineOnly\n\npublic inline
fun ShortArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not
empty.\n *\n\n@kotlin.internal.InlineOnly\n\npublic inline fun IntArray.isNotEmpty(): Boolean {\n    return
!isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n *\n\n@kotlin.internal.InlineOnly\n\npublic inline

```

```

fun LongArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns the last valid index for the array.\n */\npublic val <T> Array<out T>.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val ByteArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val ShortArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val IntArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val LongArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val FloatArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val DoubleArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val BooleanArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val CharArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect operator fun <T> Array<T>.plus(element: T): Array<T>\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun ByteArray.plus(element: Byte): ByteArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun ShortArray.plus(element: Short): ShortArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun IntArray.plus(element: Int): IntArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun LongArray.plus(element: Long): LongArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun FloatArray.plus(element: Float): FloatArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun DoubleArray.plus(element: Double): DoubleArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun BooleanArray.plus(element: Boolean): BooleanArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun CharArray.plus(element: Char): CharArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect operator fun <T> Array<T>.plus(elements: Collection<T>): Array<T>\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun ShortArray.plus(elements: Collection<Short>): ShortArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun IntArray.plus(elements: Collection<Int>): IntArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun LongArray.plus(elements: Collection<Long>): LongArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun FloatArray.plus(elements: Collection<Float>): FloatArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun DoubleArray.plus(elements:

```

Collection<Double>): DoubleArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n \*/\npublic expect operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n \*/\npublic expect operator fun CharArray.plus(elements: Collection<Char>): CharArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n \*/\n@Suppress("NO\_ACTUAL\_FOR\_EXPECT")\npublic expect operator fun <T> Array<T>.plus(elements: Array<out T>): Array<T>\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n \*/\npublic expect operator fun ByteArray.plus(elements: ByteArray): ByteArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n \*/\npublic expect operator fun ShortArray.plus(elements: ShortArray): ShortArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n \*/\npublic expect operator fun IntArray.plus(elements: IntArray): IntArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n \*/\npublic expect operator fun LongArray.plus(elements: LongArray): LongArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n \*/\npublic expect operator fun FloatArray.plus(elements: FloatArray): FloatArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n \*/\npublic expect operator fun DoubleArray.plus(elements: DoubleArray): DoubleArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n \*/\npublic expect operator fun BooleanArray.plus(elements: BooleanArray): BooleanArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n \*/\npublic expect operator fun CharArray.plus(elements: CharArray): CharArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then the given [element].\n \*/\n@Suppress("NO\_ACTUAL\_FOR\_EXPECT")\npublic expect fun <T> Array<T>.plusElement(element: T): Array<T>\n\n/\*\*\n \* Sorts the array in-place.\n \*/\npublic expect fun IntArray.sort(): Unit\n\n/\*\*\n \* Sorts the array in-place.\n \*/\npublic expect fun LongArray.sort(): Unit\n\n/\*\*\n \* Sorts the array in-place.\n \*/\npublic expect fun ByteArray.sort(): Unit\n\n/\*\*\n \* Sorts the array in-place.\n \*/\npublic expect fun ShortArray.sort(): Unit\n\n/\*\*\n \* Sorts the array in-place.\n \*/\npublic expect fun DoubleArray.sort(): Unit\n\n/\*\*\n \* Sorts the array in-place.\n \*/\npublic expect fun FloatArray.sort(): Unit\n\n/\*\*\n \* Sorts the array in-place.\n \*/\npublic expect fun CharArray.sort(): Unit\n\n/\*\*\n \* Sorts the array in-place according to the natural order of its elements.\n \*/\npublic expect fun <T : Comparable<T>> Array<out T>.sort(): Unit\n\n/\*\*\n \* Sorts the array in-place according to the order specified by the given [comparator].\n \*/\npublic expect fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit\n\n/\*\*\n \* Returns an array of Boolean containing all of the elements of this generic array.\n \*/\npublic fun Array<out Boolean>.toBooleanArray(): BooleanArray {\n val result = BooleanArray(size)\n for (index in indices)\n result[index] = this[index]\n return result\n}\n\n/\*\*\n \* Returns an array of Byte containing all of the elements of this generic array.\n \*/\npublic fun Array<out Byte>.toByteArray(): ByteArray {\n val result = ByteArray(size)\n for (index in indices)\n result[index] = this[index]\n return result\n}\n\n/\*\*\n \* Returns an array of Char containing all of the elements of this generic array.\n \*/\npublic fun Array<out Char>.toCharArray(): CharArray {\n val result = CharArray(size)\n for (index in indices)\n result[index] = this[index]\n return result\n}\n\n/\*\*\n \* Returns an array of Double containing all of the elements of this generic array.\n \*/\npublic fun Array<out Double>.toDoubleArray(): DoubleArray {\n val result = DoubleArray(size)\n for (index in indices)\n result[index] = this[index]\n return result\n}\n\n/\*\*\n \* Returns an array of Float containing all of the elements of this generic array.\n \*/\npublic fun Array<out Float>.toFloatArray(): FloatArray {\n val result = FloatArray(size)\n for (index in indices)\n result[index] = this[index]\n return result\n}\n\n/\*\*\n \* Returns an array of Int containing all

of the elements of this generic array.

```

public fun Array<out Int>.toIntArray(): IntArray {
    val result = IntArray(size)
    for (index in indices)
        result[index] = this[index]
    return result
}

```

\* Returns an array of Long containing all of the elements of this generic array.

```

public fun Array<out Long>.toLongArray(): LongArray {
    val result = LongArray(size)
    for (index in indices)
        result[index] = this[index]
    return result
}

```

\* Returns an array of Short containing all of the elements of this generic array.

```

public fun Array<out Short>.toShortArray(): ShortArray {
    val result = ShortArray(size)
    for (index in indices)
        result[index] = this[index]
    return result
}

```

\* Returns a \*typed\* object array containing all of the elements of this primitive array.

```

public expect fun ByteArray.toTypedArray(): Array<Byte>

```

\* Returns a \*typed\* object array containing all of the elements of this primitive array.

```

public expect fun ShortArray.toTypedArray(): Array<Short>

```

\* Returns a \*typed\* object array containing all of the elements of this primitive array.

```

public expect fun IntArray.toTypedArray(): Array<Int>

```

\* Returns a \*typed\* object array containing all of the elements of this primitive array.

```

public expect fun LongArray.toTypedArray(): Array<Long>

```

\* Returns a \*typed\* object array containing all of the elements of this primitive array.

```

public expect fun FloatArray.toTypedArray(): Array<Float>

```

\* Returns a \*typed\* object array containing all of the elements of this primitive array.

```

public expect fun DoubleArray.toTypedArray(): Array<Double>

```

\* Returns a \*typed\* object array containing all of the elements of this primitive array.

```

public BooleanArray.toTypedArray(): Array<Boolean>

```

\* Returns a \*typed\* object array containing all of the elements of this primitive array.

```

public expect fun CharArray.toTypedArray(): Array<Char>

```

\* Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.

\* If any of two pairs would have the same key the last one gets added to the map.

\* The returned map preserves the entry iteration order of the original array.

```

public inline fun <T, K, V> Array<out T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity), transform)
}

```

\* Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.

\* If any of two pairs would have the same key the last one gets added to the map.

\* The returned map preserves the entry iteration order of the original array.

```

public inline fun <K, V> ByteArray.associate(transform: (Byte) -> Pair<K, V>): Map<K, V> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity), transform)
}

```

\* Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.

\* If any of two pairs would have the same key the last one gets added to the map.

\* The returned map preserves the entry iteration order of the original array.

```

public inline fun <K, V> ShortArray.associate(transform: (Short) -> Pair<K, V>): Map<K, V> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity), transform)
}

```

\* Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.

\* If any of two pairs would have the same key the last one gets added to the map.

\* The returned map preserves the entry iteration order of the original array.

```

public inline fun <K, V> IntArray.associate(transform: (Int) -> Pair<K, V>): Map<K, V> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity), transform)
}

```

\* Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.

\* If any of two pairs would have the same key the last one gets added to the map.

\* The returned map preserves the entry iteration order of the original array.

```

public inline fun <K, V> LongArray.associate(transform: (Long) -> Pair<K, V>): Map<K, V> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity), transform)
}

```

\* Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.

\* If any of two pairs would have the same key the last one gets added to the map.

\* The returned map preserves the entry iteration order of the original array.

```

*/\npublic inline fun <K, V> FloatArray.associate(transform: (Float) -> Pair<K, V>): Map<K, V> {\n  val
capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K,
V> DoubleArray.associate(transform: (Double) -> Pair<K, V>): Map<K, V> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map
preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V>
BooleanArray.associate(transform: (Boolean) -> Pair<K, V>): Map<K, V> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K,
V> CharArray.associate(transform: (Char) -> Pair<K, V>): Map<K, V> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements
would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map
preserves the entry iteration order of the original array.\n */\npublic inline fun <T, K> Array<out
T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n
return associateByTo(LinkedHashMap<K, T>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the
elements from the given array indexed by the key\n * returned from [keySelector] function applied to each
element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to
the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun
<K> ByteArray.associateBy(keySelector: (Byte) -> K): Map<K, Byte> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Byte>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map]
containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to
each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets
added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic
inline fun <K> ShortArray.associateBy(keySelector: (Short) -> K): Map<K, Short> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Short>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n */\npublic inline fun <K> IntArray.associateBy(keySelector: (Int) -> K): Map<K, Int>
{\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K,
Int>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by
the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have
the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the
entry iteration order of the original array.\n */\npublic inline fun <K> LongArray.associateBy(keySelector: (Long) -
> K): Map<K, Long> {\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return
associateByTo(LinkedHashMap<K, Long>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the
elements from the given array indexed by the key\n * returned from [keySelector] function applied to each
element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to

```

the map.  
 The returned map preserves the entry iteration order of the original array.

```

public inline fun <K>
FloatArray.associateBy(keySelector: (Float) -> K): Map<K, Float> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return associateByTo(LinkedHashMap<K, Float>(capacity),
        keySelector)
}

```

**associateBy** Returns a [Map] containing the elements from the given array indexed by the key returned from [keySelector] function applied to each element. If any two elements would have the same key returned by [keySelector] the last one gets added to the map. The returned map preserves the entry iteration order of the original array.

```

public inline fun <K> DoubleArray.associateBy(keySelector: (Double) -> K):
Map<K, Double> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return
        associateByTo(LinkedHashMap<K, Double>(capacity), keySelector)
}

```

**associateBy** Returns a [Map] containing the elements from the given array indexed by the key returned from [keySelector] function applied to each element. If any two elements would have the same key returned by [keySelector] the last one gets added to the map. The returned map preserves the entry iteration order of the original array.

```

public inline fun <K> BooleanArray.associateBy(keySelector: (Boolean) -> K): Map<K, Boolean> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return associateByTo(LinkedHashMap<K,
        Boolean>(capacity), keySelector)
}

```

**associateBy** Returns a [Map] containing the elements from the given array indexed by the key returned from [keySelector] function applied to each element. If any two elements would have the same key returned by [keySelector] the last one gets added to the map. The returned map preserves the entry iteration order of the original array.

```

public inline fun <K>
CharArray.associateBy(keySelector: (Char) -> K): Map<K, Char> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return
        associateByTo(LinkedHashMap<K, Char>(capacity), keySelector)
}

```

**associateBy** Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array. If any two elements would have the same key returned by [keySelector] the last one gets added to the map. The returned map preserves the entry iteration order of the original array.

```

public inline fun <T, K, V> Array<out T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return associateByTo(LinkedHashMap<K, V>(capacity), keySelector,
        valueTransform)
}

```

**associateBy** Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array. If any two elements would have the same key returned by [keySelector] the last one gets added to the map. The returned map preserves the entry iteration order of the original array.

```

public inline fun <K, V> ByteArray.associateBy(keySelector: (Byte) ->
    K, valueTransform: (Byte) -> V): Map<K, V> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return
        associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)
}

```

**associateBy** Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array. If any two elements would have the same key returned by [keySelector] the last one gets added to the map. The returned map preserves the entry iteration order of the original array.

```

public inline fun <K, V> ShortArray.associateBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, V> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return associateByTo(LinkedHashMap<K,
        V>(capacity), keySelector, valueTransform)
}

```

**associateBy** Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array. If any two elements would have the same key returned by [keySelector] the last one gets added to the map. The returned map preserves the entry iteration order of the original array.

```

public inline fun <K, V> IntArray.associateBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, V> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return
        associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)
}

```

**associateBy** Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array. If any two elements would have the same key returned by [keySelector] the last one gets added to the map. The returned map preserves the entry iteration order of the original array.

```

inline fun <K, V> LongArray.associateBy(keySelector: (Long) -> K, valueTransform:
(Long) -> V): Map<K, V> {\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return
associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map]
containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of
the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets
added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic
inline fun <K, V> FloatArray.associateBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, V>
{\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by
[valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two
elements would have
the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the
entry iteration order of the original array.\n */\npublic inline fun <K, V> DoubleArray.associateBy(keySelector:
(Double) -> K, valueTransform: (Double) -> V): Map<K, V> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity), keySelector,
valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by
[keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n */\npublic inline fun <K, V> BooleanArray.associateBy(keySelector: (Boolean) -> K,
valueTransform: (Boolean) -> V): Map<K, V> {\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return
associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by
[valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two
elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V>
CharArray.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity), keySelector,
valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where
key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element
itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one
gets added to the map.\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>> Array<out
T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n  for (element in this) {\n
destination.put(keySelector(element), element)\n  }\n  return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to
each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same
key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K,
in Byte>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K): M {\n  for (element in this) {\n
destination.put(keySelector(element), element)\n  }\n  return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function
applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M :
MutableMap<in K, in Short>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K): M {\n  for
(element in this) {\n    destination.put(keySelector(element), element)\n  }\n  return destination\n}\n\n/**\n *
Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the
[keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any
two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic
inline fun <K, M : MutableMap<in K, in Int>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K): M
{\n  for (element in this) {\n    destination.put(keySelector(element), element)\n

```

```

} \n return destination \n } \n \n /** \n * Populates and returns the [destination] mutable map with key-value pairs, \n *
where key is provided by the [keySelector] function applied to each element of the given array \n * and value is the
element itself. \n * \n * If any two elements would have the same key returned by [keySelector] the last one gets
added to the map. \n * \n public inline fun <K, M : MutableMap<in K, in Long>>
LongArray.associateByTo(destination: M, keySelector: (Long) -> K): M { \n for (element in this) { \n
destination.put(keySelector(element), element) \n } \n return destination \n } \n \n /** \n * Populates and returns the
[destination] mutable map with key-value pairs, \n * where key is provided by the [keySelector] function applied to
each element of the given array \n * and value is the element itself. \n * \n * If any two elements would have the same
key returned by [keySelector] the last one gets added to the map. \n * \n public inline fun <K, M : MutableMap<in K,
in
Float>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K): M { \n for (element in this) { \n
destination.put(keySelector(element), element) \n } \n return destination \n } \n \n /** \n * Populates and returns the
[destination] mutable map with key-value pairs, \n * where key is provided by the [keySelector] function applied to
each element of the given array \n * and value is the element itself. \n * \n * If any two elements would have the same
key returned by [keySelector] the last one gets added to the map. \n * \n public inline fun <K, M : MutableMap<in K,
in
Double>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K): M { \n for (element in this)
{ \n destination.put(keySelector(element), element) \n } \n return destination \n } \n \n /** \n * Populates and
returns the [destination] mutable map with key-value pairs, \n * where key is provided by the [keySelector] function
applied to each element of the given array \n * and value is the element
itself. \n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the
map. \n * \n public inline fun <K, M : MutableMap<in K, in Boolean>> BooleanArray.associateByTo(destination: M,
keySelector: (Boolean) -> K): M { \n for (element in this) { \n destination.put(keySelector(element), element) \n
} \n return destination \n } \n \n /** \n * Populates and returns the [destination] mutable map with key-value pairs, \n *
where key is provided by the [keySelector] function applied to each element of the given array \n * and value is the
element itself. \n * \n * If any two elements would have the same key returned by [keySelector] the last one gets
added to the map. \n * \n public inline fun <K, M : MutableMap<in K, in Char>>
CharArray.associateByTo(destination: M, keySelector: (Char) -> K): M { \n for (element in this) { \n
destination.put(keySelector(element), element) \n } \n return destination \n } \n \n /** \n * Populates and returns
the [destination] mutable map with key-value pairs, \n * where key is provided by the [keySelector] function and \n *
and value is provided by the [valueTransform] function applied to elements of the given array. \n * \n * If any two
elements would have the same key returned by [keySelector] the last one gets added to the map. \n * \n public inline
fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K,
valueTransform: (T) -> V): M { \n for (element in this) { \n destination.put(keySelector(element),
valueTransform(element)) \n } \n return destination \n } \n \n /** \n * Populates and returns the [destination] mutable
map with key-value pairs, \n * where key is provided by the [keySelector] function and \n * and value is provided by
the [valueTransform] function applied to elements of the given array. \n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map. \n * \n public inline
fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K,
valueTransform: (Byte) -> V): M { \n for (element in this) { \n destination.put(keySelector(element),
valueTransform(element)) \n } \n return destination \n } \n \n /** \n * Populates and returns the [destination] mutable
map with key-value pairs, \n * where key is provided by the [keySelector] function and \n * and value is provided by
the [valueTransform] function applied to elements of the given array. \n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map. \n * \n public inline fun <K, V, M :
MutableMap<in K, in V>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K, valueTransform:
(Short) -> V): M { \n for (element in this) { \n destination.put(keySelector(element),
valueTransform(element)) \n } \n return destination \n } \n \n /** \n * Populates and returns the [destination] mutable
map with

```

key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given array. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

```

public inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K, valueTransform: (Int) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given array. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

```

public inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateByTo(destination: M, keySelector: (Long) -> K, valueTransform: (Long) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given array. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

```

public inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K, valueTransform: (Float) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given array. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

```

public inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K, valueTransform: (Double) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given array. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

```

public inline fun <K, V, M : MutableMap<in K, in V>> BooleanArray.associateByTo(destination: M, keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given array. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

```

public inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

```

public inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

```

public inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateTo(destination: M, transform: (Byte) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element

```

of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n
*\npublic inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateTo(destination: M, transform:
(Short) -> Pair<K, V>): M {\n  for (element in this) {\n    destination += transform(element)\n  }\n  return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by
[transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key
the last one gets added to the map.\n *\npublic inline fun <K, V, M : MutableMap<in K, in V>>
IntArray.associateTo(destination: M, transform: (Int) -> Pair<K, V>): M {\n  for (element in this) {\n
  destination += transform(element)\n  }\n  return destination\n}\n\n/**\n * Populates and returns the [destination]
mutable map with key-value pairs\n * provided by [transform] function applied to each element of the
given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n *\npublic
inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateTo(destination: M, transform: (Long) ->
Pair<K, V>): M {\n  for (element in this) {\n    destination += transform(element)\n  }\n  return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by
[transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key
the last one gets added to the map.\n *\npublic inline fun <K, V, M : MutableMap<in K, in V>>
FloatArray.associateTo(destination: M, transform: (Float) -> Pair<K, V>): M {\n  for (element in this) {\n
  destination += transform(element)\n  }\n  return destination\n}\n\n/**\n * Populates and returns the [destination]
mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given
array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n *\npublic inline
fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateTo(destination: M, transform: (Double) ->
Pair<K, V>): M {\n  for (element in this) {\n    destination += transform(element)\n  }\n  return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by
[transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key
the last one gets added to the map.\n *\npublic inline fun <K, V, M : MutableMap<in K, in V>>
BooleanArray.associateTo(destination: M, transform: (Boolean) -> Pair<K, V>): M {\n  for (element in this) {\n
  destination += transform(element)\n  }\n  return destination\n}\n\n/**\n * Populates and returns the [destination]
mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given
array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n *\npublic inline
fun <K, V, M : MutableMap<in K, in V>> CharArray.associateTo(destination: M, transform: (Char) -> Pair<K,
V>): M {\n  for (element in this) {\n    destination += transform(element)\n  }\n  return destination\n}\n\n/**\n
 * Appends all elements to the given [destination] collection.\n *\npublic fun <T, C : MutableCollection<in T>>
Array<out T>.toCollection(destination: C): C {\n  for (item in this) {\n    destination.add(item)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n *\npublic fun <C :
MutableCollection<in Byte>> ByteArray.toCollection(destination: C): C {\n  for (item in this) {\n
  destination.add(item)\n  }\n  return destination\n}\n\n/**\n * Appends all elements to the given [destination]
collection.\n *\npublic fun <C : MutableCollection<in Short>> ShortArray.toCollection(destination:
C): C {\n  for (item in this) {\n    destination.add(item)\n  }\n  return destination\n}\n\n/**\n * Appends all
elements to the given [destination] collection.\n *\npublic fun <C : MutableCollection<in Int>>
IntArray.toCollection(destination: C): C {\n  for (item in this) {\n    destination.add(item)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n *\npublic fun <C :
MutableCollection<in Long>> LongArray.toCollection(destination: C): C {\n  for (item in this) {\n
  destination.add(item)\n  }\n  return destination\n}\n\n/**\n * Appends all elements to the given [destination]
collection.\n *\npublic fun <C : MutableCollection<in Float>> FloatArray.toCollection(destination: C): C {\n  for
(item in this) {\n    destination.add(item)\n  }\n  return destination\n}\n\n/**\n * Appends all elements to the
given [destination] collection.\n *\npublic fun <C : MutableCollection<in Double>>
DoubleArray.toCollection(destination: C): C {\n  for (item in this) {\n    destination.add(item)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n *\npublic fun <C :
MutableCollection<in Boolean>> BooleanArray.toCollection(destination: C): C {\n  for (item in this) {\n

```

```

destination.add(item)\n } \n return destination\n}\n\n/**\n * Appends all elements to the given [destination]
collection.\n *\npublic fun <C : MutableCollection<in Char>> CharArray.toCollection(destination: C): C {\n for
(item in this) {\n destination.add(item)\n } \n return destination\n}\n\n/**\n * Returns a [HashSet] of all
elements.\n *\npublic fun <T> Array<out T>.toHashSet(): HashSet<T> {\n return
toCollection(HashSet<T>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n *\npublic fun
ByteArray.toHashSet(): HashSet<Byte> {\n return toCollection(HashSet<Byte>(mapCapacity(size)))\n}\n\n/**\n
*

```

```

Returns a [HashSet] of all elements.\n *\npublic fun ShortArray.toHashSet(): HashSet<Short> {\n return
toCollection(HashSet<Short>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n *\npublic
fun IntArray.toHashSet(): HashSet<Int> {\n return toCollection(HashSet<Int>(mapCapacity(size)))\n}\n\n/**\n *
Returns a [HashSet] of all elements.\n *\npublic fun LongArray.toHashSet(): HashSet<Long> {\n return
toCollection(HashSet<Long>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n *\npublic
fun FloatArray.toHashSet(): HashSet<Float> {\n return
toCollection(HashSet<Float>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n *\npublic
fun DoubleArray.toHashSet(): HashSet<Double> {\n return
toCollection(HashSet<Double>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n *\npublic
fun BooleanArray.toHashSet(): HashSet<Boolean> {\n return
toCollection(HashSet<Boolean>(mapCapacity(size)))\n}\n\n/**\n *

```

```

Returns a [HashSet] of all elements.\n *\npublic fun CharArray.toHashSet(): HashSet<Char> {\n return
toCollection(HashSet<Char>(mapCapacity(size)))\n}\n\n/**\n * Returns a [List] containing all elements.\n\n
*\npublic fun <T> Array<out T>.toList(): List<T> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n\n
*\npublic fun ByteArray.toList(): List<Byte> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n\n
*\npublic fun ShortArray.toList(): List<Short> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n\n
*\npublic fun IntArray.toList(): List<Int> {\n return when (size) {\n
0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a
[List] containing all elements.\n *\npublic fun LongArray.toList(): List<Long> {\n return when (size) {\n 0 -
> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List]
containing all elements.\n *\npublic fun FloatArray.toList(): List<Float> {\n return when (size) {\n 0 ->
emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List]
containing all elements.\n *\npublic fun DoubleArray.toList(): List<Double> {\n return when (size) {\n 0 ->
emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List]
containing all elements.\n *\npublic fun BooleanArray.toList(): List<Boolean> {\n return when (size) {\n 0 -
> emptyList()\n 1 -> listOf(this[0])\n

```

```

else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n *\npublic fun
CharArray.toList(): List<Char> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n
else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n\n
*\npublic fun <T> Array<out T>.toMutableList(): MutableList<T> {\n return
ArrayList(this.asCollection())\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n\n
*\npublic fun ByteArray.toMutableList(): MutableList<Byte> {\n val list = ArrayList<Byte>(size)\n for (item
in this) list.add(item)\n return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n\n
*\npublic fun ShortArray.toMutableList(): MutableList<Short> {\n val list = ArrayList<Short>(size)\n for (item
in this) list.add(item)\n return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements
of this array.\n *\npublic fun IntArray.toMutableList(): MutableList<Int> {\n val list = ArrayList<Int>(size)\n
for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this
array.\n *\npublic fun LongArray.toMutableList(): MutableList<Long> {\n val list = ArrayList<Long>(size)\n

```

```

for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this
array.\n */\npublic fun FloatArray.toMutableList(): MutableList<Float> {\n    val list = ArrayList<Float>(size)\n    for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this
array.\n */\npublic fun DoubleArray.toMutableList(): MutableList<Double> {\n    val list =
ArrayList<Double>(size)\n    for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a [MutableList]
filled with all elements of this array.\n */\npublic fun BooleanArray.toMutableList():
MutableList<Boolean> {\n    val list = ArrayList<Boolean>(size)\n    for (item in this) list.add(item)\n    return
list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun
CharArray.toMutableList(): MutableList<Char> {\n    val list = ArrayList<Char>(size)\n    for (item in this)
list.add(item)\n    return list\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the
element iteration order of the original array.\n */\npublic fun <T> Array<out T>.toSet(): Set<T> {\n    return when
(size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->
toCollection(LinkedHashSet<T>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n *
The returned set preserves the element iteration order of the original array.\n */\npublic fun ByteArray.toSet():
Set<Byte> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->
toCollection(LinkedHashSet<Byte>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n *
The returned set preserves the element iteration order of
the original array.\n */\npublic fun ShortArray.toSet(): Set<Short> {\n    return when (size) {\n        0 ->
emptySet()\n        1 -> setOf(this[0])\n        else -> toCollection(LinkedHashSet<Short>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the
original array.\n */\npublic fun IntArray.toSet(): Set<Int> {\n    return when (size) {\n        0 -> emptySet()\n        1 -
> setOf(this[0])\n        else -> toCollection(LinkedHashSet<Int>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a
[Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic
fun LongArray.toSet(): Set<Long> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n
        else -> toCollection(LinkedHashSet<Long>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all
elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun
FloatArray.toSet(): Set<Float> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n
        else -> toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all
elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun
DoubleArray.toSet(): Set<Double> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n
        else -> toCollection(LinkedHashSet<Double>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all
elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun
BooleanArray.toSet(): Set<Boolean> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n
        else -> toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all
elements.\n * \n * The returned set preserves the element iteration order of the original
array.\n */\npublic fun CharArray.toSet(): Set<Char> {\n    return when (size) {\n        0 -> emptySet()\n        1 ->
setOf(this[0])\n        else -> toCollection(LinkedHashSet<Char>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a
single list of all elements yielded from results of [transform] function being invoked on each element of original
array.\n */\npublic inline fun <T, R> Array<out T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n    return
flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of
[transform] function being invoked on each element of original array.\n */\npublic inline fun <R>
ByteArray.flatMap(transform: (Byte) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n */\npublic inline fun <R> ShortArray.flatMap(transform: (Short) ->
Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all
elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic
inline fun <R> IntArray.flatMap(transform: (Int) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being

```

invoked on each element of original array.

```

public inline fun <R> LongArray.flatMap(transform: (Long) ->
Iterable<R>): List<R> {
    return flatMapTo(ArrayList<R>(), transform)
}

```

\* Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.

```

public inline fun <R> FloatArray.flatMap(transform: (Float) -> Iterable<R>): List<R> {
    return flatMapTo(ArrayList<R>(), transform)
}

```

\* Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.

```

public inline fun <R> DoubleArray.flatMap(transform: (Double) -> Iterable<R>): List<R> {
    return flatMapTo(ArrayList<R>(), transform)
}

```

\* Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.

```

public inline fun <R> BooleanArray.flatMap(transform: (Boolean) -> Iterable<R>): List<R> {
    return flatMapTo(ArrayList<R>(), transform)
}

```

\* Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.

```

public inline fun <R> CharArray.flatMap(transform: (Char) -> Iterable<R>): List<R> {
    return flatMapTo(ArrayList<R>(), transform)
}

```

\* Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].

```

public inline fun <T, R, C : MutableCollection<in R>>
Array<out T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {
    for (element in this) {
        val list = transform(element)
        destination.addAll(list)
    }
    return destination
}

```

\* Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].

```

public inline fun <R, C : MutableCollection<in R>>
ByteArray.flatMapTo(destination: C, transform: (Byte) -> Iterable<R>): C {
    for (element in this) {
        val list = transform(element)
        destination.addAll(list)
    }
    return destination
}

```

\* Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].

```

public inline fun <R, C : MutableCollection<in R>>
ShortArray.flatMapTo(destination: C, transform: (Short) -> Iterable<R>): C {
    for (element in this) {
        val list = transform(element)
        destination.addAll(list)
    }
    return destination
}

```

\* Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].

```

public inline fun <R, C : MutableCollection<in R>>
IntArray.flatMapTo(destination: C, transform: (Int) -> Iterable<R>): C {
    for (element in this) {
        val list = transform(element)
        destination.addAll(list)
    }
    return destination
}

```

\* Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].

```

public inline fun <R, C : MutableCollection<in R>>
LongArray.flatMapTo(destination: C, transform: (Long) -> Iterable<R>): C {
    for (element in this) {
        val list = transform(element)
        destination.addAll(list)
    }
    return destination
}

```

\* Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].

```

public inline fun <R, C : MutableCollection<in R>>
FloatArray.flatMapTo(destination: C, transform: (Float) -> Iterable<R>): C {
    for (element in this) {
        val list = transform(element)
        destination.addAll(list)
    }
    return destination
}

```

\* Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].

```

public inline fun <R, C : MutableCollection<in R>>
DoubleArray.flatMapTo(destination: C, transform: (Double) -> Iterable<R>): C {
    for (element in this) {
        val list = transform(element)
        destination.addAll(list)
    }
    return destination
}

```

\* Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].

```

public inline fun <R, C : MutableCollection<in R>>
BooleanArray.flatMapTo(destination: C, transform: (Boolean) -> Iterable<R>): C {
    for (element in this) {
        val list = transform(element)
        destination.addAll(list)
    }
    return destination
}

```

\* Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].

```

public inline fun <R, C : MutableCollection<in R>>
CharArray.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C {
    for (element in this) {
        val list = transform(element)
        destination.addAll(list)
    }
    return destination
}

```

\* Groups elements of the original array by the key

returned by the given [keySelector] function\n \* applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n \* \n \* The returned map preserves the entry iteration order of the keys produced from the original array.\n \* \n \* @sample samples.collections.Collections.Transformations.groupBy\n \*/\npublic inline fun <T, K> Array<out T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n return groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/\*\*\n \* Groups elements of the original array by the key returned by the given [keySelector] function\n \* applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n \* \n \* The returned map preserves the entry iteration order of the keys produced from the original array.\n \* \n \* @sample samples.collections.Collections.Transformations.groupBy\n \*/\npublic inline fun <K> ByteArray.groupBy(keySelector: (Byte) -> K): Map<K, List<Byte>> {\n return groupByTo(LinkedHashMap<K, MutableList<Byte>>(), keySelector)\n}\n\n/\*\*\n \* Groups elements of the original array by the key returned by the given [keySelector] function\n \* applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n \* \n \* The returned map preserves the entry iteration order of the keys produced from the original array.\n \* \n \* @sample samples.collections.Collections.Transformations.groupBy\n \*/\npublic inline fun <K> ShortArray.groupBy(keySelector: (Short) -> K): Map<K, List<Short>> {\n return groupByTo(LinkedHashMap<K, MutableList<Short>>(), keySelector)\n}\n\n/\*\*\n \* Groups elements of the original array by the key returned by the given [keySelector] function\n \* applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n \* \n \* The returned map preserves the entry iteration order of the keys produced from the original array.\n \* \n \* @sample samples.collections.Collections.Transformations.groupBy\n \*/\npublic inline fun <K> IntArray.groupBy(keySelector: (Int) -> K): Map<K, List<Int>> {\n return groupByTo(LinkedHashMap<K, MutableList<Int>>(), keySelector)\n}\n\n/\*\*\n \* Groups elements of the original array by the key returned by the given [keySelector] function\n \* applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n \* \n \* The returned map preserves the entry iteration order of the keys produced from the original array.\n \* \n \* @sample samples.collections.Collections.Transformations.groupBy\n \*/\npublic inline fun <K> LongArray.groupBy(keySelector: (Long) -> K): Map<K, List<Long>> {\n return groupByTo(LinkedHashMap<K, MutableList<Long>>(), keySelector)\n}\n\n/\*\*\n \* Groups elements of the original array by the key returned by the given [keySelector] function\n \* applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n \* \n \* The returned map preserves the entry iteration order of the keys produced from the original array.\n \* \n \* @sample samples.collections.Collections.Transformations.groupBy\n \*/\npublic inline fun <K> FloatArray.groupBy(keySelector: (Float) -> K): Map<K, List<Float>> {\n return groupByTo(LinkedHashMap<K, MutableList<Float>>(), keySelector)\n}\n\n/\*\*\n \* Groups elements of the original array by the key returned by the given [keySelector] function\n \* applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n \* \n \* The returned map preserves the entry iteration order of the keys produced from the original array.\n \* \n \* @sample samples.collections.Collections.Transformations.groupBy\n \*/\npublic inline fun <K> DoubleArray.groupBy(keySelector: (Double) -> K): Map<K, List<Double>> {\n return groupByTo(LinkedHashMap<K, MutableList<Double>>(), keySelector)\n}\n\n/\*\*\n \* Groups elements of the original array by the key returned by the given [keySelector] function\n \* applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n \* \n \* The returned map preserves the entry iteration order of the keys produced from the original array.\n \* \n \* @sample samples.collections.Collections.Transformations.groupBy\n \*/\npublic inline fun <K> BooleanArray.groupBy(keySelector: (Boolean) -> K): Map<K, List<Boolean>> {\n return groupByTo(LinkedHashMap<K, MutableList<Boolean>>(), keySelector)\n}\n\n/\*\*\n \* Groups elements of the original array by the key returned by the given [keySelector] function\n \* applied to each element and returns a map

where each group key is associated with a list of corresponding elements.

The returned map preserves the entry iteration order of the keys produced from the original array.

@sample

```
samples.collections.Collections.Transformations.groupBy
```

public inline fun <K>  
CharArray.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {  
return groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)

Groups values returned by the [valueTransform] function applied to each element of the original array by the key returned by the given [keySelector] function applied to the element and returns a map where each group key is associated with a list of corresponding values.

The returned map preserves the entry iteration order of the keys produced from the original array.

@sample

```
samples.collections.Collections.Transformations.groupByKeysAndValues
```

public inline fun <T, K, V>  
Array<out T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {  
return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)

Groups values returned by the [valueTransform] function applied to each element of the original array by the key returned by the given [keySelector] function applied to the element and returns a map where each group key is associated with a list of corresponding values.

The returned map preserves the entry iteration order of the keys produced from the original array.

@sample

```
samples.collections.Collections.Transformations.groupByKeysAndValues
```

public inline fun <K, V>  
ByteArray.groupBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, List<V>> {  
return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)

Groups values returned by the [valueTransform] function applied to each element of the original array by the key returned by the given [keySelector] function applied to the element and returns a map where each group key is associated with a list of corresponding values.

The returned map preserves the entry iteration order of the keys produced from the original array.

@sample

```
samples.collections.Collections.Transformations.groupByKeysAndValues
```

public inline fun <K, V>  
ShortArray.groupBy(keySelector:  
(Short) -> K, valueTransform: (Short) -> V): Map<K, List<V>> {  
return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)

Groups values returned by the [valueTransform] function applied to each element of the original array by the key returned by the given [keySelector] function applied to the element and returns a map where each group key is associated with a list of corresponding values.

The returned map preserves the entry iteration order of the keys produced from the original array.

@sample

```
samples.collections.Collections.Transformations.groupByKeysAndValues
```

public inline fun <K, V>  
IntArray.groupBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, List<V>> {  
return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)

Groups values returned by the [valueTransform] function applied to each element of the original array by the key returned by the given [keySelector] function applied to the element and returns a map where each group key is associated with a list of corresponding values.

The returned map preserves the entry iteration order of the keys produced from the original array.

@sample

```
samples.collections.Collections.Transformations.groupByKeysAndValues
```

public inline fun <K, V>  
LongArray.groupBy(keySelector: (Long) -> K, valueTransform: (Long) -> V):  
Map<K, List<V>> {  
return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector,  
valueTransform)

Groups values returned by the [valueTransform] function applied to each element of the original array by the key returned by the given [keySelector] function applied to the element and returns a map where each group key is associated with a list of corresponding values.

The returned map preserves the entry iteration order of the keys produced from the original array.

@sample

```
samples.collections.Collections.Transformations.groupByKeysAndValues
```

public inline fun <K, V>  
FloatArray.groupBy(keySelector: (Float) -> K, valueTransform: (Float) -> V):  
Map<K, List<V>> {  
return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector,  
valueTransform)

Groups values returned by the [valueTransform] function applied to each element of the original array by the key returned by the given [keySelector] function applied to the element and returns

a map where each group key is associated with a list of corresponding values.\n \* \n \* The returned map preserves the entry iteration order of the keys produced from the original array.\n \* \n \* @sample

```

samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n public inline fun <K, V>
DoubleArray.groupBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, List<V>> {\n
return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups
values returned by the [valueTransform]
function applied to each element of the original array\n * by the key returned by the given [keySelector] function
applied to the element\n * and returns a map where each group key is associated with a list of corresponding
values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n
* \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n public inline fun
<K, V> BooleanArray.groupBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, List<V>>
{\n
return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n *
Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the
key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key
is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration
order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n public inline fun <K, V>
CharArray.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n
return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements
of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to
the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n public inline
fun <T, K, M : MutableMap<in K, MutableList<T>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -
> K): M {\n
for (element in this) {\n
val key = keySelector(element)\n
val list = destination.getOrPut(key) {
ArrayList<T>() }\n
list.add(element)\n
}\n
return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given
[keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with
a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n * \n public inline fun <K, M : MutableMap<in K,
MutableList<Byte>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -> K): M {\n
for (element in
this) {\n
val key = keySelector(element)\n
val list = destination.getOrPut(key) {
ArrayList<Byte>() }\n
list.add(element)\n
}\n
return destination\n}\n\n/**\n * Groups elements of the original array by the key returned
by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key
associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n * \n public inline fun <K, M : MutableMap<in K,
MutableList<Short>>> ShortArray.groupByTo(destination: M,
keySelector: (Short) -> K): M {\n
for (element in this) {\n
val key = keySelector(element)\n
val list =
destination.getOrPut(key) {
ArrayList<Short>() }\n
list.add(element)\n
}\n
return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given
[keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with
a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n * \n public inline fun <K, M : MutableMap<in K,
MutableList<Int>>> IntArray.groupByTo(destination: M,
keySelector: (Int) -> K): M {\n
for (element in this) {\n
val key = keySelector(element)\n
val list =
destination.getOrPut(key) {
ArrayList<Int>()
}\n
list.add(element)\n
}\n
return destination\n}\n\n/**\n * Groups elements of the original array by the key
returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each
group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n *
@sample samples.collections.Collections.Transformations.groupBy\n * \n public inline fun <K, M : MutableMap<in

```

```

K, MutableList<Long>>> LongArray.groupByTo(destination: M, keySelector: (Long) -> K): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<Long>() }
        list.add(element)
    }
    return destination
}

/**
 * Groups elements of the original array by the key returned by the given [keySelector] function
 * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.
 *
 * @return The [destination] map.
 */
@sample samples.collections.Collections.Transformations.groupBy

public inline fun <K, M : MutableMap<in K, MutableList<Float>>> FloatArray.groupByTo(destination: M, keySelector: (Float) -> K): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<Float>() }
        list.add(element)
    }
    return destination
}

/**
 * Groups elements of the original array by the key returned by the given [keySelector] function
 * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.
 *
 * @return The [destination] map.
 */
@sample samples.collections.Collections.Transformations.groupBy

public inline fun <K, M : MutableMap<in K, MutableList<Double>>> DoubleArray.groupByTo(destination: M, keySelector: (Double) -> K): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<Double>() }
        list.add(element)
    }
    return destination
}

/**
 * Groups elements of the original array by the key returned by the given [keySelector] function
 * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.
 *
 * @return The [destination] map.
 */
@sample samples.collections.Collections.Transformations.groupBy

public inline fun <K, M : MutableMap<in K, MutableList<Boolean>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<Boolean>() }
        list.add(element)
    }
    return destination
}

/**
 * Groups elements of the original array by the key returned by the given [keySelector] function
 * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.
 *
 * @return The [destination] map.
 */
@sample samples.collections.Collections.Transformations.groupBy

public inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharArray.groupByTo(destination: M, keySelector: (Char) -> K): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<Char>() }
        list.add(element)
    }
    return destination
}

/**
 * Groups values returned by the [valueTransform] function applied to each element of the original array
 * by the key returned by the given [keySelector] function applied to the element
 * and puts to the [destination] map each group key associated with a list of corresponding values.
 *
 * @return The [destination] map.
 */
@sample samples.collections.Collections.Transformations.groupByKeysAndValues

public inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<V>() }
        list.add(valueTransform(element))
    }
    return destination
}

/**
 * Groups values returned by the [valueTransform] function applied to each element of the original array
 * by the key returned by the given [keySelector] function applied to the element
 * and puts to the [destination] map each group key associated with a list of corresponding values.
 *
 * @return The [destination] map.
 */
@sample samples.collections.Collections.Transformations.groupByKeysAndValues

public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -> K, valueTransform: (Byte) -> V): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<V>() }
        list.add(valueTransform(element))
    }
    return destination
}

/**
 * Groups values returned by the [valueTransform] function applied to each element of the original array
 * by the key returned by the given [keySelector] function applied to the element
 * and puts to the [destination] map each group key associated with a list of corresponding values.
 *
 * @return The [destination] map.
 */
@sample

```

```

samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> ShortArray.groupByTo(destination: M, keySelector: (Short) -> K,
valueTransform: (Short) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list =
destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n
* by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination]
map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n *
@sample samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> IntArray.groupByTo(destination: M, keySelector: (Int) -> K,
valueTransform: (Int) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list =
destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n
*^\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> LongArray.groupByTo(destination: M,
keySelector: (Long) -> K, valueTransform: (Long) -> V): M {\n for (element in this) {\n val key =
keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n
list.add(valueTransform(element))\n }\n return destination}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a
list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> FloatArray.groupByTo(destination:
M, keySelector: (Float) -> K, valueTransform: (Float) -> V): M {\n for (element in this) {\n val key =
keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n
list.add(valueTransform(element))\n }\n return destination}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a
list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> DoubleArray.groupByTo(destination: M, keySelector: (Double) -> K,
valueTransform: (Double) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list
= destination.getOrPut(key) { ArrayList<V>() }\n
list.add(valueTransform(element))\n }\n return destination}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a
list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K,
valueTransform: (Boolean) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list
= destination.getOrPut(key) { ArrayList<V>() }\n
list.add(valueTransform(element))\n }\n return
destination}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original
array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic

```

```

inline fun <K, V, M : MutableMap<in K, MutableList<V>>> CharArray.groupByTo(destination: M, keySelector:
(Char) -> K, valueTransform: (Char) -> V): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<V>() }
        list.add(valueTransform(element))
    }
    return destination
}

/**
 * Creates a [Grouping] source from an array to be used later with one of group-and-fold
operations
 * using the specified [keySelector] function to extract a key from each element.
 * @sample
samples.collections.Collections.Transformations.groupingByEachCount
 * @SinceKotlin("1.1")
public
inline fun <T, K> Array<out T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {
    return
object : Grouping<T, K> {
        override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()
override fun keyOf(element: T): K = keySelector(element)
    }
}

/**
 * Returns a list containing the results of
applying the given [transform] function
 * to each element in the original array.
 * @public
inline fun <T, R>
Array<out T>.map(transform: (T) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

/**
 * Returns a list containing the results of applying the given [transform] function
 * to each element in the original
array.
 * @public
inline fun <R> ByteArray.map(transform: (Byte) -> R): List<R> {
    return
mapTo(ArrayList<R>(size), transform)
}

/**
 * Returns a list containing the results of applying the given
[transform] function
 * to each element in the original array.
 * @public
inline fun <R>
ShortArray.map(transform:
(Short) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

/**
 * Returns a list containing
the results of applying the given [transform] function
 * to each element in the original array.
 * @public
inline fun <R> IntArray.map(transform: (Int) -> R): List<R> {
    return mapTo(ArrayList<R>(size),
transform)
}

/**
 * Returns a list containing the results of applying the given [transform] function
 * to each
element in the original array.
 * @public
inline fun <R> LongArray.map(transform: (Long) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

/**
 * Returns a list containing the results of applying the
given [transform] function
 * to each element in the original array.
 * @public
inline fun <R>
FloatArray.map(transform: (Float) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

/**
 * Returns a list containing the results of applying the given [transform] function
 * to each element in
the original array.
 * @public
inline fun <R> DoubleArray.map(transform: (Double) -> R): List<R> {
    return
mapTo(ArrayList<R>(size), transform)
}

/**
 * Returns a list containing the results of applying the given
[transform] function
 * to each element in the original array.
 * @public
inline fun <R>
BooleanArray.map(transform: (Boolean) -> R): List<R> {
    return mapTo(ArrayList<R>(size),
transform)
}

/**
 * Returns a list containing the results of applying the given [transform] function
 * to each
element in the original array.
 * @public
inline fun <R> CharArray.map(transform: (Char) -> R): List<R> {
    return
mapTo(ArrayList<R>(size), transform)
}

/**
 * Returns a list containing the results of applying the
given [transform] function
 * to each element and its index in the original array.
 * @param [transform] function
that takes the index of an element and the element itself
 * and returns the result of the transform applied to the
element.
 * @public
inline fun <T, R> Array<out T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {
    return
mapIndexedTo(ArrayList<R>(size), transform)
}

/**
 * Returns a list containing the results of applying the
given [transform] function
 * to each element and its index in the original array.
 * @param [transform] function
that takes the index of an element and the element itself
 * and returns the result of the transform applied to the
element.
 * @public
inline fun <R> ByteArray.mapIndexed(transform: (index: Int, Byte) -> R): List<R> {
    return
mapIndexedTo(ArrayList<R>(size), transform)
}

/**
 * Returns a list containing the results of applying
the given [transform] function
 * to each element and its index in the original array.
 * @param [transform]
function that takes the index of an element and the element itself
 * and returns the result of the transform applied
to the element.
 * @public
inline fun <R> ShortArray.mapIndexed(transform: (index: Int, Short)
-> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}

/**
 * Returns a list containing
the results of applying the given [transform] function
 * to each element and its index in the original array.
 * @param [transform] function that takes the index of an element and the element itself
 * and returns the result of
the transform applied to the element.
 * @public
inline fun <R> IntArray.mapIndexed(transform: (index: Int, Int) -

```

```

> R): List<R> {\n  return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing
the results of applying the given [transform] function\n * to each element and its index in the original array.\n *
@param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform applied to the element.\n */\npublic inline fun <R> LongArray.mapIndexed(transform: (index: Int,
Long) -> R): List<R> {\n  return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in
the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <R>
FloatArray.mapIndexed(transform: (index: Int, Float) -> R): List<R> {\n  return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the
given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function
that takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n */\npublic inline fun <R> DoubleArray.mapIndexed(transform: (index: Int, Double) -> R): List<R> {\n
return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying
the given
[transform] function\n * to each element and its index in the original array.\n * @param [transform] function that
takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n */\npublic inline fun <R> BooleanArray.mapIndexed(transform: (index: Int, Boolean) -> R): List<R> {\n
return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of
applying the given [transform] function\n * to each element and its index in the original array.\n * @param
[transform] function that takes the index of an element and the element itself\n * and returns the result of the
transform applied to the element.\n */\npublic inline fun <R> CharArray.mapIndexed(transform: (index: Int, Char) -
> R): List<R> {\n  return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing
only the non-null results of applying the given [transform] function\n * to each element and its index
in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n *
and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any> Array<out
T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n  return
mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each
element and its index in the original array\n * and appends only the non-null results to the given [destination].\n *
@param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform applied to the element.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Array<out
T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n  forEachIndexed { index,
element -> transform(index, element)?.let { destination.add(it) } }\n  return destination\n}\n\n/**\n * Applies the
given [transform]
function to each element and its index in the original array\n * and appends the results to the given [destination].\n *
@param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform applied to the element.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out
T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n  var index = 0\n  for (item in this)\n
destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given [transform]
function to each element and its index in the original array\n * and appends the results to the given [destination].\n *
@param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>>
ByteArray.mapIndexedTo(destination: C, transform: (index: Int, Byte) -> R): C {\n
var index = 0\n  for (item in this)\n    destination.add(transform(index++, item))\n  return
destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n
* and appends the results to the given [destination].\n * @param [transform] function that takes the index of an
element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline
fun <R, C : MutableCollection<in R>> ShortArray.mapIndexedTo(destination: C, transform: (index: Int, Short) ->

```

```

R): C {
    var index = 0
    for (item in this)
        destination.add(transform(index++, item))
    return destination
}

/**
 * Applies the given [transform] function to each element and its index in the original array
 * and appends the results to the given [destination].
 * @param [transform] function that takes the index of an element and the element itself
 * and returns the result of the transform applied to the element.
 */
public inline fun <R, C : MutableCollection<in R>> IntArray.mapIndexedTo(destination: C, transform: (index: Int, Int) -> R): C {
    var index = 0
    for (item in this)
        destination.add(transform(index++, item))
    return destination
}

/**
 * Applies the given [transform] function to each element and its index in the original array
 * and appends the results to the given [destination].
 * @param [transform] function that takes the index of an element and the element itself
 * and returns the result of the transform applied to the element.
 */
public inline fun <R, C : MutableCollection<in R>> LongArray.mapIndexedTo(destination: C, transform: (index: Int, Long) -> R): C {
    var index = 0
    for (item in this)
        destination.add(transform(index++, item))
    return destination
}

/**
 * Applies the given [transform] function to each element and its index in the original array
 * and appends the results to the given [destination].
 * @param [transform] function that takes the index of an element and the element itself
 * and returns the result of the transform applied to the element.
 */
public inline fun <R, C : MutableCollection<in R>> FloatArray.mapIndexedTo(destination: C, transform: (index: Int, Float) -> R): C {
    var index = 0
    for (item in this)
        destination.add(transform(index++, item))
    return destination
}

/**
 * Applies the given [transform] function to each element and its index in the original array
 * and appends the results to the given [destination].
 * @param [transform] function that takes the index of an element and the element itself
 * and returns the result of the transform applied to the element.
 */
public inline fun <R, C : MutableCollection<in R>> DoubleArray.mapIndexedTo(destination: C, transform: (index: Int, Double) -> R): C {
    var index = 0
    for (item in this)
        destination.add(transform(index++, item))
    return destination
}

/**
 * Applies the given [transform] function to each element and its index in the original array
 * and appends the results to the given [destination].
 * @param [transform] function that takes the index of an element and the element itself
 * and returns the result of the transform applied to the element.
 */
public inline fun <R, C : MutableCollection<in R>> BooleanArray.mapIndexedTo(destination: C, transform: (index: Int, Boolean) -> R): C {
    var index = 0
    for (item in this)
        destination.add(transform(index++, item))
    return destination
}

/**
 * Applies the given [transform] function to each element and its index in the original array
 * and appends the results to the given [destination].
 * @param [transform] function that takes the index of an element and the element itself
 * and returns the result of the transform applied to the element.
 */
public inline fun <R, C : MutableCollection<in R>> CharArray.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {
    var index = 0
    for (item in this)
        destination.add(transform(index++, item))
    return destination
}

/**
 * Returns a list containing only the non-null results of applying the given [transform]
 * function to each element in the original array.
 */
public inline fun <T, R : Any> Array<out T>.mapNotNull(transform: (T) -> R?): List<R> {
    return mapNotNullTo(ArrayList<R>(), transform)
}

/**
 * Applies the given [transform] function to each element in the original array
 * and appends only the non-null results to the given [destination].
 */
public inline fun <T, R : Any, C : MutableCollection<in R>> Array<out T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {
    for (element in this)
        destination.add(transform(element)?)
    return destination
}

/**
 * Applies the given [transform] function to each element of the original array
 * and appends the results to the given [destination].
 */
public inline fun <R, C : MutableCollection<in R>> Array<out T>.mapTo(destination: C, transform: (T) -> R): C {
    for (item in this)
        destination.add(transform(item))
    return destination
}

/**
 * Applies the given [transform] function to each element of the original array
 * and appends the results to the given [destination].
 */
public inline fun <R, C : MutableCollection<in R>> ByteArray.mapTo(destination: C, transform: (Byte) -> R): C {
    for (item in this)
        destination.add(transform(item))
    return destination
}

/**
 * Applies the given [transform] function to each element of the original array
 * and appends the results to the given [destination].
 */
public inline fun <R, C : MutableCollection<in R>> ShortArray.mapTo(destination: C, transform: (Short) -> R): C {
    for (item in this)
        destination.add(transform(item))
    return destination
}

```

```

destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n
 * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>>
IntArray.mapTo(destination: C, transform: (Int) -> R): C {\n    for (item in this)\n
destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the given [transform] function to each
element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C :
MutableCollection<in R>> LongArray.mapTo(destination: C, transform: (Long) -> R): C {\n    for (item in this)\n
destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the given [transform] function to
each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R,
C : MutableCollection<in R>> FloatArray.mapTo(destination: C, transform: (Float) -> R): C {\n    for (item in
this)\n    destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the given
[transform] function to each element of the original array\n * and appends the results to the given [destination].\n
*/\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.mapTo(destination: C, transform: (Double) ->
R): C {\n    for (item in this)\n    destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the
given [transform] function to each element of the original array\n * and appends the results to the given
[destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.mapTo(destination: C,
transform: (Boolean) -> R): C {\n    for (item in this)\n    destination.add(transform(item))\n    return
destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and
appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>>
CharArray.mapTo(destination: C, transform: (Char) -> R): C {\n    for (item in this)\n
destination.add(transform(item))\n
return destination\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original
array.\n */\npublic fun <T> Array<out T>.withIndex(): Iterable<IndexedValue<T>> {\n    return IndexingIterable {
iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n
*/\npublic fun ByteArray.withIndex(): Iterable<IndexedValue<Byte>> {\n    return IndexingIterable { iterator()
}\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun
ShortArray.withIndex(): Iterable<IndexedValue<Short>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n *
Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun
IntArray.withIndex(): Iterable<IndexedValue<Int>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n *
Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n
*/\npublic fun LongArray.withIndex(): Iterable<IndexedValue<Long>> {\n    return IndexingIterable { iterator()
}\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun
FloatArray.withIndex(): Iterable<IndexedValue<Float>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n *
Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun
DoubleArray.withIndex(): Iterable<IndexedValue<Double>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n *
Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun
BooleanArray.withIndex(): Iterable<IndexedValue<Boolean>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n *
Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun
CharArray.withIndex(): Iterable<IndexedValue<Char>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n *
Returns
a list containing only distinct elements from the given array.\n */\n * \n * The elements in the resulting list are in the
same order as they were in the source array.\n */\npublic fun <T> Array<out T>.distinct(): List<T> {\n    return
this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n
*/\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun
ByteArray.distinct(): List<Byte> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing
only distinct elements from the given array.\n */\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n */\npublic fun ShortArray.distinct(): List<Short> {\n    return
this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n
*/\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n

```

```

*/\npublic fun IntArray.distinct(): List<Int> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\n\npublic fun LongArray.distinct(): List<Long> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\n\npublic fun FloatArray.distinct(): List<Float> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\n\npublic fun DoubleArray.distinct(): List<Double> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\n\npublic fun BooleanArray.distinct(): List<Boolean> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\n\npublic fun CharArray.distinct(): List<Char> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\n\npublic inline fun <T, K> Array<out T>.distinctBy(selector: (T) -> K): List<T> {\n    val set = HashSet<K>()\n    val list = ArrayList<T>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\n\npublic inline fun <K> ByteArray.distinctBy(selector: (Byte) -> K): List<Byte> {\n    val set = HashSet<K>()\n    val list = ArrayList<Byte>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\n\npublic inline fun <K> ShortArray.distinctBy(selector: (Short) -> K): List<Short> {\n    val set = HashSet<K>()\n    val list = ArrayList<Short>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\n\npublic inline fun <K> IntArray.distinctBy(selector: (Int) -> K): List<Int> {\n    val set = HashSet<K>()\n    val list = ArrayList<Int>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\n\npublic inline fun <K> LongArray.distinctBy(selector: (Long) -> K): List<Long> {\n    val set = HashSet<K>()\n    val list = ArrayList<Long>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\n\npublic inline fun <K> FloatArray.distinctBy(selector: (Float) -> K): List<Float> {\n    val set = HashSet<K>()\n    val list = ArrayList<Float>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\n\npublic inline fun <K> DoubleArray.distinctBy(selector: (Double) -> K): List<Double> {\n    val set = HashSet<K>()\n    val list = ArrayList<Double>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they

```

were in the source array.

```

public inline fun <K> BooleanArray.distinctBy(selector: (Boolean) -> K):
List<Boolean> {
    val set = HashSet<K>()
    val list = ArrayList<Boolean>()
    for (e in this) {
        val key = selector(e)
        if (set.add(key))
            list.add(e)
    }
    return list
}

```

\* Returns a list containing only elements from the given array having distinct keys returned by the given [selector] function. The elements in the resulting list are in the same order as they were in the source array.

```

public inline fun <K> CharArray.distinctBy(selector: (Char) -> K):
List<Char> {
    val set = HashSet<K>()
    val list = ArrayList<Char>()
    for (e in this) {
        val key = selector(e)
        if (set.add(key))
            list.add(e)
    }
    return list
}

```

\* Returns a set containing all elements that are contained by both this set and the specified collection. The returned set preserves the element iteration order of the original array.

```

public infix fun <T> Array<out T>.intersect(other: Iterable<T>):
Set<T> {
    val set = this.toMutableSet()
    set.retainAll(other)
    return set
}

```

\* Returns a set containing all elements that are contained by both this set and the specified collection. The returned set preserves the element iteration order of the original array.

```

public infix fun ByteArray.intersect(other:
Iterable<Byte>): Set<Byte> {
    val set = this.toMutableSet()
    set.retainAll(other)
    return set
}

```

\* Returns a set containing all elements that are contained by both this set and the specified collection. The returned set preserves the element iteration order of the original array.

```

public infix fun ShortArray.intersect(other: Iterable<Short>): Set<Short> {
    val set = this.toMutableSet()
    set.retainAll(other)
    return set
}

```

\* Returns a set containing all elements that are contained by both this set and the specified collection. The returned set preserves the element iteration order of the original array.

```

public infix fun IntArray.intersect(other: Iterable<Int>): Set<Int> {
    val set = this.toMutableSet()
    set.retainAll(other)
    return set
}

```

\* Returns a set containing all elements that are contained by both this set and the specified collection. The returned set preserves the element iteration order of the original array.

```

public infix fun LongArray.intersect(other: Iterable<Long>): Set<Long> {
    val set = this.toMutableSet()
    set.retainAll(other)
    return set
}

```

\* Returns a set containing all elements that are contained by both this set and the specified collection. The returned set preserves the element iteration order of the original array.

```

public infix fun FloatArray.intersect(other: Iterable<Float>): Set<Float> {
    val set = this.toMutableSet()
    set.retainAll(other)
    return set
}

```

\* Returns a set containing all elements that are contained by both this set and the specified collection. The returned set preserves the element iteration order of the original array.

```

public infix fun DoubleArray.intersect(other: Iterable<Double>): Set<Double> {
    val set = this.toMutableSet()
    set.retainAll(other)
    return set
}

```

\* Returns a set containing all elements that are contained by both this set and the specified collection. The returned set preserves the element iteration order of the original array.

```

public infix fun BooleanArray.intersect(other:
Iterable<Boolean>): Set<Boolean> {
    val set = this.toMutableSet()
    set.retainAll(other)
    return set
}

```

\* Returns a set containing all elements that are contained by both this set and the specified collection. The returned set preserves the element iteration order of the original array.

```

public infix fun CharArray.intersect(other: Iterable<Char>): Set<Char> {
    val set = this.toMutableSet()
    set.retainAll(other)
    return set
}

```

\* Returns a set containing all elements that are contained by this array and not contained by the specified collection. The returned set preserves the element iteration order of the original array.

```

public infix fun <T> Array<out T>.subtract(other: Iterable<T>): Set<T> {
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
}

```

\* Returns a set containing all elements that are contained by this array and not contained by the specified collection. The returned set preserves the element iteration order of the original array.

```

public infix fun ByteArray.subtract(other:
Iterable<Byte>): Set<Byte> {
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
}

```

\* Returns a set containing all elements that are contained by this array and not contained by the specified collection. The returned set preserves the element iteration order of the original array.

```

public infix fun ShortArray.subtract(other: Iterable<Short>): Set<Short> {
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
}

```

\* Returns a set containing all elements that are contained by this

array and not contained by the specified collection.

`\n * \n * The returned set preserves the element iteration order of the original array.`

`\n */\npublic infix fun IntArray.subtract(other: Iterable<Int>): Set<Int> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.`

`\n * \n * The returned set preserves the element iteration order of the original array.`

`\n */\npublic infix fun LongArray.subtract(other: Iterable<Long>): Set<Long> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.`

`\n * \n * The returned set preserves the element iteration order of the original array.`

`\n */\npublic infix fun FloatArray.subtract(other: Iterable<Float>): Set<Float> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.`

`\n * \n * The returned set preserves the element iteration order of the original array.`

`\n */\npublic infix fun DoubleArray.subtract(other: Iterable<Double>): Set<Double> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.`

`\n * \n * The returned set preserves the element iteration order of the original array.`

`\n */\npublic infix fun BooleanArray.subtract(other: Iterable<Boolean>): Set<Boolean> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.`

`\n * \n * The returned set preserves the element iteration order of the original array.`

`\n */\npublic infix fun CharArray.subtract(other: Iterable<Char>): Set<Char> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.`

`\n * \n * The returned set preserves the element iteration order of the original array.`

`\n */\npublic fun <T> Array<out T>.toMutableSet(): MutableSet<T> {\n val set = LinkedHashSet<T>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.`

`\n * \n * The returned set preserves the element iteration order of the original array.`

`\n */\npublic fun ByteArray.toMutableSet(): MutableSet<Byte> {\n val set = LinkedHashSet<Byte>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.`

`\n * \n * The returned set preserves the element iteration order of the original array.`

`\n */\npublic fun ShortArray.toMutableSet(): MutableSet<Short> {\n val set = LinkedHashSet<Short>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.`

`\n * \n * The returned set preserves the element iteration order of the original array.`

`\n */\npublic fun IntArray.toMutableSet(): MutableSet<Int> {\n val set = LinkedHashSet<Int>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.`

`\n * \n * The returned set preserves the element iteration order of the original array.`

`\n */\npublic fun LongArray.toMutableSet(): MutableSet<Long> {\n val set = LinkedHashSet<Long>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.`

`\n * \n * The returned set preserves the element iteration order of the original array.`

`\n */\npublic fun FloatArray.toMutableSet(): MutableSet<Float> {\n val set = LinkedHashSet<Float>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.`

`\n * \n * The returned set preserves the element iteration order of the original array.`

`\n */\npublic fun DoubleArray.toMutableSet(): MutableSet<Double> {\n val set = LinkedHashSet<Double>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.`

`\n * \n * The returned set preserves the element iteration order of the original array.`

`\n */\npublic fun BooleanArray.toMutableSet(): MutableSet<Boolean> {\n val set = LinkedHashSet<Boolean>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.`

`\n * \n * The returned set preserves the element iteration order of the original array.`

`\n */\npublic fun CharArray.toMutableSet(): MutableSet<Char> {\n val set = LinkedHashSet<Char>(mapCapacity(size))\n for (item in this) set.add(item)\n`

```

    return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned
set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are
unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun <T> Array<out
T>.union(other: Iterable<T>): Set<T> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n    return
set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set
preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are
unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun ByteArray.union(other:
Iterable<Byte>): Set<Byte> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n *
Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element
iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the
end\n * in the order of the [other] collection.\n */\npublic infix fun ShortArray.union(other: Iterable<Short>):
Set<Short> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set
containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration
order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n *
in the order of the [other] collection.\n */\npublic infix fun IntArray.union(other: Iterable<Int>): Set<Int> {\n
    val set = this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all
distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original
array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the
[other] collection.\n */\npublic infix fun LongArray.union(other: Iterable<Long>): Set<Long> {\n    val set =
this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all distinct
elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n
* Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other]
collection.\n */\npublic infix fun FloatArray.union(other: Iterable<Float>): Set<Float> {\n    val set =
this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all distinct
elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n
* Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other]
collection.\n */\npublic infix fun DoubleArray.union(other: Iterable<Double>): Set<Double> {\n    val set =
this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all distinct
elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n
* Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other]
collection.\n */\npublic infix fun BooleanArray.union(other: Iterable<Boolean>): Set<Boolean> {\n    val set =
this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all distinct
elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n
* Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other]
collection.\n */\npublic infix fun CharArray.union(other: Iterable<Char>): Set<Char> {\n
    val set = this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns `true` if all
elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline
fun <T> Array<out T>.all(predicate: (T) -> Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return
false\n    return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n */\npublic inline fun ByteArray.all(predicate: (Byte) -> Boolean):
Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true`
if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic
inline fun ShortArray.all(predicate: (Short) -> Boolean): Boolean {\n    for (element in this) if (!predicate(element))
return false\n    return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun IntArray.all(predicate: (Int) ->
Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n *
Returns `true` if all elements match the given

```

```

[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n *\npublic inline fun
LongArray.all(predicate: (Long) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return
false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n *\npublic inline fun FloatArray.all(predicate: (Float) -> Boolean):
Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if
all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*\npublic inline fun DoubleArray.all(predicate: (Double) -> Boolean): Boolean {\n for (element in this) if
(!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n *\npublic inline fun
BooleanArray.all(predicate: (Boolean) -> Boolean): Boolean {\n for (element in this) if (!predicate(element))
return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n *\npublic inline fun CharArray.all(predicate: (Char) -> Boolean):
Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if
array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n *\npublic fun
<T> Array<out T>.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns
`true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*\npublic fun ByteArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one
element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n *\npublic fun ShortArray.any():
Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *\npublic fun IntArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *\npublic fun LongArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *\npublic fun FloatArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at
least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n *\npublic fun
DoubleArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n
*\n * @sample samples.collections.Collections.Aggregates.any\n *\npublic fun BooleanArray.any(): Boolean {\n
return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *\npublic fun CharArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *\npublic inline fun <T> Array<out
T>.any(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *\npublic inline fun <T> Array<out
T>.any(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *\npublic inline fun ByteArray.any(predicate: (Byte) -> Boolean): Boolean {\n
for (element in this) if
(predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the
given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.any\n *\npublic
inline fun ShortArray.any(predicate: (Short) -> Boolean): Boolean {\n for (element in this) if (predicate(element))
return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.any\n *\npublic inline fun
IntArray.any(predicate: (Int) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n
return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *\npublic
inline fun LongArray.any(predicate: (Long) -> Boolean): Boolean {\n for (element in this) if (predicate(element))
return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.any\n *\npublic inline fun
FloatArray.any(predicate: (Float) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return

```

```

true\n    return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun
DoubleArray.any(predicate: (Double) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
true\n    return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun
BooleanArray.any(predicate:
    (Boolean) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun CharArray.any(predicate:
    (Char) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return
false\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline
fun <T> Array<out T>.count(): Int {\n    return size\n}\n\n/**\n * Returns the number of elements in this array.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.count(): Int {\n    return size\n}\n\n/**\n * Returns the
number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.count(): Int {\n
return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic
inline fun IntArray.count(): Int {\n    return size\n}\n\n/**\n * Returns the number of elements in this array.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.count(): Int {\n    return size\n}\n\n/**\n * Returns
the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.count(): Int
{\n    return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\n
public inline fun DoubleArray.count(): Int {\n    return size\n}\n\n/**\n * Returns the number of elements in this
array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.count(): Int {\n    return size\n}\n\n
/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.count(): Int {\n    return size\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n
*/\npublic inline fun
<T> Array<out T>.count(predicate: (T) ->
    Boolean): Int {\n    var count = 0\n    for (element in this) if (predicate(element)) count++\n    return
count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun
ByteArray.count(predicate: (Byte) -> Boolean): Int {\n    var count = 0\n    for (element in this) if
(predicate(element)) count++\n    return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n */\npublic inline fun ShortArray.count(predicate: (Short) -> Boolean): Int {\n    var count = 0\n
for (element in this) if (predicate(element)) count++\n    return count\n}\n\n/**\n * Returns the number of
elements matching the given [predicate].\n */\npublic inline fun IntArray.count(predicate: (Int) -> Boolean): Int
{\n    var count = 0\n    for (element in this) if (predicate(element)) count++\n    return count\n}\n\n/**\n *
Returns the number of elements matching the given [predicate].\n */\npublic inline fun LongArray.count(predicate:
    (Long) -> Boolean): Int {\n    var count = 0\n    for (element in this) if (predicate(element)) count++\n
return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun
FloatArray.count(predicate: (Float) -> Boolean): Int {\n    var count = 0\n    for (element in this) if
(predicate(element)) count++\n    return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n */\npublic inline fun DoubleArray.count(predicate: (Double) -> Boolean): Int {\n    var count = 0\n
for (element in this) if (predicate(element)) count++\n    return count\n}\n\n/**\n * Returns the number of
elements matching the given [predicate].\n */\npublic inline fun BooleanArray.count(predicate: (Boolean) -> Boolean):
    Int {\n    var count = 0\n    for (element in this) if (predicate(element)) count++\n    return count\n}\n\n
/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun CharArray.count(predicate:
    (Char) -> Boolean): Int {\n    var count = 0\n    for (element in this) if (predicate(element)) count++\n
return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right to current accumulator value and each element.\n */\npublic inline fun <T, R> Array<out T>.fold(initial: R,
    operation: (acc: R, T) -> R): R {\n    var accumulator = initial\n    for (element in this) accumulator =
operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial]
value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline
fun <R>

```

```

ByteArray.fold(initial: R, operation: (acc: R, Byte) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}
// Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.

public inline fun <R> ShortArray.fold(initial: R, operation: (acc: R, Short) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}
// Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.

public inline fun <R> IntArray.fold(initial: R, operation: (acc: R, Int) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}
// Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.

public inline fun <R> LongArray.fold(initial: R, operation: (acc: R, Long) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}
// Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.

public inline fun <R> FloatArray.fold(initial: R, operation: (acc: R, Float) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}
// Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.

public inline fun <R> DoubleArray.fold(initial: R, operation: (acc: R, Double) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}
// Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.

public inline fun <R> BooleanArray.fold(initial: R, operation: (acc: R, Boolean) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}
// Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.

public inline fun <R> CharArray.fold(initial: R, operation: (acc: R, Char) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}
// Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element with its index in the original array.
// @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

public inline fun <T, R> Array<out T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this) accumulator = operation(index++, accumulator, element)
    return accumulator
}
// Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element with its index in the original array.
// @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

public inline fun <R> ByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this) accumulator = operation(index++, accumulator, element)
    return accumulator
}
// Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element with its index in the original array.
// @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

public inline fun <R> ShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this) accumulator = operation(index++, accumulator, element)
    return accumulator
}
// Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element with its index in the original array.
// @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

public inline fun <R> IntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this) accumulator = operation(index++, accumulator, element)
    return accumulator
}
// Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element with its index in the original array.
// @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

```

```

* Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current
accumulator value and each element with its index in the original array.\n * @param [operation] function that takes
the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator
value.\n */\npublic inline fun <R> LongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): R {\n
var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++,
accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and
applying [operation] from left to right\n * to current accumulator value and each element with its index in the
original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n *
and the element itself, and calculates the next accumulator value.\n */\npublic
inline fun <R> FloatArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): R {\n var index =
0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n
return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left
to right\n * to current accumulator value and each element with its index in the original array.\n * @param
[operation] function that takes the index of an element, current accumulator value\n * and the element itself, and
calculates the next accumulator value.\n */\npublic inline fun <R> DoubleArray.foldIndexed(initial: R, operation:
(index: Int, acc: R, Double) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this)
accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from left to right\n * to
current accumulator value and each element with its index in the original array.\n * @param [operation] function
that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n */\npublic inline fun <R> BooleanArray.foldIndexed(initial: R, operation: (index: Int, acc: R,
Boolean) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator =
operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its
index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator
value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R>
CharArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {\n var
index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator,
element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying
[operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <T, R>
Array<out T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {\n var index = lastIndex\n var accumulator =
initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left
to each element and current accumulator value.\n */\npublic inline fun <R> ByteArray.foldRight(initial: R,
operation: (Byte, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0)
{\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and
current accumulator value.\n */\npublic inline fun <R> ShortArray.foldRight(initial: R, operation: (Short, acc: R) ->
R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator =
operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic
inline fun <R> IntArray.foldRight(initial: R, operation: (Int, acc: R) -> R): R {\n var index = lastIndex\n var
accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n
return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right
to left to each element and current accumulator value.\n */\npublic inline fun <R> LongArray.foldRight(initial: R,
operation: (Long, acc: R) -> R): R {\n var index =
lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--),
accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying

```

```

[operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R>
FloatArray.foldRight(initial: R, operation: (Float, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator =
initial\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left
to each element and current accumulator value.\n */\npublic inline fun <R> DoubleArray.foldRight(initial: R,
operation: (Double, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator
= initial\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left
to each element and current accumulator value.\n */\npublic inline fun <R> BooleanArray.foldRight(initial: R,
operation: (Boolean, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator = initial\n  while (index >=
0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from right to left to each element and
current accumulator value.\n */\npublic inline fun <R> CharArray.foldRight(initial: R, operation: (Char, acc: R) ->
R): R {\n  var index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator =
operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of
an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
*/\npublic inline fun <T, R> Array<out T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R
{\n  var index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator =
operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in
the original array and current accumulator value.\n * @param [operation] function that takes the index of an element,
the element itself\n * and current accumulator value, and calculates the next
accumulator value.\n */\npublic inline fun <R> ByteArray.foldRightIndexed(initial: R, operation: (index: Int, Byte,
acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of
an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
*/\npublic inline fun <R> ShortArray.foldRightIndexed(initial: R, operation: (index: Int, Short, acc: R) -> R): R {\n
var index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(index,
get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from right to left\n * to each element with its index in the original array
and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n
* and current accumulator value, and calculates
the next accumulator value.\n */\npublic inline fun <R> LongArray.foldRightIndexed(initial: R, operation: (index:
Int, Long, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of
an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n

```

```

*^public inline fun <R> FloatArray.foldRightIndexed(initial: R, operation: (index: Int, Float, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

* Accumulates value starting with [initial] value and applying [operation] from
right to left to each element with its index in the original array and current accumulator value.
* @param [operation] function that takes the index of an element, the element itself
* and current accumulator value, and calculates the next accumulator value.
*^public inline fun <R> DoubleArray.foldRightIndexed(initial: R,
operation: (index: Int, Double, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

* Accumulates value starting with [initial] value and applying [operation] from right to
left to each element with its index in the original array and current accumulator value.
* @param [operation] function that takes the index of an element, the element itself
* and current accumulator value, and calculates the next accumulator value.
*^public inline fun <R>
BooleanArray.foldRightIndexed(initial: R, operation: (index: Int, Boolean, acc: R) -> R): R {
    var index =
lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index),
accumulator)
        --index
    }
    return accumulator
}

* Accumulates value starting with [initial]
value and applying [operation] from right to left to each element with its index in the original array and current
accumulator value.
* @param [operation] function that takes the index of an element, the element itself
* and
current accumulator value, and calculates the next accumulator value.
*^public inline fun <R>
CharArray.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

* Performs the given [action] on each element.
*^public
inline fun <T> Array<out T>.forEach(action: (T) -> Unit): Unit {
    for (element in this)
action(element)
}

* Performs the given [action] on each element.
*^public inline fun
ByteArray.forEach(action: (Byte) -> Unit): Unit {
    for (element in this) action(element)
}

* Performs
the given [action] on each element.
*^public inline fun ShortArray.forEach(action: (Short) -> Unit): Unit {
    for (element in this) action(element)
}

* Performs the given [action] on each element.
*^public inline
fun IntArray.forEach(action: (Int) -> Unit): Unit {
    for (element in this) action(element)
}

* Performs
the given [action] on each element.
*^public inline fun LongArray.forEach(action: (Long) -> Unit): Unit {
    for (element in this) action(element)
}

* Performs the given [action] on each element.
*^public
inline fun FloatArray.forEach(action: (Float) -> Unit): Unit {
    for (element in this) action(element)
}

* Performs
the given [action] on each element.
*^public inline fun DoubleArray.forEach(action: (Double) ->
Unit): Unit {
    for (element in this) action(element)
}

* Performs the given [action] on each element.
*^public inline fun BooleanArray.forEach(action: (Boolean) -> Unit): Unit {
    for (element in this)
action(element)
}

* Performs the given [action] on each element.
*^public inline fun
CharArray.forEach(action: (Char) -> Unit): Unit {
    for (element in this) action(element)
}

* Performs
the given [action] on each element, providing sequential index with the element.
* @param [action] function that
takes the index of an element and the element itself
* and performs the desired action on the element.
*^public
inline fun <T> Array<out T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {
    var index
= 0
    for (item in this) action(index++, item)
}

* Performs the given [action] on each element,
providing sequential index with the element.
* @param [action] function that takes the index of an element and
the element itself
* and performs the desired action on the element.
*^public inline fun
ByteArray.forEachIndexed(action: (index: Int, Byte) -> Unit): Unit {
    var index = 0
    for (item in this)
action(index++, item)
}

* Performs the given [action] on each element, providing sequential index with
the element.
* @param [action] function that takes the index of an element and the element itself
* and performs
the desired action on the element.
*^public inline fun ShortArray.forEachIndexed(action: (index: Int, Short) ->
Unit): Unit {
    var index = 0
    for (item in this) action(index++, item)
}

* Performs the given [action]
on each element, providing sequential index with the element.
* @param [action] function that takes

```

```

the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic
inline fun IntArray.forEachIndexed(action: (index: Int, Int) -> Unit): Unit {\n    var index = 0\n    for (item in this)
action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the desired action on the element.\n */\npublic inline fun LongArray.forEachIndexed(action: (index: Int, Long) ->
Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action]
on each element, providing sequential index with the element.\n * @param [action] function that takes the index of
an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun
FloatArray.forEachIndexed(action: (index: Int, Float) -> Unit): Unit {\n
    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each
element, providing sequential index with the element.\n * @param [action] function that takes the index of an
element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun
DoubleArray.forEachIndexed(action: (index: Int, Double) -> Unit): Unit {\n    var index = 0\n    for (item in this)
action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the desired action on the element.\n */\npublic inline fun BooleanArray.forEachIndexed(action: (index: Int,
Boolean) -> Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n * Performs the
given [action] on each element, providing sequential index with the element.\n * @param [action] function
that takes the index of an element and the element itself\n * and performs the desired action on the element.\n
*/\npublic inline fun CharArray.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {\n    var index = 0\n    for
(item in this) action(index++, item)\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n *
\n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin("1.1")\npublic fun Array<out Double>.max():
Double? {\n    if (isEmpty()) return null\n    var max = this[0]\n    if (max.isNaN()) return max\n    for (i in
1..lastIndex) {\n        val e = this[i]\n        if (e.isNaN()) return e\n        if (max < e) max = e\n    }\n    return
max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN`
returns `NaN`.\n */\n@SinceKotlin("1.1")\npublic fun Array<out Float>.max(): Float? {\n    if (isEmpty()) return
null\n    var max = this[0]\n    if (max.isNaN()) return max\n
    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (e.isNaN()) return e\n        if (max < e) max = e\n    }\n
    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun <T :
Comparable<T>> Array<out T>.max(): T? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in
1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest
element or `null` if there are no elements.\n */\npublic fun ByteArray.max(): Byte? {\n    if (isEmpty()) return null\n
    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n
    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun ShortArray.max():
Short? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n
        if (max < e) max = e\n    }\n
    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun
IntArray.max(): Int? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n       
val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are
no elements.\n */\npublic fun LongArray.max(): Long? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for
(i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the
largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic fun
FloatArray.max(): Float? {\n    if (isEmpty()) return null\n    var max = this[0]\n    if (max.isNaN()) return max\n
    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (e.isNaN()) return e\n        if (max < e) max = e\n    }\n
    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n
*/\npublic fun DoubleArray.max(): Double? {\n    if (isEmpty()) return null\n    var max = this[0]\n    if
(max.isNaN()) return max\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (e.isNaN()) return e\n
        if (max

```

```

< e) max = e\n } \n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*/\npublic fun CharArray.max(): Char? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in
1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n } \n return max\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n
*/\npublic inline fun <T,
R : Comparable<R>> Array<out T>.maxBy(selector: (T) -> R): T? {\n if (isEmpty()) return null\n var maxElem
= this[0]\n var maxValue = selector(maxElem)\n for
(i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n
maxValue = v\n } \n } \n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest
value of the given function or `null` if there are no elements.\n
*/\npublic inline fun <R : Comparable<R>>
ByteArray.maxBy(selector: (Byte) -> R): Byte? {\n if (isEmpty()) return null\n var maxElem = this[0]\n var
maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if
(maxValue < v) {\n maxElem = e\n maxValue = v\n } \n } \n return maxElem\n}\n\n/**\n *
Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n
*/\npublic inline fun <R : Comparable<R>> ShortArray.maxBy(selector: (Short) -> R): Short? {\n if (isEmpty())
return null\n var maxElem = this[0]\n var maxValue
= selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue <
v) {\n maxElem = e\n maxValue = v\n } \n } \n return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n
*/\npublic inline fun <R : Comparable<R>> IntArray.maxBy(selector: (Int) -> R): Int? {\n if (isEmpty()) return null\n var maxElem =
this[0]\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v =
selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n } \n } \n return
maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are
no elements.\n
*/\npublic inline fun <R : Comparable<R>> LongArray.maxBy(selector: (Long) -> R): Long? {\n
if (isEmpty()) return null\n var
maxElem = this[0]\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n
val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n } \n } \n return
maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are
no elements.\n
*/\npublic inline fun <R : Comparable<R>> FloatArray.maxBy(selector: (Float) -> R): Float? {\n if
(isEmpty()) return null\n var maxElem = this[0]\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex)
{\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue
= v\n } \n } \n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given
function or `null` if there are no elements.\n
*/\npublic inline fun <R : Comparable<R>>
DoubleArray.maxBy(selector: (Double) -> R): Double?
{\n if (isEmpty()) return null\n var maxElem = this[0]\n var maxValue = selector(maxElem)\n for (i in
1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n
maxValue = v\n } \n } \n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value
of the given function or `null` if there are no elements.\n
*/\npublic inline fun <R : Comparable<R>>
BooleanArray.maxBy(selector: (Boolean) -> R): Boolean? {\n if (isEmpty()) return null\n var maxElem =
this[0]\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v =
selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n } \n } \n return
maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are
no elements.\n
*/\npublic inline fun <R : Comparable<R>>
CharArray.maxBy(selector: (Char) -> R): Char? {\n if (isEmpty()) return null\n var maxElem = this[0]\n var
maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if
(maxValue < v) {\n maxElem = e\n maxValue = v\n } \n } \n return maxElem\n}\n\n/**\n *
Returns the first element having the largest value according to the provided [comparator] or `null` if there are no
elements.\n
*/\npublic fun <T> Array<out T>.maxWith(comparator: Comparator<in T>): T? {\n if (isEmpty())
return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max,

```

```

e) < 0) max = e\n } \n return max\n}\n\n/**\n * Returns the first element having the largest value according to the
provided [comparator] or `null` if there are no elements.\n */\npublic fun ByteArray.maxWith(comparator:
Comparator<in Byte>): Byte? {\n if (isEmpty()) return null\n
var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max
= e\n } \n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided
[comparator] or `null` if there are no elements.\n */\npublic fun ShortArray.maxWith(comparator: Comparator<in
Short>): Short? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e =
this[i]\n if (comparator.compare(max, e) < 0) max = e\n } \n return max\n}\n\n/**\n * Returns the first
element having the largest value according to the provided [comparator] or `null` if there are no elements.\n
*/\npublic fun IntArray.maxWith(comparator: Comparator<in Int>): Int? {\n if (isEmpty()) return null\n var max
= this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n } \n
return max\n}\n\n/**\n * Returns the first element
having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun
LongArray.maxWith(comparator: Comparator<in Long>): Long? {\n if (isEmpty()) return null\n var max =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n } \n
return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator]
or `null` if there are no elements.\n */\npublic fun FloatArray.maxWith(comparator: Comparator<in Float>): Float?
{\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if
(comparator.compare(max, e) < 0) max = e\n } \n return max\n}\n\n/**\n * Returns the first element having the
largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun
DoubleArray.maxWith(comparator: Comparator<in Double>): Double? {\n
if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if
(comparator.compare(max, e) < 0) max = e\n } \n return max\n}\n\n/**\n * Returns the first element having the
largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun
BooleanArray.maxWith(comparator: Comparator<in Boolean>): Boolean? {\n if (isEmpty()) return null\n var
max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n
} \n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided
[comparator] or `null` if there are no elements.\n */\npublic fun CharArray.maxWith(comparator: Comparator<in
Char>): Char? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n
if (comparator.compare(max, e) < 0) max = e\n } \n return max\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns
`NaN`.\n */\n@SinceKotlin("1.1")\npublic fun Array<out Double>.min(): Double? {\n if (isEmpty()) return
null\n var min = this[0]\n if (min.isNaN()) return min\n for (i in 1..lastIndex) {\n val e = this[i]\n if
(e.isNaN()) return e\n if (min > e) min = e\n } \n return min\n}\n\n/**\n * Returns the smallest element or
`null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin("1.1")\npublic fun Array<out Float>.min(): Float? {\n if (isEmpty()) return null\n var min =
this[0]\n if (min.isNaN()) return min\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n
if (min > e) min = e\n } \n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no
elements.\n */\npublic fun <T : Comparable<T>> Array<out T>.min():
T? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if
(min > e) min = e\n } \n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no
elements.\n */\npublic fun ByteArray.min(): Byte? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in
1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n } \n return min\n}\n\n/**\n * Returns the smallest
element or `null` if there are no elements.\n */\npublic fun ShortArray.min(): Short? {\n if (isEmpty()) return
null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n } \n return
min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun IntArray.min():
Int? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if
(min > e)

```

```

min = e\n } return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*/\npublic fun LongArray.min(): Long? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in
1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest
element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic fun
FloatArray.min(): Float? {\n if (isEmpty()) return null\n var min = this[0]\n if (min.isNaN()) return min\n for
(i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (min > e) min = e\n }\n return
min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is
`NaN` returns `NaN`.\n */\npublic fun DoubleArray.min(): Double? {\n if (isEmpty()) return null\n var min =
this[0]\n if (min.isNaN()) return min\n for (i
in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (min > e) min = e\n }\n return
min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun CharArray.min():
Char? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if
(min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the first element yielding the smallest value of the
given function or `null` if there are no elements.\n */\npublic inline fun <T, R : Comparable<R>> Array<out
T>.minBy(selector: (T) -> R): T? {\n if (isEmpty()) return null\n var minElem = this[0]\n var minValue =
selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v)
{\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value
of the given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>>
ByteArray.minBy(selector: (Byte) -> R): Byte? {\n if (isEmpty()) return null\n var minElem = this[0]\n var
minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if
(minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n
*/\npublic inline fun <R : Comparable<R>> ShortArray.minBy(selector: (Short) -> R): Short? {\n if (isEmpty())
return null\n var minElem = this[0]\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e
= this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n
return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n */\npublic inline fun
<R : Comparable<R>> IntArray.minBy(selector: (Int) -> R): Int? {\n if (isEmpty()) return null\n var minElem =
this[0]\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v =
selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return
minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there
are no elements.\n */\npublic inline fun <R : Comparable<R>> LongArray.minBy(selector: (Long) -> R): Long? {\n
if (isEmpty()) return null\n var minElem = this[0]\n var minValue = selector(minElem)\n for (i in
1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n
minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the
given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>> FloatArray.minBy(selector: (Float) -> R): Float? {\n
if (isEmpty()) return null\n var minElem = this[0]\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n
val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n
return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or
`null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>> DoubleArray.minBy(selector:
(Double) -> R): Double? {\n if (isEmpty()) return null\n var minElem = this[0]\n var minValue =
selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v)
{\n minElem = e\n minValue
= v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the
given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>>
BooleanArray.minBy(selector: (Boolean) -> R): Boolean? {\n if (isEmpty()) return null\n var minElem =

```

```

this[0]\n    var minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v =
selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return
minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there
are no elements.\n */\npublic inline fun <R : Comparable<R>> CharArray.minBy(selector: (Char) -> R): Char? {\n
if (isEmpty()) return null\n    var minElem = this[0]\n    var minValue = selector(minElem)\n    for (i in 1..lastIndex)
{\n        val e = this[i]\n        val v = selector(e)\n        if (minValue >
v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first
element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n
*/\npublic fun <T> Array<out T>.minWith(comparator: Comparator<in T>): T? {\n    if (isEmpty()) return null\n
var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min =
e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided
[comparator] or `null` if there are no elements.\n */\npublic fun ByteArray.minWith(comparator: Comparator<in
Byte>): Byte? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n
if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having
the smallest value according to the provided [comparator]
or `null` if there are no elements.\n */\npublic fun ShortArray.minWith(comparator: Comparator<in Short>): Short?
{\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun
IntArray.minWith(comparator: Comparator<in Int>): Int? {\n    if (isEmpty()) return null\n    var min = this[0]\n
for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return
min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or
`null` if there are no elements.\n */\npublic fun LongArray.minWith(comparator: Comparator<in Long>): Long? {\n
if (isEmpty()) return null\n    var min = this[0]\n    for (i
in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return
min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or
`null` if there are no elements.\n */\npublic fun FloatArray.minWith(comparator: Comparator<in Float>): Float? {\n
if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun
DoubleArray.minWith(comparator: Comparator<in Double>): Double? {\n    if (isEmpty()) return null\n    var min =
this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n
return min\n}\n\n/**\n * Returns the first element having the smallest
value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun
BooleanArray.minWith(comparator: Comparator<in Boolean>): Boolean? {\n    if (isEmpty()) return null\n    var
min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n
}\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided
[comparator] or `null` if there are no elements.\n */\npublic fun CharArray.minWith(comparator: Comparator<in
Char>): Char? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n
if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns `true` if the array has no
elements.\n */\n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun <T> Array<out
T>.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has
no elements.\n */\n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun ByteArray.none():
Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n */\n * @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun ShortArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n */\n * @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun IntArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n */\n * @sample

```

```

samples.collections.Collections.Aggregates.none\n *\npublic fun LongArray.none(): Boolean {\n  return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun FloatArray.none(): Boolean {\n  return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n
*\npublic fun DoubleArray.none(): Boolean {\n  return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no
elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n *\npublic fun BooleanArray.none():
Boolean {\n  return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun CharArray.none(): Boolean {\n  return
isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun <T> Array<out
T>.none(predicate: (T) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return false\n  return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun ByteArray.none(predicate:
(Byte) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return false\n  return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun ShortArray.none(predicate:
(Short) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return false\n  return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun IntArray.none(predicate: (Int)
-> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return false\n  return true\n}\n\n/**\n *
Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun LongArray.none(predicate:
(Long) -> Boolean): Boolean {\n  for (element in this)
if (predicate(element)) return false\n  return true\n}\n\n/**\n * Returns `true` if no elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun
FloatArray.none(predicate: (Float) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun DoubleArray.none(predicate:
(Double) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return false\n  return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun
BooleanArray.none(predicate: (Boolean) -> Boolean): Boolean {\n  for (element in this) if (predicate(element))
return false\n  return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun CharArray.none(predicate:
(Char) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return false\n  return
true\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to
current accumulator value and each element.\n * \npublic inline fun <S, T : S> Array<out T>.reduce(operation:
(acc: S, T) -> S): S {\n  if (isEmpty())\n    throw UnsupportedOperationException("Empty array can't be
reduced.")\n  var accumulator: S = this[0]\n  for (index in 1..lastIndex) {\n    accumulator =
operation(accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the
first element and applying [operation] from left to right to current accumulator value and each element.\n * \npublic
inline fun ByteArray.reduce(operation:
(acc: Byte, Byte) -> Byte): Byte {\n  if (isEmpty())\n    throw UnsupportedOperationException("Empty array
can't be reduced.")\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator =
operation(accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the
first element and applying [operation] from left to right to current accumulator value and each element.\n * \npublic

```

```

inline fun ShortArray.reduce(operation: (acc: Short, Short) -> Short): Short {
    if (isEmpty()) throw
    UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.

```

public inline fun IntArray.reduce(operation:
(acc: Int, Int) -> Int): Int {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be
reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator =
operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.

```

public inline fun LongArray.reduce(operation: (acc: Long, Long) -> Long): Long {
    if (isEmpty()) throw
    UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.

```

public inline fun FloatArray.reduce(operation:
(acc: Float, Float) -> Float): Float {
    if (isEmpty()) throw UnsupportedOperationException("Empty array
can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator =
operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.

```

public inline fun DoubleArray.reduce(operation: (acc: Double, Double) -> Double): Double {
    if (isEmpty())
    throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for
(index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return
accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.

```

public inline fun
BooleanArray.reduce(operation: (acc: Boolean, Boolean) -> Boolean): Boolean {
    if (isEmpty()) throw
    UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.

```

public inline fun CharArray.reduce(operation: (acc: Char, Char) -> Char): Char {
    if (isEmpty())
    throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator
= this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return
accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original array.

@param [operation] function that takes the index of an element, current accumulator value and the element itself and calculates the next accumulator value.

```

public inline fun <S, T : S>
Array<out T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {
    if (isEmpty()) throw
    UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator: S = this[0]
    for (index
in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return
accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original array.

@param [operation] function that takes the index of an element, current accumulator value and the element itself and calculates the next accumulator value.

```

public inline fun ByteArray.reduceIndexed(operation: (index: Int, acc:
Byte, Byte) -> Byte): Byte {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be
reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index,
accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original array.

@param [operation] function that takes the index of an element, current accumulator value and the element itself and calculates the next accumulator value.

```

public inline fun
ShortArray.reduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): Short {
    if (isEmpty()) throw

```

```

UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun IntArray.reduceIndexed(operation: (index: Int, acc: Int, Int) -> Int): Int {\n  if (isEmpty())\n    throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun LongArray.reduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): Long {\n  if (isEmpty())\n    throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun FloatArray.reduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): Float {\n  if (isEmpty())\n    throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun DoubleArray.reduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): Double {\n  if (isEmpty())\n    throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun BooleanArray.reduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): Boolean {\n  if (isEmpty())\n    throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun CharArray.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {\n  if (isEmpty())\n    throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <S, T : S> Array<out T>.reduceRight(operation: (T, acc: S) -> S): S {\n  var index = lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator: S = get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with last element

```

and applying [operation] from right to left to each element and current accumulator value.

```

public inline fun
ByteArray.reduceRight(operation: (Byte, acc: Byte) -> Byte): Byte {
    var index = lastIndex
    if (index < 0)
        throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

\* Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.

```

public inline fun ShortArray.reduceRight(operation: (Short, acc: Short) -> Short): Short {
    var index = lastIndex
    if (index < 0) throw
        UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

\* Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.

```

public inline fun IntArray.reduceRight(operation: (Int, acc: Int) -> Int): Int {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

\* Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.

```

public inline fun LongArray.reduceRight(operation: (Long, acc: Long) -> Long): Long {
    var index = lastIndex
    if (index < 0) throw
        UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

\* Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.

```

public inline fun FloatArray.reduceRight(operation: (Float, acc: Float) -> Float):
Float {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be
        reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--),
            accumulator)
    }
    return accumulator
}

```

\* Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.

```

public inline fun DoubleArray.reduceRight(operation: (Double, acc: Double) -> Double): Double {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

\* Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.

```

public inline fun BooleanArray.reduceRight(operation: (Boolean, acc: Boolean) -> Boolean): Boolean {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

\* Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.

```

public inline fun CharArray.reduceRight(operation: (Char, acc: Char) -> Char): Char {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

\* Accumulates value starting with last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

\* @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun <S, T : S>
Array<out T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator: S = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

\* Accumulates value starting with last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

\* @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun

```

```

ByteArray.reduceRightIndexed(operation: (index: Int, Byte, acc: Byte) -> Byte): Byte {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

\* Accumulates value starting with last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun ShortArray.reduceRightIndexed(operation: (index: Int, Short, acc: Short) -> Short): Short {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

\* Accumulates value starting with last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun IntArray.reduceRightIndexed(operation: (index: Int, Int, acc: Int) -> Int): Int {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

\* Accumulates value starting with last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun LongArray.reduceRightIndexed(operation: (index: Int, Long, acc: Long) -> Long): Long {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

\* Accumulates value starting with last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun FloatArray.reduceRightIndexed(operation: (index: Int, Float, acc: Float) -> Float): Float {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

\* Accumulates value starting with last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun DoubleArray.reduceRightIndexed(operation: (index: Int, Double, acc: Double) -> Double): Double {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

\* Accumulates value starting with last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun BooleanArray.reduceRightIndexed(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

\* Accumulates value starting with last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

CharArray.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

public inline fun <T> Array<out T>.sumBy(selector: (T) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

public inline fun ByteArray.sumBy(selector: (Byte) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

public inline fun ShortArray.sumBy(selector: (Short) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

public inline fun IntArray.sumBy(selector: (Int) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

public inline fun LongArray.sumBy(selector: (Long) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

public inline fun FloatArray.sumBy(selector: (Float) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

public inline fun DoubleArray.sumBy(selector: (Double) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

public inline fun BooleanArray.sumBy(selector: (Boolean) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

public inline fun CharArray.sumBy(selector: (Char) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

public inline fun <T> Array<out T>.sumByDouble(selector: (T) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

public inline fun ByteArray.sumByDouble(selector: (Byte) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

public inline fun ShortArray.sumByDouble(selector: (Short) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

public inline fun IntArray.sumByDouble(selector: (Int) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

public inline fun LongArray.sumByDouble(selector: (Long) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

public inline fun FloatArray.sumByDouble(selector: (Float) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

public inline fun DoubleArray.sumByDouble(selector: (Double) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

```

```

inline fun BooleanArray.sumByDouble(selector: (Boolean) -> Double): Double
{
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
// Returns the sum of all values produced by [selector] function applied to each element in the
// array.
public inline fun CharArray.sumByDouble(selector: (Char) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
// Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null`
// elements.
public fun <T : Any> Array<T?.>.requireNonNulls(): Array<T> {
    for (element in this) {
        if (element == null) {
            throw IllegalArgumentException("null element found in $this.")
        }
    }
    @SuppressWarnings("UNCHECKED_CAST")
    return this as Array<T>
}
// Splits the original array into pair
// of lists, where `first` list contains elements for which [predicate]
// yielded `true`, while `second` list contains elements for which [predicate] yielded `false`.
public inline fun <T> Array<out T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {
    val first = ArrayList<T>()
    val second = ArrayList<T>()
    for (element in this) {
        if (predicate(element)) {
            first.add(element)
        } else {
            second.add(element)
        }
    }
    return Pair(first, second)
}
// Splits the original array into pair of lists, where `first` list contains elements for which
// [predicate] yielded `true`, while `second` list contains elements for which [predicate] yielded `false`.
public inline fun ByteArray.partition(predicate: (Byte) -> Boolean): Pair<List<Byte>, List<Byte>> {
    val first = ArrayList<Byte>()
    val second = ArrayList<Byte>()
    for (element in this) {
        if (predicate(element)) {
            first.add(element)
        } else {
            second.add(element)
        }
    }
    return Pair(first, second)
}
// Splits the original array into pair of lists, where `first`
// list contains elements for which [predicate] yielded `true`, while `second` list contains elements for which
// [predicate] yielded `false`.
public inline fun ShortArray.partition(predicate: (Short) -> Boolean): Pair<List<Short>, List<Short>> {
    val first = ArrayList<Short>()
    val second = ArrayList<Short>()
    for (element in this) {
        if (predicate(element)) {
            first.add(element)
        } else {
            second.add(element)
        }
    }
    return Pair(first, second)
}
// Splits the original array into pair of
// lists, where `first` list contains elements for which [predicate] yielded `true`, while `second` list contains
// elements for which [predicate] yielded `false`.
public inline fun IntArray.partition(predicate: (Int) -> Boolean): Pair<List<Int>, List<Int>> {
    val first = ArrayList<Int>()
    val second = ArrayList<Int>()
    for (element in this) {
        if (predicate(element)) {
            first.add(element)
        } else {
            second.add(element)
        }
    }
    return Pair(first, second)
}
// Splits the original array into pair of lists, where `first` list contains
// elements for which [predicate] yielded `true`, while `second` list
// contains elements for which [predicate] yielded `false`.
public inline fun FloatArray.partition(predicate: (Float) -> Boolean): Pair<List<Float>, List<Float>> {
    val first = ArrayList<Float>()
    val second = ArrayList<Float>()
    for (element in this) {
        if (predicate(element)) {
            first.add(element)
        } else {
            second.add(element)
        }
    }
    return Pair(first, second)
}
// Splits the original array into
// pair of lists, where `first` list contains elements for which [predicate] yielded `true`, while `second` list
// contains elements for which [predicate] yielded `false`.
public inline fun DoubleArray.partition(predicate: (Double) -> Boolean): Pair<List<Double>, List<Double>> {
    val first = ArrayList<Double>()
    val second = ArrayList<Double>()
    for (element in this) {
        if (predicate(element)) {
            first.add(element)
        } else {
            second.add(element)
        }
    }
    return Pair(first, second)
}
// Splits the original array into pair of lists, where `first` list
// contains elements for which [predicate] yielded `true`, while `second` list contains elements for which

```

```

[predicate] yielded `false`.
public inline fun BooleanArray.partition(predicate: (Boolean) -> Boolean):
Pair<List<Boolean>, List<Boolean>> {
    val first = ArrayList<Boolean>()
    val second = ArrayList<Boolean>()
    for (element in this) {
        if (predicate(element)) {
            first.add(element)
        } else {
            second.add(element)
        }
    }
    return Pair(first, second)
}
// Splits the original array into pair of lists,
// where *first* list contains elements for which [predicate] yielded `true`,
// while *second* list contains elements for which [predicate] yielded `false`.

public inline fun CharArray.partition(predicate: (Char) -> Boolean): Pair<List<Char>, List<Char>> {
    val first = ArrayList<Char>()
    val second = ArrayList<Char>()
    for (element in this) {
        if (predicate(element)) {
            first.add(element)
        } else {
            second.add(element)
        }
    }
    return Pair(first, second)
}
// Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.
// The returned list has length of the shortest collection.

@sample
samples.collections.Iterables.Operations.zipIterable

public infix fun <T, R> Array<out T>.zip(other: Array<out R>): List<Pair<T, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}
// Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.
// The returned list has length of the shortest collection.

@sample
samples.collections.Iterables.Operations.zipIterable

public infix fun <R> ByteArray.zip(other: Array<out R>): List<Pair<Byte, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}
// Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.
// The returned list has length of the shortest collection.

@sample
samples.collections.Iterables.Operations.zipIterable

public infix fun <R> ShortArray.zip(other: Array<out R>): List<Pair<Short, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}
// Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.
// The returned list has length of the shortest collection.

@sample
samples.collections.Iterables.Operations.zipIterable

public infix fun <R> IntArray.zip(other: Array<out R>): List<Pair<Int, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}
// Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.
// The returned list has length of the shortest collection.

@sample
samples.collections.Iterables.Operations.zipIterable

public infix fun <R> LongArray.zip(other: Array<out R>): List<Pair<Long, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}
// Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.
// The returned list has length of the shortest collection.

@sample
samples.collections.Iterables.Operations.zipIterable

public infix fun <R> FloatArray.zip(other: Array<out R>): List<Pair<Float, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}
// Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.
// The returned list has length of the shortest collection.

@sample
samples.collections.Iterables.Operations.zipIterable

public infix fun <R> DoubleArray.zip(other: Array<out R>): List<Pair<Double, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}
// Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.
// The returned list has length of the shortest collection.

@sample
samples.collections.Iterables.Operations.zipIterable

public infix fun <R> BooleanArray.zip(other: Array<out R>): List<Pair<Boolean, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}
// Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.
// The returned list has length of the shortest collection.

@sample
samples.collections.Iterables.Operations.zipIterable

public infix fun <R> CharArray.zip(other: Array<out R>): List<Pair<Char, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}
// Returns a list of values built from the elements of `this` array and the [other] array with the same index
// using the provided [transform] function applied to each pair of elements.
// The returned list has length of the shortest collection.

@sample
samples.collections.Iterables.Operations.zipIterableWithTransform

public inline fun <T, R, V> Array<out T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}
// Returns a list of values built from the elements

```





```

provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline
fun <R, V> ShortArray.zip(other: Iterable<R>, transform: (a: Short, b: R) -> V): List<V> {\n    val arraySize =
size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element
in other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n\n * Returns a list of values built from the elements of `this` array and the [other]
collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V>
IntArray.zip(other: Iterable<R>, transform: (a: Int, b: R) -> V): List<V> {\n    val arraySize = size\n    val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n
if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V>
LongArray.zip(other: Iterable<R>, transform: (a: Long, b: R) -> V): List<V> {\n    val arraySize = size\n    val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n
if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline
fun <R, V> FloatArray.zip(other: Iterable<R>, transform: (a: Float, b: R) -> V): List<V> {\n    val arraySize =
size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10),
arraySize))\n    var i = 0\n    for (element in other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n\n * Returns a list of values built from the
elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function
applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V>
DoubleArray.zip(other: Iterable<R>, transform: (a: Double, b: R) -> V): List<V> {\n    val arraySize = size\n    val
list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other)
{\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n\n * Returns a list of values built from the elements of `this` array and the [other] collection
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V>
BooleanArray.zip(other: Iterable<R>, transform: (a: Boolean, b: R) -> V): List<V> {\n    val arraySize = size\n    val
list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other)
{\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n *
using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*/\npublic inline fun
<R, V> CharArray.zip(other: Iterable<R>, transform: (a: Char, b: R) -> V): List<V> {\n    val arraySize = size\n
val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in
other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample

```

```

samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun ByteArray.zip(other: ByteArray):
List<Pair<Byte, Byte>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun
ShortArray.zip(other: ShortArray): List<Pair<Short, Short>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n
* Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun IntArray.zip(other: IntArray):
List<Pair<Int, Int>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun
LongArray.zip(other: LongArray): List<Pair<Long, Long>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n
* Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned
list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\npublic infix fun FloatArray.zip(other: FloatArray): List<Pair<Float, Float>> {\n    return zip(other) { t1, t2 -> t1
to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun DoubleArray.zip(other: DoubleArray):
List<Pair<Double, Double>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun
BooleanArray.zip(other: BooleanArray): List<Pair<Boolean, Boolean>> {\n    return zip(other)
{ t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array
with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun CharArray.zip(other: CharArray):
List<Pair<Char, Char>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from
the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function
applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <V> ByteArray.zip(other:
ByteArray, transform: (a: Byte, b: Byte) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list =
ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <V>
ShortArray.zip(other: ShortArray, transform: (a: Short, b: Short) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic
inline fun <V> IntArray.zip(other: IntArray, transform: (a: Int, b: Int) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <V>

```

```

LongArray.zip(other: LongArray, transform: (a: Long, b: Long) -> V): List<V> {\n  val size = minOf(size,
other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with
the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list
has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V>
FloatArray.zip(other: FloatArray, transform: (a: Float, b: Float) -> V): List<V> {\n  val size = minOf(size,
other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V>
DoubleArray.zip(other: DoubleArray, transform: (a: Double, b: Double) -> V): List<V> {\n  val size = minOf(size,
other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V>
BooleanArray.zip(other: BooleanArray, transform: (a: Boolean, b: Boolean) -> V): List<V> {\n  val size =
minOf(size, other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i],
other[i]))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the
[other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n *
The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V>
CharArray.zip(other: CharArray, transform: (a: Char, b: Char) -> V): List<V> {\n  val size = minOf(size,
other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n  return list\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the
given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value
of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string
(which defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun
<T, A : Appendable> Array<out T>.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\"",
postfix: CharSequence = "\"",
limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): A {\n
buffer.append(prefix)\n  var count = 0\n  for (element in this) {\n    if (++count > 1) buffer.append(separator)\n    if (limit < 0 || count <= limit) {\n      buffer.appendElement(element, transform)\n    } else break\n  }\n  if
(limit >= 0 && count > limit) buffer.append(truncated)\n  buffer.append(postfix)\n  return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if
supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only
the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n *
@sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable>
ByteArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix:
CharSequence = "\"", postfix: CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...", transform:
((Byte) -> CharSequence)? = null): A {\n  buffer.append(prefix)\n  var count = 0\n  for (element in this) {\n
if (++count > 1) buffer.append(separator)\n    if (limit < 0 || count <= limit) {\n      if (transform != null)\n        buffer.append(transform(element))\n      else\n        buffer.append(element.toString())\n    } else
break\n  }\n  if (limit >= 0 && count > limit) buffer.append(truncated)\n  buffer.append(postfix)\n  return

```

buffer\n}\n\n/\*\*\n \* Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n \* \n \* If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n \* elements will be appended, followed by the [truncated] string (which defaults to "...").\n \* \n \* @sample

```

samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable>
ShortArray.joinTo(buffer: A, separator: CharSequence = "\", \"\", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Short) -> CharSequence)? = null): A {\n
buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1) buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if (transform != null)\n                buffer.append(transform(element))\n            else\n                buffer.append(element.toString())\n        } else break\n    }\n    if (limit >= 0 && count > limit)\nbuffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Appends the string from all the
elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection
could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A :
Appendable> IntArray.joinTo(buffer: A, separator: CharSequence = "\", \"\", prefix: CharSequence = \"\", postfix:
CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Int) -> CharSequence)? = null):
A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1)
buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if (transform != null)\nbuffer.append(transform(element))\n            else\n                buffer.append(element.toString())\n        } else break\n
}\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return
buffer\n}\n\n/**\n * Appends the string from all the elements separated
using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you
can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended,
followed by the [truncated] string (which defaults to "...").\n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable>
LongArray.joinTo(buffer: A, separator: CharSequence = "\", \"\", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Long) -> CharSequence)? = null): A {\n
buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1) buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if (transform != null)\n                buffer.append(transform(element))\n            else\n                buffer.append(element.toString())\n        } else break\n    }\n    if (limit >= 0
&& count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Appends the
string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n
* If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first
[limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable>
FloatArray.joinTo(buffer: A, separator: CharSequence = "\", \"\", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Float) -> CharSequence)? = null): A {\n
buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1) buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if (transform != null)\n                buffer.append(transform(element))\n            else\n                buffer.append(element.toString())\n        } else
break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return
buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A :
Appendable> DoubleArray.joinTo(buffer: A, separator: CharSequence = "\", \"\", prefix: CharSequence = \"\", postfix:
CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Double) -> CharSequence)? =

```

```

null): A {
    buffer.append(prefix)
    var count = 0
    for (element
in this) {
        if (++count > 1) buffer.append(separator)
        if (limit < 0 || count <= limit) {
            if (transform != null)
                buffer.append(transform(element))
            else
                buffer.append(element.toString())
        } else break
    }
    if (limit >= 0 && count > limit)
        buffer.append(truncated)
    buffer.append(postfix)
    return buffer
}

Appendable * Appends the string from all the
elements separated using [separator] and using the given [prefix] and [postfix] if supplied.
If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]
elements will be appended, followed by the [truncated] string (which defaults to "...").
@sample
samples.collections.Collections.Transformations.joinTo

public fun <A : Appendable>
BooleanArray.joinTo(buffer: A, separator: CharSequence = ",", prefix: CharSequence = "", postfix:
CharSequence = "",
limit: Int = -1, truncated: CharSequence = "...", transform: ((Boolean) -> CharSequence)? = null): A {
    buffer.append(prefix)
    var count = 0
    for (element in this) {
        if (++count > 1) buffer.append(separator)
        if (limit < 0 || count <= limit) {
            if (transform != null)
                buffer.append(transform(element))
            else
                buffer.append(element.toString())
        } else break
    }
    if (limit >= 0 && count > limit)
        buffer.append(truncated)
    buffer.append(postfix)
    return buffer
}

Appendable * Appends the string from all the
elements separated using [separator] and using the given [prefix] and [postfix] if supplied.
If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]
elements will be appended, followed by the [truncated] string (which defaults to "...").
@sample
samples.collections.Collections.Transformations.joinTo

public fun <A : Appendable> CharArray.joinTo(buffer: A, separator: CharSequence = ",", prefix:
CharSequence = "", postfix: CharSequence = "", limit: Int = -1, truncated: CharSequence = "...", transform:
((Char) -> CharSequence)? = null): A {
    buffer.append(prefix)
    var count = 0
    for (element in this) {
        if (++count > 1) buffer.append(separator)
        if (limit < 0 || count <= limit) {
            if (transform != null)
                buffer.append(transform(element))
            else
                buffer.append(element)
        } else break
    }
    if (limit >= 0 && count > limit) buffer.append(truncated)
    buffer.append(postfix)
    return buffer
}

Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if
supplied.
If the collection could be huge, you can specify a non-negative value of [limit], in which case only
the first [limit] elements will be
appended, followed by the [truncated] string (which defaults to "...").
@sample
samples.collections.Collections.Transformations.joinToString

public fun <T> Array<out
T>.joinToString(separator: CharSequence = ",", prefix: CharSequence = "", postfix: CharSequence = "", limit:
Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): String {
    return
joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()
}

Creates a
string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.
If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first
[limit] elements will be appended, followed by the [truncated] string (which defaults to "...").
@sample
samples.collections.Collections.Transformations.joinToString

public fun ByteArray.joinToString(separator:
CharSequence
= ",", prefix: CharSequence = "", postfix: CharSequence = "", limit: Int = -1, truncated: CharSequence = "...",
transform: ((Byte) -> CharSequence)? = null): String {
    return joinTo(StringBuilder(), separator, prefix, postfix,
limit, truncated, transform).toString()
}

Creates a string from all the elements separated using
[separator] and using the given [prefix] and [postfix] if supplied.
If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]
elements will be appended, followed
by the [truncated] string (which defaults to "...").
@sample
samples.collections.Collections.Transformations.joinToString

public fun ShortArray.joinToString(separator:
CharSequence = ",", prefix: CharSequence = "", postfix: CharSequence = "", limit: Int = -1, truncated:
CharSequence = "...", transform: ((Short) -> CharSequence)? = null): String {
    return joinTo(StringBuilder(),

```

```

separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun IntArray.joinToString(separator:
CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated:
CharSequence = \"...\", transform: ((Int) -> CharSequence)? = null): String {\n    return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the
collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n *
elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun LongArray.joinToString(separator:
CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated:
CharSequence = \"...\", transform: ((Long) -> CharSequence)? = null): String {\n    return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun FloatArray.joinToString(separator:
CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated:
CharSequence = \"...\", transform: ((Float) -> CharSequence)? = null): String {\n    return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun DoubleArray.joinToString(separator:
CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int =
-1, truncated: CharSequence = \"...\", transform: ((Double) -> CharSequence)? = null): String {\n    return
joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a
string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n
* If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first
[limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun
BooleanArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence =
\"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Boolean) -> CharSequence)? = null): String {\n
    return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n
* Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if
supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only
the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n
* @sample samples.collections.Collections.Transformations.joinToString\n *\npublic fun
CharArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\",
limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Char) -> CharSequence)? = null): String {\n    return
joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an
[Iterable] instance that wraps the original array returning its elements when being iterated.\n *\npublic fun <T>
Array<out T>.asIterable(): Iterable<T> {\n    if (isEmpty()) return emptyList()\n    return
Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its
elements when being iterated.\n *\npublic fun ByteArray.asIterable(): Iterable<Byte> {\n    if (isEmpty()) return
emptyList()\n    return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original

```

```

array returning its elements when being iterated.\n */\npublic fun ShortArray.asIterable(): Iterable<Short> {\n if
(isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that
wraps the original array returning its elements when being iterated.\n */\npublic fun IntArray.asIterable():
Iterable<Int> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an
[Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun
LongArray.asIterable(): Iterable<Long> {\n if (isEmpty()) return
emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original
array returning its elements when being iterated.\n */\npublic fun FloatArray.asIterable(): Iterable<Float> {\n if
(isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that
wraps the original array returning its elements when being iterated.\n */\npublic fun DoubleArray.asIterable():
Iterable<Double> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates
an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun
BooleanArray.asIterable(): Iterable<Boolean> {\n if (isEmpty()) return emptyList()\n return Iterable {
this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when
being iterated.\n */\npublic fun CharArray.asIterable():
Iterable<Char> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates a
[Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun <T> Array<out T>.asSequence():
Sequence<T> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun ByteArray.asSequence():
Sequence<Byte> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun ShortArray.asSequence():
Sequence<Short> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun IntArray.asSequence():
Sequence<Int> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun LongArray.asSequence():
Sequence<Long> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun FloatArray.asSequence():
Sequence<Float> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun DoubleArray.asSequence():
Sequence<Double> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun
BooleanArray.asSequence(): Sequence<Boolean> {\n if (isEmpty()) return emptySequence()\n return Sequence
{ this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements
when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic
fun CharArray.asSequence():
Sequence<Char> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName("averageOfByte")\npublic fun
Array<out Byte>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n
sum += element\n count += 1\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n *
Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName("averageOfShort")\npublic fun

```

```

Array<out Short>.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        count += 1
    }
    return if (count == 0) Double.NaN else sum / count
}

Returns an average value of elements in the array.

@kotlin.jvm.JvmName("averageOfInt")
public fun
Array<out Int>.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        count += 1
    }
    return if (count == 0) Double.NaN else sum / count
}

Returns an average value of elements in the array.

@kotlin.jvm.JvmName("averageOfLong")
public fun
Array<out Long>.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        count += 1
    }
    return if (count == 0) Double.NaN else sum / count
}

Returns an average value of elements in the array.

@kotlin.jvm.JvmName("averageOfFloat")
public fun
Array<out Float>.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        count += 1
    }
    return if (count == 0) Double.NaN else sum / count
}

Returns an average value of elements in the array.

@kotlin.jvm.JvmName("averageOfDouble")
public fun
Array<out Double>.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        count += 1
    }
    return if (count == 0) Double.NaN else sum / count
}

Returns an average value of elements in the array.

public fun
ByteArray.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        count += 1
    }
    return if (count == 0) Double.NaN else sum / count
}

Returns an average value of elements in the array.

public fun
ShortArray.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        count += 1
    }
    return if (count == 0) Double.NaN else sum / count
}

Returns an average value of elements in the array.

public fun
IntArray.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        count += 1
    }
    return if (count == 0) Double.NaN else sum / count
}

Returns an average value of elements in the array.

public fun
LongArray.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        count += 1
    }
    return if (count == 0) Double.NaN else sum / count
}

Returns an average value of elements in the array.

public fun
FloatArray.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        count += 1
    }
    return if (count == 0) Double.NaN else sum / count
}

Returns an average value of elements in the array.

public fun
DoubleArray.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        count += 1
    }
    return if (count == 0) Double.NaN else sum / count
}

Returns the sum of all elements in the array.

@kotlin.jvm.JvmName("sumOfByte")
public fun
Array<out Byte>.sum(): Int {
    var sum: Int = 0
    for (element in this) {
        sum += element
    }
    return sum
}

Returns the sum of all elements in the array.

@kotlin.jvm.JvmName("sumOfShort")
public fun
Array<out Short>.sum(): Int {
    var sum: Int = 0
    for (element in this) {
        sum += element
    }
    return sum
}

Returns the sum of all elements in the array.

@kotlin.jvm.JvmName("sumOfInt")
public fun
Array<out Int>.sum(): Int {
    var sum: Int = 0
    for (element in this) {
        sum += element
    }
    return sum
}

Returns the sum of all elements in the array.

@kotlin.jvm.JvmName("sumOfLong")
public fun
Array<out Long>.sum(): Long {
    var sum: Long = 0L
    for (element in this) {
        sum += element
    }
    return sum
}

Returns the sum of all elements in the array.

@kotlin.jvm.JvmName("sumOfFloat")
public fun
Array<out Float>.sum(): Float {
    var sum: Float = 0.0f
    for (element in this) {
        sum += element
    }
    return sum
}

Returns the sum of all elements in the array.

@kotlin.jvm.JvmName("sumOfDouble")
public fun
Array<out Double>.sum(): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += element
    }
    return sum
}

Returns the sum of all elements in the array.

public fun
ByteArray.sum(): Int {
    var sum: Int = 0
    for (element in this) {
        sum += element
    }
    return sum
}

Returns the sum of all elements in the array.

public fun
ShortArray.sum(): Int {
    var sum: Int = 0
    for (element in

```

```

this) {\n    sum += element\n } \n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n *\npublic fun IntArray.sum(): Int {\n    var sum: Int = 0\n    for (element in this)\n        {\n            sum += element\n        }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n *\npublic fun LongArray.sum(): Long {\n    var sum: Long = 0L\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n *\npublic fun FloatArray.sum():\nFloat {\n    var sum: Float = 0.0f\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n *\npublic fun DoubleArray.sum(): Double {\n    var sum: Double =\n0.0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n"/\n * Copyright 2010-2018\nJetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the\nlicense/LICENSE.txt file.\n\n*\n*\n@file:kotlin.jvm.JvmMultifileClass\n*\n@file:kotlin.jvm.JvmName("RangesKt")\n\npackage\nkotlin.ranges\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n\nSee: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.*\nimport kotlin.text.*\nimport kotlin.comparisons.*\n\n/**\n * Checks if the specified [value] belongs to this range.\n *\n@kotlin.jvm.JvmName("intRangeContains")\npublic operator fun ClosedRange<Int>.contains(value: Byte):\nBoolean {\n    return contains(value.toInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n *\n@kotlin.jvm.JvmName("longRangeContains")\npublic operator fun ClosedRange<Long>.contains(value:\nByte): Boolean {\n    return contains(value.toLong())\n}\n\n/**\n * Checks if the specified [value] belongs to this\nrange.\n *\n@kotlin.jvm.JvmName("shortRangeContains")\npublic operator fun\nClosedRange<Short>.contains(value: Byte): Boolean {\n    return contains(value.toShort())\n}\n\n/**\n * Checks if\nthe specified [value] belongs to this range.\n *\n@kotlin.jvm.JvmName("doubleRangeContains")\npublic operator\nfun ClosedRange<Double>.contains(value:\nByte): Boolean {\n    return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this\nrange.\n *\n@kotlin.jvm.JvmName("floatRangeContains")\npublic operator fun\nClosedRange<Float>.contains(value: Byte): Boolean {\n    return contains(value.toFloat())\n}\n\n/**\n * Checks if\nthe specified [value] belongs to this range.\n *\n@kotlin.jvm.JvmName("intRangeContains")\npublic operator fun\nClosedRange<Int>.contains(value: Double): Boolean {\n    return value.toIntExactOrNull().let { if (it != null)\ncontains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n *\n@kotlin.jvm.JvmName("longRangeContains")\npublic operator fun ClosedRange<Long>.contains(value:\nDouble): Boolean {\n    return value.toLongExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n *\n@kotlin.jvm.JvmName("byteRangeContains")\npublic\noperator fun\nClosedRange<Byte>.contains(value: Double): Boolean {\n    return value.toByteExactOrNull().let { if (it != null)\ncontains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n *\n@kotlin.jvm.JvmName("shortRangeContains")\npublic operator fun ClosedRange<Short>.contains(value:\nDouble): Boolean {\n    return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n *\n@kotlin.jvm.JvmName("floatRangeContains")\npublic\noperator fun ClosedRange<Float>.contains(value: Double): Boolean {\n    return\ncontains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n *\n@kotlin.jvm.JvmName("intRangeContains")\npublic operator fun ClosedRange<Int>.contains(value: Float):\nBoolean {\n    return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the\nspecified [value] belongs to this range.\n *\n@kotlin.jvm.JvmName("longRangeContains")\npublic\noperator fun ClosedRange<Long>.contains(value: Float): Boolean {\n    return value.toLongExactOrNull().let { if\n(it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n *\n@kotlin.jvm.JvmName("byteRangeContains")\npublic operator fun ClosedRange<Byte>.contains(value:\nFloat): Boolean {\n    return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n *\n@kotlin.jvm.JvmName("shortRangeContains")\npublic\noperator fun ClosedRange<Short>.contains(value: Float): Boolean {\n    return value.toShortExactOrNull().let { if

```



\* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\npublic infix fun Byte.downTo(to: Byte): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \*\n \* The [to] value should be less than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\n\npublic infix fun Short.downTo(to: Byte): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \*\n \* The [to] value should be less than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\n\npublic infix fun Char.downTo(to: Char): CharProgression {\n return CharProgression.fromClosedRange(this, to, -1)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \*\n \* The [to] value should be less than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\n\npublic infix fun Int.downTo(to: Int): IntProgression {\n return IntProgression.fromClosedRange(this, to, -1)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \*\n \* The [to] value should be less than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\n\npublic infix fun Long.downTo(to: Int): LongProgression {\n return LongProgression.fromClosedRange(this, to.toIntLong(), -1L)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \*\n \* The [to] value should be less than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\n\npublic infix fun Byte.downTo(to: Int): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to, -1)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \*\n \* The [to] value should be less than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\n\npublic infix fun Short.downTo(to: Int): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to, -1)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \*\n \* The [to] value should be less than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\n\npublic infix fun Int.downTo(to: Long): LongProgression {\n return LongProgression.fromClosedRange(this.toIntLong(), to, -1L)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \*\n \* The [to] value should be less than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\n\npublic infix fun Long.downTo(to: Long): LongProgression {\n return LongProgression.fromClosedRange(this, to, -1L)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \*\n \* The [to] value should be less than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\n\npublic infix fun Byte.downTo(to: Long): LongProgression {\n return LongProgression.fromClosedRange(this.toIntLong(), to, -1L)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \*\n \* The [to] value should be less than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\n\npublic infix fun Short.downTo(to: Long): LongProgression {\n return LongProgression.fromClosedRange(this.toIntLong(), to, -1L)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \*\n \* The [to] value should be less than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\n\npublic infix fun Int.downTo(to: Short): IntProgression {\n return IntProgression.fromClosedRange(this, to.toInt(), -1)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \*\n \* The [to] value should be less than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\n\npublic infix fun Long.downTo(to: Short): LongProgression {\n return LongProgression.fromClosedRange(this, to.toIntLong(), -1L)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \*\n \* The [to] value should be less than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\n

```

*/\npublic infix fun Byte.downTo(to: Short): IntProgression {\n    return
IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value
down to
the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the
[to] value is greater than `this` value the returned progression is empty.\n */\n\npublic infix fun Short.downTo(to:
Short): IntProgression {\n    return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns
a progression that goes over the same range in the opposite direction with the same step.\n */\n\npublic fun
IntProgression.reversed(): IntProgression {\n    return IntProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n
* Returns a progression that goes over the same range in the opposite direction with the same step.\n */\n\npublic fun
LongProgression.reversed(): LongProgression {\n    return LongProgression.fromClosedRange(last, first, -
step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same
step.\n */\n\npublic fun CharProgression.reversed(): CharProgression {\n    return
CharProgression.fromClosedRange(last,
first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\n\npublic infix
fun IntProgression.step(step: Int): IntProgression {\n    checkStepIsPositive(step > 0, step)\n    return
IntProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression that
goes over the same range with the given step.\n */\n\npublic infix fun LongProgression.step(step: Long):
LongProgression {\n    checkStepIsPositive(step > 0, step)\n    return LongProgression.fromClosedRange(first, last,
if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given
step.\n */\n\npublic infix fun CharProgression.step(step: Int): CharProgression {\n    checkStepIsPositive(step > 0,
step)\n    return CharProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\ninternal fun
Int.toByteExactOrNull(): Byte? {\n    return if
(this in Byte.MIN_VALUE.toInt()..Byte.MAX_VALUE.toInt()) this.toByte() else null\n}\n\ninternal fun
Long.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toLong()..Byte.MAX_VALUE.toLong()) this.toByte() else null\n}\n\ninternal fun
Short.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toShort()..Byte.MAX_VALUE.toShort()) this.toByte() else null\n}\n\ninternal fun
Double.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toDouble()..Byte.MAX_VALUE.toDouble()) this.toByte() else null\n}\n\ninternal fun
Float.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toFloat()..Byte.MAX_VALUE.toFloat()) this.toByte() else null\n}\n\ninternal fun
Long.toIntExactOrNull(): Int? {\n    return if (this in Int.MIN_VALUE.toLong()..Int.MAX_VALUE.toLong())
this.toInt() else null\n}\n\ninternal fun Double.toIntExactOrNull(): Int? {\n    return if (this in
Int.MIN_VALUE.toDouble()..Int.MAX_VALUE.toDouble()) this.toInt() else null\n}\n\ninternal
fun Float.toIntExactOrNull(): Int? {\n    return if (this in Int.MIN_VALUE.toFloat()..Int.MAX_VALUE.toFloat())
this.toInt() else null\n}\n\ninternal fun Double.toLongExactOrNull(): Long? {\n    return if (this in
Long.MIN_VALUE.toDouble()..Long.MAX_VALUE.toDouble()) this.toLong() else null\n}\n\ninternal fun
Float.toLongExactOrNull(): Long? {\n    return if (this in
Long.MIN_VALUE.toFloat()..Long.MAX_VALUE.toFloat()) this.toLong() else null\n}\n\ninternal fun
Int.toShortExactOrNull(): Short? {\n    return if (this in Short.MIN_VALUE.toInt()..Short.MAX_VALUE.toInt())
this.toShort() else null\n}\n\ninternal fun Long.toShortExactOrNull(): Short? {\n    return if (this in
Short.MIN_VALUE.toLong()..Short.MAX_VALUE.toLong()) this.toShort() else null\n}\n\ninternal fun
Double.toShortExactOrNull(): Short? {\n    return if (this in
Short.MIN_VALUE.toDouble()..Short.MAX_VALUE.toDouble()) this.toShort() else null\n}\n\ninternal fun
Float.toShortExactOrNull(): Short? {\n    return if (this
in Short.MIN_VALUE.toFloat()..Short.MAX_VALUE.toFloat()) this.toShort() else null\n}\n\n/**\n * Returns a
range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to
`this` value the returned range is empty.\n */\n\npublic infix fun Int.until(to: Byte): IntRange {\n    return this ..

```

(to.toInt() - 1).toInt()\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \*  
\n \* If the [to] value is less than or equal to `this` value the returned range is empty.\n \*/\n\npublic infix fun  
Long.until(to: Byte): LongRange {\n return this .. (to.toLong() - 1).toLong()\n}\n\n/\*\*\n \* Returns a range from  
this value up to but excluding the specified [to] value.\n \*  
\n \* If the [to] value is less than or equal to `this` value the  
returned range is empty.\n \*/\n\npublic infix fun Byte.until(to: Byte): IntRange {\n return this.toInt() .. (to.toInt() -  
1).toInt()\n}\n\n/\*\*\n \* Returns a range from this value  
up to but excluding the specified [to] value.\n \*  
\n \* If the [to] value is less than or equal to `this` value the returned  
range is empty.\n \*/\n\npublic infix fun Short.until(to: Byte): IntRange {\n return this.toInt() .. (to.toInt() -  
1).toInt()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \*  
\n \* If the  
[to] value is less than or equal to `this` value the returned range is empty.\n \*  
\n \* If the [to] value is less than or  
equal to `'\u0000` the returned range is empty.\n \*/\n\npublic infix fun Char.until(to: Char): CharRange {\n if (to  
<= '\u0000') return CharRange.EMPTY\n return this .. (to - 1).toChar()\n}\n\n/\*\*\n \* Returns a range from this  
value up to but excluding the specified [to] value.\n \*  
\n \* If the [to] value is less than or equal to `this` value the  
returned range is empty.\n \*  
\n \* If the [to] value is less than or equal to [Int.MIN\_VALUE] the returned range is  
empty.\n \*/\n\npublic infix fun Int.until(to: Int):  
IntRange {\n if (to <= Int.MIN\_VALUE) return IntRange.EMPTY\n return this .. (to - 1).toInt()\n}\n\n/\*\*\n \*  
Returns a range from this value up to but excluding the specified [to] value.\n \*  
\n \* If the [to] value is less than or  
equal to `this` value the returned range is empty.\n \*/\n\npublic infix fun Long.until(to: Int): LongRange {\n return  
this .. (to.toLong() - 1).toLong()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to]  
value.\n \*  
\n \* If the [to] value is less than or equal to `this` value the returned range is empty.\n \*  
\n \* If the [to]  
value is less than or equal to [Int.MIN\_VALUE] the returned range is empty.\n \*/\n\npublic infix fun Byte.until(to:  
Int): IntRange {\n if (to <= Int.MIN\_VALUE) return IntRange.EMPTY\n return this.toInt() .. (to -  
1).toInt()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \*  
\n \* If the  
[to] value is less than or equal to `this` value the returned range  
is empty.\n \*  
\n \* If the [to] value is less than or equal to [Int.MIN\_VALUE] the returned range is empty.\n \*/\n\npublic  
infix fun Short.until(to: Int): IntRange {\n if (to <= Int.MIN\_VALUE) return IntRange.EMPTY\n return this.toInt() .. (to - 1).toInt()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified  
[to] value.\n \*  
\n \* If the [to] value is less than or equal to `this` value the returned range is empty.\n \*  
\n \* If the [to]  
value is less than or equal to [Long.MIN\_VALUE] the returned range is empty.\n \*/\n\npublic infix fun Int.until(to:  
Long): LongRange {\n if (to <= Long.MIN\_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to -  
1).toLong()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \*  
\n \* If the  
[to] value is less than or equal to `this` value the returned range is empty.\n \*  
\n \* If the [to] value is less than or  
equal to [Long.MIN\_VALUE] the returned range is empty.\n \*/\n\npublic  
infix fun Long.until(to: Long): LongRange {\n if (to <= Long.MIN\_VALUE) return LongRange.EMPTY\n return this .. (to - 1).toLong()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to]  
value.\n \*  
\n \* If the [to] value is less than or equal to `this` value the returned range is empty.\n \*  
\n \* If the [to]  
value is less than or equal to [Long.MIN\_VALUE] the returned range is empty.\n \*/\n\npublic infix fun Byte.until(to:  
Long): LongRange {\n if (to <= Long.MIN\_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to -  
1).toLong()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \*  
\n \* If the  
[to] value is less than or equal to `this` value the returned range is empty.\n \*  
\n \* If the [to] value is less than or  
equal to [Long.MIN\_VALUE] the returned range is empty.\n \*/\n\npublic infix fun Short.until(to: Long): LongRange  
{\n if (to <= Long.MIN\_VALUE) return LongRange.EMPTY\n return this.toLong()  
.. (to - 1).toLong()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \*  
\n \*  
\n \* If the [to] value is less than or equal to `this` value the returned range is empty.\n \*/\n\npublic infix fun Int.until(to:  
Short): IntRange {\n return this .. (to.toInt() - 1).toInt()\n}\n\n/\*\*\n \* Returns a range from this value up to but  
excluding the specified [to] value.\n \*  
\n \* If the [to] value is less than or equal to `this` value the returned range is  
empty.\n \*/\n\npublic infix fun Long.until(to: Short): LongRange {\n return this .. (to.toLong() -  
1).toLong()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \*  
\n \* If the

```

[to] value is less than or equal to `this` value the returned range is empty.\n */\npublic infix fun Byte.until(to: Short):
IntRange {\n    return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but
excluding the specified [to] value.\n * \n * If the
[to] value is less than or equal to `this` value the returned range is empty.\n */\npublic infix fun Short.until(to:
Short): IntRange {\n    return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Ensures that this value is not less than
the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the
[minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastComparable\n
*/\npublic fun <T : Comparable<T>> T.coerceAtLeast(minimumValue: T): T {\n    return if (this < minimumValue)
minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n *
@return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n *
@sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun
Byte.coerceAtLeast(minimumValue: Byte): Byte {\n    return if (this < minimumValue) minimumValue else
this\n}\n\n/**\n *
Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than
or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Short.coerceAtLeast(minimumValue: Short):
Short {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less
than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue]
or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n
*/\npublic fun Int.coerceAtLeast(minimumValue: Int): Int {\n    return if (this < minimumValue) minimumValue
else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this
value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeast\n
*/\npublic fun Long.coerceAtLeast(minimumValue: Long): Long {\n    return if (this < minimumValue)
minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n *
@return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n *
@sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun
Float.coerceAtLeast(minimumValue: Float): Float {\n    return if (this < minimumValue) minimumValue else
this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value
if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Double.coerceAtLeast(minimumValue:
Double): Double {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this
value is not greater than the specified
[maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the
[maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostComparable\n
*/\npublic fun <T : Comparable<T>> T.coerceAtMost(maximumValue: T): T {\n    return if (this >
maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified
[maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the
[maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun
Byte.coerceAtMost(maximumValue: Byte): Byte {\n    return if (this > maximumValue) maximumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun
Short.coerceAtMost(maximumValue: Short): Short {\n    return if (this > maximumValue) maximumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Int.coerceAtMost(maximumValue: Int): Int
{\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater

```

```

than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or
the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n
*/\npublic fun Long.coerceAtMost(maximumValue: Long): Long {\n    return if (this > maximumValue)
maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n *
\n * @return this value if it's
less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Float.coerceAtMost(maximumValue: Float):
Float {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not
greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Double.coerceAtMost(maximumValue:
Double): Double {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this
value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range,
or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than
[maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInComparable\n
*/\npublic fun <T : Comparable<T>> T.coerceIn(minimumValue: T?, maximumValue: T?): T {\n    if
(minimumValue != null && maximumValue != null) {\n        if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n        if (this < minimumValue) return minimumValue\n        if (this >
maximumValue) return maximumValue\n    }\n    else {\n        if (minimumValue != null && this <
minimumValue) return minimumValue\n        if (maximumValue != null && this > maximumValue) return
maximumValue\n    }\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Byte.coerceIn(minimumValue:
Byte, maximumValue: Byte): Byte {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Short.coerceIn(minimumValue: Short,
maximumValue: Short): Short {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return
maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Int.coerceIn(minimumValue: Int, maximumValue:
Int): Int {\n    if (minimumValue > maximumValue) throw IllegalArgumentException("Cannot coerce value to an
empty range: maximum $maximumValue is less than minimum $minimumValue.")\n    if (this < minimumValue)
return minimumValue\n    if (this > maximumValue) return maximumValue\n    return this\n}\n\n/**\n * Ensures
that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in
the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater
than [maximumValue].\n
\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Long.coerceIn(minimumValue:
Long, maximumValue: Long): Long {\n    if (minimumValue > maximumValue) throw

```

```

IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n if (this < minimumValue) return minimumValue\n if (this > maximumValue)
return maximumValue\n return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Float.coerceIn(minimumValue: Float,
maximumValue: Float): Float {\n if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum
$minimumValue.")\n if (this < minimumValue) return minimumValue\n if (this > maximumValue) return
maximumValue\n return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Double.coerceIn(minimumValue: Double,
maximumValue: Double): Double {\n if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n if (this < minimumValue) return minimumValue\n if (this > maximumValue)
return maximumValue\n return this\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less
than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInFloatingPointRange\n */\n@SinceKotlin("1.1")\npublic fun <T :
Comparable<T>> T.coerceIn(range: ClosedFloatingPointRange<T>): T {\n if (range.isEmpty()) throw
IllegalArgumentException("Cannot coerce value to an empty range: $range.")\n return when {\n // this <
start equiv to this <= start && !(this >= start)\n range.lessThanOrEqualTo(this, range.start) &&
!range.lessThanOrEqualTo(range.start, this) -> range.start\n // this > end equiv to this >= end && !(this <= end)\n
range.lessThanOrEqualTo(range.endInclusive, this) && !range.lessThanOrEqualTo(this, range.endInclusive) ->
range.endInclusive\n else -> this\n }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`,
or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInComparable\n */\npublic fun <T : Comparable<T>>
T.coerceIn(range: ClosedRange<T>): T {\n if (range is ClosedFloatingPointRange) {\n return
this.coerceIn<T>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to an
empty range: $range.")\n return when {\n this < range.start -> range.start\n this > range.endInclusive ->
range.endInclusive\n else -> this\n }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n
*/\npublic fun Int.coerceIn(range: ClosedRange<Int>): Int {\n if (range is ClosedFloatingPointRange) {\n
return this.coerceIn<Int>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException("Cannot
coerce value to an empty range: $range.")\n return when {\n this < range.start -> range.start\n this >
range.endInclusive -> range.endInclusive\n else -> this\n }\n}\n\n/**\n * Ensures that this value lies in the
specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than
`range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Long.coerceIn(range: ClosedRange<Long>): Long
{\n if (range is ClosedFloatingPointRange) {\n return this.coerceIn<Long>(range)\n }\n if
(range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to an empty range: $range.")\n return
when {\n this < range.start -> range.start\n this > range.endInclusive -> range.endInclusive\n
else -> this\n }\n}\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by
the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO

```

```

NOT EDIT!\n\npackage kotlin.ranges\n\n/**\n * A range of values of type `Char`.\n */\npublic class CharRange(start: Char, endInclusive: Char) : CharProgression(start, endInclusive, 1), ClosedRange<Char> {\n\n    override val start: Char get() = first\n\n    override val endInclusive: Char get() = last\n\n\n    override fun contains(value: Char): Boolean = first <= value && value <= last\n\n\n    override fun isEmpty(): Boolean = first > last\n\n\n    override fun equals(other: Any?): Boolean =\n        other is CharRange && (isEmpty() && other.isEmpty() ||\n            first == other.first && last == other.last)\n\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * first.toInt() + last.toInt())\n\n\n    override fun toString(): String = \"$first..$last\"\n\n\n    companion object {\n\n        /** An empty range of values of type Char. */\n        public val EMPTY: CharRange = CharRange(1.toChar(), 0.toChar())\n    }\n}\n\n/**\n * A range of values of type `Int`.\n */\npublic class IntRange(start: Int, endInclusive: Int) : IntProgression(start, endInclusive, 1), ClosedRange<Int> {\n\n    override val start: Int get() = first\n\n    override val endInclusive: Int get() = last\n\n\n    override fun contains(value: Int): Boolean = first <= value && value <= last\n\n\n    override fun isEmpty(): Boolean = first > last\n\n\n    override fun equals(other: Any?): Boolean =\n        other is IntRange && (isEmpty() && other.isEmpty() ||\n            first == other.first && last == other.last)\n\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * first + last)\n\n\n    override fun toString(): String = \"$first..$last\"\n\n\n    companion object {\n\n        /** An empty range of values of type Int. */\n        public val EMPTY: IntRange = IntRange(1, 0)\n    }\n}\n\n/**\n * A range of values of type `Long`.\n */\npublic class LongRange(start: Long, endInclusive: Long) : LongProgression(start, endInclusive, 1), ClosedRange<Long> {\n\n    override val start: Long get() = first\n\n    override val endInclusive: Long get() = last\n\n\n    override fun contains(value: Long): Boolean = first <= value && value <= last\n\n\n    override fun isEmpty(): Boolean = first > last\n\n\n    override fun equals(other: Any?): Boolean =\n        other is LongRange && (isEmpty() && other.isEmpty() ||\n            first == other.first && last == other.last)\n\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * (first xor (first ushr 32)) + (last xor (last ushr 32))).toInt()\n\n\n    override fun toString(): String = \"$first..$last\"\n\n\n    companion object {\n\n        /** An empty range of values of type Long. */\n        public val EMPTY: LongRange = LongRange(1, 0)\n    }\n}\n\n"/>\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n\n*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage kotlin.collections\n\nimport kotlin.*\nimport kotlin.comparisons.compareValues\n\ninternal object EmptyIterator : ListIterator<Nothing> {\n\n    override fun hasNext(): Boolean = false\n\n    override fun hasPrevious(): Boolean = false\n\n    override fun nextIndex(): Int = 0\n\n    override fun previousIndex(): Int = -1\n\n    override fun next(): Nothing = throw NoSuchElementException()\n\n    override fun previous(): Nothing = throw NoSuchElementException()\n}\n\ninternal object EmptyList : List<Nothing>, Serializable, RandomAccess {\n\n    private const val serialVersionUID: Long = -7390468764508069838L\n\n    override fun equals(other: Any?): Boolean = other is List<*> && other.isEmpty()\n\n    override fun hashCode(): Int = 1\n\n    override fun toString(): String = "[]"\n\n    override val size: Int get() = 0\n\n    override fun isEmpty(): Boolean = true\n\n    override fun contains(element: Nothing): Boolean = false\n\n    override fun containsAll(elements: Collection<Nothing>): Boolean = elements.isEmpty()\n\n    override fun get(index: Int): Nothing = throw IndexOutOfBoundsException("Empty list doesn't contain element at index $index.")\n\n    override fun indexOf(element: Nothing): Int = -1\n\n    override fun lastIndexOf(element: Nothing): Int = -1\n\n    override fun iterator(): Iterator<Nothing> = EmptyIterator\n\n    override fun listIterator(): ListIterator<Nothing> = EmptyIterator\n\n    override fun listIterator(index: Int): ListIterator<Nothing> {\n        if (index != 0) throw IndexOutOfBoundsException("Index: $index")\n        return EmptyIterator\n    }\n\n    override fun subList(fromIndex: Int, toIndex: Int): List<Nothing> {\n        if (fromIndex == 0 && toIndex == 0) return this\n        throw IndexOutOfBoundsException("fromIndex: $fromIndex, toIndex: $toIndex")\n    }\n\n    private fun readResolve(): Any = EmptyList\n}\n\ninternal fun <T> Array<out T>.asCollection(): Collection<T> = ArrayAsCollection(this, isVarargs = false)\n\nprivate class ArrayAsCollection<T>(val values: Array<out T>, val isVarargs: Boolean) : Collection<T> {\n\n    override val size: Int get() = values.size\n\n    override fun isEmpty(): Boolean = values.isEmpty()\n\n    override fun contains(element: T): Boolean =

```



```

samples.collections.Collections.Lists.listOrEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
List<T>?.orEmpty(): List<T> = this ?: emptyList()\n\n/**\n * Checks if all elements in the specified collection are
contained in this collection.\n *\n * Allows to overcome type-safety restriction of `containsAll` that requires to pass
a collection of type `Collection<E>`.\n *\n * @sample
samples.collections.Collections.Collections.collectionContainsAll\n
*/\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in
some cases\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T>
Collection<T>.containsAll(elements: Collection<T>): Boolean = this.containsAll(elements)\n\ninternal
fun <T> List<T>.optimizeReadOnlyList() = when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else ->
this}\n\n/**\n * Searches this list or its range for the provided [element] using the binary search algorithm.\n *
The list is expected to be sorted into ascending order according to the Comparable natural ordering of its elements,\n *
otherwise the result is undefined.\n *\n * If the list contains multiple elements equal to the specified [element], there
is no guarantee which one will be found.\n *\n * `null` value is considered to be less than any non-null value.\n *\n *
@return the index of the element, if it is contained in the list within the specified range;\n * otherwise, the inverted
insertion point `(-insertion point - 1)`.\n * The insertion point is defined as the index at which the element should be
inserted,\n * so that the list (or the specified subrange of list) still remains sorted.\n *\n * @sample
samples.collections.Collections.Lists.binarySearchOnComparable\n
* @sample samples.collections.Collections.Lists.binarySearchWithBoundaries\n */\npublic fun <T :
Comparable<T>> List<T?>.binarySearch(element: T?, fromIndex: Int = 0, toIndex: Int = size): Int {\n
rangeCheck(size, fromIndex, toIndex)\n\n var low = fromIndex\n var high = toIndex - 1\n\n while (low <=
high) {\n val mid = (low + high).ushr(1) // safe from overflows\n val midVal = get(mid)\n val cmp =
compareValues(midVal, element)\n\n if (cmp < 0)\n low = mid + 1\n else if (cmp > 0)\n high
= mid - 1\n else\n return mid // key found\n }\n return -(low + 1) // key not found\n}\n\n/**\n *
Searches this list or its range for the provided [element] using the binary search algorithm.\n * The list is expected to
be sorted into ascending order according to the specified [comparator],\n * otherwise the result is undefined.\n *\n *
If the list contains multiple elements equal to the
specified [element], there is no guarantee which one will be found.\n *\n * `null` value is considered to be less than
any non-null value.\n *\n * @return the index of the element, if it is contained in the list within the specified
range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\n * The insertion point is defined as the
index at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains
sorted according to the specified [comparator].\n *\n * @sample
samples.collections.Collections.Lists.binarySearchWithComparator\n */\npublic fun <T>
List<T>.binarySearch(element: T, comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Int {\n
rangeCheck(size, fromIndex, toIndex)\n\n var low = fromIndex\n var high = toIndex - 1\n\n while (low <=
high) {\n val mid = (low + high).ushr(1) // safe from overflows\n val midVal = get(mid)\n val cmp =
comparator.compare(midVal, element)\n\n if (cmp < 0)\n low = mid + 1\n else if (cmp > 0)\n high = mid - 1\n else\n
return mid // key found\n }\n return -(low + 1) // key not found\n}\n\n/**\n * Searches this list or its range for an
element having the key returned by the specified [selector] function\n * equal to the provided [key] value using the
binary search algorithm.\n * The list is expected to be sorted into ascending order according to the Comparable
natural ordering of keys of its elements.\n * otherwise the result is undefined.\n *\n * If the list contains multiple
elements with the specified [key], there is no guarantee which one will be found.\n *\n * `null` value is considered to
be less than any non-null value.\n *\n * @return the index of the element with the specified [key], if it is contained
in the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\n * The
insertion point is defined as the index
at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains sorted.\n
*\n * @sample samples.collections.Collections.Lists.binarySearchByKey\n */\npublic inline fun <T, K :
Comparable<K>> List<T>.binarySearchBy(\n key: K?,\n fromIndex: Int = 0,\n toIndex: Int = size,\n

```



```

MutableMap<K, V> = LinkedHashMap()\n\n/**\n * Returns a new [MutableMap] with the specified contents, given
as a list of pairs\n * where the first component is the key and the second is the value.\n *\n * If multiple pairs have
the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are
iterated in the order they were specified.\n *\n * @sample
samples.collections.Maps.Instantiation.mutableMapFromPairs\n * @sample
samples.collections.Maps.Instantiation.emptyMutableMap\n */\npublic fun <K, V> mutableMapOf(vararg pairs:
Pair<K, V>): MutableMap<K, V> =\n    LinkedHashMap<K, V>(mapCapacity(pairs.size)).apply
{ putAll(pairs) }\n\n/**\n * Returns an empty new [HashMap].\n */\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> hashMapOf(): HashMap<K, V>
= HashMap<K, V>()\n\n/**\n * Returns a new [HashMap] with the specified contents, given as a list of pairs\n *
where the first component is the key and the second is the value.\n *\n * @sample
samples.collections.Maps.Instantiation.hashMapFromPairs\n */\npublic fun <K, V> hashMapOf(vararg pairs:
Pair<K, V>): HashMap<K, V> = HashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }\n\n/**\n *
Returns an empty new [LinkedHashMap].\n */\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline
fun <K, V> linkedMapOf(): LinkedHashMap<K, V> = LinkedHashMap<K, V>()\n\n/**\n * Returns a new
[LinkedHashMap] with the specified contents, given as a list of pairs\n * where the first component is the key and
the second is the value.\n *\n * If multiple pairs have the same key, the resulting map will contain
the value from the last of those pairs.\n *\n * Entries of the map are iterated in the order they were specified.\n *\n *
@sample samples.collections.Maps.Instantiation.linkedMapFromPairs\n */\npublic fun <K, V> linkedMapOf(vararg
pairs: Pair<K, V>): LinkedHashMap<K, V> = pairs.toMap(LinkedHashMap(mapCapacity(pairs.size)))\n\n/**\n *
Calculate the initial capacity of a map, based on Guava's com.google.common.collect.Maps approach. This is
equivalent\n * to the Collection constructor for HashSet, (c.size()/0.75f) + 1, but provides further optimisations for
very small or\n * very large sizes, allows support non-collection classes, and provides consistency for all map based
class construction.\n */\n\n@PublishedApi\ninternal fun mapCapacity(expectedSize: Int): Int {\n    if (expectedSize <
3) {\n        return expectedSize + 1\n    }\n    if (expectedSize < INT_MAX_POWER_OF_TWO) {\n        return
expectedSize + expectedSize / 3\n    }\n    return Int.MAX_VALUE // any large value\n}\n\nprivate
const val INT_MAX_POWER_OF_TWO: Int = Int.MAX_VALUE / 2 + 1\n\n/** Returns `true` if this map is not
empty. */\n\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.isEmpty(): Boolean =
!isEmpty()\n\n/** Returns the [Map] if its not `null`, or the empty [Map] otherwise.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<K, V>?.orEmpty(): Map<K, V> = this ?:
emptyMap()\n\n/** Checks if the map contains the given key.\n *\n * This method allows to use the `x` in map`
syntax for checking whether an object is contained in the map.\n */\n\n@kotlin.internal.InlineOnly\npublic inline
operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.contains(key: K): Boolean =
containsKey(key)\n\n/** Returns the value corresponding to the given [key], or `null` if such a key is not present
in the map.\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <@kotlin.internal.OnlyInputTypes K, V>
Map<out K, V>.get(key: K): V? =\n    @Suppress("UNCHECKED_CAST")
(this as Map<K, V>).get(key)\n\n/** Allows to use the index operator for storing values in a mutable map.\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.set(key: K, value: V): Unit
{\n    put(key, value)\n}\n\n/** Returns `true` if the map contains the specified [key].\n *\n * Allows to
overcome type-safety restriction of `containsKey` that requires to pass a key of type `K`.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes K> Map<out K,
*>.containsKey(key: K): Boolean =\n    @Suppress("UNCHECKED_CAST") (this as Map<K,
*>).containsKey(key)\n\n/** Returns `true` if the map maps one or more keys to the specified [value].\n *\n *
Allows to overcome type-safety restriction of `containsValue` that requires to pass a value of type `V`.\n */\n\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in
some cases\n@kotlin.internal.InlineOnly\npublic inline fun
<K, @kotlin.internal.OnlyInputTypes V> Map<K, V>.containsValue(value: V): Boolean =
this.containsValue(value)\n\n/** Removes the specified key and its corresponding value from this map.\n */

```

\* @return the previous value associated with the key, or `null` if the key was not present in the map.

\* Allows to overcome type-safety restriction of `remove` that requires to pass a key of type `K`.

```

*^@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes K, V> MutableMap<out K, V>.remove(key: K): V? =\n    @Suppress("UNCHECKED_CAST") (this as MutableMap<K, V>).remove(key)\n\n**\n * Returns the key component of the map entry.\n * This method allows to use destructuring declarations when working with maps, for example:\n * ``\n * for ((key, value) in map) {\n *     // do something with the key and the value\n * }\n * ``\n *^@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map.Entry<K, V>.component1(): K = key\n\n**\n * Returns the value component of the map entry.\n * This method allows to use destructuring declarations when working with maps, for example:\n * ``\n * for ((key, value) in map) {\n *     // do something with the key and the value\n * }\n * ``\n *^@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map.Entry<K, V>.component2(): V = value\n\n**\n * Converts entry to [Pair] with key being first component and value being second.\n\n*^@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map.Entry<K, V>.toPair(): Pair<K, V> = Pair(key, value)\n\n**\n * Returns the value for the given key, or the result of the [defaultValue] function if there was no entry for the given key.\n * @sample samples.collections.Maps.Usage.getOrElse\n\n*^@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<K, V>.getOrElse(key: K, defaultValue: () -> V): V = get(key) ?: defaultValue\n\ninternal inline fun <K, V> Map<K, V>.getOrElseNullable(key: K, defaultValue: () -> V): V {\n    val value = get(key)\n    if (value == null && !containsKey(key)) {\n        return defaultValue()\n    } else {\n        @Suppress("UNCHECKED_CAST")\n        return value as V\n    }\n}\n\n**\n * Returns the value for the given [key] or throws an exception if there is no such key in the map.\n * If the map was created by [withDefault], resorts to its `defaultValue` provider function\n * instead of throwing an exception.\n * @throws NoSuchElementException when the map doesn't contain a value for the specified key and\n * no implicit default value was provided for that map.\n\n*^@SinceKotlin("1.1")\npublic fun <K, V> Map<K, V>.getValue(key: K): V = getOrImplicitDefault(key)\n\n**\n * Returns the value for the given key. If the key is not found in the map, calls the [defaultValue] function,\n * puts its result into the map under the given key and returns it.\n * @sample samples.collections.Maps.Usage.getOrPut\n\n*^@kotlin.internal.InlineOnly\npublic inline fun <K, V> MutableMap<K, V>.getOrPut(key: K, defaultValue: () -> V): V {\n    val value = get(key)\n    return if (value == null) {\n        val answer = defaultValue()\n        put(key, answer)\n        answer\n    } else {\n        value\n    }\n}\n\n**\n * Returns an [Iterator] over the entries in the [Map].\n * @sample samples.collections.Maps.Usage.forOverEntries\n\n*^@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map<out K, V>.iterator(): Iterator<Map.Entry<K, V>> = entries.iterator()\n\n**\n * Returns a [MutableIterator] over the mutable entries in the [MutableMap].\n *^@kotlin.jvm.JvmName("mutableIterator")\n*^@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.iterator(): MutableIterator<MutableMap.MutableEntry<K, V>> = entries.iterator()\n\n**\n * Populates the given [destination] map with entries having the keys of this map and the values obtained\n * by applying the [transform] function to each entry in this [Map].\n\n*^@kotlin.internal.InlineOnly\npublic inline fun <K, V, R, M : MutableMap<in K, in R>> Map<out K, V>.mapValuesTo(destination: M, transform: (Map.Entry<K, V>) -> R): M {\n    return entries.associateByTo(destination, { it.key }, transform)\n}\n\n**\n * Populates the given [destination] map with entries having the keys obtained\n * by applying the [transform] function to each entry in this [Map] and the values of this map.\n * In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite\n * the value associated with the former one.\n\n*^@kotlin.internal.InlineOnly\npublic inline fun <K, V, R, M : MutableMap<in K, in V>> Map<out K, V>.mapKeysTo(destination: M, transform: (Map.Entry<K, V>) -> R): M {\n    return entries.associateByTo(destination, transform, { it.value })\n}\n\n**\n * Puts all the given [pairs] into this [MutableMap] with the first component in the pair being the key and the second the value.\n\n*^@kotlin.internal.InlineOnly\npublic fun <K, V> MutableMap<in K, in V>.putAll(pairs: Array<out Pair<K, V>>): Unit {\n    for ((key, value) in pairs) {\n        put(key,

```

```

value)\n } }\n\n/**\n * Puts all the elements of the given collection into this [MutableMap] with the first
component in the pair being the key and the second the value.\n *\npublic fun <K, V> MutableMap<in K, in
V>.putAll(pairs: Iterable<Pair<K, V>>): Unit {\n for ((key, value) in pairs) {\n put(key, value)\n
}\n}\n\n/**\n * Puts all the elements of the given sequence into this [MutableMap] with the first component in the
pair being the key and the second the value.\n *\npublic fun <K, V> MutableMap<in K, in V>.putAll(pairs:
Sequence<Pair<K, V>>): Unit {\n for ((key, value) in pairs) {\n put(key, value)\n }\n}\n\n/**\n * Returns a
new map with entries having the keys of this map and the values obtained by applying the [transform]\n * function
to each entry in this [Map].\n *\n * The returned map preserves the entry iteration order of the original map.\n *\n *
@sample samples.collections.Maps.Transformations.mapValues\n *\npublic inline fun <K, V, R>
Map<out K, V>.mapValues(transform: (Map.Entry<K, V>) -> R): Map<K, R> {\n return
mapValuesTo(LinkedHashMap<K, R>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()\n}\n\n/**\n *
Returns a new Map with entries having the keys obtained by applying the [transform] function to each entry in this\n
* [Map] and the values of this map.\n *\n * In case if any two entries are mapped to the equal keys, the value of the
latter one will overwrite\n * the value associated with the former one.\n *\n * The returned map preserves the entry
iteration order of the original map.\n *\n * @sample samples.collections.Maps.Transformations.mapKeys\n
*\npublic inline fun <K, V, R> Map<out K, V>.mapKeys(transform: (Map.Entry<K, V>) -> R): Map<R, V> {\n
return mapKeysTo(LinkedHashMap<R, V>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()\n}\n\n/**\n
* Returns a map containing all key-value pairs with keys matching the given [predicate].\n *\n * The returned map
preserves the entry iteration
order of the original map.\n *\n * @sample samples.collections.Maps.Filtering.filterKeys\n *\npublic inline fun <K,
V> Map<out K, V>.filterKeys(predicate: (K) -> Boolean): Map<K, V> {\n val result = LinkedHashMap<K,
V>()\n for (entry in this) {\n if (predicate(entry.key)) {\n result.put(entry.key, entry.value)\n
}\n }\n return result\n}\n\n/**\n * Returns a map containing all key-value pairs with values matching the given
[predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n *\n * @sample
samples.collections.Maps.Filtering.filterValues\n *\npublic inline fun <K, V> Map<out K,
V>.filterValues(predicate: (V) -> Boolean): Map<K, V> {\n val result = LinkedHashMap<K, V>()\n for (entry
in this) {\n if (predicate(entry.value)) {\n result.put(entry.key, entry.value)\n }\n }\n return
result\n}\n\n/**\n * Appends all entries matching the given [predicate] into the mutable map given
as [destination] parameter.\n *\n * @return the destination map.\n *\n * @sample
samples.collections.Maps.Filtering.filterTo\n *\npublic inline fun <K, V, M : MutableMap<in K, in V>> Map<out
K, V>.filterTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {\n for (element in this) {\n if
(predicate(element)) {\n destination.put(element.key, element.value)\n }\n }\n return
destination\n}\n\n/**\n * Returns a new map containing all key-value pairs matching the given [predicate].\n *\n *
The returned map preserves the entry iteration order of the original map.\n *\n * @sample
samples.collections.Maps.Filtering.filter\n *\npublic inline fun <K, V> Map<out K, V>.filter(predicate:
(Map.Entry<K, V>) -> Boolean): Map<K, V> {\n return filterTo(LinkedHashMap<K, V>(),
predicate)\n}\n\n/**\n * Appends all entries not matching the given [predicate] into the given [destination].\n *\n *
@return the destination map.\n *\n * @sample samples.collections.Maps.Filtering.filterNotTo\n
*\npublic inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterNotTo(destination: M, predicate:
(Map.Entry<K, V>) -> Boolean): M {\n for (element in this) {\n if (!predicate(element)) {\n
destination.put(element.key, element.value)\n }\n }\n return destination\n}\n\n/**\n * Returns a new map
containing all key-value pairs not matching the given [predicate].\n *\n * The returned map preserves the entry
iteration order of the original map.\n *\n * @sample samples.collections.Maps.Filtering.filterNot\n *\npublic inline fun
<K, V> Map<out K, V>.filterNot(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {\n return
filterNotTo(LinkedHashMap<K, V>(), predicate)\n}\n\n/**\n * Returns a new map containing all key-value pairs
from the given collection of pairs.\n *\n * The returned map preserves the entry iteration order of the original
collection.\n *\npublic fun <K, V> Iterable<Pair<K, V>>.toMap(): Map<K, V> {\n if (this

```

```

is Collection) {\n    return when (size) {\n        0 -> emptyMap()\n        1 -> mapOf(if (this is List) this[0]
else iterator().next())\n        else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))\n    }\n }\n return
toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()\n}\n\n/**\n * Populates and returns the [destination]
mutable map with key-value pairs from the given collection of pairs.\n */\npublic fun <K, V, M : MutableMap<in K,
in V>> Iterable<Pair<K, V>>.toMap(destination: M): M =\n    destination.apply { putAll(this@toMap) }\n\n/**\n *
Returns a new map containing all key-value pairs from the given array of pairs.\n */\n * The returned map preserves
the entry iteration order of the original array.\n */\npublic fun <K, V> Array<out Pair<K, V>>.toMap(): Map<K,
V> = when (size) {\n    0 -> emptyMap()\n    1 -> mapOf(this[0])\n    else -> toMap(LinkedHashMap<K,
V>(mapCapacity(size)))\n}\n\n/**\n * Populates and returns the [destination] mutable map with
key-value pairs from the given array of pairs.\n */\npublic fun <K, V, M : MutableMap<in K, in V>> Array<out
Pair<K, V>>.toMap(destination: M): M =\n    destination.apply { putAll(this@toMap) }\n\n/**\n * Returns a new
map containing all key-value pairs from the given sequence of pairs.\n */\n * The returned map preserves the entry
iteration order of the original sequence.\n */\npublic fun <K, V> Sequence<Pair<K, V>>.toMap(): Map<K, V> =
toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()\n\n/**\n * Populates and returns the [destination]
mutable map with key-value pairs from the given sequence of pairs.\n */\npublic fun <K, V, M : MutableMap<in K,
in V>> Sequence<Pair<K, V>>.toMap(destination: M): M =\n    destination.apply { putAll(this@toMap) }\n\n/**\n *
Returns a new read-only map containing all key-value pairs from the original map.\n */\n * The returned map
preserves the entry iteration order of the original map.\n */\n\n@SinceKotlin("1.1")\npublic fun <K, V> Map<out K,
V>.toMap():
Map<K, V> = when (size) {\n    0 -> emptyMap()\n    1 -> toSingletonMap()\n    else ->
toMutableMap()\n}\n\n/**\n * Returns a new mutable map containing all key-value pairs from the original map.\n
*/\n * The returned map preserves the entry iteration order of the original map.\n */\n\n@SinceKotlin("1.1")\npublic
fun <K, V> Map<out K, V>.toMutableMap(): MutableMap<K, V> = LinkedHashMap(this)\n\n/**\n * Populates
and returns the [destination] mutable map with key-value pairs from the given map.\n */\n\n@SinceKotlin("1.1")\npublic
fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.toMap(destination:
M): M =\n    destination.apply { putAll(this@toMap) }\n\n/**\n * Creates a new read-only map by replacing or
adding an entry to this map from a given key-value [pair].\n */\n * The returned map preserves the entry iteration
order of the original map.\n */\n * The [pair] is iterated in the end if it has a unique key.\n */\n\npublic operator fun <K,
V> Map<out K, V>.plus(pair: Pair<K, V>): Map<K, V>
=\n    if (this.isEmpty()) mapOf(pair) else LinkedHashMap(this).apply { put(pair.first, pair.second) }\n\n/**\n *
Creates a new read-only map by replacing or adding entries to this map from a given collection of key-value
[pairs].\n */\n * The returned map preserves the entry iteration order of the original map.\n */\n * Those [pairs] with
unique keys are iterated in the end in the order of [pairs] collection.\n */\n\npublic operator fun <K, V> Map<out K,
V>.plus(pairs: Iterable<Pair<K, V>>): Map<K, V> =\n    if (this.isEmpty()) pairs.toMap() else
LinkedHashMap(this).apply { putAll(pairs) }\n\n/**\n * Creates a new read-only map by replacing or adding entries
to this map from a given array of key-value [pairs].\n */\n * The returned map preserves the entry iteration order of
the original map.\n */\n * Those [pairs] with unique keys are iterated in the end in the order of [pairs] array.\n
*/\n\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Array<out Pair<K, V>>): Map<K, V> =\n    if (this.isEmpty())
pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }\n\n/**\n * Creates a new read-only map by
replacing or adding entries to this map from a given sequence of key-value [pairs].\n */\n * The returned map
preserves the entry iteration order of the original map.\n */\n * Those [pairs] with unique keys are iterated in the
end in the order of [pairs] sequence.\n */\n\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Sequence<Pair<K,
V>>): Map<K, V> =\n    LinkedHashMap(this).apply { putAll(pairs) }.optimizeReadOnlyMap()\n\n/**\n * Creates
a new read-only map by replacing or adding entries to this map from another [map].\n */\n * The returned map
preserves the entry iteration order of the original map.\n */\n * Those entries of another [map] that are missing in this
map are iterated in the end in the order of that [map].\n */\n\npublic operator fun <K, V> Map<out K, V>.plus(map:
Map<out K, V>): Map<K, V> =\n    LinkedHashMap(this).apply { putAll(map) }\n\n/**\n * Appends or replaces
the

```

```

given [pair] in this mutable map.\n *^@kotlin.internal.InlineOnly\npublic inline operator fun <K, V>
MutableMap<in K, in V>.plusAssign(pair: Pair<K, V>) {\n  put(pair.first, pair.second)\n}\n\n/**\n * Appends or
replaces all pairs from the given collection of [pairs] in this mutable map.\n *^@kotlin.internal.InlineOnly\npublic
inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Iterable<Pair<K, V>>)\n
putAll(pairs)\n}\n\n/**\n * Appends or replaces all pairs from the given array of [pairs] in this mutable map.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs:
Array<out Pair<K, V>>)\n {\n  putAll(pairs)\n}\n\n/**\n * Appends or replaces all pairs from the given sequence of
[pairs] in this mutable map.\n *^@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in
K, in V>.plusAssign(pairs: Sequence<Pair<K, V>>)\n {\n  putAll(pairs)\n}\n\n/**\n * Appends or replaces all
entries from
the given [map] in this mutable map.\n *^@kotlin.internal.InlineOnly\npublic inline operator fun <K, V>
MutableMap<in K, in V>.plusAssign(map: Map<K, V>)\n {\n  putAll(map)\n}\n\n/**\n * Returns a map containing
all entries of the original map except the entry with the given [key].\n *^n * The returned map preserves the entry
iteration order of the original map.\n *^@SinceKotlin("1.1")\npublic operator fun <K, V> Map<out K,
V>.minus(key: K): Map<K, V> =\n  this.toMutableMap().apply { minusAssign(key)
}.optimizeReadOnlyMap()\n\n/**\n * Returns a map containing all entries of the original map except those entries\n
* the keys of which are contained in the given [keys] collection.\n *^n * The returned map preserves the entry
iteration order of the original map.\n *^@SinceKotlin("1.1")\npublic operator fun <K, V> Map<out K,
V>.minus(keys: Iterable<K>): Map<K, V> =\n  this.toMutableMap().apply { minusAssign(keys)
}.optimizeReadOnlyMap()\n\n/**\n * Returns a map containing
all entries of the original map except those entries\n * the keys of which are contained in the given [keys] array.\n
*^n * The returned map preserves the entry iteration order of the original map.\n *^@SinceKotlin("1.1")\npublic
operator fun <K, V> Map<out K, V>.minus(keys: Array<out K>): Map<K, V> =\n  this.toMutableMap().apply {
minusAssign(keys) }.optimizeReadOnlyMap()\n\n/**\n * Returns a map containing all entries of the original map
except those entries\n * the keys of which are contained in the given [keys] sequence.\n *^n * The returned map
preserves the entry iteration order of the original map.\n *^@SinceKotlin("1.1")\npublic operator fun <K, V>
Map<out K, V>.minus(keys: Sequence<K>): Map<K, V> =\n  this.toMutableMap().apply { minusAssign(keys)
}.optimizeReadOnlyMap()\n\n/**\n * Removes the entry with the given [key] from this mutable map.\n
*^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
V>.minusAssign(key:
K)\n {\n  remove(key)\n}\n\n/**\n * Removes all entries the keys of which are contained in the given [keys]
collection from this mutable map.\n *^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator
fun <K, V> MutableMap<K, V>.minusAssign(keys: Iterable<K>)\n {\n  this.keys.removeAll(keys)\n}\n\n/**\n *
Removes all entries the keys of which are contained in the given [keys] array from this mutable map.\n
*^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
V>.minusAssign(keys: Array<out K>)\n {\n  this.keys.removeAll(keys)\n}\n\n/**\n * Removes all entries from the
keys of which are contained in the given [keys] sequence from this mutable map.\n
*^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
V>.minusAssign(keys: Sequence<K>)\n {\n  this.keys.removeAll(keys)\n}\n\n\n// do not expose for now
@PublishedApi\ninternal fun <K, V> Map<K, V>.optimizeReadOnlyMap()
= when (size) {\n  0 -> emptyMap()\n  1 -> toSingletonMapOrSelf()\n  else -> this\n}\n\n"/\n * Copyright
2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n
*^@n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SetsKt")\n\npackage
kotlin.collections\n\ninternal object EmptySet : Set<Nothing>, Serializable {\n  private const val
serialVersionUID: Long = 3406603774387020532\n  override fun equals(other: Any?): Boolean = other is
Set<*> && other.isEmpty()\n  override fun hashCode(): Int = 0\n  override fun toString(): String = "[]"\n\n
override val size: Int get() = 0\n  override fun isEmpty(): Boolean = true\n  override fun contains(element:

```

```

Nothing): Boolean = false\n  override fun containsAll(elements: Collection<Nothing>): Boolean =
elements.isEmpty()\n\n  override fun iterator(): Iterator<Nothing> = EmptyIterator\n\n  private fun readResolve():
Any = EmptySet\n}\n\n/**\n * Returns an empty read-only set. The returned set is serializable (JVM).\n *
@sample samples.collections.Collections.Sets.emptyReadOnlySet\n */\npublic fun <T> emptySet(): Set<T> =
EmptySet\n\n/**\n * Returns a new read-only set with the given elements.\n * Elements of the set are iterated in the
order they were specified.\n * The returned set is serializable (JVM).\n * @sample
samples.collections.Collections.Sets.readOnlySet\n */\npublic fun <T> setOf(vararg elements: T): Set<T> = if
(elements.size > 0) elements.toSet() else emptySet()\n\n/**\n * Returns an empty read-only set. The returned set is
serializable (JVM).\n * @sample samples.collections.Collections.Sets.emptyReadOnlySet\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> setOf(): Set<T> = emptySet()\n\n/**\n * Returns an empty
new [MutableSet].\n */\n * The returned set preserves the element iteration order.\n
*/\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun
<T> mutableSetOf(): MutableSet<T> = LinkedHashSet()\n\n/**\n * Returns a new [MutableSet] with the given
elements.\n * Elements of the set are iterated in the order they were specified.\n */\npublic fun <T>
mutableSetOf(vararg elements: T): MutableSet<T> =
elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/**\n * Returns an empty new [HashSet].
*/\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> hashSetOf(): HashSet<T> =
HashSet()\n\n/**\n * Returns a new [HashSet] with the given elements. */\npublic fun <T> hashSetOf(vararg elements:
T): HashSet<T> = elements.toCollection(HashSet(mapCapacity(elements.size)))\n\n/**\n * Returns an empty new
[LinkedHashSet]. */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> linkedSetOf():
LinkedHashSet<T> = LinkedHashSet()\n\n/**\n * Returns a new [LinkedHashSet] with the given elements.\n *
Elements of the set are iterated in the order they were specified.\n */\npublic fun <T> linkedSetOf(vararg
elements: T): LinkedHashSet<T> = elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/**\n
Returns this Set if it's not `null` and the empty set otherwise. */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Set<T>?.orEmpty(): Set<T> = this ?: emptySet()\n\ninternal fun <T> Set<T>.optimizeReadOnlySet() = when (size)
{\n  0 -> emptySet()\n  1 -> setOf(iterator().next())\n  else -> this\n}\n\n"/*\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n@file:Suppress("PLATFOR
M_CLASS_MAPPED_TO_KOTLIN")\n\npackage kotlin.text\n\nimport kotlin.*\n\n\n/**\n * Parses the string as
a signed [Byte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*/\n@SinceKotlin("1.1")\npublic fun String.toByteArrayOrNull(): Byte? = toByteOrNull(radix
= 10)\n\n/**\n * Parses the string as a signed [Byte] number and returns the result\n * or `null` if the string is not a
valid representation of a number.\n */\n * @throws IllegalArgumentException when [radix] is not a valid radix for
string to number conversion.\n */\n@SinceKotlin("1.1")\npublic fun String.toByteArrayOrNull(radix: Int): Byte? {\n
val int = this.toIntOrNull(radix) ?: return null\n  if (int < Byte.MIN_VALUE || int > Byte.MAX_VALUE) return
null\n  return int.toByte()\n}\n\n/**\n * Parses the string as a [Short] number and returns the result\n * or `null` if
the string is not a valid representation of a number.\n */\n@SinceKotlin("1.1")\npublic fun String.toShortOrNull():
Short? = toShortOrNull(radix = 10)\n\n/**\n * Parses the string as a [Short] number and returns the result\n * or
`null` if the string is not a valid representation of a number.\n */\n * @throws IllegalArgumentException when
[radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin("1.1")\npublic
fun String.toShortOrNull(radix: Int): Short? {\n  val int = this.toIntOrNull(radix) ?: return null\n  if (int <
Short.MIN_VALUE || int > Short.MAX_VALUE) return null\n  return int.toShort()\n}\n\n/**\n * Parses the string
as an [Int] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*/\n@SinceKotlin("1.1")\npublic fun String.toIntOrNull(): Int? = toIntOrNull(radix = 10)\n\n/**\n * Parses the
string as an [Int] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*/\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*/\n@SinceKotlin("1.1")\npublic fun String.toIntOrNull(radix: Int): Int? {\n  checkRadix(radix)\n\n  val length

```

```

= this.length\n  if (length == 0) return null\n\n  val start: Int\n  val isNegative: Boolean\n  val limit: Int\n  val firstChar = this[0]\n  if (firstChar <
'0') { // Possible leading sign\n    if (length == 1) return null // non-digit (possible sign) only, no digits after\n\n    start = 1\n\n    if (firstChar == '-') {\n      isNegative = true\n      limit = Int.MIN_VALUE\n    } else if
(firstChar == '+') {\n      isNegative = false\n      limit = -Int.MAX_VALUE\n    } else\n      return
null\n  } else {\n    start = 0\n    isNegative = false\n    limit = -Int.MAX_VALUE\n  }\n\n  val
limitBeforeMul = limit / radix\n  var result = 0\n  for (i in start..(length - 1)) {\n    val digit = digitOf(this[i],
radix)\n\n    if (digit < 0) return null\n    if (result < limitBeforeMul) return null\n\n    result *= radix\n\n
if (result < limit + digit) return null\n\n    result -= digit\n  }\n\n  return if (isNegative) result else -
result\n}\n\n/**\n * Parses the string as a [Long] number and returns the result\n * or `null` if the string is not
a valid representation of a number.\n */\n\n@SinceKotlin("1.1")\npublic fun String.toLongOrNull(): Long? =
toLongOrNull(radix = 10)\n\n/**\n * Parses the string as a [Long] number and returns the result\n * or `null` if the
string is not a valid representation of a number.\n */\n\n * @throws IllegalArgumentException when [radix] is not a
valid radix for string to number conversion.\n */\n\n@SinceKotlin("1.1")\npublic fun String.toLongOrNull(radix:
Int): Long? {\n  checkRadix(radix)\n\n  val length = this.length\n  if (length == 0) return null\n\n  val start:
Int\n  val isNegative: Boolean\n  val limit: Long\n  val firstChar = this[0]\n  if (firstChar < '0') { // Possible
leading sign\n\n    if (length == 1) return null // non-digit (possible sign) only, no digits after\n\n    start = 1\n\n
if (firstChar == '-') {\n      isNegative = true\n      limit = Long.MIN_VALUE\n    } else if (firstChar ==
'+') {\n      isNegative = false\n\n      limit = -Long.MAX_VALUE\n    } else\n      return null\n  } else {\n    start = 0\n    isNegative =
false\n    limit = -Long.MAX_VALUE\n  }\n\n  val limitBeforeMul = limit / radix\n  var result = 0L\n  for
(i in start..(length - 1)) {\n    val digit = digitOf(this[i], radix)\n\n    if (digit < 0) return null\n    if (result <
limitBeforeMul) return null\n\n    result *= radix\n\n    if (result < limit + digit) return null\n\n    result -=
digit\n  }\n\n  return if (isNegative) result else -result\n}\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. Use of
this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("PreconditionsKt")\n\npackage
kotlin\n\nimport kotlin.internal.contracts.*\n\n/**\n * Throws an [IllegalArgumentException] if the [value] is
false.\n */\n\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun require(value: Boolean): Unit {\n  contract {\n    returns()\n    implies value\n  }\n  require(value) { "Failed requirement." }\n}\n\n/**\n * Throws an
[IllegalArgumentException] with the result of calling [lazyMessage] if the [value] is false.\n */\n\n * @sample
samples.misc.Preconditions.failRequireWithLazyMessage\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun
require(value: Boolean, lazyMessage: () -> Any): Unit {\n  contract {\n    returns()\n    implies value\n  }\n  if
(!value) {\n    val message = lazyMessage()\n    throw IllegalArgumentException(message.toString())\n  }\n}\n\n/**\n * Throws an [IllegalArgumentException] if the [value] is null. Otherwise returns the not null value.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> requireNotNull(value: T?): T {\n  contract {\n    returns()\n    implies (value != null)\n  }\n  return requireNotNull(value)
{ "Required value was null." }\n}\n\n/**\n * Throws an [IllegalArgumentException] with the result of calling
[lazyMessage] if the [value] is null. Otherwise\n * returns the not null value.\n */\n\n * @sample
samples.misc.Preconditions.failRequireWithLazyMessage\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T :
Any> requireNotNull(value: T?, lazyMessage: () -> Any): T {\n  contract {\n    returns()\n    implies (value !=
null)\n  }\n  if (value == null) {\n    val message = lazyMessage()\n    throw
IllegalArgumentException(message.toString())\n  } else {\n    return value\n  }\n}\n\n/**\n * Throws an
[IllegalStateException] if the [value] is false.\n */\n\n * @sample
samples.misc.Preconditions.failCheckWithLazyMessage\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun
check(value: Boolean): Unit {\n  contract {\n    returns()\n    implies value\n  }\n  check(value) { "Check failed."
}\n}\n\n/**\n * Throws an [IllegalStateException] with the result of

```

```

calling [lazyMessage] if the [value] is false.\n *\n * @sample
samples.misc.Preconditions.failCheckWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic inline fun
check(value: Boolean, lazyMessage: () -> Any): Unit {\n  contract {\n    returns() implies value\n  }\n  if
(!value) {\n    val message = lazyMessage()\n    throw IllegalStateException(message.toString())\n
}\n}\n\n/>\n * Throws an [IllegalStateException] if the [value] is null. Otherwise\n * returns the not null value.\n
*\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic
inline fun <T : Any> checkNotNull(value: T?): T = checkNotNull(value) { \"Required value was null.\" }\n\n/>\n *
Throws an [IllegalStateException] with the result of calling [lazyMessage] if the [value] is null. Otherwise\n *
returns the not null value.\n *\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T
: Any> checkNotNull(value: T?, lazyMessage: () -> Any): T {\n  contract {\n    returns() implies (value !=
null)\n  }\n  if (value == null) {\n    val message = lazyMessage()\n    throw
IllegalStateException(message.toString())\n  } else {\n    return value\n  }\n}\n\n/>\n * Throws an
[IllegalStateException] with the given [message].\n *\n * @sample samples.misc.Preconditions.failWithError\n
*\n@kotlin.internal.InlineOnly\npublic inline fun error(message: Any): Nothing = throw
IllegalStateException(message.toString())\n\n/>\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ArraysKt\")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.js.*\nimport
primitiveArrayConcat\nimport withType\nimport kotlin.*\nimport kotlin.text.*\nimport
kotlin.comparisons.*\n\n/>\n * Returns a [List] that wraps the original array.\n *\n@kotlin.internal.InlineOnly\npublic actual fun <T> Array<out
T>.asList(): List<T> {\n  return ArrayList<T>(this.unsafeCast<Array<Any?>>())\n}\n\n/>\n * Returns a [List]
that wraps the original array.\n *\n@kotlin.internal.InlineOnly\npublic actual inline fun ByteArray.asList():
List<Byte> {\n  return this.unsafeCast<Array<Byte>>().asList()\n}\n\n/>\n * Returns a [List] that wraps the
original array.\n *\n@kotlin.internal.InlineOnly\npublic actual inline fun ShortArray.asList(): List<Short> {\n
return this.unsafeCast<Array<Short>>().asList()\n}\n\n/>\n * Returns a [List] that wraps the original array.\n
*\n@kotlin.internal.InlineOnly\npublic actual inline fun IntArray.asList(): List<Int> {\n  return
this.unsafeCast<Array<Int>>().asList()\n}\n\n/>\n * Returns a [List] that wraps the original array.\n
*\n@kotlin.internal.InlineOnly\npublic
actual inline fun LongArray.asList(): List<Long> {\n  return
this.unsafeCast<Array<Long>>().asList()\n}\n\n/>\n * Returns a [List] that wraps the original array.\n
*\n@kotlin.internal.InlineOnly\npublic actual inline fun FloatArray.asList(): List<Float> {\n  return
this.unsafeCast<Array<Float>>().asList()\n}\n\n/>\n * Returns a [List] that wraps the original array.\n
*\n@kotlin.internal.InlineOnly\npublic actual inline fun DoubleArray.asList(): List<Double> {\n  return
this.unsafeCast<Array<Double>>().asList()\n}\n\n/>\n * Returns a [List] that wraps the original array.\n
*\n@kotlin.internal.InlineOnly\npublic actual inline fun BooleanArray.asList(): List<Boolean> {\n  return
this.unsafeCast<Array<Boolean>>().asList()\n}\n\n/>\n * Returns a [List] that wraps the original array.\n
*\n@kotlin.internal.InlineOnly\npublic actual inline fun CharArray.asList(): List<Char> {\n  return object :
AbstractList<Char>(), RandomAccess {\n    override val size: Int get() = this@asList.size\n
    override fun isEmpty(): Boolean = this@asList.isEmpty()\n    override fun contains(element: Char): Boolean
= this@asList.contains(element)\n    override fun get(index: Int): Char = this@asList[index]\n    override fun
indexOf(element: Char): Int = this@asList.indexOf(element)\n    override fun lastIndexOf(element: Char): Int =
this@asList.lastIndexOf(element)\n  }\n}\n\n/>\n * Returns `true` if the two specified arrays are *deeply* equal to
one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * If two corresponding
elements are nested arrays, they are also compared deeply.\n * If any of arrays contains itself on any nesting level
the behavior is undefined.\n *\n@SinceKotlin(\"1.1\")\n@library(\"arrayDeepEquals\")\npublic actual infix fun
<T> Array<out T>.contentDeepEquals(other: Array<out T>): Boolean {\n  definedExternally\n}\n\n/>\n *

```

Returns a hash code based on the contents of this array as if it is [List].

\* Nested arrays are treated as lists too. \* If any of arrays contains itself on any nesting level the behavior is undefined.

```

@SinceKotlin("1.1")
@library("arrayDeepHashCode")
public actual fun <T> Array<out T>.contentDeepHashCode(): Int {
    definedExternally
}

```

\* Returns a string representation of the contents of this array as if it is a [List]. \* Nested arrays are treated as lists too. \* If any of arrays contains itself on any nesting level that reference is rendered as "[...]" to prevent recursion.

```

@sample
samples.collections.Arrays.ContentOperations.contentDeepToString

```

```

@SinceKotlin("1.1")
@library("arrayDeepToString")
public actual fun <T> Array<out T>.contentDeepToString(): String {
    definedExternally
}

```

\* Returns true if the two specified arrays are structurally equal to one another, i.e. contain the same number of the same elements in the same order.

```

@SinceKotlin("1.1")
@library("arrayEquals")
public
actual infix fun <T> Array<out T>.contentEquals(other: Array<out T>): Boolean {
    definedExternally
}

```

\* Returns true if the two specified arrays are structurally equal to one another, i.e. contain the same number of the same elements in the same order.

```

@SinceKotlin("1.1")
@library("arrayEquals")
public actual infix fun ByteArray.contentEquals(other: ByteArray): Boolean {
    definedExternally
}

```

\* Returns true if the two specified arrays are structurally equal to one another, i.e. contain the same number of the same elements in the same order.

```

@SinceKotlin("1.1")
@library("arrayEquals")
public actual infix fun ShortArray.contentEquals(other: ShortArray): Boolean {
    definedExternally
}

```

\* Returns true if the two specified arrays are structurally equal to one another, i.e. contain the same number of the same elements in the same order.

```

@SinceKotlin("1.1")
@library("arrayEquals")
public
actual infix fun IntArray.contentEquals(other: IntArray): Boolean {
    definedExternally
}

```

\* Returns true if the two specified arrays are structurally equal to one another, i.e. contain the same number of the same elements in the same order.

```

@SinceKotlin("1.1")
@library("arrayEquals")
public actual infix fun LongArray.contentEquals(other: LongArray): Boolean {
    definedExternally
}

```

\* Returns true if the two specified arrays are structurally equal to one another, i.e. contain the same number of the same elements in the same order.

```

@SinceKotlin("1.1")
@library("arrayEquals")
public actual infix fun FloatArray.contentEquals(other: FloatArray): Boolean {
    definedExternally
}

```

\* Returns true if the two specified arrays are structurally equal to one another, i.e. contain the same number of the same elements in the same order.

```

@SinceKotlin("1.1")
@library("arrayEquals")
public actual infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean {
    definedExternally
}

```

\* Returns true if the two specified arrays are structurally equal to one another, i.e. contain the same number of the same elements in the same order.

```

@SinceKotlin("1.1")
@library("arrayEquals")
public actual infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean {
    definedExternally
}

```

\* Returns true if the two specified arrays are structurally equal to one another, i.e. contain the same number of the same elements in the same order.

```

@SinceKotlin("1.1")
@library("arrayEquals")
public actual infix fun CharArray.contentEquals(other: CharArray): Boolean {
    definedExternally
}

```

\* Returns a hash code based on the contents of this array as if it is [List].

```

@SinceKotlin("1.1")
@library("arrayHashCode")
public actual fun <T> Array<out T>.contentHashCode(): Int {
    definedExternally
}

```

Returns a hash code based on the contents of this array as if it is [List].

```

@SinceKotlin("1.1")
@library("arrayHashCode")
public actual fun ByteArray.contentHashCode(): Int {
    definedExternally
}

```

\* Returns a hash code based on the contents of this array as if it is [List].

```

@SinceKotlin("1.1")
@library("arrayHashCode")
public actual fun ShortArray.contentHashCode(): Int {
    definedExternally
}

```

\* Returns a hash code based on the contents of this array as if it is [List].

```

@SinceKotlin("1.1")
@library("arrayHashCode")
public actual fun IntArray.contentHashCode(): Int {
    definedExternally
}

```

\* Returns a hash code based on the contents of this array as if it is [List].

```

@SinceKotlin("1.1")
@library("arrayHashCode")
public actual fun LongArray.contentHashCode(): Int {
    definedExternally
}

```

```

definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n
*\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic
actual fun FloatArray.contentHashCode(): Int {\n  definedExternally\n}\n\n/**\n * Returns a hash code based on
the contents of this array as if it is [List].\n * \n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual
fun DoubleArray.contentHashCode(): Int {\n  definedExternally\n}\n\n/**\n * Returns a hash code based on the
contents of this array as if it is [List].\n * \n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun
BooleanArray.contentHashCode(): Int {\n  definedExternally\n}\n\n/**\n * Returns a hash code based on the
contents of this array as if it is [List].\n * \n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun
CharArray.contentHashCode(): Int {\n  definedExternally\n}\n\n/**\n * Returns a string representation of the
contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic
actual fun <T> Array<out T>.contentToString(): String {\n  definedExternally\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun ByteArray.contentToString(): String {\n
definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun ShortArray.contentToString(): String {\n
definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic
actual fun IntArray.contentToString(): String {\n  definedExternally\n}\n\n/**\n * Returns a string representation
of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun LongArray.contentToString(): String {\n
definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun FloatArray.contentToString(): String {\n
definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun DoubleArray.contentToString():
String {\n  definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as
if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun BooleanArray.contentToString(): String
{\n  definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun CharArray.contentToString(): String {\n
definedExternally\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOf\n * \n@Suppress("ACTUAL_WITHOUT_EXPECT",
"NOTHING_TO_INLINE")\npublic actual inline fun <T> Array<out T>.copyOf(): Array<T> {\n  return
this.asDynamic().slice()\n}\n\n/**\n * Returns
new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOf\n * \n@Suppress("NOTHING_TO_INLINE")\npublic
actual inline fun ByteArray.copyOf(): ByteArray {\n  return this.asDynamic().slice()\n}\n\n/**\n * Returns new
array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOf\n * \n@Suppress("NOTHING_TO_INLINE")\npublic
actual inline fun ShortArray.copyOf(): ShortArray {\n  return this.asDynamic().slice()\n}\n\n/**\n * Returns new

```

array which is a copy of the original array.\n \* \n \* @sample  
samples.collections.Arrays.CopyOfOperations.copyOfOf\n \* \n \* @Suppress("NOTHING\_TO\_INLINE")\n public  
actual inline fun IntArray.copyOfOf(): IntArray {\n return this.asDynamic().slice()\n}\n\n\n \* Returns new array  
which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n  
\*\n public actual fun LongArray.copyOfOf(): LongArray {\n  
return withType("LongArray", this.asDynamic().slice())\n}\n\n\n \* Returns new array which is a copy of the  
original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n  
\*\n @Suppress("NOTHING\_TO\_INLINE")\n public actual inline fun FloatArray.copyOfOf(): FloatArray {\n return  
this.asDynamic().slice()\n}\n\n\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample  
samples.collections.Arrays.CopyOfOperations.copyOfOf\n \* \n \* @Suppress("NOTHING\_TO\_INLINE")\n public  
actual inline fun DoubleArray.copyOfOf(): DoubleArray {\n return this.asDynamic().slice()\n}\n\n\n \* Returns  
new array which is a copy of the original array.\n \* \n \* @sample  
samples.collections.Arrays.CopyOfOperations.copyOfOf\n \* \n public actual fun BooleanArray.copyOfOf():  
BooleanArray {\n return withType("BooleanArray", this.asDynamic().slice())\n}\n\n\n \* Returns new array  
which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n  
\*\n public actual fun CharArray.copyOfOf(): CharArray {\n return withType("CharArray",  
this.asDynamic().slice())\n}\n\n\n \* Returns new array which is a copy of the original array, resized to the given  
[newSize].\n \* The copy is either truncated or padded at the end with zero values if necessary.\n \* \n \* - If [newSize]  
is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater  
than the size of the original array, the extra elements in the copy array are filled with zero values.\n \* \n \* @sample  
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \* \n public actual fun  
ByteArray.copyOfOf(newSize: Int): ByteArray {\n return fillFrom(this, ByteArray(newSize))\n}\n\n\n \* Returns  
new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or  
padded at the end with zero values if necessary.\n \* \n \* - If [newSize] is less than the size  
of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the  
original array, the extra elements in the copy array are filled with zero values.\n \* \n \* @sample  
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \* \n public actual fun  
ShortArray.copyOfOf(newSize: Int): ShortArray {\n return fillFrom(this, ShortArray(newSize))\n}\n\n\n \*  
Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either  
truncated or padded at the end with zero values if necessary.\n \* \n \* - If [newSize] is less than the size of the  
original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original  
array, the extra elements in the copy array are filled with zero values.\n \* \n \* @sample  
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \* \n public actual fun  
IntArray.copyOfOf(newSize: Int): IntArray {\n return  
fillFrom(this, IntArray(newSize))\n}\n\n\n \* Returns new array which is a copy of the original array, resized to  
the given [newSize].\n \* The copy is either truncated or padded at the end with zero values if necessary.\n \* \n \* - If  
[newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is  
greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n \* \n \*  
@sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \* \n public actual fun  
LongArray.copyOfOf(newSize: Int): LongArray {\n return withType("LongArray", arrayCopyResize(this, newSize,  
0L))\n}\n\n\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The  
copy is either truncated or padded at the end with zero values if necessary.\n \* \n \* - If [newSize] is less than the size  
of the original array, the copy array is truncated to the [newSize].\n  
\* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero  
values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \* \n public actual  
fun FloatArray.copyOfOf(newSize: Int): FloatArray {\n return fillFrom(this, FloatArray(newSize))\n}\n\n\n \*  
Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either  
truncated or padded at the end with zero values if necessary.\n \* \n \* - If [newSize] is less than the size of the

original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n \* \n \* @sample

samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \*\npublic actual fun

DoubleArray.copyOf(newSize: Int): DoubleArray {\n return fillFrom(this, DoubleArray(newSize))\n}\n\n/\*\*\n \* Returns

new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with `false` values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `false` values.\n \* \n \* @sample

samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \*\npublic actual fun

BooleanArray.copyOf(newSize: Int): BooleanArray {\n return withType("BooleanArray", arrayCopyResize(this, newSize, false))\n}\n\n/\*\*\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with null char (`\u0000`) values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater

than the size of the original array, the extra elements in the copy array are filled with null char (`\u0000`) values.\n \* \n \* @sample

samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \*\npublic actual fun

CharArray.copyOf(newSize: Int): CharArray {\n return withType("CharArray", fillFrom(this, CharArray(newSize)))\n}\n\n/\*\*\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with `null` values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `null` values.\n \* \n \* @sample

samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n \*\n@Suppress("ACTUAL\_WITHOUT\_EXPECT")\npublic actual fun <T> Array<out T>.copyOf(newSize: Int): Array<T?> {\n return arrayCopyResize(this, newSize, null)\n}\n\n/\*\*\n \* Returns new array which is a copy of range of original array.\n \*\n@Suppress("ACTUAL\_WITHOUT\_EXPECT", "NOTHING\_TO\_INLINE")\npublic actual inline fun <T> Array<out T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T> {\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/\*\*\n \* Returns new array which is a copy of range of original array.\n \*\n@Suppress("NOTHING\_TO\_INLINE")\npublic actual inline fun ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray {\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/\*\*\n \* Returns new array which is a copy of range of original array.\n \*\n@Suppress("NOTHING\_TO\_INLINE")\npublic actual inline fun ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray {\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/\*\*\n \* Returns new array which is a copy of range of original array.\n \*\n@Suppress("NOTHING\_TO\_INLINE")\npublic actual inline fun IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray {\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/\*\*\n \* Returns new array which is a copy of range of original array.\n \*\npublic actual fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray {\n return withType("LongArray", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/\*\*\n \* Returns new array which is a copy of range of original array.\n \*\n@Suppress("NOTHING\_TO\_INLINE")\npublic actual inline fun FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray {\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/\*\*\n \* Returns new array which is a copy of range of original array.\n \*\n@Suppress("NOTHING\_TO\_INLINE")\npublic actual inline fun DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray {\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/\*\*\n \* Returns new array which is a copy of range of original array.\n \*\npublic actual fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray {\n return withType("BooleanArray", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/\*\*\n \* Returns new array which is a copy of range of original array.\n \*\npublic actual fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray {\n return withType("CharArray",

`this.asDynamic().slice(fromIndex, toIndex))\n\n**\n * Returns an array containing all elements of the original array and then the given [element].\n *\n\n@Suppress("ACTUAL_WITHOUT_EXPECT",  
"NOTHING_TO_INLINE")\npublic actual inline operator fun <T> Array<out T>.plus(element: T): Array<T> {\n  
return this.asDynamic().concat(arrayOf(element))\n}\n\n**\n * Returns an array containing all elements of the original array and then the given [element].\n *\n\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun ByteArray.plus(element: Byte): ByteArray {\n  
return plus(byteArrayOf(element))\n}\n\n**\n * Returns an array containing all elements of the original array and then the given [element].\n *\n\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun ShortArray.plus(element: Short): ShortArray {\n  
return plus(shortArrayOf(element))\n}\n\n**\n * Returns an array containing all elements of the original array and then the given [element].\n *\n\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun IntArray.plus(element: Int): IntArray {\n  
return plus(intArrayOf(element))\n}\n\n**\n * Returns an array containing all elements of the original array and then the given [element].\n *\n\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun LongArray.plus(element: Long): LongArray {\n  
return plus(longArrayOf(element))\n}\n\n**\n * Returns an array containing all elements of the original array and then the given [element].\n *\n\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun FloatArray.plus(element: Float): FloatArray {\n  
return plus(floatArrayOf(element))\n}\n\n**\n * Returns an array containing all elements of the original array and then the given [element].\n *\n\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun DoubleArray.plus(element: Double): DoubleArray {\n  
return plus(doubleArrayOf(element))\n}\n\n**\n * Returns an array containing all elements of the original array and then the given [element].\n *\n\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun BooleanArray.plus(element: Boolean): BooleanArray {\n  
return plus(booleanArrayOf(element))\n}\n\n**\n * Returns an array containing all elements of the original array and then the given [element].\n *\n\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun CharArray.plus(element: Char): CharArray {\n  
return plus(charArrayOf(element))\n}\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *\n\n@Suppress("ACTUAL_WITHOUT_EXPECT")\npublic actual operator fun <T> Array<out T>.plus(elements: Collection<T>): Array<T> {\n  
return arrayPlusCollection(this, elements)\n}\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *\n\npublic actual operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray {\n  
return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *\n\npublic actual operator fun ShortArray.plus(elements: Collection<Short>): ShortArray {\n  
return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *\n\npublic actual operator fun IntArray.plus(elements: Collection<Int>): IntArray {\n  
return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *\n\npublic actual operator fun LongArray.plus(elements: Collection<Long>): LongArray {\n  
return arrayPlusCollection(this, elements)\n}\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *\n\npublic actual operator fun FloatArray.plus(elements: Collection<Float>): FloatArray {\n  
return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *\n\npublic actual operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray {\n  
return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *\n\npublic actual operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray {\n  
return arrayPlusCollection(this, elements)\n}\n\n**\n * Returns an array containing all elements of the original array and`

then all elements of the given [elements] collection.

```

public actual operator fun CharArray.plus(elements:
Collection<Char>): CharArray {
    return fillFromCollection(this.copyOf(size + elements.size), this.size,
elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("ACTUAL_WITHOUT_EXPECT",
"NOTHING_TO_INLINE")
public actual inline operator fun <T> Array<out T>.plus(elements: Array<out T>):
Array<T> {
    return this.asDynamic().concat(elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun
ByteArray.plus(elements: ByteArray): ByteArray {
    return primitiveArrayConcat(this, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun ShortArray.plus(elements:
ShortArray): ShortArray {
    return primitiveArrayConcat(this, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun IntArray.plus(elements: IntArray):
IntArray {
    return primitiveArrayConcat(this, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun LongArray.plus(elements:
LongArray): LongArray {
    return primitiveArrayConcat(this, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun FloatArray.plus(elements:
FloatArray): FloatArray {
    return primitiveArrayConcat(this, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun DoubleArray.plus(elements:
DoubleArray): DoubleArray {
    return primitiveArrayConcat(this, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun BooleanArray.plus(elements:
BooleanArray): BooleanArray {
    return primitiveArrayConcat(this,
elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun
CharArray.plus(elements: CharArray): CharArray {
    return primitiveArrayConcat(this, elements)
}

```

\* Returns an array containing all elements of the original array and then the given [element].

```

@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")
public actual inline fun <T>
Array<out T>.plusElement(element: T): Array<T> {
    return
this.asDynamic().concat(arrayOf(element))
}

```

\* Sorts the array in-place.

```

@library("primitiveArraySort")
public actual fun IntArray.sort(): Unit {
    definedExternally
}

```

\* Sorts the array in-place.

```

public actual fun LongArray.sort(): Unit {
    if (size > 1)
        sort { a: Long, b:
Long -> a.compareTo(b) }
}

```

\* Sorts the array in-place.

```

@library("primitiveArraySort")
public actual fun ByteArray.sort(): Unit {
    definedExternally
}

```

\* Sorts the array in-place.

```

@library("primitiveArraySort")
public actual fun ShortArray.sort(): Unit {
    definedExternally
}

```

\* Sorts the array in-place.

```

@library("primitiveArraySort")
public actual fun DoubleArray.sort(): Unit {
    definedExternally
}

```

\* Sorts the array in-place.

```

@library("primitiveArraySort")
public actual fun FloatArray.sort(): Unit {
    definedExternally
}

```

\* Sorts the array in-place.

```

@library("primitiveArraySort")
public actual fun CharArray.sort(): Unit {
    definedExternally
}

```

\* Sorts the array in-place according to the natural order of its elements.

```

public actual fun <T :
Comparable<T>> Array<out T>.sort(): Unit {
    if (size > 1)
        sort { a: T, b: T -> a.compareTo(b)
}
}

```

\* Sorts the array in-place according to the order specified by the given [comparison] function.

```

@kotlin.internal.InlineOnly
public inline fun <T> Array<out T>.sort(noinline comparison: (a: T, b: T) -> Int):
Unit {
    asDynamic().sort(comparison)
}

```

\* Sorts the array in-place according to the order specified by

```

the given [comparison] function.\n *^@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sort(noinline
comparison: (a: Byte, b: Byte) -> Int): Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-
place according to the order specified by the given [comparison] function.\n *^@kotlin.internal.InlineOnly\npublic
inline fun ShortArray.sort(noinline comparison: (a: Short, b: Short) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n *^@kotlin.internal.InlineOnly\npublic inline fun IntArray.sort(noinline comparison: (a:
Int, b: Int) -> Int): Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according
to the order specified by the given [comparison] function.\n *^@kotlin.internal.InlineOnly\npublic inline fun
LongArray.sort(noinline comparison: (a: Long, b: Long) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n *^@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sort(noinline comparison: (a:
Float, b: Float) -> Int): Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according
to the order specified by the given [comparison] function.\n *^@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.sort(noinline comparison: (a: Double, b: Double) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n *^@kotlin.internal.InlineOnly\npublic inline fun CharArray.sort(noinline comparison: (a:
Char, b: Char) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparator].\n *^@kotlin.internal.InlineOnly\npublic actual fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit {\n    if
(size > 1)\n        sort { a, b -> comparator.compare(a, b) }\n}\n\n/**\n * Returns a *typed* object array containing
all of the elements of this primitive array.\n *^@kotlin.internal.InlineOnly\npublic actual fun ByteArray.toTypedArray(): Array<Byte> {\n    return
js("\[]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this
primitive array.\n *^@kotlin.internal.InlineOnly\npublic actual fun ShortArray.toTypedArray(): Array<Short> {\n    return
js("\[]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n *^@kotlin.internal.InlineOnly\npublic actual fun IntArray.toTypedArray(): Array<Int> {\n    return js("\[]").slice.call(this)\n}\n\n/**\n
* Returns a *typed* object array containing all of the elements of this primitive array.\n
*^@kotlin.internal.InlineOnly\npublic actual fun LongArray.toTypedArray(): Array<Long> {\n    return
copyOf().unsafeCast<Array<Long>>()\n}\n\n/**\n * Returns a *typed* object array containing all of the elements
of this primitive array.\n *^@kotlin.internal.InlineOnly\npublic actual fun FloatArray.toTypedArray(): Array<Float> {\n    return
js("\[]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n *^@kotlin.internal.InlineOnly\npublic actual fun DoubleArray.toTypedArray(): Array<Double> {\n    return
js("\[]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n *^@kotlin.internal.InlineOnly\npublic actual fun BooleanArray.toTypedArray(): Array<Boolean> {\n    return
copyOf().unsafeCast<Array<Boolean>>()\n}\n\n/**\n * Returns a *typed* object array containing all of the
elements of this primitive array.\n *^@kotlin.internal.InlineOnly\npublic actual fun CharArray.toTypedArray(): Array<Char> {\n    return
Array<Char>(size, { i -> this[i] })\n}\n\n"/\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n
*^@file:kotlin.jvm.JvmName("ComparisonsKt")\n@file:kotlin.jvm.JvmMultifileClass\npackage
kotlin.comparisons\n\n/**\n * Compares two values using the specified functions [selectors] to calculate the result
of the comparison.\n * The functions are called sequentially, receive the given values [a] and [b] and return
[Comparable]\n * objects. As soon as the [Comparable] instances returned by a function for [a] and [b] values do
not\n * compare as equal, the result of that comparison is returned.\n *^@sample
samples.comparisons.Comparisons.compareValuesByWithSelectors\n *^@kotlin.internal.InlineOnly\npublic fun <T> compareValuesBy(a: T,
b: T, vararg selectors: (T) -> Comparable<*>?): Int {\n    require(selectors.size > 0)\n    return
compareValuesByImpl(a, b, selectors)\n}\n\nprivate fun <T> compareValuesByImpl(a: T, b: T, selectors:
Array<out (T) -> Comparable<*>?): Int

```



```

Comparator<T>.thenBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenBy.compare(a,\n            b)\n        if (previousCompare != 0) previousCompare else compareValuesBy(a, b, selector)\n    }\n\n/**\n * Creates a comparator comparing values after the primary comparator defined them equal. It uses\n * the [selector] function to transform values and then compares them with the given [comparator].\n *\n * @sample\n samples.comparisons.Comparisons.thenByWithComparator\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> Comparator<T>.thenBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenBy.compare(a, b)\n        if (previousCompare != 0)\n            previousCompare else compareValuesBy(a, b, comparator, selector)\n    }\n\n/**\n * Creates a descending comparator using the primary comparator and\n * the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample\n samples.comparisons.Comparisons.thenByDescending\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Comparator<T>.thenByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenByDescending.compare(a, b)\n        if (previousCompare != 0) previousCompare else compareValuesBy(b, a, selector)\n    }\n\n/**\n * Creates a descending comparator comparing values after the primary comparator defined them equal. It uses\n * the [selector] function to transform values and then compares them with the given [comparator].\n *\n * @sample\n samples.comparisons.Comparisons.thenByDescendingWithComparator\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> Comparator<T>.thenByDescending(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenByDescending.compare(a, b)\n        if (previousCompare != 0) previousCompare else compareValuesBy(b, a, comparator, selector)\n    }\n\n/**\n * Creates a comparator using the primary comparator and function to calculate a result of comparison.\n *\n * @sample\n samples.comparisons.Comparisons.thenComparator\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Comparator<T>.thenComparator(crossinline comparison: (a: T, b: T) -> Int): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenComparator.compare(a, b)\n        if (previousCompare != 0)\n            previousCompare else comparison(a, b)\n    }\n\n/**\n * Combines this comparator and the given [comparator] such that the latter is applied only\n * when the former considered values equal.\n *\n * @sample\n samples.comparisons.Comparisons.then\n */\n\npublic infix fun <T> Comparator<T>.then(comparator: Comparator<in T>): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@then.compare(a, b)\n        if (previousCompare != 0) previousCompare else comparator.compare(a, b)\n    }\n\n/**\n * Combines this comparator and the given [comparator] such that the latter is applied only\n * when the former considered values equal.\n *\n * @sample\n samples.comparisons.Comparisons.thenDescending\n */\n\npublic infix fun <T> Comparator<T>.thenDescending(comparator: Comparator<in T>): Comparator<T> =\n    Comparator<T> { a, b ->\n        val previousCompare = this@thenDescending.compare(a, b)\n        if (previousCompare != 0)\n            previousCompare else comparator.compare(b, a)\n    }\n\n/**\n * Not so useful without type inference for receiver of expression\n *\n * Extends the given [comparator] of non-nullable values to a comparator of nullable values\n * considering `null` value less than any other value.\n *\n * @sample\n samples.comparisons.Comparisons.nullsFirstLastWithComparator\n */\n\npublic fun <T : Any> nullsFirst(comparator: Comparator<in T>): Comparator<T?> =\n    Comparator { a, b ->\n        when {\n            a == b -> 0\n            a == null -> -1\n            b == null -> 1\n            else -> comparator.compare(a, b)\n        }\n    }\n\n/**\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value less than any other value.\n *\n * @sample\n samples.comparisons.Comparisons.nullsFirstLastComparator\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T?>> nullsFirst(): Comparator<T?> =\n    nullsFirst(naturalOrder())\n\n/**\n * Extends the given [comparator] of non-nullable values to a comparator of nullable values\n * considering `null` value greater than any other value.\n *\n * @sample

```

```

samples.comparisons.Comparisons.nullsFirstLastWithComparator\n *\npublic fun <T : Any>
nullsLast(comparator: Comparator<in T>): Comparator<T?> =\n    Comparator { a, b ->\n        when {\n            a
=== b -> 0\n            a == null -> 1\n            b == null -> -1\n            else -> comparator.compare(a, b)\n        }\n    }\n\n/*\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value greater than any
other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n
*\n *@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsLast(): Comparator<T?> =
nullsLast(naturalOrder())\n\n/*\n * Returns a comparator that compares [Comparable] objects in natural order.\n
*\n * @sample samples.comparisons.Comparisons.naturalOrderComparator\n *\npublic fun <T : Comparable<T>>
naturalOrder(): Comparator<T> = @Suppress("UNCHECKED_CAST") (NaturalOrderComparator as
Comparator<T>)\n\n/*\n * Returns a comparator that compares [Comparable] objects in reversed natural order.\n
*\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n *\npublic fun <T :
Comparable<T>> reverseOrder(): Comparator<T> = @Suppress("UNCHECKED_CAST")
(ReverseOrderComparator as Comparator<T>)\n\n/*\n * Returns a comparator that imposes the reverse ordering
of this comparator.\n *\n * @sample samples.comparisons.Comparisons.reversed\n *\npublic fun <T>
Comparator<T>.reversed(): Comparator<T> = when (this) {\n    is ReversedComparator
-> this.comparator\n    NaturalOrderComparator -> @Suppress("UNCHECKED_CAST")
(ReverseOrderComparator as Comparator<T>)\n    ReverseOrderComparator ->
@Suppress("UNCHECKED_CAST") (NaturalOrderComparator as Comparator<T>)\n    else ->
ReversedComparator(this)\n}\n\nprivate class ReversedComparator<T>(public val comparator: Comparator<T>) :
Comparator<T> {\n    override fun compare(a: T, b: T): Int = comparator.compare(b, a)\n
@Suppress("VIRTUAL_MEMBER_HIDDEN")\n    fun reversed(): Comparator<T> = comparator\n}\n\nprivate
object NaturalOrderComparator : Comparator<Comparable<Any>> {\n    override fun compare(a:
Comparable<Any>, b: Comparable<Any>): Int = a.compareTo(b)\n
@Suppress("VIRTUAL_MEMBER_HIDDEN")\n    fun reversed(): Comparator<Comparable<Any>> =
ReverseOrderComparator\n}\n\nprivate object ReverseOrderComparator : Comparator<Comparable<Any>> {\n
override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int = b.compareTo(a)\n
@Suppress("VIRTUAL_MEMBER_HIDDEN")\n
fun reversed(): Comparator<Comparable<Any>> = NaturalOrderComparator\n}\n\n"/*\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n *\npackage kotlin\n\npublic actual interface Comparator<T> {\n
@JsName("compare")\n    actual fun compare(a: T, b: T): Int\n}\n\npublic actual inline fun <T>
Comparator(crossinline comparison: (a: T, b: T) -> Int): Comparator<T> = object : Comparator<T> {\n
override
fun compare(a: T, b: T): Int = comparison(a, b)\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this
source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StandardKt")\npackage kotlin\n\nimport
kotlin.internal.contracts.*\n\n/*\n * An exception is thrown to indicate that a method body remains to be
implemented.\n *\npublic
class NotImplementedError(message: String = "An operation is not implemented.") : Error(message)\n\n/*\n *
Always throws [NotImplementedError] stating that operation is not implemented.\n
*\n *@kotlin.internal.InlineOnly\npublic inline fun TODO(): Nothing = throw NotImplementedError()\n\n/*\n *
Always throws [NotImplementedError] stating that operation is not implemented.\n *\n * @param reason a string
explaining why the implementation is missing.\n *\n *@kotlin.internal.InlineOnly\npublic inline fun TODO(reason:
String): Nothing = throw NotImplementedError("An operation is not implemented: $reason")\n\n\n/*\n * Calls
the specified function [block] and returns its result.\n *\n *@kotlin.internal.InlineOnly\npublic inline fun <R>
run(block: () -> R): R {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n
return block()\n}\n\n/*\n * Calls the specified function [block] with `this` value as its receiver and returns its
result.\n *\n *@kotlin.internal.InlineOnly\npublic

```

```

inline fun <T, R> T.run(block: T.() -> R): R {
    contract {
        callsInPlace(block,
InvocationKind.EXACTLY_ONCE)
    }
    return block()
}

/** Calls the specified function [block] with
the given [receiver] as its receiver and returns its result.
*/
@kotlin.internal.InlineOnly
public inline fun <T, R>
with(receiver: T, block: T.() -> R): R {
    contract {
        callsInPlace(block,
InvocationKind.EXACTLY_ONCE)
    }
    return receiver.block()
}

/** Calls the specified function
[block] with `this` value as its receiver and returns `this` value.
*/
@kotlin.internal.InlineOnly
public inline fun
<T> T.apply(block: T.() -> Unit): T {
    contract {
        callsInPlace(block,
InvocationKind.EXACTLY_ONCE)
    }
    block()
    return this
}

/** Calls the specified function
[block] with `this` value as its argument and returns `this` value.
*/
@kotlin.internal.InlineOnly
@SinceKotlin("1.1")
public inline fun
<T> T.also(block: (T) -> Unit): T {
    contract {
        callsInPlace(block, InvocationKind.EXACTLY_ONCE)
    }
    block(this)
    return this
}

/** Calls the specified function [block] with `this` value as its argument
and returns its result.
*/
@kotlin.internal.InlineOnly
public inline fun <T, R> T.let(block: (T) -> R): R {
    contract {
        callsInPlace(block, InvocationKind.EXACTLY_ONCE)
    }
    return block(this)
}

/** Returns `this` value if it satisfies the given [predicate] or `null`, if it doesn't.
*/
@kotlin.internal.InlineOnly
@SinceKotlin("1.1")
public inline fun <T> T.takeIf(predicate: (T) -> Boolean):
T? {
    contract {
        callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)
    }
    return if
(predicate(this)) this else null
}

/** Returns `this` value if it _does not_ satisfy the given [predicate] or
`null`, if it does.
*/
@kotlin.internal.InlineOnly
@SinceKotlin("1.1")
public inline fun <T>
T.takeUnless(predicate:
(T) -> Boolean): T? {
    contract {
        callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)
    }
    return if (!predicate(this)) this else null
}

/** Executes the given function [action] specified number of
[times].
*/
/* A zero-based index of current iteration is passed as a parameter to [action].
*/
@kotlin.internal.InlineOnly
public inline fun repeat(times: Int, action: (Int) -> Unit) {
    contract {
        callsInPlace(action)
    }
    for (index in 0 until times) {
        action(index)
    }
}

/* Copyright 2010-
2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
that can be found in the
license/LICENSE.txt file.
*/
@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("ComparisonsKt")
package
kotlin.comparisons

// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt
// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib
import kotlin.js.*
import
kotlin.*
import kotlin.text.*
import kotlin.comparisons.*

/** Returns the greater of two values.
*/
/* If
values are equal, returns the first one.
*/
@SinceKotlin("1.1")
public actual fun <T : Comparable<T>>
maxOf(a: T, b: T): T {
    return if (a >= b) a else b
}

/** Returns the greater of two values.
*/
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun maxOf(a: Byte, b: Byte): Byte {
    return Math.max(a.toInt(), b.toInt()).unsafeCast<Byte>()
}

/** Returns the greater of two values.
*/
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun maxOf(a: Short, b: Short): Short {
    return Math.max(a.toInt(), b.toInt()).unsafeCast<Short>()
}

/** Returns the greater of two values.
*/
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun maxOf(a: Int, b: Int): Int {
    return Math.max(a, b)
}

@SinceKotlin("1.1")
@Suppress("NOTHING_TO_INLINE")
public
actual inline fun maxOf(a: Long, b: Long): Long {
    return if (a >= b) a else b
}

/** Returns the greater
of two values.
*/
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun maxOf(a: Float,
b: Float): Float {
    return Math.max(a, b)
}

/** Returns the greater of two values.
*/
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun maxOf(a: Double, b: Double):
Double {
    return Math.max(a, b)
}

/** Returns the greater of three values.
*/
@SinceKotlin("1.1")
public actual fun <T : Comparable<T>> maxOf(a: T, b: T, c: T): T {
    return
maxOf(a, maxOf(b, c))
}

/** Returns the greater of three values.
*/
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun maxOf(a: Byte, b: Byte, c: Byte):

```

```

Byte {
    return Math.max(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Byte>()
}

Returns the greater of three values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun maxOf(a: Short, b: Short, c: Short): Short {
    return Math.max(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Short>()
}

Returns the greater of three values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun maxOf(a: Int, b: Int, c: Int): Int {
    return Math.max(a, b, c)
}

Returns the greater of three values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun maxOf(a: Long, b: Long, c: Long): Long {
    return maxOf(a, maxOf(b, c))
}

Returns the greater of three values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun maxOf(a: Float, b: Float, c: Float): Float {
    return Math.max(a, b, c)
}

Returns the greater of three values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun maxOf(a: Double, b: Double, c: Double): Double {
    return Math.max(a, b, c)
}

Returns the smaller of two values.

If values are equal, returns the first one.

@SinceKotlin("1.1")
public actual fun <T : Comparable<T>> minOf(a: T, b: T): T {
    return if (a <= b) a else b
}

Returns the smaller of two values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Byte, b: Byte): Byte {
    return Math.min(a.toInt(), b.toInt()).unsafeCast<Byte>()
}

Returns the smaller of two values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Short, b: Short): Short {
    return Math.min(a.toInt(), b.toInt()).unsafeCast<Short>()
}

Returns the smaller of two values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Int, b: Int): Int {
    return Math.min(a, b)
}

Returns the smaller of two values.

@SinceKotlin("1.1")
@Suppress("NOTHING_TO_INLINE")
public actual inline fun minOf(a: Long, b: Long): Long {
    return if (a <= b) a else b
}

Returns the smaller of two values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Float, b: Float): Float {
    return Math.min(a, b)
}

Returns the smaller of two values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Double, b: Double): Double {
    return Math.min(a, b)
}

Returns the smaller of two values.

@SinceKotlin("1.1")
public actual fun <T : Comparable<T>> minOf(a: T, b: T, c: T): T {
    return minOf(a, minOf(b, c))
}

Returns the smaller of three values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Byte, b: Byte, c: Byte): Byte {
    return Math.min(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Byte>()
}

Returns the smaller of three values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Short, b: Short, c: Short): Short {
    return Math.min(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Short>()
}

Returns the smaller of three values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Int, b: Int, c: Int): Int {
    return Math.min(a, b, c)
}

Returns the smaller of three values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Long, b: Long, c: Long): Long {
    return minOf(a, minOf(b, c))
}

Returns the smaller of three values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Float, b: Float, c: Float): Float {
    return Math.min(a, b, c)
}

Returns the smaller of three values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Double, b: Double, c: Double): Double {
    return Math.min(a, b, c)
}

Returns the smaller of three values.

Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("CollectionsKt")
package kotlin.collections

Given an [iterator] function constructs an [Iterable] instance that returns values through the [Iterator] provided by that function.

@sample samples.collections.Iterables.Building.iterable

@kotlin.internal.InlineOnly
public inline fun <T> Iterable(crossinline iterator: () -> Iterator<T>): Iterable<T>

```

= object : Iterable<T> {\n override fun iterator(): Iterator<T> = iterator()\n}\n\n/\*\*\n \* A wrapper over another [Iterable] (or any other object that can produce an [Iterator]) that returns\n \* an indexing iterator.\n \*/\ninternal class IndexingIterable<out T>(private val iteratorFactory: () -> Iterator<T>) : Iterable<IndexedValue<T>> {\n override fun iterator():

Iterator<IndexedValue<T>> = IndexingIterator(iteratorFactory())\n}\n\n/\*\*\n \* Returns the size of this iterable if it is known, or `null` otherwise.\n \*/\n@PublishedApi\ninternal fun <T> Iterable<T>.collectionSizeOrNull(): Int? = if (this is Collection<\*>) this.size else null\n\n/\*\*\n \* Returns the size of this iterable if it is known, or the specified [default] value otherwise.\n \*/\n@PublishedApi\ninternal fun <T> Iterable<T>.collectionSizeOrDefault(default: Int): Int = if (this is Collection<\*>) this.size else default\n\n/\*\*\n \* Returns true when it's safe to convert this collection to a set without changing contains method behavior. \*/\nprivate fun <T> Collection<T>.safeToConvertToSet() = size > 2 && this is ArrayList\n\n/\*\*\n \* Converts this collection to a set, when it's worth so and it doesn't change contains method behavior. \*/\ninternal fun <T> Iterable<T>.convertToSetForSetOperationWith(source: Iterable<T>): Collection<T> =\n when (this) {\n is Set -> this\n is Collection -> if (this.safeToConvertToSet()) toHashSet() else this\n }\n else -> if (this.safeToConvertToSet()) toHashSet() else this\n }\n\n/\*\*\n \* Converts this collection to a set, when it's worth so and it doesn't change contains method behavior. \*/\ninternal fun <T> Iterable<T>.convertToSetForSetOperation(): Collection<T> =\n when (this) {\n is Set -> this\n is Collection -> if (this.safeToConvertToSet()) toHashSet() else this\n }\n else -> toHashSet()\n }\n\n/\*\*\n \* Returns a single list of all elements from all collections in the given collection.\n \*/\n@sample\nsamples.collections.Iterables.Operations.flattenIterable\n\n/\*\*\n \* public fun <T> Iterable<Iterable<T>>.flatten(): List<T> {\n val result = ArrayList<T>()\n for (element in this) {\n result.addAll(element)\n }\n return result\n }\n\n/\*\*\n \* Returns a pair of lists, where\n \* \*first\* list is built from the first values of each pair from this collection,\n \* \*second\* list is built from the second values of each pair from this collection.\n \*/\n@sample\nsamples.collections.Iterables.Operations.unzipIterable\n\n/\*\*\n \* public fun <T, R> Iterable<Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n val expectedSize = collectionSizeOrDefault(10)\n val listT = ArrayList<T>(expectedSize)\n val listR = ArrayList<R>(expectedSize)\n for (pair in this) {\n listT.add(pair.first)\n listR.add(pair.second)\n }\n return listT to listR\n }\n\n"/\n \* Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n \* that can be found in the license/LICENSE.txt file.\n

\*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SequencesKt")\n\npackage kotlin.sequences\n\nimport kotlin.\*\n\n/\*\*\n \* Given an [iterator] function constructs a [Sequence] that returns values through the [Iterator]\n \* provided by that function.\n \* The values are evaluated lazily, and the sequence is potentially infinite.\n \*/\n@sample\nsamples.collections.Sequences.Building.sequenceFromIterator\n\n/\*\*\n \* @kotlin.internal.InlineOnly\n \* public inline fun <T> Sequence(crossinline iterator: () -> Iterator<T>): Sequence<T> = object : Sequence<T> {\n override fun iterator(): Iterator<T> = iterator()\n }\n\n/\*\*\n \* Creates a sequence that returns all elements from this iterator. The sequence is constrained to be iterated only once.\n \*/\n@sample\nsamples.collections.Sequences.Building.sequenceFromIterator\n\n/\*\*\n \* public fun <T> Iterator<T>.asSequence(): Sequence<T> = Sequence { this }.constrainOnce()\n\n/\*\*\n \* Creates a sequence that returns the specified values.\n \*/\n@sample\nsamples.collections.Sequences.Building.sequenceOfValues\n\n/\*\*\n \* public fun <T> sequenceOf(vararg elements: T): Sequence<T> = if (elements.isEmpty()) emptySequence() else elements.asSequence()\n\n/\*\*\n \* Returns an empty sequence.\n \*/\npublic fun <T> emptySequence(): Sequence<T> = EmptySequence\n\nprivate object EmptySequence : Sequence<Nothing>, DropTakeSequence<Nothing> {\n override fun iterator(): Iterator<Nothing> = EmptyIterator\n override fun drop(n: Int) = EmptySequence\n override fun take(n: Int) = EmptySequence\n }\n\n/\*\*\n \* Returns a sequence of all elements from all sequences in this sequence.\n \*/\n@sample\nsamples.collections.Sequences.Building.sequenceOf\n\n/\*\*\n \* The operation is \_intermediate\_ and \_stateless\_.\n \*/\npublic fun <T> Sequence<Sequence<T>>.flatten(): Sequence<T> = flatten { it.iterator() }\n\n/\*\*\n \* Returns a sequence of all elements from all iterables in this sequence.\n \*/\n@sample\nsamples.collections.Sequences.Building.sequenceOf\n\n/\*\*\n \* The operation is \_intermediate\_ and \_stateless\_.\n

```

*\n@kotlin.jvm.JvmName("flattenSequenceOfIterable")\npublic fun <T> Sequence<Iterable<T>>.flatten():
Sequence<T> = flatten { it.iterator() }\n\nprivate fun <T, R> Sequence<T>.flatten(iterator: (T) -> Iterator<R>):
Sequence<R> {\n    if (this is TransformingSequence<*, *>) {\n        return (this as TransformingSequence<*,
T>).flatten(iterator)\n    }\n    return
    FlattenningSequence(this, { it }, iterator)\n}\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the
first values of each pair from this sequence,\n * *second* list is built from the second values of each pair from this
sequence.\n * *The operation is _terminal_.\n */\n\npublic fun <T, R> Sequence<Pair<T, R>>.unzip():
Pair<List<T>, List<R>> {\n    val listT = ArrayList<T>()\n    val listR = ArrayList<R>()\n    for (pair in this) {\n
listT.add(pair.first)\n        listR.add(pair.second)\n    }\n    return listT to listR\n}\n\n/**\n * A sequence that returns
the values from the underlying [sequence] that either match or do not match\n * the specified [predicate].\n * *\n * @param sendWhen If `true`, values for which the predicate returns `true` are returned. Otherwise,\n * values for
which the predicate returns `false` are returned\n */\n\ninternal class FilteringSequence<T>(\n    private val sequence:
Sequence<T>,\n    private val sendWhen: Boolean = true,\n
    private val predicate: (T) -> Boolean)\n) : Sequence<T> {\n    override fun iterator(): Iterator<T> = object :
Iterator<T> {\n        val iterator = sequence.iterator()\n        var nextState: Int = -1 // -1 for unknown, 0 for done, 1
for continue\n        var nextItem: T? = null\n        private fun calcNext() {\n            while (iterator.hasNext()) {\n
                val item = iterator.next()\n                if (predicate(item) == sendWhen) {\n                    nextItem = item\n
                    nextState = 1\n                    return\n                }\n                nextState = 0\n            }\n            override fun
next(): T {\n                if (nextState == -1)\n                    calcNext()\n                if (nextState == 0)\n                    throw
NoSuchElementException()\n                val result = nextItem\n                nextItem = null\n                nextState = -1\n
                @Suppress("UNCHECKED_CAST")\n                return result as T\n            }\n            override fun hasNext(): Boolean {\n
                if (nextState == -1)\n                    calcNext()\n                return nextState ==
1\n            }\n        }\n    }\n}\n\n/**\n * A sequence which returns the results of applying the given [transformer] function to
the values\n * in the underlying [sequence].\n */\n\ninternal class TransformingSequence<T,
R>\n\nconstructor(private val sequence: Sequence<T>, private val transformer: (T) -> R) : Sequence<R> {\n
    override fun iterator(): Iterator<R> = object : Iterator<R> {\n        val iterator = sequence.iterator()\n        override
fun next(): R {\n            return transformer(iterator.next())\n        }\n        override fun hasNext(): Boolean {\n
            return iterator.hasNext()\n        }\n    }\n\n    internal fun <E> flatten(iterator: (R) -> Iterator<E>): Sequence<E> {\n
        return FlattenningSequence<T, R, E>(sequence, transformer, iterator)\n    }\n}\n\n/**\n * A sequence which
returns the results of applying the given [transformer] function
to the values\n * in the underlying [sequence], where the transformer function takes the index of the value in the
underlying\n * sequence along with the value itself.\n */\n\ninternal class TransformingIndexedSequence<T,
R>\n\nconstructor(private val sequence: Sequence<T>, private val transformer: (Int, T) -> R) : Sequence<R> {\n
    override fun iterator(): Iterator<R> = object : Iterator<R> {\n        val iterator = sequence.iterator()\n        var index =
0\n        override fun next(): R {\n            return transformer(index++, iterator.next())\n        }\n        override fun
hasNext(): Boolean {\n            return iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A sequence which combines
values from the underlying [sequence] with their indices and returns them as\n * [IndexedValue] objects.\n */\n\ninternal class IndexingSequence<T>\n\nconstructor(private val sequence: Sequence<T>) :
Sequence<IndexedValue<T>> {\n    override fun iterator(): Iterator<IndexedValue<T>> = object
: Iterator<IndexedValue<T>> {\n        val iterator = sequence.iterator()\n        var index = 0\n        override fun
next(): IndexedValue<T> {\n            return IndexedValue(index++, iterator.next())\n        }\n        override fun
hasNext(): Boolean {\n            return iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A sequence which takes the
values from two parallel underlying sequences, passes them to the given\n * [transform] function and returns the
values returned by that function. The sequence stops returning\n * values as soon as one of the underlying sequences
stops returning values.\n */\n\ninternal class MergingSequence<T1, T2, V>\n\nconstructor(\n    private val sequence1:
Sequence<T1>,\n    private val sequence2: Sequence<T2>,\n    private val transform: (T1, T2) -> V)\n) :
Sequence<V> {\n    override fun iterator(): Iterator<V> = object : Iterator<V> {\n        val iterator1 =
sequence1.iterator()\n        val iterator2 = sequence2.iterator()\n        override fun

```

```

next(): V {\n        return transform(iterator1.next(), iterator2.next())\n    }\n\n    override fun hasNext():\n    Boolean {\n        return iterator1.hasNext() && iterator2.hasNext()\n    }\n}\n\ninternal class\nFlatteningSequence<T, R, E>\nconstructor(\n    private val sequence: Sequence<T>,\n    private val transformer: (T)\n-> R,\n    private val iterator: (R) -> Iterator<E>)\n: Sequence<E> {\n    override fun iterator(): Iterator<E> = object\n: Iterator<E> {\n        val iterator = sequence.iterator()\n        var itemIterator: Iterator<E>? = null\n\n        override\nfun next(): E {\n            if (!ensureItemIterator())\n                throw NoSuchElementException()\n            return\nitemIterator!!.next()\n        }\n\n        override fun hasNext(): Boolean {\n            return ensureItemIterator()\n        }\n\n        private fun ensureItemIterator(): Boolean {\n            if (itemIterator?.hasNext() == false)\nitemIterator = null\n\n            while (itemIterator == null) {\n                if (!iterator.hasNext()) {\n                    return false\n                } else\n{\n                    val element = iterator.next()\n                    val nextItemIterator = iterator(transformer(element))\n                    if (nextItemIterator.hasNext()) {\n                        itemIterator = nextItemIterator\n                        return true\n                    }\n                }\n            }\n        }\n    }\n}\n\n/**\n * A sequence that supports\ndrop(n) and take(n) operations\n */\ninternal interface DropTakeSequence<T> : Sequence<T> {\n    fun drop(n:\nInt): Sequence<T>\n    fun take(n: Int): Sequence<T>\n}\n\n/**\n * A sequence that skips [startIndex] values from\nthe underlying [sequence]\n * and stops returning values right before [endIndex], i.e. stops at `endIndex - 1`\n */\ninternal class SubSequence<T>(\n    private val sequence: Sequence<T>,\n    private val startIndex:\nInt,\n    private val endIndex: Int)\n: Sequence<T>, DropTakeSequence<T> {\n    init {\n        require(startIndex\n>= 0) {\n            \"startIndex should be non-negative, but is $startIndex\"\n        }\n        require(endIndex >= 0) {\n            \"endIndex should\nbe non-negative, but is $endIndex\"\n        }\n        require(endIndex >= startIndex) {\n            \"endIndex should be not less than\nstartIndex, but was $endIndex < $startIndex\"\n        }\n    }\n    private val count: Int get() = endIndex - startIndex\n\n    override fun drop(n: Int): Sequence<T> = if (n >= count) emptySequence() else\nSubSequence(sequence, startIndex\n+ n, endIndex)\n\n    override fun take(n: Int): Sequence<T> = if (n >= count) this else\nSubSequence(sequence,\nstartIndex, startIndex + n)\n\n    override fun iterator() = object : Iterator<T> {\n        val iterator =\nsequence.iterator()\n        var position = 0\n        // Shouldn't be called from constructor to avoid premature\niteration\n        private fun drop() {\n            while (position < startIndex\n&& iterator.hasNext()) {\n                iterator.next()\n                position++\n            }\n        }\n\n        override fun\nhasNext(): Boolean {\n            drop()\n            return (position < endIndex) && iterator.hasNext()\n        }\n\n        override fun next(): T {\n            drop()\n            if (position >= endIndex)\n                throw\nNoSuchElementException()\n            position++\n            return iterator.next()\n        }\n    }\n}\n\n/**\n * A\nsequence that returns at most [count] values from the underlying [sequence], and stops\nreturning values\n * as soon as that count is reached.\n */\ninternal class TakeSequence<T>(\n    private val sequence: Sequence<T>,\n    private\nval count: Int)\n: Sequence<T>, DropTakeSequence<T> {\n    init {\n        require(count >= 0) {\n            \"count must be\nnon-negative, but was $count.\"\n        }\n    }\n\n    override fun drop(n: Int): Sequence<T> = if (n >= count)\nemptySequence() else\nSubSequence(sequence, n, count)\n\n    override fun take(n: Int): Sequence<T> = if (n >= count) this else\nTakeSequence(sequence, n)\n\n    override fun\niterator(): Iterator<T> = object : Iterator<T> {\n        var left = count\n        val iterator = sequence.iterator()\n\n        override fun next(): T {\n            if (left == 0)\n                throw\nNoSuchElementException()\n            left--\n            return iterator.next()\n        }\n\n        override fun hasNext(): Boolean {\n            return left > 0 &&\niterator.hasNext()\n        }\n    }\n}\n\n/**\n * A sequence that returns values from the underlying [sequence] while\nthe [predicate]\nfunction returns\n * `true`, and stops returning values once the function returns `false` for the next\nelement.\n */\ninternal class TakeWhileSequence<T>\nconstructor(\n    private val sequence: Sequence<T>,\n    private\nval predicate: (T) -> Boolean)\n: Sequence<T> {\n    override fun iterator(): Iterator<T> = object :\nIterator<T> {\n        val iterator = sequence.iterator()\n\n        var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n        var nextItem: T? = null\n\n        private fun calcNext() {\n            if (iterator.hasNext()) {\n                val item = iterator.next()\n                if\n(predicate(item)) {\n                    nextState = 1\n                    nextItem = item\n                    return\n                }\n                nextState = 0\n            }\n        }\n\n        override fun next(): T {\n            if (nextState == -1)\n
```

```

calcNext() // will change nextState\n        if (nextState == 0)\n            throw NoSuchElementException()\n        @Suppress("UNCHECKED_CAST")\n        val result = nextItem as T\n        // Clean next to avoid keeping\nreference on yielded instance\n        nextItem = null\n        nextState = -1\n        return result\n    }\n\n    override fun hasNext(): Boolean {\n        if (nextState == -1)\n            calcNext() // will change nextState\n            return nextState == 1\n        }\n    }\n}\n\n * A sequence that\nskips the specified number of values from the underlying [sequence] and returns\n * all values after that.\n\n * internal class DropSequence<T>(\n    private val sequence: Sequence<T>,\n    private val count: Int\n) : Sequence<T>, DropTakeSequence<T> {\n    init {\n        require(count >= 0) { "count must be non-negative, but\nwas $count." }\n    }\n\n    override fun drop(n: Int): Sequence<T> = DropSequence(sequence, count + n)\n    override fun take(n: Int): Sequence<T> = SubSequence(sequence, count, count + n)\n\n    override fun iterator():\nIterator<T> = object : Iterator<T> {\n        val iterator = sequence.iterator()\n        var left = count\n\n        //\nShouldn't be called from constructor to avoid premature iteration\n        private fun drop() {\n            while (left > 0\n&& iterator.hasNext()) {\n                iterator.next()\n                left--\n            }\n        }\n\n        override fun next(): T {\n            drop()\n            return iterator.next()\n        }\n\n        override fun hasNext(): Boolean {\n            drop()\n            return iterator.hasNext()\n        }\n    }\n}\n\n * A\nsequence that skips the values from the underlying [sequence] while the given [predicate] returns `true` and\nreturns\n * all values after that.\n\n * internal class DropWhileSequence<T>(\n    private val sequence:\nSequence<T>,\n    private val predicate: (T) -> Boolean\n) : Sequence<T> {\n    override fun iterator():\nIterator<T> = object : Iterator<T> {\n        val iterator = sequence.iterator()\n        var dropState: Int = -1 // -1 for not\ndropping, 1 for nextItem, 0 for normal iteration\n        var nextItem: T? = null\n\n        private fun drop() {\n            while (iterator.hasNext()) {\n                val item = iterator.next()\n                if (!predicate(item)) {\n                    nextItem = item\n                    dropState = 1\n                    return\n                }\n                dropState = 0\n            }\n\n            override fun next(): T {\n                if (dropState == -1)\n                    drop()\n                if (dropState == 1) {\n                    @Suppress("UNCHECKED_CAST")\n                    val result = nextItem as T\n                    nextItem = null\n                    dropState = 0\n                    return result\n                }\n                return iterator.next()\n            }\n\n            override fun\nhasNext(): Boolean {\n                if (dropState == -1)\n                    drop()\n                return dropState == 1 ||\niterator.hasNext()\n            }\n        }\n    }\n}\n\n * internal class DistinctSequence<T, K>(\nprivate val source: Sequence<T>,\nprivate val keySelector: (T) -> K\n) : Sequence<T> {\n    override fun iterator(): Iterator<T> =\nDistinctIterator(source.iterator(), keySelector)\n}\n\n * private class DistinctIterator<T, K>(\nprivate val source:\nIterator<T>,\nprivate val keySelector: (T) -> K\n) : AbstractIterator<T>() {\n    private val observed = HashSet<K>()\n\n    override\nfun computeNext() {\n        while (source.hasNext()) {\n            val next = source.next()\n            val key =\nkeySelector(next)\n\n            if (observed.add(key)) {\n                setNext(next)\n                return\n            }\n        }\n        done()\n    }\n}\n\n * private class GeneratorSequence<T : Any>(\nprivate val getInitialValue: () -> T?,\nprivate val getNextValue: (T) -> T?\n) : Sequence<T> {\n    override fun iterator(): Iterator<T> = object : Iterator<T>\n{\n        var nextItem: T? = null\n        var nextState: Int = -2 // -2 for initial unknown, -1 for next unknown, 0 for\ndone, 1 for continue\n\n        private fun calcNext() {\n            nextItem = if (nextState == -2) getInitialValue() else\ngetNextValue(nextItem!!)\n            nextState = if (nextItem == null) 0 else 1\n        }\n\n        override fun next(): T\n{\n            if\n(nextState < 0)\n                calcNext()\n            if (nextState == 0)\n                throw NoSuchElementException()\n            val result = nextItem as T\n            // Do not clean nextItem (to avoid keeping reference on yielded instance) --\nneed to keep state for getNextValue\n            nextState = -1\n            return result\n        }\n\n        override fun\nhasNext(): Boolean {\n            if (nextState < 0)\n                calcNext()\n            return nextState == 1\n        }\n    }\n}\n\n * Returns a wrapper sequence that provides values of this sequence, but ensures it can be iterated only\none time.\n * The operation is _intermediate_ and _stateless_.\n * [IllegalStateException] is thrown on\niterating the returned sequence from the second time.\n * public fun <T> Sequence<T>.constrainOnce():\nSequence<T> {\n    // as? does not work in js\n    //return this as? ConstrainedOnceSequence<T> ?:\n    ConstrainedOnceSequence(this)\n    return if (this

```

```

is ConstrainedOnceSequence<T>) this else ConstrainedOnceSequence(this)\n}\n\n/**\n * Returns a sequence
which invokes the function to calculate the next value on each iteration until the function returns `null`. \n *\n * The
returned sequence is constrained to be iterated only once.\n *\n * @see constrainOnce\n * @see
kotlin.coroutines.experimental.buildSequence\n *\n * @sample
samples.collections.Sequences.Building.generateSequence\n */\npublic fun <T : Any>
generateSequence(nextFunction: () -> T?): Sequence<T> {\n    return GeneratorSequence(nextFunction, {
nextFunction() }).constrainOnce()\n}\n\n/**\n * Returns a sequence defined by the starting value [seed] and the
function [nextFunction],\n * which is invoked to calculate the next value based on the previous one on each
iteration.\n *\n * The sequence produces values until it encounters first `null` value.\n * If [seed] is `null`, an empty
sequence is produced.\n *\n * The sequence can be iterated multiple times, each time starting
with [seed].\n *\n * @see kotlin.coroutines.experimental.buildSequence\n *\n * @sample
samples.collections.Sequences.Building.generateSequenceWithSeed\n */\n@kotlin.internal.LowPriorityInOverloadResolution\npublic fun <T : Any> generateSequence(seed: T?,
nextFunction: (T) -> T?): Sequence<T> =\n    if (seed == null)\n        EmptySequence\n    else\n        GeneratorSequence({ seed }, nextFunction)\n}\n\n/**\n * Returns a sequence defined by the function [seedFunction],
which is invoked to produce the starting value,\n * and the [nextFunction], which is invoked to calculate the next
value based on the previous one on each iteration.\n *\n * The sequence produces values until it encounters first
`null` value.\n * If [seedFunction] returns `null`, an empty sequence is produced.\n *\n * The sequence can be
iterated multiple times.\n *\n * @see kotlin.coroutines.experimental.buildSequence\n *\n * @sample
samples.collections.Sequences.Building.generateSequenceWithLazySeed\n */\npublic fun
<T : Any> generateSequence(seedFunction: () -> T?, nextFunction: (T) -> T?): Sequence<T> =\n    GeneratorSequence(seedFunction, nextFunction)\n}\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this
source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.*\nimport kotlin.text.*\nimport
kotlin.comparisons.*\n\n/**\n * Returns 1st *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component1(): T {\n    return
get(0)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline
operator fun <T> List<T>.component2(): T {\n    return get(1)\n}\n\n/**\n *
Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
List<T>.component3(): T {\n    return get(2)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component4(): T {\n    return
get(3)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline
operator fun <T> List<T>.component5(): T {\n    return get(4)\n}\n\n/**\n * Returns `true` if [element] is found in
the collection.\n */\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.contains(element: T):
Boolean {\n    if (this is Collection)\n        return contains(element)\n    return indexOf(element) >= 0\n}\n\n/**\n *
Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds
of this collection.\n */\npublic fun <T> Iterable<T>.elementAt(index: Int): T {\n    if (this is List)\n        return get(index)\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("Collection doesn't
contain element at index $index.") }\n}\n\n/**\n * Returns an element at the given [index] or throws an
[IndexOutOfBoundsException] if the [index] is out of bounds of this list.\n */\n@kotlin.internal.InlineOnly\npublic
inline fun <T> List<T>.elementAt(index: Int): T {\n    return get(index)\n}\n\n/**\n * Returns an element at the
given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this collection.\n */\npublic fun <T> Iterable<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n    if (this is List)\n        return this.getOrElse(index, defaultValue)\n    if (index < 0)\n        return defaultValue(index)\n    val iterator =
iterator()\n    var count = 0\n    while (iterator.hasNext()) {\n        val element = iterator.next()\n        if (index ==
count++)\n            return element\n    }\n    return defaultValue(index)\n}\n\n/**\n

```

```

* Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of
bounds of this list.\n *^@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAtOrElse(index: Int,
defaultValue: (Int) -> T): T {\n    return if (index >= 0 && index <= lastIndex) get(index) else
defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of
this collection.\n *^n\npublic fun <T> Iterable<T>.elementOrNull(index: Int): T? {\n    if (this is List)\n        return
this.getOrNull(index)\n    if (index < 0)\n        return null\n    val iterator = iterator()\n    var count = 0\n    while
(iterator.hasNext()) {\n        val element = iterator.next()\n        if (index == count++)\n            return element\n    }\n    return null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this
list.\n *^n\n@kotlin.internal.InlineOnly\npublic
inline fun <T> List<T>.elementOrNull(index: Int): T? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns
the first element matching the given [predicate], or `null` if no such element was found.\n
*^n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.find(predicate: (T) -> Boolean): T? {\n    return
firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such
element was found.\n *^n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.findLast(predicate: (T) ->
Boolean): T? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n *^n\n@kotlin.internal.InlineOnly\npublic inline fun <T>
List<T>.findLast(predicate: (T) -> Boolean): T? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns first
element.\n * @throws [NoSuchElementException] if the collection is empty.\n *^n\npublic fun <T>
Iterable<T>.first():
T {\n    when (this) {\n        is List -> return this.first()\n        else -> {\n            val iterator = iterator()\n            if
(!iterator.hasNext())\n                throw NoSuchElementException("Collection is empty.")\n            return
iterator.next()\n        }\n    }\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the list
is empty.\n *^n\npublic fun <T> List<T>.first(): T {\n    if (isEmpty())\n        throw NoSuchElementException("List
is empty.")\n    return this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n *^n\npublic inline fun <T> Iterable<T>.first(predicate: (T)
-> Boolean): T {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("Collection contains no element matching the predicate.")\n}\n\n/**\n * Returns the
first element, or `null` if the collection is empty.\n *^n\npublic fun
<T> Iterable<T>.firstOrNull(): T? {\n    when (this) {\n        is List -> {\n            if (isEmpty())\n                return
null\n            else\n                return this[0]\n        }\n        else -> {\n            val iterator = iterator()\n            if
(!iterator.hasNext())\n                return null\n            return iterator.next()\n        }\n    }\n}\n\n/**\n * Returns the
first element, or `null` if the list is empty.\n *^n\npublic fun <T> List<T>.firstOrNull(): T? {\n    return if (isEmpty())
null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not
found.\n *^n\npublic inline fun <T> Iterable<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n    for (element in this)
if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns an element at the given [index] or the
result of calling the [defaultValue] function if the [index] is out of bounds of this list.\n
*^n\n@kotlin.internal.InlineOnly\npublic
inline fun <T> List<T>.getOrNull(index: Int): T? {\n    return if (index >= 0 && index <=
lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this list.\n *^n\npublic fun <T> List<T>.getOrNull(index: Int): T? {\n    return if (index >=
0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element], or -1 if the collection
does not contain element.\n *^n\npublic fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.indexOf(element: T):
Int {\n    if (this is List) return this.indexOf(element)\n    var index = 0\n    for (item in this) {\n        if (element ==
item)\n            return index\n        index++\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if
the list does not contain element.\n *^n\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false
warning, extension takes precedence in some cases\npublic
fun <@kotlin.internal.OnlyInputTypes T> List<T>.indexOf(element: T): Int {\n    return
indexOf(element)\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the

```

```

collection does not contain such element.\n */\npublic inline fun <T> Iterable<T>.indexOfFirst(predicate: (T) ->
Boolean): Int {\n    var index = 0\n    for (item in this) {\n        if (predicate(item))\n            return index\n        index++\n    }\n    return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if
the list does not contain such element.\n */\npublic inline fun <T> List<T>.indexOfFirst(predicate: (T) -> Boolean):
Int {\n    var index = 0\n    for (item in this) {\n        if (predicate(item))\n            return index\n        index++\n    }\n    return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the collection does
not contain such element.\n */\npublic inline fun <T> Iterable<T>.indexOfLast(predicate:
(T) -> Boolean): Int {\n    var lastIndex = -1\n    var index = 0\n    for (item in this) {\n        if (predicate(item))\n            lastIndex = index\n        index++\n    }\n    return lastIndex\n}\n\n/**\n * Returns index of the last element
matching the given [predicate], or -1 if the list does not contain such element.\n */\npublic inline fun <T>
List<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n    val iterator = this.listIterator(size)\n    while
(iterator.hasPrevious()) {\n        if (predicate(iterator.previous()))\n            return iterator.nextIndex()\n    }\n    return -1\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the collection is
empty.\n */\npublic fun <T> Iterable<T>.last(): T {\n    when (this) {\n        is List -> return this.last()\n        else ->
{\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                throw
NoSuchElementException("Collection
is empty.")\n            var last = iterator.next()\n            while (iterator.hasNext())\n                last = iterator.next()\n            return last\n        }\n    }\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the
list is empty.\n */\npublic fun <T> List<T>.last(): T {\n    if (isEmpty())\n        throw
NoSuchElementException("List is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last element
matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic
inline fun <T> Iterable<T>.last(predicate: (T) -> Boolean): T {\n    var last: T? = null\n    var found = false\n    for
(element in this) {\n        if (predicate(element)) {\n            last = element\n            found = true\n        }\n    }\n    if
(!found) throw NoSuchElementException("Collection contains no element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return last as T\n}\n\n/**\n * Returns
the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is
found.\n */\npublic inline fun <T> List<T>.last(predicate: (T) -> Boolean): T {\n    val iterator =
this.listIterator(size)\n    while (iterator.hasPrevious()) {\n        val element = iterator.previous()\n        if
(predicate(element)) return element\n    }\n    throw NoSuchElementException("List contains no element matching
the predicate.")\n}\n\n/**\n * Returns last index of [element], or -1 if the collection does not contain element.\n
*/\npublic fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.lastIndexOf(element: T): Int {\n    if (this is List)
return this.lastIndexOf(element)\n    var lastIndex = -1\n    var index = 0\n    for (item in this) {\n        if (element ==
item)\n            lastIndex = index\n        index++\n    }\n    return lastIndex\n}\n\n/**\n * Returns last index of
[element], or -1 if the list does not contain element.\n
*/\n\n/**\n * @Suppress("EXTENSION_SHADOWED_BY_MEMBER")\n // false warning, extension takes precedence in some cases\npublic fun <@kotlin.internal.OnlyInputTypes T>
List<T>.lastIndexOf(element: T): Int {\n    return lastIndexOf(element)\n}\n\n/**\n * Returns the last element, or
`null` if the collection is empty.\n */\npublic fun <T> Iterable<T>.lastOrNull(): T? {\n    when (this) {\n        is List -
> return if (isEmpty()) null else this[size - 1]\n        else -> {\n            val iterator = iterator()\n            if
(!iterator.hasNext())\n                return null\n            var last = iterator.next()\n            while (iterator.hasNext())\n                last = iterator.next()\n            return last\n        }\n    }\n}\n\n/**\n * Returns the last element, or `null` if the list
is empty.\n */\npublic fun <T> List<T>.lastOrNull(): T? {\n    return if (isEmpty()) null else this[size -
1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n
*/\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n
*/\npublic
inline fun <T> Iterable<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n    var last: T? = null\n    for (element in
this) {\n        if (predicate(element)) {\n            last = element\n        }\n    }\n    return last\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun <T>
List<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n    val iterator = this.listIterator(size)\n    while

```

```

(iterator.hasPrevious()) {\n    val element = iterator.previous()\n    if (predicate(element)) return element\n } \n
return null\n}\n\n/**\n * Returns the single element, or throws an exception if the collection is empty or has more
than one element.\n */\npublic fun <T> Iterable<T>.single(): T {\n    when (this) {\n        is List -> return
this.single()\n        else -> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                throw
NoSuchElementException("Collection
is empty.")\n            val single = iterator.next()\n            if (iterator.hasNext())\n                throw
IllegalArgumentException("Collection has more than one element.")\n            return single\n        }\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the list is empty or has more than one
element.\n */\npublic fun <T> List<T>.single(): T {\n    return when (size) {\n        0 -> throw
NoSuchElementException("List is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("List has more than one element.")\n    }\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic
inline fun <T> Iterable<T>.single(predicate: (T) -> Boolean): T {\n    var single: T? = null\n    var found = false\n
for (element in this) {\n        if (predicate(element)) {\n            if (found) throw
IllegalArgumentException("Collection contains
more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if (!found)
throw NoSuchElementException("Collection contains no element matching the predicate.")\n}\n\n@Suppress("UNCHECKED_CAST")\n return single as T\n}\n\n/**\n * Returns single element, or `null` if the
collection is empty or has more than one element.\n */\npublic fun <T> Iterable<T>.singleOrNull(): T? {\n    when
(this) {\n        is List -> return if (size == 1) this[0] else null\n        else -> {\n            val iterator = iterator()\n
if (!iterator.hasNext())\n                return null\n            val single = iterator.next()\n            if (iterator.hasNext())\n
return single\n            return null\n        }\n    }\n}\n\n/**\n * Returns single element, or `null` if the list is
empty or has more than one element.\n */\npublic fun <T> List<T>.singleOrNull(): T? {\n    return if (size == 1)
this[0] else null\n}\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one
element was found.\n */\npublic inline fun <T> Iterable<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n    var
single: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found)
return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return
single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n */\n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Iterable<T>.drop(n: Int): List<T> {\n
require(n >= 0) { "Requested element count $n is less than zero." }\n    if (n == 0) return toList()\n    val list:
ArrayList<T>\n    if (this is Collection<*>) {\n        val resultSize = size - n\n        if (resultSize <= 0)\n            return
emptyList()\n        if (resultSize == 1)\n            return listOf(last())\n        list = ArrayList<T>(resultSize)\n        if (this is List<T>) {\n            if (this is
RandomAccess) {\n                for (index in n until size)\n                    list.add(this[index])\n            } else {\n
for (item in listIterator(n))\n                list.add(item)\n            }\n            return list\n        }\n    } else {\n
list = ArrayList<T>()\n        var count = 0\n        for (item in this) {\n            if (count++ >= n) list.add(item)\n        }\n
return list.optimizeReadOnlyList()\n}\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n */\n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun <T> List<T>.dropLast(n: Int):
List<T> {\n    require(n >= 0) { "Requested element count $n is less than zero." }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n */\n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T>
List<T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n    if (!isEmpty()) {\n        val iterator =
listIterator(size)\n        while (iterator.hasPrevious()) {\n            if (!predicate(iterator.previous()))\n                return
take(iterator.nextIndex() + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing
all elements except first elements that satisfy the given [predicate].\n */\n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Iterable<T>.dropWhile(predicate:
(T) -> Boolean): List<T> {\n    var yielding = false\n    val list = ArrayList<T>()\n    for (item in this)\n        if

```

```

(yielding)\n        list.add(item)\n        else if (!predicate(item)) {\n            list.add(item)\n            yielding = true\n        }\n        return list\n}\n\n/**\n * Returns a list containing\n only elements matching the given [predicate].\n */\npublic inline fun <T> Iterable<T>.filter(predicate: (T) ->\n Boolean): List<T> {\n    return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only\n elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the\n element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <T>\n Iterable<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n    return\n filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to\n the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <T, C : MutableCollection<in\n T>> Iterable<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n    forEachIndexed\n { index, element ->\n     if (predicate(index, element)) destination.add(element)\n }\n    return\n destination\n}\n\n/**\n * Returns a list containing all elements that are instances of specified type parameter R.\n */\npublic inline fun <reified R> Iterable<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n    return\n filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type\n parameter R to the given [destination].\n */\npublic inline fun <reified R, C : MutableCollection<in R>>\n Iterable<*>.filterIsInstanceTo(destination: C): C {\n    for (element in this) if (element is R)\n destination.add(element)\n    return destination\n}\n\n/**\n * Returns a list containing all elements not matching the\n given [predicate].\n */\npublic inline fun <T> Iterable<T>.filterNot(predicate: (T) -> Boolean): List<T> {\n    return\n filterNotTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing all elements that are not `null`.\n */\npublic fun <T : Any> Iterable<T?>.filterNotNull(): List<T> {\n    return\n filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n */\npublic fun <C : MutableCollection<in T>, T : Any> Iterable<T?>.filterNotNullTo(destination: C): C {\n    for\n (element in this) if (element != null) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all\n elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <T, C :\n MutableCollection<in T>> Iterable<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n    for (element\n in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements\n matching the given [predicate] to the given [destination].\n */\npublic inline fun <T, C : MutableCollection<in T>>\n Iterable<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n    for (element in this) if (predicate(element))\n destination.add(element)\n\n    return destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun <T> List<T>.slice(indices: IntRange): List<T> {\n    if (indices.isEmpty()) return listOf()\n    return\n this.subList(indices.start, indices.endInclusive + 1).toList()\n}\n\n/**\n * Returns a list containing elements at\n specified [indices].\n */\npublic fun <T> List<T>.slice(indices: Iterable<Int>): List<T> {\n    val size =\n indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<T>(size)\n    for\n (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing first [n]\n elements.\n */\n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T>\n Iterable<T>.take(n: Int): List<T> {\n    require(n >= 0) { "Requested element count $n is less than zero." }\n    if (n\n == 0) return emptyList()\n    if (this is Collection<T>)\n {\n        if (n >= size) return toList()\n        if (n == 1) return listOf(first())\n    }\n    var count = 0\n    val list =\n ArrayList<T>(n)\n    for (item in this) {\n        if (count++ == n)\n            break\n        list.add(item)\n    }\n    return\n list.optimizeReadOnlyList()\n}\n\n/**\n * Returns a list containing last [n] elements.\n */\n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic fun <T> List<T>.takeLast(n: Int): List<T> {\n    require(n >= 0) { "Requested element count $n is less than zero." }\n    if (n == 0) return emptyList()\n    val size =\n size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(last())\n    val list = ArrayList<T>(n)\n    if (this is\n RandomAccess) {\n        for (index in size - n until size)\n            list.add(this[index])\n    } else {\n        for (item in\n listIterator(size - n))\n            list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing last elements\n satisfying

```

```

the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n * \npublic inline
fun <T> List<T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n if (isEmpty())\n return emptyList()\n
val iterator = listIterator(size)\n while (iterator.hasPrevious()) {\n if (!predicate(iterator.previous())) {\n
iterator.next()\n val expectedSize = size - iterator.nextIndex()\n if (expectedSize == 0) return
emptyList()\n return ArrayList<T>(expectedSize).apply {\n while (iterator.hasNext())\n
add(iterator.next())\n }\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing first elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n * \npublic
inline fun <T> Iterable<T>.takeWhile(predicate: (T) -> Boolean): List<T> {\n val list = ArrayList<T>()\n for
(item in this)
{\n if (!predicate(item))\n break\n list.add(item)\n }\n return list}\n\n/**\n * Reverses elements
in the list in-place.\n * \npublic expect fun <T> MutableList<T>.reverse(): Unit\n\n/**\n * Returns a list with
elements in reversed order.\n * \npublic fun <T> Iterable<T>.reversed(): List<T> {\n if (this is Collection && size
<= 1) return toList()\n val list = toMutableList()\n list.reverse()\n return list}\n\n/**\n * Sorts elements in the
list in-place according to natural sort order of the value returned by specified [selector] function.\n * \npublic inline
fun <T, R : Comparable<R>> MutableList<T>.sortBy(crossinline selector: (T) -> R?): Unit {\n if (size > 1)
sortWith(compareBy(selector))}\n}\n\n/**\n * Sorts elements in the list in-place descending according to natural sort
order of the value returned by specified [selector] function.\n * \npublic inline fun <T, R : Comparable<R>>
MutableList<T>.sortByDescending(crossinline selector:
(T) -> R?): Unit {\n if (size > 1) sortWith(compareByDescending(selector))}\n}\n\n/**\n * Sorts elements in the
list in-place descending according to their natural sort order.\n * \npublic fun <T : Comparable<T>>
MutableList<T>.sortDescending(): Unit {\n sortWith(reverseOrder())}\n}\n\n/**\n * Returns a list of all elements
sorted according to their natural sort order.\n * \npublic fun <T : Comparable<T>> Iterable<T>.sorted(): List<T>
{\n if (this is Collection) {\n if (size <= 1) return this.toList()\n @Suppress("UNCHECKED_CAST")\n
return (toTypedArray<Comparable<T>>()) as Array<T>).apply { sort() }.asList()\n }\n return
toMutableList().apply { sort() }\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of
the value returned by specified [selector] function.\n * \npublic inline fun <T, R : Comparable<R>>
Iterable<T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n return
sortedWith(compareBy(selector))}\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified
[selector] function.\n * \npublic inline fun <T, R : Comparable<R>> Iterable<T>.sortedByDescending(crossinline
selector: (T) -> R?): List<T> {\n return sortedWith(compareByDescending(selector))}\n}\n\n/**\n * Returns a list
of all elements sorted descending according to their natural sort order.\n * \npublic fun <T : Comparable<T>>
Iterable<T>.sortedDescending(): List<T> {\n return sortedWith(reverseOrder())}\n}\n\n/**\n * Returns a list of all
elements sorted according to the specified [comparator].\n * \npublic fun <T> Iterable<T>.sortedWith(comparator:
Comparator<in T>): List<T> {\n if (this is Collection) {\n if (size <= 1) return this.toList()\n
@Suppress("UNCHECKED_CAST")\n return (toTypedArray<Any?>()) as Array<T>).apply {
sortWith(comparator) }.asList()\n }\n return toMutableList().apply { sortWith(comparator) }\n}\n\n/**\n * Returns an array of Boolean containing all of the elements of this collection.\n * \npublic fun
Collection<Boolean>.toBooleanArray(): BooleanArray {\n val result = BooleanArray(size)\n var index = 0\n
for (element in this)\n result[index++] = element\n return result}\n}\n\n/**\n * Returns an array of Byte
containing all of the elements of this collection.\n * \npublic fun Collection<Byte>.toByteArray(): ByteArray {\n
val result = ByteArray(size)\n var index = 0\n for (element in this)\n result[index++] = element\n return
result}\n}\n\n/**\n * Returns an array of Char containing all of the elements of this collection.\n * \npublic fun
Collection<Char>.toCharArray(): CharArray {\n val result = CharArray(size)\n var index = 0\n for (element in
this)\n result[index++] = element\n return result}\n}\n\n/**\n * Returns an array of Double containing all of the
elements of this collection.\n * \npublic fun Collection<Double>.toDoubleArray():
DoubleArray {\n val result = DoubleArray(size)\n var index = 0\n for (element in this)\n result[index++]
= element\n return result}\n}\n\n/**\n * Returns an array of Float containing all of the elements of this collection.\n

```

```

*public fun Collection<Float>.toFloatArray(): FloatArray {
    val result = FloatArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return result
}
* Returns an array of Int containing all of the elements of this collection.
*public fun Collection<Int>.toIntArray(): IntArray {
    val result = IntArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return result
}
* Returns an array of Long containing all of the elements of this collection.
*public fun Collection<Long>.toLongArray(): LongArray {
    val result = LongArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return result
}
* Returns an array of Short containing all of the elements of this collection.
*public fun Collection<Short>.toShortArray(): ShortArray {
    val result = ShortArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return result
}
* Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given collection.
* If any of two pairs would have the same key the last one gets added to the map.
* The returned map preserves the entry iteration order of the original collection.
*public inline fun <T, K, V> Iterable<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {
    val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity), transform)
}
* Returns a [Map] containing the elements from the given collection indexed by the key returned from [keySelector] function applied to each element.
* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
* The returned map preserves the entry iteration order of the original collection.
*public inline fun <T, K> Iterable<T>.associateBy(keySelector: (T) -> K): Map<K, T> {
    val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)
    return associateByTo(LinkedHashMap<K, T>(capacity), keySelector)
}
* Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given collection.
* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
* The returned map preserves the entry iteration order of the original collection.
*public inline fun <T, K, V> Iterable<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {
    val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)
    return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)
}
* Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function applied to each element of the given collection and value is the element itself.
* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
*public inline fun <T, K, M : MutableMap<in K, in T>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K): M {
    for (element in this) {
        destination.put(keySelector(element), element)
    }
    return destination
}
* Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given collection.
* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
*public inline fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}
* Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given collection.
* If any of two pairs would have the same key the last one gets added to the map.
*public inline fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}
* Appends all elements to the given [destination] collection.
*public fun <T, C : MutableCollection<in T>> Iterable<T>.toCollection(destination: C): C {
    for (item in this) {
        destination.add(item)
    }
    return destination
}
* Returns a [HashSet] of all elements.
*public fun <T> Iterable<T>.toHashSet(): HashSet<T> {
    return toCollection(HashSet<T>(mapCapacity(collectionSizeOrDefault(12))))
}
* Returns a [List] containing all elements.
*public fun <T> Iterable<T>.toList(): List<T> {
    if (this is

```

```

Collection) {\n    return when (size) {\n        0 -> emptyList()\n        1 -> listOf(if (this is List) get(0) else
iterator().next())\n    } else -> this.toMutableList()\n } \n } \n return
this.toMutableList().optimizeReadOnlyList()\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this
collection.\n */\npublic fun <T> Iterable<T>.toMutableList(): MutableList<T> {\n    if (this is Collection<T>)\n    return this.toMutableList()\n    return toCollection(ArrayList<T>())\n}\n\n/**\n * Returns a [MutableList]
filled with all elements of this collection.\n */\npublic fun <T> Collection<T>.toMutableList(): MutableList<T> {\n
    return ArrayList(this)\n}\n\n/**\n * Returns a [Set] of all elements.\n */\n * \n * The returned set preserves the element
iteration order of the original collection.\n */\npublic fun <T> Iterable<T>.toSet(): Set<T> {\n    if (this is
Collection) {\n        return when (size) {\n            0 -> emptySet()\n            1 -> setOf(if (this is List) this[0] else
iterator().next())\n        } else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))\n    } \n } \n return
toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n}\n\n/**\n * Returns a single list of all elements
yielded from results of [transform] function being invoked on each element of original collection.\n */\npublic inline
fun <T, R> Iterable<T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element of original collection, to the given [destination].\n */\n
public inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapTo(destination: C, transform: (T) ->
Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n
    }\n    return destination\n}\n\n/**\n * Groups elements of the original collection by the key returned by the given
[keySelector] function\n */\n * applied to each element and returns a map where each group key is associated with a list
of corresponding elements.\n */\n * \n * The returned map preserves the entry iteration order of the keys produced from
the original collection.\n */\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic
inline fun <T, K> Iterable<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups values returned
by the [valueTransform] function applied to each element of the original collection\n */\n * by the key returned by the
given [keySelector] function applied to the element\n */\n * and returns a map where each group key is associated with a
list of corresponding values.\n */\n * \n * The returned map preserves the entry iteration order of the keys produced from
the original collection.\n */\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V>
Iterable<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements
of the original collection by the key returned by the given [keySelector] function\n */\n * applied to each element and
puts to the [destination] map each group key associated with a list of corresponding elements.\n */\n * \n * @return The
[destination] map.\n */\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic
inline fun <T, K, M : MutableMap<in K, MutableList<T>>> Iterable<T>.groupByTo(destination: M,
keySelector: (T) -> K): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =
destination.getOrPut(key) { ArrayList<T>() }\n        list.add(element)\n    }\n    return destination\n}\n\n/**\n *
Groups values returned by the [valueTransform] function applied to each element of the original collection\n */\n * by
the key returned by the given [keySelector] function applied to the element\n */\n * and puts to the [destination] map
each group key associated with a list of corresponding values.\n */\n * \n * @return The [destination] map.\n */\n * \n *
@sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K,
V, M : MutableMap<in K, MutableList<V>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K,
valueTransform: (T) -> V): M {\n    for (element in this) {\n        val key = keySelector(element)\n
        val list = destination.getOrPut(key) { ArrayList<V>() }\n        list.add(valueTransform(element))\n    }\n
return destination\n}\n\n/**\n * Creates a [Grouping] source from a collection to be used later with one of group-
and-fold operations\n */\n * using the specified [keySelector] function to extract a key from each element.\n */\n * \n *
@sample samples.collections.Collections.Transformations.groupingByEachCount\n */\n\n@SinceKotlin("1.1")\npublic inline fun <T, K> Iterable<T>.groupingBy(crossinline keySelector: (T) -> K):
Grouping<T, K> {\n    return object : Grouping<T, K> {\n        override fun sourceIterator(): Iterator<T> =

```

```

this@groupBy.iterator()\n      override fun keyOf(element: T): K = keySelector(element)\n    }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original collection.\n */\npublic inline fun <T, R> Iterable<T>.map(transform: (T) -> R): List<R> {\n    return\n    mapTo(ArrayList<R>(collectionSizeOrDefault(10)),\n    transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original collection.\n * @param [transform] function that takes the index of an element\n * and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T,\n R> Iterable<T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n    return\n    mapIndexedTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element and its index in the original collection.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any>\n Iterable<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n    return\n    mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original collection\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>>\n Iterable<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n    forEachIndexed {\n    index, element -> transform(index, element)?.let { destination.add(it) } }\n    return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original collection\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the\n * element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline\n fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapIndexedTo(destination: C, transform: (index: Int, T) ->\n R): C {\n    var index = 0\n    for (item in this)\n        destination.add(transform(index++, item))\n    return\n    destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform]\n * function\n * to each element in the original collection.\n */\npublic inline fun <T, R : Any>\n Iterable<T>.mapNotNull(transform: (T) -> R?): List<R> {\n    return mapNotNullTo(ArrayList<R>(),\n    transform)\n}\n\n/**\n * Applies the given [transform] function to each element in the original collection\n * and\n * appends only the non-null results to the given [destination].\n */\npublic inline fun <T, R : Any, C :\n MutableCollection<in R>> Iterable<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n    forEach {\n    element -> transform(element)?.let { destination.add(it) } }\n    return destination\n}\n\n/**\n * Applies the given\n * [transform] function to each\n * element of the original collection\n * and appends the results to the given [destination].\n */\npublic inline fun <T,\n R, C : MutableCollection<in R>> Iterable<T>.mapTo(destination: C, transform: (T) -> R): C {\n    for (item in\n    this)\n        destination.add(transform(item))\n    return destination\n}\n\n/**\n * Returns a lazy [Iterable] of\n * [IndexedValue] for each element of the original collection.\n */\npublic fun <T> Iterable<T>.withIndex():\n Iterable<IndexedValue<T>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a list containing only\n * distinct elements from the given collection.\n * \n * The elements in the resulting list are in the same order as they\n * were in the source collection.\n */\npublic fun <T> Iterable<T>.distinct(): List<T> {\n    return\n    this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only elements from the given collection\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting\n * list are in the same order as they were in the source collection.\n */\npublic inline fun <T, K>\n Iterable<T>.distinctBy(selector: (T) -> K): List<T> {\n    val set = HashSet<K>()\n    val list = ArrayList<T>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The\n * returned set preserves the element iteration order of the original collection.\n */\npublic infix fun <T>\n Iterable<T>.intersect(other: Iterable<T>): Set<T> {\n    val set = this.toMutableSet()\n    set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this collection and not contained

```

by the specified collection.

The returned set preserves the element iteration order of the original collection.

```

public infix fun <T> Iterable<T>.subtract(other: Iterable<T>):
    Set<T> {
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
}

```

Returns a mutable set containing all distinct elements from the given collection.

The returned set preserves the element iteration order of the original collection.

```

public fun <T> Iterable<T>.toMutableSet(): MutableSet<T> {
    return when (this) {
    is Collection<T> -> LinkedHashSet(this)
    else ->
        toCollection(LinkedHashSet<T>())
    }
}

```

Returns a set containing all distinct elements from both collections.

The returned set preserves the element iteration order of the original collection.

Those elements of the [other] collection that are unique are iterated in the end in the order of the [other] collection.

```

public infix fun <T> Iterable<T>.union(other: Iterable<T>): Set<T> {
    val set = this.toMutableSet()
    set.addAll(other)
    return set
}

```

Returns `true` if all elements match the given [predicate].

@sample samples.collections.Collections.Aggregates.all

```

public inline fun <T>
    Iterable<T>.all(predicate: (T) -> Boolean): Boolean {
    if (this is Collection && isEmpty()) return true
    for (element in this) if (!predicate(element)) return false
    return true
}

```

Returns `true` if collection has at least one element.

@sample samples.collections.Collections.Aggregates.any

```

public fun <T>
    Iterable<T>.any(): Boolean {
    if (this is Collection) return !isEmpty()
    return iterator().hasNext()
}

```

Returns `true` if at least one element matches the given [predicate].

@sample samples.collections.Collections.Aggregates.anyWithPredicate

```

public inline fun <T>
    Iterable<T>.any(predicate: (T) -> Boolean): Boolean {
    if (this is Collection && isEmpty()) return false
    for (element in this) if (predicate(element)) return true
    return false
}

```

Returns the number of elements in this collection.

```

public fun <T>
    Iterable<T>.count(): Int {
    if (this is Collection) return size
    var count = 0
    for (element in this) count++
    return count
}

```

Returns the number of elements in this collection.

@kotlin.internal.InlineOnly

```

public inline fun <T>
    Collection<T>.count(): Int {
    return size
}

```

Returns the number of elements matching the given [predicate].

```

public inline fun <T>
    Iterable<T>.count(predicate: (T) -> Boolean): Int {
    if (this is Collection && isEmpty()) return 0
    var count = 0
    for (element in this) if (predicate(element)) count++
    return count
}

```

Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.

```

public inline fun <T, R>
    Iterable<T>.fold(initial: R, operation: (acc: R, T) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element with its index in the original collection.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

```

public inline fun <T, R>
    Iterable<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this) accumulator =
        operation(index++, accumulator, element)
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original list and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun <T, R>
    List<T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {
    var accumulator = initial
    if (!isEmpty()) {
    val iterator = listIterator(size)
    while (iterator.hasPrevious()) {
    accumulator = operation(iterator.previous(), accumulator)
    }
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original list and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun <T, R>
    List<T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {
    var accumulator = initial
    if (!isEmpty()) {
    val iterator = listIterator(size)
    while (iterator.hasPrevious()) {
    val index = iterator.previousIndex()
    accumulator =
        operation(index, iterator.previous(), accumulator)
    }
    }
    return accumulator
}

```

Performs the given [action] on each element.

@kotlin.internal.HidesMembers

```

public

```

```

inline fun <T> Iterable<T>.forEach(action: (T) -> Unit): Unit {
    for (element in this)
        action(element)
}

/** Performs the given [action] on each element, providing sequential index with the element.
 * @param [action] function that takes the index of an element and the element itself and performs the desired action on the element.
 */
public inline fun <T> Iterable<T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {
    var index = 0
    for (item in this)
        action(index++, item)
}

/** Returns the largest element or `null` if there are no elements.
 * If any of elements is `NaN` returns `NaN`.
 */
@SinceKotlin("1.1")
public fun Iterable<Double>.max(): Double? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var max = iterator.next()
    if (max.isNaN()) return max
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (e.isNaN()) return e
        if (max < e) max = e
    }
    return max
}

/** Returns the largest element or `null` if there are no elements.
 * If any of elements is `NaN` returns `NaN`.
 */
@SinceKotlin("1.1")
public fun Iterable<Float>.max(): Float? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var max = iterator.next()
    if (max.isNaN()) return max
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (e.isNaN()) return e
        if (max < e) max = e
    }
    return max
}

/** Returns the largest element or `null` if there are no elements.
 * Returns the first element yielding the largest value of the given function or `null` if there are no elements.
 */
public fun <T : Comparable<T>> Iterable<T>.max(): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var max = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (max < e) max = e
    }
    return max
}

/** Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.
 */
public inline fun <T, R : Comparable<R>> Iterable<T>.maxBy(selector: (T) -> R): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var maxElem = iterator.next()
    var maxValue = selector(maxElem)
    while (iterator.hasNext()) {
        val e = iterator.next()
        val v = selector(e)
        if (maxValue < v) {
            maxElem = e
            maxValue = v
        }
    }
    return maxElem
}

/** Returns the smallest element or `null` if there are no elements.
 * If any of elements is `NaN` returns `NaN`.
 */
@SinceKotlin("1.1")
public fun Iterable<Double>.min(): Double? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var min = iterator.next()
    if (min.isNaN()) return min
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (e.isNaN()) return e
        if (min > e) min = e
    }
    return min
}

/** Returns the smallest element or `null` if there are no elements.
 * If any of elements is `NaN` returns `NaN`.
 */
@SinceKotlin("1.1")
public fun Iterable<Float>.min(): Float? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var min = iterator.next()
    if (min.isNaN()) return min
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (e.isNaN()) return e
        if (min > e) min = e
    }
    return min
}

/** Returns the smallest element or `null` if there are no elements.
 */
public fun <T : Comparable<T>> Iterable<T>.min(): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var min = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (min > e) min = e
    }
    return min
}

/** Returns the first element yielding the smallest value of the given function or `null` if there are no elements.
 */
public inline fun <T, R : Comparable<R>> Iterable<T>.minBy(selector: (T) -> R): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var minElem = iterator.next()
    var minValue = selector(minElem)
    while (iterator.hasNext()) {
        val e = iterator.next()
        val v = selector(e)
        if (minValue > v) {
            minElem = e
            minValue = v
        }
    }
    return minElem
}

/** Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.
 */
public fun <T> Iterable<T>.minWith(comparator: Comparator<in T>): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var min = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (comparator.compare(min, e) > 0) min = e
    }
    return min
}

/** Returns `true` if

```

```

the collection has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n * \n\npublic fun
<T> Iterable<T>.none(): Boolean {\n    if (this is Collection) return isEmpty()\n    return
!iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n * \n\npublic inline fun <T>
Iterable<T>.none(predicate: (T) -> Boolean): Boolean {\n    if (this is Collection && isEmpty()) return true\n    for
(element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n * Performs the given [action] on each
element
and returns the collection itself afterwards.\n * \n * @SinceKotlin("1.1")\n\npublic inline fun <T, C : Iterable<T>>
C.onEach(action: (T) -> Unit): C {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element.\n * \n\npublic inline fun <S, T : S> Iterable<T>.reduce(operation: (acc: S, T) -> S): S {\n
val iterator = this.iterator()\n    if (!iterator.hasNext()) throw UnsupportedOperationException("Empty collection
can't be reduced.")\n    var accumulator: S = iterator.next()\n    while (iterator.hasNext()) {\n        accumulator =
operation(accumulator, iterator.next())\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with
the first element and applying [operation] from left to right\n * to current accumulator value and each element with
its index in the original collection.\n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself and calculates the next
accumulator value.\n * \n\npublic inline fun <S, T : S> Iterable<T>.reduceIndexed(operation: (index: Int, acc: S, T) ->
S): S {\n    val iterator = this.iterator()\n    if (!iterator.hasNext()) throw UnsupportedOperationException("Empty
collection can't be reduced.")\n    var index = 1\n    var accumulator: S = iterator.next()\n    while
(iterator.hasNext()) {\n        accumulator = operation(index++, accumulator, iterator.next())\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left
to each element and current accumulator value.\n * \n\npublic inline fun <S, T : S> List<T>.reduceRight(operation:
(T, acc: S) -> S): S {\n    val iterator = listIterator(size)\n    if (!iterator.hasPrevious())\n        throw
UnsupportedOperationException("Empty list can't be reduced.")\n    var accumulator: S = iterator.previous()\n    while
(iterator.hasPrevious()) {\n        accumulator = operation(iterator.previous(), accumulator)\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n *
to each element with its index in the original list and current accumulator value.\n * @param [operation] function
that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next
accumulator value.\n * \n\npublic inline fun <S, T : S> List<T>.reduceRightIndexed(operation: (index: Int, T, acc: S)
-> S): S {\n    val iterator = listIterator(size)\n    if (!iterator.hasPrevious())\n        throw
UnsupportedOperationException("Empty list can't be reduced.")\n    var accumulator: S = iterator.previous()\n    while
(iterator.hasPrevious()) {\n        val index = iterator.previousIndex()\n        accumulator = operation(index,
iterator.previous(), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n * \n\npublic inline fun <T> Iterable<T>.sumBy(selector: (T) -> Int): Int {\n    var sum: Int = 0\n    for (element in this)
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the collection.\n * \n\npublic inline fun <T>
Iterable<T>.sumByDouble(selector: (T) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this)
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns an original collection containing all the
non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n * \n\npublic fun <T :
Any> Iterable<T?>.requireNonNulls(): Iterable<T> {\n    for (element in this) {\n        if (element == null) {\n
throw IllegalArgumentException("null element found in $this.")\n        }\n    }\n    @Suppress("UNCHECKED_CAST")\n    return this as Iterable<T>\n}\n\n/**\n * Returns an original
collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null`
elements.\n * \n\npublic fun <T : Any> List<T?>.requireNonNulls(): List<T> {\n    for (element in this) {\n        if
(element == null) {\n            throw IllegalArgumentException("null element found in $this.")\n        }\n    }\n    @Suppress("UNCHECKED_CAST")\n    return this as List<T>\n}\n\n/**\n * Splits this collection into a list of

```

lists each not exceeding the given [size].\n \* \n \* The last list in the resulting list may have less elements than the given [size].\n \* \n \* @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this collection.\n \* \n \* @sample

```
samples.collections.Collections.Transformations.chunked\n *\n@SinceKotlin("1.2")\npublic fun <T>\nIterable<T>.chunked(size: Int):
```

```
List<List<T>> {\n    return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this collection into several lists each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return list of results of the [transform] applied to an each list.\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last list may have less elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this collection.\n * \n * @sample samples.text.Strings.chunkedTransform\n
```

```
*\n@SinceKotlin("1.2")\npublic fun <T, R> Iterable<T>.chunked(size: Int, transform: (List<T>) -> R): List<R>\n{\n    return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Returns a list containing all elements of the original collection without the first occurrence of the given [element].\n
```

```
\n\npublic operator fun <T> Iterable<T>.minus(element: T): List<T> {\n    val result = ArrayList<T>(collectionSizeOrDefault(10))\n    var removed = false\n    return this.filterTo(result) { if (!removed && it == element) { removed = true; false } else true }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the elements contained in the given [elements] array.\n *\npublic operator fun <T>
```

```
Iterable<T>.minus(elements: Array<out T>): List<T> {\n    if (elements.isEmpty()) return this.toList()\n    val other = elements.toHashSet()\n    return this.filterNot { it in other }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the elements contained in the given [elements] collection.\n *\npublic operator fun <T> Iterable<T>.minus(elements: Iterable<T>): List<T> {\n    val other = elements.convertToSetForSetOperationWith(this)\n
```

```
    if (other.isEmpty())\n        return this.toList()\n    return this.filterNot { it in other }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the elements contained in the given [elements] sequence.\n
```

```
\n\npublic operator fun <T> Iterable<T>.minus(elements: Sequence<T>): List<T> {\n    val other = elements.toHashSet()\n    if (other.isEmpty())\n        return this.toList()\n    return this.filterNot { it in other }\n}\n\n/**\n * Returns a list containing all elements of the original collection without the first occurrence of the given [element].\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minusElement(element: T): List<T> {\n    return minus(element)\n}\n\n/**\n * Splits the original collection into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n *\npublic inline fun <T>
```

```
Iterable<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n    val first = ArrayList<T>()\n    val second = ArrayList<T>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given [element].\n *\npublic operator fun <T>
```

```
Iterable<T>.plus(element: T): List<T> {\n    if (this is Collection) return this.plus(element)\n    val result = ArrayList<T>()\n    result.addAll(this)\n    result.add(element)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given [element].\n *\npublic operator fun <T>
```

```
Collection<T>.plus(element: T): List<T> {\n    val result = ArrayList<T>(size + 1)\n    result.addAll(this)\n    result.add(element)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] array.\n *\npublic operator fun <T>
```

```
<T> Iterable<T>.plus(elements: Array<out T>): List<T> {\n    if (this is Collection) return this.plus(elements)\n    val result = ArrayList<T>()\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] array.\n
```

```
\n\npublic operator fun <T> Collection<T>.plus(elements: Array<out T>): List<T> {\n    val result = ArrayList<T>(this.size + elements.size)\n    result.addAll(this)\n    result.addAll(elements)\n    return
```

```

result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given
[elements] collection.\n */\npublic operator fun <T> Iterable<T>.plus(elements: Iterable<T>): List<T> {\n    if (this
is Collection) return this.plus(elements)\n    val result = ArrayList<T>()\n
    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all
elements of the original collection and then all elements of the given [elements] collection.\n */\npublic operator fun
<T> Collection<T>.plus(elements: Iterable<T>): List<T> {\n    if (elements is Collection) {\n        val result =
ArrayList<T>(this.size + elements.size)\n        result.addAll(this)\n        result.addAll(elements)\n        return result\n
    } else {\n        val result = ArrayList<T>(this)\n        result.addAll(elements)\n        return result\n    }\n}\n\n/**\n *
Returns a list containing all elements of the original collection and then all elements of the given [elements]
sequence.\n */\npublic operator fun <T> Iterable<T>.plus(elements: Sequence<T>): List<T> {\n    val result =
ArrayList<T>()\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list
containing all elements of the original collection and
then all elements of the given [elements] sequence.\n */\npublic operator fun <T> Collection<T>.plus(elements:
Sequence<T>): List<T> {\n    val result = ArrayList<T>(this.size + 10)\n    result.addAll(this)\n
    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the original
collection and then the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Iterable<T>.plusElement(element: T): List<T> {\n    return plus(element)\n}\n\n/**\n * Returns a list containing all
elements of the original collection and then the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Collection<T>.plusElement(element: T): List<T> {\n    return plus(element)\n}\n\n/**\n * Returns a list of
snapshots of the window of the given [size]\n * sliding along this collection with the given [step], where each\n *
snapshot is a list.\n * \n * Several last lists may have less elements than the given [size].\n * \n * Both [size]
and [step] must be positive and can be greater than the number of elements in this collection.\n * @param size the
number of elements to take in each window\n * @param step the number of elements to move the window forward
by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the
end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample
samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin("1.2")\npublic fun <T>
Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<List<T>> {\n
    checkWindowSizeStep(size, step)\n    if (this is RandomAccess && this is List) {\n        val thisSize = this.size\n
        val result = ArrayList<List<T>>((thisSize + step - 1) / step)\n        var index = 0\n        while (index < thisSize) {\n
            val windowSize = size.coerceAtMost(thisSize - index)\n            if (windowSize < size && !partialWindows)
                break\n            result.add(List(windowSize) { this[it + index] })\n            index += step\n        }\n        return result\n
    }\n    val result = ArrayList<List<T>>()\n    windowedIterator(iterator(), size, step, partialWindows, reuseBuffer =
false).forEach {\n        result.add(it)\n    }\n    return result\n}\n\n/**\n * Returns a list of results of applying the
given [transform] function to\n * an each list representing a view over the window of the given [size]\n * sliding
along this collection with the given [step].\n * \n * Note that the list passed to the [transform] function is ephemeral
and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made
a snapshot of it.\n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and [step]
must be positive and can be greater than the number of elements in this collection.\n * @param size the number of
elements to take in each window\n
    * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param
partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which
means partial windows won't be preserved\n * \n * @sample
samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin("1.2")\npublic fun <T, R>
Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R):
List<R> {\n    checkWindowSizeStep(size, step)\n    if (this is RandomAccess && this is List) {\n        val thisSize =
this.size\n        val result = ArrayList<R>((thisSize + step - 1) / step)\n        val window = MovingSubList(this)\n
        var index = 0\n        while (index < thisSize) {\n            window.move(index, (index +
size).coerceAtMost(thisSize))\n            if (!partialWindows && window.size < size) break\n

```

```

result.add(transform(window))\n      index += step\n
    }\n    return result\n }\n val result = ArrayList<R>()\n windowedIterator(iterator(), size, step,
partialWindows, reuseBuffer = true).forEach {\n    result.add(transform(it))\n }\n return result\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` collection and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Iterable<T>.zip(other: Array<out
R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from
the elements of `this` collection and the [other] array with the same index\n * using the provided [transform]
function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n *
@sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V>
Iterable<T>.zip(other:
Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n    val arraySize = other.size\n    val list =
ArrayList<V>(minOf(collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in this) {\n        if (i >=
arraySize) break\n        list.add(transform(element, other[i++]))\n    }\n    return list\n}\n\n/**\n * Returns a list of
pairs built from the elements of `this` collection and [other] collection with the same index.\n * The returned list has
length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic
infix fun <T, R> Iterable<T>.zip(other: Iterable<R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of values built from the elements of `this` collection and the [other] collection with the
same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has
length of the shortest collection.\n * \n *
* @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V>
Iterable<T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n    val first = iterator()\n    val second
= other.iterator()\n    val list = ArrayList<V>(minOf(collectionSizeOrDefault(10),
other.collectionSizeOrDefault(10)))\n    while (first.hasNext() && second.hasNext()) {\n
list.add(transform(first.next(), second.next()))\n    }\n    return list\n}\n\n/**\n * Returns a list of pairs of each two
adjacent elements in this collection.\n * \n * The returned list is empty if this collection contains less than two
elements.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n
*/\n@SinceKotlin("1.2")\npublic fun <T> Iterable<T>.zipWithNext(): List<Pair<T, T>> {\n    return zipWithNext
{ a, b -> a to b }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to
an each pair of two adjacent
elements in this collection.\n * \n * The returned list is empty if this collection contains less than two elements.\n *
\n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n
*/\n@SinceKotlin("1.2")\npublic inline fun <T, R> Iterable<T>.zipWithNext(transform: (a: T, b: T) -> R):
List<R> {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return emptyList()\n    val result =
mutableListOf<R>()\n    var current = iterator.next()\n    while (iterator.hasNext()) {\n        val next =
iterator.next()\n        result.add(transform(current, next))\n        current = next\n    }\n    return result\n}\n\n/**\n *
Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if
supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only
the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n *
\n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <T, A : Appendable>
Iterable<T>.joinTo(buffer: A, separator: CharSequence = "\n", prefix: CharSequence = "\n", postfix: CharSequence
= "\n", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): A {\n
buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1) buffer.append(separator)\n
        if (limit < 0 || count <= limit) {\n            buffer.appendElement(element, transform)\n        } else break\n    }\n    if
(limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n *
Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if
supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only
the first [limit]\n * elements will be appended, followed

```



```

?: emptyArray<T>()\n\n@kotlin.internal.InlineOnly\npublic actual inline fun <T> Collection<T>.toArray():
Array<T> = copyToArray(this)\n\n@JsName("copyToArray")\n@PublishedApi\ninternal fun <T>
copyToArray(collection: Collection<T>): Array<T> {\n    return if (collection.asDynamic().toArray !==
undefined)\n        collection.asDynamic().toArray().unsafeCast<Array<T>>()\n    else\n
copyToArrayImpl(collection).unsafeCast<Array<T>>()\n}\n\n@JsName("copyToArrayImpl")\ninternal actual fun
copyToArrayImpl(collection: Collection<*>): Array<Any?> {\n    val array = emptyArray<Any?>()\n    val iterator
= collection.iterator()\n    while (iterator.hasNext())\n        array.asDynamic().push(iterator.next())\n    return
array\n}\n\n@JsName("copyToExistingArrayImpl")\ninternal actual fun <T> copyToArrayImpl(collection:
Collection<*>, array: Array<T>): Array<T> {\n    if (array.size < collection.size)\n        return
copyToArrayImpl(collection).unsafeCast<Array<T>>()\n    val iterator
= collection.iterator()\n    var index = 0\n    while (iterator.hasNext()) {\n        array[index++] =
iterator.next().unsafeCast<T>()\n    }\n    if (index < array.size) {\n        array[index] = null.unsafeCast<T>()\n    }\n
return array\n}\n\n@library("arrayToString")\n@Suppress("UNUSED_PARAMETER")\ninternal fun
arrayToString(array: Array<*>): String = definedExternally\n\n/**\n * Returns an immutable list containing only
the specified object [element].\n */\npublic fun <T> listOf(element: T): List<T> = arrayListOf(element)\n\n/**\n *
Returns an immutable set containing only the specified object [element].\n */\npublic fun <T> setOf(element: T):
Set<T> = hashSetOf(element)\n\n/**\n * Returns an immutable map, mapping only the specified key to the\n *
specified value.\n */\npublic fun <K, V> mapOf(pair: Pair<K, V>): Map<K, V> = hashMapOf(pair)\n\n/**\n * Fills
the list with the provided [value].\n */\n * Each element in the list gets replaced with the [value].\n
*/\n\n@SinceKotlin("1.2")\npublic
actual fun <T> MutableList<T>.fill(value: T): Unit {\n    for (index in 0..lastIndex) {\n        this[index] = value\n
}\n}\n\n/**\n * Randomly shuffles elements in this list.\n */\n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
}\n\n@SinceKotlin("1.2")\npublic actual fun <T> MutableList<T>.shuffle(): Unit {\n    for (i in lastIndex downTo
1) {\n        val j = rand(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\nprivate
fun rand(upperBound: Int) = floor(kotlin.js.Math.random() * upperBound).toInt()\n\n/**\n * Returns a new list with
the elements of this list randomly shuffled.\n */\n\n@SinceKotlin("1.2")\npublic actual fun <T>
Iterable<T>.shuffled(): List<T> = toMutableList().apply { shuffle() }\n\n/**\n * Sorts elements in the list in-place
according to their natural sort order.\n */\n\npublic actual fun <T : Comparable<T>> MutableList<T>.sort(): Unit {\n
collectionsSort(this,
    naturalOrder())\n}\n\n/**\n * Sorts elements in the list in-place according to the order specified with
[comparator].\n */\n\npublic actual fun <T> MutableList<T>.sortWith(comparator: Comparator<in T>): Unit {\n
collectionsSort(this, comparator)\n}\n\nprivate fun <T> collectionsSort(list: MutableList<T>, comparator:
Comparator<in T>) {\n    if (list.size <= 1) return\n    val array = copyToArray(list)\n    array.asDynamic().sort(comparator.asDynamic().compare.bind(comparator))\n    for (i in 0 until array.size) {\n
list[i] = array[i]\n    }\n}\n\ninternal actual fun <T> arrayOfNulls(reference: Array<T>, size: Int): Array<T> {\n
return arrayOfNulls<Any>(size).unsafeCast<Array<T>>()\n}\n\n// no singleton map implementation in js, return
map as is\n\n@Suppress("NOTHING_TO_INLINE")\ninternal actual inline fun <K, V> Map<K,
V>.toSingletonMapOrSelf(): Map<K, V> = this\n\n@Suppress("NOTHING_TO_INLINE")\ninternal actual inline
fun <K, V> Map<out K, V>.toSingletonMap():
Map<K, V> = this.toMutableMap()\n\n@Suppress("NOTHING_TO_INLINE")\ninternal actual inline fun <T>
Array<out T>.copyToArrayOfAny(isVarargs: Boolean): Array<out Any?> =\n    if (isVarargs)\n        // no need to
copy vararg array in JS\n        this\n    else\n        this.copyOf()\n}\n\n/**\n * Copyright 2010-2018 JetBrains s.r.o. Use
of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\n/**\n * Returns the given iterator itself. This allows to use an instance of iterator in a `for`
loop.\n */\n * @sample samples.collections.Iterators.iterator\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun <T> Iterator<T>.iterator(): Iterator<T> = this\n\n/**\n * Returns an [Iterator] wrapping each value produced by

```

```

this [Iterator] with the [IndexedValue],\n * containing value and it's index.\n * @sample
samples.collections.Iterators.withIndexIterator\n
 *^public fun <T> Iterator<T>.withIndex(): Iterator<IndexedValue<T>> = IndexingIterator(this)\n\n/**\n *
Performs the given [operation] on each element of this [Iterator].\n * @sample
samples.collections.Iterators.forEachIterator\n *^public inline fun <T> Iterator<T>.forEach(operation: (T) ->
Unit): Unit {\n for (element in this) operation(element)\n}\n\n/**\n * Iterator transforming original `iterator` into
iterator of [IndexedValue], counting index from zero.\n *^internal class IndexingIterator<out T>(private val
iterator: Iterator<T>) : Iterator<IndexedValue<T>> {\n private var index = 0\n final override fun hasNext():
Boolean = iterator.hasNext()\n final override fun next(): IndexedValue<T> = IndexedValue(index++,
iterator.next())\n}\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the
Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
 *^@file:kotlin.jvm.JvmMultifileClass\n *^@file:kotlin.jvm.JvmName("ComparisonsKt")\n\npackage
kotlin.comparisons\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.*\nimport kotlin.text.*\nimport
kotlin.comparisons.*\n\n/**\n * Returns the greater of two values.\n * If values are equal, returns the first one.\n
 *^@SinceKotlin("1.1")\n *^public expect fun <T : Comparable<T>> maxOf(a: T, b: T): T\n\n/**\n * Returns the
greater of two values.\n *^@SinceKotlin("1.1")\n *^@kotlin.internal.InlineOnly\n *^public expect inline fun maxOf(a:
Byte, b: Byte): Byte\n\n/**\n * Returns the greater of two values.\n
 *^@SinceKotlin("1.1")\n *^@kotlin.internal.InlineOnly\n *^public expect inline fun maxOf(a: Short, b: Short):
Short\n\n/**\n * Returns the greater of two values.\n
 *^@SinceKotlin("1.1")\n *^@kotlin.internal.InlineOnly\n *^public expect inline fun maxOf(a: Int, b: Int): Int\n\n/**\n
 * Returns the
greater of two values.\n *^@SinceKotlin("1.1")\n *^@kotlin.internal.InlineOnly\n *^public expect inline fun maxOf(a:
Long, b: Long): Long\n\n/**\n * Returns the greater of two values.\n
 *^@SinceKotlin("1.1")\n *^@kotlin.internal.InlineOnly\n *^public expect inline fun maxOf(a: Float, b: Float):
Float\n\n/**\n * Returns the greater of two values.\n
 *^@SinceKotlin("1.1")\n *^@kotlin.internal.InlineOnly\n *^public expect inline fun maxOf(a: Double, b: Double):
Double\n\n/**\n * Returns the greater of three values.\n *^@SinceKotlin("1.1")\n *^public expect fun <T :
Comparable<T>> maxOf(a: T, b: T, c: T): T\n\n/**\n * Returns the greater of three values.\n
 *^@SinceKotlin("1.1")\n *^@kotlin.internal.InlineOnly\n *^public expect inline fun maxOf(a: Byte, b: Byte, c: Byte):
Byte\n\n/**\n * Returns the greater of three values.\n
 *^@SinceKotlin("1.1")\n *^@kotlin.internal.InlineOnly\n *^public expect inline fun maxOf(a: Short, b: Short, c:
Short): Short\n\n/**\n * Returns the greater of three values.\n
 *^@SinceKotlin("1.1")\n *^@kotlin.internal.InlineOnly\n *^public
expect inline fun maxOf(a: Int, b: Int, c: Int): Int\n\n/**\n * Returns the greater of three values.\n
 *^@SinceKotlin("1.1")\n *^@kotlin.internal.InlineOnly\n *^public expect inline fun maxOf(a: Long, b: Long, c:
Long): Long\n\n/**\n * Returns the greater of three values.\n
 *^@SinceKotlin("1.1")\n *^@kotlin.internal.InlineOnly\n *^public expect inline fun maxOf(a: Float, b: Float, c:
Float): Float\n\n/**\n * Returns the greater of three values.\n
 *^@SinceKotlin("1.1")\n *^@kotlin.internal.InlineOnly\n *^public expect inline fun maxOf(a: Double, b: Double, c:
Double): Double\n\n/**\n * Returns the greater of three values according to the order specified by the given
[comparator].\n *^@SinceKotlin("1.1")\n *^public fun <T> maxOf(a: T, b: T, c: T, comparator: Comparator<in T>):
T {\n return maxOf(a, maxOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the greater of two values
according to the order specified by the given [comparator].\n
 * If values are equal, returns the first one.\n *^@SinceKotlin("1.1")\n *^public fun <T> maxOf(a: T, b: T,
comparator: Comparator<in T>): T {\n return if (comparator.compare(a, b) >= 0) a else b\n}\n\n/**\n * Returns
the smaller of two values.\n * If values are equal, returns the first one.\n *^@SinceKotlin("1.1")\n *^public expect
fun <T : Comparable<T>> minOf(a: T, b: T): T\n\n/**\n * Returns the smaller of two values.\n

```

```

*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Byte, b: Byte):
Byte\n\n/**\n * Returns the smaller of two values.\n
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Short, b: Short):
Short\n\n/**\n * Returns the smaller of two values.\n
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Int, b: Int): Int\n\n/**\n
* Returns the smaller of two values.\n *^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline
fun minOf(a: Long, b: Long): Long\n\n/**\n * Returns the smaller of two values.\n
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Float, b: Float):
Float\n\n/**\n * Returns the smaller of two values.\n
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Double, b: Double):
Double\n\n/**\n * Returns the smaller of three values.\n *^@SinceKotlin("1.1")^public expect fun <T :
Comparable<T>> minOf(a: T, b: T, c: T): T\n\n/**\n * Returns the smaller of three values.\n
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Byte, b: Byte, c: Byte):
Byte\n\n/**\n * Returns the smaller of three values.\n
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Short, b: Short, c:
Short): Short\n\n/**\n * Returns the smaller of three values.\n
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Int, b: Int,
c: Int): Int\n\n/**\n * Returns the smaller of three values.\n
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Long, b: Long, c:
Long): Long\n\n/**\n * Returns the smaller of three values.\n
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Float, b: Float, c: Float):
Float\n\n/**\n * Returns the smaller of three values.\n
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Double, b: Double, c:
Double): Double\n\n/**\n * Returns the smaller of three values according to the order specified by the given
[comparator].\n *^@SinceKotlin("1.1")^public fun <T> minOf(a: T, b: T, c: T, comparator: Comparator<in T>):
T {\n    return minOf(a, minOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the smaller of two values
according to the order specified by the given [comparator].\n * If values are equal, returns the first one.\n
*^@SinceKotlin("1.1")^public fun
<T> minOf(a: T, b: T, comparator: Comparator<in T>): T {\n    return if (comparator.compare(a, b) <= 0) a else
b\n}\n\n/**\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
\n * that can be found in the license/LICENSE.txt file.\n
*^@n^@file:kotlin.jvm.JvmMultifileClass^@file:kotlin.jvm.JvmName("MapsKt")^package
kotlin.collections\n\n/\n NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n\nimport kotlin.*\nimport kotlin.text.*\nimport
kotlin.comparisons.*\n\n/**\n * Returns a [List] containing all key-value pairs.\n *^public fun <K, V> Map<out K,
V>.toList(): List<Pair<K, V>> {\n    if (size == 0)\n        return emptyList()\n    val iterator = entries.iterator()\n    if
(!iterator.hasNext())\n        return emptyList()\n    val first = iterator.next()\n    if (!iterator.hasNext())\n        return
listOf(first.toPair())\n    val
result = ArrayList<Pair<K, V>>(size)\n    result.add(first.toPair())\n    do {\n
result.add(iterator.next().toPair())\n    } while (iterator.hasNext())\n    return result\n}\n\n/**\n * Returns a single list
of all elements yielded from results of [transform] function being invoked on each entry of original map.\n
*^public inline fun <K, V, R> Map<out K, V>.flatMap(transform: (Map.Entry<K, V>) -> Iterable<R>): List<R>
{\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each entry of original map, to the given [destination].\n *^public inline fun
<K, V, R, C : MutableCollection<in R>> Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>)
-> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n
}\n    return destination\n}\n\n/**\n * Returns a list containing the results of applying the given [transform]

```

```

function
 * to each entry in the original map.
 * public inline fun <K, V, R> Map<out K, V>.map(transform:
 (Map.Entry<K, V>) -> R): List<R> {
 return mapTo(ArrayList<R>(size), transform)
 }
 * Returns a list
 containing only the non-null results of applying the given [transform] function
 * to each entry in the original
 map.
 * public inline fun <K, V, R : Any> Map<out K, V>.mapNotNull(transform: (Map.Entry<K, V>) -> R?):
 List<R> {
 return mapNotNullTo(ArrayList<R>(), transform)
 }
 * Applies the given [transform]
 function to each entry in the original map
 * and appends only the non-null results to the given [destination].
 * public inline fun <K, V, R : Any, C : MutableCollection<in R>> Map<out K, V>.mapNotNullTo(destination: C,
 transform: (Map.Entry<K, V>) -> R?): C {
 forEach { element -> transform(element)?.let { destination.add(it) }
 }
 return destination
 }
 * Applies the given [transform] function to each entry of the original
 map
 * and appends the results to the given [destination].
 * public inline fun <K, V, R, C :
 MutableCollection<in R>> Map<out K, V>.mapTo(destination: C, transform: (Map.Entry<K, V>) -> R): C {
 for
 (item in this)
 destination.add(transform(item))
 return destination
 }
 * Returns `true` if all entries
 match the given [predicate].
 * @sample samples.collections.Collections.Aggregates.all
 * public inline fun
 <K, V> Map<out K, V>.all(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {
 if (isEmpty()) return true
 for (element in this) if (!predicate(element)) return false
 return true
 }
 * Returns `true` if map has at
 least one entry.
 * @sample samples.collections.Collections.Aggregates.any
 * public fun <K, V> Map<out
 K, V>.any(): Boolean {
 return !isEmpty()
 }
 * Returns `true` if at least one entry matches the given
 [predicate].
 * @sample samples.collections.Collections.Aggregates.anyWithPredicate
 * public inline fun <K, V> Map<out K, V>.any(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {
 if
 (isEmpty()) return false
 for (element in this) if (predicate(element)) return true
 return false
 }
 *
 Returns the number of entries in this map.
 * @kotlin.internal.InlineOnly
 * public inline fun <K, V> Map<out K,
 V>.count(): Int {
 return size
 }
 * Returns the number of entries matching the given [predicate].
 * public inline fun <K, V> Map<out K, V>.count(predicate: (Map.Entry<K, V>) -> Boolean): Int {
 if
 (isEmpty()) return 0
 var count = 0
 for (element in this) if (predicate(element)) count++
 return
 count
 }
 * Performs the given [action] on each entry.
 * @kotlin.internal.HidesMembers
 * public inline
 fun <K, V> Map<out K, V>.forEach(action: (Map.Entry<K, V>) -> Unit): Unit {
 for (element in this)
 action(element)
 }
 * Returns the first entry yielding the largest value of the given function
 or `null` if there are no entries.
 * @kotlin.internal.InlineOnly
 * public inline fun <K, V, R : Comparable<R>>
 Map<out K, V>.maxBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {
 return
 entries.maxBy(selector)
 }
 * Returns the first entry having the largest value according to the provided
 [comparator] or `null` if there are no entries.
 * @kotlin.internal.InlineOnly
 * public inline fun <K, V> Map<out
 K, V>.maxWith(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {
 return
 entries.maxWith(comparator)
 }
 * Returns the first entry yielding the smallest value of the given function
 or `null` if there are no entries.
 * public inline fun <K, V, R : Comparable<R>> Map<out K,
 V>.minBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {
 return entries.minBy(selector)
 }
 * Returns the first entry having the smallest value according to the provided [comparator] or `null` if there are no
 entries.
 * public fun <K, V> Map<out
 K, V>.minWith(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {
 return
 entries.minWith(comparator)
 }
 * Returns `true` if the map has no entries.
 * @sample
 samples.collections.Collections.Aggregates.none
 * public fun <K, V> Map<out K, V>.none(): Boolean {
 return isEmpty()
 }
 * Returns `true` if no entries match the given [predicate].
 * @sample
 samples.collections.Collections.Aggregates.noneWithPredicate
 * public inline fun <K, V> Map<out K,
 V>.none(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {
 if (isEmpty()) return true
 for (element in
 this) if (predicate(element)) return false
 return true
 }
 * Performs the given [action] on each entry and
 returns the map itself afterwards.
 * @SinceKotlin("1.1")
 * public inline fun <K, V, M : Map<out K, V>>
 M.onEach(action: (Map.Entry<K, V>) -> Unit): M {
 return apply { for (element in this) action(element)
 }
 }
 * Creates an [Iterable] instance

```

```

that wraps the original map returning its entries when being iterated.\n */\n@kotlin.internal.InlineOnly\npublic
inline fun <K, V> Map<out K, V>.asIterable(): Iterable<Map.Entry<K, V>> {\n    return entries}\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original map returning its entries when being iterated.\n */\npublic fun
<K, V> Map<out K, V>.asSequence(): Sequence<Map.Entry<K, V>> {\n    return
entries.asSequence()\n}\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the
Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.ranges\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float.rangeTo(that:
Float): ClosedFloatingPointRange<Float> =\n
this.toDouble().rangeTo(that.toDouble()).unsafeCast<ClosedFloatingPointRange<Float>>()\n"/**\n * Copyright
2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SequencesKt")\n\npackage
kotlin.sequences\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.*\nimport kotlin.text.*\nimport
kotlin.comparisons.*\nimport kotlin.coroutines.experimental.*\n\n/**\n * Returns `true` if [element] is found in the
sequence.\n * \n * The operation is _terminal_.\n */\npublic operator fun <@kotlin.internal.OnlyInputTypes T>
Sequence<T>.contains(element: T): Boolean {\n    return indexOf(element) >= 0}\n}\n\n/**\n * Returns an element
at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this sequence.\n
*\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.elementAt(index: Int): T {\n    return
elementAtOrElse(index) {\n        throw IndexOutOfBoundsException("Sequence doesn't contain element
at index $index.")\n    }\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this sequence.\n * \n * The operation is _terminal_.\n */\npublic fun <T>
Sequence<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n    if (index < 0)\n        return
defaultValue(index)\n    val iterator = iterator()\n    var count = 0\n    while (iterator.hasNext()) {\n        val element
= iterator.next()\n        if (index == count++)\n            return element\n    }\n    return
defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of
this sequence.\n * \n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.elementOrNull(index: Int):
T? {\n    if (index < 0)\n        return null\n    val iterator = iterator()\n    var count = 0\n    while (iterator.hasNext())\n        {\n            val element = iterator.next()\n            if (index == count++)\n                return element\n        }\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or
`null` if no such element was found.\n * \n * The operation is _terminal_.\n */\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Sequence<T>.find(predicate: (T) -> Boolean): T? {\n    return firstOrNull(predicate)\n}\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * The
operation is _terminal_.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.findLast(predicate:
(T) -> Boolean): T? {\n    return lastOrNull(predicate)\n}\n}\n\n/**\n * Returns first element.\n * \n * @throws
[NoSuchElementException] if the sequence is empty.\n * \n * The operation is _terminal_.\n */\npublic fun <T>
Sequence<T>.first(): T {\n    val iterator = iterator()\n    if (!iterator.hasNext())\n        throw
NoSuchElementException("Sequence is empty.")\n    return iterator.next()\n}\n}\n\n/**\n * Returns the
first element matching the given [predicate].\n * \n * @throws [NoSuchElementException] if no such element is
found.\n * \n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.first(predicate: (T) ->
Boolean): T {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("Sequence contains no element matching the predicate.")\n}\n}\n\n/**\n * Returns the first
element, or `null` if the sequence is empty.\n * \n * The operation is _terminal_.\n */\npublic fun <T>
Sequence<T>.firstOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext())\n        return null\n    return
iterator.next()\n}\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not
found.\n * \n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.firstOrNull(predicate: (T) ->
Boolean): T? {\n    for (element in this) if (predicate(element)) return element\n    return null\n}\n}\n\n/**\n * Returns
first

```

```

index of [element], or -1 if the sequence does not contain element.\n * The operation is _terminal_.\n */\npublic
fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.indexOf(element: T): Int {\n    var index = 0\n    for (item
in this) {\n        if (element == item)\n            return index\n            index++\n    }\n    return -1\n}\n\n/**\n * Returns
index of the first element matching the given [predicate], or -1 if the sequence does not contain such element.\n *
* The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.indexOfFirst(predicate: (T) -> Boolean):
Int {\n    var index = 0\n    for (item in this) {\n        if (predicate(item))\n            return index\n            index++\n    }\n
return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the sequence does
not contain such element.\n * The operation is _terminal_.\n */\npublic inline fun <T>
Sequence<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n    var
lastIndex = -1\n    var index = 0\n    for (item in this) {\n        if (predicate(item))\n            lastIndex = index\n
index++\n    }\n    return lastIndex\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException]
if the sequence is empty.\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.last(): T {\n    val
iterator = iterator()\n    if (!iterator.hasNext())\n        throw NoSuchElementException("Sequence is empty.")\n
var last = iterator.next()\n    while (iterator.hasNext())\n        last = iterator.next()\n    return last\n}\n\n/**\n *
Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.last(predicate: (T) ->
Boolean): T {\n    var last: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element))\n
{\n            last = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Sequence contains no element matching the
predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return last as T\n}\n\n/**\n * Returns last index of
[element], or -1 if the sequence does not contain element.\n * The operation is _terminal_.\n */\npublic fun
<@kotlin.internal.OnlyInputTypes T> Sequence<T>.lastIndexOf(element: T): Int {\n    var lastIndex = -1\n    var
index = 0\n    for (item in this) {\n        if (element == item)\n            lastIndex = index\n            index++\n    }\n
return lastIndex\n}\n\n/**\n * Returns the last element, or `null` if the sequence is empty.\n * The operation is
_terminal_.\n */\npublic fun <T> Sequence<T>.lastOrNull(): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext())\n        return null\n    var last = iterator.next()\n    while (iterator.hasNext())\n        last =
iterator.next()\n    return last\n}\n\n/**\n * Returns the last element matching the
given [predicate], or `null` if no such element was found.\n * The operation is _terminal_.\n */\npublic inline
fun <T> Sequence<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n    var last: T? = null\n    for (element in this)
{\n        if (predicate(element)) {\n            last = element\n        }\n    }\n    return last\n}\n\n/**\n * Returns the
single element, or throws an exception if the sequence is empty or has more than one element.\n * The operation
is _terminal_.\n */\npublic fun <T> Sequence<T>.single(): T {\n    val iterator = iterator()\n    if
(!iterator.hasNext())\n        throw NoSuchElementException("Sequence is empty.")\n    val single =
iterator.next()\n    if (iterator.hasNext())\n        throw IllegalArgumentException("Sequence has more than one
element.")\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws
exception if there is no or more than one matching element.\n * The operation is _terminal_.\n */\npublic inline
fun <T> Sequence<T>.single(predicate: (T) -> Boolean): T {\n    var single: T? = null\n    var
found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw
IllegalArgumentException("Sequence contains more than one matching element.")\n            single = element\n
found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Sequence contains no element
matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as T\n}\n\n/**\n * Returns
single element, or `null` if the sequence is empty or has more than one element.\n * The operation is
_terminal_.\n */\npublic fun <T> Sequence<T>.singleOrNull(): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext())\n        return null\n    val single = iterator.next()\n    if (iterator.hasNext())\n        return null\n
return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or
`null` if element was not found or more than one element was found.\n * The operation is _terminal_.\n */\npublic
inline fun <T> Sequence<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n    var single: T? = null\n
var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n
}

```

```

single = element\n      found = true\n      }\n      }\n      if (!found) return null\n      return single\n}\n\n/**\n *
Returns a sequence containing all elements except first [n] elements.\n *\n * The operation is _intermediate_ and
_stateless_.\n *\n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T>
Sequence<T>.drop(n: Int): Sequence<T> {\n    require(n >= 0) {\n        "Requested element count $n is less than zero."
}\n    return when {\n        n == 0 -> this\n        this is DropTakeSequence -> this.drop(n)\n        else ->
DropSequence(this, n)\n    }\n}\n\n/**\n * Returns a sequence containing all elements
except first elements that satisfy the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T>
Sequence<T>.dropWhile(predicate: (T) -> Boolean): Sequence<T> {\n    return DropWhileSequence(this,
predicate)\n}\n\n/**\n * Returns a sequence containing only elements matching the given [predicate].\n *\n * The
operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.filter(predicate: (T) -> Boolean):
Sequence<T> {\n    return FilteringSequence(this, true, predicate)\n}\n\n/**\n * Returns a sequence containing only
elements matching the given [predicate].\n *\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n *\n * The operation is
_intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.filterIndexed(predicate: (index: Int, T) ->
Boolean): Sequence<T>
{\n    // TODO: Rewrite with generalized MapFilterIndexingSequence\n    return
TransformingSequence(FilteringSequence(IndexingSequence(this), true, { predicate(it.index, it.value) })), { it.value
})\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *\n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, C : MutableCollection<in
T>> Sequence<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n    forEachIndexed {
index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return
destination\n}\n\n/**\n * Returns a sequence containing all elements that are instances of specified type parameter
R.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic inline fun <reified R>
Sequence<*>.filterIsInstance():
Sequence<@kotlin.internal.NoInfer R> {\n    @Suppress("UNCHECKED_CAST")\n    return filter { it is R } as
Sequence<R>\n}\n\n/**\n * Appends all elements that are instances of specified type parameter R to the given
[destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <reified R, C : MutableCollection<in R>>
Sequence<*>.filterIsInstanceTo(destination: C): C {\n    for (element in this) if (element is R)
destination.add(element)\n    return destination\n}\n\n/**\n * Returns a sequence containing all elements not
matching the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T>
Sequence<T>.filterNot(predicate: (T) -> Boolean): Sequence<T> {\n    return FilteringSequence(this, false,
predicate)\n}\n\n/**\n * Returns a sequence containing all elements that are not `null`.\n *\n * The operation is
_intermediate_ and _stateless_.\n */\npublic fun <T : Any> Sequence<T?>.filterNotNull(): Sequence<T> {\n    @Suppress("UNCHECKED_CAST")\n
return filterNot { it == null } as Sequence<T>\n}\n\n/**\n * Appends all elements that are not `null` to the given
[destination].\n *\n * The operation is _terminal_.\n */\npublic fun <C : MutableCollection<in T>, T : Any>
Sequence<T?>.filterNotNullTo(destination: C): C {\n    for (element in this) if (element != null)
destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements not matching the given
[predicate] to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, C :
MutableCollection<in T>> Sequence<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n    for
(element in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic
inline fun <T, C : MutableCollection<in T>> Sequence<T>.filterTo(destination: C, predicate: (T) ->
Boolean): C {\n    for (element in this) if (predicate(element)) destination.add(element)\n    return
destination\n}\n\n/**\n * Returns a sequence containing first [n] elements.\n *\n * The operation is _intermediate_
and _stateless_.\n *\n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T>

```

```

Sequence<T>.take(n: Int): Sequence<T> {\n  require(n >= 0) { \ "Requested element count $n is less than zero.\n
}\n  return when {\n    n == 0 -> emptySequence()\n    this is DropTakeSequence -> this.take(n)\n    else ->
TakeSequence(this, n)\n  }\n}\n\n/**\n * Returns a sequence containing first elements satisfying the given
[predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Collections.Transformations.take\n *\npublic fun <T> Sequence<T>.takeWhile(predicate: (T) -
> Boolean): Sequence<T> {\n  return TakeWhileSequence(this, predicate)\n}\n}\n\n/**\n * Returns a sequence that
yields elements of
this sequence sorted according to their natural sort order.\n *\n * The operation is _intermediate_ and _stateful_.\n
*\npublic fun <T : Comparable<T>> Sequence<T>.sorted(): Sequence<T> {\n  return object : Sequence<T> {\n
  override fun iterator(): Iterator<T> {\n    val sortedList = this@sorted.toMutableList()\n
sortedList.sort()\n    return sortedList.iterator()\n  }\n}\n}\n\n/**\n * Returns a sequence that yields
elements of this sequence sorted according to natural sort order of the value returned by specified [selector]
function.\n *\n * The operation is _intermediate_ and _stateful_.\n *\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.sortedBy(crossinline selector: (T) -> R?): Sequence<T> {\n  return
sortedWith(compareBy(selector))\n}\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted
descending according to natural sort order of the value returned by specified [selector] function.\n *\n * The
operation
is _intermediate_ and _stateful_.\n *\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.sortedByDescending(crossinline selector: (T) -> R?): Sequence<T> {\n  return
sortedWith(compareByDescending(selector))\n}\n}\n\n/**\n * Returns a sequence that yields elements of this sequence
sorted descending according to their natural sort order.\n *\n * The operation is _intermediate_ and _stateful_.\n
*\npublic fun <T : Comparable<T>> Sequence<T>.sortedDescending(): Sequence<T> {\n  return
sortedWith(reverseOrder())\n}\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according
to the specified [comparator].\n *\n * The operation is _intermediate_ and _stateful_.\n *\npublic fun <T>
Sequence<T>.sortedWith(comparator: Comparator<in T>): Sequence<T> {\n  return object : Sequence<T> {\n
  override fun iterator(): Iterator<T> {\n    val sortedList = this@sortedWith.toMutableList()\n
sortedList.sortWith(comparator)\n    return sortedList.iterator()\n  }\n}\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n *\n applied
to elements of the given sequence.\n *\n * If any of two pairs would have the same key the last one gets added to
the map.\n *\n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The
operation is _terminal_.\n *\npublic inline fun <T, K, V> Sequence<T>.associate(transform: (T) -> Pair<K, V>):
Map<K, V> {\n  return associateTo(LinkedHashMap<K, V>(), transform)\n}\n}\n\n/**\n * Returns a [Map]
containing the elements from the given sequence indexed by the key\n *\n returned from [keySelector] function
applied to each element.\n *\n * If any two elements would have the same key returned by [keySelector] the last
one gets added to the map.\n *\n * The returned map preserves the entry iteration order of the original sequence.\n
*\n * The operation is _terminal_.\n *\npublic inline fun <T, K> Sequence<T>.associateBy(keySelector:
(T) -> K): Map<K, T> {\n  return associateByTo(LinkedHashMap<K, T>(), keySelector)\n}\n}\n\n/**\n * Returns a
[Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to
elements of the given sequence.\n *\n * If any two elements would have the same key returned by [keySelector] the
last one gets added to the map.\n *\n * The returned map preserves the entry iteration order of the original
sequence.\n *\n * The operation is _terminal_.\n *\npublic inline fun <T, K, V>
Sequence<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n  return
associateByTo(LinkedHashMap<K, V>(), keySelector, valueTransform)\n}\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs,\n *\n where key is provided by the [keySelector] function applied to
each element of the given sequence\n *\n and value is the element itself.\n *\n * If any two elements would have the
same key returned by [keySelector]
the last one gets added to the map.\n *\n * The operation is _terminal_.\n *\npublic inline fun <T, K, M :
MutableMap<in K, in T>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n  for

```

(element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/\*\*\n \* Populates and returns the [destination] mutable map with key-value pairs,\n \* where key is provided by the [keySelector] function and\n \* and value is provided by the [valueTransform] function applied to elements of the given sequence.\n \* \n \* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n \* \n \* The operation is \_terminal\_.\n \*/\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/\*\*\n \* Populates and returns the [destination] mutable map with key-value pairs\n \* provided by [transform] function applied to each element of the given sequence.\n \* \n \* If any of two pairs would have the same key the last one gets added to the map.\n \* \n \* The operation is \_terminal\_.\n \*/\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/\*\*\n \* Appends all elements to the given [destination] collection.\n \* \n \* The operation is \_terminal\_.\n \*/\npublic fun <T, C : MutableCollection<in T>> Sequence<T>.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/\*\*\n \* Returns a [HashSet] of all elements.\n \* \n \* The operation is \_terminal\_.\n \*/\npublic fun <T> Sequence<T>.toHashSet(): HashSet<T> {\n return toCollection(HashSet<T>())\n}\n\n/\*\*\n \* Returns a [List] containing all elements.\n \* \n \* The operation is \_terminal\_.\n \*/\npublic fun <T> Sequence<T>.toList(): List<T> {\n return this.toMutableList().optimizeReadOnlyList()\n}\n\n/\*\*\n \* Returns a [MutableList] filled with all elements of this sequence.\n \* \n \* The operation is \_terminal\_.\n \*/\npublic fun <T> Sequence<T>.toMutableList(): MutableList<T> {\n return toCollection(ArrayList<T>())\n}\n\n/\*\*\n \* Returns a [Set] of all elements.\n \* \n \* The returned set preserves the element iteration order of the original sequence.\n \* \n \* The operation is \_terminal\_.\n \*/\npublic fun <T> Sequence<T>.toSet(): Set<T> {\n return toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n}\n\n/\*\*\n \* Returns a single sequence of all elements from results of [transform] function being invoked on each element of original sequence.\n \* \n \* The operation is \_intermediate\_ and \_stateless\_.\n \*/\npublic fun <T, R> Sequence<T>.flatMap(transform: (T) -> Sequence<R>): Sequence<R> {\n return FlatteningSequence(this, transform, { it.iterator() })\n}\n\n/\*\*\n \* Appends all elements yielded from results of [transform] function being invoked on each element of original sequence, to the given [destination].\n \* \n \* The operation is \_terminal\_.\n \*/\npublic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/\*\*\n \* Groups elements of the original sequence by the key returned by the given [keySelector] function\n \* applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n \* \n \* The returned map preserves the entry iteration order of the keys produced from the original sequence.\n \* \n \* The operation is \_terminal\_.\n \* \n \* @sample samples.collections.Collections.Transformations.groupBy\n \*/\npublic inline fun <T, K> Sequence<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n return groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/\*\*\n \* Groups values returned by the [valueTransform] function applied to each element of the original sequence\n \* by the key returned by the given [keySelector] function applied to the element\n \* and returns a map where each group key is associated with a list of corresponding values.\n \* \n \* The returned map preserves the entry iteration order of the keys produced from the original sequence.\n \* \n \* The operation is \_terminal\_.\n \* \n \* @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n \*/\npublic inline fun <T, K, V> Sequence<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/\*\*\n \* Groups elements of the original sequence by the key returned by the given [keySelector] function\n \* applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n \* \n \* @return The [destination] map.\n \* \n \* The operation is

```

_terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T,
K, M : MutableMap<in K, MutableList<T>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K): M
{\n  for (element in this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key) {
ArrayList<T>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each element of the original sequence\n * by the key returned by the given
[keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a
list of corresponding values.\n * \n * @return The [destination] map.\n * \n * The
operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <T, K, V, M :
MutableMap<in K, MutableList<V>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K,
valueTransform: (T) -> V): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<V>() }\n    list.add(valueTransform(element))\n  }\n  return
destination\n}\n\n/**\n * Creates a [Grouping] source from a sequence to be used later with one of group-and-fold
operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * The operation is
_intermediate_ and _stateless_.\n * \n * @sample
samples.collections.Collections.Transformations.groupingByEachCount\n */\n@SinceKotlin("1.1")\npublic inline
fun <T, K> Sequence<T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n  return object :
Grouping<T, K> {\n
  override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n    override fun keyOf(element: T): K =
keySelector(element)\n  }\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform]
function\n * to each element in the original sequence.\n * \n * The operation is _intermediate_ and _stateless_.\n
*/\npublic fun <T, R> Sequence<T>.map(transform: (T) -> R): Sequence<R> {\n  return
TransformingSequence(this, transform)\n}\n\n/**\n * Returns a sequence containing the results of applying the
given [transform] function\n * to each element and its index in the original sequence.\n * @param [transform]
function that takes the index of an element and the element itself\n * and returns the result of the transform applied
to the element.\n * \n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R>
Sequence<T>.mapIndexed(transform: (index: Int, T) -> R): Sequence<R> {\n  return
TransformingIndexedSequence(this, transform)\n}\n\n/**\n * Returns a sequence containing only the non-null results of applying the given [transform] function\n * to each
element and its index in the original sequence.\n * @param [transform] function that takes the index of an element
and the element itself\n * and returns the result of the transform applied to the element.\n * \n * The operation is
_intermediate_ and _stateless_.\n */\npublic fun <T, R : Any> Sequence<T>.mapIndexedNotNull(transform: (index:
Int, T) -> R?): Sequence<R> {\n  return TransformingIndexedSequence(this, transform).filterNotNull()\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original sequence\n * and appends only
the non-null results to the given [destination].\n * @param [transform] function that takes the index of an element
and the element itself\n * and returns the result of the transform applied to the element.\n * \n * The operation is
_intermediate_ and _stateless_.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in
R>> Sequence<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n
  forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n  return
destination\n}\n\n/**\n * Applies the given [transform] function\n * to each element and its index in the original
sequence\n * and appends the results to the given [destination].\n * @param [transform] function that takes the
index of an element and the element itself\n * and returns the result of the transform applied to the element.\n * \n *
The operation is _terminal_.\n */\npublic inline fun <T, R, C : MutableCollection<in R>>
Sequence<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n  var index = 0\n  for (item in
this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Returns a sequence
containing only the non-null results of applying the given [transform] function\n * to each element in the original
sequence.\n * \n *

```

The operation is `_intermediate_ and _stateless_`.  
`Sequence<T>.mapNotNull(transform: (T) -> R?): Sequence<R>` {  
 return TransformingSequence(this, transform).filterNotNull()  
} \* Applies the given [transform] function to each element in the original sequence and appends only the non-null results to the given [destination].  
The operation is `_terminal_`.  
`Sequence<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C` {  
 for (element in this) {  
 transform(element)?.let { destination.add(it) }  
 }  
 return destination  
} \* Applies the given [transform] function to each element of the original sequence and appends the results to the given [destination].  
The operation is `_terminal_`.  
`Sequence<T>.mapTo(destination: C, transform: (T) -> R): C` {  
 for (item in this) destination.add(transform(item))  
 return destination  
} \* Returns a sequence of [IndexedValue] for each element of the original sequence.  
The operation is `_intermediate_ and _stateless_`.  
`Sequence<T>.withIndex(): Sequence<IndexedValue<T>>` {  
 return IndexingSequence(this)  
} \* Returns a sequence containing only distinct elements from the given sequence.  
The elements in the resulting sequence are in the same order as they were in the source sequence.  
The operation is `_intermediate_ and _stateful_`.  
`Sequence<T>.distinct(): Sequence<T>` {  
 return this.distinctBy { it }  
} \* Returns a sequence containing only elements from the given sequence having distinct keys returned by the given [selector] function.  
The elements in the resulting sequence are in the same order as they were in the source sequence.  
The operation is `_intermediate_ and _stateful_`.  
`Sequence<T>.distinctBy(selector: (T) -> K): Sequence<T>` {  
 return DistinctSequence(this, selector)  
} \* Returns a mutable set containing all distinct elements from the given sequence.  
The returned set preserves the element iteration order of the original sequence.  
The operation is `_terminal_`.  
`Sequence<T>.toMutableSet(): MutableSet<T>` {  
 val set = LinkedHashSet<T>()  
 for (item in this) set.add(item)  
 return set  
} \* Returns `true` if all elements match the given [predicate].  
The operation is `_terminal_`.  
`Sequence<T>.all(predicate: (T) -> Boolean): Boolean` {  
 for (element in this) if (!predicate(element)) return false  
 return true  
} \* Returns `true` if sequence has at least one element.  
The operation is `_terminal_`.  
`Sequence<T>.any(): Boolean` {  
 return iterator().hasNext()  
} \* Returns `true` if at least one element matches the given [predicate].  
The operation is `_terminal_`.  
`Sequence<T>.any(predicate: (T) -> Boolean): Boolean` {  
 for (element in this) if (predicate(element)) return true  
 return false  
} \* Returns the number of elements in this sequence.  
The operation is `_terminal_`.  
`Sequence<T>.count(): Int` {  
 var count = 0  
 for (element in this) count++  
 return count  
} \* Returns the number of elements matching the given [predicate].  
The operation is `_terminal_`.  
`Sequence<T>.count(predicate: (T) -> Boolean): Int` {  
 var count = 0  
 for (element in this) if (predicate(element)) count++  
 return count  
} \* Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.  
The operation is `_terminal_`.  
`Sequence<T>.fold(initial: R, operation: (acc: R, T) -> R): R` {  
 var accumulator = initial  
 for (element in this) accumulator = operation(accumulator, element)  
 return accumulator  
} \* Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element with its index in the original sequence.  
@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.  
The operation is `_terminal_`.  
`Sequence<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R` {  
 var index = 0  
 var accumulator = initial  
 for (element in this) accumulator =

```

operation(index++, accumulator, element)\n    return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n * The operation is _terminal_.\n */\npublic inline fun <T>\nSequence<T>.forEach(action: (T) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.forEachIndexed(action: (index: Int, T) -> Unit):\nUnit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * If any of elements is `NaN` returns `NaN`.\n * The operation is _terminal_.\n */\n@SinceKotlin("1.1")\npublic fun Sequence<Double>.max(): Double? {\n    val iterator =\niterator()\n    if (!iterator.hasNext()) return null\n    var max = iterator.next()\n    if (max.isNaN()) return max\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (e.isNaN())\nreturn e\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * If any of elements is `NaN` returns `NaN`.\n * The operation is _terminal_.\n */\n@SinceKotlin("1.1")\npublic fun Sequence<Float>.max(): Float? {\n    val iterator = iterator()\n    if\n(iterator.hasNext()) return null\n    var max = iterator.next()\n    if (max.isNaN()) return max\n    while\n(iterator.hasNext()) {\n        val e = iterator.next()\n        if (e.isNaN()) return e\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * The operation is _terminal_.\n */\npublic fun <T : Comparable<T>> Sequence<T>.max(): T? {\n    val iterator = iterator()\n    if\n(iterator.hasNext()) return null\n    var max = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (max < e) max = e\n    }\n    return\nmax\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no\n elements.\n * The operation is _terminal_.\n */\npublic inline fun <T, R : Comparable<R>>\nSequence<T>.maxBy(selector: (T) -> R): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var maxElem = iterator.next()\n    var maxValue = selector(maxElem)\n    while (iterator.hasNext()) {\n        val e =\niterator.next()\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element having the largest value according to the\n provided [comparator] or `null` if there are no elements.\n * The operation is _terminal_.\n */\npublic fun <T>\nSequence<T>.maxWith(comparator: Comparator<in T>): T? {\n    val iterator\n= iterator()\n    if (!iterator.hasNext()) return null\n    var max = iterator.next()\n    while (iterator.hasNext()) {\n    val e = iterator.next()\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * If any of elements is `NaN` returns `NaN`.\n * The operation is _terminal_.\n */\n@SinceKotlin("1.1")\npublic fun Sequence<Double>.min(): Double? {\n    val\niterator = iterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n    if (min.isNaN()) return\nmin\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (e.isNaN()) return e\n        if (min > e) min\n= e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * If any of elements is `NaN` returns `NaN`.\n * The operation is _terminal_.\n */\n@SinceKotlin("1.1")\npublic fun\nSequence<Float>.min(): Float?\n{\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n    if (min.isNaN())\nreturn min\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (e.isNaN()) return e\n        if (min >\ne) min = e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * The operation is _terminal_.\n */\npublic inline fun <T : Comparable<T>> Sequence<T>.min(): T? {\n    val\niterator =\niterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n    val e = iterator.next()\n        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element yielding\n the smallest value of the given function or `null` if there are no elements.\n * The operation is _terminal_.\n */\npublic inline fun <T, R : Comparable<R>> Sequence<T>.minBy(selector: (T) -> R): T? {\n    val\niterator =\niterator()\n    if (!iterator.hasNext())\nreturn null\n    var minElem = iterator.next()\n    var minValue = selector(minElem)\n    while (iterator.hasNext()) {\n    val e = iterator.next()\n        val v = selector(e)\n        if (minValue > v) {\n            minElem = e\n
```

```

minValue = v\n    }\n    }\n    return minElem\n}\n}\n/**\n * Returns the first element having the smallest value
according to the provided [comparator] or `null` if there are no elements.\n *\n * The operation is _terminal_.\n
*\npublic fun <T> Sequence<T>.minWith(comparator: Comparator<in T>): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e =
iterator.next()\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n}\n/**\n * Returns `true` if
the sequence has no elements.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Aggregates.none\n
*\npublic fun <T> Sequence<T>.none():
Boolean {\n    return !iterator().hasNext()\n}\n}\n/**\n * Returns `true` if no elements match the given [predicate].\n
*\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n
*\npublic inline fun <T>
Sequence<T>.none(predicate: (T) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
false\n    return true\n}\n}\n/**\n * Returns a sequence which performs the given [action] on each element of the
original sequence as they pass through it.\n *\n * The operation is _intermediate_ and _stateless_.\n
*\n * @SinceKotlin("1.1")\npublic fun <T> Sequence<T>.onEach(action: (T) -> Unit): Sequence<T> {\n    return
map {\n        action(it)\n        it\n    }\n}\n}\n/**\n * Accumulates value starting with the first element and applying
[operation] from left to right to current accumulator value and each element.\n *\n * The operation is _terminal_.\n
*\npublic inline fun <S, T : S> Sequence<T>.reduce(operation:
(acc: S, T) -> S): S {\n    val iterator = this.iterator()\n    if (!iterator.hasNext()) throw
UnsupportedOperationException("Empty sequence can't be reduced.")\n    var accumulator: S = iterator.next()\n
while (iterator.hasNext()) {\n        accumulator = operation(accumulator, iterator.next())\n    }\n    return
accumulator\n}\n}\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original sequence.\n *\n * @param
[operation] function that takes the index of an element, current accumulator value\n * and the element itself and
calculates the next accumulator value.\n *\n * The operation is _terminal_.\n
*\npublic inline fun <S, T : S>
Sequence<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n    val iterator = this.iterator()\n    if
(!iterator.hasNext()) throw UnsupportedOperationException("Empty sequence can't be reduced.")\n    var index = 1\n    var accumulator: S = iterator.next()\n    while (iterator.hasNext()) {\n        accumulator =
operation(index++, accumulator, iterator.next())\n    }\n    return accumulator\n}\n}\n/**\n * Returns the sum of all
values produced by [selector] function applied to each element in the sequence.\n *\n * The operation is
_terminal_.\n
*\npublic inline fun <T> Sequence<T>.sumBy(selector: (T) -> Int): Int {\n    var sum: Int = 0\n    for
(element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n}\n/**\n * Returns the sum of all values
produced by [selector] function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n
*\npublic inline fun <T> Sequence<T>.sumByDouble(selector: (T) -> Double): Double {\n    var sum: Double =
0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n}\n/**\n * Returns an original
collection containing all the non-`null` elements, throwing an [IllegalArgumentException]
if there are any `null` elements.\n *\n * The operation is _intermediate_ and _stateless_.\n
*\npublic fun <T : Any>
Sequence<T?>.requireNonNulls(): Sequence<T> {\n    return map { it ?: throw IllegalArgumentException("null
element found in $this.") }\n}\n}\n/**\n * Splits this sequence into a sequence of lists each not exceeding the given
[size].\n *\n * The last list in the resulting sequence may have less elements than the given [size].\n *\n * @param
size the number of elements to take in each list, must be positive and can be greater than the number of elements in
this sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n *\n * @sample
samples.collections.Collections.Transformations.chunked\n
*\n * @SinceKotlin("1.2")\npublic fun <T>
Sequence<T>.chunked(size: Int): Sequence<List<T>> {\n    return windowed(size, size, partialWindows =
true)\n}\n}\n/**\n * Splits this sequence into several lists each not exceeding the given [size]\n * and applies the
given [transform]
function to an each.\n *\n * @return sequence of results of the [transform] applied to an each list.\n *\n * Note that
the list passed to the [transform] function is ephemeral and is valid only inside that function.\n *\n * You should not
store it or allow it to escape in some way, unless you made a snapshot of it.\n *\n * The last list may have less elements

```

than the given [size].\n \* \n \* @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this sequence.\n \* \n \* The operation is `_intermediate_` and `_stateful_`.\n \* \n \* @sample samples.text.Strings.chunkedTransform\n \* \n \* @Since Kotlin("1.2")\n \* \n \* public fun <T, R> Sequence<T>.chunked(size: Int, transform: (List<T>) -> R): Sequence<R> {\n \* \n \* \n \* return windowed(size, size, partialWindows = true, transform = transform)\n \* \n \* \n \* \n \* Returns a sequence containing all elements of the original sequence without the first occurrence of the given [element].\n \* \n \* \n \* The operation is `_intermediate_` and `_stateless_`.\n \* \n \* \n \* public operator fun <T> Sequence<T>.minus(element: T): Sequence<T> {\n \* \n \* \n \* return object: Sequence<T> {\n \* \n \* \n \* override fun iterator(): Iterator<T> {\n \* \n \* \n \* var removed = false\n \* \n \* return this@minus.filter { if (!removed && it == element) { removed = true; false } else true }.iterator()\n \* \n \* \n \* }\n \* \n \* \n \* \n \* Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] array.\n \* \n \* \n \* Note that the source sequence and the array being subtracted are iterated only when an `iterator` is requested from\n \* the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n \* \n \* \n \* The operation is `_intermediate_` and `_stateful_`.\n \* \n \* \n \* public operator fun <T> Sequence<T>.minus(elements: Array<out T>): Sequence<T> {\n \* \n \* \n \* if (elements.isEmpty()) return this\n \* \n \* \n \* return object: Sequence<T> {\n \* \n \* \n \* override fun iterator(): Iterator<T> {\n \* \n \* \n \* val other = elements.toHashSet()\n \* \n \* \n \* return this@minus.filterNot { it in other }.iterator()\n \* \n \* \n \* }\n \* \n \* \n \* \n \* Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] collection.\n \* \n \* \n \* Note that the source sequence and the collection being subtracted are iterated only when an `iterator` is requested from\n \* the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n \* \n \* \n \* The operation is `_intermediate_` and `_stateful_`.\n \* \n \* \n \* public operator fun <T> Sequence<T>.minus(elements: Iterable<T>): Sequence<T> {\n \* \n \* \n \* return object: Sequence<T> {\n \* \n \* \n \* override fun iterator(): Iterator<T> {\n \* \n \* \n \* val other = elements.convertToSetForSetOperation()\n \* \n \* \n \* if (other.isEmpty())\n \* \n \* \n \* return this@minus.iterator()\n \* \n \* \n \* else\n \* \n \* \n \* return this@minus.filterNot { it in other }.iterator()\n \* \n \* \n \* }\n \* \n \* \n \* \n \* Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] sequence.\n \* \n \* \n \* Note that the source sequence and the sequence being subtracted are iterated only when an `iterator` is requested from\n \* the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n \* \n \* \n \* The operation is `_intermediate_` for this sequence and `_terminal_` and `_stateful_` for the [elements] sequence.\n \* \n \* \n \* public operator fun <T> Sequence<T>.minus(elements: Sequence<T>): Sequence<T> {\n \* \n \* \n \* return object: Sequence<T> {\n \* \n \* \n \* override fun iterator(): Iterator<T> {\n \* \n \* \n \* val other = elements.toHashSet()\n \* \n \* \n \* if (other.isEmpty())\n \* \n \* \n \* return this@minus.iterator()\n \* \n \* \n \* else\n \* \n \* \n \* return this@minus.filterNot { it in other }.iterator()\n \* \n \* \n \* }\n \* \n \* \n \* \n \* Returns a sequence containing all elements of the original sequence without the first occurrence of the given [element].\n \* \n \* \n \* The operation is `_intermediate_` and `_stateless_`.\n \* \n \* \n \* @kotlin.internal.InlineOnly\n \* \n \* public inline fun <T> Sequence<T>.minusElement(element: T): Sequence<T> {\n \* \n \* \n \* return minus(element)\n \* \n \* \n \* \n \* Splits the original sequence into pair of lists,\n \* \n \* where `*first*` list contains elements for which [predicate] yielded `true`,  
\n \* while `*second*` list contains elements for which [predicate] yielded `false`.\n \* \n \* \n \* The operation is `_terminal_`.\n \* \n \* \n \* public inline fun <T> Sequence<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n \* \n \* \n \* val first = ArrayList<T>()\n \* \n \* \n \* val second = ArrayList<T>()\n \* \n \* \n \* for (element in this) {\n \* \n \* \n \* if (predicate(element)) {\n \* \n \* \n \* first.add(element)\n \* \n \* \n \* } else {\n \* \n \* \n \* second.add(element)\n \* \n \* \n \* }\n \* \n \* \n \* }\n \* \n \* \n \* return Pair(first, second)\n \* \n \* \n \* \n \* Returns a sequence containing all elements of the original sequence and then the given [element].\n \* \n \* \n \* The operation is `_intermediate_` and `_stateless_`.\n \* \n \* \n \* public operator fun <T> Sequence<T>.plus(element: T): Sequence<T> {\n \* \n \* \n \* return sequenceOf(this, sequenceOf(element)).flatten()\n \* \n \* \n \* \n \* Returns a sequence containing all elements of original sequence and then all elements of the given [elements] array.\n \* \n \* \n \* Note that the source sequence and the array being added are iterated only when an `iterator` is requested from\n \* the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n \* \n \* \n \* The operation is `_intermediate_` and `_stateless_`.\n \* \n \* \n \* public operator fun <T> Sequence<T>.plus(elements: Array<out T>): Sequence<T> {\n \* \n \* \n \* return

`this.plus(elements.asList())` Returns a sequence containing all elements of original sequence and then all elements of the given [elements] collection. Note that the source sequence and the collection being added are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result. The operation is `_intermediate_` and `_stateless_`.

```

public operator fun <T> Sequence<T>.plus(elements: Iterable<T>): Sequence<T> {
    return sequenceOf(this, elements.asSequence()).flatten()
}

```

`sequenceOf(this, elements.asSequence()).flatten()` Returns a sequence containing all elements of original sequence and then all elements of the given [elements] sequence. Note that the source sequence and the sequence being added are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result. The operation is `_intermediate_` and `_stateless_`.

```

public operator fun <T> Sequence<T>.plus(elements: Sequence<T>): Sequence<T> {
    return sequenceOf(this, elements).flatten()
}

```

`sequenceOf(this, elements).flatten()` Returns a sequence containing all elements of the original sequence and then the given [element]. The operation is `_intermediate_` and `_stateless_`.

```

@kotlin.internal.InlineOnly
public inline fun <T> Sequence<T>.plusElement(element: T): Sequence<T> {
    return plus(element)
}

```

`plus(element)` Returns a sequence of snapshots of the window of the given [size] sliding along this sequence with the given [step], where each snapshot is a list. Several last lists may have less elements than the given [size]. Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.

@param size the number of elements to take in each window  
 @param step the number of elements to move the window forward by on an each step, by default 1  
 @param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved  
 @sample samples.collections.Sequences.Transformations.takeWindows

```

@SinceKotlin("1.2")
public fun <T> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<List<T>> {
    return windowedSequence(size, step, partialWindows, reuseBuffer = false)
}

```

`windowed(size, step, partialWindows, reuseBuffer = false)` Returns a sequence of results of applying the given [transform] function to an each list representing a view over the window of the given [size] sliding along this sequence with the given [step]. Note that the list passed to the [transform] function is ephemeral and is valid only inside that function. You should not store it or allow it to escape in some way, unless you made a snapshot of it. Several last lists may have less elements than the given [size]. Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.

@param size the number of elements to take in each window  
 @param step the number of elements to move the window forward by on an each step, by default 1  
 @param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved  
 @sample samples.collections.Sequences.Transformations.averageWindows

```

@SinceKotlin("1.2")
public fun <T, R> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R): Sequence<R> {
    return windowedSequence(size, step, partialWindows, reuseBuffer = true).map(transform)
}

```

`windowed(size, step, partialWindows, reuseBuffer = true).map(transform)` Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index. The resulting sequence ends as soon as the shortest input sequence ends. The operation is `_intermediate_` and `_stateless_`.

@sample samples.collections.Sequences.Transformations.zip

```

public infix fun <T, R> Sequence<T>.zip(other: Sequence<R>): Sequence<Pair<T, R>> {
    return MergingSequence(this, other) { t1, t2 -> t1 to t2 }
}

```

`zip(other)` Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index using the provided [transform] function applied to each pair of elements. The resulting sequence ends as soon as the shortest input sequence ends. The operation is `_intermediate_` and `_stateless_`.

@sample samples.collections.Sequences.Transformations.zipWithTransform

```

public fun <T, R, V> Sequence<T>.zip(other: Sequence<R>, transform: (a: T, b: R) -> V): Sequence<V> {
    return MergingSequence(this, other, transform)
}

```

`zip(other, transform)` Returns a sequence of pairs of each two adjacent elements in this sequence. The returned sequence is empty if this sequence contains less than two elements. The operation is `_intermediate_` and `_stateless_`.

@sample samples.collections.Collections.Transformations.zipWithNext

```

@SinceKotlin("1.2")
public fun <T>

```



```

    sum += element\n    count += 1\n } \n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n
 * Returns an average value of elements in the sequence.\n * \n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("averageOfDouble")\npublic fun Sequence<Double>.average(): Double {\n    var sum:\n
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        count += 1\n    }\n
return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n
*\n * The operation is _terminal_.\n *\n@kotlin.jvm.JvmName("sumOfByte")\npublic fun\n
Sequence<Byte>.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return\n
sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * \n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfShort")\npublic fun Sequence<Short>.sum(): Int {\n    var sum: Int = 0\n    for\n
(element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the\n
sequence.\n *\n * The operation is _terminal_.\n *\n@kotlin.jvm.JvmName("sumOfInt")\npublic fun Sequence<Int>.sum():\n
Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n
 * Returns the sum of all elements in the sequence.\n * \n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfLong")\npublic fun Sequence<Long>.sum(): Long {\n    var sum: Long = 0L\n
for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in\n
the sequence.\n * \n * The operation is _terminal_.\n *\n@kotlin.jvm.JvmName("sumOfFloat")\npublic fun\n
Sequence<Float>.sum(): Float {\n    var sum: Float = 0.0f\n    for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * \n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfDouble")\npublic fun Sequence<Double>.sum(): Double {\n    var sum:\n
Double = 0.0\n
    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n"/*\n * Copyright 2010-2018 JetBrains\n
s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the\n
license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SetsKt")\n\npackage\n
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:\n
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.*\nimport kotlin.text.*\nimport\n
kotlin.comparisons.*\n\n/**\n * Returns a set containing all elements of the original set except the given\n
[element].\n * \n * The returned set preserves the element iteration order of the original set.\n *\n@public operator fun\n
<T> Set<T>.minus(element: T): Set<T> {\n    val result = LinkedHashSet<T>(mapCapacity(size))\n    var removed\n
= false\n    return this.filterTo(result) { if (!removed && it == element) { removed = true; false } else\n
true }\n}\n\n/**\n * Returns a set containing all elements of the original set except the elements contained in the\n
given [elements] array.\n * \n * The returned set preserves the element iteration order of the original set.\n *\n@public\n
operator fun <T> Set<T>.minus(elements: Array<out T>): Set<T> {\n    val result = LinkedHashSet<T>(this)\n
result.removeAll(elements)\n    return result\n}\n\n/**\n * Returns a set containing all elements of the original set\n
except the elements contained in the given [elements] collection.\n * \n * The returned set preserves the element\n
iteration order of the original set.\n *\n@public operator fun <T> Set<T>.minus(elements: Iterable<T>): Set<T> {\n
val other = elements.convertToSetForSetOperationWith(this)\n    if (other.isEmpty())\n        return this.toSet()\n    if\n
(other is Set)\n        return this.filterNotTo(LinkedHashSet<T>()) { it in other }\n    val result =\n
LinkedHashSet<T>(this)\n    result.removeAll(other)\n    return result\n}\n\n/**\n
 * Returns a set containing all elements of the original set except the elements contained in the given [elements]\n
sequence.\n * \n * The returned set preserves the element iteration order of the original set.\n *\n@public operator fun\n
<T> Set<T>.minus(elements: Sequence<T>): Set<T> {\n    val result = LinkedHashSet<T>(this)\n
result.removeAll(elements)\n    return result\n}\n\n/**\n * Returns a set containing all elements of the original set\n
except the given [element].\n * \n * The returned set preserves the element iteration order of the original set.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>.minusElement(element: T): Set<T> {\n    return\n
minus(element)\n}\n\n/**\n * Returns a set containing all elements of the original set and then the given [element] if\n
it isn't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n

```

```

*public operator fun <T> Set<T>.plus(element: T): Set<T> {
    val result =
    LinkedHashSet<T>(mapCapacity(size
    + 1))
    result.addAll(this)
    result.add(element)
    return result
}

* Returns a set containing all
elements of the original set and the given [elements] array,
which aren't already in this set.
The returned
set preserves the element iteration order of the original set.

*public operator fun <T> Set<T>.plus(elements:
Array<out T>): Set<T> {
    val result = LinkedHashSet<T>(mapCapacity(this.size + elements.size))
    result.addAll(this)
    result.addAll(elements)
    return result
}

* Returns a set containing all elements of
the original set and the given [elements] collection,
which aren't already in this set.
The returned set
preserves the element iteration order of the original set.

*public operator fun <T> Set<T>.plus(elements:
Iterable<T>): Set<T> {
    val result = LinkedHashSet<T>(mapCapacity(elements.collectionSizeOrNull()?.let {
this.size + it } ?: this.size * 2))
    result.addAll(this)
    result.addAll(elements)
    return result
}

* Returns a set containing all elements of the original set and
the given [elements] sequence,
which aren't already in this set.
The returned set preserves the element
iteration order of the original set.

*public operator fun <T> Set<T>.plus(elements: Sequence<T>): Set<T> {
    val result = LinkedHashSet<T>(mapCapacity(this.size * 2))
    result.addAll(this)
    result.addAll(elements)
    return result
}

* Returns a set containing all elements of the original set and then the given [element] if it
isn't already in this set.
The returned set preserves the element iteration order of the original set.

*internal.InlineOnly
*public inline fun <T> Set<T>.plusElement(element: T): Set<T> {
    return
    plus(element)
}

* Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the
Apache 2.0 license
that can be found in the license/LICENSE.txt

file
*file:kotlin.jvm.JvmMultifileClass
*file:kotlin.jvm.JvmName("StringsKt")
package
kotlin.text

// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt
// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib
*import kotlin.*
*import kotlin.text.*
*import
kotlin.comparisons.*

* Returns a character at the given [index] or throws an
[IndexOutOfBoundsException] if the [index] is out of bounds of this char sequence.

*internal.InlineOnly
*public inline fun CharSequence.elementAt(index: Int): Char {
    return
    get(index)
}

* Returns a character at the given [index] or the result of calling the [defaultValue] function
if the [index] is out of bounds of this char sequence.

*internal.InlineOnly
*public inline fun
CharSequence.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {
    return if (index >= 0 && index
<= lastIndex) get(index) else defaultValue(index)
}

* Returns a character at the given [index] or `null` if the [index] is out of bounds of this char sequence.

*internal.InlineOnly
*public inline fun CharSequence.elementAtOrNull(index: Int): Char? {
    return
    this.getOrNull(index)
}

* Returns the first character matching the given [predicate], or `null` if no such
character was found.

*internal.InlineOnly
*public inline fun CharSequence.find(predicate: (Char) ->
Boolean): Char? {
    return firstOrNull(predicate)
}

* Returns the last character matching the given
[predicate], or `null` if no such character was found.

*internal.InlineOnly
*public inline fun
CharSequence.findLast(predicate: (Char) -> Boolean): Char? {
    return lastOrNull(predicate)
}

* Returns first character.
@throws [NoSuchElementException] if the char sequence is empty.

*public fun
CharSequence.first(): Char {
    if (isEmpty())
        throw NoSuchElementException("Char sequence is
empty.")
}

    return this[0]
}

* Returns the first character matching the given [predicate].
@throws
[NoSuchElementException] if no such character is found.

*public inline fun CharSequence.first(predicate:
(Char) -> Boolean): Char {
    for (element in this) if (predicate(element)) return element
    throw
    NoSuchElementException("Char sequence contains no character matching the predicate.")
}

* Returns
the first character, or `null` if the char sequence is empty.

*public fun CharSequence.firstOrNull(): Char? {
    return if (isEmpty()) null else this[0]
}

* Returns the first character matching the given [predicate], or
`null` if character was not found.

*public inline fun CharSequence.firstOrNull(predicate: (Char) -> Boolean):
Char? {
    for (element in this) if (predicate(element)) return element
    return null
}

* Returns a

```

```

character at the given [index] or the result of calling the [defaultValue] function if the [index]
is out of bounds of this char sequence.\n * \n @kotlin.internal.InlineOnly\npublic inline fun
CharSequence.getOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns a character at the given [index] or `null` if the
[index] is out of bounds of this char sequence.\n * \npublic fun CharSequence.getOrElse(index: Int): Char? {\n
return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns index of the first character
matching the given [predicate], or -1 if the char sequence does not contain such character.\n * \npublic inline fun
CharSequence.indexOfFirst(predicate: (Char) -> Boolean): Int {\n    for (index in indices) {\n        if
(predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the last
character matching the given [predicate], or -1 if the char sequence does not contain such character.\n
* \npublic inline fun CharSequence.indexOfLast(predicate: (Char) -> Boolean): Int {\n    for (index in
indices.reversed()) {\n        if (predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n
* Returns the last character.\n * @throws [NoSuchElementException] if the char sequence is empty.\n * \npublic
fun CharSequence.last(): Char {\n    if (isEmpty())\n        throw NoSuchElementException("Char sequence is
empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last character matching the given [predicate].\n *
@throws [NoSuchElementException] if no such character is found.\n * \npublic inline fun
CharSequence.last(predicate: (Char) -> Boolean): Char {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    throw NoSuchElementException("Char
sequence contains no character matching the predicate.")\n}\n\n/**\n * Returns the last character, or
`null` if the char sequence is empty.\n * \npublic fun CharSequence.lastOrNull(): Char? {\n    return if (isEmpty())
null else this[length - 1]\n}\n\n/**\n * Returns the last character matching the given [predicate], or `null` if no such
character was found.\n * \npublic inline fun CharSequence.lastOrNull(predicate: (Char) -> Boolean): Char? {\n    for
(index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n
    }\n    return null\n}\n\n/**\n * Returns the single character, or throws an exception if the char sequence is empty or
has more than one character.\n * \npublic fun CharSequence.single(): Char {\n    return when (length) {\n        0 ->
throw NoSuchElementException("Char sequence is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("Char sequence has more than one element.")\n    }\n}\n\n/**\n * Returns the single
character matching the given [predicate], or throws exception if there
is no or more than one matching character.\n * \npublic inline fun CharSequence.single(predicate: (Char) ->
Boolean): Char? {\n    var single: Char? = null\n    var found = false\n    for (element in this) {\n        if
(predicate(element)) {\n            if (found) throw IllegalArgumentException("Char sequence contains more than one
matching element.")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw
NoSuchElementException("Char sequence contains no character matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Char\n}\n\n/**\n * Returns single character, or `null` if
the char sequence is empty or has more than one character.\n * \npublic fun CharSequence.singleOrNull(): Char?
{\n    return if (length == 1) this[0] else null\n}\n\n/**\n * Returns the single character matching the given
[predicate], or `null` if character was not found or more than one character was found.\n * \npublic inline fun
CharSequence.singleOrNull(predicate:
(Char) -> Boolean): Char? {\n    var single: Char? = null\n    var found = false\n    for (element in this) {\n        if
(predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns a subsequence of this char sequence with the first [n]
characters removed.\n * \n * @sample samples.collections.Collections.Transformations.drop\n * \npublic fun
CharSequence.drop(n: Int): CharSequence {\n    require(n >= 0) { "Requested character count $n is less than zero." }\n
return subSequence(n.coerceAtMost(length), length)\n}\n\n/**\n * Returns a string with the first [n] characters
removed.\n * \n * @sample samples.collections.Collections.Transformations.drop\n * \npublic fun String.drop(n:
Int): String {\n    require(n >= 0) { "Requested character count $n is less than zero." }\n    return
substring(n.coerceAtMost(length))\n}\n\n/**\n

```

```

* Returns a subsequence of this char sequence with the last [n] characters removed.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun CharSequence.dropLast(n: Int):
CharSequence {\n    require(n >= 0) { \"Requested character count $n is less than zero.\" }\n    return take((length -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a string with the last [n] characters removed.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun String.dropLast(n: Int): String {\n    require(n
>= 0) { \"Requested character count $n is less than zero.\" }\n    return take((length -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a subsequence of this char sequence containing all characters except last
characters that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun
CharSequence.dropLastWhile(predicate: (Char) -> Boolean): CharSequence {\n    for (index in
lastIndex downTo 0)\n        if (!predicate(this[index]))\n            return subSequence(0, index + 1)\n    return
\"\"\n}\n\n/**\n * Returns a string containing all characters except last characters that satisfy the given [predicate].\n
*\n * @sample samples.collections.Collections.Transformations.drop\n *\npublic inline fun
String.dropLastWhile(predicate: (Char) -> Boolean): String {\n    for (index in lastIndex downTo 0)\n        if
(!predicate(this[index]))\n            return substring(0, index + 1)\n    return \"\"\n}\n\n/**\n * Returns a subsequence
of this char sequence containing all characters except first characters that satisfy the given [predicate].\n * \n *
@sample samples.collections.Collections.Transformations.drop\n *\npublic inline fun
CharSequence.dropWhile(predicate: (Char) -> Boolean): CharSequence {\n    for (index in this.indices)\n        if
(!predicate(this[index]))\n            return subSequence(index, length)\n    return \"\"\n}\n\n/**\n * Returns a string
containing all characters except first characters that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun String.dropWhile(predicate: (Char) ->
Boolean): String {\n    for (index in this.indices)\n        if (!predicate(this[index]))\n            return
substring(index)\n    return \"\"\n}\n\n/**\n * Returns a char sequence containing only those characters from the original
char sequence that match the given [predicate].\n *\npublic inline fun CharSequence.filter(predicate: (Char) -> Boolean):
CharSequence {\n    return filterTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string containing only those
characters from the original string that match the given [predicate].\n *\npublic inline fun String.filter(predicate:
(Char) -> Boolean): String {\n    return filterTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Returns a char
sequence containing only those characters from the original char sequence
that match the given [predicate].\n * @param [predicate] function that takes the index of a character and the
character itself\n * and returns the result of predicate evaluation on the character.\n *\npublic inline fun
CharSequence.filterIndexed(predicate: (index: Int, Char) -> Boolean): CharSequence {\n    return
filterIndexedTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string containing only those characters from the
original string that match the given [predicate].\n * @param [predicate] function that takes the index of a character
and the character itself\n * and returns the result of predicate evaluation on the character.\n *\npublic inline fun
String.filterIndexed(predicate: (index: Int, Char) -> Boolean): String {\n    return filterIndexedTo(StringBuilder(),
predicate).toString()\n}\n\n/**\n * Appends all characters matching the given [predicate] to the given
[destination].\n * @param [predicate] function that takes the index of a character and the character itself\n
* and returns the result of predicate evaluation on the character.\n *\npublic inline fun <C : Appendable>
CharSequence.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {\n    forEachIndexed {
index, element ->\n        if (predicate(index, element)) destination.append(element)\n    }\n    return
destination\n}\n\n/**\n * Returns a char sequence containing only those characters from the original char sequence
that do not match the given [predicate].\n *\npublic inline fun CharSequence.filterNot(predicate: (Char) ->
Boolean): CharSequence {\n    return filterNotTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string
containing only those characters from the original string that do not match the given [predicate].\n *\npublic inline
fun String.filterNot(predicate: (Char) -> Boolean): String {\n    return filterNotTo(StringBuilder(),
predicate).toString()\n}\n\n/**\n * Appends all characters not matching the given [predicate] to the given
[destination].\n

```

```

*^public inline fun <C : Appendable> CharSequence.filterNotTo(destination: C, predicate: (Char) -> Boolean): C
{
    for (element in this) if (!predicate(element)) destination.append(element)
    return destination
}

*^public inline fun <C : Appendable> CharSequence.filterTo(destination: C, predicate: (Char) -> Boolean): C
{
    for (index in 0 until length) {
        val element = get(index)
        if (predicate(element)) destination.append(element)
    }
    return destination
}

* Returns a char sequence containing characters of the original char sequence at the specified range of [indices].

*^public fun CharSequence.slice(indices: IntRange): CharSequence
{
    if (indices.isEmpty()) return ""
    return subSequence(indices)
}

* Returns a string containing characters of the original string at the specified range of [indices].

*^public fun String.slice(indices: IntRange): String
{
    if (indices.isEmpty()) return ""
    return substring(indices)
}

* Returns a char sequence containing characters of the original char sequence at specified [indices].

*^public fun CharSequence.slice(indices: Iterable<Int>): CharSequence
{
    val size = indices.collectionSizeOrDefault(10)
    if (size == 0) return ""
    val result = StringBuilder(size)
    for (i in indices) {
        result.append(get(i))
    }
    return result
}

* Returns a string containing characters of the original string at specified [indices].

*^@kotlin.internal.InlineOnly
*^public inline fun String.slice(indices: Iterable<Int>): String
{
    return (this as CharSequence).slice(indices).toString()
}

* Returns a subsequence of this char sequence containing the first [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.

* @sample samples.collections.Collections.Transformations.take

*^public fun CharSequence.take(n: Int): CharSequence
{
    require(n >= 0) { "Requested character count $n is less than zero." }
    return subSequence(0, n.coerceAtMost(length))
}

* Returns a string containing the first [n] characters from this string, or the entire string if this string is shorter.

* @sample samples.collections.Collections.Transformations.take

*^public fun String.take(n: Int): String
{
    require(n >= 0) { "Requested character count $n is less than zero." }
    return substring(0, n.coerceAtMost(length))
}

* Returns a subsequence of this char sequence containing the last [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.

* @sample samples.collections.Collections.Transformations.take

*^public fun CharSequence.takeLast(n: Int): CharSequence
{
    require(n >= 0) { "Requested character count $n is less than zero." }
    val length = length
    return subSequence(length - n.coerceAtMost(length), length)
}

* Returns a string containing the last [n] characters from this string, or the entire string if this string is shorter.

* @sample samples.collections.Collections.Transformations.take

*^public fun String.takeLast(n: Int): String
{
    require(n >= 0) { "Requested character count $n is less than zero." }
    val length = length
    return substring(length - n.coerceAtMost(length))
}

* Returns a subsequence of this char sequence containing last characters that satisfy the given [predicate].

* @sample samples.collections.Collections.Transformations.take

*^public inline fun CharSequence.takeLastWhile(predicate: (Char) -> Boolean): CharSequence
{
    for (index in lastIndex downTo 0) {
        if (!predicate(this[index])) {
            return subSequence(index + 1, length)
        }
    }
    return subSequence(0, length)
}

* Returns a string containing last characters that satisfy the given [predicate].

* @sample samples.collections.Collections.Transformations.take

*^public inline fun String.takeLastWhile(predicate: (Char) -> Boolean): String
{
    for (index in lastIndex downTo 0) {
        if (!predicate(this[index])) {
            return substring(index + 1)
        }
    }
    return this
}

* Returns a subsequence of this char sequence containing the first characters that satisfy the given [predicate].

* @sample samples.collections.Collections.Transformations.take

*^public inline fun CharSequence.takeWhile(predicate: (Char) -> Boolean): CharSequence
{
    for (index in 0 until length) {
        if (!predicate(get(index))) {
            return subSequence(0, index)
        }
    }
    return subSequence(0, length)
}

* Returns a string containing the first characters that satisfy the given [predicate].

* @sample samples.collections.Collections.Transformations.take

*^public inline fun String.takeWhile(predicate: (Char) -> Boolean): String
{
    for (index in 0 until length) {
        if (!predicate(get(index))) {
            return substring(0, index)
        }
    }
    return this
}

* Returns a char sequence with characters in reversed order.

*^public fun CharSequence.reversed(): CharSequence
{
    return

```

```

StringBuilder(this).reverse()\n\n\n * Returns a string with characters in reversed order.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun String.reversed(): String {\n    return (this as
CharSequence).reversed().toString()\n\n\n * Returns a [Map] containing key-value pairs provided by
[transform] function\n * applied to characters of the given char sequence.\n * \n * If any of two pairs would have the
same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the
original char sequence.\n *\npublic inline fun <K, V> CharSequence.associate(transform: (Char) -> Pair<K, V>):
Map<K, V>
{\n    val capacity = mapCapacity(length).coerceAtLeast(16)\n    return associateTo(LinkedHashMap<K,
V>(capacity), transform)\n\n\n * Returns a [Map] containing the characters from the given char sequence
indexed by the key\n * returned from [keySelector] function applied to each character.\n * \n * If any two characters
would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map
preserves the entry iteration order of the original char sequence.\n *\npublic inline fun <K>
CharSequence.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n    val capacity =
mapCapacity(length).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, Char>(capacity),
keySelector)\n\n\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by
[keySelector] functions applied to characters of the given char sequence.\n * \n * If any two characters would have
the same key returned by [keySelector] the last one gets
added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n
*\npublic inline fun <K, V> CharSequence.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V):
Map<K, V> {\n    val capacity = mapCapacity(length).coerceAtLeast(16)\n    return
associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n\n\n * Populates and
returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function
applied to each character of the given char sequence\n * and value is the character itself.\n * \n * If any two
characters would have the same key returned by [keySelector] the last one gets added to the map.\n *\npublic inline
fun <K, M : MutableMap<in K, in Char>> CharSequence.associateByTo(destination: M, keySelector: (Char) -> K):
M {\n    for (element in this) {\n        destination.put(keySelector(element), element)\n    }\n    return
destination\n\n\n * Populates
and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector]
function and\n * and value is provided by the [valueTransform] function applied to characters of the given char
sequence.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets added
to the map.\n *\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharSequence.associateByTo(destination:
M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n    for (element in this) {\n
destination.put(keySelector(element), valueTransform(element))\n    }\n    return destination\n\n\n * Populates
and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each
character of the given char sequence.\n * \n * If any of two pairs would have the same key the last one gets added to
the map.\n *\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharSequence.associateTo(destination:
M, transform: (Char) -> Pair<K, V>): M {\n    for (element in this) {\n        destination += transform(element)\n
    }\n    return destination\n\n\n * Appends all characters to the given [destination] collection.\n *\npublic fun
<C : MutableCollection<in Char>> CharSequence.toCollection(destination: C): C {\n    for (item in this) {\n
destination.add(item)\n    }\n    return destination\n\n\n * Returns a [HashSet] of all characters.\n *\npublic
fun CharSequence.toHashSet(): HashSet<Char> {\n    return
toCollection(HashSet<Char>(mapCapacity(length)))\n\n\n * Returns a [List] containing all characters.\n
*\npublic fun CharSequence.toList(): List<Char> {\n    return when (length) {\n        0 -> emptyList()\n        1 ->
listOf(this[0])\n        else -> this.toMutableList()\n    }\n\n\n * Returns a [MutableList] filled with all
characters of this char sequence.\n *\npublic fun CharSequence.toMutableList(): MutableList<Char> {\n    return
toCollection(ArrayList<Char>(length))\n\n\n * Returns a [Set] of all characters.\n * \n * The returned set
preserves the element iteration order of the original char sequence.\n *\npublic fun CharSequence.toSet():
Set<Char> {\n    return when (length) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->

```

```

toCollection(LinkedHashSet<Char>(mapCapacity(length)))\n    }\n}\n\n/**\n * Returns a single list of all elements
yielded from results of [transform] function being invoked on each character of original char sequence.\n */\npublic
inline fun <R> CharSequence.flatMap(transform: (Char) -> Iterable<R>): List<R> {\n    return
flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform]
function being invoked on each character of original char sequence, to the given [destination].\n */\npublic inline
fun <R, C : MutableCollection<in R>> CharSequence.flatMapTo(destination: C, transform: (Char) -> Iterable<R>):
C {\n
    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n/**\n * Groups characters of the original char sequence by the key returned by the given
[keySelector] function\n * applied to each character and returns a map where each group key is associated with a list
of corresponding characters.\n * \n * The returned map preserves the entry iteration order of the keys produced from
the original char sequence.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic
inline fun <K> CharSequence.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each character of the original char sequence\n * by the key returned by the
given [keySelector] function applied to the character\n * and returns a map where each group key is associated with
a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original char sequence.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V>
CharSequence.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups
characters of the original char sequence by the key returned by the given [keySelector] function\n * applied to each
character and puts to the [destination] map each group key associated with a list of corresponding characters.\n * \n
* @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*/\npublic inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharSequence.groupByTo(destination: M,
keySelector: (Char) -> K): M {\n    for (element in this) {\n        val key =
keySelector(element)\n        val list = destination.getOrPut(key) { ArrayList<Char>() }\n        list.add(element)\n
    }\n    return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each
character of the original char sequence\n * by the key returned by the given [keySelector] function applied to the
character\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n
* @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> CharSequence.groupByTo(destination: M, keySelector: (Char) -> K,
valueTransform: (Char) -> V): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =
destination.getOrPut(key) { ArrayList<V>() }\n        list.add(valueTransform(element))\n    }\n    return
destination\n}\n\n/**\n * Creates a [Grouping] source
from a char sequence to be used later with one of group-and-fold operations\n * using the specified [keySelector]
function to extract a key from each character.\n * \n * @sample
samples.collections.Collections.Transformations.groupingByEachCount\n */\n@SinceKotlin("1.1")\npublic inline
fun <K> CharSequence.groupingBy(crossinline keySelector: (Char) -> K): Grouping<Char, K> {\n    return object :
Grouping<Char, K> {\n        override fun sourceIterator(): Iterator<Char> = this@groupingBy.iterator()\n
        override fun keyOf(element: Char): K = keySelector(element)\n    }\n}\n\n/**\n * Returns a list containing the
results of applying the given [transform] function\n * to each character in the original char sequence.\n */\npublic
inline fun <R> CharSequence.map(transform: (Char) -> R): List<R> {\n    return mapTo(ArrayList<R>(length),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
character and its index in the
original char sequence.\n * @param [transform] function that takes the index of a character and the character
itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R>

```

```

CharSequence.mapIndexed(transform: (index: Int, Char) -> R): List<R> {\n  return
mapIndexedTo(ArrayList<R>(length), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of
applying the given [transform] function\n * to each character and its index in the original char sequence.\n *
@param [transform] function that takes the index of a character and the character itself\n * and returns the result of
the transform applied to the character.\n */\npublic inline fun <R : Any>
CharSequence.mapIndexedNotNull(transform: (index: Int, Char) -> R?): List<R> {\n  return
mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each
character and its index in the original char sequence\n * and appends only the non-null
results to the given [destination].\n * @param [transform] function that takes the index of a character and the
character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R : Any,
C : MutableCollection<in R>> CharSequence.mapIndexedNotNullTo(destination: C, transform: (index: Int, Char) -
> R?): C {\n  forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n  return
destination\n}\n\n/**\n * Applies the given [transform] function to each character and its index in the original char
sequence\n * and appends the results to the given [destination].\n * @param [transform] function that takes the
index of a character and the character itself\n * and returns the result of the transform applied to the character.\n
*/\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapIndexedTo(destination: C, transform:
(index: Int, Char) -> R): C {\n  var index = 0\n  for (item in this)\n
    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Returns a list containing only the
non-null results of applying the given [transform] function\n * to each character in the original char sequence.\n
*/\npublic inline fun <R : Any> CharSequence.mapNotNull(transform: (Char) -> R?): List<R> {\n  return
mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each character
in the original char sequence\n * and appends only the non-null results to the given [destination].\n */\npublic inline
fun <R : Any, C : MutableCollection<in R>> CharSequence.mapNotNullTo(destination: C, transform: (Char) ->
R?): C {\n  forEach { element -> transform(element)?.let { destination.add(it) } }\n  return destination\n}\n\n/**\n
* Applies the given [transform] function to each character of the original char sequence\n * and appends the results
to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>>
CharSequence.mapTo(destination:
C, transform: (Char) -> R): C {\n  for (item in this)\n    destination.add(transform(item))\n  return
destination\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each character of the original char
sequence.\n */\npublic fun CharSequence.withIndex(): Iterable<IndexedValue<Char>> {\n  return IndexingIterable
{ iterator() }\n}\n\n/**\n * Returns `true` if all characters match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n */\npublic inline fun CharSequence.all(predicate: (Char) ->
Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return false\n  return true\n}\n\n/**\n *
Returns `true` if char sequence has at least one character.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n */\npublic fun CharSequence.any(): Boolean {\n  return
!isEmpty()\n}\n\n/**\n * Returns `true` if at least one character matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n
*/\npublic inline fun CharSequence.any(predicate: (Char) -> Boolean): Boolean {\n  for (element in this) if
(predicate(element)) return true\n  return false\n}\n\n/**\n * Returns the length of this char sequence.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.count(): Int {\n  return length\n}\n\n/**\n *
Returns the number of characters matching the given [predicate].\n */\npublic inline fun
CharSequence.count(predicate: (Char) -> Boolean): Int {\n  var count = 0\n  for (element in this) if
(predicate(element)) count++\n  return count\n}\n\n/**\n * Accumulates value starting with [initial] value and
applying [operation] from left to right to current accumulator value and each character.\n */\npublic inline fun <R>
CharSequence.fold(initial: R, operation: (acc: R, Char) -> R): R {\n  var accumulator = initial\n  for (element in
this) accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right\n * to current
accumulator value and each character with its index in the original char sequence.\n * @param [operation] function

```

that takes the index of a character, current accumulator value and the character itself, and calculates the next accumulator value.

```

public inline fun <R> CharSequence.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this) accumulator = operation(index++, accumulator, element)
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each character and current accumulator value.

```

public inline fun <R> CharSequence.foldRight(initial: R, operation: (Char, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each character with its index in the original char sequence and current accumulator value.

@param [operation] function that takes the index of a character, the character itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun <R> CharSequence.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Performs the given [action] on each character.

```

public inline fun CharSequence.forEach(action: (Char) -> Unit): Unit {
    for (element in this) action(element)
}

```

Performs the given [action] on each character, providing sequential index with the character.

@param [action] function that takes the index of a character and the character itself and performs the desired action on the character.

```

public inline fun CharSequence.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {
    var index = 0
    for (item in this) action(index++, item)
}

```

Returns the largest character or `null` if there are no characters.

```

public fun CharSequence.max(): Char? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (max < e) max = e
    }
    return max
}

```

Returns the first character yielding the largest value of the given function or `null` if there are no characters.

```

public inline fun <R : Comparable<R>> CharSequence.maxBy(selector: (Char) -> R): Char? {
    if (isEmpty()) return null
    var maxElem = this[0]
    var maxValue = selector(maxElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (maxValue < v) {
            maxElem = e
            maxValue = v
        }
    }
    return maxElem
}

```

Returns the first character having the largest value according to the provided [comparator] or `null` if there are no characters.

```

public fun CharSequence.maxWith(comparator: Comparator<in Char>): Char? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (comparator.compare(max, e) < 0) max = e
    }
    return max
}

```

Returns the smallest character or `null` if there are no characters.

```

public fun CharSequence.min(): Char? {
    if (isEmpty()) return null
    var min = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (min > e) min = e
    }
    return min
}

```

Returns the first character yielding the smallest value of the given function or `null` if there are no characters.

```

public inline fun <R : Comparable<R>> CharSequence.minBy(selector: (Char) -> R): Char? {
    if (isEmpty()) return null
    var minElem = this[0]
    var minValue = selector(minElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (minValue > v) {
            minElem = e
            minValue = v
        }
    }
    return minElem
}

```

Returns the first character having the smallest value according to the provided [comparator] or `null` if there are no characters.

```

public fun CharSequence.minWith(comparator: Comparator<in Char>): Char? {
    if (isEmpty()) return null
    var min = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (comparator.compare(min, e) > 0) min = e
    }
    return min
}

```

Returns `true` if the char sequence has no characters.

```

public fun CharSequence.none(): Boolean {
    return isEmpty()
}

```

Returns `true` if no characters match the given [predicate].

@sample samples.collections.Collections.Aggregates.noneWithPredicate

```

public inline fun CharSequence.none(predicate: (Char) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return false
    return true
}

```

Performs the given [action] on each character and returns the char sequence itself afterwards.

```

@SinceKotlin("1.1")
public inline fun <S : CharSequence> S.onEach(action: (Char) -> Unit): S

```

```

{\n  return apply { for (element in this) action(element) }\n}\n\n/**\n * Accumulates value starting with the first
character and applying [operation] from left to right to current accumulator value and each character.\n *\npublic
inline fun CharSequence.reduce(operation: (acc: Char, Char) -> Char): Char {\n  if (isEmpty())\n    throw
UnsupportedOperationException("Empty char sequence can't be reduced.")\n  var accumulator = this[0]\n  for
(index in 1..lastIndex) {\n    accumulator = operation(accumulator, this[index])\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to
right\n * to current accumulator value and each character with its index in the original char sequence.\n * @param
[operation] function that takes the index of a character, current accumulator value\n * and the character itself and
calculates the next accumulator value.\n *\npublic inline fun CharSequence.reduceIndexed(operation: (index: Int,
acc: Char, Char) -> Char): Char {\n  if (isEmpty())\n    throw UnsupportedOperationException("Empty char
sequence can't be reduced.")\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator =
operation(index, accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting
with last character and applying [operation] from right to left to each character
and current accumulator value.\n *\npublic inline fun CharSequence.reduceRight(operation: (Char, acc: Char) ->
Char): Char {\n  var index = lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty char
sequence can't be reduced.")\n  var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator =
operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with last
character and applying [operation] from right to left\n * to each character with its index in the original char
sequence and current accumulator value.\n * @param [operation] function that takes the index of a character, the
character itself\n * and current accumulator value, and calculates the next accumulator value.\n *\npublic inline fun
CharSequence.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n  var index =
lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty char sequence can't
be reduced.")\n  var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index,
get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each character in the char sequence.\n *\npublic inline fun
CharSequence.sumBy(selector: (Char) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each character in the char sequence.\n *\npublic inline fun CharSequence.sumByDouble(selector: (Char)
-> Double): Double {\n  var sum: Double = 0.0\n  for (element in this) {\n    sum += selector(element)\n  }\n
return sum\n}\n\n/**\n * Splits this char sequence into a list of strings each not exceeding the given [size].\n * \n *
The last string in the resulting list may have less characters than the
given [size].\n * \n * @param size the number of elements to take in each string, must be positive and can be
greater than the number of elements in this char sequence.\n * \n * @sample
samples.collections.Collections.Transformations.chunked\n *\n@SinceKotlin("1.2")\npublic fun
CharSequence.chunked(size: Int): List<String> {\n  return windowed(size, size, partialWindows =
true)\n}\n\n/**\n * Splits this char sequence into several char sequences each not exceeding the given [size]\n * and
applies the given [transform] function to an each.\n * \n * @return list of results of the [transform] applied to an
each char sequence.\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is
valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a
snapshot of it.\n * The last char sequence may have less characters than the given [size].\n * \n * @param size the number of
elements to take in each char
sequence, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample
samples.text.Strings.chunkedTransform\n *\n@SinceKotlin("1.2")\npublic fun <R> CharSequence.chunked(size:
Int, transform: (CharSequence) -> R): List<R> {\n  return windowed(size, size, partialWindows = true, transform =
transform)\n}\n\n/**\n * Splits this char sequence into a sequence of strings each not exceeding the given [size].\n *
\n * The last string in the resulting sequence may have less characters than the given [size].\n * \n * @param size the
number of elements to take in each string, must be positive and can be greater than the number of elements in this
char sequence.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n

```

```

*\n@SinceKotlin("1.2")\npublic fun CharSequence.chunkedSequence(size: Int): Sequence<String> {\n    return
chunkedSequence(size) { it.toString() }\n}\n\n/**\n * Splits this char sequence into several char sequences
each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return
sequence of results of the [transform] applied to an each char sequence.\n * \n * Note that the char sequence passed
to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it
to escape in some way, unless you made a snapshot of it.\n * The last char sequence may have less characters than
the given [size].\n * \n * @param size the number of elements to take in each char sequence, must be positive and
can be greater than the number of elements in this char sequence.\n * \n * @sample
samples.text.Strings.chunkedTransformToSequence\n *\n@SinceKotlin("1.2")\npublic fun <R>
CharSequence.chunkedSequence(size: Int, transform: (CharSequence) -> R): Sequence<R> {\n    return
windowedSequence(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Splits the original char
sequence into pair of char sequences,\n
* where *first* char sequence contains characters for which [predicate] yielded `true`,\n * while *second* char
sequence contains characters for which [predicate] yielded `false`.\n *\n@public inline fun
CharSequence.partition(predicate: (Char) -> Boolean): Pair<CharSequence, CharSequence> {\n    val first =
StringBuilder()\n    val second = StringBuilder()\n    for (element in this) {\n        if (predicate(element)) {\n
first.append(element)\n        } else {\n            second.append(element)\n        }\n    }\n    return Pair(first,
second)\n}\n\n/**\n * Splits the original string into pair of strings,\n * where *first* string contains characters for
which [predicate] yielded `true`,\n * while *second* string contains characters for which [predicate] yielded
`false`.\n *\n@public inline fun String.partition(predicate: (Char) -> Boolean): Pair<String, String> {\n    val first =
StringBuilder()\n    val second = StringBuilder()\n    for (element in this) {\n
if (predicate(element)) {\n        first.append(element)\n        } else {\n            second.append(element)\n        }\n
}\n    return Pair(first.toString(), second.toString())\n}\n\n/**\n * Returns a list of snapshots of the window of the
given [size]\n * sliding along this char sequence with the given [step], where each\n * snapshot is a string.\n * \n *
Several last strings may have less characters than the given [size].\n * \n * Both [size] and [step] must be positive
and can be greater than the number of elements in this char sequence.\n * \n * @param size the number of elements to
take in each window\n * @param step the number of elements to move the window forward by on an each step, by
default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by
default `false` which means partial windows won't be preserved\n * \n * @sample
samples.collections.Sequences.Transformations.takeWindows\n *\n@SinceKotlin("1.2")\npublic fun
CharSequence.windowed(size:
Int, step: Int = 1, partialWindows: Boolean = false): List<String> {\n    return windowed(size, step,
partialWindows) { it.toString() }\n}\n\n/**\n * Returns a list of results of applying the given [transform] function
to\n * an each char sequence representing a view over the window of the given [size]\n * sliding along this char
sequence with the given [step].\n * \n * Note that the char sequence passed to the [transform] function is ephemeral
and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made
a snapshot of it.\n * Several last char sequences may have less characters than the given [size].\n * \n * Both [size]
and [step] must be positive and can be greater than the number of elements in this char sequence.\n * \n * @param size
the number of elements to take in each window\n * @param step the number of elements to move the window
forward by on an each step, by default 1\n * @param partialWindows controls
whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't
be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n
*\n@SinceKotlin("1.2")\npublic fun <R> CharSequence.windowed(size: Int, step: Int = 1, partialWindows:
Boolean = false, transform: (CharSequence) -> R): List<R> {\n    checkWindowSizeStep(size, step)\n    val thisSize
= this.length\n    val result = ArrayList<R>((thisSize + step - 1) / step)\n    var index = 0\n    while (index < thisSize)
{\n        val end = index + size\n        val coercedEnd = if (end > thisSize) { if (partialWindows) thisSize else break }
else end\n        result.add(transform(subSequence(index, coercedEnd)))\n        index += step\n    }\n    return
result\n}\n\n/**\n * Returns a sequence of snapshots of the window of the given [size]\n * sliding along this char

```

sequence with the given [step], where each snapshot is a string. Several last strings may have less characters than the given [size]. Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence. @param size the number of elements to take in each window @param step the number of elements to move the window forward by on an each step, by default 1 @param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved @sample

```

samples.collections.Sequences.Transformations.takeWindows
@SinceKotlin("1.2")
public fun
CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<String> {
    return windowedSequence(size, step, partialWindows) { it.toString() }
}

```

Returns a sequence of results of applying the given [transform] function to an each char sequence representing a view over the window of the given [size] sliding along this char sequence with the given [step]. Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function. You should not store it or allow it to escape in some way, unless you made a snapshot of it. Several last char sequences may have less characters than the given [size]. Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence. @param size the number of elements to take in each window @param step the number of elements to move the window forward by on an each step, by default 1 @param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved @sample

```

samples.collections.Sequences.Transformations.averageWindows
@SinceKotlin("1.2")
public fun <R>
CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false, transform:
(CharSequence) -> R): Sequence<R> {
    checkWindowSizeStep(size, step)
    val windows = (if
(partialWindows) indices else 0 until length - size + 1) step step
    return windows.asSequence().map { index ->
transform(subSequence(index, (index + size).coerceAtMost(length))) }
}

```

Returns a list of pairs built from the characters of `this` and the [other] char sequences with the same index. The returned list has length of the shortest char sequence. @sample

```

samples.text.Strings.zip
public infix fun CharSequence.zip(other:
CharSequence): List<Pair<Char, Char>> {
    return zip(other) { c1, c2 -> c1 to c2 }
}

```

Returns a list of values built from the characters of `this` and the [other] char sequences with the same index using the provided [transform] function applied to each pair of characters. The returned list has length of the shortest char sequence. @sample

```

samples.text.Strings.zipWithTransform
public inline fun <V>
CharSequence.zip(other:
CharSequence, transform: (a: Char, b: Char) -> V): List<V> {
    val length = minOf(this.length, other.length)
    val list = ArrayList<V>(length)
    for (i in 0 until length) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

```

Returns a list of pairs of each two adjacent characters in this char sequence. The returned list is empty if this char sequence contains less than two characters. @sample

```

samples.collections.Collections.Transformations.zipWithNext
@SinceKotlin("1.2")
public fun
CharSequence.zipWithNext(): List<Pair<Char, Char>> {
    return zipWithNext { a, b -> a to b }
}

```

Returns a list containing the results of applying the given [transform] function to an each pair of two adjacent characters in this char sequence. The returned list is empty if this char sequence contains less than two characters. @sample

```

samples.collections.Collections.Transformations.zipWithNextToFindDeltas
@SinceKotlin("1.2")
public inline fun <R>
CharSequence.zipWithNext(transform: (a: Char, b: Char) -> R):
List<R> {
    val size = length - 1
    if (size < 1) return emptyList()
    val result = ArrayList<R>(size)
    for (index in 0 until size) {
        result.add(transform(this[index], this[index + 1]))
    }
    return result
}

```

Creates an [Iterable] instance that wraps the original char sequence returning its characters when being iterated. @sample

```

public fun CharSequence.asIterable(): Iterable<Char> {
    if (this is String && isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}

```

Creates a [Sequence] instance that wraps the original char sequence returning its characters when being iterated. @sample

```

public fun CharSequence.asSequence(): Sequence<Char> {
    if (this is String && isEmpty()) return emptySequence()
    return Sequence { this.iterator() }
}

```

Copyright 2010-2018 JetBrains s.r.o.

```

Use of this source code is governed by the Apache 2.0 license
 * that can be found in the license/LICENSE.txt
file.
 *^@file:kotlin.jvm.JvmMultifileClass@file:kotlin.jvm.JvmName("StringsKt")\n\npackage
kotlin.text\nimport kotlin.*\nimport kotlin.comparisons.*\nimport kotlin.internal.contracts.*\n\n/**
 * Returns
 a sub sequence of this char sequence having leading and trailing characters matching the [predicate] removed.
 *^
 *^public inline fun CharSequence.trim(predicate: (Char) -> Boolean): CharSequence {
    var startIndex = 0
    var endIndex = length - 1
    var startFound = false
    while (startIndex <= endIndex) {
        val index = if
 (!startFound) startIndex else endIndex
        val match = predicate(this[index])
        if (!startFound) {
            if
 (!match)
                startFound = true
            else
                startIndex += 1
        } else {
            if (!match)
                break
            else
                endIndex -= 1
        }
    }
    return subSequence(startIndex, endIndex + 1)
}

/**
 * Returns a string
 having leading and trailing characters matching the [predicate] removed.
 *^
 *^public inline fun
String.trim(predicate: (Char) -> Boolean): String =
    (this as CharSequence).trim(predicate).toString()

/**
 * Returns a sub sequence of this char sequence having leading characters matching the [predicate] removed.
 *^
 *^public inline fun CharSequence.trimStart(predicate: (Char) -> Boolean): CharSequence {
    for (index in
this.indices)
        if (!predicate(this[index]))
            return subSequence(index, length)
    return
""
}

/**
 * Returns a string having leading characters matching the [predicate] removed.
 *^
 *^public inline
fun String.trimStart(predicate: (Char) -> Boolean): String =
    (this as
CharSequence).trimStart(predicate).toString()

/**
 * Returns a sub sequence of this char sequence having
 trailing characters matching the [predicate]
 removed.
 *^
 *^public inline fun CharSequence.trimEnd(predicate: (Char) -> Boolean): CharSequence {
    for
(index in this.indices.reversed())
        if (!predicate(this[index]))
            return subSequence(0, index + 1)
    return ""
}

/**
 * Returns a string having trailing characters matching the [predicate] removed.
 *^
 *^public
inline fun String.trimEnd(predicate: (Char) -> Boolean): String =
    (this as
CharSequence).trimEnd(predicate).toString()

/**
 * Returns a sub sequence of this char sequence having
 leading and trailing characters from the [chars] array removed.
 *^
 *^public fun CharSequence.trim(vararg chars:
Char): CharSequence = trim { it in chars }

/**
 * Returns a string having leading and trailing characters from
 the [chars] array removed.
 *^
 *^public fun String.trim(vararg chars: Char): String = trim { it in chars }

/**
 * Returns a sub sequence of this char sequence having leading characters from the [chars] array removed.
 *^
 *^public
fun CharSequence.trimStart(vararg chars: Char): CharSequence = trimStart { it in chars }

/**
 * Returns a
 string having leading characters from the [chars] array removed.
 *^
 *^public fun String.trimStart(vararg chars:
Char): String = trimStart { it in chars }

/**
 * Returns a sub sequence of this char sequence having trailing
 characters from the [chars] array removed.
 *^
 *^public fun CharSequence.trimEnd(vararg chars: Char):
CharSequence = trimEnd { it in chars }

/**
 * Returns a string having trailing characters from the [chars] array
 removed.
 *^
 *^public fun String.trimEnd(vararg chars: Char): String = trimEnd { it in chars }

/**
 * Returns a
 sub sequence of this char sequence having leading and trailing whitespace removed.
 *^
 *^public fun
CharSequence.trim(): CharSequence = trim(Char::isWhitespace)

/**
 * Returns a string having leading and
 trailing whitespace removed.
 *^
 *^@kotlin.internal.InlineOnly\npublic inline fun String.trim(): String =
    (this as
CharSequence).trim().toString()

/**
 * Returns a sub sequence of this char sequence having leading whitespace
 removed.
 *^
 *^public fun CharSequence.trimStart(): CharSequence = trimStart(Char::isWhitespace)

/**
 * Returns a
 string having leading whitespace removed.
 *^
 *^@kotlin.internal.InlineOnly\npublic inline fun
String.trimStart(): String =
    (this as CharSequence).trimStart().toString()

/**
 * Returns a sub sequence of this
 char sequence having trailing whitespace removed.
 *^
 *^public fun CharSequence.trimEnd(): CharSequence =
trimEnd(Char::isWhitespace)

/**
 * Returns a string having trailing whitespace removed.
 *^
 *^@kotlin.internal.InlineOnly\npublic inline fun String.trimEnd(): String =
    (this as
CharSequence).trimEnd().toString()

/**
 * Returns a char sequence with content of this char sequence padded at
 the beginning
 * to the specified [length] with the specified character or space.
 *^
 *^ @param length the desired
 string length.
 *^ @param padChar the

```

```

character to pad string with, if it has length less than the [length] specified. Space is used by default.\n * @return
Returns a char sequence of length at least [length] consisting of `this` char sequence prepended with [padChar] as
many times\n * as are necessary to reach that length.\n */\npublic fun CharSequence.padStart(length: Int, padChar:
Char = ' '): CharSequence {\n    if (length < 0)\n        throw IllegalArgumentException("Desired length $length is
less than zero.")\n    if (length <= this.length)\n        return this.subSequence(0, this.length)\n\n    val sb =
StringBuilder(length)\n    for (i in 1..(length - this.length))\n        sb.append(padChar)\n    sb.append(this)\n    return
sb\n}\n\n/**\n * Pads the string to the specified [length] at the beginning with the specified character or space.\n *\n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length less
than the [length] specified. Space is used by default.\n *\n * @return Returns a string of length at least [length] consisting of `this` string prepended with [padChar] as many
times\n * as are necessary to reach that length.\n */\npublic fun String.padStart(length: Int, padChar: Char = ' '):
String =\n    (this as CharSequence).padStart(length, padChar).toString()\n\n/**\n * Returns a char sequence with
content of this char sequence padded at the end\n * to the specified [length] with the specified character or space.\n *\n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length
less than the [length] specified. Space is used by default.\n *\n * @return Returns a char sequence of length at least
[length] consisting of `this` char sequence appended with [padChar] as many times\n * as are necessary to reach that
length.\n */\npublic fun CharSequence.padEnd(length: Int, padChar: Char = ' '): CharSequence {\n    if (length < 0)\n        throw IllegalArgumentException("Desired length $length
is less than zero.")\n    if (length <= this.length)\n        return this.subSequence(0, this.length)\n\n    val sb =
StringBuilder(length)\n    sb.append(this)\n    for (i in 1..(length - this.length))\n        sb.append(padChar)\n    return
sb\n}\n\n/**\n * Pads the string to the specified [length] at the end with the specified character or space.\n *\n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length less
than the [length] specified. Space is used by default.\n *\n * @return Returns a string of length at least [length]
consisting of `this` string appended with [padChar] as many times\n * as are necessary to reach that length.\n */\npublic fun String.padEnd(length: Int, padChar: Char = ' '): String =\n    (this as CharSequence).padEnd(length,
padChar).toString()\n\n/**\n * Returns `true` if this nullable char sequence is either `null` or empty.\n *\n * @kotlin.internal.InlineOnly\npublic inline fun CharSequence?.isNullOrEmpty():
Boolean {\n    contract {\n        returns(false) implies (this@isNullOrEmpty != null)\n    }\n\n    return this == null ||
this.length == 0\n}\n\n/**\n * Returns `true` if this char sequence is empty (contains no characters).\n *\n * @kotlin.internal.InlineOnly\npublic inline fun CharSequence.isEmpty(): Boolean = length == 0\n\n/**\n * Returns `true` if this char sequence is not empty.\n *\n * @kotlin.internal.InlineOnly\npublic inline fun
CharSequence.isNotEmpty(): Boolean = length > 0\n\n// implemented differently in JVM and JS\n//\npublic fun
String.isBlank(): Boolean = length() == 0 || all { it.isWhitespace() }\n\n/**\n * Returns `true` if this char sequence
is not empty and contains some characters except of whitespace characters.\n *\n * @kotlin.internal.InlineOnly\npublic inline fun CharSequence.isNotBlank(): Boolean = !isBlank()\n\n/**\n * Returns `true` if this nullable char sequence is either `null` or empty or consists solely of whitespace characters.\n *\n * @kotlin.internal.InlineOnly\npublic
inline fun CharSequence?.isNullOrBlank(): Boolean {\n    contract {\n        returns(false) implies
(this@isNullOrBlank != null)\n    }\n\n    return this == null || this.isBlank()\n}\n\n/**\n * Iterator for characters of
the given char sequence.\n */\npublic operator fun CharSequence.iterator(): CharIterator = object : CharIterator() {\n
    private var index = 0\n\n    public override fun nextChar(): Char = get(index++)\n\n    public override fun
hasNext(): Boolean = index < length\n}\n\n/**\n * Returns the string if it is not `null`, or the empty string otherwise.\n *\n * @kotlin.internal.InlineOnly\npublic inline fun String?.orEmpty(): String = this ?: ""\n\n/**\n * Returns the
range of valid character indices for this char sequence.\n */\npublic val CharSequence.indices: IntRange\n    get() =
0..length - 1\n\n/**\n * Returns the index of the last character in the char sequence or -1 if it is empty.\n */\npublic
val CharSequence.lastIndex: Int\n    get() = this.length
- 1\n\n/**\n * Returns `true` if this CharSequence has Unicode surrogate pair at the specified [index].\n */\npublic
fun CharSequence.hasSurrogatePairAt(index: Int): Boolean {\n    return index in 0..length - 2\n    &&

```

```

this[index].isHighSurrogate()\n      && this[index + 1].isLowSurrogate()\n}\n\n/**\n * Returns a substring
specified by the given [range] of indices.\n */\npublic fun String.substring(range: IntRange): String =
substring(range.start, range.endInclusive + 1)\n\n/**\n * Returns a subsequence of this char sequence specified by
the given [range] of indices.\n */\npublic fun CharSequence.subSequence(range: IntRange): CharSequence =
subSequence(range.start, range.endInclusive + 1)\n\n/**\n * Returns a subsequence of this char sequence.\n */\n * This extension is chosen only for invocation with old-named parameters.\n * Replace parameter names with the
same as those of [CharSequence.subSequence].\n\n
*/\n@kotlin.internal.InlineOnly\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER")
// false warning\n@Deprecated("Use parameters named startIndex and endIndex.")
ReplaceWith("subSequence(startIndex = start, endIndex = end)")\npublic inline fun String.subSequence(start: Int,
end: Int): CharSequence = subSequence(start, end)\n\n/**\n * Returns a substring of chars from a range of this char
sequence starting at the [startIndex] and ending right before the [endIndex].\n */\n * @param startIndex the start
index (inclusive).\n * @param endIndex the end index (exclusive). If not specified, the length of the char sequence
is used.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.substring(startIndex: Int, endIndex: Int =
length): String = subSequence(startIndex, endIndex).toString()\n\n/**\n * Returns a substring of chars at indices
from the specified [range] of this char sequence.\n */\npublic fun CharSequence.substring(range: IntRange): String
= subSequence(range.start, range.endInclusive + 1).toString()\n\n/**\n * Returns a substring before
the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue]
which defaults to the original string.\n */\npublic fun String.substringBefore(delimiter: Char,
missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1)
missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring before the first occurrence of
[delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the
original string.\n */\npublic fun String.substringBefore(delimiter: String, missingDelimiterValue: String = this):
String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(0,
index)\n}\n\n/**\n * Returns a substring after the first occurrence of [delimiter].\n * If the string does not contain
the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic
fun String.substringAfter(delimiter: Char, missingDelimiterValue: String = this): String {\n    val index =
indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(index + 1, length)\n}\n\n/**\n * Returns a substring after the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringAfter(delimiter:
String, missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1)
missingDelimiterValue else substring(index + delimiter.length, length)\n}\n\n/**\n * Returns a substring before the
last occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which
defaults to the original string.\n */\npublic fun String.substringBeforeLast(delimiter: Char, missingDelimiterValue:
String = this): String {\n    val index = lastIndexOf(delimiter)\n    return if (index == -1) missingDelimiterValue
else substring(0, index)\n}\n\n/**\n * Returns a substring before the last occurrence of [delimiter].\n * If the
string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBeforeLast(delimiter: String,
missingDelimiterValue: String = this): String {\n    val index = lastIndexOf(delimiter)\n    return if (index == -1)
missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring after the last occurrence of
[delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the
original string.\n */\npublic fun String.substringAfterLast(delimiter: Char, missingDelimiterValue: String = this):
String {\n    val index = lastIndexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else
substring(index + 1, length)\n}\n\n/**\n * Returns a substring after the last occurrence of [delimiter].\n * If
the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original
string.\n */\npublic fun String.substringAfterLast(delimiter: String, missingDelimiterValue: String = this): String {\n
    val index = lastIndexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(index +
delimiter.length, length)\n}\n\n/**\n * Returns a char sequence with content of this char sequence where its part at

```

the given range is replaced with the [replacement] char sequence.

@param startIndex the index of the first character to be replaced.

@param endIndex the index of the first character after the replacement to keep in the string.

```

public fun CharSequence.replaceRange(startIndex: Int, endIndex: Int, replacement: CharSequence): CharSequence {
    if (endIndex < startIndex)
        throw IndexOutOfBoundsException("End index ($endIndex) is less than start index ($startIndex).")
    val sb = StringBuilder()
    sb.append(this, 0, startIndex)
    sb.append(replacement)
    sb.append(this, endIndex, length)
    return sb
}

```

Replaces the part of the string at the given range with the [replacement] char sequence.

@param startIndex the index of the first character to be replaced.

@param endIndex the index of the first character after the replacement to keep in the string.

```

@kotlin.internal.InlineOnly
public inline fun String.replaceRange(startIndex: Int, endIndex: Int, replacement: CharSequence): String =
    (this as CharSequence).replaceRange(startIndex, endIndex, replacement).toString()

```

Returns a char sequence with content of this char sequence where its part at the given [range] is replaced with the [replacement] char sequence.

The end index of the [range] is included in the part to be replaced.

```

public fun CharSequence.replaceRange(range: IntRange, replacement: CharSequence): CharSequence =
    replaceRange(range.start, range.endInclusive + 1, replacement)

```

Replace the part of string at the given [range] with the [replacement] string.

The end index of the [range] is included in the part to be replaced.

```

@kotlin.internal.InlineOnly
public inline fun String.replaceRange(range: IntRange, replacement: CharSequence): String =
    (this as CharSequence).replaceRange(range, replacement).toString()

```

Returns a char sequence with content of this char sequence where its part at the given range is removed.

@param startIndex the index of the first character to be removed.

@param endIndex the index of the first character after the removed part to keep in the string.

[endIndex] is not included in the removed part.

```

public fun CharSequence.removeRange(startIndex: Int, endIndex: Int): CharSequence {
    if (endIndex < startIndex)
        throw IndexOutOfBoundsException("End index ($endIndex) is less than start index ($startIndex).")
    if (endIndex == startIndex)
        return this.subSequence(0, length)
    val sb = StringBuilder(length - (endIndex - startIndex))
    sb.append(this, 0, startIndex)
    sb.append(this, endIndex, length)
    return sb
}

```

Removes the part of a string at a given range.

@param startIndex the index of the first character to be removed.

@param endIndex the index of the first character after the removed part to keep in the string.

[endIndex] is not included in the removed part.

```

@kotlin.internal.InlineOnly
public inline fun String.removeRange(startIndex: Int, endIndex: Int): String =
    (this as CharSequence).removeRange(startIndex, endIndex).toString()

```

Returns a char sequence with content of this char sequence where its part at the given [range] is removed.

The end index of the [range] is included in the removed part.

```

public fun CharSequence.removeRange(range: IntRange): CharSequence =
    removeRange(range.start, range.endInclusive + 1)

```

Removes the part of a string at the given [range].

The end index of the [range] is included in the removed part.

```

@kotlin.internal.InlineOnly
public inline fun String.removeRange(range: IntRange): String =
    (this as CharSequence).removeRange(range).toString()

```

If this char sequence starts with the given [prefix], returns a new char sequence with the prefix removed. Otherwise, returns a new char sequence with the same characters.

```

public fun CharSequence.removePrefix(prefix: CharSequence): CharSequence {
    if (startsWith(prefix))
        return subSequence(prefix.length, length)
    return subSequence(0, length)
}

```

If this string starts with the given [prefix], returns a copy of this string with the prefix removed. Otherwise, returns this string.

```

public fun String.removePrefix(prefix: CharSequence): String {
    if (startsWith(prefix))
        return substring(prefix.length)
    return this
}

```

If this char sequence ends with the given [suffix], returns a new char sequence with the suffix removed. Otherwise, returns a new char sequence with the same characters.

```

public fun CharSequence.removeSuffix(suffix: CharSequence): CharSequence {
    if (endsWith(suffix))
        return subSequence(0, length - suffix.length)
    return subSequence(0, length)
}

```

If this string ends with the given [suffix], returns a copy of this string with the suffix removed. Otherwise, returns this string.

```

*public fun String.removeSuffix(suffix: CharSequence): String {
    if (endsWith(suffix)) {
        return substring(0, length - suffix.length)
    }
    return this
}

When this char sequence starts with the given [prefix] and ends with the given [suffix], returns a new char sequence having both the given [prefix] and [suffix] removed. Otherwise returns a new char sequence with the same characters.

public fun
CharSequence.removeSurrounding(prefix:
CharSequence, suffix: CharSequence): CharSequence {
    if ((length >= prefix.length + suffix.length) &&
startsWith(prefix) && endsWith(suffix)) {
        return subSequence(prefix.length, length - suffix.length)
    }
    return subSequence(0, length)
}

Removes from a string both the given [prefix] and [suffix] if and only if it starts with the [prefix] and ends with the [suffix]. Otherwise returns this string unchanged.

public fun String.removeSurrounding(prefix: CharSequence, suffix: CharSequence): String {
    if ((length >=
prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {
        return substring(prefix.length,
length - suffix.length)
    }
    return this
}

When this char sequence starts with and ends with the given [delimiter], returns a new char sequence having this [delimiter] removed both from the start and end. Otherwise returns a new char sequence with the same characters.

public
fun CharSequence.removeSurrounding(delimiter: CharSequence): CharSequence = removeSurrounding(delimiter,
delimiter)

Removes the given [delimiter] string from both the start and the end of this string if and only if it starts with and ends with the [delimiter]. Otherwise returns this string unchanged.

public fun
String.removeSurrounding(delimiter: CharSequence): String = removeSurrounding(delimiter, delimiter)

Replace part of string before the first occurrence of given delimiter with the [replacement] string. If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

public fun
String.replaceBefore(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {
    val index = indexOf(delimiter)
    return if (index == -1) missingDelimiterValue else replaceRange(0, index,
replacement)
}

Replace part of string before the first occurrence of given delimiter with the [replacement] string. If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

public fun String.replaceBefore(delimiter:
String, replacement: String, missingDelimiterValue: String = this): String {
    val index = indexOf(delimiter)
    return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)
}

Replace part of string after the first occurrence of given delimiter with the [replacement] string. If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

public fun
String.replaceAfter(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {
    val index = indexOf(delimiter)
    return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length,
replacement)
}

Replace part of string after the first occurrence of given delimiter with the [replacement] string. If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

public fun String.replaceAfter(delimiter:
String, replacement: String, missingDelimiterValue: String = this): String {
    val index = indexOf(delimiter)
    return if (index == -1)
missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)
}

Replace part of string after the last occurrence of given delimiter with the [replacement] string. If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

public fun
String.replaceAfterLast(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else replaceRange(index +
delimiter.length, length, replacement)
}

Replace part of string after the last occurrence of given delimiter with the [replacement] string. If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

public fun String.replaceAfterLast(delimiter:
Char, replacement: String, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)
}

Replace part of string before the last occurrence of given delimiter with the [replacement] string. If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

public fun
String.replaceBeforeLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {

```

```

val index = lastIndexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else replaceRange(0, index,
replacement)\n}\n\n/**\n * Replace part of string before the last occurrence
of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBeforeLast(delimiter:
String, replacement: String, missingDelimiterValue: String = this): String {\n    val index = lastIndexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n// public fun
String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean): String // JVM- and JS-specific\n// public fun
String.replace(oldValue: String, newValue: String, ignoreCase: Boolean): String // JVM- and JS-specific\n\n/**\n * Returns a new string obtained by replacing each substring of this char sequence that matches the given regular
expression\n * with the given [replacement].\n * The [replacement] can consist of any combination of literal text
and $-substitutions. To treat the replacement string\n * literally escape it with
the [kotlin.text.Regex.Companion.escapeReplacement] method.\n */\n@kotlin.internal.InlineOnly\npublic inline
fun CharSequence.replace(regex: Regex, replacement: String): String = regex.replace(this, replacement)\n\n/**\n * Returns a new string obtained by replacing each substring of this char sequence that matches the given regular
expression\n * with the result of the given function [transform] that takes [MatchResult] and returns a string to be
used as a\n * replacement for that match.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.replace(regex: Regex, noinline transform: (MatchResult) -> CharSequence): String =\n    regex.replace(this, transform)\n\n/**\n * Replaces the first occurrence of the given regular expression [regex] in this
char sequence with specified [replacement] expression.\n * @param replacement A replacement expression that
can include substitutions. See [Regex.replaceFirst] for details.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.replaceFirst(regex:
Regex, replacement: String): String = regex.replaceFirst(this, replacement)\n\n/**\n * Returns `true` if this char
sequence matches the given regular expression.\n */\n@kotlin.internal.InlineOnly\npublic inline infix fun
CharSequence.matches(regex: Regex): Boolean = regex.matches(this)\n\n/**\n * Implementation of
[regionMatches] for CharSequences.\n * Invoked when it's already known that arguments are not Strings, so that no
additional type checks are performed.\n */\ninternal fun CharSequence.regionMatchesImpl(thisOffset: Int, other:
CharSequence, otherOffset: Int, length: Int, ignoreCase: Boolean): Boolean {\n    if ((otherOffset < 0) || (thisOffset <
0) || (thisOffset > this.length - length) || (otherOffset > other.length - length)) {\n        return false\n    }\n\n    for
(index in 0 until length) {\n        if (!this[thisOffset + index].equals(other[otherOffset + index], ignoreCase))\n            return false\n    }\n    return true\n}\n\n/**\n * Returns `true` if this char sequence starts with the specified character.\n */\npublic fun
CharSequence.startsWith(char: Char, ignoreCase: Boolean = false): Boolean =\n    this.length > 0 &&
this[0].equals(char, ignoreCase)\n\n/**\n * Returns `true` if this char sequence ends with the specified character.\n
*/\npublic fun CharSequence.endsWith(char: Char, ignoreCase: Boolean = false): Boolean =\n    this.length > 0 &&
this[lastIndex].equals(char, ignoreCase)\n\n/**\n * Returns `true` if this char sequence starts with the specified
prefix.\n */\npublic fun CharSequence.startsWith(prefix: CharSequence, ignoreCase: Boolean = false): Boolean {\n    if
(!ignoreCase && this is String && prefix is String)\n        return this.startsWith(prefix)\n    else\n        return
regionMatchesImpl(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if a substring of this char
sequence starting at the specified offset [startIndex] starts with the specified prefix.\n */\npublic fun
CharSequence.startsWith(prefix:
CharSequence, startIndex: Int, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase && this is String &&
prefix is String)\n        return this.startsWith(prefix, startIndex)\n    else\n        return regionMatchesImpl(
startIndex, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this char sequence ends with the specified
suffix.\n */\npublic fun CharSequence.endsWith(suffix: CharSequence, ignoreCase: Boolean = false): Boolean {\n    if
(!ignoreCase && this is String && suffix is String)\n        return this.endsWith(suffix)\n    else\n        return
regionMatchesImpl(length - suffix.length, suffix, 0, suffix.length, ignoreCase)\n}\n\n// common prefix and
suffix\n\n/**\n * Returns the longest string `prefix` such that this char sequence and [other] char sequence both start
with this prefix,\n * taking care not to split surrogate pairs.\n * If this and [other] have no common prefix, returns

```

```

the empty string.\n\n * @param ignoreCase
`true` to ignore character case when matching a character. By default `false`.\n\n*/\npublic fun
CharSequence.commonPrefixWith(other: CharSequence, ignoreCase: Boolean = false): String {\n    val
shortestLength = minOf(this.length, other.length)\n\n    var i = 0\n    while (i < shortestLength &&
this[i].equals(other[i], ignoreCase = ignoreCase)) {\n        i++\n    }\n    if (this.hasSurrogatePairAt(i - 1) ||
other.hasSurrogatePairAt(i - 1)) {\n        i--\n    }\n    return subSequence(0, i).toString()\n}\n\n/**\n * Returns the
longest string `suffix` such that this char sequence and [other] char sequence both end with this suffix,\n * taking
care not to split surrogate pairs.\n * If this and [other] have no common suffix, returns the empty string.\n\n *
@param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n\n*/\npublic fun
CharSequence.commonSuffixWith(other: CharSequence, ignoreCase: Boolean = false): String {\n    val thisLength
= this.length\n
    val otherLength = other.length\n    val shortestLength = minOf(thisLength, otherLength)\n\n    var i = 0\n    while
(i < shortestLength && this[thisLength - i - 1].equals(other[otherLength - i - 1], ignoreCase = ignoreCase)) {\n
        i++\n    }\n    if (this.hasSurrogatePairAt(thisLength - i - 1) || other.hasSurrogatePairAt(otherLength - i - 1)) {\n
        i--\n    }\n    return subSequence(thisLength - i, thisLength).toString()\n}\n\n\n// indexOfAny()\n\n/**\n * Finds the
index of the first occurrence of any of the specified [chars] in this char sequence,\n * starting from the specified
[startIndex] and optionally ignoring the case.\n\n * @param ignoreCase `true` to ignore character case when
matching a character. By default `false`.\n\n * @return An index of the first occurrence of matched character from
[chars] or -1 if none of [chars] are found.\n\n */\n\n*/\npublic fun CharSequence.indexOfAny(chars: CharArray,
startIndex: Int = 0, ignoreCase: Boolean = false): Int {\n
    if (!ignoreCase && chars.size == 1 && this is String) {\n        val char = chars.single()\n        return
nativeIndexOf(char, startIndex)\n    }\n\n    for (index in startIndex.coerceAtLeast(0)..lastIndex) {\n        val
charAtIndex = get(index)\n        if (chars.any { it.equals(charAtIndex, ignoreCase) })\n            return index\n    }\n
return -1\n}\n\n/**\n * Finds the index of the last occurrence of any of the specified [chars] in this char sequence,\n
* starting from the specified [startIndex] and optionally ignoring the case.\n\n * @param startIndex The index of
character to start searching at. The search proceeds backward toward the beginning of the string.\n\n * @param
ignoreCase `true` to ignore character case when matching a character. By default `false`.\n\n * @return An index of
the last occurrence of matched character from [chars] or -1 if none of [chars] are found.\n\n */\n\n*/\npublic fun
CharSequence.lastIndexOfAny(chars: CharArray, startIndex: Int = lastIndex, ignoreCase:
Boolean = false): Int {\n    if (!ignoreCase && chars.size == 1 && this is String) {\n        val char = chars.single()\n
return nativeLastIndexOf(char, startIndex)\n    }\n\n    for (index in startIndex.coerceAtMost(lastIndex)
downTo 0) {\n        val charAtIndex = get(index)\n        if (chars.any { it.equals(charAtIndex, ignoreCase) })\n
return index\n    }\n\n    return -1\n}\n\n\nprivate fun CharSequence.indexOf(other: CharSequence, startIndex: Int,
endIndex: Int, ignoreCase: Boolean, last: Boolean = false): Int {\n    val indices = if (!last)\n        startIndex.coerceAtLeast(0)..endIndex.coerceAtMost(length)\n    else\n        startIndex.coerceAtMost(lastIndex)
downTo endIndex.coerceAtLeast(0)\n\n    if (this is String && other is String) { // smart cast\n        for (index in
indices) {\n            if (other.regionMatches(0, this, index, other.length, ignoreCase))\n                return index\n
        }\n    } else {\n        for (index in indices)\n            if (other.regionMatchesImpl(0, this, index, other.length, ignoreCase))\n                return index\n        }\n    }\n    return -1\n}\n\n\nprivate fun CharSequence.findAnyOf(strings: Collection<String>, startIndex: Int, ignoreCase:
Boolean, last: Boolean): Pair<Int, String>? {\n    if (!ignoreCase && strings.size == 1) {\n        val string =
strings.single()\n        val index = if (!last) indexOf(string, startIndex) else lastIndexOf(string, startIndex)\n
return if (index < 0) null else index to string\n    }\n\n    val indices = if (!last) startIndex.coerceAtLeast(0)..length
else startIndex.coerceAtMost(lastIndex) downTo 0\n\n    if (this is String) {\n        for (index in indices) {\n
            val matchingString = strings.firstOrNull { it.regionMatches(0, this, index, it.length, ignoreCase) }\n            if
(matchingString != null)\n                return index to matchingString\n        }\n    } else {\n        for (index in indices)
{\n            val matchingString

```

```

= strings.firstOrNull { it.regionMatchesImpl(0, this, index, it.length, ignoreCase) }
    if (matchingString != null)
        return index to matchingString
    }
    return null
}

/** Finds the first occurrence of any of the specified [strings] in this char sequence,
 * starting from the specified [startIndex] and optionally ignoring the case.
 * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.
 * @return A pair of an index of the first occurrence of matched string from [strings] and the string matched
 * or `null` if none of [strings] are found.
 * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from
 * the beginning to the end of this string, and finds at each position the first element in [strings]
 * that matches this string at that position.
 */
public fun CharSequence.findAnyOf(strings: Collection<String>, startIndex: Int = 0, ignoreCase: Boolean = false): Pair<Int, String>? =
    findAnyOf(strings, startIndex, ignoreCase, last = false)

/** Finds the last occurrence of any of the specified [strings] in this char sequence,
 * starting from the specified [startIndex] and optionally ignoring the case.
 * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.
 * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.
 * @return A pair of an index of the last occurrence of matched string from [strings] and the string matched or `null` if none of [strings] are found.
 * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from
 * the end toward the beginning of this string, and finds at each position the first element in [strings]
 * that matches this string at that position.
 */
public fun CharSequence.findLastAnyOf(strings: Collection<String>, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Pair<Int, String>? =
    findAnyOf(strings, startIndex, ignoreCase, last = true)

/** Finds the index of the first occurrence of any of the specified [strings] in this char sequence,
 * starting from the specified [startIndex] and optionally ignoring the case.
 * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.
 * @return An index of the first occurrence of matched string from [strings] or -1 if none of [strings] are found.
 * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from
 * the beginning to the end of this string, and finds at each position the first element in [strings]
 * that matches this string at that position.
 */
public fun CharSequence.indexOfAny(strings: Collection<String>, startIndex: Int = 0, ignoreCase: Boolean = false): Int =
    findAnyOf(strings, startIndex, ignoreCase, last = false)?.first ?: -1

/** Finds the index of the last occurrence of any of the specified [strings] in this char sequence,
 * starting from the specified [startIndex] and optionally ignoring the case.
 * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.
 * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.
 * @return An index of the last occurrence of matched string from [strings] or -1 if none of [strings] are found.
 * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from
 * the end toward the beginning of this string, and finds at each position the first element in [strings]
 * that matches this string at that position.
 */
public fun CharSequence.lastIndexOfAny(strings: Collection<String>, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int =
    findAnyOf(strings, startIndex, ignoreCase, last = true)?.first ?: -1

/** Returns the index within this string of the first occurrence of the specified character, starting from the specified [startIndex].
 * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.
 * @return An index of the first occurrence of [char] or -1 if none is found.
 */
public fun CharSequence.indexOf(char: Char, startIndex: Int = 0, ignoreCase: Boolean = false): Int {
    return if (ignoreCase || this !is String)
        indexOfAny(charArrayOf(char), startIndex, ignoreCase)
    else
        nativeIndexOf(char, startIndex)
}

/** Returns the index within this char sequence of the first occurrence of the specified [string],
 * starting from the specified [startIndex].
 * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.
 * @return An index of the first occurrence of [string] or -1 if none is found.
 */
public fun CharSequence.indexOf(string: String, startIndex: Int = 0, ignoreCase: Boolean = false): Int {
    return if (ignoreCase || this !is String)
        indexOfAny(charArrayOf(string), startIndex, ignoreCase)
    else
        nativeIndexOf(string, startIndex)
}

/** Returns the index within this char sequence of the last occurrence of
 */

```



```

CharSequence.rangesDelimitedBy(delimiters: CharArray, startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int = 0): Sequence<IntRange> {
    require(limit >= 0, {
        "Limit must be non-negative, but was $limit."
    })
    return DelimitedRangesSequence(this, startIndex, limit, {
        startIndex -> indexOfAny(delimiters, startIndex, ignoreCase = ignoreCase).let {
            if (it < 0) null else it + 1
        }
    })
}

Returns a sequence of index ranges of substrings in this char sequence around occurrences of the specified [delimiters].

@param delimiters One or more strings to be used as delimiters.
@param startIndex The index to start searching delimiters from. No range having its start value less than [startIndex] is returned. [startIndex] is coerced to be non-negative and not greater than length of this string.
@param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.
@param limit The maximum number of substrings to return. Zero by default means no limit is set.

To avoid ambiguous results when strings in [delimiters] have characters in common, this method proceeds from the beginning to the end of this string, and finds at each position the first element in [delimiters] that matches this string at that position.

private fun CharSequence.rangesDelimitedBy(delimiters: Array<out String>, startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int = 0): Sequence<IntRange> {
    require(limit >= 0, {
        "Limit must be non-negative, but was $limit."
    })
    val delimitersList = delimiters.asList()
    return DelimitedRangesSequence(this, startIndex, limit, {
        startIndex -> findAnyOf(delimitersList, startIndex, ignoreCase = ignoreCase, last = false)?.let {
            it.first to it.second.length
        }
    })
}

Splits this char sequence to a sequence of strings around occurrences of the specified [delimiters].

@param delimiters One or more strings to be used as delimiters.
@param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.
@param limit The maximum number of substrings to return. Zero by default means no limit is set.

To avoid ambiguous results when strings in [delimiters] have characters in common, this method proceeds from the beginning to the end of this string, and finds at each position the first element in [delimiters] that matches this string at that position.

public fun CharSequence.splitToSequence(vararg delimiters: String, ignoreCase: Boolean = false, limit: Int = 0): Sequence<String> =
    rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map {
        substring(it)
    }

Splits this char sequence to a list of strings around occurrences of the specified [delimiters].

@param delimiters One or more strings to be used as delimiters.
@param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.
@param limit The maximum number of substrings to return. Zero by default means no limit is set.

To avoid ambiguous results when strings in [delimiters] have characters in common, this method proceeds from the beginning to the end of this string, and matches at each position the first element in [delimiters] that is equal to a delimiter in this instance at that position.

public fun CharSequence.split(vararg delimiters: String, ignoreCase: Boolean = false, limit: Int = 0): List<String> {
    if (delimiters.size == 1) {
        val delimiter = delimiters[0]
        if (!delimiter.isEmpty()) {
            return split(delimiter, ignoreCase, limit)
        }
    }
    return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map {
        substring(it)
    }
}

Splits this char sequence to a sequence of strings around occurrences of the specified [delimiters].

@param delimiters One or more characters to be used as delimiters.
@param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.
@param limit The maximum number of substrings to return.

public fun CharSequence.splitToSequence(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0): Sequence<String> =
    rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map {
        substring(it)
    }

Splits this char sequence to a list of strings around [delimiters].

@param delimiters One or more characters to be used as delimiters.
@param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.
@param limit The maximum number of substrings to return.

public fun CharSequence.split(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0): List<String> {
    if (delimiters.size == 1) {
        return split(delimiters[0].toString(), ignoreCase, limit)
    }
    return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map {
        substring(it)
    }
}

Splits this char sequence to a list of strings around

```

```

occurrences of the specified [delimiter].\n * This is specialized version of split which receives single non-empty
delimiter and offers better performance\n * \n * @param delimiter String used as delimiter\n * @param ignoreCase
`true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum
number of substrings to return.\n */\nprivate fun CharSequence.split(delimiter: String, ignoreCase: Boolean, limit:
Int): List<String> {\n    require(limit >= 0, { "\Limit must be non-negative, but was $limit." })\n    var
currentOffset = 0\n    var nextIndex = indexOf(delimiter, currentOffset, ignoreCase)\n    if (nextIndex == -1 || limit
== 1) {\n        return listOf(this.toString())\n    }\n    val isLimited = limit > 0\n    val result = ArrayList<String>(if
(isLimited) limit.coerceAtMost(10) else 10)\n    do {\n        result.add(substring(currentOffset, nextIndex))\n
currentOffset = nextIndex + delimiter.length\n        // Do not search
for next occurrence if we're reaching limit\n        if (isLimited && result.size == limit - 1) break\n        nextIndex =
indexOf(delimiter, currentOffset, ignoreCase)\n    } while (nextIndex != -1)\n    result.add(substring(currentOffset,
length))\n    return result\n}\n\n/**\n * Splits this char sequence around matches of the given regular expression.\n
*\n * @param limit Non-negative value specifying the maximum number of substrings to return.\n * Zero by default
means no limit is set.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.split(regex: Regex, limit:
Int = 0): List<String> = regex.split(this, limit)\n\n/**\n * Splits this char sequence to a sequence of lines delimited
by any of the following character sequences: CRLF, LF or CR.\n */\npublic fun CharSequence.lineSequence():
Sequence<String> = splitToSequence("\\r\\n", "\\n", "\\r")\n\n/**\n * Splits this char sequence to a list of lines
delimited by any of the following character sequences: CRLF,
LF or CR.\n */\npublic fun CharSequence.lines(): List<String> = lineSequence().toList()\n\n/*\n * Copyright
2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n/**\n * Converts the characters
in the specified array to a string.\n */\n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic actual inline fun
String(chars: CharArray): String {\n    return js("String.fromCharCode").apply(null, chars)\n}\n\n/**\n * Converts
the characters from a portion of the specified array to a string.\n */\n@SinceKotlin("1.2")\npublic actual fun
String(chars: CharArray, offset: Int, length: Int): String {\n    return String(chars.copyOfRange(offset, offset +
length))\n}\n\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toUpperCase(): String =
asDynamic().toUpperCase()\n\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toLowerCase():
String = asDynamic().toLowerCase()\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun
String.nativeIndexOf(str: String, fromIndex: Int): Int = asDynamic().indexOf(str,
fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeLastIndexOf(str: String,
fromIndex: Int): Int = asDynamic().lastIndexOf(str, fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal inline fun
String.nativeStartsWith(s: String, position: Int): Boolean = asDynamic().startsWith(s,
position)\n\n@kotlin.internal.InlineOnly\ninternal inline fun String.nativeEndsWith(s: String): Boolean =
asDynamic().endsWith(s)\n\n@kotlin.internal.InlineOnly\npublic actual inline fun String.substring(startIndex: Int):
String = asDynamic().substring(startIndex)\n\n@kotlin.internal.InlineOnly\npublic actual inline fun
String.substring(startIndex: Int, endIndex: Int): String = asDynamic().substring(startIndex,
endIndex)\n\n@kotlin.internal.InlineOnly\npublic inline fun String.concat(str: String):
String = asDynamic().concat(str)\n\n@kotlin.internal.InlineOnly\npublic inline fun String.match(regex: String):
Array<String>? = asDynamic().match(regex)\n\n// native public fun String.trim(): String\n// TODO: String.replace
to implement effective trimLeading and trimTrailing\n\n@Deprecated("Use length property instead.")
ReplaceWith("length"), level = DeprecationLevel.ERROR)\n\n@kotlin.internal.InlineOnly\npublic inline val
CharSequence.size: Int get() = length\n\n@kotlin.internal.InlineOnly\ninternal inline fun
String.nativeReplace(pattern: RegExp, replacement: String): String = asDynamic().replace(pattern,
replacement)\n\n\n/*\n * Copyright 2010-2015 JetBrains s.r.o.\n * \n * Licensed under the Apache License, Version
2.0 (the "License");\n * you may not use this file except in compliance with the License.\n * You may obtain a
copy of the License at\n * \n * http://www.apache.org/licenses/LICENSE-2.0\n * \n * Unless required by applicable
law or agreed to in writing, software\n

```

```

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR
CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
*/
package kotlin.collections
import
kotlin.internal.PlatformDependent
*/
* Classes that inherit from this interface can be represented as a
sequence of elements that can
* be iterated over.
* @param T the type of element being iterated over. The
iterator is covariant on its element type.
*/
public interface Iterable<out T> {
    /**
     * Returns an iterator
over the elements of this object.
     */
    public operator fun iterator(): Iterator<T>
}
*/
* Classes that
inherit from this interface can be represented as a sequence of elements that can
* be iterated over and that
supports removing elements during iteration.
* @param T the type of element being iterated over. The mutable
iterator is invariant
on its element type.
*/
public interface MutableIterable<out T> : Iterable<T> {
    /**
     * Returns an iterator
over the elements of this sequence that supports removing elements during iteration.
     */
    override fun
iterator(): MutableIterator<T>
}
*/
* A generic collection of elements. Methods in this interface support only
read-only access to the collection;
* read/write access is supported through the [MutableCollection] interface.
* @param E the type of elements contained in the collection. The collection is covariant on its element type.
*/
public interface Collection<out E> : Iterable<E> {
    // Query Operations
    /**
     * Returns the size of the
collection.
     */
    public val size: Int
    /**
     * Returns `true` if the collection is empty (contains no
elements), `false` otherwise.
     */
    public fun isEmpty(): Boolean
    /**
     * Checks if the specified
element is contained in this collection.
     */
    public
operator fun contains(element: @UnsafeVariance E): Boolean
    override fun iterator(): Iterator<E>
    // Bulk Operations
    /**
     * Checks if all elements in the specified collection are contained in this collection.
     */
    public fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean
}
*/
* A generic
collection of elements that supports adding and removing elements.
* @param E the type of elements
contained in the collection. The mutable collection is invariant on its element type.
*/
public interface
MutableCollection<E> : Collection<E>, MutableIterable<E> {
    // Query Operations
    override fun iterator():
MutableIterator<E>
    // Modification Operations
    /**
     * Adds the specified element to the collection.
     */
    /**
     * @return `true` if the element has been added, `false` if the collection does not support duplicates
     * and
the element is already contained in the collection.
     */
    public fun add(element:
E): Boolean
    /**
     * Removes a single instance of the specified element from this
     * collection, if it is
present.
     */
    /**
     * @return `true` if the element has been successfully removed; `false` if it was not present in the
collection.
     */
    public fun remove(element: E): Boolean
    // Bulk Modification Operations
    /**
     * Adds all of the elements in the specified collection to this collection.
     */
    /**
     * @return `true` if any of the
specified elements was added to the collection, `false` if the collection was not modified.
     */
    public fun
addAll(elements: Collection<E>): Boolean
    /**
     * Removes all of this collection's elements that are also
contained in the specified collection.
     */
    /**
     * @return `true` if any of the specified elements was removed from
the collection, `false` if the collection was not modified.
     */
    public fun removeAll(elements: Collection<E>):
Boolean
    /**
     * Retains
only the elements in this collection that are contained in the specified collection.
     */
    /**
     * @return `true` if any
element was removed from the collection, `false` if the collection was not modified.
     */
    public fun
retainAll(elements: Collection<E>): Boolean
    /**
     * Removes all elements from this collection.
     */
    public fun
clear(): Unit
}
*/
* A generic ordered collection of elements. Methods in this interface support
only read-only access to the list;
* read/write access is supported through the [MutableList] interface.
* @param
E the type of elements contained in the list. The list is covariant on its element type.
*/
public interface List<out
E> : Collection<E> {
    // Query Operations
    override val size: Int
    override fun isEmpty(): Boolean
    override fun contains(element: @UnsafeVariance E): Boolean
    override fun iterator(): Iterator<E>
    // Bulk
Operations
    override fun containsAll(elements: Collection<@UnsafeVariance
E>): Boolean
    // Positional Access Operations
    /**
     * Returns the element at the specified index in the
list.
     */
    public operator fun get(index: Int): E
    // Search Operations
    /**
     * Returns the index of

```

the first occurrence of the specified element in the list, or -1 if the specified element is not contained in the list.

```

    * public fun indexOf(element: @UnsafeVariance E): Int
    /** Returns the index of the last occurrence of the specified element in the list, or -1 if the specified element is not contained in the list.
    * public fun lastIndexOf(element: @UnsafeVariance E): Int
    // List Iterators
    /** Returns a list iterator over the elements in this list (in proper sequence).
    * public fun listIterator(): ListIterator<E>
    /** Returns a list iterator over the elements in this list (in proper sequence), starting at the specified [index].
    * public fun listIterator(index: Int): ListIterator<E>
    // View
    /** Returns a view of the portion of this list between the specified [fromIndex] (inclusive) and [toIndex] (exclusive).
    * The returned list is backed by this list, so non-structural changes in the returned list are reflected in this list, and vice-versa.
    * Structural changes in the base list make the behavior of the view undefined.
    * public fun subList(fromIndex: Int, toIndex: Int): List<E>
    }
    /** A generic ordered collection of elements that supports adding and removing elements.
    * @param E the type of elements contained in the list. The mutable list is invariant on its element type.
    * public interface MutableList<E> : List<E>, MutableCollection<E> {
    // Modification Operations
    override fun add(element: E): Boolean
    override fun remove(element: E): Boolean
    // Bulk Modification Operations
    override fun addAll(elements: Collection<E>): Boolean
    /** Inserts all of the elements in the specified collection [elements] into this list at the specified [index].
    * @return `true` if the list was changed as the result of the operation.
    * public fun addAll(index: Int, elements: Collection<E>): Boolean
    override fun removeAll(elements: Collection<E>): Boolean
    override fun retainAll(elements: Collection<E>): Boolean
    override fun clear(): Unit
    // Positional Access Operations
    /** Replaces the element at the specified position in this list with the specified element.
    * @return the element previously at the specified position.
    * public operator fun set(index: Int, element: E): E
    /** Inserts an element into the list at the specified [index].
    * public fun add(index: Int, element: E): Unit
    /** Removes an element at the specified [index] from the list.
    * @return the element that has been removed.
    * public fun removeAt(index: Int): E
    // List Iterators
    override fun listIterator(): MutableListIterator<E>
    override fun listIterator(index: Int): MutableListIterator<E>
    // View
    override fun subList(fromIndex: Int, toIndex: Int): MutableList<E>
    }
    /** A generic unordered collection of elements that does not support duplicate elements.
    * Methods in this interface support only read-only access to the set; read/write access is supported through the [MutableSet] interface.
    * @param E the type of elements contained in the set. The set is covariant on its element type.
    * public interface Set<out E> : Collection<E> {
    // Query Operations
    override val size: Int
    override fun isEmpty(): Boolean
    override fun contains(element: @UnsafeVariance E): Boolean
    override fun iterator(): Iterator<E>
    // Bulk Operations
    override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean
    }
    /** A generic unordered collection of elements that does not support duplicate elements, and supports adding and removing elements.
    * @param E the type of elements contained in the set. The mutable set is invariant on its element type.
    * public interface MutableSet<E> : Set<E>, MutableCollection<E> {
    // Query Operations
    override fun iterator(): MutableIterator<E>
    // Modification Operations
    override fun add(element: E): Boolean
    override fun remove(element: E): Boolean
    // Bulk Modification Operations
    override fun addAll(elements: Collection<E>): Boolean
    override fun removeAll(elements: Collection<E>): Boolean
    override fun retainAll(elements: Collection<E>): Boolean
    override fun clear(): Unit
    }
    /** A collection that holds pairs of objects (keys and values) and supports efficiently retrieving the value corresponding to each key. Map keys are unique; the map holds only one value for each key.
    * Methods in this interface support only read-only access to the map; read-write access is supported through the [MutableMap] interface.
    * @param K the type of map keys. The map is invariant on its key type, as it can accept key as a parameter (of [containsKey] for example) and return it in [keys] set.
    * @param V the type of map values. The map is covariant on its value type.
    * public interface Map<K, out V> {
    // Query Operations
    /** Returns the number of key/value pairs in the map.
    * public val size: Int
    /** Returns `true` if the map is empty (contains no elements), `false` otherwise.
    * public fun

```

```

isEmpty(): Boolean\n\n /**\n * Returns `true` if the map contains the specified [key].\n */\n public fun
containsKey(key: K): Boolean\n\n /**\n * Returns `true` if the map maps one or more keys to the specified
[value].\n */\n public fun containsValue(value: @UnsafeVariance V):
Boolean\n\n /**\n * Returns the value corresponding to the given [key], or `null` if such a key is not present in
the map.\n */\n public operator fun get(key: K): V?\n\n /**\n * Returns the value corresponding to the given
[key], or [defaultValue] if such a key is not present in the map.\n */\n * @since JDK 1.8\n */\n
@SinceKotlin("1.1")\n @PlatformDependent\n public fun getOrDefault(key: K, defaultValue:
@UnsafeVariance V): V {\n // See default implementation in JDK sources\n return null as V\n }\n\n //
Views\n /**\n * Returns a read-only [Set] of all keys in this map.\n */\n public val keys: Set<K>\n\n /**\n
* Returns a read-only [Collection] of all values in this map. Note that this collection may contain duplicate
values.\n */\n public val values: Collection<V>\n\n /**\n * Returns a read-only [Set] of all key/value pairs
in this map.\n */\n public val entries: Set<Map.Entry<K,
V>>\n\n /**\n * Represents a key/value pair held by a [Map].\n */\n public interface Entry<out K, out V>
{\n /**\n * Returns the key of this key/value pair.\n */\n public val key: K\n\n /**\n *
Returns the value of this key/value pair.\n */\n public val value: V\n }\n\n /**\n * A modifiable
collection that holds pairs of objects (keys and values) and supports efficiently retrieving\n * the value
corresponding to each key. Map keys are unique; the map holds only one value for each key.\n * @param K the type
of map keys. The map is invariant on its key type.\n * @param V the type of map values. The mutable map is
invariant on its value type.\n */\n public interface MutableMap<K, V> : Map<K, V> {\n // Modification
Operations\n /**\n * Associates the specified [value] with the specified [key] in the map.\n */\n * @return
the previous value associated with the key, or `null` if the key was not present
in the map.\n */\n public fun put(key: K, value: V): V?\n\n /**\n * Removes the specified key and its
corresponding value from this map.\n */\n * @return the previous value associated with the key, or `null` if the
key was not present in the map.\n */\n public fun remove(key: K): V?\n\n /**\n * Removes the entry for the
specified key only if it is mapped to the specified value.\n */\n * @return true if entry was removed\n */\n
@SinceKotlin("1.1")\n @PlatformDependent\n public fun remove(key: K, value: V): Boolean {\n // See
default implementation in JDK sources\n return true\n }\n\n // Bulk Modification Operations\n /**\n *
Updates this map with key/value pairs from the specified map [from].\n */\n public fun putAll(from: Map<out
K, V>): Unit\n\n /**\n * Removes all elements from this map.\n */\n public fun clear(): Unit\n\n //
Views\n /**\n * Returns a [MutableSet] of
all keys in this map.\n */\n override val keys: MutableSet<K>\n\n /**\n * Returns a [MutableCollection] of
all values in this map. Note that this collection may contain duplicate values.\n */\n override val values:
MutableCollection<V>\n\n /**\n * Returns a [MutableSet] of all key/value pairs in this map.\n */\n
override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\n\n /**\n * Represents a key/value pair
held by a [MutableMap].\n */\n public interface MutableEntry<K, V> : Map.Entry<K, V> {\n /**\n *
Changes the value associated with the key of this entry.\n */\n * @return the previous value corresponding
to the key.\n */\n public fun setValue(newValue: V): V\n }\n\n "/*\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\n // Auto-generated file. DO NOT EDIT!\n\n\n package
kotlin.collections\n\n /**\n * An iterator over a sequence of values of type `Byte`. \n */\n public abstract class ByteIterator :
Iterator<Byte> {\n override final fun next() = nextByte()\n\n /**\n * Returns the next value in the sequence without
boxing. \n */\n public abstract fun nextByte(): Byte\n }\n\n /**\n * An iterator over a sequence of values of type `Char`. \n
*/\n public abstract class CharIterator : Iterator<Char> {\n override final fun next() = nextChar()\n\n /**\n * Returns
the next value in the sequence without boxing. \n */\n public abstract fun nextChar(): Char\n }\n\n /**\n * An iterator over
a sequence of values of type `Short`. \n */\n public abstract class ShortIterator : Iterator<Short> {\n override final fun
next() = nextShort()\n\n /**\n * Returns the next value in the sequence without boxing. \n */\n public abstract fun
nextShort(): Short\n }\n\n /**\n * An iterator over a sequence of values of type `Int`. \n */\n public abstract class IntIterator :
Iterator<Int> {\n override final fun

```

```

next() = nextInt()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun
nextInt(): Int\n\n/** An iterator over a sequence of values of type `Long`. */\npublic abstract class LongIterator :
Iterator<Long> {\n override final fun next() = nextLong()\n\n /** Returns the next value in the sequence without
boxing. */\n public abstract fun nextLong(): Long\n\n\n/** An iterator over a sequence of values of type `Float`.
*/\npublic abstract class FloatIterator : Iterator<Float> {\n override final fun next() = nextFloat()\n\n /** Returns
the next value in the sequence without boxing. */\n public abstract fun nextFloat(): Float\n\n\n/** An iterator
over a sequence of values of type `Double`. */\npublic abstract class DoubleIterator : Iterator<Double> {\n
override final fun next() = nextDouble()\n\n /** Returns the next value in the sequence without boxing. */\n
public abstract fun nextDouble(): Double\n\n\n/** An iterator
over a sequence of values of type `Boolean`. */\npublic abstract class BooleanIterator : Iterator<Boolean> {\n
override final fun next() = nextBoolean()\n\n /** Returns the next value in the sequence without boxing. */\n
public abstract fun nextBoolean(): Boolean\n\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source
code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n *\n\n// Auto-
generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n/**\n * An iterator over a progression of values of type
`Char`. \n * @property step the number by which the value is incremented on each step.\n */\ninternal class
CharProgressionIterator(first: Char, last: Char, val step: Int) : CharIterator() {\n private val finalElement =
last.toInt()\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private var next = if
(hasNext) first.toInt() else finalElement\n override fun hasNext(): Boolean
= hasNext\n\n override fun nextChar(): Char {\n val value = next\n if (value == finalElement) {\n
if (!hasNext) throw kotlin.NoSuchElementException()\n hasNext = false\n }\n else {\n next
+= step\n }\n return value.toChar()\n }\n\n\n/**\n * An iterator over a progression of values of type
`Int`. \n * @property step the number by which the value is incremented on each step.\n */\ninternal class
IntProgressionIterator(first: Int, last: Int, val step: Int) : IntIterator() {\n private val finalElement = last\n private
var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private var next = if (hasNext) first else
finalElement\n\n override fun hasNext(): Boolean = hasNext\n\n override fun nextInt(): Int {\n val value =
next\n if (value == finalElement) {\n if (!hasNext) throw kotlin.NoSuchElementException()\n
hasNext = false\n }\n else {\n next += step\n }\n return value\n }\n\n\n\n/**\n * An iterator over a progression of values
of type `Long`. \n * @property step the number by which the value is incremented on each step.\n */\ninternal class
LongProgressionIterator(first: Long, last: Long, val step: Long) : LongIterator() {\n private val finalElement =
last\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private var next = if (hasNext)
first else finalElement\n\n override fun hasNext(): Boolean = hasNext\n\n override fun nextLong(): Long {\n
val value = next\n if (value == finalElement) {\n if (!hasNext) throw
kotlin.NoSuchElementException()\n hasNext = false\n }\n else {\n next += step\n }\n
return value\n }\n\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the
Apache 2.0 license \n * that can be found in the license/LICENSE.txt
file.\n *\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport
kotlin.internal.getProgressionLastElement\n\n/**\n * A progression of values of type `Char`. \n */\npublic open class
CharProgression\n internal constructor\n (\n start: Char,\n endInclusive: Char,\n step: Int\n
) : Iterable<Char> {\n init {\n if (step == 0) throw kotlin.IllegalArgumentException("\nStep must be non-
zero")\n }\n\n /**\n * The first element in the progression. \n */\n public val first: Char = start\n\n /**\n
* The last element in the progression. \n */\n public val last: Char = getProgressionLastElement(start.toInt(),
endInclusive.toInt(), step).toChar()\n\n /**\n * The step of the progression. \n */\n public val step: Int =
step\n\n override fun iterator(): CharIterator = CharProgressionIterator(first, last, step)\n\n /** Checks if the
progression is empty. \n */\n public open
fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n override fun equals(other: Any?): Boolean
=\n other is CharProgression && (isEmpty() && other.isEmpty() ||\n first == other.first && last ==
other.last && step == other.step)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * (31 *

```

```

first.toInt() + last.toInt()) + step)\n\n    override fun toString(): String = if (step > 0) \"$first..$last step $step\" else
\"$first downTo $last step ${-step}\""\n\n    companion object {\n        /**\n         * Creates CharProgression within
the specified bounds of a closed range.\n         * The progression starts with the [rangeStart] value and goes toward
the [rangeEnd] value not excluding it, with the specified [step].\n         * In order to go backwards the [step] must be
negative.\n         */\n        public fun fromClosedRange(rangeStart: Char, rangeEnd: Char, step: Int):
CharProgression = CharProgression(rangeStart, rangeEnd,
step)\n    }\n}\n\n/**\n * A progression of values of type `Int`.\n */\npublic open class IntProgression\n    internal constructor\n    (\n        start: Int,\n        endInclusive: Int,\n        step: Int\n    ) : Iterable<Int> {\n    init {\n        if (step == 0) throw kotlin.IllegalArgumentException(\"Step must be non-zero\")\n    }\n\n    /**\n     * The first
element in the progression.\n     */\n    public val first: Int = start\n\n    /**\n     * The last element in the
progression.\n     */\n    public val last: Int = getProgressionLastElement(start.toInt(), endInclusive.toInt(),
step).toInt()\n\n    /**\n     * The step of the progression.\n     */\n    public val step: Int = step\n\n    override fun
iterator(): IntIterator = IntProgressionIterator(first, last, step)\n\n    /** Checks if the progression is empty. */\n    public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n    override fun equals(other: Any?):
Boolean =\n        other
is IntProgression && (isEmpty() && other.isEmpty()) ||\n        first == other.first && last == other.last && step ==
other.step)\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * (31 * first + last) + step)\n\n    override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\""\n\n    companion object {\n        /**\n         * Creates IntProgression within the specified bounds of a closed range.\n         * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the
specified [step].\n         * In order to go backwards the [step] must be negative.\n         */\n        public fun
fromClosedRange(rangeStart: Int, rangeEnd: Int, step: Int): IntProgression = IntProgression(rangeStart, rangeEnd,
step)\n    }\n}\n\n/**\n * A progression of values of type `Long`.\n */\npublic open class LongProgression\n    internal constructor\n    (\n        start:
Long,\n        endInclusive: Long,\n        step: Long\n    ) : Iterable<Long> {\n    init {\n        if (step == 0L)
throw kotlin.IllegalArgumentException(\"Step must be non-zero\")\n    }\n\n    /**\n     * The first element in the
progression.\n     */\n    public val first: Long = start\n\n    /**\n     * The last element in the progression.\n     */\n    public val last: Long = getProgressionLastElement(start.toLong(), endInclusive.toLong(), step).toLong()\n\n    /**\n     * The step of the progression.\n     */\n    public val step: Long = step\n\n    override fun iterator(): LongIterator =
LongProgressionIterator(first, last, step)\n\n    /** Checks if the progression is empty. */\n    public open fun
isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n    override fun equals(other: Any?): Boolean =\n        other is LongProgression && (isEmpty() && other.isEmpty()) ||\n        first == other.first && last == other.last &&
step == other.step)\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * (31 * (first xor (first ushr 32)) + (last xor (last ushr
32))) + (step xor (step ushr 32))).toInt()\n\n    override fun toString(): String = if (step > 0) \"$first..$last step $step\"
else \"$first downTo $last step ${-step}\""\n\n    companion object {\n        /**\n         * Creates LongProgression
within the specified bounds of a closed range.\n         * The progression starts with the [rangeStart] value and goes
toward the [rangeEnd] value not excluding it, with the specified [step].\n         * In order to go backwards the [step]
must be negative.\n         */\n        public fun fromClosedRange(rangeStart: Long, rangeEnd: Long, step: Long):
LongProgression = LongProgression(rangeStart, rangeEnd, step)\n    }\n}\n\n"/*\n * Copyright 2010-2015
JetBrains s.r.o.\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this
file except in compliance with the License.\n * You
may obtain a copy of the License at\n * http://www.apache.org/licenses/LICENSE-2.0\n * Unless required
by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\"
BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the
License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage
kotlin.ranges\n\n/**\n * Represents a range of values (for example, numbers or characters).\n * See the [Kotlin
language documentation](http://kotlinlang.org/docs/reference/ranges.html) for more information.\n */\npublic

```

```

interface ClosedRange<T: Comparable<T>> {
    /** The minimum value in the range. */
    public val start: T
    /** The maximum value in the range (inclusive). */
    public val endInclusive: T
    /** Checks whether the specified [value] belongs to the range. */
    public operator fun contains(value: T): Boolean = value >= start && value <= endInclusive
    /** Checks whether the range is empty. */
    public fun isEmpty(): Boolean = start > endInclusive
}

/* Copyright 2010-2015 JetBrains s.r.o.
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in
 * compliance with the License.
 * You may obtain a copy of the License at
 * http://www.apache.org/licenses/LICENSE-2.0
 * Unless required by applicable law or agreed to in writing,
 * software distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
package kotlin
public object Unit {
    override fun toString() = "kotlin.Unit"
}

/* Copyright 2010-2015 JetBrains s.r.o.
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 * http://www.apache.org/licenses/LICENSE-2.0
 * Unless required by applicable law or agreed to in writing,
 * software distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
package kotlin.annotation
import kotlin.annotation.AnnotationTarget

/** Contains the list of code elements which are the possible annotation
 * targets
 */
public enum class AnnotationTarget {
    /** Class, interface or object, annotation class is also
    included */
    CLASS,
    /** Annotation class only */
    ANNOTATION_CLASS,
    /** Generic type parameter (unsupported yet) */
    TYPE_PARAMETER,
    /** Property */
    PROPERTY,
    /** Field, including property's backing field */
    FIELD,
    /** Local variable */
    LOCAL_VARIABLE,
    /** Value parameter of a function or a constructor
    (primary or secondary) */
    VALUE_PARAMETER,
    /** Constructor only
    (primary or secondary) */
    CONSTRUCTOR,
    /** Function (constructors are not included) */
    FUNCTION,
    /** Property getter only */
    PROPERTY_GETTER,
    /** Property setter only */
    PROPERTY_SETTER,
    /** Type usage */
    TYPE,
    /** Any expression */
    EXPRESSION,
    /** File */
    FILE,
    /** Type alias */
    @SinceKotlin("1.1")
    TYPEALIAS
}

/** Contains the list of possible annotation's retentions.
 * Determines how an annotation is stored in binary output.
 */
public enum class AnnotationRetention {
    /** Annotation isn't stored in binary output */
    SOURCE,
    /** Annotation is stored in binary
    output, but invisible for reflection */
    BINARY,
    /** Annotation is stored in binary output and visible for
    reflection (default retention) */
    RUNTIME
}

/** This meta-annotation indicates the kinds of code
 * elements which are possible targets of an annotation.
 * If the target meta-annotation is not present on an
 * annotation declaration, the annotation is applicable to the following elements:
 * [CLASS], [PROPERTY], [FIELD], [LOCAL_VARIABLE], [VALUE_PARAMETER], [CONSTRUCTOR], [FUNCTION],
 * [PROPERTY_GETTER], [PROPERTY_SETTER].
 * @property allowedTargets list of allowed annotation
 * targets
 */
@Target(AnnotationTarget.ANNOTATION_CLASS)
@MustBeDocumented
public annotation class Target(vararg val allowedTargets: AnnotationTarget)

/** This meta-annotation determines whether an
 * annotation is stored in binary output and visible for reflection. By default, both are true.
 * @property value necessary annotation retention (RUNTIME, BINARY or SOURCE)
 */
@Target(AnnotationTarget.ANNOTATION_CLASS)
public annotation class Retention(val value: AnnotationRetention = AnnotationRetention.RUNTIME)

/** This meta-annotation determines that an
 * annotation is applicable twice or more on a single code element
 */
@Target(AnnotationTarget.ANNOTATION_CLASS)
public annotation class Repeatable

/** This meta-annotation determines that an annotation is a part of public API and therefore should be included in the
 * generated documentation for the element to which the annotation is applied.
 */

```

`*/\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class MustBeDocumented\n"/\n *  
Copyright 2010-2016 JetBrains s.r.o.\n * Licensed under the Apache License, Version 2.0 (the "License");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n * http://www.apache.org/licenses/LICENSE-2.0\n * Unless required by applicable law or agreed to in writing,  
software\n`

`* distributed under the License is distributed on an "AS IS" BASIS,\n * WITHOUT WARRANTIES OR  
CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing  
permissions and\n * limitations under the License.\n */\n\npackage kotlin.internal\n\n/**\n * Specifies that the  
corresponding type parameter is not used for unsafe operations such as casts or 'is' checks\n * That means it's  
completely safe to use generic types as argument for such parameter.\n`

`*/\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal  
annotation class PureReifiable\n/**\n * Specifies that the corresponding built-in method exists depending on  
platform.\n * Current implementation for JVM looks whether method with same JVM descriptor exists in the  
module JDK.\n * For example MutableMap.remove(K, V) available only if corresponding\n * method  
'java/util/Map.remove(Ljava/lang/Object;Ljava/lang/Object;)Z' is defined in JDK (i.e. for  
major versions  $\geq 8$ )\n`

`*/\n@Target(AnnotationTarget.FUNCTION)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation  
class PlatformDependent\n"/\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the  
Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.internal\n\n// a mod  
b (in arithmetical sense)\nprivate fun mod(a: Int, b: Int): Int {\n val mod = a % b\n return if (mod >= 0) mod else  
mod + b\n}\n\nprivate fun mod(a: Long, b: Long): Long {\n val mod = a % b\n return if (mod >= 0) mod else  
mod + b\n}\n\n// (a - b) mod c\nprivate fun differenceModulo(a: Int, b: Int, c: Int): Int {\n return mod(mod(a, c) -  
mod(b, c), c)\n}\n\nprivate fun differenceModulo(a: Long, b: Long, c: Long): Long {\n return mod(mod(a, c) -  
mod(b, c), c)\n}\n\n/**\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of  
the progression which is in the range\n * from [start] to`

`[end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n * No validation on  
passed parameters is performed. The given parameters should satisfy the condition:\n * - either `step > 0` and  
`start <= end`,\n * - or `step < 0` and `start >= end`.\n * @param start first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or difference of successive elements in  
the progression\n * @return the final element of the progression\n * @suppress\n */\n\n@PublishedApi\ninternal fun  
getProgressionLastElement(start: Int, end: Int, step: Int): Int {\n if (step > 0) {\n return end -  
differenceModulo(end, start, step)\n }\n else if (step < 0) {\n return end + differenceModulo(start, end, -  
step)\n }\n else {\n throw kotlin.IllegalArgumentException("Step is zero.")\n }\n}\n\n/**\n * Calculates  
the final element of a bounded arithmetic progression, i.e. the last element`

`of the progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start]  
in case of a negative\n * [step].\n * No validation on passed parameters is performed. The given parameters  
should satisfy the condition:\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n * @param start first element of the progression\n * @param end ending bound for the progression\n * @param step  
increment, or difference of successive elements in the progression\n * @return the final element of the progression\n * @suppress\n */\n\n@PublishedApi\ninternal fun  
getProgressionLastElement(start: Long, end: Long, step: Long):  
Long {\n if (step > 0) {\n return end - differenceModulo(end, start, step)\n }\n else if (step < 0) {\n return end + differenceModulo(start, end, -step)\n }\n else {\n throw  
kotlin.IllegalArgumentException("Step is zero.")\n }\n}\n"/\n * Copyright 2010-2015`

`JetBrains s.r.o.\n * Licensed under the Apache License, Version 2.0 (the "License");\n * you may not use this  
file except in compliance with the License.\n * You may obtain a copy of the License at\n * http://www.apache.org/licenses/LICENSE-2.0\n * Unless required by applicable law or agreed to in writing,  
software\n * distributed under the License is distributed on an "AS IS" BASIS,\n * WITHOUT WARRANTIES  
OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language`

governing permissions and limitations under the License.

```
package kotlin.reflect

/** Represents a parameter passed to a function or a property getter/setter, including `this` and extension receiver parameters.

public interface KParameter : KAnnotatedElement {
    /** 0-based index of this parameter in the parameter list of its containing callable.
    public val index: Int
    /** Name of this parameter as it was
```

```
declared in the source code, or `null` if the parameter has no name or its name is not available at runtime.

Examples of nameless parameters include `this` instance for member functions, extension receiver for extension functions or properties, parameters of Java methods compiled without the debug information, and others.

public val name: String?
/** Type of this parameter. For a `vararg` parameter, this is the type of the corresponding array, not the individual element.
public val type: KType
/** Kind of this parameter.
public val kind: Kind
/** Kind represents a particular position of the parameter declaration in the source code, such as an instance, an extension receiver parameter or a value parameter.
public enum class Kind {
    /** Instance required to make a call to the member, or an outer class instance for an inner class constructor.
```

```
INSTANCE,
/** Extension receiver of an extension function or property.
EXTENSION_RECEIVER,
/** Ordinary named value parameter.
VALUE,
}
/** `true` if this parameter is optional and can be omitted when making a call via [KCallable.callBy], or `false` otherwise.
A parameter is optional in any of the two cases:
1. The default value is provided at the declaration of this parameter.
2. The parameter is declared in a member function and one of the corresponding parameters in the super functions is optional.
public val isOptional: Boolean
/** `true` if this parameter is `vararg`.
See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/functions.html#variable-number-of-arguments-varargs) for more information.
@SinceKotlin("1.1")
public val isVararg: Boolean
}
/** Copyright 2010-2015
```

JetBrains s.r.o. Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0> Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language

governing permissions and limitations under the License.

```
package kotlin.reflect

/** Represents a type. Type is usually either a class with optional type arguments, or a type parameter of some declaration, plus nullability.

public interface KType {
    /** The declaration of the classifier used in this type.
    For example, in the type `List<String>` the classifier would be the [KClass] instance for [List].
    Returns `null` if this type is not denotable in Kotlin, for example if it is an intersection type.
```

```
@SinceKotlin("1.1")
public val classifier: KClassifier?
/** Type arguments passed for the parameters of the classifier in this type.
For example, in the type `Array<out Number>` the only type argument is `out Number`.
In case this type is based on an inner class, the returned list contains the type arguments provided for the innermost class first, then its outer class, and so on.
For example, in the type `Outer<A, B>.Inner<C, D>` the returned list is `[C, D, A, B]`.
@SinceKotlin("1.1")
public val arguments: List<KTypeProjection>
/** `true` if this type was marked nullable in the source code.
For Kotlin types, it means that `null` value is allowed to be represented by this type.
In practice it means that the type was declared with a question mark at the end.
```

```
For non-Kotlin types, it means the type or the symbol which was declared with this type is annotated with a runtime-retained nullability annotation such as [javax.annotation.Nullable].
Note that even if [isMarkedNullable] is false, values of the type can still be `null`.
This may happen if it is a type of the type parameter with a nullable upper bound:
fun <T> foo(t: T) {
    // isMarkedNullable == false for t's type, but t can be null here when T = `Any?`
}
public val isMarkedNullable: Boolean
}
/** Represents a type projection. Type projection is usually the argument to another type in a
```

type usage.  
\* For example, in the type `Array<out Number>`, `out Number` is the covariant projection of the type represented by the class `Number`.  
\* Type projection is either the star projection, or an entity consisting of a specific type plus optional variance.  
\* See

the [Kotlin language documentation](http://kotlinlang.org/docs/reference/generics.html#type-projections) for more information.  
@SinceKotlin("1.1")  
public data class KTypeProjection constructor(  
\* The use-site variance specified in the projection, or `null` if this is a star projection.  
\*  
public val  
variance: KVariance?,  
\* The type specified in the projection, or `null` if this is a star projection.  
\*  
public val type: KType?) {  
\* Star projection, denoted by the `*` character.  
\* For example, in the type `KClass<*>`, `*` is the star projection.  
\* See the [Kotlin language documentation](http://kotlinlang.org/docs/reference/generics.html#star-projections) for more information.  
\*  
public val STAR: KTypeProjection = KTypeProjection(null, null)  
\*  
\* Creates an invariant

projection of a given type. Invariant projection is just the type itself,  
\* without any use-site variance modifiers applied to it.  
\* For example, in the type `Set<String>`, `String` is an invariant projection of the type represented by the class `String`.  
\*  
public fun invariant(type: KType): KTypeProjection =  
KTypeProjection(KVariance.INVARIANT, type)  
\* Creates a contravariant projection of a given type, denoted by the `in` modifier applied to a type.  
\* For example, in the type `MutableList<in Number>`, `in Number` is a contravariant projection of the type of class `Number`.  
\*  
public fun  
contravariant(type: KType): KTypeProjection =  
KTypeProjection(KVariance.IN, type)  
\* Creates a covariant projection of a given type, denoted by the `out` modifier applied to a type.  
\* For example, in the type `Array<out Number>`, `out Number`

is a covariant projection of the type of class `Number`.  
\*  
public fun covariant(type: KType):  
KTypeProjection =  
KTypeProjection(KVariance.OUT, type)  
\*  
} } }  
\* Copyright 2010-2016 JetBrains s.r.o.  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
package kotlin.reflect  
\* Represents variance applied to a type parameter on the declaration site (\*declaration-site variance\*),  
\* or to a type in a projection (\*use-site

variance\*).  
\* See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#variance) for more information.  
\*  
@see [KTypeParameter.variance]  
\* @see [KTypeProjection]  
@SinceKotlin("1.1")  
enum class KVariance {  
\* The affected type parameter or type is \*invariant\*, which means it has no variance applied to it.  
\*  
IN, IN, IN  
\* The affected type parameter or type is \*contravariant\*. Denoted by the `in` modifier in the source code.  
\*  
IN, IN, IN  
\* The affected type parameter or type is \*covariant\*. Denoted by the `out` modifier in the source code.  
\*  
OUT, OUT, OUT  
\* Copyright 2010-2016 JetBrains s.r.o.  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
package kotlin.reflect  
\* Visibility is an aspect of a Kotlin declaration regulating where that declaration is accessible in the source code.  
\* Visibility can be changed with one of the following modifiers: `public`, `protected`, `internal`, `private`.  
\* Note that some Java visibilities such as `package-private` and `protected` (which also gives access to items from the same package) cannot be represented in Kotlin, so there's no [KVisibility] value

corresponding to them. See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/visibility-modifiers.html) for more information.

```

@SinceKotlin("1.1")
enum class KVisibility {
    PUBLIC,
    PROTECTED,
    INTERNAL,
    PRIVATE,
}

/** Visibility of declarations marked with the `public` modifier, or with no modifier at all. */
PUBLIC,
/** Visibility of declarations marked with the `protected` modifier. */
PROTECTED,
/** Visibility of declarations marked with the `internal` modifier. */
INTERNAL,
/** Visibility of declarations marked with the `private` modifier. */
PRIVATE,
}

/** Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file. */
@JsName("arrayIterator")
internal fun arrayIterator(array: dynamic, type: String?) = when (type) {
    null -> {
        val arr: Array<dynamic> = array
        object : Iterator<dynamic> {
            var index = 0
            override fun hasNext() = index < arr.size
            override fun next() = if (index < arr.size) arr[index++] else throw NoSuchElementException("$index")
        }
    }
    "BooleanArray" -> booleanArrayIterator(array)
    "ByteArray" -> byteArrayIterator(array)
    "ShortArray" -> shortArrayIterator(array)
    "CharArray" -> charArrayIterator(array)
    "IntArray" -> intArrayIterator(array)
    "LongArray" -> longArrayIterator(array)
    "FloatArray" -> floatArrayIterator(array)
    "DoubleArray" -> doubleArrayIterator(array)
    else -> throw IllegalStateException("Unsupported type argument for arrayIterator: $type")
}

@JsName("booleanArrayIterator")
internal fun booleanArrayIterator(array: BooleanArray) = object : BooleanIterator() {
    var index = 0
    override fun hasNext() = index < array.size
    override fun nextBoolean() = if (index < array.size) array[index++] else throw NoSuchElementException("$index")
}

@JsName("byteArrayIterator")
internal fun byteArrayIterator(array: ByteArray) = object : ByteIterator() {
    var index = 0
    override fun hasNext() = index < array.size
    override fun nextByte() = if (index < array.size) array[index++] else throw NoSuchElementException("$index")
}

@JsName("shortArrayIterator")
internal fun shortArrayIterator(array: ShortArray) = object : ShortIterator() {
    var index = 0
    override fun hasNext() = index < array.size
    override fun nextShort() = if (index < array.size) array[index++] else throw NoSuchElementException("$index")
}

@JsName("charArrayIterator")
internal fun charArrayIterator(array: CharArray) = object : CharIterator() {
    var index = 0
    override fun hasNext() = index < array.size
    override fun nextChar() = if (index < array.size) array[index++] else throw NoSuchElementException("$index")
}

@JsName("intArrayIterator")
internal fun intArrayIterator(array: IntArray) = object : IntIterator() {
    var index = 0
    override fun hasNext() = index < array.size
    override fun nextInt() = if (index < array.size) array[index++] else throw NoSuchElementException("$index")
}

@JsName("floatArrayIterator")
internal fun floatArrayIterator(array: FloatArray) = object : FloatIterator() {
    var index = 0
    override fun hasNext() = index < array.size
    override fun nextFloat() = if (index < array.size) array[index++] else throw NoSuchElementException("$index")
}

@JsName("doubleArrayIterator")
internal fun doubleArrayIterator(array: DoubleArray) = object : DoubleIterator() {
    var index = 0
    override fun hasNext() = index < array.size
    override fun nextDouble() = if (index < array.size) array[index++] else throw NoSuchElementException("$index")
}

@JsName("longArrayIterator")
internal fun longArrayIterator(array: LongArray) = object : LongIterator() {
    var index = 0
    override fun hasNext() = index < array.size
    override fun nextLong() = if (index < array.size) array[index++] else throw NoSuchElementException("$index")
}

@JsName("PropertyMetadata")
internal class PropertyMetadata(@JsName("callableName") val name: String)

@JsName("noWhenBranchMatched")
internal fun noWhenBranchMatched(): Nothing = throw NoWhenBranchMatchedException()

@JsName("subSequence")
internal fun subSequence(c: CharSequence, startIndex: Int, endIndex: Int): CharSequence {
    if (c is String) return c.substring(startIndex, endIndex)
    else return c.asDynamic().`subSequence_vux9f0$(startIndex, endIndex)`
}

@JsName("captureStack")
internal fun captureStack(baseClass: JsClass<in Throwable>, instance:

```

```

Throwable) {\n  if (js("Error").captureStackTrace) {\n    js("Error").captureStackTrace(instance,
instance::class.js);\n  } else {\n    instance.asDynamic().stack = js("new Error()").stack;\n
}\n}\n\n@JsName("newThrowable")\ninternal fun newThrowable(message: String?, cause: Throwable?):
Throwable {\n  val throwable = js("new Error()")\n  throwable.message = if (jsTypeOf(message) ==
"undefined")
{\n  if (cause != null) cause.toString() else null\n } else {\n  message\n }\n  throwable.cause = cause\n
throwable.name = "Throwable"\n  return throwable\n}\n\n@JsName("BoxedChar")\ninternal class
BoxedChar(val c: Int) : Comparable<Int> {\n  override fun equals(other: Any?): Boolean {\n    return other is
BoxedChar && c == other.c\n  }\n  override fun hashCode(): Int {\n    return c\n  }\n  override fun
toString(): String {\n    return js("this.c").unsafeCast<Char>().toString()\n  }\n  override fun
compareTo(other: Int): Int {\n    return js("this.c - other").unsafeCast<Int>()\n  }\n\n
@JsName("valueOf")\n  public fun valueOf(): Int {\n    return c\n  }\n}\n\n\n@kotlin.internal.InlineOnly\ninternal inline fun <T> concat(args: Array<T>): T {\n  val typed =
js("Array")(args.size)\n  for (i in args.indices) {\n    val arr = args[i]\n    if (arr !is Array<*>) {\n
typed[i] =
js("[]").slice.call(arr)\n    } else {\n    typed[i] = arr\n    }\n  }\n  return js("[]").concat.apply(js("[]"),
typed);\n}\n\n/** Concat regular Array's and TypedArray's into an Array.\n
*\n@PublishedApi\n@JsName("arrayConcat")\n@Suppress("UNUSED_PARAMETER")\ninternal fun <T>
arrayConcat(a: T, b: T): T {\n  return concat(js("arguments"))\n}\n\n/** Concat primitive arrays. Main use:
prepare vararg arguments.\n * For compatibility with 1.1.0 the arguments may be a mixture of Array's and
TypedArray's.\n * If the first argument is TypedArray (Byte-, Short-, Char-, Int-, Float-, and DoubleArray)
returns a TypedArray, otherwise an Array.\n * If the first argument has the $type$ property (Boolean-, Char-, and
LongArray) copy its value to result.$type$.\n * If the first argument is a regular Array without the $type$ property
default to arrayConcat.\n
*\n@PublishedApi\n@JsName("primitiveArrayConcat")\n@Suppress("UNUSED_PARAMETER")\ninternal
fun <T>
primitiveArrayConcat(a: T, b: T): T {\n  val args: Array<T> = js("arguments")\n  if (a is Array<*> &&
a.asDynamic().`$type$` === undefined) {\n    return concat(args)\n  } else {\n    var size = 0\n    for (i in
args.indices) {\n      size += args[i].asDynamic().length as Int\n    }\n    val result = js("new
a.constructor(size)")\n    kotlin.copyArrayType(a, result)\n    size = 0\n    for (i in args.indices) {\n      val
arr = args[i].asDynamic()\n      for (j in 0 until arr.length) {\n        result[size++] = arr[j]\n      }\n    }\n
return result\n  }\n}\n\n@JsName("booleanArrayOf")\ninternal fun booleanArrayOf() =
withType("BooleanArray", js("[].slice.call(arguments)")\n)\n@JsName("charArrayOf") // The arguments have
to be slice'd here because of Rhino (see KT-16974)\ninternal fun charArrayOf() = withType("CharArray", js("new
Uint16Array([].slice.call(arguments)")\n))\n@JsName("longArrayOf")\ninternal
fun longArrayOf() = withType("LongArray",
js("[].slice.call(arguments)")\n)\n@JsName("withType")\n@kotlin.internal.InlineOnly\ninternal inline fun
withType(type: String, array: dynamic): dynamic {\n  array.`$type$` = type\n  return array\n}\n\n/*\n * Copyright
2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in
the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.js.*\nimport kotlin.*\nimport
kotlin.text.*\nimport kotlin.comparisons.*\n\n/**\n * Reverses elements in the list in-place.\n */\npublic actual fun
<T> MutableList<T>.reverse(): Unit {\n  val midPoint = (size / 2) - 1\n  if (midPoint < 0) return\n  var
reverseIndex = lastIndex\n
for (index in 0..midPoint) {\n    val tmp = this[index]\n    this[index] = this[reverseIndex]\n
this[reverseIndex] = tmp\n    reverseIndex--\n  }\n}\n\n", @file: Suppress("DEPRECATION"))\npackage

```

```

jquery.ui\n\n//jquery UI\nimport jquery.JQuery\nimport kotlin.js.Json\n\n@Deprecated("jQuery is going to be
removed from the standard library")\npublic inline fun JQuery.buttonset(): JQuery =
asDynamic().buttonset()\n\n@Deprecated("jQuery is going to be removed from the standard library")\npublic
inline fun JQuery.dialog(): JQuery = asDynamic().dialog()\n\n@Deprecated("jQuery is going to be removed from
the standard library")\npublic inline fun JQuery.dialog(params: Json): JQuery =
asDynamic().dialog(params)\n\n@Deprecated("jQuery is going to be removed from the standard library")\npublic
inline fun JQuery.dialog(mode: String, param: String): Any? = asDynamic().dialog(mode,
param)\n\n@Deprecated("jQuery is going to be removed from the standard library")\npublic
inline fun JQuery.dialog(mode: String): JQuery = asDynamic().dialog(mode)\n\n@Deprecated("jQuery is going to
be removed from the standard library")\npublic inline fun JQuery.dialog(mode: String, param: String, value: Any?):
JQuery = asDynamic().dialog(mode, param, value)\n\n@Deprecated("jQuery is going to be removed from the
standard library")\npublic inline fun JQuery.button(): JQuery = asDynamic().button()\n\n@Deprecated("jQuery is
going to be removed from the standard library")\npublic inline fun JQuery.accordion(): JQuery =
asDynamic().accordion()\n\n@Deprecated("jQuery is going to be removed from the standard library")\npublic
inline fun JQuery.draggable(params: Json): JQuery = asDynamic().draggable(params)\n\n@Deprecated("jQuery is
going to be removed from the standard library")\npublic inline fun JQuery.selectable(): JQuery =
asDynamic().selectable()\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the
Apache 2.0 license\n

```

```

* that can be found in the license/LICENSE.txt file.\n *\n\npackage kotlin.js\nimport
kotlin.annotation.AnnotationTarget.*\n\n@Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR,
VALUE_PARAMETER, PROPERTY_GETTER, PROPERTY_SETTER)\n@Deprecated("Use `external` modifier
instead", level = DeprecationLevel.ERROR)\npublic annotation class native(public val name: String =
"\")\n\n@Target(FUNCTION)\n@Deprecated("Use inline extension function with body using dynamic()")\npublic
annotation class nativeGetter\n\n@Target(FUNCTION)\n@Deprecated("Use inline extension function with body
using dynamic()")\npublic annotation class nativeSetter\n\n@Target(FUNCTION)\n@Deprecated("Use inline
extension function with body using dynamic()")\npublic annotation class nativeInvoke\n\n@Target(CLASS,
FUNCTION, PROPERTY)\ninternal annotation class library(public val name: String =
"\")\n\n@Target(CLASS)\ninternal annotation class marker\n\n/**\n * Gives a declaration (a function, a property or
a class) specific

```

```

name in JavaScript.\n *\n * This may be useful in the following cases:\n *\n * * There are two functions for which
the compiler gives same name in JavaScript, you can\n * mark one with `@JsName(...)` to prevent the compiler
from reporting error.\n * * You are writing a JavaScript library in Kotlin. The compiler produces mangled names\n
* for functions with parameters, which is unnatural for usual JavaScript developer.\n * You can put
`@JsName(...)` on functions you want to be available from JavaScript.\n * * For some reason you want to rename
declaration, e.g. there's common term in JavaScript\n * for a concept provided by the declaration, which in
uncommon in Kotlin.\n *\n * Example:\n *\n * ``` kotlin\n * class Person(val name: String) {\n * fun hello() {\n *
println("Hello $name!")\n * }\n *\n * @JsName("helloWithGreeting")\n * fun hello(greeting: String)
{\n * println("$greeting $name!")\n * }\n * }\n * ```\n *\n

```

```

* @property name the name which compiler uses both for declaration itself and for all references to the
declaration.\n *\n * It's required to denote a valid JavaScript identifier.\n *\n * @since 1.1\n
*\n\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR,
PROPERTY_GETTER, PROPERTY_SETTER)\nannotation class JsName(val name: String)\n\n/**\n * Denotes an
`external` declaration that must be imported from native JavaScript library.\n *\n * The compiler produces the code
relevant for the target module system, for example, in case of CommonJS,\n * it will import the declaration via the
`require(...)` function.\n *\n * The annotation can be used on top-level external declarations (classes, properties,
functions) and files.\n *\n * In case of file (which can't be `external`) the following rule applies: all the declarations in\n
* the file must be `external`. By applying `@JsModule(...)` on a file you tell the compiler to import a JavaScript
object\n * that

```

contain all the declarations from the file.

```

Example:
kotlin
@JsModule("jquery")
external
abstract class JQuery() {
    // some declarations here
}
@JsModule("jquery")
external fun
JQuery(element: Element): JQuery
@property import name of a module to import declaration from.

```

It is not interpreted by the Kotlin compiler, it's passed as is directly to the target module system.

@see JsNonModule @since 1.1 @Retention(AnnotationRetention.BINARY) @Target(CLASS, PROPERTY, FUNCTION, FILE) annotation class JsModule(val import: String) Denotes an `external` declaration that can be used without module system. By default, an `external` declaration is available regardless your target module system. However, by applying [JsModule] annotation you can make a declaration unavailable to `plain` module system. Some JavaScript libraries are distributed both as a standalone downloadable piece of JavaScript and as a module available as an npm package. To tell the Kotlin compiler to accept both cases, you can augment [JsModule] with the `@JsNonModule` annotation.

For example:

```

kotlin
@JsModule("jquery")
@JsNonModule
@JsName("$")
external abstract class JQuery() {
    //
    some declarations here
}
@JsModule("jquery")
@JsNonModule
@JsName("$")
external
fun JQuery(element: Element): JQuery
@see JsModule
@since 1.1
@Retention(AnnotationRetention.BINARY)
@Target(CLASS, PROPERTY, FUNCTION, FILE)
annotation class
JsNonModule
Adds prefix to `external` declarations in a source file. JavaScript does not
have concept of packages (namespaces). They are usually emulated by nested objects. The compiler turns
references to `external` declarations either to plain unprefixed names (in case of plain modules) or to plain
imports. However, if
a JavaScript library provides its declarations in packages, you won't be satisfied with this. You can tell the
compiler to generate additional prefix before references to `external` declarations using the @JsQualifier(...)
annotation. Note that a file marked with the @JsQualifier(...) annotation can't contain non-`external`
declarations. Example:
@file:JsQualifier("my.jsPackageName")
package
some.kotlinPackage
external fun foo(x: Int)
external fun bar(): String
@property value
the qualifier to add to the declarations in the generated code. It must be a sequence of valid JavaScript
identifiers separated by the ` character. Examples of valid qualifiers are: `foo`, `bar.Baz`, `_.$0.f`
@see JsModule
@since 1.1
@Retention(AnnotationRetention.BINARY)
@Target(AnnotationTarget.FILE)
annotation class
JsQualifier(val value: String)
Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.
package kotlin.jvm
// these are used in common generated code in
stdlib
@Target(AnnotationTarget.FUNCTION,
AnnotationTarget.CONSTRUCTOR)
@Retention(AnnotationRetention.SOURCE)
internal annotation class
JvmOverloads
@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY_GETTER,
AnnotationTarget.PROPERTY_SETTER,
AnnotationTarget.FILE)
@Retention(AnnotationRetention.SOURCE)
@MustBeDocumented
@Suppress("ACTUAL_WITHOUT_EXPECT") // TODO: KT-19507
internal actual annotation class JvmName(public actual val
name:
String)
@Target(AnnotationTarget.FILE)
@Retention(AnnotationRetention.SOURCE)
@MustBeDocumente
d
@Suppress("ACTUAL_WITHOUT_EXPECT") // TODO: KT-19507
internal actual annotation class
JvmMultifileClass
@Target(AnnotationTarget.FIELD)
@Retention(AnnotationRetention.SOURCE)
@MustB
eDocumented
@Suppress("ACTUAL_WITHOUT_EXPECT")
// TODO: KT-19507
internal actual annotation class
JvmField
@Target(AnnotationTarget.FIELD)
@Retention(AnnotationRetention.SOURCE)
public actual
annotation class Volatile
@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY_GETTER,
AnnotationTarget.PROPERTY_SETTER)
@Retention(AnnotationRetention.SOURCE)
public annotation class
Synchronized
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0

```

```

license\n * that can be found in the license/LICENSE.txt file.\n *\n\npackage kotlin.js\n/**\n * Function
corresponding to JavaScript's `typeof` operator\n
*\n@kotlin.internal.InlineOnly\n@Suppress(\"UNUSED_PARAMETER\")\npublic inline fun jsTypeOf(a: Any?):
String = js(\"typeof a\")\n\", \"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the
Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*\n\n@file:Suppress(\"UNUSED_PARAMETER\", \"NOTHING_TO_INLINE\")\n\npackage
kotlin\n/**\n * Returns an empty array of the specified type [T].\n *\npublic inline fun <T> emptyArray():
Array<T> = js(\"[]\")\n\n@library\npublic fun <T> arrayOf(vararg elements: T): Array<T> =
definedExternally\n\n@library\npublic fun doubleArrayOf(vararg elements: Double): DoubleArray =
definedExternally\n\n@library\npublic fun floatArrayOf(vararg elements: Float): FloatArray =
definedExternally\n\n@library\npublic fun longArrayOf(vararg elements: Long): LongArray =
definedExternally\n\n@library\npublic fun intArrayOf(vararg elements: Int): IntArray =
definedExternally\n\n@library\npublic fun charArrayOf(vararg elements: Char): CharArray =
definedExternally\n\n@library\npublic fun shortArrayOf(vararg elements: Short): ShortArray =
definedExternally\n\n@library\npublic fun byteArrayOf(vararg elements: Byte): ByteArray =
definedExternally\n\n@library\npublic fun booleanArrayOf(vararg elements: Boolean): BooleanArray =
definedExternally\n\n**\n * Creates a new instance of the
[Lazy] that uses the specified initialization function [initializer].\n *\npublic actual fun <T> lazy(initializer: () ->
T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n**\n * Creates a new instance of the [Lazy] that uses the specified
initialization function [initializer].\n *\n * The [mode] parameter is ignored. *\npublic actual fun <T> lazy(mode:
LazyThreadSafetyMode, initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n**\n * Creates a new
instance of the [Lazy] that uses the specified initialization function [initializer].\n *\n * The [lock] parameter is
ignored.\n *\npublic actual fun <T> lazy(lock: Any?, initializer: () -> T): Lazy<T> =
UnsafeLazyImpl(initializer)\n\n\ninternal fun fillFrom(src: dynamic, dst: dynamic): dynamic {\n    val srcLen: Int =
src.length\n    val dstLen: Int = dst.length\n    var index: Int = 0\n    while (index < srcLen && index < dstLen)
dst[index] = src[index++]\n    return dst\n}\n\n\ninternal fun arrayCopyResize(source: dynamic, newSize:
Int, defaultValue: Any?): dynamic {\n    val result = source.slice(0, newSize)\n    copyArrayType(source, result)\n
var index: Int = source.length\n    if (newSize > index) {\n        result.length = newSize\n        while (index <
newSize) result[index++] = defaultValue\n    }\n    return result\n}\n\n\ninternal fun <T> arrayPlusCollection(array:
dynamic, collection: Collection<T>): dynamic {\n    val result = array.slice()\n    result.length += collection.size\n
copyArrayType(array, result)\n    var index: Int = array.length\n    for (element in collection) result[index++] =
element\n    return result\n}\n\n\ninternal fun <T> fillFromCollection(dst: dynamic, startIndex: Int, collection:
Collection<T>): dynamic {\n    var index = startIndex\n    for (element in collection) dst[index++] = element\n
return dst\n}\n\n\ninternal inline fun copyArrayType(from: dynamic, to: dynamic) {\n    if (from.`$type$` !==
undefined) {\n        to.`$type$` = from.`$type$`\n    }\n}\n\", \"/*\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n *\n\npackage kotlin.text\n\n// actually \\s is enough to match all
whitespace, but \\xA0 added because of different regexp behavior of Rhino used in Selenium tests\n\npublic actual fun
Char.isWhitespace(): Boolean = toString().matches(\"[\\\\\\\\s\\\\\\\\xA0]\")\n\n\n@kotlin.internal.InlineOnly\n\npublic actual
inline fun Char.toLowerCase(): Char =
js(\"String.fromCharCode\")(this).toLowerCase().charCodeAt(0)\n\n\n@kotlin.internal.InlineOnly\n\npublic actual
inline fun Char.toUpperCase(): Char = js(\"String.fromCharCode\")(this).toUpperCase().charCodeAt(0)\n\n\n**\n *
Returns `true` if this character is a Unicode high-surrogate code unit (also known as leading-surrogate code unit).\n
*\n\npublic actual fun Char.isHighSurrogate(): Boolean = this in
Char.MIN_HIGH_SURROGATE..Char.MAX_HIGH_SURROGATE\n\n\n**\n * Returns `true` if this character is a
Unicode
low-surrogate code unit (also known as trailing-surrogate code unit).\n *\n\npublic actual fun Char.isLowSurrogate():
Boolean = this in Char.MIN_LOW_SURROGATE..Char.MAX_LOW_SURROGATE\n\", \"/*\n * Copyright 2010-

```

2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

@file:Suppress("DEPRECATION")
package kotlin.math
import kotlin.internal.InlineOnly
import kotlin.js.Math as nativeMath
// ===== Double Math
// =====
/** Computes the sine of the angle [x] given in radians.
 * Special cases:
 * - `sin(NaN|+Inf|-Inf)` is `NaN`
 */
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun sin(x: Double): Double =
    nativeMath.sin(x)
/** Computes the cosine of the angle [x] given in radians.
 * Special cases:
 * - `cos(NaN|+Inf|-Inf)` is `NaN`
 */
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun cos(x: Double): Double =
    nativeMath.cos(x)
/** Computes the tangent of the angle [x] given in radians.
 * Special cases:
 * - `tan(NaN|+Inf|-Inf)` is `NaN`
 */
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun tan(x: Double): Double =
    nativeMath.tan(x)
/** Computes the arc sine of the value [x]; the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.
 * Special cases:
 * - `asin(x)` is `NaN`, when  $abs(x) > 1$  or x is `NaN`
 */
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun asin(x: Double): Double =
    nativeMath.asin(x)
/** Computes the arc cosine of the value [x]; the returned value is an angle in the range from  $0.0$  to  $\pi$  radians.
 * Special cases:
 * - `acos(x)` is `NaN`, when  $abs(x) > 1$  or x is `NaN`
 */
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun acos(x: Double): Double =
    nativeMath.acos(x)
/** Computes the arc tangent of the value [x]; the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.
 * Special cases:
 * - `atan(NaN)` is `NaN`
 */
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun atan(x: Double): Double =
    nativeMath.atan(x)
/** Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond to the rectangular coordinates `(x, y)` by computing the arc tangent of the value  $y / x$ ; the returned value is an angle in the range from  $-\pi$  to  $\pi$  radians.
 * Special cases:
 * - `atan2(0.0, 0.0)` is  $0.0$ 
 * - `atan2(0.0, x)` is  $0.0$  for  $x > 0$  and  $\pi$  for  $x < 0$ 
 * - `atan2(-0.0, x)` is  $-0.0$  for  $x > 0$  and  $-\pi$  for  $x < 0$ 
 * - `atan2(y, +Inf)` is  $0.0$  for  $0 < y < +Inf$  and  $-0.0$  for  $-Inf < y < 0$ 
 * - `atan2(y, -Inf)` is  $\pi$  for  $0 < y < +Inf$  and  $-\pi$  for  $-Inf < y < 0$ 
 * - `atan2(y, 0.0)` is  $\pi/2$  for  $y > 0$  and  $-\pi/2$  for  $y < 0$ 
 * - `atan2(+Inf, x)` is  $\pi/2$  for finite  $x$ 
 * - `atan2(-Inf, x)` is  $-\pi/2$  for finite  $x$ 
 * - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`
 */
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun atan2(y: Double, x: Double): Double =
    nativeMath.atan2(y, x)
/** Computes the hyperbolic sine of the value [x].
 * Special cases:
 * - `sinh(NaN)` is `NaN`
 * - `sinh(+Inf)` is  $+\infty$ 
 * - `sinh(-Inf)` is  $-\infty$ 
 */
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun sinh(x: Double): Double =
    nativeMath.sinh(x)
/** Computes the hyperbolic cosine of the value [x].
 * Special cases:
 * - `cosh(NaN)` is `NaN`
 * - `cosh(+Inf|-Inf)` is  $+\infty$ 
 */
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun cosh(x: Double): Double =
    nativeMath.cosh(x)
/** Computes the hyperbolic tangent of the value [x].
 * Special cases:
 * - `tanh(NaN)` is `NaN`
 * - `tanh(+Inf)` is  $1.0$ 
 * - `tanh(-Inf)` is  $-1.0$ 
 */
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun tanh(x: Double): Double =
    nativeMath.tanh(x)
/** Computes the inverse hyperbolic sine of the value [x]. The returned value is `y` such that  $\sinh(y) == x$ .
 * Special cases:
 * - `asinh(NaN)` is `NaN`
 * - `asinh(+Inf)` is  $+\infty$ 
 * - `asinh(-Inf)` is  $-\infty$ 
 */
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun asinh(x: Double): Double =
    nativeMath.asinh(x)
/** Computes the inverse hyperbolic cosine of the value [x]. The returned value is positive `y` such that  $\cosh(y) == x$ .
 * Special cases:
 * - `acosh(NaN)` is `NaN`
 * - `acosh(x)` is `NaN` when  $x < 1$ 
 * - `acosh(+Inf)` is  $+\infty$ 
 */
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun acosh(x: Double): Double =
    nativeMath.acosh(x)
/** Computes the inverse hyperbolic tangent of the value [x]. The returned value is `y` such that  $\tanh(y) == x$ .
 * Special cases:
 * - `atanh(NaN)` is `NaN`
 * - `atanh(x)` is `NaN` when  $x > 1$  or  $x < -1$ 
 * - `atanh(1.0)` is  $+\infty$ 
 * - `atanh(-1.0)` is  $-\infty$ 
 */
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun atanh(x: Double): Double =
    nativeMath.atanh(x)
/** Computes  $\sqrt{x^2 + y^2}$  without intermediate overflow or underflow.
 * Special cases:
 * - returns  $+\infty$  if any of arguments is infinite
 * - returns `NaN` if any of

```

```

arguments is `NaN` and the other is not infinite
 *^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun
hypot(x: Double, y: Double): Double = nativeMath.hypot(x, y)\n\n * Computes the positive square root of the
value [x].\n * Special cases:\n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n
 *^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun sqrt(x: Double): Double =
nativeMath.sqrt(x)\n\n * Computes Euler's number `e` raised to the power of the value [x].\n * Special
cases:\n * - `exp(NaN)` is `NaN`\n * - `exp(+Inf)` is `+Inf`\n * - `exp(-Inf)` is `0.0`\n
 *^@SinceKotlin("1.2")@InlineOnly\npublic
actual inline fun exp(x: Double): Double = nativeMath.exp(x)\n\n * Computes `exp(x) - 1`.\n * This
function can be implemented to produce more precise result for [x] near zero.\n * Special cases:\n * -
`expm1(NaN)` is `NaN`\n * - `expm1(+Inf)` is `+Inf`\n * - `expm1(-Inf)` is `-1.0`\n * @see [exp] function.\n
 *^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun expm1(x: Double): Double =
nativeMath.expm1(x)\n\n * Computes the logarithm of the value [x] to the given [base].\n * Special
cases:\n * - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\n * - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or
`b == 1.0`\n * - `log(+Inf, +Inf)` is `NaN`\n * - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\n * -
`log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`\n * * See also logarithm functions for common fixed bases:
[ln], [log10] and [log2].\n *^@SinceKotlin("1.2")\npublic actual fun log(x: Double,
base: Double): Double {\n    if (base <= 0.0 || base == 1.0) return Double.NaN\n    return nativeMath.log(x) /
nativeMath.log(base)\n}\n\n * Computes the natural logarithm (base `E`) of the value [x].\n * Special
cases:\n * - `ln(NaN)` is `NaN`\n * - `ln(x)` is `NaN` when `x < 0.0`\n * - `ln(+Inf)` is `+Inf`\n * - `ln(0.0)` is `-
Inf`\n *^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun ln(x: Double): Double =
nativeMath.log(x)\n\n * Computes the common logarithm (base 10) of the value [x].\n * @see [ln] function
for special cases.\n *^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun log10(x: Double): Double =
nativeMath.log10(x)\n\n * Computes the binary logarithm (base 2) of the value [x].\n * @see [ln] function
for special cases.\n *^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun log2(x: Double): Double =
nativeMath.log2(x)\n\n * Computes `ln(x + 1)`.\n * This function can be implemented to
produce more precise result for [x] near zero.\n * Special cases:\n * - `ln1p(NaN)` is `NaN`\n * - `ln1p(x)` is
`NaN` where `x < -1.0`\n * - `ln1p(-1.0)` is `-Inf`\n * - `ln1p(+Inf)` is `+Inf`\n * @see [ln] function\n * @see
[expm1] function\n *^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun ln1p(x: Double): Double =
nativeMath.log1p(x)\n\n * Rounds the given value [x] to an integer towards positive infinity.\n * @return the
smallest double value that is greater than the given value [x] and is a mathematical integer.\n * Special cases:\n *
- `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n
 *^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun ceil(x: Double): Double =
nativeMath.ceil(x).unsafeCast<Double>() // TODO: Remove unsafe cast after removing public js.math\n\n *
Rounds the given value [x] to an integer towards negative infinity.\n * @return the largest double value that is
smaller than the given value [x] and is a mathematical integer.\n * Special cases:\n * - `floor(x)` is `x` where
`x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n
 *^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun floor(x: Double): Double =
nativeMath.floor(x).unsafeCast<Double>()\n\n * Rounds the given value [x] to an integer towards zero.\n * @return
the value [x] having its fractional part truncated.\n * Special cases:\n * - `truncate(x)` is `x` where `x`
is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n *^@SinceKotlin("1.2")@InlineOnly\npublic
actual inline fun truncate(x: Double): Double = nativeMath.trunc(x)\n\n * Rounds the given value [x] towards
the closest integer with ties rounded towards even integer.\n * Special cases:\n * - `round(x)` is `x` where `x` is
`NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n *^@SinceKotlin("1.2")\npublic actual fun round(x:
Double): Double
{\n    if (x % 0.5 != 0.0) {\n        return nativeMath.round(x).unsafeCast<Double>()\n    }\n    val floor = floor(x)\n
return if (floor % 2 == 0.0) floor else ceil(x)\n}\n\n * Returns the absolute value of the given value [x].\n *
Special cases:\n * - `abs(NaN)` is `NaN`\n * * @see absoluteValue extension property for [Double]\n
 *^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun abs(x: Double): Double =

```

`nativeMath.abs(x)` Returns the sign of the given value [x]: `-1.0` if the value is negative, `0` if the value is zero, `1.0` if the value is positive  
 Special case: `sign(NaN)` is `NaN`  
`@SinceKotlin("1.2")`  
`@InlineOnly`  
`public actual inline fun sign(x: Double): Double =`  
`nativeMath.sign(x)` Returns the smaller of two values.  
 If either value is `NaN`, then the result is `NaN`.  
`@SinceKotlin("1.2")`  
`@InlineOnly`  
`public actual inline fun min(a: Double, b: Double): Double =`  
`nativeMath.min(a,`  
`b)` Returns the greater of two values.  
 If either value is `NaN`, then the result is `NaN`.  
`@SinceKotlin("1.2")`  
`@InlineOnly`  
`public actual inline fun max(a: Double, b: Double): Double =`  
`nativeMath.max(a, b)` // extensions  
 Raises this value to the power [x].  
 Special cases:  
`b.pow(0.0)` is `1.0`  
`b.pow(1.0) == b`  
`b.pow(NaN)` is `NaN`  
`NaN.pow(x)` is `NaN` for `x != 0.0`  
`b.pow(Inf)` is `NaN` for `abs(b) == 1.0`  
`b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer  
`@SinceKotlin("1.2")`  
`@InlineOnly`  
`public actual inline fun Double.pow(x: Double): Double =`  
`nativeMath.pow(this, x)` Raises this value to the integer power [n].  
 See the other overload of [pow] for details.  
`@SinceKotlin("1.2")`  
`@InlineOnly`  
`public actual inline fun Double.pow(n: Int): Double =`  
`nativeMath.pow(this, n.toDouble())` Returns the absolute value of this value.  
 Special cases:  
`NaN.absoluteValue` is `NaN`  
 @see abs function  
`@SinceKotlin("1.2")`  
`@InlineOnly`  
`public actual inline val Double.absoluteValue: Double get() =`  
`nativeMath.abs(this)` Returns the sign of this value:  
`-1.0` if the value is negative, `0` if the value is zero, `1.0` if the value is positive  
 Special case:  
`NaN.sign` is `NaN`  
`@SinceKotlin("1.2")`  
`@InlineOnly`  
`public actual inline val Double.sign: Double get() =`  
`nativeMath.sign(this)` Returns this value with the sign bit same as of the [sign] value.  
 If [sign] is `NaN` the sign of the result is undefined.  
`@SinceKotlin("1.2")`  
`public actual fun Double.withSign(sign: Double): Double {`  
 `val thisSignBit = js("Kotlin").doubleSignBit(this).unsafeCast<Int>()`  
 `val newSignBit = js("Kotlin").doubleSignBit(sign).unsafeCast<Int>()`  
 `return if (thisSignBit == newSignBit) this else -`  
`this}` Returns  
 this value with the sign bit same as of the [sign] value.  
`@SinceKotlin("1.2")`  
`@InlineOnly`  
`public actual`  
`inline fun Double.withSign(sign: Int): Double = this.withSign(sign.toDouble())` Returns the ulp (unit in the last place) of this value.  
 An ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.  
 Special Cases:  
`NaN.ulp` is `NaN`  
`x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`  
`0.0.ulp` is `Double.MIN_VALUE`  
`@SinceKotlin("1.2")`  
`public actual val Double.ulp: Double get() = when {`  
 `this < 0 -> (-this).ulp`  
 `this.isNaN() || this == Double.POSITIVE_INFINITY -> this`  
 `this == Double.MAX_VALUE -> this - this.nextDown()`  
 `else -> this.nextUp() - this}` Returns the [Double] value nearest to this value in direction of positive infinity.  
`@SinceKotlin("1.2")`  
`public actual fun Double.nextUp(): Double = when {`  
 `this.isNaN() || this == Double.POSITIVE_INFINITY`  
`-> this`  
 `this == 0.0 -> Double.MIN_VALUE`  
 `else -> Double.fromBits(this.toRawBits() + if (this > 0) 1 else -1)` Returns the [Double] value nearest to this value in direction of negative infinity.  
`@SinceKotlin("1.2")`  
`public actual fun Double.nextDown(): Double = when {`  
 `this.isNaN() || this == Double.NEGATIVE_INFINITY -> this`  
 `this == 0.0 -> -Double.MIN_VALUE`  
 `else -> Double.fromBits(this.toRawBits() + if (this > 0) -1 else 1)` Returns the [Double] value nearest to this value in direction from this value towards the value [to].  
 Special cases:  
`x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`  
`x.nextTowards(x) == x`  
`@SinceKotlin("1.2")`  
`public actual fun Double.nextTowards(to: Double): Double = when {`  
 `this.isNaN() || to.isNaN() -> Double.NaN`  
 `to == this -> to`  
 `to > this -> this.nextUp()`  
 `else /* to < this */ -> this.nextDown()` Rounds this [Double] value to the nearest integer and converts the result to [Int].  
 Ties are rounded towards positive infinity.  
 Special cases:  
`x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`  
`x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`  
 @throws `IllegalArgumentException` when this value is `NaN`  
`@SinceKotlin("1.2")`  
`public actual fun Double.roundToInt(): Int = when {`  
 `isNaN() -> throw IllegalArgumentException("Cannot round NaN value.")`  
 `this > Int.MAX_VALUE ->`



`nativeMath.asinh(x.toDouble()).toFloat()` Computes the inverse hyperbolic cosine of the value [x].  
 The returned value is positive `y` such that `cosh(y) == x`.  
 Special cases: `acosh(NaN)` is `NaN`.  
`acosh(x)` is `NaN` when `x < 1`.  
`acosh(+Inf)` is `+Inf`.  
 @SinceKotlin("1.2")  
 @InlineOnly  
 @public actual inline fun acosh(x: Float): Float = nativeMath.acosh(x.toDouble()).toFloat()  
 Computes the inverse hyperbolic tangent of the value [x].  
 The returned value is `y` such that `tanh(y) == x`.  
 Special cases: `tanh(NaN)` is `NaN`.  
`tanh(x)` is `NaN` when `x > 1` or `x < -1`.  
`tanh(1.0)` is `+Inf`.  
`tanh(-1.0)` is `-Inf`.  
 @SinceKotlin("1.2")  
 @InlineOnly  
 @public actual inline fun atanh(x: Float): Float = nativeMath.atanh(x.toDouble()).toFloat()  
 Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.  
 Special cases: returns `+Inf` if any of arguments is infinite. returns `NaN` if any of arguments is `NaN` and the other is not infinite.  
 @SinceKotlin("1.2")  
 @InlineOnly  
 @public actual inline fun hypot(x: Float, y: Float): Float = nativeMath.hypot(x.toDouble(), y.toDouble()).toFloat()  
 Computes the positive square root of the value [x].  
 Special cases: `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`.  
 @SinceKotlin("1.2")  
 @InlineOnly  
 @public actual inline fun sqrt(x: Float): Float = nativeMath.sqrt(x.toDouble()).toFloat()  
 Computes Euler's number `e` raised to the power of the value [x].  
 Special cases: `exp(NaN)` is `NaN`.  
`exp(+Inf)` is `+Inf`.  
`exp(-Inf)` is `0.0`.  
 @SinceKotlin("1.2")  
 @InlineOnly  
 @public actual inline fun exp(x: Float): Float = nativeMath.exp(x.toDouble()).toFloat()  
 Computes `exp(x) - 1`.  
 This function can be implemented to produce more precise result for [x] near zero.  
 Special cases: `expm1(NaN)` is `NaN`.  
`expm1(+Inf)` is `+Inf`.  
`expm1(-Inf)` is `-1.0`.  
 @see [exp] function.  
 @SinceKotlin("1.2")  
 @InlineOnly  
 @public actual inline fun expm1(x: Float): Float = nativeMath.expm1(x.toDouble()).toFloat()  
 Computes the logarithm of the value [x] to the given [base].  
 Special cases: `log(x, b)` is `NaN` if either `x` or `b` are `NaN`.  
`log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`.  
`log(+Inf, +Inf)` is `NaN`.  
`log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`.  
`log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b < 1`.  
 See also logarithm functions for common fixed bases: [ln], [log10] and [log2].  
 @SinceKotlin("1.2")  
 @InlineOnly  
 @public actual inline fun log(x: Float, base: Float): Float = log(x.toDouble(), base.toDouble()).toFloat()  
 Computes the natural logarithm (base `E`) of the value [x].  
 Special cases: `ln(NaN)` is `NaN`.  
`ln(x)` is `NaN` when `x < 0.0`.  
`ln(+Inf)` is `+Inf`.  
`ln(0.0)` is `-Inf`.  
 @SinceKotlin("1.2")  
 @InlineOnly  
 @public actual inline fun ln(x: Float): Float = nativeMath.log(x.toDouble()).toFloat()  
 Computes the common logarithm (base 10) of the value [x].  
 @see [ln] function for special cases.  
 @SinceKotlin("1.2")  
 @InlineOnly  
 @public actual inline fun log10(x: Float): Float = nativeMath.log10(x.toDouble()).toFloat()  
 Computes the binary logarithm (base 2) of the value [x].  
 @see [ln] function for special cases.  
 @SinceKotlin("1.2")  
 @InlineOnly  
 @public actual inline fun log2(x: Float): Float = nativeMath.log2(x.toDouble()).toFloat()  
 Computes `ln(a + 1)`.  
 This function can be implemented to produce more precise result for [x] near zero.  
 Special cases: `ln1p(NaN)` is `NaN`.  
`ln1p(x)` is `NaN` where `x < -1.0`.  
`ln1p(-1.0)` is `-Inf`.  
`ln1p(+Inf)` is `+Inf`.  
 @see [ln] function.  
 @see [expm1] function.  
 @SinceKotlin("1.2")  
 @InlineOnly  
 @public actual inline fun ln1p(x: Float): Float = nativeMath.log1p(x.toDouble()).toFloat()  
 Rounds the given value [x] to an integer towards positive infinity.  
 @return the smallest Float value that is greater than the given value [x] and is a mathematical integer.  
 Special cases: `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.  
 @SinceKotlin("1.2")  
 @InlineOnly  
 @public actual inline fun ceil(x: Float): Float = nativeMath.ceil(x.toDouble()).toFloat()  
 Rounds the given value [x] to an integer towards negative infinity.  
 @return the largest Float value that is smaller than the given value [x] and is a mathematical integer.  
 Special cases: `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.  
 @SinceKotlin("1.2")  
 @InlineOnly  
 @public actual inline fun floor(x: Float): Float = nativeMath.floor(x.toDouble()).toFloat()  
 Rounds the given value [x] to an integer towards zero.  
 @return the value [x] having its fractional part truncated.  
 Special cases: `truncate(x)` is `x` where `x`

is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun truncate(x: Float): Float = truncate(x.toDouble()).toFloat()

```

Rounds the given value `[x]` towards the closest integer with ties rounded towards even integer.

**Special cases:**

- `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun round(x: Float): Float =
    round(x.toDouble()).toFloat()

```

Returns the absolute value of the given value `[x]`.

**Special cases:**

- `abs(NaN)` is `NaN`

@see `absoluteValue` extension property for `[Float]`

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun abs(x: Float): Float =
    nativeMath.abs(x.toDouble()).toFloat()

```

Returns the sign of the given value `[x]`:

- `-1.0` if the value is negative,
- `0` if the value is zero,
- `1.0` if the value is positive

**Special case:**

- `sign(NaN)` is `NaN`

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun sign(x: Float): Float =
    nativeMath.sign(x.toDouble()).toFloat()

```

Returns the smaller of two values.

- If either value is `NaN`, then the result is `NaN`.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun min(a: Float, b: Float): Float = nativeMath.min(a, b)

```

Returns the greater of two values.

- If either value is `NaN`, then the result is `NaN`.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun max(a: Float, b: Float): Float = nativeMath.max(a, b)

```

**extensions**

```

// extensions

```

Raises this value to the power `[x]`.

**Special cases:**

- `b.pow(0.0)` is `1.0`
- `b.pow(1.0) == b`
- `b.pow(NaN)` is `NaN`
- `NaN.pow(x)` is `NaN` for `x != 0.0`
- `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`
- `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun Float.pow(x: Float): Float = nativeMath.pow(this.toDouble(), x.toDouble()).toFloat()

```

Raises this value to the integer power `[n]`.

- See the other overload of `[pow]` for details.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun Float.pow(n: Int): Float = nativeMath.pow(this.toDouble(), n.toDouble()).toFloat()

```

Returns the absolute value of this value.

**Special cases:**

- `NaN.absoluteValue` is `NaN`

@see `abs` function

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline val Float.absoluteValue: Float get() =
    nativeMath.abs(this.toDouble()).toFloat()

```

Returns the sign of this value:

- `-1.0` if the value is negative,
- `0` if the value is zero,
- `1.0` if the value is positive

**Special case:**

- `NaN.sign` is `NaN`

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline val Float.sign: Float get() =
    nativeMath.sign(this.toDouble()).toFloat()

```

Returns this value with the sign bit same as of the `[sign]` value.

- If `[sign]` is `NaN` the sign of the result is undefined.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun Float.withSign(sign: Float): Float =
    this.toDouble().withSign(sign.toDouble()).toFloat()

```

Returns this value with the sign bit same as of the `[sign]` value.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun Float.withSign(sign: Int): Float =
    this.toDouble().withSign(sign.toDouble()).toFloat()

```

Rounds this `[Float]` value to the nearest integer and converts the result to `[Int]`.

- Ties are rounded towards positive infinity.

**Special cases:**

- `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`
- `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`

@throws `IllegalArgumentException` when this value is `NaN`

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun Float.roundToInt(): Int =
    toDouble().roundToInt()

```

Rounds this `[Float]` value to the nearest integer and converts the result to `[Long]`.

- Ties are rounded towards positive infinity.

**Special cases:**

- `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`
- `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`

@throws `IllegalArgumentException` when this value is `NaN`

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun Float.roundToLong(): Long =
    toDouble().roundToLong()

```

Returns the absolute value of the given value `[n]`.

**Special cases:**

- `abs(Int.MIN_VALUE)` is `Int.MIN_VALUE` due to an overflow

@see `absoluteValue` extension property for `[Int]`

// TODO: remove manual 'or' when KT-19290 is fixed

```

@SinceKotlin("1.2")
public actual fun abs(n: Int): Int = if (n < 0) (-n or 0) else n

```

Returns the



```

retainAll(elements: Collection<E>): Boolean = removeAll { it !in elements }
MutableIterator<E> = IteratorImpl()
actual override fun contains(element: E): Boolean = indexOf(element) >= 0
actual override fun indexOf(element: E): Int {
    for (index in 0..lastIndex) {
        if (get(index) == element) {
            return index
        }
    }
    return -1
}
actual override fun lastIndexOf(element: E): Int {
    for (index in lastIndex downTo 0) {
        if (get(index) == element) {
            return index
        }
    }
    return -1
}
actual override fun listIterator(): MutableListIterator<E> = listIterator(0)
actual override fun listIterator(index: Int): MutableListIterator<E> = ListIteratorImpl(index)
actual override fun subList(fromIndex: Int, toIndex: Int): MutableList<E> = SubList(this, fromIndex, toIndex)
/**
 * Removes the range of elements from this list starting from [fromIndex] and ending with but not including [toIndex].
 */
protected open fun removeRange(fromIndex: Int, toIndex: Int) {
    val iterator = listIterator(fromIndex)
    repeat(toIndex - fromIndex) {
        iterator.next()
        iterator.remove()
    }
}
/**
 * Compares this list with another list instance with the ordered structural equality.
 * @return true, if [other] instance is a [List] of the same size, which contains the same elements in the same order.
 */
override fun equals(other: Any?): Boolean {
    if (other === this) return true
    if (other !is List<*>) return false
    return AbstractList.orderedEquals(this, other)
}
/**
 * Returns the hash code value for this list.
 */
override fun hashCode(): Int = AbstractList.orderedHashCode(this)
private open inner class IteratorImpl : MutableIterator<E> {
    /** the index of the item that will be returned on the next call to [next]`()` */
    protected var index = 0
    /** the index of the item that was returned on the previous call to [next]`()` or [ListIterator.previous]`()` (for `ListIterator`),
     * -1 if no such item exists
     */
    protected var last = -1
    override fun hasNext(): Boolean = index < size
    override fun next(): E {
        if (!hasNext()) throw NoSuchElementException()
        last = index++
        return get(last)
    }
    override fun remove() {
        check(last != -1) { "Call next() or previous() before removing element from the iterator." }
        removeAt(last)
        index = last
        last = -1
    }
}
/**
 * Implementation of `MutableListIterator` for abstract lists.
 */
private inner class ListIteratorImpl(index: Int) : IteratorImpl(), MutableListIterator<E> {
    init {
        AbstractList.checkPositionIndex(index, this@AbstractMutableList.size)
        this.index = index
    }
    override fun hasPrevious(): Boolean = index > 0
    override fun nextIndex(): Int = index
    override fun previous(): E {
        if (!hasPrevious()) throw NoSuchElementException()
        last = --index
        return get(last)
    }
    override fun previousIndex(): Int = index - 1
    override fun add(element: E) {
        add(index, element)
        index++
        last = -1
    }
    override fun set(element: E) {
        check(last != -1) { "Call next() or previous() before updating element value with the iterator." }
        this@AbstractMutableList[last] = element
    }
}
private class SubList<E>(private val list: AbstractMutableList<E>, private val fromIndex: Int, toIndex: Int) : AbstractMutableList<E>(), RandomAccess {
    private var _size: Int = 0
    init {
        AbstractList.checkRangeIndexes(fromIndex, toIndex, list.size)
        this._size = toIndex - fromIndex
    }
    override fun add(index: Int, element: E) {
        AbstractList.checkPositionIndex(index, _size)
        list.add(fromIndex + index, element)
        _size++
    }
    override fun get(index: Int): E {
        AbstractList.checkElementIndex(index, _size)
        return list[fromIndex + index]
    }
    override fun removeAt(index: Int): E {
        AbstractList.checkElementIndex(index, _size)
        val result = list.removeAt(fromIndex + index)
        _size--
        return result
    }
    override fun set(index: Int, element: E): E {
        AbstractList.checkElementIndex(index, _size)
        return list.set(fromIndex + index, element)
    }
    override val size: Int get() = _size
}
}
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
* that can be found in the license/LICENSE.txt file.
*/
Based on GWT AbstractMap
* Copyright 2007 Google Inc.
*/
package kotlin.collections
*/

```

```

* Provides a skeletal implementation of the [MutableMap] interface.\n *\n * The implementor is required to
implement the [entries] property, which should return mutable set of map entries, and the [put] function.\n *\n *
@param K the type of map keys. The map is invariant on its key type.\n * @param V the type of map values. The
map is invariant on its value type.\n */\npublic actual abstract class AbstractMutableMap<K, V> protected actual
constructor() : AbstractMap<K, V>(), MutableMap<K, V> {\n\n /**\n * A mutable [Map.Entry] shared by
several [Map] implementations.\n *\n internal open class SimpleEntry<K, V>(override val key: K, value: V) :
MutableMap.MutableEntry<K, V> {\n constructor(entry: Map.Entry<K, V>) : this(entry.key, entry.value)\n\n
private var _value = value\n\n override val value: V get() = _value\n\n override fun setValue(newValue:
V): V {\n val oldValue = this._value\n this._value
= newValue\n return oldValue\n }\n\n override fun hashCode(): Int = entryHashCode(this)\n
override fun toString(): String = entryToString(this)\n override fun equals(other: Any?): Boolean =
entryEquals(this, other)\n\n }\n\n override fun clear() {\n entries.clear()\n }\n\n private var _keys:
MutableSet<K>? = null\n override val keys: MutableSet<K>\n get() {\n if (_keys == null) {\n
_keys = object : AbstractMutableSet<K>() {\n override fun add(element: K): Boolean = throw
UnsupportedOperationException("Add is not supported on keys")\n override fun clear() {\n
this@AbstractMutableMap.clear()\n }\n\n override operator fun contains(element: K):
Boolean = containsKey(element)\n\n override operator fun iterator(): MutableIterator<K> {\n
val entryIterator
= entries.iterator()\n return object : MutableIterator<K> {\n override fun hasNext():
Boolean = entryIterator.hasNext()\n\n override fun next(): K = entryIterator.next().key\n\n
override fun
remove(element: K): Boolean {\n if (containsKey(element)) {\n
this@AbstractMutableMap.remove(element)\n return true\n }\n\n return
false\n }\n\n override val size: Int get() = this@AbstractMutableMap.size\n }\n\n
}\n\n return _keys!!\n }\n\n actual abstract override fun put(key: K, value: V): V?\n\n override fun
putAll(from: Map<out K, V>) {\n for ((key, value) in from) {\n
put(key, value)\n }\n }\n\n private var _values: MutableCollection<V>? = null\n override val
values: MutableCollection<V>\n get() {\n if (_values == null) {\n _values = object :
AbstractMutableCollection<V>() {\n override fun add(element: V): Boolean = throw
UnsupportedOperationException("Add is not supported on values")\n override fun clear() =
this@AbstractMutableMap.clear()\n\n override operator fun contains(element: V): Boolean =
containsValue(element)\n\n override operator fun iterator(): MutableIterator<V> {\n val
entryIterator = entries.iterator()\n return object : MutableIterator<V> {\n override fun
hasNext(): Boolean = entryIterator.hasNext()\n\n override fun next(): V = entryIterator.next().value\n\n
override fun remove()
= entryIterator.remove()\n }\n\n }\n\n override val size: Int get() =
this@AbstractMutableMap.size\n\n // TODO: should we implement them this way? Currently it's
unspecified in JVM\n\n override fun equals(other: Any?): Boolean {\n if (this === other)
return true\n\n if (other !is Collection<*>) return false\n\n return
AbstractList.orderedEquals(this, other)\n }\n\n override fun hashCode(): Int =
AbstractList.orderedHashCode(this)\n }\n\n return _values!!\n }\n\n override fun
remove(key: K): V? {\n val iter = entries.iterator()\n while (iter.hasNext()) {\n var entry =
iter.next()\n val k = entry.key\n if (key == k) {\n val value = entry.value\n
iter.remove()\n\n return value\n }\n }\n\n return null\n }\n\n}\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt
file.\n */\npackage kotlin.collections\n\n**\n * Provides a skeletal implementation of the [MutableSet] interface.\n
*\n * @param E the type of elements contained in the set. The set is invariant on its element type.\n */\npublic

```

```

actual abstract class AbstractMutableSet<E> protected actual constructor() : AbstractMutableCollection<E>(),
MutableSet<E> {\n\n /**\n * Compares this set with another set instance with the unordered structural
equality.\n *\n * @return true, if [other] instance is a [Set] of the same size, all elements of which are contained
in this set.\n */\n override fun equals(other: Any?): Boolean {\n if (other === this) return true\n if
(other !is Set<*>) return false\n return AbstractSet.setEquals(this,
other)\n }\n\n /**\n * Returns the hash code value for this set.\n */\n override fun hashCode(): Int =
AbstractSet.unorderedHashCode(this)\n\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.collections\n\n/**\n * Provides a [MutableList] implementation, which uses a resizable array as its backing
storage.\n *\n * This implementation doesn't provide a way to manage capacity, as backing JS array is resizable
itself.\n *\n * There is no speed advantage to pre-allocating array sizes in JavaScript, so this implementation does not
include any of the\n * capacity and \"growth increment\" concepts.\n */\n\npublic actual open class ArrayList<E>
internal constructor(private var array: Array<Any?>) : AbstractMutableList<E>(), MutableList<E>, RandomAccess
{\n\n /**\n * Creates an empty [ArrayList].\n */\n public actual
constructor() : this(emptyArray()) {\n\n /**\n * Creates an empty [ArrayList].\n * @param initialCapacity
initial capacity (ignored)\n */\n @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n public actual constructor(initialCapacity: Int = 0) : this(emptyArray()) {\n\n /**\n * Creates an [ArrayList]
filled from the [elements] collection.\n */\n public actual constructor(elements: Collection<E>) :
this(elements.toArray<Any?>()) {\n\n /** Does nothing in this ArrayList implementation. */\n public
actual fun trimToSize() {\n\n /** Does nothing in this ArrayList implementation. */\n public actual fun
ensureCapacity(minCapacity: Int) {\n\n actual override val size: Int get() = array.size\n actual override fun
get(index: Int): E = array[rangeCheck(index)] as E\n actual override fun set(index: Int, element: E): E {\n
rangeCheck(index)\n return array[index].apply { array[index] = element } as E\n }\n\n actual
override fun add(element: E): Boolean {\n array.asDynamic().push(element)\n modCount++\n return
true\n }\n\n actual override fun add(index: Int, element: E): Unit {\n
array.asDynamic().splice(insertionRangeCheck(index), 0, element)\n modCount++\n }\n\n actual override
fun addAll(elements: Collection<E>): Boolean {\n if (elements.isEmpty()) return false\n\n array +=
elements.toArray<Any?>()\n modCount++\n return true\n }\n\n actual override fun addAll(index:
Int, elements: Collection<E>): Boolean {\n insertionRangeCheck(index)\n\n if (index == size) return
addAll(elements)\n if (elements.isEmpty()) return false\n when (index) {\n size -> return
addAll(elements)\n 0 -> array = elements.toArray<Any?>() + array\n else -> array =
array.copyOfRange(0, index).asDynamic().concat(elements.toArray<Any?>(), array.copyOfRange(index,
size))\n }\n\n modCount++\n return true\n }\n\n actual override fun removeAt(index: Int): E {\n
rangeCheck(index)\n modCount++\n return if (index == lastIndex)\n array.asDynamic().pop()\n
else\n array.asDynamic().splice(index, 1)[0]\n }\n\n actual override fun remove(element: E): Boolean {\n
for (index in array.indices) {\n if (array[index] == element) {\n array.asDynamic().splice(index,
1)\n modCount++\n return true\n }\n }\n return false\n }\n\n override fun
removeRange(fromIndex: Int, toIndex: Int) {\n modCount++\n array.asDynamic().splice(fromIndex,
toIndex - fromIndex)\n }\n\n actual override fun clear() {\n array = emptyArray()\n modCount++\n
}\n\n\n actual override fun indexOf(element: E): Int = array.indexOf(element)\n\n actual override fun
lastIndexOf(element: E):
Int = array.lastIndexOf(element)\n\n override fun toString() = arrayToString(array)\n\n override fun toArray():
Array<Any?> = js(\"[]\").slice.call(array)\n\n\n private fun rangeCheck(index: Int) = index.apply {\n
AbstractList.checkElementIndex(index, size)\n }\n\n private fun insertionRangeCheck(index: Int) = index.apply
{\n AbstractList.checkPositionIndex(index, size)\n }\n\n\n\", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of
this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.collections\n\ninternal interface EqualityComparator {\n /**\n * Subclasses must override

```

```

to return a value indicating\n    * whether or not two keys or values are equal.\n    */\n    abstract fun equals(value1:
Any?, value2: Any?): Boolean\n\n    /**\n    * Subclasses must override to return the hash code of a given key.\n    */\n    abstract fun getHashCode(value: Any?): Int\n\n    object
HashCode : EqualityComparator {\n    override fun equals(value1: Any?, value2: Any?): Boolean = value1 ==
value2\n\n    override fun getHashCode(value: Any?): Int = value?.hashCode() ?: 0\n    }\n}"/*\n * Copyright
2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n */\n * Based on GWT AbstractHashMap\n * Copyright 2008 Google Inc.\n\n */\n\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n * Hash table based
implementation of the [MutableMap] interface.\n *\n * This implementation makes no guarantees regarding the
order of enumeration of [keys], [values] and [entries] collections.\n */\n\npublic actual open class HashMap<K, V> :
AbstractMutableMap<K, V>, MutableMap<K, V> {\n\n    private inner class EntrySet :
AbstractMutableSet<MutableEntry<K, V>>() {\n\n        override fun add(element: MutableEntry<K, V>): Boolean
= throw UnsupportedOperationException("Add
is not supported on entries")\n\n        override fun clear() {\n            this@HashMap.clear()\n        }\n\n        override
operator fun contains(element: MutableEntry<K, V>): Boolean = containsEntry(element)\n\n        override operator
fun iterator(): MutableIterator<MutableEntry<K, V>> = internalMap.iterator()\n\n        override fun
remove(element: MutableEntry<K, V>): Boolean {\n            if (contains(element)) {\n
this@HashMap.remove(element.key)\n                return true\n            }\n            return false\n        }\n\n        override
val size: Int get() = this@HashMap.size\n    }\n\n    /**\n    * Internal implementation of the map: either string-
based or hashcode-based.\n    */\n    private val internalMap: InternalMap<K, V>\n\n    private val equality:
EqualityComparator\n\n    internal constructor(internalMap: InternalMap<K, V>) : super() {\n        this.internalMap
= internalMap\n        this.equality = internalMap.equality\n    }\n\n    /**\n    * Constructs an empty [HashMap] instance.\n    */\n    actual constructor() :
this(InternalHashCodeMap(EqualityComparator.HashCode))\n\n    /**\n    * Constructs an empty [HashMap]
instance.\n    */\n    * @param initialCapacity the initial capacity (ignored)\n    * @param loadFactor the load
factor (ignored)\n    */\n    * @throws IllegalArgumentException if the initial capacity or load factor are negative\n
*/\n    @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n    actual
constructor(initialCapacity: Int, loadFactor: Float = 0.0f) : this() {\n        // This implementation of HashMap has no
need of load factors or capacities.\n        require(initialCapacity >= 0) { "Negative initial capacity: $initialCapacity"\n
}\n        require(loadFactor >= 0) { "Non-positive load factor: $loadFactor" }\n    }\n\n    actual
constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n    /**\n    * Constructs an instance of [HashMap]
filled with the contents of the specified [original] map.\n    */\n    actual constructor(original: Map<out K, V>) :
this() {\n        this.putAll(original)\n    }\n\n    actual override fun clear() {\n        internalMap.clear()\n\n//
structureChanged(this)\n    }\n\n    actual override fun containsKey(key: K): Boolean =
internalMap.containsKey()\n\n    actual override fun containsValue(value: V): Boolean = internalMap.any {
equality.equals(it.value, value) }\n\n    private var _entries: MutableSet<MutableMap.MutableEntry<K, V>>? =
null\n\n    actual override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\n        get() {\n            if
(_entries == null) {\n                _entries = createEntrySet()\n            }\n            return _entries!!\n        }\n\n    protected open fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\n\n    actual
override operator fun get(key: K): V? = internalMap.get(key)\n\n    actual override fun put(key: K, value:
V): V? = internalMap.put(key, value)\n\n    actual override fun remove(key: K): V? = internalMap.remove(key)\n\n    actual
override val size: Int get() = internalMap.size\n}\n\n\n/**\n * Constructs the specialized implementation of
[HashMap] with [String] keys, which stores the keys as properties of\n * JS object without hashing them.\n */\n\npublic fun <V> stringMapOf(vararg pairs: Pair<String, V>): HashMap<String, V> {\n    return
HashMap<String, V>(InternalStringMap(EqualityComparator.HashCode)).apply { putAll(pairs) }\n}"/*\n * Copyright
2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n */\n */\n * Based on GWT HashSet\n * Copyright 2008 Google Inc.\n\n */\n\npackage kotlin.collections\n\n/**\n * The implementation of the [MutableSet] interface, backed by a

```

```

[HashMap] instance.\n */\npublic actual open class HashSet<E> : AbstractMutableSet<E>, MutableSet<E> {\n\n
private val map: HashMap<E,\n
Any>\n\n /**\n * Constructs a new empty [HashSet].\n */\n actual constructor() {\n map =
HashMap<E, Any>()\n }\n\n /**\n * Constructs a new [HashSet] filled with the elements of the specified
collection.\n */\n actual constructor(elements: Collection<E>) {\n map = HashMap<E,\n
Any>(elements.size)\n addAll(elements)\n }\n\n /**\n * Constructs a new empty [HashSet].\n */\n *
@param initialCapacity the initial capacity (ignored)\n * @param loadFactor the load factor (ignored)\n
*\n * @throws IllegalArgumentException if the initial capacity or load factor are negative\n */\n
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n actual constructor(initialCapacity:
Int, loadFactor: Float = 0.0f) {\n map = HashMap<E, Any>(initialCapacity, loadFactor)\n }\n\n actual
constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n /**\n * Protected constructor to specify
the underlying map. This is used by\n * LinkedHashMap.\n */\n * @param map underlying map to use.\n */\n
internal constructor(map: HashMap<E, Any>) {\n this.map = map\n }\n\n actual override fun add(element:
E): Boolean {\n val old = map.put(element, this)\n return old == null\n }\n\n actual override fun clear()
{\n map.clear()\n }\n\n// public override fun clone(): Any {\n// return HashSet<E>(this)\n// }\n\n
actual override operator fun contains(element: E): Boolean = map.containsKey(element)\n\n actual override fun
isEmpty(): Boolean = map.isEmpty()\n\n actual override fun iterator(): MutableIterator<E> =
map.keys.iterator()\n\n actual override fun remove(element: E): Boolean = map.remove(element) != null\n\n
actual override val size: Int get() = map.size\n\n}\n\n/**\n * Creates a new instance of the specialized
implementation of [HashSet] with the specified [String] elements,\n * which elements the
keys as properties of JS object without hashing them.\n */\n\npublic fun stringSetOf(vararg elements: String):
HashSet<String> {\n return HashSet(stringMapOf<Any>()).apply { addAll(elements) }\n }\n\n"/\n\n * Copyright
2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\n * Based on GWT InternalHashCodeMap\n * Copyright 2008 Google Inc.\n\n
*/\n\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\nimport
kotlin.collections.AbstractMutableMap.SimpleEntry\n\n/**\n * A simple wrapper around JavaScriptObject to
provide [java.util.Map]-like semantics for any\n * key type.\n * *\n * Implementation notes:\n * *\n * A key's
hashCode is the index in backingMap which should contain that key. Since several keys may\n * have the same
hash, each value in hashCodeMap is actually an array containing all entries whose\n * keys share the same hash.\n
*/\n\ninternal class InternalHashCodeMap<K,\n
V>(override val equality: EqualityComparator) : InternalMap<K, V> {\n\n private var backingMap: dynamic =
createJsMap()\n override var size: Int = 0\n private set\n\n override fun put(key: K, value: V): V? {\n
val hashCode = equality.getHashCode(key)\n val chainOrEntry = getChainOrEntryOrNull(hashCode)\n if
(chainOrEntry == null) {\n // This is a new chain, put it to the map.\n backingMap[hashCode] =
SimpleEntry(key, value)\n } else {\n if (chainOrEntry !is Array<*>) {\n // It is an entry\n
val entry: SimpleEntry<K, V> = chainOrEntry\n if (equality.equals(entry.key, key)) {\n
return entry.setValue(value)\n } else {\n backingMap[hashCode] = arrayOf(entry,\n
SimpleEntry(key, value))\n size++\n return null\n }\n } else {\n
// Chain already exists, perhaps key also exists.\n val chain: Array<MutableEntry<K, V>> =
chainOrEntry\n val entry = chain.findEntryInChain(key)\n if (entry != null) {\n return
entry.setValue(value)\n }\n chain.asDynamic().push(SimpleEntry(key, value))\n }\n
}\n\n size++\n// structureChanged(host)\n return null\n }\n\n override fun remove(key: K): V? {\n
val hashCode = equality.getHashCode(key)\n val chainOrEntry = getChainOrEntryOrNull(hashCode) ?: return
null\n if (chainOrEntry !is Array<*>) {\n val entry: MutableEntry<K, V> = chainOrEntry\n if
(equality.equals(entry.key, key)) {\n deleteProperty(backingMap, hashCode)\n size--\n
return entry.value\n } else {\n return null\n }\n } else {\n val chain:
Array<MutableEntry<K,

```



```

*\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n * A simple wrapper
around JavaScript Map for key type is string.\n * Though this map is instantiated only with K=String, the K type
is not fixed to String statically,\n * because we want to have it erased to Any? in order not to generate type-safe
override bridges for\n * [get], [contains], [remove] etc, if they ever are generated.\n */\ninternal class
InternalStringMap<K, V>(override val equality: EqualityComparator) : InternalMap<K,
V> {\n\n    private var backingMap: dynamic = createJsMap()\n    override var size: Int = 0\n    private set\n\n//
/**\n//    * A mod count to track 'value' replacements in map to ensure that the 'value' that we have in the\n//    *
iterator entry is guaranteed to be still correct.\n//    * This is to optimize for the common scenario where the values
are not modified during\n//    * iterations where the entries are never stale.\n//    */\n\n    private var valueMod: Int =
0\n\n    override operator fun contains(key: K): Boolean {\n        if (key !is String) return false\n        return
backingMap[key] !== undefined\n    }\n\n    override operator fun get(key: K): V? {\n        if (key !is String) return
null\n        val value = backingMap[key]\n        return if (value !== undefined) value.unsafeCast<V>() else null\n    }\n\n    override fun put(key: K, value: V): V? {\n        require(key is String)\n        val oldValue =
backingMap[key]\n        backingMap[key]
= value\n\n        if (oldValue === undefined) {\n            size++\n//            structureChanged(host)\n            return
null\n        } else {\n//            valueMod++\n            return oldValue.unsafeCast<V>()\n        }\n    }\n\n    override
fun remove(key: K): V? {\n        if (key !is String) return null\n        val value = backingMap[key]\n        if (value
!== undefined) {\n            deleteProperty(backingMap, key)\n            size--\n//            structureChanged(host)\n            return
value.unsafeCast<V>()\n        } else {\n//            valueMod++\n            return null\n        }\n    }\n\n    override fun clear() {\n        backingMap = createJsMap()\n        size = 0\n    }\n\n    override fun iterator():
MutableIterator<MutableEntry<K, V>> {\n        return object : MutableIterator<MutableEntry<K, V>> {\n            private val keys: Array<String> = js("\\Object").keys(backingMap)\n            private val iterator = keys.iterator()\n\n            private var lastKey: String? = null\n\n            override fun hasNext(): Boolean = iterator.hasNext()\n\n            override fun next(): MutableEntry<K, V> {\n                val key = iterator.next()\n                lastKey = key\n                @Suppress("\\UNCHECKED_CAST")\n                return newMapEntry(key as K)\n            }\n\n            override
fun remove() {\n                @Suppress("\\UNCHECKED_CAST")\n                this@InternalStringMap.remove(checkNotNull(lastKey) as K)\n            }\n        }\n    }\n\n    private fun
newMapEntry(key: K): MutableEntry<K, V> = object : MutableEntry<K, V> {\n        override val key: K get() =
key\n        override val value: V get() = this@InternalStringMap[key].unsafeCast<V>()\n        override fun
setValue(newValue: V): V = this@InternalStringMap.put(key, newValue).unsafeCast<V>()\n        override fun
hashCode(): Int = AbstractMap.entryHashCode(this)\n        override fun toString(): String =
AbstractMap.entryToString(this)\n\n        override fun equals(other: Any?): Boolean = AbstractMap.entryEquals(this, other)\n    }\n}\n\n}

Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n */\n\n * Based on GWT LinkedHashMap\n * Copyright 2008 Google
Inc.\n */\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n * Hash table
based implementation of the [MutableMap] interface, which additionally preserves the insertion order\n * of entries
during the iteration.\n * The insertion order is preserved by maintaining a doubly-linked list of all of its
entries.\n */\n\npublic actual open class LinkedHashMap<K, V> : HashMap<K, V>, MutableMap<K, V> {\n\n    /**\n     * The entry we use includes next/prev pointers for a doubly-linked circular\n     * list with a head node. This
reduces the special cases we have to deal with\n     * in the list operations.\n     */\n\n    Note that we duplicate the key from the underlying hash map so we can find\n     * the eldest entry. The alternative
would have been to modify HashMap so more\n     * of the code was directly usable here, but this would have added
some\n     * overhead to HashMap, or to reimplement most of the HashMap code here with\n     * small
modifications. Paying a small storage cost only if you use\n     * LinkedHashMap and minimizing code size seemed
like a better tradeoff\n     */\n\n    private class ChainEntry<K, V>(key: K, value: V) :
AbstractMutableMap.SimpleEntry<K, V>(key, value) {\n        internal var next: ChainEntry<K, V>? = null\n

```

```

internal var prev: ChainEntry<K, V>? = null\n    }\n\n    private inner class EntrySet :
AbstractMutableSet<MutableEntry<K, V>>() {\n\n    private inner class EntryIterator :
MutableIterator<MutableEntry<K, V>> {\n        // The last entry that was returned from this iterator.\nprivate var last: ChainEntry<K, V>? = null\n\n        // The next entry to return from this iterator.\n        private var next: ChainEntry<K, V>? = null\n\n        init {\n            next = head\n            recordLastKnownStructure(map, this)\n        }\n\n        override fun hasNext(): Boolean {\n            return next != null\n        }\n\n        override fun next(): MutableEntry<K, V> {\n            // checkStructuralChange(map, this)\n            if (!hasNext()) throw NoSuchElementException()\n\n            val current = next!!\n            last = current\n            next = current.next.takeIf { it != head }\n\n            return current\n        }\n\n        override fun remove() {\n            check(last != null)\n            checkStructuralChange(map, this)\n            last!!.remove()\n            map.remove(last!!.key)\n            recordLastKnownStructure(map, this)\n            last = null\n        }\n\n        override fun add(element: MutableEntry<K, V>): Boolean = throw UnsupportedOperationException("Add is not supported on entries")\n\n        override fun clear() {\n            this@LinkedHashMap.clear()\n        }\n\n        override operator fun contains(element: MutableEntry<K, V>): Boolean = containsEntry(element)\n\n        override operator fun iterator(): MutableIterator<MutableEntry<K, V>> = EntryIterator()\n\n        override fun remove(element: MutableEntry<K, V>): Boolean {\n            if (contains(element)) {\n                this@LinkedHashMap.remove(element.key)\n                return true\n            }\n            return false\n        }\n\n        override val size: Int get() = this@LinkedHashMap.size\n    }\n\n    /**\n     * The head of the insert order chain, which is a doubly-linked circular\n     * list.\n     * The most recently inserted node is at the end of the chain, ie.\n     * chain.prev.\n     */\n    private var head: ChainEntry<K, V>? = null\n\n    /**\n     * Add this node to the end of the chain.\n     */\n    private fun ChainEntry<K, V>.addToEnd() {\n        // This entry is not in the list.\n        check(next == null && prev == null)\n\n        val _head = head\n        if (_head == null) {\n            head = this\n            next = this\n            prev = this\n        } else {\n            // Chain is valid.\n            val _tail = checkNotNull(_head.prev)\n            // Update me.\n            prev = _tail\n            next = _head\n            // Update my new siblings: current head and old tail\n            _head.prev = this\n            _tail.next = this\n        }\n\n        /**\n         * Remove this node from the chain it is a part of.\n         */\n        private fun ChainEntry<K, V>.remove() {\n            if (this.next === this) {\n                // if this is single element, remove head\n                head = null\n            } else {\n                if (head === this) {\n                    // if this is first element, move head to next\n                    head = next\n                }\n                next!!.prev = prev\n                prev!!.next = next\n            }\n            next = null\n            prev = null\n        }\n\n        /**\n         * The hashmap that keeps track of our entries and the chain. Note that we\n         * duplicate the key here to eliminate changes to HashMap and minimize the\n         * code here, at the expense of additional space.\n         */\n        private val map: HashMap<K, ChainEntry<K, V>>\n\n        /**\n         * Constructs an empty [LinkedHashMap] instance.\n         */\n        actual constructor(): super() {\n            map = HashMap<K, ChainEntry<K, V>>()\n        }\n\n        internal constructor(backingMap: HashMap<K, Any>): super() {\n            @SuppressWarnings("UNCHECKED_CAST") // expected to work due to erasure\n            map = backingMap as HashMap<K, ChainEntry<K, V>>\n        }\n\n        /**\n         * Constructs an empty [LinkedHashMap] instance.\n         */\n        @param initialCapacity the initial capacity (ignored)\n        @param loadFactor the load factor (ignored)\n        * @throws IllegalArgumentException if the initial capacity or load factor are negative\n        */\n        @SuppressWarnings("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n        actual constructor(initialCapacity: Int, loadFactor: Float = 0.0f): super(initialCapacity, loadFactor) {\n            map = HashMap<K, ChainEntry<K, V>>()\n        }\n\n        actual constructor(initialCapacity: Int): this(initialCapacity, 0.0f)\n\n        /**\n         * Constructs an instance of [LinkedHashMap] filled with the contents of the specified [original] map.\n         */\n        actual constructor(original: Map<out K, V>) {\n            map = HashMap<K, ChainEntry<K, V>>()\n            this.putAll(original)\n        }\n\n        actual override fun clear() {\n            map.clear()\n            head = null\n        }\n\n        override fun clone(): Any {\n            return LinkedHashMap(this)\n        }\n\n        actual override fun containsKey(key: K): Boolean = map.containsKey(key)\n\n        actual override fun containsValue(value: V): Boolean

```



```

    {
        console.log(message)
    }

    override fun println(message: Any?) {
        console.log(message)
    }

    override fun println() {
        console.log("")
    }

    /** JsName used to make the declaration
    available outside of module to test it and use at try.kotl.in */
    @JsName("BufferedOutput")
    internal open class
    BufferedOutput : BaseOutput() {
        var buffer = ""
        override fun print(message: Any?) {
            buffer +=
            String(message)
        }

        override fun flush() {
            buffer = ""
        }

    }

    /** JsName used to make the
    declaration available outside of module to test it */
    @JsName("BufferedOutputToConsoleLog")
    internal class
    BufferedOutputToConsoleLog : BufferedOutput() {
        override fun print(message: Any?) {
            var s =
            String(message)
            val i = s.lastIndexOf('\n')
            if (i >= 0) {
                buffer += s.substring(0, i)
            }
            flush()
            s = s.substring(i + 1)
        }

        override fun flush() {
            console.log(buffer)
            buffer = ""
        }
    }

    /** JsName used to
    make the declaration available outside of module to test it and use at try.kotl.in */
    @JsName("output")
    internal
    var output = run {
        val isNode: Boolean = js("typeof process !== 'undefined' && process.versions &&
        !!process.versions.node")
        if (isNode) NodeJsOutput(js("process.stdout")) else
        BufferedOutputToConsoleLog()
    }

    @kotlin.internal.InlineOnly
    private inline fun String(value: Any?): String =
    js("String")(value)

    /** Prints a newline to the standard output stream. */
    @public actual fun println() {
        output.println()
    }

    /** Prints the given message and newline to the standard output stream. */
    @public actual fun
    println(message: Any?) {
        output.println(message)
    }

    /** Prints the given message to the standard output
    stream. */
    @public actual fun print(message: Any?) {
        output.print(message)
    }

    /* Copyright
    2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
    * that can be found in
    the license/LICENSE.txt file. */
    @package kotlin.coroutines.experimental
    @import
    kotlin.coroutines.experimental.intrinsics

    /** @JsName("CoroutineImpl") */
    internal abstract class
    CoroutineImpl(private val resultContinuation: Continuation<Any?>) : Continuation<Any?> {
        protected var state
        = 0
        protected var exceptionState = 0
        protected var result: Any? = null
        protected var exception:
        Throwable? = null
        protected var finallyPath: Array<Int>? = null

        public override val context:
        CoroutineContext = resultContinuation.context
        val facade: Continuation<Any?> =
        context[ContinuationInterceptor]?.interceptContinuation(this)

        override fun resume(value: Any?) {
            result = value
            doResumeWrapper()
        }

        override fun resumeWithException(exception: Throwable) {
            state = exceptionState
            this.exception
            = exception
            doResumeWrapper()
        }

        protected fun doResumeWrapper() {
            processBareContinuationResume(resultContinuation) { doResume() }
        }

        protected abstract fun
        doResume(): Any?

        private val UNDECIDED: Any? = Any()
        private val RESUMED: Any? =
        Any()

        private class Fail(val exception: Throwable)
        @PublishedApi
        internal actual class SafeContinuation<in
        T>
        internal actual constructor(
            private val delegate: Continuation<T>,
            initialResult: Any?) :
        Continuation<T> {
            @PublishedApi
            internal actual constructor(delegate: Continuation<T>) : this(delegate,
            UNDECIDED)

            public actual override val context: CoroutineContext
            get() = delegate.context

            private var result: Any? = initialResult

            actual override fun resume(value: T) {
                when {
                    result
                    === UNDECIDED -> {
                        result = value
                    }
                    result === COROUTINE_SUSPENDED ->
                    {
                        result
                        = RESUMED
                        delegate.resume(value)
                    }
                    else -> {
                        throw
                        IllegalStateException("Already resumed")
                    }
                }
            }

            actual override fun
            resumeWithException(exception: Throwable) {
                when {
                    result === UNDECIDED -> {
                        result = Fail(exception)
                    }
                    result === COROUTINE_SUSPENDED -> {
                        result =
                        RESUMED
                        delegate.resumeWithException(exception)
                    }
                    else -> {
                        throw
                        IllegalStateException("Already resumed")
                    }
                }
            }

            @PublishedApi
            internal actual fun
            getResult(): Any? {
                if (result === UNDECIDED) {
                    result = COROUTINE_SUSPENDED
                }
                val result = this.result
                return when {
                    result === RESUMED -> {
                        COROUTINE_SUSPENDED // already called continuation, indicate SUSPENDED upstream
                    }
                }
            }
        }
    }

```





```

second: Int, millisecond: Number): Double\n } \n\n public interface LocaleOptions {\n     public var
localeMatcher: String?\n     public var timeZone: String?\n\n     public var hour12: Boolean?\n     public var formatMatcher: String?\n     public var weekday:
String?\n     public var era: String?\n     public var year: String?\n     public var month: String?\n\n     public var day: String?\n     public var hour: String?\n     public var minute: String?\n     public var
second: String?\n     public var timeZoneName: String? \n } \n} \n\npublic inline fun dateLocaleOptions(init:
Date.LocaleOptions() -> Unit): Date.LocaleOptions {\n    val result = js("new
Object()\n).unsafeCast<Date.LocaleOptions>()\n    init(result)\n    return result\n}"/*\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.*\n\n/**\n * Creates a new element
with the specified [name].\n */\n * The element is initialized with the specified [init] function.\n */\n\npublic
fun Document.createElement(name: String, init: Element() -> Unit): Element =
createElement(name).apply(init)\n\n/**\n * Appends a newly created element with the specified [name] to this
element.\n */\n * The element is initialized with the specified [init] function.\n */\n\npublic fun
Element.appendChild(name: String, init: Element() -> Unit): Element =\nownerDocument!!.createElement(name, init).also { appendChild(it) } \n\n"/*\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.*\n\n/**\n * Returns true if the element
has the given CSS class style in its 'class' attribute\n */\n\nfun Element.hasClass(cssClass: String): Boolean =
className.matches("\\\\\\"(\\^|.*\\s+)$cssClass(\\$\\s+.*)"")\n\n"/*\n * Adds CSS class to element. Has no
effect if all specified classes are already in class attribute of the element\n */\n * @return
true if at least one class has been added\n */\n\nfun Element.addClass(vararg cssClasses: String): Boolean {\n    val
missingClasses = cssClasses.filterNot { hasClass(it) } \n    if (missingClasses.isNotEmpty()) {\n        val
presentClasses = className.trim()\n        className = buildString {\n            append(presentClasses)\n            if
(!presentClasses.isEmpty()) {\n                append(" ") \n            }\n            missingClasses.joinTo(this, " ") \n
        }\n        return true\n    } \n    return false\n} \n\n"/*\n * Removes all [cssClasses] from element. Has no effect if all
specified classes are missing in class attribute of the element\n */\n * @return true if at least one class has been
removed\n */\n\nfun Element.removeClass(vararg cssClasses: String): Boolean {\n    if (cssClasses.any { hasClass(it)
}) {\n        val toBeRemoved = cssClasses.toSet()\n        className =
className.trim().split("\\\\\\"s+").toRegex().filter { it !in toBeRemoved }.joinToString(" ") \n
        return true\n    } \n    return false\n} \n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage
kotlin.text\n\n/**\n * Converts the string into a regular expression [Regex] with the default options.\n
*/\n\n@kotlin.internal.InlineOnly\n\npublic inline fun String.toRegex(): Regex = Regex(this)\n\n/**\n * Converts the
string into a regular expression [Regex] with the specified single [option].\n */\n\n@kotlin.internal.InlineOnly\n\npublic
inline fun String.toRegex(option: RegexOption): Regex = Regex(this, option)\n\n/**\n * Converts the string into a
regular expression [Regex] with the specified set of [options].\n */\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
String.toRegex(options: Set<RegexOption>): Regex = Regex(this, options)\n}"/*\n * Copyright 2010-2018
JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt
file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage
kotlin.text\n\n/**\n * Builds new string by populating newly created [StringBuilder] using provided
[builderAction]\n * and then converting it to [String].\n */\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
buildString(builderAction: StringBuilder() -> Unit): String =\nStringBuilder().apply(builderAction).toString()\n\n/**\n * Builds new string by populating newly created
[StringBuilder] initialized with the given [capacity]\n * using provided [builderAction] and then converting it to
[String].\n */\n\n@SinceKotlin("1.1")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun buildString(capacity: Int,

```

```

builderAction: StringBuilder.(-> Unit): String =\n
StringBuilder(capacity).apply(builderAction).toString()\n\n/**\n * Appends all arguments to the given\n [Appendable].\n */\npublic\n fun <T : Appendable> T.append(vararg value: CharSequence?): T {\n for (item in value)\n append(item)\n return this}\n\n\n/**\n * Appends all arguments to the given StringBuilder.\n */\npublic fun\n StringBuilder.append(vararg value: String?): StringBuilder {\n for (item in value)\n append(item)\n return this}\n\n\n/**\n * Appends all arguments to the given StringBuilder.\n */\npublic fun StringBuilder.append(vararg\n value: Any?): StringBuilder {\n for (item in value)\n append(item)\n return this}\n\n\ninternal fun <T>\n Appendable.appendElement(element: T, transform: ((T) -> CharSequence?)) {\n when {\n transform != null -\n > append(transform(element))\n element is CharSequence? -> append(element)\n element is Char ->\n append(element)\n else -> append(element.toString())\n }\n}\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o.\n Use of this source code is governed by the Apache 2.0 license\n * that can be found in\n the license/LICENSE.txt file.\n */\npackage kotlin.dom\nimport org.w3c.dom.*\nimport\n kotlin.collections.*\n\n\n/**\n * Gets a value indicating whether this node is a TEXT_NODE or a\n CDATA_SECTION_NODE.\n */\npublic val Node.isText: Boolean\n get() = nodeType == Node.TEXT_NODE ||\n nodeType == Node.CDATA_SECTION_NODE\n\n\n/**\n * Gets a value indicating whether this node is an\n [Element].\n */\npublic val Node.isElement: Boolean\n get() = nodeType == Node.ELEMENT_NODE\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be\n found in the license/LICENSE.txt file.\n */\npackage org.w3c.dom.events\n\npublic fun EventListener(handler:\n (Event) -> Unit): EventListener = EventListenerHandler(handler)\n\nprivate class EventListenerHandler(private val\n handler: (Event) -> Unit) : EventListener {\n public override fun handleEvent(e: Event) {\n handler(e)\n }\n\n public override fun toString(): String = "EventListenerHandler($handler)" }\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can\n be found in the license/LICENSE.txt file.\n */\npackage org.w3c.dom\n\npublic external interface\n ItemArrayLike<out T> {\n val length: Int\n fun item(index: Int): T?\n}\n\n\n/**\n * Returns the view of this\n `ItemArrayLike<T>` collection as `List<T>`\n */\npublic fun <T> ItemArrayLike<T>.asList(): List<T> = object :\n AbstractList<T>() {\n override val size: Int get() = this@asList.length\n override fun get(index: Int): T = when\n (index) {\n in 0..lastIndex -> this@asList.item(index).unsafeCast<T>()\n else -> throw\n IndexOutOfBoundsException("index $index is not in range [0..$lastIndex]")\n }\n}\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the\n license/LICENSE.txt file.\n */\npackage kotlin.dom\nimport org.w3c.dom.*\n\n\n/**\n * Removes all the children from this node.\n */\npublic fun Node.clear() {\n while (hasChildNodes()) {\n removeChild(firstChild!)\n }\n}\n\n\n/**\n * Creates text node and append it to the element.\n */\npublic fun Element.appendChild(ownerDocument!!.createTextNode(text))\n return this}\n\n\n", /*\n * Copyright 2010-2018 JetBrains\n s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the\n license/LICENSE.txt file.\n */\npackage kotlin.js\n\n\n/**\n * Reinterprets this value as a value of the [dynamic\n type](/docs/reference/dynamic-type.html).\n */\npublic inline fun Any?.asDynamic():\n dynamic = this\n\n\n/**\n * Reinterprets this value as a value of the specified type [T] without any actual type\n checking.\n */\npublic inline fun <T> Any?.unsafeCast(): @kotlin.internal.NoInfer T\n = this.asDynamic()\n\n\n/**\n * Reinterprets\n this `dynamic` value as a value of the specified type [T] without any actual type checking.\n */\n\n\n@kotlin.internal.DynamicExtension\n@JsName("unsafeCastDynamic")\npublic inline fun <T> dynamic.unsafeCast(): @kotlin.internal.NoInfer T = this\n\n\n/**\n * Allows to iterate this `dynamic`\n object in the following cases:\n * - when it has an `iterator` function,\n * - when it is an array\n * - when it is an\n instance of [kotlin.collections.Iterable]\n */\npublic operator fun\n dynamic.iterator(): Iterator<dynamic> {\n val r: Any? = this\n return when {\n this["iterator"] != null -\n >\n this["iterator"]()\n js("Kotlin").isArrayish(r) ->\n r.unsafeCast<Array<*>>().iterator()\n }\n}\n

```

```

else ->\n      (r as Iterable<*>).iterator()\n    }\n}\n"/\n * Copyright 2010-2018 JetBrains s.r.o. Use of this
source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under the
module\n\n@JsName("throwNPE")\ninternal fun throwNPE(message: String) {\n  throw
NullPointerException(message)\n}\n\n@JsName("throwCCE")\ninternal fun throwCCE() {\n  throw
ClassCastException("Illegal cast")\n}\n\n@JsName("throwISE")\ninternal fun throwISE(message: String) {\n
throw IllegalStateException(message)\n}\n\n@JsName("throwUPAE")\ninternal fun throwUPAE(propertyName:
String) {\n  throw UninitializedPropertyAccessException("lateinit property ${propertyName} has not been
initialized")\n}\n"/\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache
2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n// NOTE: Do not author
your exceptions as they are written in this file, instead use this template:\n\npublic open class MyException :
Exception {\n  constructor() : super()\n  constructor(message:
String?) : super(message)\n  constructor(message: String?, cause: Throwable?) : super(message, cause)\n
constructor(cause: Throwable?) : super(cause)\n}\n\n\n// TODO: remove workarounds for KT-22053 from
direct Throwable inheritors\n// TODO: remove primary constructors, make all secondary KT-
22055\n\n@Suppress("USELESS_ELVIS_RIGHT_IS_NULL")\npublic actual open class Error actual
constructor(message: String?, cause: Throwable?) : Throwable(message, cause ? : null) {\n  actual constructor() :
this(null, null) {\n    Error::class.js.asDynamic().call(this, null, null)\n  }\n\n  actual constructor(message:
String?) : this(message, null) {\n    Error::class.js.asDynamic().call(this, message, null)\n  }\n\n  actual
constructor(cause: Throwable?) : this(undefiend, cause) {\n    Error::class.js.asDynamic().call(this, undefiend,
cause)\n  }\n}\n\n@Suppress("USELESS_ELVIS_RIGHT_IS_NULL")\npublic actual open class Exception
actual constructor(message:
String?, cause: Throwable?) : Throwable(message, cause ? : null) {\n  actual constructor() : this(null, null) {\n
Exception::class.js.asDynamic().call(this, null, null)\n  }\n\n  actual constructor(message: String?) : this(message,
null) {\n    Exception::class.js.asDynamic().call(this, message, null)\n  }\n\n  actual constructor(cause:
Throwable?) : this(undefiend, cause) {\n    Exception::class.js.asDynamic().call(this, undefiend, cause)\n
}\n}\n\n\npublic actual open class RuntimeException actual constructor(message: String?, cause: Throwable?) :
Exception(message, cause) {\n  actual constructor() : this(null, null)\n  actual constructor(message: String?) :
this(message, null)\n  actual constructor(cause: Throwable?) : this(undefiend, cause)\n}\n\n\npublic actual open class
IllegalArgumentException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message,
cause) {\n  actual constructor() : this(null, null)\n  actual constructor(message:
String?) : this(message, null)\n  actual constructor(cause: Throwable?) : this(undefiend, cause)\n}\n\n\npublic actual
open class IllegalStateException actual constructor(message: String?, cause: Throwable?) :
RuntimeException(message, cause) {\n  actual constructor() : this(null, null)\n  actual constructor(message:
String?) : this(message, null)\n  actual constructor(cause: Throwable?) : this(undefiend, cause)\n}\n\n\npublic actual
open class IndexOutOfBoundsException actual constructor(message: String?) : RuntimeException(message) {\n
actual constructor() : this(null)\n}\n\n\npublic actual open class ConcurrentModificationException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n  actual constructor() :
this(null, null)\n  actual constructor(message: String?) : this(message, null)\n  actual constructor(cause:
Throwable?) : this(undefiend, cause)\n}\n\n\npublic actual open class UnsupportedOperationException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n  actual constructor() :
this(null, null)\n  actual constructor(message: String?) : this(message, null)\n  actual constructor(cause:
Throwable?) : this(undefiend, cause)\n}\n\n\n\npublic actual open class NumberFormatException actual
constructor(message: String?) : IllegalArgumentException(message) {\n  actual constructor() :
this(null)\n}\n\n\npublic actual open class NullPointerException actual constructor(message: String?) :
RuntimeException(message) {\n  actual constructor() : this(null)\n}\n\n\npublic actual open class
ClassCastException actual constructor(message: String?) : RuntimeException(message) {\n  actual constructor() :
this(null)\n}\n\n\npublic actual open class AssertionError private constructor(message: String?, cause: Throwable?) :

```

```

Error(message, cause) {\n  actual constructor() : this(null)\n  constructor(message: String?) : this(message, null)\n  actual constructor(message:
Any?) : this(message.toString(), message as? Throwable)\n}\n\npublic actual open class NoSuchElementException
actual constructor(message: String?) : RuntimeException(message) {\n  actual constructor() :
this(null)\n}\n\npublic actual open class NoWhenBranchMatchedException actual constructor(message: String?,
cause: Throwable?) : RuntimeException(message, cause) {\n  actual constructor() : this(null, null)\n  actual
constructor(message: String?) : this(message, null)\n  actual constructor(cause: Throwable?) : this(undefined,
cause)\n}\n\npublic actual open class UninitializedPropertyAccessException actual constructor(message: String?,
cause: Throwable?) : RuntimeException(message, cause) {\n  actual constructor() : this(null, null)\n  actual
constructor(message: String?) : this(message, null)\n  actual constructor(cause: Throwable?) : this(undefined,
cause)\n}\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0
license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName("GroupingKt")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage
kotlin.collections\n\n/**\n * Represents a source of elements with a [keyOf] function, which can be applied to each
element to get its key.\n * A [Grouping] structure serves as an intermediate step in group-and-fold operations:\n *
they group elements by their keys and then fold each group with some aggregating operation.\n * It is created
by attaching `keySelector: (T) -> K` function to a source of elements.\n * To get an instance of [Grouping] use one
of `groupingBy` extension functions:\n * - [Iterable.groupingBy]\n * - [Sequence.groupingBy]\n * -
[Array.groupingBy]\n * - [CharSequence.groupingBy]\n * For the list of group-and-fold operations available,
see the [extension functions](#extension-functions) for `Grouping`.\n */\n@SinceKotlin("1.1")\npublic interface
Grouping<T, out K> {\n  /** Returns an [Iterator]
over the elements of the source of this grouping. */\n  fun sourceIterator(): Iterator<T>\n  /** Extracts the key of
an [element]. */\n  fun keyOf(element: T): K\n}\n\n/**\n * Groups elements from the [Grouping] source by key
and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and
the current element as arguments, and stores the results in a new map.\n * The key for each element is provided
by the [Grouping.keyOf] function.\n * @param operation function is invoked on each element with the
following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current
value of the accumulator of the group, can be `null` if it's the first `element` encountered in the group;\n * -
`element`: the element from the source being aggregated;\n * - `first`: indicates whether it's the first `element`
encountered in the group.\n * @return a [Map] associating the key of each group
with the result of aggregation of the group elements.\n */\n@SinceKotlin("1.1")\npublic inline fun <T, K, R>
Grouping<T, K>.aggregate(\n  operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R\n): Map<K,
R> {\n  return aggregateTo(mutableMapOf<K, R>(), operation)\n}\n\n/**\n * Groups elements from the
[Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the
previously accumulated value and the current element as arguments,\n * and stores the results in the given
[destination] map.\n * The key for each element is provided by the [Grouping.keyOf] function.\n * @param
operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group
this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group, can be `null` if it's
the first `element` encountered in the group;\n * - `element`: the element from the source being aggregated;\n *
- `first`: indicates whether it's the first `element` encountered in the group.\n * If the [destination] map
already has a value corresponding to some key,\n * then the elements being aggregated for that key are never
considered as `first`.\n * @return the [destination] map associating the key of each group with the result of
aggregation of the group elements.\n */\n@SinceKotlin("1.1")\npublic inline fun <T, K, R, M : MutableMap<in K,
R>> Grouping<T, K>.aggregateTo(\n  destination: M,\n  operation: (key: K, accumulator: R?, element: T, first:
Boolean) -> R\n): M {\n  for (e in this.sourceIterator()) {\n    val key = keyOf(e)\n    val accumulator =
destination[key]\n    destination[key] = operation(key, accumulator, e, accumulator == null &&
!destination.containsKey(key))\n  }\n  return destination\n}\n\n/**\n * Groups elements from the [Grouping]
source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously

```

accumulated value and the current element as arguments, and stores the results in a new map.

\* An initial value of accumulator is provided by [initialValueSelector] function.

\* @param initialValueSelector a function that provides an initial value of accumulator for each group.

\* It's invoked with parameters:

- \* - `key`: the key of the group;
- \* - `element`: the first element being encountered in that group.

\* @param operation a function that is invoked on each element with the following parameters:

- \* - `key`: the key of the group this element belongs to;
- \* - `accumulator`: the current value of the accumulator of the group;
- \* - `element`: the element from the source being accumulated.

\* @return a [Map] associating the key of each group with the result of accumulating the group elements.

```

*^@SinceKotlin("1.1")
public inline fun <T, K, R> Grouping<T, K>.fold(
    initialValueSelector: (key: K, element: T) -> R,
    operation: (key: K, accumulator: R, element: T) -> R): Map<K, R> =
    @Suppress("UNCHECKED_CAST")
    aggregate { key, acc, e, first -> operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }

```

\* Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially, passing the previously accumulated value and the current element as arguments, and stores the results in the given [destination] map.

\* An initial value of accumulator is provided by [initialValueSelector] function.

\* @param initialValueSelector a function that provides an initial value of accumulator for each group.

\* It's invoked with parameters:

- \* - `key`: the key of the group;
- \* - `element`: the first element being encountered in that group.

\* If the [destination] map already has a value corresponding to some key, that value is used as an initial value of the accumulator for that group and the [initialValueSelector] function is not called for that group.

\* @param operation a function that is invoked on each element with the following parameters:

- \* - `key`: the key of the group this element belongs to;
- \* - `accumulator`: the current value of the accumulator of the group;
- \* - `element`: the element from the source being accumulated.

\* @return the [destination] map associating the key of each group with the result of accumulating the group elements.

```

*^@SinceKotlin("1.1")
public inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(
    destination: M,
    initialValueSelector: (key: K, element: T) -> R,
    operation: (key: K, accumulator: R, element: T) -> R): M =
    @Suppress("UNCHECKED_CAST")
    aggregateTo(destination) { key, acc, e, first -> operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }

```

\* Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially, passing the previously accumulated value and the current element as arguments, and stores the results in a new map.

\* An initial value of accumulator is the same [initialValue] for each group.

\* @param operation a function that is invoked on each element with the following parameters:

- \* - `accumulator`: the current value of the accumulator of the group;
- \* - `element`: the element from the source being accumulated.

\* @return a [Map] associating the key of each group with the result of accumulating the group elements.

```

*^@SinceKotlin("1.1")
public inline fun <T, K, R> Grouping<T, K>.fold(
    initialValue: R,
    operation: (accumulator: R, element: T) -> R): Map<K, R> =
    @Suppress("UNCHECKED_CAST")
    aggregate { _, acc, e, first -> operation(if (first) initialValue else acc as R, e) }

```

\* Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially, passing the previously accumulated value and the current element as arguments, and stores the results in the given [destination] map.

\* An initial value of accumulator is the same [initialValue] for each group.

\* If the [destination] map already has a value corresponding to the key of some group, that value is used as an initial value of the accumulator for that group.

\* @param operation a function that is invoked on each element with the following parameters:

- \* - `accumulator`: the current value of the accumulator of the group;
- \* - `element`: the element from the source being accumulated.

\* @return the [destination] map associating the key of each group with the result of accumulating the group elements.

```

*^@SinceKotlin("1.1")
public inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(
    destination: M,
    initialValue: R,
    operation: (accumulator: R, element: T) -> R): M =
    @Suppress("UNCHECKED_CAST")
    aggregateTo(destination) { _, acc, e, first -> operation(if (first) initialValue else acc as R, e) }

```

\* Groups elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group sequentially starting from the second element of the group, passing the previously accumulated value and the current element as arguments, and



```

the [valueSelector] function for elements in each group.\n *\n * @return a [Map] associating the key of each group
with the count of element in the group.\n *\n@SinceKotlin("1.1")\npublic inline fun <T, K> Grouping<T,
K>.eachSumOf(valueSelector: (T) -> Int): Map<K, Int> =\n    fold(0) { acc, e -> acc + valueSelector(e)
}\n*/\n*/\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n
* that can be found in the license/LICENSE.txt file.\n *\n\npackage kotlin.js\n\n/**\n * Exposes the JavaScript
[Math object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Math) to Kotlin.\n
*\n@Deprecated("Use
top-level functions from kotlin.math package instead.")\npublic external object Math {\n    @Deprecated("Use
kotlin.math.PI instead.", ReplaceWith("PI", "kotlin.math.PI"))\n    public val PI: Double\n    public fun random():
Double\n    @Deprecated("Use kotlin.math.abs instead.", ReplaceWith("abs(value)", "kotlin.math.abs"))\n
public fun abs(value: Double): Double\n    @Deprecated("Use kotlin.math.acos instead.",
ReplaceWith("acos(value)", "kotlin.math.acos"))\n    public fun acos(value: Double): Double\n
@Deprecated("Use kotlin.math.asin instead.", ReplaceWith("asin(value)", "kotlin.math.asin"))\n    public fun
asin(value: Double): Double\n    @Deprecated("Use kotlin.math.atan instead.", ReplaceWith("atan(value)",
"kotlin.math.atan"))\n    public fun atan(value: Double): Double\n    @Deprecated("Use kotlin.math.atan2
instead.", ReplaceWith("atan2(y, x)", "kotlin.math.atan2"))\n    public fun atan2(y: Double, x: Double): Double\n
    @Deprecated("Use kotlin.math.cos instead.", ReplaceWith("cos(value)", "kotlin.math.cos"))\n    public fun
cos(value: Double): Double\n    @Deprecated("Use kotlin.math.sin instead.", ReplaceWith("sin(value)",
"kotlin.math.sin"))\n    public fun sin(value: Double): Double\n    @Deprecated("Use kotlin.math.exp instead.",
ReplaceWith("exp(value)", "kotlin.math.exp"))\n    public fun exp(value: Double): Double\n
@Deprecated("Use maxOf or kotlin.math.max instead")\n    public fun max(vararg values: Int): Int\n
@Deprecated("Use maxOf or kotlin.math.max instead")\n    public fun max(vararg values: Float): Float\n
@Deprecated("Use maxOf or kotlin.math.max instead")\n    public fun max(vararg values: Double): Double\n
@Deprecated("Use minOf or kotlin.math.min instead")\n    public fun min(vararg values: Int): Int\n
@Deprecated("Use minOf or kotlin.math.min instead")\n    public fun min(vararg values: Float): Float\n
@Deprecated("Use minOf or kotlin.math.min
instead")\n    public fun min(vararg values: Double): Double\n    @Deprecated("Use kotlin.math.sqrt instead.",
ReplaceWith("sqrt(value)", "kotlin.math.sqrt"))\n    public fun sqrt(value: Double): Double\n
@Deprecated("Use kotlin.math.tan instead.", ReplaceWith("tan(value)", "kotlin.math.tan"))\n    public fun
tan(value: Double): Double\n    @Deprecated("Use kotlin.math.log instead.", ReplaceWith("log(value)",
"kotlin.math.log"))\n    public fun log(value: Double): Double\n    @Deprecated("Use kotlin.math.pow instead.",
ReplaceWith("pow(base, exp)", "kotlin.math.pow"))\n    public fun pow(base: Double, exp: Double): Double\n
@Deprecated("Use kotlin.math.round instead.", ReplaceWith("round(value)", "kotlin.math.round"))\n    public
fun round(value: Number): Int\n    @Deprecated("Use kotlin.math.floor instead.", ReplaceWith("floor(value)",
"kotlin.math.floor"))\n    public fun floor(value: Number): Int\n    @Deprecated("Use kotlin.math.ceil
instead.", ReplaceWith("ceil(value)", "kotlin.math.ceil"))\n    public fun ceil(value: Number): Int\n\n
@PublishedApi\n    internal fun trunc(value: Number): Double\n    @PublishedApi\n    internal fun sign(value:
Number): Double\n\n    @PublishedApi\n    internal fun sinh(value: Double): Double\n    @PublishedApi\n
internal fun cosh(value: Double): Double\n    @PublishedApi\n    internal fun tanh(value: Double): Double\n
@PublishedApi\n    internal fun asinh(value: Double): Double\n    @PublishedApi\n    internal fun acosh(value:
Double): Double\n    @PublishedApi\n    internal fun atanh(value: Double): Double\n\n    @PublishedApi\n
internal fun hypot(x: Double, y: Double): Double\n\n    @PublishedApi\n    internal fun expm1(value: Double):
Double\n\n    @PublishedApi\n    internal fun log10(value: Double): Double\n    @PublishedApi\n    internal fun
log2(value: Double): Double\n    @PublishedApi\n    internal fun log1p(value: Double): Double\n}\n\n/**\n *
Returns
the smaller of two values.\n *\n@Suppress("DEPRECATION")\n@Deprecated("Use minOf or kotlin.math.min
instead", ReplaceWith("minOf(a, b)"))\npublic fun Math.min(a: Long, b: Long): Long = if (a <= b) a else
b\n\n/**\n * Returns the greater of two values.\n *\n@Suppress("DEPRECATION")\n@Deprecated("Use maxOf

```

```

or kotlin.math.max instead", ReplaceWith("maxOf(a, b)")\npublic fun Math.max(a: Long, b: Long): Long = if (a
>= b) a else b\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0
license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * An interface for
indexing access to a collection of key-value pairs, where type of key is [String] and type of value is [Any?][Any].\n
*/\n\npublic external interface Json {\n    /**\n     * Calls to the function will be translated to indexing operation
(square brackets) on the receiver with [propertyName] as the argument.\n     *\n     * E.g. for
next code:\n     * ```kotlin\n     * fun test(j: Json, p: String) = j["prop"] + j.get(p)\n     * ```\n     *\n     * will be
generated:\n     * ```js\n     * function test(j, p) {\n     *     return j["prop"] + j[p];\n     * }\n     * ```\n     *\n     */\n
operator fun get(propertyName: String): Any?\n\n    /**\n     * Calls of the function will be translated to an
assignment of [value] to the receiver indexed (with square brackets/index operation) with [propertyName].\n     *\n     *
E.g. for the following code:\n     * ```kotlin\n     * fun test(j: Json, p: String, newValue: Any) {\n     *     j["prop"]
= 1\n     *     j.set(p, newValue)\n     * }\n     * ```\n     *\n     * will be generated:\n     * ```js\n     * function test(j, p,
newValue) {\n     *     j["prop"] = 1;\n     *     j[p] = newValue;\n     * }\n     * }\n     * ```\n     *\n     */\n
operator fun set(propertyName: String, value: Any?): Unit\n}\n\n/**\n * Returns a simple JavaScript object (as [Json]) using
provided key-value
pairs as names and values of its properties.\n */\n\npublic fun json(vararg pairs: Pair<String, Any?>): Json {\n    val
res: dynamic = js("{}")\n    for ((name, value) in pairs) {\n        res[name] = value\n    }\n    return res\n}\n\n/**\n *
Adds key-value pairs from [other] to [this].\n * Returns the original receiver.\n */\n\npublic fun Json.add(other:
Json): Json {\n    val keys: Array<String> = js("Object").keys(other)\n    for (key in keys) {\n        if
(other.asDynamic().hasOwnProperty(key)) {\n            this[key] = other[key];\n        }\n    }\n    return
this\n}\n\n/**\n * Exposes the JavaScript [JSON object](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/JSON) to Kotlin.\n
*/\n\n@Suppress("NOT_DOCUMENTED")\n\npublic external object JSON {\n    public fun stringify(o: Any?):
String\n    public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?): String\n    public fun
stringify(o: Any?, replacer: ((key: String,
value: Any?) -> Any?)? = definedExternally, space: Int): String\n    public fun stringify(o: Any?, replacer: ((key:
String, value: Any?) -> Any?)? = definedExternally, space: String): String\n    public fun stringify(o: Any?, replacer:
Array<String>): String\n    public fun stringify(o: Any?, replacer: Array<String>, space: Int): String\n    public fun
stringify(o: Any?, replacer: Array<String>, space: String): String\n\n    public fun <T> parse(text: String): T\n    public fun <T>
parse(text: String, reviver: ((key: String, value: Any?) -> Any?): T)\n}\n","/*\n * Copyright 2010-
2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin\n\n/**\n * Returns `true` if the specified number is a\n * Not-a-
Number (NaN) value, `false` otherwise.\n */\n\npublic actual fun Double.isNaN(): Boolean = this != this\n\n/**\n *
Returns `true` if the specified number is a\n * Not-a-Number (NaN) value,
`false` otherwise.\n */\n\npublic actual fun Float.isNaN(): Boolean = this != this\n\n/**\n * Returns `true` if this value
is infinitely large in magnitude.\n */\n\npublic actual fun Double.isInfinite(): Boolean = this ==
Double.POSITIVE_INFINITY || this == Double.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if this value is
infinitely large in magnitude.\n */\n\npublic actual fun Float.isInfinite(): Boolean = this ==
Float.POSITIVE_INFINITY || this == Float.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if the argument is a
finite floating-point value; returns `false` otherwise (for `NaN` and infinity arguments).\n */\n\npublic actual fun
Double.isFinite(): Boolean = !isInfinite() && !isNaN()\n\n/**\n * Returns `true` if the argument is a finite floating-
point value; returns `false` otherwise (for `NaN` and infinity arguments).\n */\n\npublic actual fun Float.isFinite():
Boolean = !isInfinite() && !isNaN()\n\n/**\n * Returns a bit representation of the specified floating-point value as
[Long]\n *\n according to the IEEE 754 floating-point "double format" bit layout.\n
*/\n\n@SinceKotlin("1.2")\n@library("doubleToBits")\n\npublic actual fun Double.toBits(): Long =
definedExternally\n\n/**\n * Returns a bit representation of the specified floating-point value as [Long]\n *\n
according to the IEEE 754 floating-point "double format" bit layout,\n * preserving `NaN` values exact layout.\n

```

```

*\/n@SinceKotlin("1.2")\/n@library("doubleToRawBits")\/npublic actual fun Double.toRawBits(): Long =
definedExternally\/n\/n**\/n * Returns the [Double] value corresponding to a given bit representation.\/n
*\/n@SinceKotlin("1.2")\/n@kotlin.internal.InlineOnly\/npublic actual inline fun Double.Companion.fromBits(bits:
Long): Double = js("Kotlin").doubleFromBits(bits).unsafeCast<Double>()\/n\/n**\/n * Returns a bit representation
of the specified floating-point value as [Int]\/n * according to the IEEE 754 floating-point "single format" bit
layout.\/n *\/n * Note that in Kotlin/JS [Float] range is wider
than "single format" bit layout can represent,\/n * so some [Float] values may overflow, underflow or lose their
accuracy after conversion to bits and back.\/n *\/n@SinceKotlin("1.2")\/n@library("floatToBits")\/npublic actual
fun Float.toBits(): Int = definedExternally\/n\/n**\/n * Returns a bit representation of the specified floating-point
value as [Int]\/n * according to the IEEE 754 floating-point "single format" bit layout,\/n * preserving NaN values
exact layout.\/n *\/n * Note that in Kotlin/JS [Float] range is wider than "single format" bit layout can represent,\/n *
so some [Float] values may overflow, underflow or lose their accuracy after conversion to bits and back.\/n
*\/n@SinceKotlin("1.2")\/n@library("floatToRawBits")\/npublic actual fun Float.toRawBits(): Int =
definedExternally\/n\/n**\/n * Returns the [Float] value corresponding to a given bit representation.\/n
*\/n@SinceKotlin("1.2")\/n@kotlin.internal.InlineOnly\/npublic actual inline fun Float.Companion.fromBits(bits:
Int): Float = js("Kotlin").floatFromBits(bits).unsafeCast<Float>()"/**\/n * Copyright 2010-2018 JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license\/n * that can be found in the license/LICENSE.txt
file.\/n *\/n@package kotlin.text\/n\/n**\/n * Returns `true` if the contents of this string is equal to the word "true",
ignoring case, and `false` otherwise.\/n *\/npublic actual fun String.toBoolean(): Boolean = toLowerCase() ==
"true"\/n\/n**\/n * Parses the string as a signed [Byte] number and returns the result.\/n * @throws
NumberFormatException if the string is not a valid representation of a number.\/n *\/npublic actual fun
String.toByte(): Byte = toByteOrNull() ?: numberFormatException(this)\/n\/n**\/n * Parses the string as a signed [Byte]
number and returns the result.\/n * @throws NumberFormatException if the string is not a valid representation of a
number.\/n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\/n
*\/npublic actual fun String.toByte(radix: Int): Byte = toByteOrNull(radix) ?: numberFormatException(this)\/n\/n**\/n *
Parses the string as a [Short] number and returns the result.\/n * @throws NumberFormatException if the string is
not a valid representation of a number.\/n *\/npublic actual fun String.toShort(): Short = toShortOrNull() ?:
numberFormatException(this)\/n\/n**\/n * Parses the string as a [Short] number and returns the result.\/n * @throws
NumberFormatException if the string is not a valid representation of a number.\/n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\/n *\/npublic actual fun
String.toShort(radix: Int): Short = toShortOrNull(radix) ?: numberFormatException(this)\/n\/n**\/n * Parses the string as
an [Int] number and returns the result.\/n * @throws NumberFormatException if the string is not a valid
representation of a number.\/n *\/npublic actual fun String.toInt(): Int = toIntOrNull() ?:
numberFormatException(this)\/n\/n**\/n
* Parses the string as an [Int] number and returns the result.\/n * @throws NumberFormatException if the string is
not a valid representation of a number.\/n * @throws IllegalArgumentException when [radix] is not a valid radix for
string to number conversion.\/n *\/npublic actual fun String.toInt(radix: Int): Int = toIntOrNull(radix) ?:
numberFormatException(this)\/n\/n**\/n * Parses the string as a [Long] number and returns the result.\/n * @throws
NumberFormatException if the string is not a valid representation of a number.\/n *\/npublic actual fun
String.toLong(): Long = toLongOrNull() ?: numberFormatException(this)\/n\/n**\/n * Parses the string as a [Long]
number and returns the result.\/n * @throws NumberFormatException if the string is not a valid representation of a
number.\/n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\/n
*\/npublic actual fun String.toLong(radix: Int): Long = toLongOrNull(radix) ?: numberFormatException(this)\/n\/n**\/n
* Parses the string as a [Double] number and returns the result.\/n * @throws NumberFormatException if the string
is not a valid representation of a number.\/n *\/npublic actual fun String.toDouble(): Double =
+(this.asDynamic()).unsafeCast<Double>().also {\/n if (it.isNaN() && !this.isNaN() || it == 0.0 &&
this.isBlank())\/n numberFormatException(this)\/n}\/n\/n**\/n * Parses the string as a [Float] number and returns the
result.\/n * @throws NumberFormatException if the string is not a valid representation of a number.\/n

```

```

*\/n@kotlin.internal.InlineOnly\npublic actual inline fun String.toFloat(): Float =
toDouble().unsafeCast<Float>()\n\n/**\n * Parses the string as a [Double] number and returns the result\n * or `null`
if the string is not a valid representation of a number.\n */\npublic actual fun String.toDoubleOrNull(): Double? =
(+ (this.asDynamic()))\n\nunsafeCast<Double>().takeIf {\n    !(it.isNaN() && !this.isNaN() || it == 0.0 &&
this.isBlank())\n}\n\n/**\n * Parses the string
as a [Float] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*/\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toFloatOrNull(): Float? =
toDoubleOrNull().unsafeCast<Float?>()\n\n/**\n * Returns a string representation of this [Byte] value in the
specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string
conversion.\n */\n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic actual inline fun Byte.toString(radix:
Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of this [Short] value in the
specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string
conversion.\n */\n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic actual inline fun Short.toString(radix:
Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of this [Long] value
in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to
string conversion.\n */\n@SinceKotlin("1.2")\n\npublic actual fun Long.toString(radix: Int): String =
asDynamic().toString(checkRadix(radix))\n\n/**\n * Returns a string representation of this [Int] value in the
specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string
conversion.\n */\n@SinceKotlin("1.2")\n\npublic actual fun Int.toString(radix: Int): String =
asDynamic().toString(checkRadix(radix))\n\nprivate fun String.isNaN(): Boolean = when (this.toLowerCase()) {\n
"nan", "+nan", "-nan" -> true\n    else -> false\n}\n\n/**\n * Checks whether the given [radix] is valid radix for
string to number and number to string conversion.\n */\n@PublishedApi\n\ninternal actual fun checkRadix(radix: Int):
Int {\n    if (radix !in 2..36) {\n        throw IllegalArgumentException("\nradix $radix was not in valid range
2..36")\n    }\n    return radix\n}\n\ninternal actual fun digitOf(char: Char, radix: Int): Int = when {\n    char >= '0'
&& char <= '9' -> char - '0'\n    char >= 'A' && char <= 'Z' -> char - 'A' + 10\n    char >= 'a' && char <= 'z' -> char -
'a' + 10\n    else -> -1\n}\n\nlet { if (it >= radix) -1 else it }\n\nprivate fun numberFormatError(input: String): Nothing =
throw NumberFormatException("\nInvalid number format: '$input'"), "/*\n * Copyright 2010-2018 JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt
file.\n */\n\npackage kotlin.js\n\nimport kotlin.internal.LowPriorityInOverloadResolution\n\n/**\n * Exposes the
JavaScript [Promise
object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Promise) to Kotlin.\n
*/\n@Suppress("NOT_DOCUMENTED")\n\npublic open external class Promise<out T>(executor: (resolve: (T) ->
Unit, reject: (Throwable) -> Unit) -> Unit) {\n    @LowPriorityInOverloadResolution\n
    public open fun <S> then(onFulfilled: ((T) -> S)?): Promise<S>\n\n    @LowPriorityInOverloadResolution\n
    public open fun <S> then(onFulfilled: ((T) -> S)?, onRejected: ((Throwable) -> S)?): Promise<S>\n\n    public open
fun <S> catch(onRejected: (Throwable) -> S): Promise<S>\n\n    companion object {\n        public fun <S>
all(promise: Array<out Promise<S>>): Promise<Array<out S>>\n\n        public fun <S> race(promise: Array<out
Promise<S>>): Promise<S>\n\n        public fun reject(e: Throwable): Promise<Nothing>\n\n        public fun <S>
resolve(e: S): Promise<S>\n\n        public fun <S> resolve(e: Promise<S>): Promise<S>\n    }\n}\n\n// It's workaround
for KT-19672 since we can fix it properly until KT-11265 isn't fixed.\n\ninline fun <T, S>
Promise<Promise<T>>.then(\n    noinline onFulfilled: ((T) -> S)?\n): Promise<S> {\n    return
this.unsafeCast<Promise<T>>().then(onFulfilled)\n}\n\ninline fun <T, S> Promise<Promise<T>>.then(\n    noinline
onFulfilled:
((T) -> S)?,\n    noinline onRejected: ((Throwable) -> S)?\n): Promise<S> {\n    return
this.unsafeCast<Promise<T>>().then(onFulfilled, onRejected)\n}\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt
file.\n */\n\npackage kotlin.js\n\nimport getKClass\n\nimport kotlin.reflect.KClass\n\nimport
kotlin.reflect.js.internal.KClassImpl\n\n/**\n * Represents the constructor of a class. Instances of `JsClass` can be

```

```

passed to JavaScript APIs that expect a constructor reference.\n */\nexternal interface JsClass<T : Any> {\n /**\n
 * Returns the unqualified name of the class represented by this instance.\n */\n val name:
String\n}\n\n@Deprecated("Use class literal and extension property `js` instead.", replaceWith =
ReplaceWith("T::class.js"), level = DeprecationLevel.WARNING)\nexternal fun <T : Any> jsClass():
JsClass<T>\n\n@Deprecated("Use class literal and extension property
`js` instead.", replaceWith = ReplaceWith("this::class.js"), level = DeprecationLevel.WARNING)\nval <T : Any>
T.jsClass: JsClass<T>\n get() = when (jsTypeOf(this)) {\n     "string" -> js("String")\n     "number" ->
js("Number")\n     "boolean" -> js("Boolean")\n     else -> js("Object").getPrototypeOf(this).constructor\n
}\n\n/**\n * Obtains a constructor reference for the given `KClass`.\n */\nval <T : Any> KClass<T>.js:
JsClass<T>\n get() = (this as KClassImpl<T>).jClass\n\n/**\n * Obtains a `KClass` instance for the given
constructor reference.\n */\nval <T : Any> JsClass<T>.kotlin: KClass<T>\n get() = getKClass(this)\n\n"/*\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal
abstract class KClassImpl<T : Any>(\n    internal open val jClass: JsClass<T>)\n
: KClass<T> {\n    override val annotations: List<Annotation>\n        get() = TODO()\n    override val constructors:
Collection<KFunction<T>>\n        get() = TODO()\n    override val isAbstract: Boolean\n        get() = TODO()\n
    override val isCompanion: Boolean\n        get() = TODO()\n    override val isData: Boolean\n        get() = TODO()\n
    override val isFinal: Boolean\n        get() = TODO()\n    override val isInner: Boolean\n        get() = TODO()\n
    override val isOpen: Boolean\n        get() = TODO()\n    override val isSealed: Boolean\n        get() = TODO()\n
    override val members: Collection<KCallable<*>>\n        get() = TODO()\n    override val nestedClasses:
Collection<KClass<*>>\n        get() = TODO()\n    override val objectInstance: T?\n        get() = TODO()\n
    override val qualifiedName: String?\n        get() = TODO()\n    override val supertypes: List<KType>\n        get() =
TODO()\n    override val typeParameters: List<KTypeParameter>\n
        get() = TODO()\n    override val visibility: KVisibility?\n        get() = TODO()\n\n    override fun equals(other:
Any?): Boolean {\n        return other is KClassImpl<*> && jClass == other.jClass\n    }\n\n    // TODO: use FQN\n
    override fun hashCode(): Int = simpleName?.hashCode() ?: 0\n\n    override fun toString(): String {\n        // TODO:
use FQN\n        return "class $simpleName"\n    }\n\n    internal class SimpleKClassImpl<T : Any>(jClass:
JsClass<T>) : KClassImpl<T>(jClass) {\n        override val simpleName: String? =
jClass.asDynamic().`$metadata$`.simpleName.unsafeCast<String?>()\n\n        override fun isInstance(value: Any?):
Boolean {\n            return js("Kotlin").isType(value, jClass)\n        }\n\n        internal class PrimitiveKClassImpl<T :
Any>(\n            jClass: JsClass<T>,\n            private val givenSimpleName: String,\n            private val isInstanceFunction: (Any?)
-> Boolean\n        ) : KClassImpl<T>(jClass) {\n            override fun equals(other: Any?): Boolean {\n                if (other !is
PrimitiveKClassImpl<*>)\n                    return false\n                return super.equals(other) && givenSimpleName == other.givenSimpleName\n            }\n\n
            override val simpleName: String? get() = givenSimpleName\n\n            override fun isInstance(value: Any?): Boolean {\n
                return isInstanceFunction(value)\n            }\n\n            internal object NothingKClassImpl :
KClassImpl<Nothing>(js("Object")) {\n                override val simpleName: String = "Nothing"\n\n                override fun
isInstance(value: Any?): Boolean = false\n\n                override val jClass: JsClass<Nothing>\n                    get() = throw
UnsupportedOperationException("There's no native JS class for Nothing type")\n\n                override fun equals(other:
Any?): Boolean = other === this\n\n                override fun hashCode(): Int = 0\n            },"/*\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport
kotlin.js.JsClass\n\n@JsName("PrimitiveClasses")\ninternal
object PrimitiveClasses {\n    @JsName("anyClass")\n    val anyClass =
PrimitiveKClassImpl(js("Object").unsafeCast<JsClass<Any>>(), "Any", { it is Any })\n\n    @JsName("numberClass")\n    val numberClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Number>>(), "Number", { it is Number })\n\n    @JsName("nothingClass")\n    val nothingClass = NothingKClassImpl\n\n    @JsName("booleanClass")\n    val

```

```

booleanClass = PrimitiveKClassImpl(js("Boolean").unsafeCast<JsClass<Boolean>>(), "Boolean", { it is Boolean
})\n\n @JsName("byteClass")\n val byteClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Byte>>(), "Byte", { it is Byte })\n\n
@JsName("shortClass")\n val shortClass = PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Short>>()),
"Short", { it is Short })\n\n @JsName("intClass")\n val intClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Int>>(), "Int", { it is Int })\n\n
@JsName("floatClass")\n
val floatClass = PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Float>>(), "Float", { it is Float })\n\n
@JsName("doubleClass")\n val doubleClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Double>>(), "Double", { it is Double })\n\n
@JsName("arrayClass")\n val arrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<Array<*>>(), "Array", { it is Array<*> })\n\n
@JsName("stringClass")\n val stringClass = PrimitiveKClassImpl(js("String").unsafeCast<JsClass<String>>()),
"String", { it is String })\n\n @JsName("throwableClass")\n val throwableClass =
PrimitiveKClassImpl(js("Error").unsafeCast<JsClass<Throwable>>(), "Throwable", { it is Throwable })\n\n
@JsName("booleanArrayClass")\n val booleanArrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<BooleanArray>>(), "BooleanArray", { it is BooleanArray
})\n\n @JsName("charArrayClass")\n val charArrayClass =
PrimitiveKClassImpl(js("Uint16Array").unsafeCast<JsClass<CharArray>>(),
"CharArray", { it is CharArray })\n\n @JsName("byteArrayClass")\n val byteArrayClass =
PrimitiveKClassImpl(js("Int8Array").unsafeCast<JsClass<ByteArray>>(), "ByteArray", { it is ByteArray })\n\n
@JsName("shortArrayClass")\n val shortArrayClass =
PrimitiveKClassImpl(js("Int16Array").unsafeCast<JsClass<ShortArray>>(), "ShortArray", { it is ShortArray
})\n\n @JsName("intArrayClass")\n val intArrayClass =
PrimitiveKClassImpl(js("Int32Array").unsafeCast<JsClass<IntArray>>(), "IntArray", { it is IntArray })\n\n
@JsName("longArrayClass")\n val longArrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<LongArray>>(), "LongArray", { it is LongArray })\n\n
@JsName("floatArrayClass")\n val floatArrayClass =
PrimitiveKClassImpl(js("Float32Array").unsafeCast<JsClass<FloatArray>>(), "FloatArray", { it is FloatArray
})\n\n @JsName("doubleArrayClass")\n val doubleArrayClass
= PrimitiveKClassImpl(js("Float64Array").unsafeCast<JsClass<DoubleArray>>(), "DoubleArray", { it is
DoubleArray })\n\n @JsName("functionClass")\n fun functionClass(arity: Int): KClassImpl<Any> {\n
return functionClasses.get(arity) ?: run {\n val result =
PrimitiveKClassImpl(js("Function").unsafeCast<JsClass<Any>>(), "Function$arity",\n
{ jsTypeOf(it) === "function" && it.asDynamic().length == arity })\n functionClasses.asDynamic()[arity]
= result\n result\n }\n }\n\nprivate val functionClasses =
arrayOfNulls<KClassImpl<Any>>(0), "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n// a package is
omitted to get declarations directly under the module\n\nimport kotlin.reflect.KClass\nimport
kotlin.reflect.js.internal.*\n\n@JsName("getKClass")\n\ninternal
fun <T : Any> getKClass(jClass: JsClass<T>): KClass<T> =
getOrCreateKClass(jClass)\n\n@JsName("getKClassFromExpression")\n\ninternal fun <T : Any>
getKClassFromExpression(e: T): KClass<T> =\n when (jsTypeOf(e)) {\n "string" ->
PrimitiveClasses.stringClass\n "number" -> if (js("e | 0") === e) PrimitiveClasses.intClass else
PrimitiveClasses.doubleClass\n "boolean" -> PrimitiveClasses.booleanClass\n "function" ->
PrimitiveClasses.functionClass(e.asDynamic().length)\n else -> {\n when {\n e is BooleanArray
-> PrimitiveClasses.booleanArrayClass\n e is CharArray -> PrimitiveClasses.charArrayClass\n e
is ByteArray -> PrimitiveClasses.byteArrayClass\n e is ShortArray -> PrimitiveClasses.shortArrayClass\n

```

```

    e is IntArray -> PrimitiveClasses.intArrayClass\n        e is LongArray ->
PrimitiveClasses.longArrayClass\n        e is FloatArray -> PrimitiveClasses.floatArrayClass\n
    e is DoubleArray -> PrimitiveClasses.doubleArrayClass\n        e is KClass<*> -> KClass::class\n
    e is Array<*> -> PrimitiveClasses.arrayClass\n        else -> {\n            val constructor =
js(\\"Object\\").getPrototypeOf(e).constructor\n            when {\n                constructor === js(\\"Object\\") ->
PrimitiveClasses.anyClass\n                constructor === js(\\"Error\\") -> PrimitiveClasses.throwableClass\n
            else -> {\n                val jsClass: JsClass<T> = constructor\n
getOrCreateKClass(jsClass)\n                }\n            }\n        }\n    }
} unsafeCast<KClass<T>>()\n\nprivate fun <T : Any> getOrCreateKClass(jClass: JsClass<T>): KClass<T> {\n    if
(jClass === js(\\"String\\")) return PrimitiveClasses.stringClass unsafeCast<KClass<T>>()\n    val metadata =
jClass.asDynamic().`$metadata$\` \n\n    return if (metadata != null) {\n        if (metadata.`$kClass$\` == null) {\n
            val kClass = SimpleKClassImpl(jClass)\n            metadata.`$kClass$\` = kClass\n            kClass\n        } else {\n
            metadata.`$kClass$\` \n        } else {\n            SimpleKClassImpl(jClass)\n        }\n    }\n\n    /*\n    * Copyright 2010-
2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n    * that can be found in the
license/LICENSE.txt file.\n    */\n\npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n/**\n * Provides enumeration
values to use to set regular expression options.\n */\n\npublic actual enum class RegexOptions(val value: String) {\n
/**\n * Enables case-insensitive matching.\n */\n    IGNORE_CASE(\\"i\\"),\n /**\n * Enables multiline mode.\n */\n    *
\n    * In multiline mode the expressions `^` and `$` match just after or just before,\n    * respectively, a line terminator or
the end of the input sequence.\n */\n    MULTILINE(\\"m\\")\n\n\n/**\n * Represents the results from a single capturing group within a [MatchResult] of [Regex].\n */\n    * @param value
The value of captured group.\n */\n\npublic actual data class MatchGroup(actual val value: String)\n\n/**\n * A compiled
representation of a regular expression.\n */\n    * For pattern syntax reference see [https://developer.mozilla.org/en-
US/docs/Web/JavaScript/Reference/Global_Objects/RegExp] and
[http://www.w3schools.com/jsref/jsref_obj_regexp.asp]\n */\n\npublic actual class Regex actual constructor(pattern:
String, options: Set<RegexOption>) {\n\n    /**\n * Creates a regular expression from the specified [pattern] string and
the specified single [option].\n */\n    public actual constructor(pattern: String, option: RegexOptions) : this(pattern,
setOf(option))\n\n    /**\n * Creates a regular expression from the specified [pattern] string and the default options.\n */\n
    public actual constructor(pattern: String) : this(pattern, emptySet())\n\n    /**\n * The pattern
string of this regular expression.\n */\n    public actual val pattern: String = pattern\n\n    /**\n * The set of options that
were used to create this regular expression.\n */\n    public actual val options: Set<RegexOption> = options.toSet()\n\n    private val nativePattern: RegExp = RegExp(pattern, options.map { it.value }.joinToString(separator = \\"\\") +
\\"g\\")\n\n    /**\n * Indicates whether the regular expression matches the entire [input].\n */\n    public actual infix fun
matches(input: CharSequence): Boolean {\n        nativePattern.reset()\n        val match =
nativePattern.exec(input.toString())\n        return match != null && match.index == 0 && nativePattern.lastIndex ==
input.length\n    }\n\n    /**\n * Indicates whether the regular expression can find at least one match in the specified
[input].\n */\n    public actual fun containsMatchIn(input: CharSequence): Boolean {\n        nativePattern.reset()\n
return nativePattern.test(input.toString())\n    }\n\n    /**\n * Returns the first match
of a regular expression in the [input], beginning at the specified [startIndex].\n */\n    * @param startIndex An
index to start search with, by default 0. Must be not less than zero and not greater than `input.length`\n    *
\n    * @return An instance of [MatchResult] if match was found or `null` otherwise.\n */\n\n    @Suppress(\\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\\")\n    public actual fun find(input:
CharSequence, startIndex: Int = 0): MatchResult? = nativePattern.findNext(input.toString(), startIndex)\n\n    /**\n * Returns a sequence of all occurrences of a regular expression within the [input] string, beginning at the specified
[startIndex].\n */\n    * @Suppress(\\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\\")\n    public
actual fun findAll(input: CharSequence, startIndex: Int = 0): Sequence<MatchResult> =\n        generateSequence({
find(input, startIndex) }, { match -> match.next() })\n\n    /**\n * Attempts to match the entire [input]
CharSequence against the pattern.\n

```



```

    if (match == null) return null\n    val range = match.index..lastIndex - 1\n    return object : MatchResult {\n
override val range: IntRange = range\n    override val value: String\n        get() = match[0]!\n    override
val groups: MatchGroupCollection = object : MatchGroupCollection, AbstractCollection<MatchGroup?>() {\n
    override val size: Int get() = match.length\n        override fun iterator(): Iterator<MatchGroup?> =
indices.asSequence().map { this[it] }.iterator()\n        override fun get(index: Int): MatchGroup? =
match[index]!.let { MatchGroup(it) }\n    }\n\n    private var groupValues_ : List<String>? = null\n\n
override val groupValues: List<String>\n        get() {\n            if (groupValues_ == null) {\n
groupValues_ = object : AbstractList<String>() {\n                override val size: Int get() = match.length\n
                override fun get(index: Int): String
= match[index] ?: \"\"\n            }\n        }\n        return groupValues_!!\n    }\n\n    override
fun next(): MatchResult? = this@findNext.findNext(input, if (range.isEmpty()) range.start + 1 else
range.endInclusive + 1)\n    }\n}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed
by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n *\n */\n\npackage
kotlin.text\n\nexpect interface Appendable {\n    fun append(c: Char): Appendable\n    fun append(csq:
CharSequence?): Appendable\n    fun append(csq: CharSequence?, start: Int, end: Int): Appendable\n}\n\nexpect
class StringBuilder : Appendable, CharSequence {\n    constructor()\n    constructor(capacity: Int)\n
constructor(content: CharSequence)\n    override val length: Int\n    override operator fun get(index: Int): Char\n
override fun subSequence(startIndex: Int, endIndex: Int): CharSequence\n    fun reverse(): StringBuilder\n
    override fun append(c: Char): StringBuilder\n    override fun append(csq: CharSequence?): StringBuilder\n
    override fun append(csq: CharSequence?, start: Int, end: Int): StringBuilder\n    fun append(obj: Any?):
StringBuilder\n}\n\nexpect class Regex {\n    constructor(pattern: String)\n    constructor(pattern: String, option:
RegexOption)\n    constructor(pattern: String, options: Set<RegexOption>)\n\n    val pattern: String\n    val options:
Set<RegexOption>\n\n    fun matchEntire(input: CharSequence): MatchResult?\n    infix fun matches(input:
CharSequence): Boolean\n    fun containsMatchIn(input: CharSequence): Boolean\n    fun replace(input:
CharSequence, replacement: String): String\n    fun replace(input: CharSequence, transform: (MatchResult) ->
CharSequence): String\n    fun replaceFirst(input: CharSequence, replacement: String): String\n\n    /*\n *
Returns the first match of a regular expression in the [input], beginning at the specified [startIndex].\n *
@param startIndex An index to start search with, by default 0. Must be not less than zero and not greater than
`input.length`\n * @return An instance of [MatchResult] if match was found or `null` otherwise.\n */\n    fun
find(input: CharSequence, startIndex: Int = 0): MatchResult?\n\n    /*\n * Returns a sequence of all occurrences
of a regular expression within the [input] string, beginning at the specified [startIndex].\n */\n    fun findAll(input:
CharSequence, startIndex: Int = 0): Sequence<MatchResult>\n\n    /*\n * Splits the [input] CharSequence around
matches of this regular expression.\n * @param limit Non-negative value specifying the maximum number
of substrings the string can be split to.\n * Zero by default means no limit is set.\n */\n    fun split(input:
CharSequence, limit: Int = 0): List<String>\n\n    companion object {\n        fun fromLiteral(literal: String): Regex\n
        fun escape(literal: String): String\n
        fun escapeReplacement(literal: String): String\n    }\n}\n\nexpect class MatchGroup {\n    val value:
String\n}\n\nexpect enum class RegexOptions {\n    IGNORE_CASE,\n    MULTILINE\n}\n\n// From
char.kt\n\nexpect fun Char.isWhitespace(): Boolean\n\nexpect fun Char.toLowerCase(): Char\n\nexpect fun
Char.toUpperCase(): Char\n\nexpect fun Char.isHighSurrogate(): Boolean\n\nexpect fun Char.isLowSurrogate():
Boolean\n\n// From string.kt\n\n/*\n * Converts the characters in the specified array to a string.\n
*/\n\n@SinceKotlin("1.2")\n\npublic expect fun String(chars: CharArray): String\n\n/*\n * Converts the characters
from a portion of the specified array to a string.\n */\n\n@SinceKotlin("1.2")\n\npublic expect fun String(chars:
CharArray, offset: Int, length: Int): String\n\n\ninternal expect fun String.nativeIndexOf(str: String, fromIndex: Int):
Int\n\ninternal expect fun String.nativeLastIndexOf(str: String, fromIndex: Int): Int\n\n\npublic expect fun
String.substring(startIndex: Int): String\n\npublic
expect fun String.substring(startIndex: Int, endIndex: Int): String\n\n\npublic expect fun String.toUpperCase():
String\n\npublic expect fun String.toLowerCase(): String\n\npublic expect fun String.capitalize(): String\n\npublic expect

```

fun String.decapitalize(): String\npublic expect fun CharSequence.repeat(n: Int): String\n\n/\*\*\n \* Returns a new string with all occurrences of [oldChar] replaced with [newChar].\n \*/\nexpect fun String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String\n\n/\*\*\n \* Returns a new string obtained by replacing all occurrences of the [oldValue] substring in this string\n \* with the specified [newValue] string.\n \*/\nexpect fun String.replace(oldValue: String, newValue: String, ignoreCase: Boolean = false): String\n\n/\*\*\n \* Returns a new string with the first occurrence of [oldChar] replaced with [newChar].\n \*/\nexpect fun String.replaceFirst(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String\n\n/\*\*\n \* Returns a new string obtained by replacing the first occurrence of the [oldValue] substring in this string\n \* with the specified [newValue] string.\n \*/\nexpect fun String.replaceFirst(oldValue: String, newValue: String, ignoreCase: Boolean = false): String\n\n/\*\*\n \* Returns `true` if this string is equal to [other], optionally ignoring character case.\n \*/\n \* @param ignoreCase `true` to ignore character case when comparing strings. By default `false`.\n \*/\nexpect fun String?.equals(other: String?, ignoreCase: Boolean = false): Boolean\n\n// From stringsCode.kt\n\ninternal inline expect fun String.nativeIndexOf(ch: Char, fromIndex: Int): Int\n\ninternal inline expect fun String.nativeLastIndexOf(ch: Char, fromIndex: Int): Int\n\n/\*\*\n \* Returns `true` if the specified range in this char sequence is equal to the specified range in another char sequence.\n \* @param thisOffset the start offset in this char sequence of the substring to compare.\n \* @param other the string against a substring of which the comparison is performed.\n \* @param otherOffset the start offset in the other char sequence of the substring to compare.\n \* @param length the length of the substring to compare.\n \*/\nexpect fun CharSequence.regionMatches(\n thisOffset: Int,\n other: CharSequence,\n otherOffset: Int,\n length: Int,\n ignoreCase: Boolean = false\n): Boolean\n\n/\*\*\n \* Returns `true` if the contents of this string is equal to the word `"true"`, ignoring case, and `false` otherwise.\n \*/\nexpect fun String.toBoolean(): Boolean\n\n/\*\*\n \* Parses the string as a signed [Byte] number and returns the result.\n \* @throws NumberFormatException if the string is not a valid representation of a number.\n \*/\nexpect fun String.toByte(): Byte\n\n/\*\*\n \* Parses the string as a signed [Byte] number and returns the result.\n \* @throws NumberFormatException if the string is not a valid representation of a number.\n \*/\nexpect fun String.toByte(radix: Int): Byte\n\n/\*\*\n \* Parses the string as a [Short] number and returns the result.\n \* @throws NumberFormatException if the string is not a valid representation of a number.\n \*/\nexpect fun String.toShort(): Short\n\n/\*\*\n \* Parses the string as a [Short] number and returns the result.\n \* @throws NumberFormatException if the string is not a valid representation of a number.\n \*/\nexpect fun String.toShort(radix: Int): Short\n\n/\*\*\n \* Parses the string as an [Int] number and returns the result.\n \* @throws NumberFormatException if the string is not a valid representation of a number.\n \*/\nexpect fun String.toInt(): Int\n\n/\*\*\n \* Parses the string as an [Int] number and returns the result.\n \* @throws NumberFormatException if the string is not a valid representation of a number.\n \*/\nexpect fun String.toInt(radix: Int): Int\n\n/\*\*\n \* Parses the string as a [Long] number and returns the result.\n \* @throws NumberFormatException if the string is not a valid representation of a number.\n \*/\nexpect fun String.toLong(): Long\n\n/\*\*\n \* Parses the string as a [Long] number and returns the result.\n \* @throws NumberFormatException if the string is not a valid representation of a number.\n \*/\nexpect fun String.toLong(radix: Int): Long\n\n/\*\*\n \* Parses the string as a [Double] number and returns the result.\n \* @throws NumberFormatException if the string is not a valid representation of a number.\n \*/\nexpect fun String.toDouble(): Double\n\n/\*\*\n \* Parses the string as a [Float] number and returns the result.\n \* @throws NumberFormatException if the string is not a valid representation of a number.\n \*/\nexpect fun String.toFloat(): Float\n\n/\*\*\n \* Parses the string as a [Double] number and returns the result\n \* or `null` if the string is not a valid representation of a number.\n \*/\nexpect fun String.toDoubleOrNull(): Double?\n\n/\*\*\n \* Parses the string as a [Float] number and returns the result\n \* or `null` if the string is not a valid representation of a number.\n \*/\nexpect fun String.toFloatOrNull(): Float?\n\n/\*\*\n \* Returns a string representation of this [Byte] value in the specified [radix].\n \* @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n \*/\n@SinceKotlin("1.2")\nexpect fun Byte.toString(radix: Int): String\n\n/\*\*\n \* Returns a string representation of this [Short] value in the specified [radix].\n \* @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n \*/

```

*^@SinceKotlin("1.2")\nextpect fun Short.toString(radix: Int): String\n/**\n * Returns a string representation of
this [Int] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix
for number to string conversion.\n *\n@SinceKotlin("1.2")\nextpect fun Int.toString(radix: Int): String\n/**\n *
Returns a string representation of this [Long] value in the specified [radix].\n *\n * @throws
IllegalArgumentException
when [radix] is not a valid radix for number to string conversion.\n *\n@SinceKotlin("1.2")\nextpect fun
Long.toString(radix: Int): String\n\n@PublishedApi\ninternal expect fun checkRadix(radix: Int): Int\n\ninternal
expect fun digitOf(char: Char, radix: Int): Int\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source
code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n *\n\npackage
kotlin.js\n/**\n * Exposes the JavaScript [RegExp
object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/RegExp) to Kotlin.\n
*\n@Suppress("NOT_DOCUMENTED")\npublic external class RegExp(pattern: String, flags: String? =
definedExternally) {\n\n    public fun test(str: String): Boolean\n\n    public fun exec(str: String): RegExpMatch?\n\n
    public override fun toString(): String\n\n    /**\n     * The lastIndex is a read/write integer property of regular
expressions that specifies the index at which to start
the next match.\n     *\n     public var lastIndex: Int\n\n     public val global: Boolean\n     public val ignoreCase:
Boolean\n     public val multiline: Boolean\n}\n/**\n * Resets the regular expression so that subsequent
[RegExp.test] and [RegExp.exec] calls will match starting with the beginning of the input string.\n *\npublic fun
RegExp.reset() {\n    lastIndex = 0\n}\n\n// TODO: Inherit from array or introduce asArray() extension\n/**\n *
Represents the return value of [RegExp.exec].\n *\n@Suppress("NOT_DOCUMENTED")\npublic external
interface RegExpMatch {\n    public val index: Int\n    public val input: String\n    public val length: Int\n}\n/**\n *
Returns the entire text matched by [RegExp.exec] if the [index] parameter is 0, or the text matched by the
capturing parenthesis\n * at the given index.\n *\npublic inline operator fun RegExpMatch.get(index: Int): String? =
asDynamic()[index]\n/**\n * Converts the result of [RegExp.exec] to an array where the first element
contains the entire matched text and each subsequent\n * element is the text matched by each capturing
parenthesis.\n *\npublic inline fun RegExpMatch.asArray(): Array<out String?> = unsafeCast<Array<out
String?>>()\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0
license\n * that can be found in the license/LICENSE.txt file.\n *\n\npackage kotlin.sequences\n\ninternal actual
class ConstrainedOnceSequence<T> actual constructor(sequence: Sequence<T>) : Sequence<T> {\n    private var
sequenceRef: Sequence<T>? = sequence\n\n    actual override fun iterator(): Iterator<T> {\n        val sequence =
sequenceRef ?: throw IllegalStateException("This sequence can be consumed only once.")\n        sequenceRef =
null\n        return sequence.iterator()\n    }\n}\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code
is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n *\n\npackage
kotlin.text\n\nimport kotlin.js.RegExp\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun
String.nativeIndexOf(ch: Char, fromIndex: Int): Int = nativeIndexOf(ch.toString(),
fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeLastIndexOf(ch: Char,
fromIndex: Int): Int = nativeLastIndexOf(ch.toString(), fromIndex)\n\n/**\n * Returns `true` if this string starts with
the specified prefix.\n *\npublic fun String.startsWith(prefix: String, ignoreCase: Boolean = false): Boolean {\n    if
(!ignoreCase)\n        return nativeStartsWith(prefix, 0)\n    else\n        return regionMatches(0, prefix, 0,
prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if a substring of this string starting at the specified offset
[startIndex] starts with the specified prefix.\n *\npublic fun String.startsWith(prefix: String, startIndex: Int,
ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase)\n        return nativeStartsWith(prefix, startIndex)\n
    else\n
return regionMatches(startIndex, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this string
ends with the specified suffix.\n *\npublic fun String.endsWith(suffix: String, ignoreCase: Boolean = false):
Boolean {\n    if (!ignoreCase)\n        return nativeEndsWith(suffix)\n    else\n        return regionMatches(length -
suffix.length, suffix, 0, suffix.length, ignoreCase)\n}\n\n\npublic fun String.matches(regex: String): Boolean {\n
val result = this.match(regex)\n    return result != null && result.size != 0\n}\n\npublic actual fun

```

```

CharSequence.isBlank(): Boolean = length == 0 || (if (this is String) this else
this.toString()).matches("[\\s\\xA0]+$")\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGU
MENTS")\n\npublic actual fun String?.equals(other: String?, ignoreCase: Boolean = false): Boolean =\n if (this ==
null)\n other == null\n else if (!ignoreCase)\n this == other\n else\n other != null &&
this.toLowerCase()
== other.toLowerCase()\n\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n\npublic
actual fun CharSequence.regionMatches(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int,
ignoreCase: Boolean = false): Boolean =\n regionMatchesImpl(thisOffset, other, otherOffset, length,
ignoreCase)\n\n\n/**\n * Returns a copy of this string capitalised if it is not empty or already starting with an upper
case letter, otherwise returns this\n * \n * @includeFunctionBody ../../test/StringTest.kt capitalize\n */\n\npublic actual
fun String.capitalize(): String {\n return if (isEmpty()) substring(0, 1).toUpperCase() + substring(1) else
this}\n\n\n/**\n * Returns a copy of this string with the first letter lower case if it is not empty or already starting
with a lower case letter, otherwise returns this\n * \n * @includeFunctionBody ../../test/StringTest.kt decapitalize\n */\n\npublic actual fun String.decapitalize(): String {\n return if (isEmpty()) substring(0, 1).toLowerCase()
+ substring(1) else this}\n\n\n/**\n * Returns a string containing this char sequence repeated [n] times.\n * @throws
[IllegalArgumentException] when n < 0.\n */\n\npublic actual fun CharSequence.repeat(n: Int): String {\n require(n
>= 0) {\n "Count 'n' must be non-negative, but was $n." }\n return when (n) {\n 0 -> ""\n 1 ->
this.toString()\n else -> {\n var result = ""\n if (!isEmpty()) {\n var s = this.toString()\n
var count = n\n while (true) {\n if ((count and 1) == 1) {\n result += s\n
}\n count = count ushr 1\n if (count == 0) {\n break\n }\n
s += s\n }\n }\n return result\n }\n }\n }\n\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n\npublic actual fun
String.replace(oldValue:
String, newValue: String, ignoreCase: Boolean = false): String =\n
nativeReplace(Regex.escape(oldValue), if (ignoreCase) "gi" else "g"),
Regex.escapeReplacement(newValue))\n\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENT
S")\n\npublic actual fun String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n
nativeReplace(Regex.escape(oldChar.toString()), if (ignoreCase) "gi" else "g"),
newChar.toString())\n\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n\npublic actual
fun String.replaceFirst(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n
nativeReplace(Regex.escape(oldValue), if (ignoreCase) "i" else ""),
Regex.escapeReplacement(newValue))\n\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENT
S")\n\npublic actual fun String.replaceFirst(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n
nativeReplace(Regex.escape(oldChar.toString()), if (ignoreCase)
"i" else ""), newChar.toString())\n\n\n/* Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.text\n\n\npublic actual interface Appendable {\n public actual fun append(csq: CharSequence?):
Appendable\n public actual fun append(c: Char): Appendable\n}\n\n\npublic actual class StringBuilder(content: String = "") : Appendable,
CharSequence {\n actual constructor(capacity: Int) : this() {\n\n actual constructor(content: CharSequence) :
this(content.toString()) {\n\n actual constructor() : this("")\n\n private var string: String = content\n\n actual
override val length: Int\n get() = string.asDynamic().length\n\n actual override fun get(index: Int): Char =
string[index]\n\n actual override fun subSequence(startIndex: Int, endIndex: Int):
CharSequence = string.substring(startIndex, endIndex)\n\n\n actual override fun append(c: Char): StringBuilder {\n
string += c\n return this\n }\n\n\n actual override fun append(csq: CharSequence?): StringBuilder {\n
string += csq.toString()\n return this\n }\n\n\n actual override fun append(csq: CharSequence?, start: Int, end:
Int): StringBuilder {\n string += csq.toString().substring(start, end)\n return this\n }\n\n\n actual fun
append(obj: Any?): StringBuilder {\n string += obj.toString()\n return this\n }\n\n\n actual fun reverse():

```

StringBuilder {\n string = string.asDynamic().split("\\").reverse().join("\\")\n return this\n } \n\n override  
fun toString(): String = string\n}\n", "/\*\n \* Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed  
by the Apache 2.0 license \n \* that can be found in the license/LICENSE.txt file.\n \*/\n\n// NOTE: THIS FILE IS  
AUTO-GENERATED, DO

NOT EDIT!\n// See libraries/tools/idl2k for

details\n\n@file: Suppress(\n"NESTED\_CLASS\_IN\_EXTERNAL\_INTERFACE\n")\npackage

org.khronos.webgl\n\nimport kotlin.js.\*\nimport org.w3c.dom.\*\nimport org.w3c.dom.css.\*\nimport

org.w3c.dom.events.\*\nimport org.w3c.dom.parsing.\*\nimport org.w3c.dom.svg.\*\nimport

org.w3c.dom.url.\*\nimport org.w3c.fetch.\*\nimport org.w3c.files.\*\nimport org.w3c.notifications.\*\nimport

org.w3c.performance.\*\nimport org.w3c.workers.\*\nimport org.w3c.xhr.\*\n\npublic external interface

WebGLContextAttributes {\n var alpha: Boolean? /\* = true \*/\n get() = definedExternally\n set(value) =

definedExternally\n var depth: Boolean? /\* = true \*/\n get() = definedExternally\n set(value) =

definedExternally\n var stencil: Boolean? /\* = false \*/\n get() = definedExternally\n set(value) =

definedExternally\n var antialias: Boolean? /\* = true \*/\n get() = definedExternally\n set(value) =

definedExternally\n var

premultipliedAlpha: Boolean? /\* = true \*/\n get() = definedExternally\n set(value) = definedExternally\n var

preserveDrawingBuffer: Boolean? /\* = false \*/\n get() = definedExternally\n set(value) =

definedExternally\n var preferLowPowerToHighPerformance: Boolean? /\* = false \*/\n get() =

definedExternally\n set(value) = definedExternally\n var failIfMajorPerformanceCaveat: Boolean? /\* = false

\*/\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic

inline fun WebGLContextAttributes(alpha: Boolean? = true, depth: Boolean? = true, stencil: Boolean? = false,

antialias: Boolean? = true, premultipliedAlpha: Boolean? = true, preserveDrawingBuffer: Boolean? = false,

preferLowPowerToHighPerformance: Boolean? = false, failIfMajorPerformanceCaveat: Boolean? = false):

WebGLContextAttributes {\n val o = js("{}")\n o["alpha"] = alpha\n o["depth"] = depth\n

o["stencil"]

= stencil\n o["antialias"] = antialias\n o["premultipliedAlpha"] = premultipliedAlpha\n

o["preserveDrawingBuffer"] = preserveDrawingBuffer\n o["preferLowPowerToHighPerformance"] =

preferLowPowerToHighPerformance\n o["failIfMajorPerformanceCaveat"] = failIfMajorPerformanceCaveat\n}\n\nreturn o\n}\n\npublic external abstract class WebGLObject {\n}\n\n/\*\*\n \* Exposes the JavaScript

[WebGLBuffer](<https://developer.mozilla.org/en/docs/Web/API/WebGLBuffer>) to Kotlin\n \*/\npublic external

abstract class WebGLBuffer : WebGLObject {\n}\n\n/\*\*\n \* Exposes the JavaScript

[WebGLFramebuffer](<https://developer.mozilla.org/en/docs/Web/API/WebGLFramebuffer>) to Kotlin\n \*/\npublic

external abstract class WebGLFramebuffer : WebGLObject {\n}\n\n/\*\*\n \* Exposes the JavaScript

[WebGLProgram](<https://developer.mozilla.org/en/docs/Web/API/WebGLProgram>) to Kotlin\n \*/\npublic external

abstract class WebGLProgram : WebGLObject {\n}\n\n/\*\*\n \* Exposes the JavaScript

[WebGLRenderbuffer](<https://developer.mozilla.org/en/docs/Web/API/WebGLRenderbuffer>)

to Kotlin\n \*/\npublic external abstract class WebGLRenderbuffer : WebGLObject {\n}\n\n/\*\*\n \* Exposes the

JavaScript [WebGLShader](<https://developer.mozilla.org/en/docs/Web/API/WebGLShader>) to Kotlin\n \*/\npublic

external abstract class WebGLShader : WebGLObject {\n}\n\n/\*\*\n \* Exposes the JavaScript

[WebGLTexture](<https://developer.mozilla.org/en/docs/Web/API/WebGLTexture>) to Kotlin\n \*/\npublic external

abstract class WebGLTexture : WebGLObject {\n}\n\n/\*\*\n \* Exposes the JavaScript

[WebGLUniformLocation](<https://developer.mozilla.org/en/docs/Web/API/WebGLUniformLocation>) to Kotlin\n

\*/\npublic external abstract class WebGLUniformLocation {\n}\n\n/\*\*\n \* Exposes the JavaScript

[WebGLActiveInfo](<https://developer.mozilla.org/en/docs/Web/API/WebGLActiveInfo>) to Kotlin\n \*/\npublic

external abstract class WebGLActiveInfo {\n open val size: Int\n open val type: Int\n open val name:

String\n}\n\n/\*\*\n \* Exposes

the JavaScript

[WebGLShaderPrecisionFormat](<https://developer.mozilla.org/en/docs/Web/API/WebGLShaderPrecisionFormat>) to

```

Kotlin\n */\npublic external abstract class WebGLShaderPrecisionFormat {\n    open val rangeMin: Int\n    open val rangeMax: Int\n    open val precision: Int\n}\n\npublic external interface WebGLRenderingContextBase {\n    val canvas: HTMLCanvasElement\n    val drawingBufferWidth: Int\n    val drawingBufferHeight: Int\n    fun getContextAttributes(): WebGLContextAttributes?\n    fun isContextLost(): Boolean\n    fun getSupportedExtensions(): Array<String>?\n    fun getExtension(name: String): dynamic\n    fun activeTexture(texture: Int): Unit\n    fun attachShader(program: WebGLProgram?, shader: WebGLShader?): Unit\n    fun bindAttribLocation(program: WebGLProgram?, index: Int, name: String): Unit\n    fun bindBuffer(target: Int, buffer: WebGLBuffer?): Unit\n    fun bindFramebuffer(target: Int, framebuffer: WebGLFramebuffer?): Unit\n    fun bindRenderbuffer(target: Int, renderbuffer: WebGLRenderbuffer?): Unit\n    fun bindTexture(target: Int, texture: WebGLTexture?): Unit\n    fun blendColor(red: Float, green: Float, blue: Float, alpha: Float): Unit\n    fun blendEquation(mode: Int): Unit\n    fun blendEquationSeparate(modeRGB: Int, modeAlpha: Int): Unit\n    fun blendFunc(sfactor: Int, dfactor: Int): Unit\n    fun blendFuncSeparate(srcRGB: Int, dstRGB: Int, srcAlpha: Int, dstAlpha: Int): Unit\n    fun bufferData(target: Int, size: Int, usage: Int): Unit\n    fun bufferData(target: Int, data: BufferDataSource?, usage: Int): Unit\n    fun bufferSubData(target: Int, offset: Int, data: BufferDataSource?): Unit\n    fun checkFramebufferStatus(target: Int): Int\n    fun clear(mask: Int): Unit\n    fun clearColor(red: Float, green: Float, blue: Float, alpha: Float): Unit\n    fun clearDepth(depth: Float): Unit\n    fun clearStencil(s: Int): Unit\n    fun colorMask(red: Boolean, green: Boolean, blue: Boolean, alpha: Boolean): Unit\n    fun compileShader(shader: WebGLShader?): Unit\n    fun compressedTexImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, data: ArrayBufferView): Unit\n    fun compressedTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int, format: Int, data: ArrayBufferView): Unit\n    fun copyTexImage2D(target: Int, level: Int, internalformat: Int, x: Int, y: Int, width: Int, height: Int, border: Int): Unit\n    fun copyTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, x: Int, y: Int, width: Int, height: Int): Unit\n    fun createBuffer(): WebGLBuffer?\n    fun createFramebuffer(): WebGLFramebuffer?\n    fun createProgram(): WebGLProgram?\n    fun createRenderbuffer(): WebGLRenderbuffer?\n    fun createShader(type: Int): WebGLShader?\n    fun createTexture(): WebGLTexture?\n    fun cullFace(mode: Int): Unit\n    fun deleteBuffer(buffer: WebGLBuffer?): Unit\n    fun deleteFramebuffer(framebuffer: WebGLFramebuffer?): Unit\n    fun deleteProgram(program: WebGLProgram?): Unit\n    fun deleteRenderbuffer(renderbuffer: WebGLRenderbuffer?): Unit\n    fun deleteShader(shader: WebGLShader?): Unit\n    fun deleteTexture(texture: WebGLTexture?): Unit\n    fun depthFunc(func: Int): Unit\n    fun depthMask(flag: Boolean): Unit\n    fun depthRange(zNear: Float, zFar: Float): Unit\n    fun detachShader(program: WebGLProgram?, shader: WebGLShader?): Unit\n    fun disable(cap: Int): Unit\n    fun disableVertexAttribArray(index: Int): Unit\n    fun drawArrays(mode: Int, first: Int, count: Int): Unit\n    fun drawElements(mode: Int, count: Int, type: Int, offset: Int): Unit\n    fun enable(cap: Int): Unit\n    fun enableVertexAttribArray(index: Int): Unit\n    fun finish(): Unit\n    fun flush(): Unit\n    fun framebufferRenderbuffer(target: Int, attachment: Int, renderbuffertarget: Int, renderbuffer: WebGLRenderbuffer?): Unit\n    fun framebufferTexture2D(target: Int, attachment: Int, textarget: Int, texture: WebGLTexture?, level: Int): Unit\n    fun frontFace(mode: Int): Unit\n    fun generateMipmap(target: Int): Unit\n    fun getActiveAttrib(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n    fun getActiveUniform(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n    fun getAttachedShaders(program: WebGLProgram?): Array<WebGLShader>?\n    fun getAttribLocation(program: WebGLProgram?, name: String): Int\n    fun getBufferParameter(target: Int, pname: Int): Any?\n    fun getParameter(pname: Int): Any?\n    fun getError(): Int\n    fun getFramebufferAttachmentParameter(target: Int, attachment: Int, pname: Int): Any?\n    fun getProgramParameter(program: WebGLProgram?, pname: Int): Any?\n    fun getProgramInfoLog(program: WebGLProgram?): String?\n    fun getRenderbufferParameter(target: Int, pname: Int): Any?\n    fun getShaderParameter(shader: WebGLShader?, pname: Int): Any?\n    fun getShaderPrecisionFormat(shaderType: Int, precisionType: Int): WebGLShaderPrecisionFormat?\n    fun getShaderInfoLog(shader:

```

WebGLShader?): String?\n fun getShaderSource(shader: WebGLShader?): String?\n fun  
 getTexParameter(target: Int, pname: Int): Any?\n fun getUniform(program: WebGLProgram?, location:  
 WebGLUniformLocation?): Any?\n fun getUniformLocation(program: WebGLProgram?, name: String):  
 WebGLUniformLocation?\n fun glVertexAttrib(index: Int, pname: Int): Any?\n fun  
 glVertexAttribOffset(index: Int, pname: Int): Int\n fun hint(target: Int, mode: Int): Unit\n fun isBuffer(buffer:  
 WebGLBuffer?): Boolean\n fun isEnabled(cap: Int): Boolean\n fun isFramebuffer( framebuffer:  
 WebGLFramebuffer?): Boolean\n fun isProgram(program: WebGLProgram?): Boolean\n fun  
 isRenderbuffer(renderbuffer: WebGLRenderbuffer?): Boolean\n fun isShader(shader: WebGLShader?): Boolean\n  
 fun isTexture(texture: WebGLTexture?): Boolean\n fun lineWidth(width: Float): Unit\n fun  
 linkProgram(program: WebGLProgram?): Unit\n fun pixelStorei(pname: Int, param: Int): Unit\n fun  
 polygonOffset(factor: Float, units: Float): Unit\n fun readPixels(x: Int, y: Int, width: Int, height: Int, format: Int,  
 type: Int, pixels: ArrayBufferView?): Unit\n fun renderbufferStorage(target: Int, internalformat: Int, width: Int,  
 height: Int): Unit\n fun sampleCoverage(value: Float, invert: Boolean): Unit\n fun scissor(x: Int, y: Int, width:  
 Int, height: Int): Unit\n fun shaderSource(shader: WebGLShader?, source: String): Unit\n fun stencilFunc(func:  
 Int, ref: Int, mask: Int): Unit\n fun stencilFuncSeparate(face: Int, func: Int, ref: Int, mask: Int): Unit\n fun  
 stencilMask(mask: Int): Unit\n fun stencilMaskSeparate(face: Int, mask: Int): Unit\n fun stencilOp(fail: Int, zfail:  
 Int, zpass: Int): Unit\n fun stencilOpSeparate(face: Int, fail: Int, zfail: Int, zpass: Int): Unit\n fun  
 texImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, format: Int, type: Int, pixels:  
 ArrayBufferView?): Unit\n fun texImage2D(target:  
 Int, level: Int, internalformat: Int, format: Int, type: Int, source: TexImageSource?): Unit\n fun  
 texParameterf(target: Int, pname: Int, param: Float): Unit\n fun texParameteri(target: Int, pname: Int, param: Int):  
 Unit\n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int, format: Int, type:  
 Int, pixels: ArrayBufferView?): Unit\n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, format:  
 Int, type: Int, source: TexImageSource?): Unit\n fun uniform1f(location: WebGLUniformLocation?, x: Float):  
 Unit\n fun uniform1fv(location: WebGLUniformLocation?, v: Float32Array): Unit\n fun uniform1fv(location:  
 WebGLUniformLocation?, v: Array<Float>): Unit\n fun uniform1i(location: WebGLUniformLocation?, x: Int):  
 Unit\n fun uniform1iv(location: WebGLUniformLocation?, v: Int32Array): Unit\n fun uniform1iv(location:  
 WebGLUniformLocation?, v: Array<Int>): Unit\n fun uniform2f(location: WebGLUniformLocation?,  
 x: Float, y: Float): Unit\n fun uniform2fv(location: WebGLUniformLocation?, v: Float32Array): Unit\n fun  
 uniform2fv(location: WebGLUniformLocation?, v: Array<Float>): Unit\n fun uniform2i(location:  
 WebGLUniformLocation?, x: Int, y: Int): Unit\n fun uniform2iv(location: WebGLUniformLocation?, v:  
 Int32Array): Unit\n fun uniform2iv(location: WebGLUniformLocation?, v: Array<Int>): Unit\n fun  
 uniform3f(location: WebGLUniformLocation?, x: Float, y: Float, z: Float): Unit\n fun uniform3fv(location:  
 WebGLUniformLocation?, v: Float32Array): Unit\n fun uniform3fv(location: WebGLUniformLocation?, v:  
 Array<Float>): Unit\n fun uniform3i(location: WebGLUniformLocation?, x: Int, y: Int, z: Int): Unit\n fun  
 uniform3iv(location: WebGLUniformLocation?, v: Int32Array): Unit\n fun uniform3iv(location:  
 WebGLUniformLocation?, v: Array<Int>): Unit\n fun uniform4f(location: WebGLUniformLocation?, x: Float, y:  
 Float, z: Float, w: Float): Unit\n fun uniform4fv(location:  
 WebGLUniformLocation?, v: Float32Array): Unit\n fun uniform4fv(location: WebGLUniformLocation?, v:  
 Array<Float>): Unit\n fun uniform4i(location: WebGLUniformLocation?, x: Int, y: Int, z: Int, w: Int): Unit\n fun  
 uniform4iv(location: WebGLUniformLocation?, v: Int32Array): Unit\n fun uniform4iv(location:  
 WebGLUniformLocation?, v: Array<Int>): Unit\n fun uniformMatrix2fv(location: WebGLUniformLocation?,  
 transpose: Boolean, value: Float32Array): Unit\n fun uniformMatrix2fv(location: WebGLUniformLocation?,  
 transpose: Boolean, value: Array<Float>): Unit\n fun uniformMatrix3fv(location: WebGLUniformLocation?,  
 transpose: Boolean, value: Float32Array): Unit\n fun uniformMatrix3fv(location: WebGLUniformLocation?,  
 transpose: Boolean, value: Array<Float>): Unit\n fun uniformMatrix4fv(location: WebGLUniformLocation?,  
 transpose: Boolean, value: Float32Array): Unit\n fun uniformMatrix4fv(location: WebGLUniformLocation?,  
 transpose: Boolean, value: Array<Float>):

```

Unit\n fun useProgram(program: WebGLProgram?): Unit\n fun validateProgram(program: WebGLProgram?):
Unit\n fun vertexAttrib1f(index: Int, x: Float): Unit\n fun vertexAttrib1fv(index: Int, values: dynamic): Unit\n
fun vertexAttrib2f(index: Int, x: Float, y: Float): Unit\n fun vertexAttrib2fv(index: Int, values: dynamic): Unit\n
fun vertexAttrib3f(index: Int, x: Float, y: Float, z: Float): Unit\n fun vertexAttrib3fv(index: Int, values: dynamic):
Unit\n fun vertexAttrib4f(index: Int, x: Float, y: Float, z: Float, w: Float): Unit\n fun vertexAttrib4fv(index: Int,
values: dynamic): Unit\n fun vertexAttribPointer(index: Int, size: Int, type: Int, normalized: Boolean, stride: Int,
offset: Int): Unit\n fun viewport(x: Int, y: Int, width: Int, height: Int): Unit\n\n companion object {\n val
DEPTH_BUFFER_BIT: Int\n val STENCIL_BUFFER_BIT: Int\n val COLOR_BUFFER_BIT: Int\n
val POINTS: Int\n val LINES: Int\n val LINE_LOOP:
Int\n val LINE_STRIP: Int\n val TRIANGLES: Int\n val TRIANGLE_STRIP: Int\n val
TRIANGLE_FAN: Int\n val ZERO: Int\n val ONE: Int\n val SRC_COLOR: Int\n val
ONE_MINUS_SRC_COLOR: Int\n val SRC_ALPHA: Int\n val ONE_MINUS_SRC_ALPHA: Int\n
val DST_ALPHA: Int\n val ONE_MINUS_DST_ALPHA: Int\n val DST_COLOR: Int\n val
ONE_MINUS_DST_COLOR: Int\n val SRC_ALPHA_SATURATE: Int\n val FUNC_ADD: Int\n val
BLEND_EQUATION: Int\n val BLEND_EQUATION_RGB: Int\n val BLEND_EQUATION_ALPHA:
Int\n val FUNC_SUBTRACT: Int\n val FUNC_REVERSE_SUBTRACT: Int\n val
BLEND_DST_RGB: Int\n val BLEND_SRC_RGB: Int\n val BLEND_DST_ALPHA: Int\n val
BLEND_SRC_ALPHA: Int\n val CONSTANT_COLOR: Int\n val ONE_MINUS_CONSTANT_COLOR:
Int\n val CONSTANT_ALPHA: Int\n val ONE_MINUS_CONSTANT_ALPHA: Int\n val
BLEND_COLOR: Int\n
val ARRAY_BUFFER: Int\n val ELEMENT_ARRAY_BUFFER: Int\n val
ARRAY_BUFFER_BINDING: Int\n val ELEMENT_ARRAY_BUFFER_BINDING: Int\n val
STREAM_DRAW: Int\n val STATIC_DRAW: Int\n val DYNAMIC_DRAW: Int\n val
BUFFER_SIZE: Int\n val BUFFER_USAGE: Int\n val CURRENT_VERTEX_ATTRIB: Int\n val
FRONT: Int\n val BACK: Int\n val FRONT_AND_BACK: Int\n val CULL_FACE: Int\n val
BLEND: Int\n val DITHER: Int\n val STENCIL_TEST: Int\n val DEPTH_TEST: Int\n val
SCISSOR_TEST: Int\n val POLYGON_OFFSET_FILL: Int\n val SAMPLE_ALPHA_TO_COVERAGE:
Int\n val SAMPLE_COVERAGE: Int\n val NO_ERROR: Int\n val INVALID_ENUM: Int\n val
INVALID_VALUE: Int\n val INVALID_OPERATION: Int\n val OUT_OF_MEMORY: Int\n val CW:
Int\n val CCW: Int\n val LINE_WIDTH: Int\n val ALIASED_POINT_SIZE_RANGE: Int\n val
ALIASED_LINE_WIDTH_RANGE:
Int\n val CULL_FACE_MODE: Int\n val FRONT_FACE: Int\n val DEPTH_RANGE: Int\n val
DEPTH_WRITEMASK: Int\n val DEPTH_CLEAR_VALUE: Int\n val DEPTH_FUNC: Int\n val
STENCIL_CLEAR_VALUE: Int\n val STENCIL_FUNC: Int\n val STENCIL_FAIL: Int\n val
STENCIL_PASS_DEPTH_FAIL: Int\n val STENCIL_PASS_DEPTH_PASS: Int\n val STENCIL_REF:
Int\n val STENCIL_VALUE_MASK: Int\n val STENCIL_WRITEMASK: Int\n val
STENCIL_BACK_FUNC: Int\n val STENCIL_BACK_FAIL: Int\n val
STENCIL_BACK_PASS_DEPTH_FAIL: Int\n val STENCIL_BACK_PASS_DEPTH_PASS: Int\n val
STENCIL_BACK_REF: Int\n val STENCIL_BACK_VALUE_MASK: Int\n val
STENCIL_BACK_WRITEMASK: Int\n val VIEWPORT: Int\n val SCISSOR_BOX: Int\n val
COLOR_CLEAR_VALUE: Int\n val COLOR_WRITEMASK: Int\n val UNPACK_ALIGNMENT: Int\n
val PACK_ALIGNMENT: Int\n val MAX_TEXTURE_SIZE:
Int\n val MAX_VIEWPORT_DIMS: Int\n val SUBPIXEL_BITS: Int\n val RED_BITS: Int\n val
GREEN_BITS: Int\n val BLUE_BITS: Int\n val ALPHA_BITS: Int\n val DEPTH_BITS: Int\n val
STENCIL_BITS: Int\n val POLYGON_OFFSET_UNITS: Int\n val POLYGON_OFFSET_FACTOR: Int\n
val TEXTURE_BINDING_2D: Int\n val SAMPLE_BUFFERS: Int\n val SAMPLES: Int\n val
SAMPLE_COVERAGE_VALUE: Int\n val SAMPLE_COVERAGE_INVERT: Int\n val
COMPRESSED_TEXTURE_FORMATS: Int\n val DONT_CARE: Int\n val FASTEST: Int\n val

```

NICEST: Int\n     val GENERATE\_MIPMAP\_HINT: Int\n     val BYTE: Int\n     val UNSIGNED\_BYTE:  
 Int\n     val SHORT: Int\n     val UNSIGNED\_SHORT: Int\n     val INT: Int\n     val UNSIGNED\_INT: Int\n  
    val FLOAT: Int\n     val DEPTH\_COMPONENT: Int\n     val ALPHA: Int\n     val RGB: Int\n     val  
 RGBA: Int\n     val LUMINANCE: Int\n  
    val LUMINANCE\_ALPHA: Int\n     val UNSIGNED\_SHORT\_4\_4\_4\_4: Int\n     val  
 UNSIGNED\_SHORT\_5\_5\_5\_1: Int\n     val UNSIGNED\_SHORT\_5\_6\_5: Int\n     val  
 FRAGMENT\_SHADER: Int\n     val VERTEX\_SHADER: Int\n     val MAX\_VERTEX\_ATTRIBS: Int\n  
 val MAX\_VERTEX\_UNIFORM\_VECTORS: Int\n     val MAX\_VARYING\_VECTORS: Int\n     val  
 MAX\_COMBINED\_TEXTURE\_IMAGE\_UNITS: Int\n     val MAX\_VERTEX\_TEXTURE\_IMAGE\_UNITS:  
 Int\n     val MAX\_TEXTURE\_IMAGE\_UNITS: Int\n     val MAX\_FRAGMENT\_UNIFORM\_VECTORS: Int\n  
    val SHADER\_TYPE: Int\n     val DELETE\_STATUS: Int\n     val LINK\_STATUS: Int\n     val  
 VALIDATE\_STATUS: Int\n     val ATTACHED\_SHADERS: Int\n     val ACTIVE\_UNIFORMS: Int\n     val  
 ACTIVE\_ATTRIBUTES: Int\n     val SHADING\_LANGUAGE\_VERSION: Int\n     val  
 CURRENT\_PROGRAM: Int\n     val NEVER: Int\n     val LESS: Int\n     val EQUAL: Int\n     val  
 LEQUAL: Int\n     val GREATER: Int\n     val NOTEQUAL: Int\n     val  
 GEQUAL: Int\n     val ALWAYS: Int\n     val KEEP: Int\n     val REPLACE: Int\n     val INCR: Int\n  
 val DECR: Int\n     val INVERT: Int\n     val INCR\_WRAP: Int\n     val DECR\_WRAP: Int\n     val  
 VENDOR: Int\n     val RENDERER: Int\n     val VERSION: Int\n     val NEAREST: Int\n     val LINEAR:  
 Int\n     val NEAREST\_MIPMAP\_NEAREST: Int\n     val LINEAR\_MIPMAP\_NEAREST: Int\n     val  
 NEAREST\_MIPMAP\_LINEAR: Int\n     val LINEAR\_MIPMAP\_LINEAR: Int\n     val  
 TEXTURE\_MAG\_FILTER: Int\n     val TEXTURE\_MIN\_FILTER: Int\n     val TEXTURE\_WRAP\_S: Int\n  
 val TEXTURE\_WRAP\_T: Int\n     val TEXTURE\_2D: Int\n     val TEXTURE: Int\n     val  
 TEXTURE\_CUBE\_MAP: Int\n     val TEXTURE\_BINDING\_CUBE\_MAP: Int\n     val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_X: Int\n     val TEXTURE\_CUBE\_MAP\_NEGATIVE\_X: Int\n     val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_Y: Int\n     val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Y: Int\n     val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_Z:  
 Int\n     val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Z: Int\n     val MAX\_CUBE\_MAP\_TEXTURE\_SIZE:  
 Int\n     val TEXTURE0: Int\n     val TEXTURE1: Int\n     val TEXTURE2: Int\n     val TEXTURE3: Int\n  
    val TEXTURE4: Int\n     val TEXTURE5: Int\n     val TEXTURE6: Int\n     val TEXTURE7: Int\n     val  
 TEXTURE8: Int\n     val TEXTURE9: Int\n     val TEXTURE10: Int\n     val TEXTURE11: Int\n     val  
 TEXTURE12: Int\n     val TEXTURE13: Int\n     val TEXTURE14: Int\n     val TEXTURE15: Int\n     val  
 TEXTURE16: Int\n     val TEXTURE17: Int\n     val TEXTURE18: Int\n     val TEXTURE19: Int\n     val  
 TEXTURE20: Int\n     val TEXTURE21: Int\n     val TEXTURE22: Int\n     val TEXTURE23: Int\n     val  
 TEXTURE24: Int\n     val TEXTURE25: Int\n     val TEXTURE26: Int\n     val TEXTURE27: Int\n     val  
 TEXTURE28: Int\n     val TEXTURE29: Int\n     val TEXTURE30: Int\n     val TEXTURE31: Int\n     val  
 ACTIVE\_TEXTURE:  
 Int\n     val REPEAT: Int\n     val CLAMP\_TO\_EDGE: Int\n     val MIRRORED\_REPEAT: Int\n     val  
 FLOAT\_VEC2: Int\n     val FLOAT\_VEC3: Int\n     val FLOAT\_VEC4: Int\n     val INT\_VEC2: Int\n     val  
 INT\_VEC3: Int\n     val INT\_VEC4: Int\n     val BOOL: Int\n     val BOOL\_VEC2: Int\n     val  
 BOOL\_VEC3: Int\n     val BOOL\_VEC4: Int\n     val FLOAT\_MAT2: Int\n     val FLOAT\_MAT3: Int\n  
 val FLOAT\_MAT4: Int\n     val SAMPLER\_2D: Int\n     val SAMPLER\_CUBE: Int\n     val  
 VERTEX\_ATTRIB\_ARRAY\_ENABLED: Int\n     val VERTEX\_ATTRIB\_ARRAY\_SIZE: Int\n     val  
 VERTEX\_ATTRIB\_ARRAY\_STRIDE: Int\n     val VERTEX\_ATTRIB\_ARRAY\_TYPE: Int\n     val  
 VERTEX\_ATTRIB\_ARRAY\_NORMALIZED: Int\n     val VERTEX\_ATTRIB\_ARRAY\_POINTER: Int\n  
 val VERTEX\_ATTRIB\_ARRAY\_BUFFER\_BINDING: Int\n     val  
 IMPLEMENTATION\_COLOR\_READ\_TYPE: Int\n     val IMPLEMENTATION\_COLOR\_READ\_FORMAT:  
 Int\n     val COMPILE\_STATUS: Int\n     val LOW\_FLOAT:

```

Int\n    val MEDIUM_FLOAT: Int\n    val HIGH_FLOAT: Int\n    val LOW_INT: Int\n    val
MEDIUM_INT: Int\n    val HIGH_INT: Int\n    val FRAMEBUFFER: Int\n    val RENDERBUFFER: Int\n
    val RGBA4: Int\n    val RGB5_A1: Int\n    val RGB565: Int\n    val DEPTH_COMPONENT16: Int\n
val STENCIL_INDEX: Int\n    val STENCIL_INDEX8: Int\n    val DEPTH_STENCIL: Int\n    val
RENDERBUFFER_WIDTH: Int\n    val RENDERBUFFER_HEIGHT: Int\n    val
RENDERBUFFER_INTERNAL_FORMAT: Int\n    val RENDERBUFFER_RED_SIZE: Int\n    val
RENDERBUFFER_GREEN_SIZE: Int\n    val RENDERBUFFER_BLUE_SIZE: Int\n    val
RENDERBUFFER_ALPHA_SIZE: Int\n    val RENDERBUFFER_DEPTH_SIZE: Int\n    val
RENDERBUFFER_STENCIL_SIZE: Int\n    val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n
val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n    val
FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n    val
FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE:
Int\n    val COLOR_ATTACHMENT0: Int\n    val DEPTH_ATTACHMENT: Int\n    val
STENCIL_ATTACHMENT: Int\n    val DEPTH_STENCIL_ATTACHMENT: Int\n    val NONE: Int\n
val FRAMEBUFFER_COMPLETE: Int\n    val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n
val FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT: Int\n    val
FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n    val FRAMEBUFFER_UNSUPPORTED: Int\n
val FRAMEBUFFER_BINDING: Int\n    val RENDERBUFFER_BINDING: Int\n    val
MAX_RENDERBUFFER_SIZE: Int\n    val INVALID_FRAMEBUFFER_OPERATION: Int\n    val
UNPACK_FLIP_Y_WEBGL: Int\n    val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n    val
CONTEXT_LOST_WEBGL: Int\n    val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n    val
BROWSER_DEFAULT_WEBGL: Int\n    }\n}\n\n**\n * Exposes the JavaScript
[WebGLRenderingContext](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderingContext) to Kotlin\n
*/\npublic external abstract
class WebGLRenderingContext : WebGLRenderingContextBase, RenderingContext {\n\n    companion object {\n
    val DEPTH_BUFFER_BIT: Int\n    val STENCIL_BUFFER_BIT: Int\n    val COLOR_BUFFER_BIT: Int\n
    val POINTS: Int\n    val LINES: Int\n    val LINE_LOOP: Int\n    val LINE_STRIP: Int\n    val
TRIANGLES: Int\n    val TRIANGLE_STRIP: Int\n    val TRIANGLE_FAN: Int\n    val ZERO: Int\n
val ONE: Int\n    val SRC_COLOR: Int\n    val ONE_MINUS_SRC_COLOR: Int\n    val SRC_ALPHA:
Int\n    val ONE_MINUS_SRC_ALPHA: Int\n    val DST_ALPHA: Int\n    val
ONE_MINUS_DST_ALPHA: Int\n    val DST_COLOR: Int\n    val ONE_MINUS_DST_COLOR: Int\n
val SRC_ALPHA_SATURATE: Int\n    val FUNC_ADD: Int\n    val BLEND_EQUATION: Int\n    val
BLEND_EQUATION_RGB: Int\n    val BLEND_EQUATION_ALPHA: Int\n    val FUNC_SUBTRACT:
Int\n    val FUNC_REVERSE_SUBTRACT: Int\n    val BLEND_DST_RGB: Int\n
    val BLEND_SRC_RGB: Int\n    val BLEND_DST_ALPHA: Int\n    val BLEND_SRC_ALPHA: Int\n
val CONSTANT_COLOR: Int\n    val ONE_MINUS_CONSTANT_COLOR: Int\n    val
CONSTANT_ALPHA: Int\n    val ONE_MINUS_CONSTANT_ALPHA: Int\n    val BLEND_COLOR: Int\n
    val ARRAY_BUFFER: Int\n    val ELEMENT_ARRAY_BUFFER: Int\n    val
ARRAY_BUFFER_BINDING: Int\n    val ELEMENT_ARRAY_BUFFER_BINDING: Int\n    val
STREAM_DRAW: Int\n    val STATIC_DRAW: Int\n    val DYNAMIC_DRAW: Int\n    val
BUFFER_SIZE: Int\n    val BUFFER_USAGE: Int\n    val CURRENT_VERTEX_ATTRIB: Int\n    val
FRONT: Int\n    val BACK: Int\n    val FRONT_AND_BACK: Int\n    val CULL_FACE: Int\n    val
BLEND: Int\n    val DITHER: Int\n    val STENCIL_TEST: Int\n    val DEPTH_TEST: Int\n    val
SCISSOR_TEST: Int\n    val POLYGON_OFFSET_FILL: Int\n    val SAMPLE_ALPHA_TO_COVERAGE:
Int\n    val SAMPLE_COVERAGE: Int\n    val NO_ERROR:
Int\n    val INVALID_ENUM: Int\n    val INVALID_VALUE: Int\n    val INVALID_OPERATION: Int\n
    val OUT_OF_MEMORY: Int\n    val CW: Int\n    val CCW: Int\n    val LINE_WIDTH: Int\n    val
ALIASED_POINT_SIZE_RANGE: Int\n    val ALIASED_LINE_WIDTH_RANGE: Int\n    val

```

CULL\_FACE\_MODE: Int\n val FRONT\_FACE: Int\n val DEPTH\_RANGE: Int\n val  
 DEPTH\_WRITEMASK: Int\n val DEPTH\_CLEAR\_VALUE: Int\n val DEPTH\_FUNC: Int\n val  
 STENCIL\_CLEAR\_VALUE: Int\n val STENCIL\_FUNC: Int\n val STENCIL\_FAIL: Int\n val  
 STENCIL\_PASS\_DEPTH\_FAIL: Int\n val STENCIL\_PASS\_DEPTH\_PASS: Int\n val STENCIL\_REF:  
 Int\n val STENCIL\_VALUE\_MASK: Int\n val STENCIL\_WRITEMASK: Int\n val  
 STENCIL\_BACK\_FUNC: Int\n val STENCIL\_BACK\_FAIL: Int\n val  
 STENCIL\_BACK\_PASS\_DEPTH\_FAIL: Int\n val STENCIL\_BACK\_PASS\_DEPTH\_PASS: Int\n val  
 STENCIL\_BACK\_REF: Int\n val STENCIL\_BACK\_VALUE\_MASK:  
 Int\n val STENCIL\_BACK\_WRITEMASK: Int\n val VIEWPORT: Int\n val SCISSOR\_BOX: Int\n  
 val COLOR\_CLEAR\_VALUE: Int\n val COLOR\_WRITEMASK: Int\n val UNPACK\_ALIGNMENT:  
 Int\n val PACK\_ALIGNMENT: Int\n val MAX\_TEXTURE\_SIZE: Int\n val  
 MAX\_VIEWPORT\_DIMS: Int\n val SUBPIXEL\_BITS: Int\n val RED\_BITS: Int\n val  
 GREEN\_BITS: Int\n val BLUE\_BITS: Int\n val ALPHA\_BITS: Int\n val DEPTH\_BITS: Int\n val  
 STENCIL\_BITS: Int\n val POLYGON\_OFFSET\_UNITS: Int\n val POLYGON\_OFFSET\_FACTOR: Int\n  
 val TEXTURE\_BINDING\_2D: Int\n val SAMPLE\_BUFFERS: Int\n val SAMPLES: Int\n val  
 SAMPLE\_COVERAGE\_VALUE: Int\n val SAMPLE\_COVERAGE\_INVERT: Int\n val  
 COMPRESSED\_TEXTURE\_FORMATS: Int\n val DONT\_CARE: Int\n val FASTEST: Int\n val  
 NICEST: Int\n val GENERATE\_MIPMAP\_HINT: Int\n val BYTE: Int\n val UNSIGNED\_BYTE:  
 Int\n val SHORT: Int\n val UNSIGNED\_SHORT: Int\n val INT: Int\n val UNSIGNED\_INT:  
 Int\n val FLOAT: Int\n val DEPTH\_COMPONENT: Int\n val ALPHA: Int\n val RGB: Int\n  
 val RGBA: Int\n val LUMINANCE: Int\n val LUMINANCE\_ALPHA: Int\n val  
 UNSIGNED\_SHORT\_4\_4\_4\_4: Int\n val UNSIGNED\_SHORT\_5\_5\_5\_1: Int\n val  
 UNSIGNED\_SHORT\_5\_6\_5: Int\n val FRAGMENT\_SHADER: Int\n val VERTEX\_SHADER: Int\n  
 val MAX\_VERTEX\_ATTRIBS: Int\n val MAX\_VERTEX\_UNIFORM\_VECTORS: Int\n val  
 MAX\_VARYING\_VECTORS: Int\n val MAX\_COMBINED\_TEXTURE\_IMAGE\_UNITS: Int\n val  
 MAX\_VERTEX\_TEXTURE\_IMAGE\_UNITS: Int\n val MAX\_TEXTURE\_IMAGE\_UNITS: Int\n val  
 MAX\_FRAGMENT\_UNIFORM\_VECTORS: Int\n val SHADER\_TYPE: Int\n val DELETE\_STATUS:  
 Int\n val LINK\_STATUS: Int\n val VALIDATE\_STATUS: Int\n val ATTACHED\_SHADERS: Int\n  
 val ACTIVE\_UNIFORMS: Int\n  
 val ACTIVE\_ATTRIBUTES: Int\n val SHADING\_LANGUAGE\_VERSION: Int\n val  
 CURRENT\_PROGRAM: Int\n val NEVER: Int\n val LESS: Int\n val EQUAL: Int\n val  
 LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n val GEQUAL: Int\n val ALWAYS:  
 Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n val DECR: Int\n val INVERT:  
 Int\n val INCR\_WRAP: Int\n val DECR\_WRAP: Int\n val VENDOR: Int\n val RENDERER: Int\n  
 val VERSION: Int\n val NEAREST: Int\n val LINEAR: Int\n val  
 NEAREST\_MIPMAP\_NEAREST: Int\n val LINEAR\_MIPMAP\_NEAREST: Int\n val  
 NEAREST\_MIPMAP\_LINEAR: Int\n val LINEAR\_MIPMAP\_LINEAR: Int\n val  
 TEXTURE\_MAG\_FILTER: Int\n val TEXTURE\_MIN\_FILTER: Int\n val TEXTURE\_WRAP\_S: Int\n  
 val TEXTURE\_WRAP\_T: Int\n val TEXTURE\_2D: Int\n val TEXTURE: Int\n val  
 TEXTURE\_CUBE\_MAP:  
 Int\n val TEXTURE\_BINDING\_CUBE\_MAP: Int\n val TEXTURE\_CUBE\_MAP\_POSITIVE\_X: Int\n  
 val TEXTURE\_CUBE\_MAP\_NEGATIVE\_X: Int\n val TEXTURE\_CUBE\_MAP\_POSITIVE\_Y: Int\n  
 val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Y: Int\n val TEXTURE\_CUBE\_MAP\_POSITIVE\_Z: Int\n val  
 TEXTURE\_CUBE\_MAP\_NEGATIVE\_Z: Int\n val MAX\_CUBE\_MAP\_TEXTURE\_SIZE: Int\n val  
 TEXTURE0: Int\n val TEXTURE1: Int\n val TEXTURE2: Int\n val TEXTURE3: Int\n val  
 TEXTURE4: Int\n val TEXTURE5: Int\n val TEXTURE6: Int\n val TEXTURE7: Int\n val  
 TEXTURE8: Int\n val TEXTURE9: Int\n val TEXTURE10: Int\n val TEXTURE11: Int\n val  
 TEXTURE12: Int\n val TEXTURE13: Int\n val TEXTURE14: Int\n val TEXTURE15: Int\n val

```

TEXTURE16: Int\n    val TEXTURE17: Int\n    val TEXTURE18: Int\n    val TEXTURE19: Int\n    val
TEXTURE20: Int\n    val TEXTURE21: Int\n    val TEXTURE22: Int\n
    val TEXTURE23: Int\n    val TEXTURE24: Int\n    val TEXTURE25: Int\n    val TEXTURE26: Int\n
    val TEXTURE27: Int\n    val TEXTURE28: Int\n    val TEXTURE29: Int\n    val TEXTURE30: Int\n
    val TEXTURE31: Int\n    val ACTIVE_TEXTURE: Int\n    val REPEAT: Int\n    val CLAMP_TO_EDGE:
Int\n    val MIRRORING_REPEAT: Int\n    val FLOAT_VEC2: Int\n    val FLOAT_VEC3: Int\n    val
FLOAT_VEC4: Int\n    val INT_VEC2: Int\n    val INT_VEC3: Int\n    val INT_VEC4: Int\n    val BOOL:
Int\n    val BOOL_VEC2: Int\n    val BOOL_VEC3: Int\n    val BOOL_VEC4: Int\n    val
FLOAT_MAT2: Int\n    val FLOAT_MAT3: Int\n    val FLOAT_MAT4: Int\n    val SAMPLER_2D: Int\n
    val SAMPLER_CUBE: Int\n    val VERTEX_ATTRIB_ARRAY_ENABLED: Int\n    val
VERTEX_ATTRIB_ARRAY_SIZE: Int\n    val VERTEX_ATTRIB_ARRAY_STRIDE: Int\n    val
VERTEX_ATTRIB_ARRAY_TYPE: Int\n    val VERTEX_ATTRIB_ARRAY_NORMALIZED:
Int\n    val VERTEX_ATTRIB_ARRAY_POINTER: Int\n    val
VERTEX_ATTRIB_ARRAY_BUFFER_BINDING: Int\n    val IMPLEMENTATION_COLOR_READ_TYPE:
Int\n    val IMPLEMENTATION_COLOR_READ_FORMAT: Int\n    val COMPILE_STATUS: Int\n    val
LOW_FLOAT: Int\n    val MEDIUM_FLOAT: Int\n    val HIGH_FLOAT: Int\n    val LOW_INT: Int\n
    val MEDIUM_INT: Int\n    val HIGH_INT: Int\n    val FRAMEBUFFER: Int\n    val RENDERBUFFER:
Int\n    val RGBA4: Int\n    val RGB5_A1: Int\n    val RGB565: Int\n    val DEPTH_COMPONENT16:
Int\n    val STENCIL_INDEX: Int\n    val STENCIL_INDEX8: Int\n    val DEPTH_STENCIL: Int\n    val
RENDERBUFFER_WIDTH: Int\n    val RENDERBUFFER_HEIGHT: Int\n    val
RENDERBUFFER_INTERNAL_FORMAT: Int\n    val RENDERBUFFER_RED_SIZE: Int\n    val
RENDERBUFFER_GREEN_SIZE: Int\n    val RENDERBUFFER_BLUE_SIZE: Int\n    val
RENDERBUFFER_ALPHA_SIZE: Int\n    val RENDERBUFFER_DEPTH_SIZE:
Int\n    val RENDERBUFFER_STENCIL_SIZE: Int\n    val
FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n    val
FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n    val
FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n    val
FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\n    val COLOR_ATTACHMENT0:
Int\n    val DEPTH_ATTACHMENT: Int\n    val STENCIL_ATTACHMENT: Int\n    val
DEPTH_STENCIL_ATTACHMENT: Int\n    val NONE: Int\n    val FRAMEBUFFER_COMPLETE: Int\n
    val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n    val
FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT: Int\n    val
FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n    val FRAMEBUFFER_UNSUPPORTED: Int\n
    val FRAMEBUFFER_BINDING: Int\n    val RENDERBUFFER_BINDING: Int\n    val
MAX_RENDERBUFFER_SIZE: Int\n    val INVALID_FRAMEBUFFER_OPERATION: Int\n    val
UNPACK_FLIP_Y_WEBGL: Int\n    val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n    val
CONTEXT_LOST_WEBGL: Int\n
    val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n    val BROWSER_DEFAULT_WEBGL:
Int\n }

```

Int\n } \* Exposes the JavaScript

[WebGLContextEvent](<https://developer.mozilla.org/en/docs/Web/API/WebGLContextEvent>) to Kotlin

```

* public external open class WebGLContextEvent(type: String, eventInit: WebGLContextEventInit =
definedExternally) : Event {
    open val statusMessage: String
}

```

```

    public external interface

```

```

WebGLContextEventInit : EventInit {
    var statusMessage: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
}

```

```

@kotlin.internal.InlineOnly
public inline fun

```

```

WebGLContextEventInit(statusMessage: String? = "", bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): WebGLContextEventInit {
    val o = js("{}")
    o["statusMessage"] =

```

```

statusMessage
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
}

```

```

return o
}

```

\* Exposes the JavaScript [ArrayBuffer](https://developer.mozilla.org/en/docs/Web/API/ArrayBuffer) to Kotlin\n

```

*^\\npublic external open class ArrayBuffer(length: Int) : BufferDataSource {
    open val byteLength: Int
    fun slice(begin: Int, end: Int = definedExternally): ArrayBuffer
    companion object {
        fun isView(value: Any?): Boolean
    }
}

```

\* Exposes the JavaScript [ArrayBufferView](https://developer.mozilla.org/en/docs/Web/API/ArrayBufferView) to Kotlin\n

```

*^\\npublic external interface ArrayBufferView : BufferDataSource {
    val buffer: ArrayBuffer
    val byteOffset: Int
    val byteLength: Int
}

```

\* Exposes the JavaScript [Int8Array](https://developer.mozilla.org/en/docs/Web/API/Int8Array) to Kotlin\n

```

*^\\npublic external open class Int8Array : ArrayBufferView {
    constructor(length: Int)
    constructor(array: Int8Array)
    constructor(array: Array<Byte>)
    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)
    open val length: Int
    override val buffer: ArrayBuffer
    override val byteOffset: Int
    override val byteLength: Int
    fun set(array: Int8Array, offset: Int = definedExternally): Unit
    fun set(array: Array<Byte>, offset: Int = definedExternally): Unit
    fun subarray(start: Int, end: Int): Int8Array
    companion object {
        val BYTES_PER_ELEMENT: Int
    }
}

```

@kotlin.internal.InlineOnly inline operator fun Int8Array.get(index: Int): Byte = asDynamic()[index]\n

@kotlin.internal.InlineOnly inline operator fun Int8Array.set(index: Int, value: Byte): Unit { asDynamic()[index] = value; }\n

\* Exposes the JavaScript [Uint8Array](https://developer.mozilla.org/en/docs/Web/API/Uint8Array) to Kotlin\n

```

*^\\npublic external open class Uint8Array : ArrayBufferView {
    constructor(length: Int)
    constructor(array: Uint8Array)
    constructor(array: Array<Byte>)
    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)
    open val length: Int
    override val buffer: ArrayBuffer
    override val byteOffset: Int
    override val byteLength: Int
    fun set(array: Uint8Array, offset: Int = definedExternally): Unit
    fun set(array: Array<Byte>, offset: Int = definedExternally): Unit
    fun subarray(start: Int, end: Int): Uint8Array
    companion object {
        val BYTES_PER_ELEMENT: Int
    }
}

```

@kotlin.internal.InlineOnly inline operator fun Uint8Array.get(index: Int): Byte = asDynamic()[index]\n

@kotlin.internal.InlineOnly inline operator fun Uint8Array.set(index: Int, value: Byte): Unit { asDynamic()[index] = value; }\n

\* Exposes the JavaScript [Uint8ClampedArray](https://developer.mozilla.org/en/docs/Web/API/Uint8ClampedArray) to Kotlin\n

```

*^\\npublic external open class Uint8ClampedArray : ArrayBufferView {
    constructor(length: Int)
    constructor(array: Uint8ClampedArray)
    constructor(array: Array<Byte>)
    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)
    open val length: Int
    override val buffer: ArrayBuffer
    override val byteOffset: Int
    override val byteLength: Int
    fun set(array: Uint8ClampedArray, offset: Int = definedExternally): Unit
    fun set(array: Array<Byte>, offset: Int = definedExternally): Unit
    fun subarray(start: Int, end: Int): Uint8ClampedArray
    companion object {
        val BYTES_PER_ELEMENT: Int
    }
}

```

@kotlin.internal.InlineOnly inline operator fun Uint8ClampedArray.get(index: Int): Byte = asDynamic()[index]\n

@kotlin.internal.InlineOnly inline operator fun Uint8ClampedArray.set(index: Int, value: Byte): Unit { asDynamic()[index] = value; }\n

\* Exposes the JavaScript [Int16Array](https://developer.mozilla.org/en/docs/Web/API/Int16Array) to Kotlin\n

```

*^\\npublic external open class Int16Array : ArrayBufferView {
    constructor(length: Int)
    constructor(array: Int16Array)
    constructor(array: Array<Short>)
    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)
    open val length: Int
    override val buffer: ArrayBuffer
    override val byteOffset: Int
    override val byteLength: Int
    fun set(array: Int16Array, offset: Int = definedExternally): Unit
    fun set(array: Array<Short>, offset: Int = definedExternally): Unit
    fun subarray(start: Int, end: Int): Int16Array
    companion object {
        val BYTES_PER_ELEMENT: Int
    }
}

```

@kotlin.internal.InlineOnly inline operator fun Int16Array.get(index: Int): Short = asDynamic()[index]\n

@kotlin.internal.InlineOnly inline operator fun Int16Array.set(index: Int, value: Short): Unit { asDynamic()[index] = value; }\n

\* Exposes the JavaScript [Uint16Array](https://developer.mozilla.org/en/docs/Web/API/Uint16Array) to Kotlin\n

```

*^\\npublic external open class Uint16Array : ArrayBufferView {
    constructor(length: Int)
    constructor(array:

```

```

    Uint16Array)\n    constructor(array: Array<Short>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int =
definedExternally, length: Int = definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n
override val byteOffset: Int\n    override val byteLength: Int\n    fun set(array: Uint16Array, offset: Int =
definedExternally): Unit\n    fun set(array: Array<Short>, offset: Int = definedExternally): Unit\n    fun
subarray(start: Int, end: Int): Uint16Array\n\n    companion object {\n        val BYTES_PER_ELEMENT: Int\n
    }\n}\n\n@kotlin.internal.InlineOnly inline operator fun Uint16Array.get(index: Int): Short =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun Uint16Array.set(index: Int, value: Short): Unit
{ asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript
[Int32Array](https://developer.mozilla.org/en/docs/Web/API/Int32Array) to Kotlin\n * \n\npublic external open class
Int32Array : ArrayBufferView {\n    constructor(length:
Int)\n    constructor(array: Int32Array)\n    constructor(array: Array<Int>)\n    constructor(buffer: ArrayBuffer,
byteOffset: Int = definedExternally, length: Int = definedExternally)\n    open val length: Int\n    override val buffer:
ArrayBuffer\n    override val byteOffset: Int\n    override val byteLength: Int\n    fun set(array: Int32Array, offset:
Int = definedExternally): Unit\n    fun set(array: Array<Int>, offset: Int = definedExternally): Unit\n    fun
subarray(start: Int, end: Int): Int32Array\n\n    companion object {\n        val BYTES_PER_ELEMENT: Int\n
    }\n}\n\n@kotlin.internal.InlineOnly inline operator fun Int32Array.get(index: Int): Int =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun Int32Array.set(index: Int, value: Int): Unit {
asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript
[Uint32Array](https://developer.mozilla.org/en/docs/Web/API/Uint32Array) to Kotlin\n * \n\npublic external open
class Uint32Array : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: Uint32Array)\n    constructor(array: Array<Int>)\n
constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n    open val
length: Int\n    override val buffer: ArrayBuffer\n    override val byteOffset: Int\n    override val byteLength: Int\n
fun set(array: Uint32Array, offset: Int = definedExternally): Unit\n    fun set(array: Array<Int>, offset: Int =
definedExternally): Unit\n    fun subarray(start: Int, end: Int): Uint32Array\n\n    companion object {\n        val
BYTES_PER_ELEMENT: Int\n    }\n}\n\n@kotlin.internal.InlineOnly inline operator fun Uint32Array.get(index:
Int): Int = asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun Uint32Array.set(index: Int, value:
Int): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript
[Float32Array](https://developer.mozilla.org/en/docs/Web/API/Float32Array) to Kotlin\n * \n\npublic external open
class Float32Array
: ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: Float32Array)\n    constructor(array:
Array<Float>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int =
definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n    override val byteOffset: Int\n
override val byteLength: Int\n    fun set(array: Float32Array, offset: Int = definedExternally): Unit\n    fun set(array:
Array<Float>, offset: Int = definedExternally): Unit\n    fun subarray(start: Int, end: Int): Float32Array\n\n    companion
object {\n        val BYTES_PER_ELEMENT: Int\n    }\n}\n\n@kotlin.internal.InlineOnly inline operator
fun Float32Array.get(index: Int): Float = asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun
Float32Array.set(index: Int, value: Float): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript
[Float64Array](https://developer.mozilla.org/en/docs/Web/API/Float64Array) to Kotlin\n * \n\npublic
external open class Float64Array : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array:
Float64Array)\n    constructor(array: Array<Double>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int =
definedExternally, length: Int = definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n
override val byteOffset: Int\n    override val byteLength: Int\n    fun set(array: Float64Array, offset: Int =
definedExternally): Unit\n    fun set(array: Array<Double>, offset: Int = definedExternally): Unit\n    fun
subarray(start: Int, end: Int): Float64Array\n\n    companion object {\n        val BYTES_PER_ELEMENT: Int\n
    }\n}\n\n@kotlin.internal.InlineOnly inline operator fun Float64Array.get(index: Int): Double =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun Float64Array.set(index: Int, value: Double):
Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript

```

```
[DataView](https://developer.mozilla.org/en/docs/Web/API/DataView)
to Kotlin\n *\npublic external open class DataView(buffer: ArrayBuffer, byteOffset: Int = definedExternally,
byteLength: Int = definedExternally) : ArrayBufferView {\n    override val buffer: ArrayBuffer\n    override val
byteOffset: Int\n    override val byteLength: Int\n    fun getInt8(byteOffset: Int): Byte\n    fun getUint8(byteOffset:
Int): Byte\n    fun getInt16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short\n    fun
getUint16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short\n    fun getInt32(byteOffset: Int,
littleEndian: Boolean = definedExternally): Int\n    fun getUint32(byteOffset: Int, littleEndian: Boolean =
definedExternally): Int\n    fun getFloat32(byteOffset: Int, littleEndian: Boolean = definedExternally): Float\n    fun
getFloat64(byteOffset: Int, littleEndian: Boolean = definedExternally): Double\n    fun setInt8(byteOffset: Int, value:
Byte): Unit\n    fun setUint8(byteOffset: Int, value: Byte): Unit\n
    fun setInt16(byteOffset: Int, value: Short, littleEndian: Boolean = definedExternally): Unit\n    fun
setUint16(byteOffset: Int, value: Short, littleEndian: Boolean = definedExternally): Unit\n    fun setInt32(byteOffset:
Int, value: Int, littleEndian: Boolean = definedExternally): Unit\n    fun setUint32(byteOffset: Int, value: Int,
littleEndian: Boolean = definedExternally): Unit\n    fun setFloat32(byteOffset: Int, value: Float, littleEndian:
Boolean = definedExternally): Unit\n    fun setFloat64(byteOffset: Int, value: Double, littleEndian: Boolean =
definedExternally): Unit\n}\n\npublic external @marker interface BufferDataSource {\n}\n\npublic external
@marker interface TexImageSource {\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code
is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS
FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See libraries/tools/idl2k for
details\n\n@file:Suppress({"NESTED_CLASS_IN_EXTERNAL_INTERFACE"})\npackage
org.w3c.dom.css\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.events.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.svg.*\nimport
org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[CSSStyleDeclaration](https://developer.mozilla.org/en/docs/Web/API/CSSStyleDeclaration) to Kotlin\n *\npublic
external abstract class CSSStyleDeclaration : ItemArrayLike<String> {\n    open var cssText: String\n    override val
length: Int\n    open val parentRule: CSSRule?\n    open var cssFloat: String\n    open var _dashed_attribute: String\n
    open var _camel_cased_attribute: String\n    open var _webkit_cased_attribute: String\n    open var alignContent:
String\n    open var alignItems: String\n    open var alignSelf: String\n    open var animation: String\n
    open var animationDelay: String\n    open var animationDirection: String\n    open var animationDuration:
String\n    open var animationFillMode: String\n    open var animationIterationCount: String\n    open var
animationName: String\n    open var animationPlayState: String\n    open var animationTimingFunction: String\n
    open var backfaceVisibility: String\n    open var background: String\n    open var backgroundAttachment: String\n
    open var backgroundClip: String\n    open var backgroundColor: String\n    open var backgroundImage: String\n
    open var backgroundOrigin: String\n    open var backgroundPosition: String\n    open var backgroundRepeat:
String\n    open var backgroundSize: String\n    open var border: String\n    open var borderBottom: String\n    open
var borderBottomColor: String\n    open var borderBottomLeftRadius: String\n    open var
borderBottomRightRadius: String\n    open var borderBottomStyle: String\n    open var borderBottomWidth:
String\n    open
var borderCollapse: String\n    open var borderColor: String\n    open var borderImage: String\n    open var
borderImageOutset: String\n    open var borderImageRepeat: String\n    open var borderImageSlice: String\n    open
var borderImageSource: String\n    open var borderImageWidth: String\n    open var borderLeft: String\n    open var
borderLeftColor: String\n    open var borderLeftStyle: String\n    open var borderLeftWidth: String\n    open var
borderRadius: String\n    open var borderRight: String\n    open var borderRightColor: String\n    open var
borderRightStyle: String\n    open var borderRightWidth: String\n    open var borderSpacing: String\n    open var
borderStyle: String\n    open var borderTop: String\n    open var borderTopColor: String\n    open var
borderTopLeftRadius: String\n    open var borderTopRightRadius: String\n    open var borderTopStyle: String\n
    open var borderTopWidth: String\n    open var borderWidth: String\n    open var bottom: String\n    open var
```

boxDecorationBreak: String\n open var boxShadow: String\n open var boxSizing: String\n open var  
breakAfter: String\n open var breakBefore: String\n open var breakInside: String\n open var captionSide:  
String\n open var clear: String\n open var clip: String\n open var color: String\n open var columnCount:  
String\n open var columnFill: String\n open var columnGap: String\n open var columnRule: String\n open  
var columnRuleColor: String\n open var columnRuleStyle: String\n open var columnRuleWidth: String\n open  
var columnSpan: String\n open var columnWidth: String\n open var columns: String\n open var content:  
String\n open var counterIncrement: String\n open var counterReset: String\n open var cursor: String\n open  
var direction: String\n open var display: String\n open var emptyCells: String\n open var filter: String\n open  
var flex: String\n open var flexBasis: String\n open var flexDirection: String\n  
open var flexFlow: String\n open var flexGrow: String\n open var flexShrink: String\n open var flexWrap:  
String\n open var font: String\n open var fontFamily: String\n open var fontFeatureSettings: String\n open  
var fontKerning: String\n open var fontLanguageOverride: String\n open var fontSize: String\n open var  
fontSizeAdjust: String\n open var fontStretch: String\n open var fontStyle: String\n open var fontSynthesis:  
String\n open var fontVariant: String\n open var fontVariantAlternates: String\n open var fontVariantCaps:  
String\n open var fontVariantEastAsian: String\n open var fontVariantLigatures: String\n open var  
fontVariantNumeric: String\n open var fontVariantPosition: String\n open var fontWeight: String\n open var  
hangingPunctuation: String\n open var height: String\n open var hyphens: String\n open var imageOrientation:  
String\n open var imageRendering: String\n open var imageResolution:  
String\n open var imeMode: String\n open var justifyContent: String\n open var left: String\n open var  
letterSpacing: String\n open var lineBreak: String\n open var lineHeight: String\n open var listStyle: String\n  
open var listStyleImage: String\n open var listStylePosition: String\n open var listStyleType: String\n open var  
margin: String\n open var marginBottom: String\n open var marginLeft: String\n open var marginRight:  
String\n open var marginTop: String\n open var mark: String\n open var markAfter: String\n open var  
markBefore: String\n open var marks: String\n open var marqueeDirection: String\n open var  
marqueePlayCount: String\n open var marqueeSpeed: String\n open var marqueeStyle: String\n open var  
mask: String\n open var maskType: String\n open var maxHeight: String\n open var maxWidth: String\n  
open var minHeight: String\n open var minWidth: String\n open var navDown: String\n  
open var navIndex: String\n open var navLeft: String\n open var navRight: String\n open var navUp:  
String\n open var objectFit: String\n open var objectPosition: String\n open var opacity: String\n open var  
order: String\n open var orphans: String\n open var outline: String\n open var outlineColor: String\n open var  
outlineOffset: String\n open var outlineStyle: String\n open var outlineWidth: String\n open var  
overflowWrap: String\n open var overflowX: String\n open var overflowY: String\n open var padding:  
String\n open var paddingBottom: String\n open var paddingLeft: String\n open var paddingRight: String\n  
open var paddingTop: String\n open var pageBreakAfter: String\n open var pageBreakBefore: String\n open  
var pageBreakInside: String\n open var perspective: String\n open var perspectiveOrigin: String\n open var  
phonemes: String\n open var position: String\n open var quotes: String\n open  
var resize: String\n open var rest: String\n open var restAfter: String\n open var restBefore: String\n open  
var right: String\n open var tabSize: String\n open var tableLayout: String\n open var textAlign: String\n  
open var textAlignLast: String\n open var textCombineUpright: String\n open var textDecoration: String\n  
open var textDecorationColor: String\n open var textDecorationLine: String\n open var textDecorationStyle:  
String\n open var textIndent: String\n open var textJustify: String\n open var textOrientation: String\n open  
var textOverflow: String\n open var textShadow: String\n open var textTransform: String\n open var  
textUnderlinePosition: String\n open var top: String\n open var transform: String\n open var transformOrigin:  
String\n open var transformStyle: String\n open var transition: String\n open var transitionDelay: String\n  
open var transitionDuration: String\n open var transitionProperty:  
String\n open var transitionTimingFunction: String\n open var unicodeBidi: String\n open var verticalAlign:  
String\n open var visibility: String\n open var voiceBalance: String\n open var voiceDuration: String\n open  
var voicePitch: String\n open var voicePitchRange: String\n open var voiceRate: String\n open var voiceStress:

```

String\n open var voiceVolume: String\n open var whiteSpace: String\n open var widows: String\n open var
width: String\n open var wordBreak: String\n open var wordSpacing: String\n open var wordWrap: String\n
open var writingMode: String\n open var zIndex: String\n override fun item(index: Int): String\n fun
getPropertyValue(property: String): String\n fun getPropertyPriority(property: String): String\n fun
setProperty(property: String, value: String, priority: String = definedExternally): Unit\n fun
setPropertyValue(property: String, value: String): Unit\n fun setPropertyPriority(property:
String, priority: String): Unit\n fun removeProperty(property: String): String\n}\n@kotlin.internal.InlineOnly
inline operator fun CSSStyleDeclaration.get(index: Int): String? = asDynamic()[index]\n\npublic external abstract
class MediaList : ItemArrayLike<String> {\n open var mediaText: String\n override val length: Int\n override
fun item(index: Int): String?\n fun appendMedium(medium: String): Unit\n fun deleteMedium(medium: String):
Unit\n}\n@kotlin.internal.InlineOnly inline operator fun MediaList.get(index: Int): String? =
asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[StyleSheet](https://developer.mozilla.org/en/docs/Web/API/StyleSheet) to Kotlin\n */\npublic external abstract
class StyleSheet {\n open val type: String\n open val href: String?\n open val ownerNode:
UnionElementOrProcessingInstruction?\n open val parentStyleSheet: StyleSheet?\n open val title: String?\n
open val media: MediaList\n open var disabled: Boolean\n}\n\n/**\n
* Exposes the JavaScript [CSSStyleSheet](https://developer.mozilla.org/en/docs/Web/API/CSSStyleSheet) to
Kotlin\n */\npublic external abstract class CSSStyleSheet : StyleSheet {\n open val ownerRule: CSSRule?\n
open val cssRules: CSSRuleList\n fun insertRule(rule: String, index: Int): Int\n fun deleteRule(index: Int):
Unit\n}\n\n/**\n * Exposes the JavaScript
[StyleSheetList](https://developer.mozilla.org/en/docs/Web/API/StyleSheetList) to Kotlin\n */\npublic external
abstract class StyleSheetList : ItemArrayLike<StyleSheet> {\n override val length: Int\n override fun
item(index: Int): StyleSheet?\n}\n@kotlin.internal.InlineOnly inline operator fun StyleSheetList.get(index: Int):
StyleSheet? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[LinkStyle](https://developer.mozilla.org/en/docs/Web/API/LinkStyle) to Kotlin\n */\npublic external interface
LinkStyle {\n val sheet: StyleSheet?\n}\n\n/**\n * Exposes the JavaScript
[CSSRuleList](https://developer.mozilla.org/en/docs/Web/API/CSSRuleList)
to Kotlin\n */\npublic external abstract class CSSRuleList : ItemArrayLike<CSSRule> {\n override val length:
Int\n override fun item(index: Int): CSSRule?\n}\n@kotlin.internal.InlineOnly inline operator fun
CSSRuleList.get(index: Int): CSSRule? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[CSSRule](https://developer.mozilla.org/en/docs/Web/API/CSSRule) to Kotlin\n */\npublic external abstract class
CSSRule {\n open val type: Short\n open var cssText: String\n open val parentRule: CSSRule?\n open val
parentStyleSheet: CSSStyleSheet?\n\n companion object {\n val STYLE_RULE: Short\n val
CHARSET_RULE: Short\n val IMPORT_RULE: Short\n val MEDIA_RULE: Short\n val
FONT_FACE_RULE: Short\n val PAGE_RULE: Short\n val MARGIN_RULE: Short\n val
NAMESPACE_RULE: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[CSSStyleRule](https://developer.mozilla.org/en/docs/Web/API/CSSStyleRule)
to Kotlin\n */\npublic external abstract class CSSStyleRule : CSSRule {\n open var selectorText: String\n open
val style: CSSStyleDeclaration\n}\n\npublic external abstract class CSSImportRule : CSSRule {\n open val href:
String\n open val media: MediaList\n open val styleSheet: CSSStyleSheet\n}\n\n/**\n * Exposes the JavaScript
[CSSGroupingRule](https://developer.mozilla.org/en/docs/Web/API/CSSGroupingRule) to Kotlin\n */\npublic
external abstract class CSSGroupingRule : CSSRule {\n open val cssRules: CSSRuleList\n fun insertRule(rule:
String, index: Int): Int\n fun deleteRule(index: Int): Unit\n}\n\n/**\n * Exposes the JavaScript
[CSSMediaRule](https://developer.mozilla.org/en/docs/Web/API/CSSMediaRule) to Kotlin\n */\npublic external
abstract class CSSMediaRule : CSSGroupingRule {\n open val media: MediaList\n}\n\n/**\n * Exposes the
JavaScript [CSSPageRule](https://developer.mozilla.org/en/docs/Web/API/CSSPageRule) to Kotlin\n */\npublic
external

```

```

abstract class CSSPageRule : CSSGroupingRule {
    open var selectorText: String
    open val style: CSSStyleDeclaration
}
public external abstract class CSSMarginRule : CSSRule {
    open val name: String
    open val style: CSSStyleDeclaration
}
/**
 * Exposes the JavaScript [CSSNamespaceRule](https://developer.mozilla.org/en/docs/Web/API/CSSNamespaceRule) to Kotlin
 */
public external abstract class CSSNamespaceRule : CSSRule {
    open val namespaceURI: String
    open val prefix: String
}
public external interface ElementCSSInlineStyle {
    val style: CSSStyleDeclaration
}
/**
 * Exposes the JavaScript [CSS](https://developer.mozilla.org/en/docs/Web/API/CSS) to Kotlin
 */
public external abstract class CSS {
    companion object {
        fun escape(ident: String): String
    }
}
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt

file
NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!
See libraries/tools/idl2k for details
@file:Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")
package org.w3c.dom.events
import kotlin.js.*
import org.khronos.webgl.*
import org.w3c.dom.*
import org.w3c.dom.css.*
import org.w3c.dom.parsing.*
import org.w3c.dom.svg.*
import org.w3c.dom.url.*
import org.w3c.fetch.*
import org.w3c.files.*
import org.w3c.notifications.*
import org.w3c.performance.*
import org.w3c.workers.*
import org.w3c.xhr.*
/**
 * Exposes the JavaScript [UIEvent](https://developer.mozilla.org/en/docs/Web/API/UIEvent) to Kotlin
 */
public external open class UIEvent(
    type: String, eventInitDict: UIEventInit = definedExternally
) : Event {
    open val view: Window?
    open val detail: Int
}
public external interface UIEventInit : EventInit {
    var view: Window? /* = null */
    get() = definedExternally
    set(value) = definedExternally
    var detail: Int /* = 0 */
    get() = definedExternally
    set(value) = definedExternally
}
@kotlin.internal.InlineOnly
public inline fun UIEventInit(
    view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false
): UIEventInit {
    val o = js("{}")
    o["view"] = view
    o["detail"] = detail
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}
/**
 * Exposes the JavaScript [FocusEvent](https://developer.mozilla.org/en/docs/Web/API/FocusEvent) to Kotlin
 */
public external open class FocusEvent(
    type: String, eventInitDict: FocusEventInit = definedExternally
) : UIEvent {
    open val relatedTarget: EventTarget?
}
public external interface FocusEventInit : UIEventInit {
    var relatedTarget: EventTarget? /* = null */
    get() = definedExternally
    set(value) = definedExternally
}
@kotlin.internal.InlineOnly
public inline fun FocusEventInit(
    relatedTarget: EventTarget? = null, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false
): FocusEventInit {
    val o = js("{}")
    o["relatedTarget"] = relatedTarget
    o["view"] = view
    o["detail"] = detail
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}
/**
 * Exposes the JavaScript [MouseEvent](https://developer.mozilla.org/en/docs/Web/API/MouseEvent) to Kotlin
 */
public external open class MouseEvent(
    type: String, eventInitDict: MouseEventInit = definedExternally
) : UIEvent, UnionElementOrMouseEvent {
    open val region: String?
    open val screenX: Int
    open val screenY: Int
    open val pageX: Double
    open val pageY: Double
    open val clientX: Int
    open val clientY: Int
    open val offsetX: Double
    open val offsetY: Double
    open val ctrlKey: Boolean
    open val shiftKey: Boolean
    open val altKey: Boolean
    open val metaKey: Boolean
    open val button: Short
    open val buttons: Short
    open val relatedTarget: EventTarget?
    fun getModifierState(keyArg: String): Boolean
}
public external interface MouseEventInit : EventModifierInit {
    var screenX: Int? /* = 0 */
    get() = definedExternally
    set(value) = definedExternally
    var screenY: Int? /* = 0 */
    get() = definedExternally
    set(value) = definedExternally
    var clientX: Int? /* = 0 */
    get() = definedExternally
    set(value) = definedExternally
    var clientY: Int? /* = 0 */
    get() = definedExternally
    set(value) = definedExternally
    var button: Short? /* = 0 */
    get() = definedExternally
    set(value) = definedExternally
    var buttons: Short? /* = 0 */
    get() = definedExternally
    set(value) = definedExternally
    var relatedTarget: EventTarget? /* = null */
    get() = definedExternally
    set(value) = definedExternally
}

```

```

    get() = definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
inline fun MouseEventInit(screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? =
0, buttons: Short? = 0, relatedTarget: EventTarget? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false,
altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock:
Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? =
false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false,
modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MouseEventInit {\n    val o =
js("{}")\n\n    o["screenX"] = screenX\n    o["screenY"] = screenY\n    o["clientX"]
= clientX\n    o["clientY"] = clientY\n    o["button"] = button\n    o["buttons"] = buttons\n    o["relatedTarget"]
= relatedTarget\n    o["ctrlKey"] = ctrlKey\n    o["shiftKey"] = shiftKey\n    o["altKey"] = altKey\n
o["metaKey"] = metaKey\n    o["modifierAltGraph"] = modifierAltGraph\n    o["modifierCapsLock"] =
modifierCapsLock\n    o["modifierFn"] = modifierFn\n    o["modifierFnLock"] = modifierFnLock\n
o["modifierHyper"] = modifierHyper\n    o["modifierNumLock"] = modifierNumLock\n
o["modifierScrollLock"] = modifierScrollLock\n    o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"] = modifierSymbol\n    o["modifierSymbolLock"] = modifierSymbolLock\n    o["view"] =
view\n    o["detail"] = detail\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n    o["composed"] =
composed\n\n    return o}\n\npublic external interface EventModifierInit : UIEventInit {\n    var ctrlKey: Boolean?
/* = false */\n    get()
= definedExternally\n    set(value) = definedExternally\n    var shiftKey: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var altKey: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var metaKey: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var modifierAltGraph: Boolean? /* = false */\n    get()
= definedExternally\n    set(value) = definedExternally\n    var modifierCapsLock: Boolean? /* = false */\n
get() = definedExternally\n    set(value) = definedExternally\n    var modifierFn: Boolean? /* = false */\n
get() = definedExternally\n    set(value) = definedExternally\n    var modifierFnLock: Boolean? /* = false */\n
get() = definedExternally\n    set(value) = definedExternally\n    var modifierHyper: Boolean? /* = false */\n
get() = definedExternally\n    set(value)
= definedExternally\n    var modifierNumLock: Boolean? /* = false */\n    get() = definedExternally\n
set(value) = definedExternally\n    var modifierScrollLock: Boolean? /* = false */\n    get() = definedExternally\n
set(value) = definedExternally\n    var modifierSuper: Boolean? /* = false */\n    get() = definedExternally\n
set(value) = definedExternally\n    var modifierSymbol: Boolean? /* = false */\n    get() = definedExternally\n
set(value) = definedExternally\n    var modifierSymbolLock: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
EventModifierInit(ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey:
Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean?
= false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock:
Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol:
Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles:
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): EventModifierInit {\n    val o =
js("{}")\n\n    o["ctrlKey"] = ctrlKey\n    o["shiftKey"] = shiftKey\n    o["altKey"] = altKey\n
o["metaKey"] = metaKey\n    o["modifierAltGraph"] = modifierAltGraph\n    o["modifierCapsLock"] =
modifierCapsLock\n    o["modifierFn"] = modifierFn\n    o["modifierFnLock"] = modifierFnLock\n
o["modifierHyper"] = modifierHyper\n    o["modifierNumLock"] = modifierNumLock\n
o["modifierScrollLock"] = modifierScrollLock\n    o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"] = modifierSymbol\n    o["modifierSymbolLock"] = modifierSymbolLock\n    o["view"] =
view\n    o["detail"] = detail\n    o["bubbles"] = bubbles\n

```



```

Int\n    val DOM_KEY_LOCATION_NUMPAD: Int\n    }\n}\n\npublic external interface KeyboardEventInit :
EventModifierInit {\n    var key: String? /* = \"\" */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var code: String? /* = \"\" */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var location: Int? /* = 0 */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var repeat: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var isComposing: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun KeyboardEventInit(key: String? = \"\", code:
String? = \"\", location: Int? = 0, repeat: Boolean? = false, isComposing: Boolean? = false, ctrlKey: Boolean? =
false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? =
false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false,
modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false,
modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false,
modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): KeyboardEventInit {\n    val o = js(\"({})\")\n\n    o[\"key\"] = key\n    o[\"code\"] = code\n    o[\"location\"] = location\n    o[\"repeat\"] = repeat\n\n    o[\"isComposing\"] = isComposing\n    o[\"ctrlKey\"] = ctrlKey\n    o[\"shiftKey\"] = shiftKey\n    o[\"altKey\"] =
altKey\n    o[\"metaKey\"] = metaKey\n    o[\"modifierAltGraph\"] = modifierAltGraph\n\n    o[\"modifierCapsLock\"] = modifierCapsLock\n    o[\"modifierFn\"] = modifierFn\n    o[\"modifierFnLock\"] =
modifierFnLock\n    o[\"modifierHyper\"] = modifierHyper\n\n    o[\"modifierNumLock\"] = modifierNumLock\n    o[\"modifierScrollLock\"] = modifierScrollLock\n\n    o[\"modifierSuper\"] = modifierSuper\n    o[\"modifierSymbol\"] = modifierSymbol\n    o[\"modifierSymbolLock\"]
= modifierSymbolLock\n    o[\"view\"] = view\n    o[\"detail\"] = detail\n    o[\"bubbles\"] = bubbles\n\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n\n    return o\n}\n\n/**\n * Exposes the JavaScript [CompositionEvent](https://developer.mozilla.org/en/docs/Web/API/CompositionEvent) to Kotlin\n *\npublic
external open class CompositionEvent(type: String, eventInitDict: CompositionEventInit = definedExternally) :
UIEvent {\n    open val data: String\n}\n\npublic external interface CompositionEventInit : UIEventInit {\n    var
data: String? /* = \"\" */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CompositionEventInit(data: String? = \"\",
view: Window? = null,
detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
CompositionEventInit {\n    val o = js(\"({})\")\n\n    o[\"data\"] = data\n    o[\"view\"] = view\n    o[\"detail\"] =
detail\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n\n    return
o\n}\n\n/**\n * Exposes the JavaScript [Event](https://developer.mozilla.org/en/docs/Web/API/Event) to Kotlin\n *\npublic external open class Event(type: String, eventInitDict: EventInit = definedExternally) {\n    open val type:
String\n    open val target: EventTarget?\n    open val currentTarget: EventTarget?\n    open val eventPhase: Short\n    open val bubbles: Boolean\n    open val cancelable: Boolean\n    open val defaultPrevented: Boolean\n    open val
composed: Boolean\n    open val isTrusted: Boolean\n    open val timeStamp: Number\n    fun composedPath():
Array<EventTarget>\n    fun stopPropagation(): Unit\n    fun stopImmediatePropagation():
Unit\n    fun preventDefault(): Unit\n    fun initEvent(type: String, bubbles: Boolean, cancelable: Boolean): Unit\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET:
Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[EventTarget](https://developer.mozilla.org/en/docs/Web/API/EventTarget) to Kotlin\n *\npublic external abstract
class EventTarget {\n    fun addEventListener(type: String, callback: EventListener?, options: dynamic =
definedExternally): Unit\n    fun addEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic =
definedExternally): Unit\n    fun removeEventListener(type: String, callback: EventListener?, options: dynamic =
definedExternally): Unit\n    fun removeEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic =
definedExternally): Unit\n    fun dispatchEvent(event: Event): Boolean\n}\n\n/**\n * Exposes the JavaScript
[EventListener](https://developer.mozilla.org/en/docs/Web/API/EventListener)

```



```

    override var onPause: ((Event) -> dynamic)?\n    override var onplay: ((Event) -> dynamic)?\n    override var
onplaying: ((Event) -> dynamic)?\n    override var onprogress: ((Event) -> dynamic)?\n    override var onratechange:
((Event) -> dynamic)?\n    override var onreset: ((Event) -> dynamic)?\n    override var onresize: ((Event) ->
dynamic)?\n    override var onscroll: ((Event) -> dynamic)?\n    override var onseeked: ((Event) -> dynamic)?\n
override var onseeking: ((Event) -> dynamic)?\n    override var onselect: ((Event) -> dynamic)?\n    override var
onshow: ((Event) -> dynamic)?\n    override var onstalled: ((Event) -> dynamic)?\n    override var onsubmit:
((Event) -> dynamic)?\n    override var onsuspend: ((Event) -> dynamic)?\n    override var ontimeupdate: ((Event) -
> dynamic)?\n    override var ontoggle: ((Event) -> dynamic)?\n    override var onvolumechange: ((Event) ->
dynamic)?\n    override var onwaiting: ((Event) -> dynamic)?\n    override var oncopy: ((Event) ->
dynamic)?\n    override var oncut: ((Event) -> dynamic)?\n    override var onpaste: ((Event) -> dynamic)?\n
override val fullscreenElement: Element?\n    override val children: HTMLCollection\n    override val
firstElementChild: Element?\n    override val lastElementChild: Element?\n    override val childElementCount: Int\n
    fun exitFullscreen(): Promise<Unit>\n    fun getElementsByName(elementName: String): NodeList\n    fun
open(type: String = definedExternally, replace: String = definedExternally): Document\n    fun open(url: String,
name: String, features: String): Window\n    fun close(): Unit\n    fun write(vararg text: String): Unit\n    fun
writeln(vararg text: String): Unit\n    fun hasFocus(): Boolean\n    fun execCommand(commandId: String, showUI:
Boolean = definedExternally, value: String = definedExternally): Boolean\n    fun
queryCommandEnabled(commandId: String): Boolean\n    fun queryCommandIndeterm(commandId: String):
Boolean\n    fun queryCommandState(commandId:
String): Boolean\n    fun queryCommandSupported(commandId: String): Boolean\n    fun
queryCommandValue(commandId: String): String\n    fun clear(): Unit\n    fun captureEvents(): Unit\n    fun
releaseEvents(): Unit\n    fun getElementsByTagName(qualifiedName: String): HTMLCollection\n    fun
getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n    fun
getElementsByTagName(className: String): HTMLCollection\n    fun createElement(localName: String,
options: ElementCreationOptions = definedExternally): Element\n    fun createElementNS(namespace: String?,
qualifiedName: String, options: ElementCreationOptions = definedExternally): Element\n    fun
createDocumentFragment(): DocumentFragment\n    fun createTextNode(data: String): Text\n    fun
createCDATASection(data: String): CDATASection\n    fun createComment(data: String): Comment\n    fun
createProcessingInstruction(target: String, data: String): ProcessingInstruction\n    fun importNode(node: Node,
deep: Boolean
= definedExternally): Node\n    fun adoptNode(node: Node): Node\n    fun createAttribute(localName: String):
Attr\n    fun createAttributeNS(namespace: String?, qualifiedName: String): Attr\n    fun createEvent(interface_:
String): Event\n    fun createRange(): Range\n    fun createNodeIterator(root: Node, whatToShow: Int =
definedExternally, filter: NodeFilter? = definedExternally): NodeIterator\n    fun createNodeIterator(root: Node,
whatToShow: Int = definedExternally, filter: ((Node) -> Short)? = definedExternally): NodeIterator\n    fun
createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally):
TreeWalker\n    fun createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter: ((Node) -> Short)?
= definedExternally): TreeWalker\n    fun elementFromPoint(x: Double, y: Double): Element?\n    fun
elementsFromPoint(x: Double, y: Double): Array<Element>\n    fun caretPositionFromPoint(x: Double, y: Double):
CaretPosition?\n
    override fun getElementById(elementId: String): Element?\n    override fun prepend(vararg nodes: dynamic):
Unit\n    override fun append(vararg nodes: dynamic): Unit\n    override fun querySelector(selectors: String):
Element?\n    override fun querySelectorAll(selectors: String): NodeList\n    override fun getBoxQuads(options:
BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n    override fun convertQuadFromNode(quad:
dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n    override
fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n    override fun convertPointFromNode(point: DOMPointInit, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n}\n@kotlin.internal.InlineOnly inline

```

```

operator fun Document.get(name: String): dynamic = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[Window](https://developer.mozilla.org/en/docs/Web/API/Window)
to Kotlin\n *\npublic external abstract class Window : EventTarget, GlobalEventHandlers, WindowEventHandlers,
WindowOrWorkerGlobalScope, WindowSessionStorage, WindowLocalStorage, GlobalPerformance,
UnionMessagePortOrWindow {\n  override val performance: Performance\n  open val window: Window\n  open
val self: Window\n  open val document: Document\n  open var name: String\n  open val location: Location\n
open val history: History\n  open val customElements: CustomElementRegistry\n  open val locationbar:
BarProp\n  open val menubar: BarProp\n  open val personalbar: BarProp\n  open val scrollbars: BarProp\n
open val statusbar: BarProp\n  open val toolbar: BarProp\n  open var status: String\n  open val closed: Boolean\n
open val frames: Window\n  open val length: Int\n  open val top: Window\n  open var opener: Any?\n  open
val parent: Window\n  open val frameElement: Element?\n  open val navigator: Navigator\n
open val applicationCache: ApplicationCache\n  open val external: External\n  open val screen: Screen\n
open val innerWidth: Int\n  open val innerHeight: Int\n  open val scrollX: Double\n  open val pageXOffset:
Double\n  open val scrollY: Double\n  open val pageYOffset: Double\n  open val screenX: Int\n  open val
screenY: Int\n  open val outerWidth: Int\n  open val outerHeight: Int\n  open val devicePixelRatio: Double\n
fun close(): Unit\n  fun stop(): Unit\n  fun focus(): Unit\n  fun blur(): Unit\n  fun open(url: String =
definedExternally, target: String = definedExternally, features: String = definedExternally): Window?\n  fun
alert(): Unit\n  fun alert(message: String): Unit\n  fun confirm(message: String = definedExternally): Boolean\n
fun prompt(message: String = definedExternally, default: String = definedExternally): String?\n  fun print(): Unit\n
fun requestAnimationFrame(callback: (Double) -> Unit): Int\n  fun cancelAnimationFrame(handle:
Int): Unit\n  fun postMessage(message: Any?, targetOrigin: String, transfer: Array<dynamic> =
definedExternally): Unit\n  fun captureEvents(): Unit\n  fun releaseEvents(): Unit\n  fun matchMedia(query:
String): MediaQueryList\n  fun moveTo(x: Int, y: Int): Unit\n  fun moveBy(x: Int, y: Int): Unit\n  fun resizeTo(x:
Int, y: Int): Unit\n  fun resizeBy(x: Int, y: Int): Unit\n  fun scroll(options: ScrollToOptions = definedExternally):
Unit\n  fun scroll(x: Double, y: Double): Unit\n  fun scrollTo(options: ScrollToOptions = definedExternally):
Unit\n  fun scrollTo(x: Double, y: Double): Unit\n  fun scrollBy(options: ScrollToOptions = definedExternally):
Unit\n  fun scrollBy(x: Double, y: Double): Unit\n  fun getComputedStyle(elt: Element, pseudoElt: String? =
definedExternally): CSSStyleDeclaration\n}\n\n@kotlin.internal.InlineOnly inline operator fun Window.get(name:
String): dynamic = asDynamic()[name]\n\npublic external abstract class HTMLAllCollection
{\n  open val length: Int\n// fun namedItem(name: String): UnionElementOrHTMLCollection?\n  fun
item(nameOrIndex: String = definedExternally):
UnionElementOrHTMLCollection?\n}\n\n@kotlin.internal.InlineOnly inline operator fun
HTMLAllCollection.get(index: Int): Element? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator
fun HTMLAllCollection.get(name: String): UnionElementOrHTMLCollection? = asDynamic()[name]\n\n/**\n *
Exposes the JavaScript
[HTMLFormControlsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLFormControlsCollection)
to Kotlin\n *\npublic external abstract class HTMLFormControlsCollection : HTMLCollection {\n//  override fun
namedItem(name: String): UnionElementOrRadioNodeList?\n}\n\n@kotlin.internal.InlineOnly override inline
operator fun HTMLFormControlsCollection.get(name: String): UnionElementOrRadioNodeList? =
asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[RadioNodeList](https://developer.mozilla.org/en/docs/Web/API/RadioNodeList)
to Kotlin\n *\npublic external abstract class RadioNodeList : NodeList, UnionElementOrRadioNodeList {\n  open
var value: String\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptionsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionsCollection) to Kotlin\n
*\npublic external abstract class HTMLOptionsCollection : HTMLCollection {\n  override var length: Int\n  open
var selectedIndex: Int\n  fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before:
dynamic = definedExternally): Unit\n  fun remove(index: Int): Unit\n}\n\n@kotlin.internal.InlineOnly inline operator
fun HTMLOptionsCollection.set(index: Int, option: HTMLOptionElement?): Unit { asDynamic()[index] = option;

```

} \n\n/\*\* \n \* Exposes the JavaScript  
[HTMLElement](https://developer.mozilla.org/en/docs/Web/API/HTMLElement) to Kotlin \n \* \n\npublic external  
abstract class HTMLElement : Element, ElementCSSInlineStyle, GlobalEventHandlers,  
DocumentAndElementEventHandlers, ElementContentEditable  
{ \n open var title: String \n open var lang: String \n open var translate: Boolean \n open var dir: String \n  
open val dataset: DOMStringMap \n open var hidden: Boolean \n open var tabIndex: Int \n open var accessKey:  
String \n open val accessKeyLabel: String \n open var draggable: Boolean \n open val dropzone:  
DOMTokenList \n open var contextMenu: HTMLMenuElement? \n open var spellcheck: Boolean \n open var  
innerText: String \n open val offsetParent: Element? \n open val offsetTop: Int \n open val offsetLeft: Int \n  
open val offsetWidth: Int \n open val offsetHeight: Int \n fun click(): Unit \n fun focus(): Unit \n fun blur():  
Unit \n fun forceSpellCheck(): Unit \n } \n\n/\*\* \n \* Exposes the JavaScript  
[HTMLUnknownElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUnknownElement) to Kotlin \n  
\* \n\npublic external abstract class HTMLUnknownElement : HTMLElement { \n } \n\n/\*\* \n \* Exposes the JavaScript  
[DOMStringMap](https://developer.mozilla.org/en/docs/Web/API/DOMStringMap)  
to Kotlin \n \* \n\npublic external abstract class DOMStringMap { \n } \n\n@kotlin.internal.InlineOnly inline operator fun  
DOMStringMap.get(name: String): String? = asDynamic()[name] \n\n@kotlin.internal.InlineOnly inline operator fun  
DOMStringMap.set(name: String, value: String): Unit { asDynamic()[name] = value; } \n\n/\*\* \n \* Exposes the  
JavaScript [HTMLHtmlElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHtmlElement) to Kotlin \n  
\* \n\npublic external abstract class HTMLHtmlElement : HTMLElement { \n open var version: String \n } \n\n/\*\* \n \*  
Exposes the JavaScript [HTMLHeadElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadElement)  
to Kotlin \n \* \n\npublic external abstract class HTMLHeadElement : HTMLElement { \n } \n\n/\*\* \n \* Exposes the  
JavaScript [HTMLTitleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTitleElement) to Kotlin \n  
\* \n\npublic external abstract class HTMLTitleElement : HTMLElement { \n open var text: String \n } \n\n/\*\* \n  
\* Exposes the JavaScript  
[HTMLBaseElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBaseElement) to Kotlin \n \* \n\npublic  
external abstract class HTMLBaseElement : HTMLElement { \n open var href: String \n open var target:  
String \n } \n\n/\*\* \n \* Exposes the JavaScript  
[HTMLLinkElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLinkElement) to Kotlin \n \* \n\npublic  
external abstract class HTMLLinkElement : HTMLElement, LinkStyle { \n open var scope: String \n open var  
workerType: WorkerType \n open var href: String \n open var crossOrigin: String? \n open var rel: String \n  
@JsName("as") open var as\_: RequestDestination \n open val relList: DOMTokenList \n open var media:  
String \n open var nonce: String \n open var hreflang: String \n open var type: String \n open val sizes:  
DOMTokenList \n open var referrerPolicy: String \n open var charset: String \n open var rev: String \n open var  
target: String \n } \n\n/\*\* \n \* Exposes  
the JavaScript [HTMLMetaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMetaElement) to  
Kotlin \n \* \n\npublic external abstract class HTMLMetaElement : HTMLElement { \n open var name: String \n  
open var httpEquiv: String \n open var content: String \n open var scheme: String \n } \n\n/\*\* \n \* Exposes the  
JavaScript [HTMLStyleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLStyleElement) to Kotlin \n  
\* \n\npublic external abstract class HTMLStyleElement : HTMLElement, LinkStyle { \n open var media: String \n  
open var nonce: String \n open var type: String \n } \n\n/\*\* \n \* Exposes the JavaScript  
[HTMLBodyElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBodyElement) to Kotlin \n \* \n\npublic  
external abstract class HTMLBodyElement : HTMLElement, WindowEventHandlers { \n open var text: String \n  
open var link: String \n open var vLink: String \n open var aLink: String \n open var bgColor: String \n open  
var background: String \n } \n\n/\*\* \n \* Exposes  
the JavaScript [HTMLHeadingElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadingElement)  
to Kotlin \n \* \n\npublic external abstract class HTMLHeadingElement : HTMLElement { \n open var align:  
String \n } \n\n/\*\* \n \* Exposes the JavaScript  
[HTMLParagraphElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParagraphElement) to Kotlin \n

```

*\npublic external abstract class HTMLParagraphElement : HTMLDivElement {\n  open var align: String\n}\n\n**\n
* Exposes the JavaScript [HTMLHRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHRElement)
to Kotlin\n
*\npublic external abstract class HTMLHRElement : HTMLDivElement {\n  open var align: String\n
open var color: String\n  open var noShade: Boolean\n  open var size: String\n  open var width:
String\n}\n\n**\n
* Exposes the JavaScript
[HTMLPreElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPreElement) to Kotlin\n
*\npublic
external abstract class HTMLPreElement : HTMLDivElement {\n  open var width:
Int\n}\n\n**\n
* Exposes the JavaScript
[HTMLQuoteElement](https://developer.mozilla.org/en/docs/Web/API/HTMLQuoteElement) to Kotlin\n
*\npublic
external abstract class HTMLQuoteElement : HTMLDivElement {\n  open var cite: String\n}\n\n**\n
* Exposes the
JavaScript [HTMLOListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOListElement) to Kotlin\n
*\npublic external abstract class HTMLOListElement : HTMLDivElement {\n  open var reversed: Boolean\n  open
var start: Int\n  open var type: String\n  open var compact: Boolean\n}\n\n**\n
* Exposes the JavaScript
[HTMLULListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLULListElement) to Kotlin\n
*\npublic
external abstract class HTMLULListElement : HTMLDivElement {\n  open var compact: Boolean\n  open var type:
String\n}\n\n**\n
* Exposes the JavaScript
[HTMLLIElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLIElement) to Kotlin\n
*\npublic
external abstract class HTMLLIElement : HTMLDivElement {\n
open var value: Int\n  open var type: String\n}\n\n**\n
* Exposes the JavaScript
[HTMLDListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDListElement) to Kotlin\n
*\npublic
external abstract class HTMLDListElement : HTMLDivElement {\n  open var compact: Boolean\n}\n\n**\n
*
Exposes the JavaScript [HTMLDivElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDivElement) to
Kotlin\n
*\npublic external abstract class HTMLDivElement : HTMLDivElement {\n  open var align:
String\n}\n\n**\n
* Exposes the JavaScript
[HTMLAnchorElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAnchorElement) to Kotlin\n
*\npublic external abstract class HTMLAnchorElement : HTMLDivElement, HTMLHyperlinkElementUtils {\n  open
var target: String\n  open var download: String\n  open var ping: String\n  open var rel: String\n  open val
relList: DOMTokenList\n  open var hreflang: String\n  open var type: String\n  open var text: String\n  open
var referrerPolicy: String\n
open var coords: String\n  open var charset: String\n  open var name: String\n  open var rev: String\n  open
var shape: String\n}\n\n**\n
* Exposes the JavaScript
[HTMLDataElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataElement) to Kotlin\n
*\npublic
external abstract class HTMLDataElement : HTMLDivElement {\n  open var value: String\n}\n\n**\n
* Exposes the
JavaScript [HTMLTimeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTimeElement) to Kotlin\n
*\npublic external abstract class HTMLTimeElement : HTMLDivElement {\n  open var dateTime: String\n}\n\n**\n
* Exposes the JavaScript
[HTMLSpanElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSpanElement) to Kotlin\n
*\npublic
external abstract class HTMLSpanElement : HTMLDivElement {\n}\n\n**\n
* Exposes the JavaScript
[HTMLBRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBRElement) to Kotlin\n
*\npublic
external abstract class HTMLBRElement : HTMLDivElement {\n  open var clear:
String\n}\n\n**\n
* Exposes the JavaScript
[HTMLHyperlinkElementUtils](https://developer.mozilla.org/en/docs/Web/API/HTMLHyperlinkElementUtils) to
Kotlin\n
*\npublic external interface HTMLHyperlinkElementUtils {\n  var href: String\n  val origin: String\n
var protocol: String\n  var username: String\n  var password: String\n  var host: String\n  var hostname:
String\n  var port: String\n  var pathname: String\n  var search: String\n  var hash: String\n}\n\n**\n
* Exposes
the JavaScript [HTMLModElement](https://developer.mozilla.org/en/docs/Web/API/HTMLModElement) to
Kotlin\n
*\npublic external abstract class HTMLModElement : HTMLDivElement {\n  open var cite: String\n  open
var dateTime: String\n}\n\n**\n
* Exposes the JavaScript

```

[HTMLPictureElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPictureElement) to Kotlin  
`*\npublic external abstract class HTMLPictureElement : HTMLInputElement {\n}\n\n/**\n * Exposes the JavaScript`

[HTMLSourceElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSourceElement) to Kotlin  
`*\npublic external abstract class HTMLSourceElement : HTMLInputElement {\n open var src: String\n open var type: String\n open var srcset: String\n open var sizes: String\n open var media: String\n}\n\n/**\n * Exposes the JavaScript`

[HTMLImageElement](https://developer.mozilla.org/en/docs/Web/API/HTMLImageElement) to Kotlin  
`*\npublic external abstract class HTMLImageElement : HTMLInputElement, TexImageSource, HTMLImageElement {\n open var alt: String\n open var src: String\n open var srcset: String\n open var sizes: String\n open var crossOrigin: String?\n open var useMap: String\n open var isMap: Boolean\n open var width: Int\n open var height: Int\n open val naturalWidth: Int\n open val naturalHeight: Int\n open val complete: Boolean\n open val currentSrc: String\n open var referrerPolicy: String\n open var name: String\n open var lowsrc: String\n open var align: String\n open var hspace: Int\n open var vspace: Int\n open var longDesc: String\n open var border: String\n open val x: Int\n open val y: Int\n}\n\n/**\n * Exposes the JavaScript`

[HTMLIFrameElement](https://developer.mozilla.org/en/docs/Web/API/HTMLIFrameElement) to Kotlin  
`*\npublic external abstract class HTMLIFrameElement : HTMLInputElement {\n open var src: String\n open var srcdoc: String\n open var name: String\n open val sandbox: DOMTokenList\n open var allowFullscreen: Boolean\n open var allowUserMedia: Boolean\n open var width: String\n open var height: String\n open var referrerPolicy: String\n open val contentDocument: Document?\n open val contentWindow: Window?\n open var align: String\n open var scrolling: String\n open var frameborder: String\n open var longDesc: String\n open var marginHeight: String\n open var marginWidth: String\n fun getSVGDocument(): Document?\n}\n\n/**\n * Exposes the JavaScript`

[HTMLEmbedElement](https://developer.mozilla.org/en/docs/Web/API/HTMLEmbedElement) to Kotlin  
`*\npublic external abstract class HTMLEmbedElement : HTMLInputElement {\n open var src: String\n open var type: String\n open var width: String\n open var height: String\n open var align: String\n open var name: String\n fun getSVGDocument(): Document?\n}\n\n/**\n * Exposes the JavaScript`

[HTMLObjectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLObjectElement) to Kotlin  
`*\npublic external abstract class HTMLObjectElement : HTMLInputElement {\n open var data: String\n open var type: String\n open var typeMustMatch: Boolean\n open var name: String\n open var useMap: String\n open val form: HTMLFormElement?\n open var width: String\n open var height: String\n open val contentDocument: Document?\n open val contentWindow: Window?\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open var align: String\n open var archive: String\n open var code: String\n open var declare: Boolean\n open var hspace: Int\n open var standby: String\n open var vspace: Int\n open var codeBase: String\n open var codeType: String\n open var border: String\n fun getSVGDocument(): Document?\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String): Unit\n}\n\n/**\n * Exposes the JavaScript`

[HTMLParamElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParamElement) to Kotlin  
`*\npublic external abstract class HTMLParamElement : HTMLInputElement {\n open var name: String\n open var value: String\n open var type: String\n open var valueType: String\n}\n\n/**\n * Exposes the JavaScript`

[HTMLVideoElement](https://developer.mozilla.org/en/docs/Web/API/HTMLVideoElement) to Kotlin  
`*\npublic external abstract class HTMLVideoElement : HTMLMediaElement, TexImageSource {\n open var width: Int\n open var height: Int\n open val videoWidth: Int\n open val videoHeight: Int\n open var poster: String\n open var playsInline: Boolean\n}\n\n/**\n * Exposes the JavaScript`

[HTMLAudioElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAudioElement) to Kotlin  
`*\npublic external abstract class HTMLAudioElement : HTMLMediaElement {\n}\n\n/**\n * Exposes the JavaScript`

[HTMLTrackElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTrackElement) to Kotlin

```

*\npublic external abstract class HTMLTrackElement : HTMLInputElement {\n  open var kind: String\n  open var src: String\n  open var srclang: String\n  open var label: String\n  open var default: Boolean\n  open val readyState: Short\n  open val track: TextTrack\n  companion object {\n    val NONE: Short\n    val LOADING: Short\n    val LOADED: Short\n    val ERROR: Short\n  }\n}\n\n/**\n * Exposes the JavaScript [HTMLMediaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMediaElement) to Kotlin\n */\npublic external abstract class HTMLMediaElement : HTMLInputElement {\n  open val error: MediaError?\n  open var src: String\n  open var srcObject: dynamic\n  open val currentSrc: String\n  open var crossOrigin: String?\n  open val networkState: Short\n  open var preload: String\n  open val buffered: TimeRanges\n  open val readyState: Short\n  open val seeking: Boolean\n  open var currentTime: Double\n  open val duration: Double\n  open val paused: Boolean\n  open var defaultPlaybackRate: Double\n  open var playbackRate: Double\n  open val played: TimeRanges\n  open val seekable: TimeRanges\n  open val ended: Boolean\n  open var autoplay: Boolean\n  open var loop: Boolean\n  open var controls: Boolean\n  open var volume: Double\n  open var muted: Boolean\n  open var defaultMuted: Boolean\n  open val audioTracks: AudioTrackList\n  open val videoTracks: VideoTrackList\n  open val textTracks: TextTrackList\n  fun load(): Unit\n  fun canPlayType(type: String): CanPlayTypeResult\n  fun fastSeek(time: Double): Unit\n  fun getStartDate(): dynamic\n  fun play(): Promise<Unit>\n  fun pause(): Unit\n  fun addTextTrack(kind: TextTrackKind, label: String = definedExternally, language: String = definedExternally): TextTrack\n  companion object {\n    val NETWORK_EMPTY: Short\n    val NETWORK_IDLE: Short\n    val NETWORK_LOADING: Short\n    val NETWORK_NO_SOURCE: Short\n    val HAVE_NOTHING: Short\n    val HAVE_METADATA: Short\n    val HAVE_CURRENT_DATA: Short\n    val HAVE_FUTURE_DATA: Short\n    val HAVE_ENOUGH_DATA: Short\n  }\n}\n\n/**\n * Exposes the JavaScript [MediaError](https://developer.mozilla.org/en/docs/Web/API/MediaError) to Kotlin\n */\npublic external abstract class MediaError {\n  open val code: Short\n  companion object {\n    val MEDIA_ERR_ABORTED: Short\n    val MEDIA_ERR_NETWORK: Short\n    val MEDIA_ERR_DECODE: Short\n    val MEDIA_ERR_SRC_NOT_SUPPORTED: Short\n  }\n}\n\npublic external abstract class AudioTrackList : EventTarget {\n  open val length: Int\n  open var onchange: ((Event) -> dynamic)?\n  open var onaddtrack: ((Event) -> dynamic)?\n  open var onremovetrack: ((Event) -> dynamic)?\n  fun getTrackById(id: String): AudioTrack?\n}\n\n@kotlin.internal.InlineOnly inline operator fun AudioTrackList.get(index: Int): AudioTrack? = asDynamic()[index]\n\npublic external abstract class AudioTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n  open val id: String\n  open val kind: String\n  open val label: String\n  open val language: String\n  open var enabled: Boolean\n}\n\npublic external abstract class VideoTrackList : EventTarget {\n  open val length: Int\n  open val selectedIndex: Int\n  open var onchange: ((Event) -> dynamic)?\n  open var onaddtrack: ((Event) -> dynamic)?\n  open var onremovetrack: ((Event) -> dynamic)?\n  fun getTrackById(id: String): VideoTrack?\n}\n\n@kotlin.internal.InlineOnly inline operator fun VideoTrackList.get(index: Int): VideoTrack? = asDynamic()[index]\n\npublic external abstract class VideoTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n  open val id: String\n  open val kind: String\n  open val label: String\n  open val language: String\n  open var selected: Boolean\n}\n\npublic external abstract class TextTrackList : EventTarget {\n  open val length: Int\n  open var onchange: ((Event) -> dynamic)?\n  open var onaddtrack: ((Event) -> dynamic)?\n  open var onremovetrack: ((Event) -> dynamic)?\n  fun getTrackById(id: String): TextTrack?\n}\n\n@kotlin.internal.InlineOnly inline operator fun TextTrackList.get(index: Int): TextTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [TextTrack](https://developer.mozilla.org/en/docs/Web/API/TextTrack) to Kotlin\n */\npublic external abstract class TextTrack : EventTarget, UnionAudioTrackOrTextTrackOrVideoTrack {\n  open val kind: TextTrackKind\n  open val label: String\n  open val language: String\n  open val id: String\n  open val inBandMetadataTrackDispatchType: String\n  open var mode: TextTrackMode\n  open val cues: TextTrackCueList\n  open val activeCues: TextTrackCueList?\n  open var oncuechange: ((Event) -> dynamic)?\n  fun addCue(cue: TextTrackCue): Unit\n  fun removeCue(cue: TextTrackCue): Unit\n}\n\npublic

```

```

external abstract class TextTrackCueList {\n  open val length: Int\n  fun getCueById(id: String):
TextTrackCue?\n}\n@kotlin.internal.InlineOnly inline operator fun TextTrackCueList.get(index: Int):
TextTrackCue? = asDynamic()[index]\n\npublic external abstract class TextTrackCue : EventTarget {\n  open val
track: TextTrack?\n  open var id: String\n  open var startTime: Double\n  open var endTime: Double\n  open
var pauseOnExit: Boolean\n  open var onenter: ((Event) -> dynamic)?\n  open var onexit: ((Event) ->
dynamic)?\n}\n\n/**\n * Exposes
the JavaScript [TimeRanges](https://developer.mozilla.org/en/docs/Web/API/TimeRanges) to Kotlin\n */\n\npublic
external abstract class TimeRanges {\n  open val length: Int\n  fun start(index: Int): Double\n  fun end(index:
Int): Double\n}\n\npublic external open class TrackEvent(type: String, eventInitDict: TrackEventInit =
definedExternally) : Event {\n  open val track: UnionAudioTrackOrTextTrackOrVideoTrack?\n}\n\npublic
external interface TrackEventInit : EventInit {\n  var track: UnionAudioTrackOrTextTrackOrVideoTrack? /* =
null */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline fun TrackEventInit(track:
UnionAudioTrackOrTextTrackOrVideoTrack? = null, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): TrackEventInit {\n  val o = js("{}")\n  o["track"] = track\n  o["bubbles"] =
bubbles\n  o["cancelable"] = cancelable\n  o["composed"] =
composed\n\n  return o\n}\n\n/**\n * Exposes the JavaScript
[HTMLMapElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMapElement) to Kotlin\n */\n\npublic
external abstract class HTMLMapElement : HTMLElement {\n  open var name: String\n  open val areas:
HTMLCollection\n}\n\n/**\n * Exposes the JavaScript
[HTMLAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAreaElement) to Kotlin\n */\n\npublic
external abstract class HTMLAreaElement : HTMLElement, HTMLHyperlinkElementUtils {\n  open var alt:
String\n  open var coords: String\n  open var shape: String\n  open var target: String\n  open var download:
String\n  open var ping: String\n  open var rel: String\n  open val relList: DOMTokenList\n  open var
referrerPolicy: String\n  open var noHref: Boolean\n}\n\n/**\n * Exposes the JavaScript
[HTMLTableElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableElement) to Kotlin\n */\n\npublic
external abstract class HTMLTableElement : HTMLElement
{\n  open var caption: HTMLTableCaptionElement?\n  open var tHead: HTMLTableSectionElement?\n  open
var tFoot: HTMLTableSectionElement?\n  open val tBodies: HTMLCollection\n  open val rows:
HTMLCollection\n  open var align: String\n  open var border: String\n  open var frame: String\n  open var
rules: String\n  open var summary: String\n  open var width: String\n  open var bgColor: String\n  open var
cellPadding: String\n  open var cellSpacing: String\n  fun createCaption(): HTMLTableCaptionElement\n  fun
deleteCaption(): Unit\n  fun createTHead(): HTMLTableSectionElement\n  fun deleteTHead(): Unit\n  fun
createTFoot(): HTMLTableSectionElement\n  fun deleteTFoot(): Unit\n  fun createTBody():
HTMLTableSectionElement\n  fun insertRow(index: Int = definedExternally): HTMLTableRowElement\n  fun
deleteRow(index: Int): Unit\n}\n\n/**\n * Exposes the JavaScript
[HTMLTableCaptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCaptionElement)
to Kotlin\n */\n\npublic external abstract class HTMLTableCaptionElement : HTMLElement {\n  open var align:
String\n}\n\n/**\n * Exposes the JavaScript
[HTMLTableColElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableColElement) to Kotlin\n */\n\n
public external abstract class HTMLTableColElement : HTMLElement {\n  open var span: Int\n  open var
align: String\n  open var ch: String\n  open var chOff: String\n  open var vAlign: String\n  open var width:
String\n}\n\n/**\n * Exposes the JavaScript
[HTMLTableSectionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableSectionElement) to
Kotlin\n */\n\npublic external abstract class HTMLTableSectionElement : HTMLElement {\n  open val rows:
HTMLCollection\n  open var align: String\n  open var ch: String\n  open var chOff: String\n  open var vAlign:
String\n  fun insertRow(index: Int = definedExternally): HTMLElement\n  fun deleteRow(index: Int):
Unit\n}\n\n/**\n * Exposes the JavaScript

```

[HTMLTableRowElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableRowElement) to Kotlin\n
\*\npublic external abstract class HTMLTableRowElement : HTMLInputElement {\n
open val rowIndex: Int\n
open val sectionRowIndex: Int\n
open val cells: HTMLCollection\n
open var align: String\n
open var ch: String\n
open var chOff: String\n
open var vAlign: String\n
open var bgColor: String\n
fun insertCell(index: Int = definedExternally): HTMLInputElement\n
fun deleteCell(index: Int): Unit\n}\n\n\*\*\n
\* Exposes the JavaScript

[HTMLTableCellElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCellElement) to Kotlin\n
\*\npublic external abstract class HTMLTableCellElement : HTMLInputElement {\n
open var colSpan: Int\n
open var rowspan: Int\n
open var headers: String\n
open val cellIndex: Int\n
open var scope: String\n
open var abbr: String\n
open var align: String\n
open var axis: String\n
open var height: String\n
open var width: String\n
open var ch: String\n
open var chOff: String\n
open var noWrap: Boolean\n
open var vAlign: String\n
open var bgColor: String\n}\n\n\*\*\n
\* Exposes the JavaScript

[HTMLFormElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFormElement) to Kotlin\n
\*\npublic external abstract class HTMLFormElement : HTMLInputElement {\n
open var acceptCharset: String\n
open var action: String\n
open var autocomplete: String\n
open var enctype: String\n
open var encoding: String\n
open var method: String\n
open var name: String\n
open var noValidate: Boolean\n
open var target: String\n
open val elements: HTMLFormControlsCollection\n
open val length: Int\n
fun submit(): Unit\n
fun reset(): Unit\n
fun checkValidity(): Boolean\n
fun reportValidity(): Boolean\n}\n
@kotlin.internal.InlineOnly inline operator fun HTMLFormElement.get(index: Int): Element? = asDynamic()[index]\n
@kotlin.internal.InlineOnly inline operator fun HTMLFormElement.get(name: String): UnionElementOrRadioNodeList? = asDynamic()[name]\n\n\*\*\n
\* Exposes the JavaScript

[HTMLLabelElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLabelElement) to Kotlin\n
\*\npublic external abstract class HTMLLabelElement : HTMLInputElement {\n
open val form: HTMLFormElement?\n
open var htmlFor: String\n
open val control: HTMLInputElement?\n}\n\n\*\*\n
\* Exposes the JavaScript

[HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to Kotlin\n
\*\npublic external abstract class HTMLInputElement : HTMLInputElement {\n
open var accept: String\n
open var alt: String\n
open var autocomplete: String\n
open var autofocus: Boolean\n
open var defaultChecked: Boolean\n
open var checked: Boolean\n
open var dirName: String\n
open var disabled: Boolean\n
open val form: HTMLFormElement?\n
open val files: FileList?\n
open var formAction: String\n
open var formEnctype: String\n
open var formMethod: String\n
open var formNoValidate: Boolean\n
open var formTarget: String\n
open var height: Int\n
open var indeterminate: Boolean\n
open var inputMode: String\n
open val list: HTMLInputElement?\n
open var max: String\n
open var maxLength: Int\n
open var min: String\n
open var minLength: Int\n
open var multiple: Boolean\n
open var name: String\n
open var pattern: String\n
open var placeholder: String\n
open var readOnly: Boolean\n
open var required: Boolean\n
open var size: Int\n
open var src: String\n
open var step: String\n
open var type: String\n
open var defaultValue: String\n
open var value: String\n
open var valueAsDate: dynamic\n
open var valueAsNumber: Double\n
open var width: Int\n
open val willValidate: Boolean\n
open val validity: ValidityState\n
open val validationMessage: String\n
open val labels: NodeList\n
open var selectionStart: Int?\n
open var selectionEnd: Int?\n
open var selectionDirection: String?\n
open var align: String\n
open var useMap: String\n
fun stepUp(n: Int = definedExternally): Unit\n
fun stepDown(n: Int = definedExternally): Unit\n
fun checkValidity(): Boolean\n
fun reportValidity(): Boolean\n
fun setCustomValidity(error: String): Unit\n
fun select(): Unit\n
fun setRangeText(replacement: String): Unit\n
fun setRangeText(replacement: String, start: Int, end: Int, selectionMode: SelectionMode = definedExternally): Unit\n
fun setSelectionRange(start: Int, end: Int, direction: String = definedExternally): Unit\n}\n\n\*\*\n
\* Exposes the JavaScript

[HTMLButtonElement](https://developer.mozilla.org/en/docs/Web/API/HTMLButtonElement) to Kotlin\n
\*\npublic external abstract class HTMLButtonElement : HTMLInputElement {\n
open var autofocus: Boolean\n
open var disabled: Boolean\n
open val form: HTMLFormElement?\n
open var formAction: String\n
open var formEnctype: String\n
open var formMethod: String\n
open var formNoValidate:

```

Boolean\n open var formTarget: String\n open var name: String\n open var type: String\n open var value:
String\n open var menu: HTMLMenuElement?\n open val willValidate: Boolean\n open val validity:
ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun checkValidity():
Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String): Unit\n}\n/**\n * Exposes the
JavaScript [HTMLSelectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSelectElement) to
Kotlin\n */\npublic external abstract class HTMLSelectElement : HTMLInputElement, ItemArrayLike<Element> {\n
open var autocomplete: String\n open var autofocus: Boolean\n open var disabled: Boolean\n open val form:
HTMLFormElement?\n open var multiple: Boolean\n open var name: String\n open var required: Boolean\n
open var size: Int\n open val type: String\n open val options: HTMLOptionsCollection\n override var length:
Int\n open val selectedOptions: HTMLCollection\n open var selectedIndex: Int\n open var value: String\n
open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open
val labels: NodeList\n override fun item(index: Int): Element?\n fun namedItem(name: String):
HTMLOptionElement?\n fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before:
dynamic = definedExternally): Unit\n fun remove(index: Int): Unit\n fun checkValidity(): Boolean\n fun
reportValidity(): Boolean\n fun setCustomValidity(error: String): Unit\n}\n@kotlin.internal.InlineOnly inline
operator fun HTMLSelectElement.get(index: Int): Element? = asDynamic()[index]\n@kotlin.internal.InlineOnly
inline operator fun HTMLSelectElement.set(index: Int, option: HTMLOptionElement?): Unit { asDynamic()[index]
= option; }\n/**\n * Exposes the JavaScript
[HTMLDataListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataListElement)
to Kotlin\n */\npublic external abstract class HTMLDataListElement : HTMLInputElement {\n open val options:
HTMLCollection\n}\n/**\n * Exposes the JavaScript
[HTMLOptGroupElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptGroupElement) to Kotlin\n
*/\npublic external abstract class HTMLOptGroupElement : HTMLInputElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n open var disabled: Boolean\n open var label:
String\n}\n/**\n * Exposes the JavaScript
[HTMLOptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionElement) to Kotlin\n
*/\npublic external abstract class HTMLOptionElement : HTMLInputElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n open var disabled: Boolean\n open val form:
HTMLFormElement?\n open var label: String\n open var defaultSelected: Boolean\n open var selected:
Boolean\n open var value: String\n open var text: String\n open val index: Int\n}\n/**\n * Exposes the
JavaScript [HTMLTextAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTextAreaElement)
to Kotlin\n */\npublic external abstract class HTMLTextAreaElement : HTMLInputElement {\n open var
autocomplete: String\n open var autofocus: Boolean\n open var cols: Int\n open var dirName: String\n open
var disabled: Boolean\n open val form: HTMLFormElement?\n open var inputMode: String\n open var
maxLength: Int\n open var minLength: Int\n open var name: String\n open var placeholder: String\n open var
readOnly: Boolean\n open var required: Boolean\n open var rows: Int\n open var wrap: String\n open val
type: String\n open var defaultValue: String\n open var value: String\n open val maxLength: Int\n open val
willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val
labels: NodeList\n open var selectionStart: Int?\n open var selectionEnd: Int?\n open var selectionDirection:
String?\n fun checkValidity():
Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String): Unit\n fun select(): Unit\n
fun setRangeText(replacement: String): Unit\n fun setRangeText(replacement: String, start: Int, end: Int,
selectionMode: SelectionMode = definedExternally): Unit\n fun setSelectionRange(start: Int, end: Int, direction:
String = definedExternally): Unit\n}\n/**\n * Exposes the JavaScript
[HTMLKeygenElement](https://developer.mozilla.org/en/docs/Web/API/HTMLKeygenElement) to Kotlin\n
*/\npublic external abstract class HTMLKeygenElement : HTMLInputElement {\n open var autofocus: Boolean\n
open var challenge: String\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var
keytype: String\n open var name: String\n open val type: String\n open val willValidate: Boolean\n open val

```

```

validity: ValidityState\n  open val validationMessage: String\n  open val labels: NodeList\n  fun checkValidity():
Boolean\n  fun reportValidity():
Boolean\n  fun setCustomValidity(error: String): Unit\n}\n\n**\n * Exposes the JavaScript
[HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to Kotlin\n
*\npublic external abstract class HTMLInputElement : HTMLElement {\n  open val htmlFor: DOMTokenList\n
open val form: HTMLFormElement?\n  open var name: String\n  open val type: String\n  open var
defaultValue: String\n  open var value: String\n  open val willValidate: Boolean\n  open val validity:
ValidityState\n  open val validationMessage: String\n  open val labels: NodeList\n  fun checkValidity():
Boolean\n  fun reportValidity(): Boolean\n  fun setCustomValidity(error: String): Unit\n}\n\n**\n * Exposes the
JavaScript [HTMLProgressElement](https://developer.mozilla.org/en/docs/Web/API/HTMLProgressElement) to
Kotlin\n
*\npublic external abstract class HTMLProgressElement : HTMLElement {\n  open var value: Double\n
open var max: Double\n  open val
position: Double\n  open val labels: NodeList\n}\n\n**\n * Exposes the JavaScript
[HTMLMeterElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMeterElement) to Kotlin\n
*\npublic
external abstract class HTMLMeterElement : HTMLElement {\n  open var value: Double\n  open var min:
Double\n  open var max: Double\n  open var low: Double\n  open var high: Double\n  open var optimum:
Double\n  open val labels: NodeList\n}\n\n**\n * Exposes the JavaScript
[HTMLFieldSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFieldSetElement) to Kotlin\n
*\npublic external abstract class HTMLFieldSetElement : HTMLElement {\n  open var disabled: Boolean\n
open val form: HTMLFormElement?\n  open var name: String\n  open val type: String\n  open val elements:
HTMLCollection\n  open val willValidate: Boolean\n  open val validity: ValidityState\n  open val
validationMessage: String\n  fun checkValidity(): Boolean\n  fun reportValidity(): Boolean\n
  fun setCustomValidity(error: String): Unit\n}\n\n**\n * Exposes the JavaScript
[HTMLLegendElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLegendElement) to Kotlin\n
*\npublic external abstract class HTMLLegendElement : HTMLElement {\n  open val form:
HTMLFormElement?\n  open var align: String\n}\n\n**\n * Exposes the JavaScript
[ValidityState](https://developer.mozilla.org/en/docs/Web/API/ValidityState) to Kotlin\n
*\npublic external
abstract class ValidityState {\n  open val valueMissing: Boolean\n  open val typeMismatch: Boolean\n  open val
patternMismatch: Boolean\n  open val tooLong: Boolean\n  open val tooShort: Boolean\n  open val
rangeUnderflow: Boolean\n  open val rangeOverflow: Boolean\n  open val stepMismatch: Boolean\n  open val
badInput: Boolean\n  open val customError: Boolean\n  open val valid: Boolean\n}\n\n**\n * Exposes the
JavaScript [HTMLDetailsElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDetailsElement) to
Kotlin\n
*\npublic external abstract class HTMLDetailsElement : HTMLElement {\n  open var open:
Boolean\n}\n\npublic external abstract class HTMLMenuElement : HTMLElement {\n  open var type: String\n
open var label: String\n  open var compact: Boolean\n}\n\npublic external abstract class HTMLMenuItemElement
: HTMLElement {\n  open var type: String\n  open var label: String\n  open var icon: String\n  open var
disabled: Boolean\n  open var checked: Boolean\n  open var radiogroup: String\n  open var default:
Boolean\n}\n\npublic external open class RelatedEvent(type: String, eventInitDict: RelatedEventInit =
definedExternally) : Event {\n  open val relatedTarget: EventTarget?\n}\n\npublic external interface
RelatedEventInit : EventInit {\n  var relatedTarget: EventTarget? /* = null */\n  get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline fun RelatedEventInit(relatedTarget:
EventTarget? = null,
  bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): RelatedEventInit {\n
val o
= js("{}")\n  o["relatedTarget"] = relatedTarget\n  o["bubbles"] = bubbles\n  o["cancelable"] =
cancelable\n  o["composed"] = composed\n\n  return o\n}\n\n**\n * Exposes the JavaScript
[HTMLDialogElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDialogElement) to Kotlin\n
*\npublic external abstract class HTMLDialogElement : HTMLElement {\n  open var open: Boolean\n  open var

```

```

returnValue: String\n fun show(anchor: UnionElementOrMouseEvent = definedExternally): Unit\n fun
showModal(anchor: UnionElementOrMouseEvent = definedExternally): Unit\n fun close(returnValue: String =
definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript
[HTMLScriptElement](https://developer.mozilla.org/en/docs/Web/API/HTMLScriptElement) to Kotlin\n */\npublic
external abstract class HTMLScriptElement : HTMLInputElement, HTMLCanvasElement {\n
open var src: String\n open var type: String\n open var charset: String\n open var async: Boolean\n open
var defer: Boolean\n open var crossOrigin: String?\n open var text: String\n open var nonce: String\n open
var event: String\n open var htmlFor: String\n}\n\n/**\n * Exposes the JavaScript
[HTMLTemplateElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTemplateElement) to Kotlin\n
*/\npublic external abstract class HTMLTemplateElement : HTMLInputElement {\n open val content:
DocumentFragment\n}\n\n/**\n * Exposes the JavaScript
[HTMLSlotElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSlotElement) to Kotlin\n */\npublic
external abstract class HTMLSlotElement : HTMLInputElement {\n open var name: String\n fun
assignedNodes(options: AssignedNodesOptions = definedExternally): Array<Node>\n}\n\npublic external interface
AssignedNodesOptions {\n var flatten: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
inline fun AssignedNodesOptions(flatten: Boolean? = false): AssignedNodesOptions {\n val o = js("{}")\n
o["flatten"] = flatten\n return o\n}\n\n/**\n * Exposes the JavaScript
[HTMLCanvasElement](https://developer.mozilla.org/en/docs/Web/API/HTMLCanvasElement) to Kotlin\n
*/\npublic external abstract class HTMLCanvasElement : HTMLInputElement, TexImageSource {\n open var width:
Int\n open var height: Int\n fun getContext(contextId: String, vararg arguments: Any?): RenderingContext?\n
fun toDataURL(type: String = definedExternally, quality: Any? = definedExternally): String\n fun
toBlob(_callback: (Blob?) -> Unit, type: String = definedExternally, quality: Any? = definedExternally):
Unit\n}\n\npublic external interface CanvasRenderingContext2DSettings {\n var alpha: Boolean? /* = true */\n
get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
inline fun CanvasRenderingContext2DSettings(alpha: Boolean? = true): CanvasRenderingContext2DSettings {\n
val o = js("{}")\n o["alpha"] = alpha\n return o\n}\n\n/**\n * Exposes the JavaScript
[CanvasRenderingContext2D](https://developer.mozilla.org/en/docs/Web/API/CanvasRenderingContext2D) to
Kotlin\n */\npublic external abstract class CanvasRenderingContext2D : CanvasState, CanvasTransform,
CanvasCompositing, CanvasImageSmoothing, CanvasFillStrokeStyles, CanvasShadowStyles, CanvasFilters,
CanvasRect, CanvasDrawPath, CanvasUserInterface, CanvasText, CanvasDrawImage, CanvasHitRegion,
CanvasImageData, CanvasPathDrawingStyles, CanvasTextDrawingStyles, CanvasPath, RenderingContext {\n
open val canvas: HTMLCanvasElement\n}\n\npublic external interface CanvasState {\n fun save(): Unit\n fun
restore(): Unit\n}\n\npublic external interface CanvasTransform {\n fun scale(x: Double, y: Double): Unit\n fun
rotate(angle: Double): Unit\n fun translate(x: Double,
y: Double): Unit\n fun transform(a: Double, b: Double, c: Double, d: Double, e: Double, f: Double): Unit\n fun
getTransform(): DOMMatrix\n fun setTransform(a: Double, b: Double, c: Double, d: Double, e: Double, f:
Double): Unit\n fun setTransform(transform: dynamic = definedExternally): Unit\n fun resetTransform():
Unit\n}\n\npublic external interface CanvasCompositing {\n var globalAlpha: Double\n var
globalCompositeOperation: String\n}\n\npublic external interface CanvasImageSmoothing {\n var
imageSmoothingEnabled: Boolean\n var imageSmoothingQuality: ImageSmoothingQuality\n}\n\npublic external
interface CanvasFillStrokeStyles {\n var strokeStyle: dynamic\n var fillStyle: dynamic\n fun
createLinearGradient(x0: Double, y0: Double, x1: Double, y1: Double): CanvasGradient\n fun
createRadialGradient(x0: Double, y0: Double, r0: Double, x1: Double, y1: Double, r1: Double): CanvasGradient\n
fun createPattern(image: dynamic, repetition: String):
CanvasPattern?\n}\n\npublic external interface CanvasShadowStyles {\n var shadowOffsetX: Double\n var
shadowOffsetY: Double\n var shadowBlur: Double\n var shadowColor: String\n}\n\npublic external interface
CanvasFilters {\n var filter: String\n}\n\npublic external interface CanvasRect {\n fun clearRect(x: Double, y:

```

```

Double, w: Double, h: Double): Unit\n fun fillRect(x: Double, y: Double, w: Double, h: Double): Unit\n fun
strokeRect(x: Double, y: Double, w: Double, h: Double): Unit\n}\n\npublic external interface CanvasDrawPath {\n
fun beginPath(): Unit\n fun fill(fillRule: CanvasFillRule = definedExternally): Unit\n fun fill(path: Path2D,
fillRule: CanvasFillRule = definedExternally): Unit\n fun stroke(): Unit\n fun stroke(path: Path2D): Unit\n fun
clip(fillRule: CanvasFillRule = definedExternally): Unit\n fun clip(path: Path2D, fillRule: CanvasFillRule =
definedExternally): Unit\n fun resetClip(): Unit\n fun isPointInPath(x: Double,
y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n fun isPointInPath(path: Path2D, x: Double,
y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n fun isPointInStroke(x: Double, y: Double):
Boolean\n fun isPointInStroke(path: Path2D, x: Double, y: Double): Boolean\n}\n\npublic external interface
CanvasUserInterface {\n fun drawFocusIfNeeded(element: Element): Unit\n fun drawFocusIfNeeded(path:
Path2D, element: Element): Unit\n fun scrollPathIntoView(): Unit\n fun scrollPathIntoView(path: Path2D):
Unit\n}\n\npublic external interface CanvasText {\n fun fillText(text: String, x: Double, y: Double, maxWidth:
Double = definedExternally): Unit\n fun strokeText(text: String, x: Double, y: Double, maxWidth: Double =
definedExternally): Unit\n fun measureText(text: String): TextMetrics\n}\n\npublic external interface
CanvasDrawImage {\n fun drawImage(image: dynamic, dx: Double, dy: Double): Unit\n fun drawImage(image:
dynamic,
dx: Double, dy: Double, dw: Double, dh: Double): Unit\n fun drawImage(image: dynamic, sx: Double, sy:
Double, sw: Double, sh: Double, dx: Double, dy: Double, dw: Double, dh: Double): Unit\n}\n\npublic external
interface CanvasHitRegion {\n fun addHitRegion(options: HitRegionOptions = definedExternally): Unit\n fun
removeHitRegion(id: String): Unit\n fun clearHitRegions(): Unit\n}\n\npublic external interface
CanvasImageData {\n fun createImageData(sw: Double, sh: Double): ImageData\n fun
createImageData(imagedata: ImageData): ImageData\n fun getImageData(sx: Double, sy: Double, sw: Double, sh:
Double): ImageData\n fun putImageData(imagedata: ImageData, dx: Double, dy: Double): Unit\n fun
putImageData(imagedata: ImageData, dx: Double, dy: Double, dirtyX: Double, dirtyY: Double, dirtyWidth: Double,
dirtyHeight: Double): Unit\n}\n\npublic external interface CanvasPathDrawingStyles {\n var lineWidth: Double\n
var lineCap: CanvasLineCap\n var lineJoin:
CanvasLineJoin\n var miterLimit: Double\n var lineDashOffset: Double\n fun setLineDash(segments:
Array<Double>): Unit\n fun getLineDash(): Array<Double>}\n}\n\npublic external interface
CanvasTextDrawingStyles {\n var font: String\n var textAlign: CanvasTextAlign\n var textBaseline:
CanvasTextBaseline\n var direction: CanvasDirection\n}\n\npublic external interface CanvasPath {\n fun
closePath(): Unit\n fun moveTo(x: Double, y: Double): Unit\n fun lineTo(x: Double, y: Double): Unit\n fun
quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double): Unit\n fun bezierCurveTo(cp1x: Double,
cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double): Unit\n fun arcTo(x1: Double, y1: Double, x2:
Double, y2: Double, radius: Double): Unit\n fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radiusX:
Double, radiusY: Double, rotation: Double): Unit\n fun rect(x: Double, y: Double, w: Double, h: Double): Unit\n
fun arc(x: Double,
y: Double, radius: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean = definedExternally):
Unit\n fun ellipse(x: Double, y: Double, radiusX: Double, radiusY: Double, rotation: Double, startAngle: Double,
endAngle: Double, anticlockwise: Boolean = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript
[CanvasGradient](https://developer.mozilla.org/en/docs/Web/API/CanvasGradient) to Kotlin\n */\n\npublic external
abstract class CanvasGradient {\n fun addColorStop(offset: Double, color: String): Unit\n}\n\n/**\n * Exposes the
JavaScript [CanvasPattern](https://developer.mozilla.org/en/docs/Web/API/CanvasPattern) to Kotlin\n */\n\npublic
external abstract class CanvasPattern {\n fun setTransform(transform: dynamic = definedExternally):
Unit\n}\n\n}\n\n/**\n * Exposes the JavaScript
[TextMetrics](https://developer.mozilla.org/en/docs/Web/API/TextMetrics) to Kotlin\n */\n\npublic external abstract
class TextMetrics {\n open val width: Double\n open val actualBoundingBoxLeft:
Double\n open val actualBoundingBoxRight: Double\n open val fontBoundingBoxAscent: Double\n open val
fontBoundingBoxDescent: Double\n open val actualBoundingBoxAscent: Double\n open val

```

```

actualBoundingBoxDescent: Double\n open val emHeightAscent: Double\n open val emHeightDescent:
Double\n open val hangingBaseline: Double\n open val alphabeticBaseline: Double\n open val
ideographicBaseline: Double\n}\n\npublic external interface HitRegionOptions {\n var path: Path2D? /* = null
*/\n get() = definedExternally\n set(value) = definedExternally\n var fillRule: CanvasFillRule? /* =
CanvasFillRule.NONZERO */\n get() = definedExternally\n set(value) = definedExternally\n var id:
String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var parentID: String? /*
= null */\n get() = definedExternally\n set(value) = definedExternally\n var cursor: String? /* =
\"inherit\" */\n get() = definedExternally\n set(value) = definedExternally\n var control: Element? /* =
null */\n get() = definedExternally\n set(value) = definedExternally\n var label: String? /* = null */\n
get() = definedExternally\n set(value) = definedExternally\n var role: String? /* = null */\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
HitRegionOptions(path: Path2D? = null, fillRule: CanvasFillRule? = CanvasFillRule.NONZERO, id: String? = \"\",
parentID: String? = null, cursor: String? = \"inherit\", control: Element? = null, label: String? = null, role: String? =
null): HitRegionOptions {\n val o = js(\"({})\")\n o[\"path\"] = path\n o[\"fillRule\"] = fillRule\n o[\"id\"] =
id\n o[\"parentID\"] = parentID\n o[\"cursor\"] = cursor\n o[\"control\"] = control\n o[\"label\"] = label\n
o[\"role\"] = role\n\n return o\n}\n\n/**\n
* Exposes the JavaScript [ImageData](https://developer.mozilla.org/en/docs/Web/API/ImageData) to Kotlin\n
*/\n\npublic external open class ImageData : TexImageSource {\n constructor(sw: Int, sh: Int)\n constructor(data:
Uint8ClampedArray, sw: Int, sh: Int = definedExternally)\n open val width: Int\n open val height: Int\n open
val data: Uint8ClampedArray\n}\n\n/**\n
* Exposes the JavaScript
[Path2D](https://developer.mozilla.org/en/docs/Web/API/Path2D) to Kotlin\n */\n\npublic external open class
Path2D() : CanvasPath {\n constructor(path: Path2D)\n constructor(paths: Array<Path2D>, fillRule:
CanvasFillRule = definedExternally)\n constructor(d: String)\n fun addPath(path: Path2D, transform: dynamic =
definedExternally): Unit\n override fun closePath(): Unit\n override fun moveTo(x: Double, y: Double): Unit\n
override fun lineTo(x: Double, y: Double): Unit\n override fun quadraticCurveTo(cpx: Double, cpy: Double, x:
Double, y: Double): Unit\n
override fun bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double):
Unit\n override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius: Double): Unit\n override fun
arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY: Double, rotation: Double):
Unit\n override fun rect(x: Double, y: Double, w: Double, h: Double): Unit\n override fun arc(x: Double, y:
Double, radius: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean /* = definedExternally */):
Unit\n override fun ellipse(x: Double, y: Double, radiusX: Double, radiusY: Double, rotation: Double, startAngle:
Double, endAngle: Double, anticlockwise: Boolean /* = definedExternally */): Unit\n}\n\n/**\n
* Exposes the
JavaScript [Touch](https://developer.mozilla.org/en/docs/Web/API/Touch) to Kotlin\n */\n\npublic external abstract
class Touch {\n open val region: String?\n}\n\n/**\n
* Exposes the JavaScript
[ImageBitmapRenderingContext](https://developer.mozilla.org/en/docs/Web/API/ImageBitmapRenderingContext)
to Kotlin\n */\n\npublic external abstract class ImageBitmapRenderingContext {\n open val canvas:
HTMLCanvasElement\n fun transferFromImageBitmap(bitmap: ImageBitmap?): Unit\n}\n\npublic external
interface ImageBitmapRenderingContextSettings {\n var alpha: Boolean? /* = true */\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ImageBitmapRenderingContextSettings(alpha: Boolean? = true): ImageBitmapRenderingContextSettings {\n val o
= js(\"({})\")\n o[\"alpha\"] = alpha\n\n return o\n}\n\n/**\n
* Exposes the JavaScript
[CustomElementRegistry](https://developer.mozilla.org/en/docs/Web/API/CustomElementRegistry) to Kotlin\n
*/\n\npublic external abstract class CustomElementRegistry {\n fun define(name: String, constructor: () -> dynamic,
options: ElementDefinitionOptions = definedExternally): Unit\n fun
get(name: String): Any?\n fun whenDefined(name: String): Promise<Unit>\n}\n\npublic external interface
ElementDefinitionOptions {\n var extends: String?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ElementDefinitionOptions(extends: String?

```

```

= null): ElementDefinitionOptions {
    val o = js("{}")
    o["extends"] = extends
    return o
}

public external interface ElementContentEditable {
    var contentEditable: String
    val isContentEditable: Boolean
}

/** Exposes the JavaScript
[DataTransfer](https://developer.mozilla.org/en/docs/Web/API/DataTransfer) to Kotlin
*/
public external abstract class DataTransfer {
    open var dropEffect: String
    open var effectAllowed: String
    open val items: DataTransferItemList
    open val types: Array<out String>
    open val files: FileList
    fun setDragImage(image: Element, x: Int, y: Int): Unit
    fun getData(format: String): String
    fun setData(format: String, data: String): Unit
    fun clearData(format: String = definedExternally): Unit
}

/** Exposes the JavaScript
[DataTransferItemList](https://developer.mozilla.org/en/docs/Web/API/DataTransferItemList) to Kotlin
*/
public external abstract class DataTransferItemList {
    open val length: Int
    fun add(data: String, type: String): DataTransferItem
    fun add(data: File): DataTransferItem
    fun remove(index: Int): Unit
    fun clear(): Unit
}

@kotlin.internal.InlineOnly inline operator fun DataTransferItemList.get(index: Int): DataTransferItem? =
asDynamic()[index]

/** Exposes the JavaScript
[DataTransferItem](https://developer.mozilla.org/en/docs/Web/API/DataTransferItem) to Kotlin
*/
public external abstract class DataTransferItem {
    open val kind: String
    open val type: String
    fun getAsString(_callback: ((String) -> Unit)?): Unit
    fun getAsFile(): File?
}

/** Exposes the JavaScript
[DragEvent](https://developer.mozilla.org/en/docs/Web/API/TouchEvent) to Kotlin
*/
public external open class DragEvent(type: String, eventInitDict: DragEventInit = definedExternally) : MouseEvent {
    open val dataTransfer: DataTransfer?
}

public external interface DragEventInit : MouseEventInit {
    var dataTransfer: DataTransfer? /* = null */
    get() = definedExternally
    set(value) = definedExternally
}

@kotlin.internal.InlineOnly
public inline fun DragEventInit(dataTransfer: DataTransfer? = null, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): DragEventInit {
    val o = js("{}")
    o["dataTransfer"] = dataTransfer
    o["screenX"] = screenX
    o["screenY"] = screenY
    o["clientX"] = clientX
    o["clientY"] = clientY
    o["button"] = button
    o["buttons"] = buttons
    o["relatedTarget"] = relatedTarget
    o["ctrlKey"] = ctrlKey
    o["shiftKey"] = shiftKey
    o["altKey"] = altKey
    o["metaKey"] = metaKey
    o["modifierAltGraph"] = modifierAltGraph
    o["modifierCapsLock"] = modifierCapsLock
    o["modifierFn"] = modifierFn
    o["modifierFnLock"] = modifierFnLock
    o["modifierHyper"] = modifierHyper
    o["modifierNumLock"] = modifierNumLock
    o["modifierScrollLock"] = modifierScrollLock
    o["modifierSuper"] = modifierSuper
    o["modifierSymbol"] = modifierSymbol
    o["modifierSymbolLock"] = modifierSymbolLock
    o["view"] = view
    o["detail"] = detail
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
}

return o
}

public external abstract class BarProp {
    open val visible: Boolean
}

/** Exposes the JavaScript
[History](https://developer.mozilla.org/en/docs/Web/API/History) to Kotlin
*/
public external abstract class History {
    open val length: Int
    open var scrollRestoration: ScrollRestoration
    open val state: Any?
    fun go(delta: Int = definedExternally): Unit
    fun back(): Unit
    fun forward(): Unit
    fun pushState(data: Any?, title: String, url: String? = definedExternally): Unit
    fun replaceState(data: Any?, title: String, url: String? = definedExternally): Unit
}

/** Exposes the JavaScript
[Location](https://developer.mozilla.org/en/docs/Web/API/Location)

```

```

to Kotlin\n *\npublic external abstract class Location {\n  open var href: String\n  open val origin: String\n  open var protocol: String\n  open var host: String\n  open var hostname: String\n  open var port: String\n  open var pathname: String\n  open var search: String\n  open var hash: String\n  open val ancestorOrigins: Array<out String>\n  fun assign(url: String): Unit\n  fun replace(url: String): Unit\n  fun reload(): Unit\n}\n\n/**\n * Exposes the JavaScript [PopStateEvent](https://developer.mozilla.org/en/docs/Web/API/PopStateEvent) to Kotlin\n *\npublic external open class PopStateEvent(type: String, eventInitDict: PopStateEventInit = definedExternally) : Event {\n  open val state: Any?\n}\n\npublic external interface PopStateEventInit : EventInit {\n  var state: Any? /* = null */\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun PopStateEventInit(state: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PopStateEventInit {\n  val o = js("{}")\n  o["state"] = state\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript [HashChangeEvent](https://developer.mozilla.org/en/docs/Web/API/HashChangeEvent) to Kotlin\n *\npublic external open class HashChangeEvent(type: String, eventInitDict: HashChangeEventInit = definedExternally) : Event {\n  open val oldURL: String\n  open val newURL: String\n}\n\npublic external interface HashChangeEventInit : EventInit {\n  var oldURL: String? /* = "" */\n  get() = definedExternally\n  set(value) = definedExternally\n  var newURL: String? /* = "" */\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun HashChangeEventInit(oldURL: String? = "", newURL: String? = "", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): HashChangeEventInit {\n  val o = js("{}")\n  o["oldURL"] = oldURL\n  o["newURL"] = newURL\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript [PageTransitionEvent](https://developer.mozilla.org/en/docs/Web/API/PageTransitionEvent) to Kotlin\n *\npublic external open class PageTransitionEvent(type: String, eventInitDict: PageTransitionEventInit = definedExternally) : Event {\n  open val persisted: Boolean\n}\n\npublic external interface PageTransitionEventInit : EventInit {\n  var persisted: Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun PageTransitionEventInit(persisted: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PageTransitionEventInit {\n  val o = js("{}")\n  o["persisted"] = persisted\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript [BeforeUnloadEvent](https://developer.mozilla.org/en/docs/Web/API/BeforeUnloadEvent) to Kotlin\n *\npublic external open class BeforeUnloadEvent : Event {\n  var returnValue: String\n}\n\npublic external abstract class ApplicationCache : EventTarget {\n  open val status: Short\n  open var onchecking: ((Event) -> dynamic)?\n  open var onerror: ((Event) -> dynamic)?\n  open var onnoupdate: ((Event) -> dynamic)?\n  open var ondownloading: ((Event) -> dynamic)?\n  open var onprogress: ((Event) -> dynamic)?\n  open var onunreadystatechange: ((Event) -> dynamic)?\n  open var oncached: ((Event) -> dynamic)?\n  open var onobsolete: ((Event) -> dynamic)?\n  fun update(): Unit\n  fun abort(): Unit\n  fun swapCache(): Unit\n}\n\ncompanion object {\n  val UNCACHED: Short\n  val IDLE: Short\n  val CHECKING: Short\n  val DOWNLOADING: Short\n  val UPDATEREADY: Short\n  val OBSOLETE: Short\n}\n}\n\n/**\n * Exposes the JavaScript [NavigatorOnLine](https://developer.mozilla.org/en/docs/Web/API/NavigatorOnLine) to Kotlin\n *\npublic external interface NavigatorOnLine {\n  val onLine: Boolean\n}\n\n/**\n * Exposes the JavaScript [ErrorEvent](https://developer.mozilla.org/en/docs/Web/API/ErrorEvent) to Kotlin\n *\npublic external open class ErrorEvent(type: String, eventInitDict: ErrorEventInit = definedExternally) : Event {\n  open val message: String\n  open val filename: String\n  open val lineno: Int\n  open val colno: Int\n  open val error: Any?\n}\n\npublic external interface ErrorEventInit : EventInit {\n  var message: String? /* = "" */\n  get() = definedExternally\n  set(value) = definedExternally\n  var filename: String?

```

```

/* = \" *^n    get() = definedExternally\n    set(value) = definedExternally\n    var lineno: Int? /* = 0 *^n
get() = definedExternally\n    set(value) = definedExternally\n    var colno: Int? /* = 0 *^n    get() =
definedExternally\n    set(value) = definedExternally\n    var error: Any? /* = null *^n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ErrorEventInit(message: String? = \"\", filename: String? = \"\", lineno: Int? = 0, colno: Int? = 0, error: Any? = null,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ErrorEventInit {\n    val o =
js(\"({})\")\n\n    o[\"message\"] = message\n    o[\"filename\"] = filename\n    o[\"lineno\"] = lineno\n    o[\"colno\"]
= colno\n    o[\"error\"] = error\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"]
= composed\n\n    return o\n}\n\n/* Exposes the
JavaScript [PromiseRejectionEvent](https://developer.mozilla.org/en/docs/Web/API/PromiseRejectionEvent) to
Kotlin\n *^n\npublic external open class PromiseRejectionEvent(type: String, eventInitDict:
PromiseRejectionEventInit) : Event {\n    open val promise: Promise<Any?>\n    open val reason:
Any?}\n\npublic external interface PromiseRejectionEventInit : EventInit {\n    var promise: Promise<Any?>?\n
get() = definedExternally\n    set(value) = definedExternally\n    var reason: Any?\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
PromiseRejectionEventInit(promise: Promise<Any?>?, reason: Any? = null, bubbles: Boolean? = false, cancelable:
Boolean? = false, composed: Boolean? = false): PromiseRejectionEventInit {\n    val o = js(\"({})\")\n\n
o[\"promise\"] = promise\n    o[\"reason\"] = reason\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] =
cancelable\n    o[\"composed\"] = composed\n\n    return o\n}\n\n/* Exposes the JavaScript
[GlobalEventHandlers](https://developer.mozilla.org/en/docs/Web/API/GlobalEventHandlers) to Kotlin\n
*^n\npublic external interface GlobalEventHandlers {\n    var onabort: ((Event) -> dynamic)?\n    var onblur: ((Event)
-> dynamic)?\n    var oncancel: ((Event) -> dynamic)?\n    var oncanplay: ((Event) -> dynamic)?\n    var
oncanplaythrough: ((Event) -> dynamic)?\n    var onchange: ((Event) -> dynamic)?\n    var onclick: ((Event) ->
dynamic)?\n    var onclose: ((Event) -> dynamic)?\n    var oncontextmenu: ((Event) -> dynamic)?\n    var
oncuechange: ((Event) -> dynamic)?\n    var ondblclick: ((Event) -> dynamic)?\n    var ondrag: ((Event) ->
dynamic)?\n    var ondragend: ((Event) -> dynamic)?\n    var ondragenter: ((Event) -> dynamic)?\n    var ondragexit:
((Event) -> dynamic)?\n    var ondragleave: ((Event) -> dynamic)?\n    var ondragover: ((Event) -> dynamic)?\n
var ondragstart: ((Event) -> dynamic)?\n    var ondrop: ((Event) -> dynamic)?\n
var ondurationchange: ((Event) -> dynamic)?\n    var onemptied: ((Event) -> dynamic)?\n    var onended: ((Event)
-> dynamic)?\n    var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n    var onfocus: ((Event) ->
dynamic)?\n    var oninput: ((Event) -> dynamic)?\n    var oninvalid: ((Event) -> dynamic)?\n    var onkeydown:
((Event) -> dynamic)?\n    var onkeypress: ((Event) -> dynamic)?\n    var onkeyup: ((Event) -> dynamic)?\n    var
onload: ((Event) -> dynamic)?\n    var onloadeddata: ((Event) -> dynamic)?\n    var onloadedmetadata: ((Event) ->
dynamic)?\n    var onloadend: ((Event) -> dynamic)?\n    var onloadstart: ((Event) -> dynamic)?\n    var
onmousedown: ((Event) -> dynamic)?\n    var onmouseenter: ((Event) -> dynamic)?\n    var onmouseleave: ((Event)
-> dynamic)?\n    var onmousemove: ((Event) -> dynamic)?\n    var onmouseout: ((Event) -> dynamic)?\n    var
onmouseover: ((Event) -> dynamic)?\n    var onmouseup: ((Event) -> dynamic)?\n    var onwheel: ((Event)
-> dynamic)?\n    var onpause: ((Event) -> dynamic)?\n    var onplay: ((Event) -> dynamic)?\n    var onplaying:
((Event) -> dynamic)?\n    var onprogress: ((Event) -> dynamic)?\n    var onratechange: ((Event) -> dynamic)?\n
var onreset: ((Event) -> dynamic)?\n    var onresize: ((Event) -> dynamic)?\n    var onscroll: ((Event) -> dynamic)?\n
var onseeked: ((Event) -> dynamic)?\n    var onseeking: ((Event) -> dynamic)?\n    var onselect: ((Event) ->
dynamic)?\n    var onshow: ((Event) -> dynamic)?\n    var onstalled: ((Event) -> dynamic)?\n    var onsubmit:
((Event) -> dynamic)?\n    var onsuspend: ((Event) -> dynamic)?\n    var ontimeupdate: ((Event) -> dynamic)?\n
var ontoggle: ((Event) -> dynamic)?\n    var onvolumechange: ((Event) -> dynamic)?\n    var onwaiting: ((Event) ->
dynamic)?\n}\n\n/* Exposes the JavaScript
[WindowEventHandlers](https://developer.mozilla.org/en/docs/Web/API/WindowEventHandlers) to Kotlin\n
*^n\npublic external interface WindowEventHandlers

```

```

{\n  var onafterprint: ((Event) -> dynamic)?\n  var onbeforeprint: ((Event) -> dynamic)?\n  var onbeforeunload:
((Event) -> String?)?\n  var onhashchange: ((Event) -> dynamic)?\n  var onlanguagechange: ((Event) ->
dynamic)?\n  var onmessage: ((Event) -> dynamic)?\n  var onoffline: ((Event) -> dynamic)?\n  var ononline:
((Event) -> dynamic)?\n  var onpagehide: ((Event) -> dynamic)?\n  var onpageshow: ((Event) -> dynamic)?\n
var onpopstate: ((Event) -> dynamic)?\n  var onrejectionhandled: ((Event) -> dynamic)?\n  var onstorage:
((Event) -> dynamic)?\n  var onunhandledrejection: ((Event) -> dynamic)?\n  var onunload: ((Event) ->
dynamic)?\n}\n\npublic external interface DocumentAndElementEventHandlers {\n  var oncopy: ((Event) ->
dynamic)?\n  var oncut: ((Event) -> dynamic)?\n  var onpaste: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the
JavaScript
[WindowOrWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WindowOrWorkerGlobalScope)
to Kotlin\n
*/\n\npublic external interface WindowOrWorkerGlobalScope {\n  val caches: CacheStorage\n  val origin: String\n
fun fetch(input: dynamic, init: RequestInit = definedExternally): Promise<Response>\n  fun btoa(data: String):
String\n  fun atob(data: String): String\n  fun setTimeout(handler: dynamic, timeout: Int = definedExternally,
vararg arguments: Any?): Int\n  fun clearTimeout(handle: Int = definedExternally): Unit\n  fun
setInterval(handler: dynamic, timeout: Int = definedExternally, vararg arguments: Any?): Int\n  fun
clearInterval(handle: Int = definedExternally): Unit\n  fun createImageBitmap(image: dynamic, options:
ImageBitmapOptions = definedExternally): Promise<ImageBitmap>\n  fun createImageBitmap(image: dynamic,
sx: Int, sy: Int, sw: Int, sh: Int, options: ImageBitmapOptions = definedExternally):
Promise<ImageBitmap>\n}\n\n/**\n * Exposes the JavaScript
[Navigator](https://developer.mozilla.org/en/docs/Web/API/Navigator) to Kotlin\n */\n\npublic
external abstract class Navigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorContentUtils,
NavigatorCookies, NavigatorPlugins, NavigatorConcurrentHardware {\n  open val serviceWorker:
ServiceWorkerContainer\n  fun vibrate(pattern: dynamic): Boolean\n}\n\n/**\n * Exposes the JavaScript
[NavigatorID](https://developer.mozilla.org/en/docs/Web/API/NavigatorID) to Kotlin\n */\n\npublic external interface
NavigatorID {\n  val appCodeName: String\n  val appName: String\n  val appVersion: String\n  val platform:
String\n  val product: String\n  val productSub: String\n  val userAgent: String\n  val vendor: String\n  val
vendorSub: String\n  val oscpu: String\n  fun taintEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript
[NavigatorLanguage](https://developer.mozilla.org/en/docs/Web/API/NavigatorLanguage) to Kotlin\n */\n\npublic
external interface NavigatorLanguage {\n  val language: String\n  val languages: Array<out String>\n}\n\npublic
external
interface NavigatorContentUtils {\n  fun registerProtocolHandler(scheme: String, url: String, title: String): Unit\n
fun registerContentHandler(mimeType: String, url: String, title: String): Unit\n  fun
isProtocolHandlerRegistered(scheme: String, url: String): String\n  fun isContentHandlerRegistered(mimeType:
String, url: String): String\n  fun unregisterProtocolHandler(scheme: String, url: String): Unit\n  fun
unregisterContentHandler(mimeType: String, url: String): Unit\n}\n\npublic external interface NavigatorCookies
{\n  val cookieEnabled: Boolean\n}\n\n/**\n * Exposes the JavaScript
[NavigatorPlugins](https://developer.mozilla.org/en/docs/Web/API/NavigatorPlugins) to Kotlin\n */\n\npublic
external interface NavigatorPlugins {\n  val plugins: PluginArray\n  val mimeTypes: MimeTypeError\n  fun
javaEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript
[PluginArray](https://developer.mozilla.org/en/docs/Web/API/PluginArray) to Kotlin\n */\n\npublic external abstract
class PluginArray : ItemArrayLike<Plugin> {\n  override val length: Int\n  fun refresh(reload: Boolean =
definedExternally): Unit\n  override fun item(index: Int): Plugin?\n  fun namedItem(name: String):
Plugin?\n}\n\n@kotlin.internal.InlineOnly inline operator fun PluginArray.get(index: Int): Plugin? =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun PluginArray.get(name: String): Plugin? =
asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[MimeTypeArray](https://developer.mozilla.org/en/docs/Web/API/MimeTypeArray) to Kotlin\n */\n\npublic external
abstract class MimeTypeArray : ItemArrayLike<MimeType> {\n  override val length: Int\n  override fun

```

```

item(index: Int): MimeTypes? fun namedItem(name: String): MimeTypes? @kotlin.internal.InlineOnly inline
operator fun MimeTypesArray.get(index: Int): MimeTypes? = asDynamic()[index] @kotlin.internal.InlineOnly
inline operator fun MimeTypesArray.get(name: String): MimeTypes? = asDynamic()[name] @kotlin.internal.InlineOnly * Exposes
the JavaScript [Plugin](https://developer.mozilla.org/en/docs/Web/API/Plugin) to Kotlin @kotlin.internal.InlineOnly
abstract class Plugin : ItemArrayLike<MimeTypes> {
    open val name: String
    open val description: String
    open val filename: String
    override val length: Int
    override fun item(index: Int): MimeTypes? fun
namedItem(name: String): MimeTypes? @kotlin.internal.InlineOnly inline operator fun Plugin.get(index: Int):
MimeTypes? = asDynamic()[index] @kotlin.internal.InlineOnly inline operator fun Plugin.get(name: String):
MimeTypes? = asDynamic()[name] @kotlin.internal.InlineOnly * Exposes the JavaScript
[MimeType](https://developer.mozilla.org/en/docs/Web/API/MimeType) to Kotlin @kotlin.internal.InlineOnly
abstract class MimeType {
    open val type: String
    open val description: String
    open val suffixes: String
    open
val enabledPlugin: Plugin @kotlin.internal.InlineOnly * Exposes the JavaScript
[ImageBitmap](https://developer.mozilla.org/en/docs/Web/API/ImageBitmap) to Kotlin @kotlin.internal.InlineOnly
external abstract class ImageBitmap : TexImageSource {
    open val width: Int
    open val height: Int
    fun
close(): Unit @kotlin.internal.InlineOnly
interface ImageBitmapOptions {
    var imageOrientation: ImageOrientation? /*
= ImageOrientation.NONE */
    get() = definedExternally set(value) = definedExternally
    var
premultiplyAlpha: PremultiplyAlpha? /* = PremultiplyAlpha.DEFAULT */
    get() = definedExternally set(value) = definedExternally
    var colorSpaceConversion: ColorSpaceConversion? /* =
ColorSpaceConversion.DEFAULT */
    get() = definedExternally set(value) = definedExternally
    var
resizeWidth: Int?
    get() = definedExternally set(value) = definedExternally
    var resizeHeight: Int?
    get() = definedExternally set(value) = definedExternally
    var resizeQuality: ResizeQuality? /* =
ResizeQuality.LOW */
    get() = definedExternally set(value) =
definedExternally
} @kotlin.internal.InlineOnly
inline fun ImageBitmapOptions(imageOrientation: ImageOrientation? = ImageOrientation.NONE,
premultiplyAlpha: PremultiplyAlpha? = PremultiplyAlpha.DEFAULT, colorSpaceConversion:
ColorSpaceConversion? = ColorSpaceConversion.DEFAULT, resizeWidth: Int? = null, resizeHeight: Int? = null,
resizeQuality: ResizeQuality? = ResizeQuality.LOW): ImageBitmapOptions {
    val o = js("{}")
    o["imageOrientation"] = imageOrientation
    o["premultiplyAlpha"] = premultiplyAlpha
    o["colorSpaceConversion"] = colorSpaceConversion
    o["resizeWidth"] = resizeWidth
    o["resizeHeight"]
= resizeHeight
    o["resizeQuality"] = resizeQuality
    return o
} @kotlin.internal.InlineOnly * Exposes the JavaScript
[MessageEvent](https://developer.mozilla.org/en/docs/Web/API/MessageEvent) to Kotlin @kotlin.internal.InlineOnly
open class MessageEvent(type: String, eventInitDict: MessageEventInit = definedExternally) : Event {
    open val data:
Any?
    open
val origin: String
    open val lastEventId: String
    open val source: UnionMessagePortOrWindow?
    open val
ports: Array<out MessagePort>
    fun initMessageEvent(type: String, bubbles: Boolean, cancelable: Boolean, data:
Any?, origin: String, lastEventId: String, source: UnionMessagePortOrWindow?, ports: Array<MessagePort>):
Unit @kotlin.internal.InlineOnly
interface MessageEventInit : EventInit {
    var data: Any? /* = null */
    get() =
definedExternally
    set(value) = definedExternally
    var origin: String? /* = "" */
    get() =
definedExternally
    set(value) = definedExternally
    var lastEventId: String? /* = "" */
    get() =
definedExternally
    set(value) = definedExternally
    var source: UnionMessagePortOrWindow? /* = null */
    get() = definedExternally
    set(value) = definedExternally
    var ports: Array<MessagePort>? /* =
arrayOf() */
    get() = definedExternally
    set(value) =
definedExternally
} @kotlin.internal.InlineOnly
inline fun MessageEventInit(data: Any? = null, origin: String? = "", lastEventId: String? = "", source:
UnionMessagePortOrWindow? = null, ports: Array<MessagePort>? = arrayOf(), bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): MessageEventInit {
    val o = js("{}")
    o["data"] = data
    o["origin"] = origin
    o["lastEventId"] = lastEventId
    o["source"] = source
    o["ports"] = ports
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] =

```

```

composed\n\n return o\n}\n\n/**\n * Exposes the JavaScript
[EventSource](https://developer.mozilla.org/en/docs/Web/API/EventSource) to Kotlin\n *\npublic external open
class EventSource(url: String, eventSourceInitDict: EventSourceInit = definedExternally) : EventTarget {\n open
val url: String\n open val withCredentials: Boolean\n open val readyState: Short\n var onopen: ((Event) ->
dynamic)?\n
var onmessage: ((Event) -> dynamic)?\n var onerror: ((Event) -> dynamic)?\n fun close(): Unit\n\n
companion object {\n val CONNECTING: Short\n val OPEN: Short\n val CLOSED: Short\n
}\n}\n\npublic external interface EventSourceInit {\n var withCredentials: Boolean? /* = false */\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
EventSourceInit(withCredentials: Boolean? = false): EventSourceInit {\n val o = js("{}")\n\n
o["withCredentials"] = withCredentials\n\n return o\n}\n\n/**\n * Exposes the JavaScript
[WebSocket](https://developer.mozilla.org/en/docs/Web/API/WebSocket) to Kotlin\n *\npublic external open class
WebSocket(url: String, protocols: dynamic = definedExternally) : EventTarget {\n open val url: String\n open
val readyState: Short\n open val bufferedAmount: Int\n var onopen: ((Event) -> dynamic)?\n var onerror:
((Event)
-> dynamic)?\n var onclose: ((Event) -> dynamic)?\n open val extensions: String\n open val protocol: String\n
var onmessage: ((Event) -> dynamic)?\n var binaryType: BinaryType\n fun close(code: Short =
definedExternally, reason: String = definedExternally): Unit\n fun send(data: String): Unit\n fun send(data:
Blob): Unit\n fun send(data: ArrayBuffer): Unit\n fun send(data: ArrayBufferView): Unit\n\n companion
object {\n val CONNECTING: Short\n val OPEN: Short\n val CLOSING: Short\n val CLOSED:
Short\n }\n}\n\n/**\n * Exposes the JavaScript
[CloseEvent](https://developer.mozilla.org/en/docs/Web/API/CloseEvent) to Kotlin\n *\npublic external open class
CloseEvent(type: String, eventInitDict: CloseEventInit = definedExternally) : Event {\n open val wasClean:
Boolean\n open val code: Short\n open val reason: String\n}\n\npublic external interface CloseEventInit :
EventInit {\n var wasClean: Boolean? /* = false */\n
get() = definedExternally\n set(value) = definedExternally\n var code: Short? /* = 0 */\n get() =
definedExternally\n set(value) = definedExternally\n var reason: String? /* = "" */\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
CloseEventInit(wasClean: Boolean? = false, code: Short? = 0, reason: String? = "", bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): CloseEventInit {\n val o = js("{}")\n\n
o["wasClean"] = wasClean\n o["code"] = code\n o["reason"] = reason\n o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n o["composed"] = composed\n\n return o\n}\n\n/**\n * Exposes the JavaScript
[MessageChannel](https://developer.mozilla.org/en/docs/Web/API/MessageChannel) to Kotlin\n *\npublic external
open class MessageChannel {\n open val port1: MessagePort\n open val port2: MessagePort\n}\n\n/**\n *
Exposes the JavaScript [MessagePort](https://developer.mozilla.org/en/docs/Web/API/MessagePort) to Kotlin\n
*\npublic external abstract class MessagePort : EventTarget, UnionMessagePortOrWindow,
UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n open var onmessage:
((Event) -> dynamic)?\n fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally): Unit\n
fun start(): Unit\n fun close(): Unit\n}\n\n/**\n * Exposes the JavaScript
[BroadcastChannel](https://developer.mozilla.org/en/docs/Web/API/BroadcastChannel) to Kotlin\n *\npublic
external open class BroadcastChannel(name: String) : EventTarget {\n open val name: String\n var onmessage:
((Event) -> dynamic)?\n fun postMessage(message: Any?): Unit\n fun close(): Unit\n}\n\n/**\n * Exposes the
JavaScript [WorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WorkerGlobalScope) to Kotlin\n
*\npublic external abstract class WorkerGlobalScope
: EventTarget, WindowOrWorkerGlobalScope, GlobalPerformance {\n open val self: WorkerGlobalScope\n
open val location: WorkerLocation\n open val navigator: WorkerNavigator\n open var onerror: ((dynamic,
String, Int, Int, Any?) -> dynamic)?\n open var onlanguagechange: ((Event) -> dynamic)?\n open var onoffline:
((Event) -> dynamic)?\n open var online: ((Event) -> dynamic)?\n open var onrejectionhandled: ((Event) ->

```

```

dynamic)?\n  open var onunhandledrejection: ((Event) -> dynamic)?\n  fun importScripts(vararg urls: String):
Unit}\n}\n\n/**\n * Exposes the JavaScript
[DedicatedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/DedicatedWorkerGlobalScope) to
Kotlin\n *\npublic external abstract class DedicatedWorkerGlobalScope : WorkerGlobalScope {\n  open var
onmessage: ((Event) -> dynamic)?\n  fun postMessage(message: Any?, transfer: Array<dynamic> =
definedExternally): Unit\n  fun close(): Unit}\n}\n\n/**\n * Exposes the JavaScript
[SharedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/SharedWorkerGlobalScope)
to Kotlin\n *\npublic external abstract class SharedWorkerGlobalScope : WorkerGlobalScope {\n  open val
name: String\n  open val applicationCache: ApplicationCache\n  open var onconnect: ((Event) -> dynamic)?\n
fun close(): Unit}\n}\n\n/**\n * Exposes the JavaScript
[AbstractWorker](https://developer.mozilla.org/en/docs/Web/API/AbstractWorker) to Kotlin\n *\npublic external
interface AbstractWorker {\n  var onerror: ((Event) -> dynamic)?\n}\n}\n\n/**\n * Exposes the JavaScript
[Worker](https://developer.mozilla.org/en/docs/Web/API/Worker) to Kotlin\n *\npublic external open class
Worker(scriptURL: String, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n  var
onmessage: ((Event) -> dynamic)?\n  override var onerror: ((Event) -> dynamic)?\n  fun terminate(): Unit\n  fun
postMessage(message: Any?, transfer: Array<dynamic> = definedExternally): Unit}\n}\n\npublic
external interface WorkerOptions {\n  var type: WorkerType? /* = WorkerType.CLASSIC *\n  get() =
definedExternally\n  set(value) = definedExternally\n  var credentials: RequestCredentials? /* =
RequestCredentials.OMIT *\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun WorkerOptions(type: WorkerType? =
WorkerType.CLASSIC, credentials: RequestCredentials? = RequestCredentials.OMIT): WorkerOptions {\n  val o
= js("{}")\n  o["type"] = type\n  o["credentials"] = credentials\n  return o}\n}\n\n/**\n * Exposes the
JavaScript [SharedWorker](https://developer.mozilla.org/en/docs/Web/API/SharedWorker) to Kotlin\n *\npublic
external open class SharedWorker(scriptURL: String, name: String = definedExternally, options: WorkerOptions =
definedExternally) : EventTarget, AbstractWorker {\n  open val port: MessagePort\n  override var onerror:
((Event) -> dynamic)?\n}\n}\n\n/**\n * Exposes the JavaScript
[NavigatorConcurrentHardware](https://developer.mozilla.org/en/docs/Web/API/NavigatorConcurrentHardware) to
Kotlin\n *\npublic external interface NavigatorConcurrentHardware {\n  val hardwareConcurrency:
Int}\n}\n\n/**\n * Exposes the JavaScript
[WorkerNavigator](https://developer.mozilla.org/en/docs/Web/API/WorkerNavigator) to Kotlin\n *\npublic
external abstract class WorkerNavigator : NavigatorID, NavigatorLanguage, NavigatorOnLine,
NavigatorConcurrentHardware {\n  open val serviceWorker: ServiceWorkerContainer}\n}\n\n/**\n * Exposes the
JavaScript [WorkerLocation](https://developer.mozilla.org/en/docs/Web/API/WorkerLocation) to Kotlin\n
*\npublic external abstract class WorkerLocation {\n  open var href: String\n  open val origin: String\n  open val
protocol: String\n  open val host: String\n  open val hostname: String\n  open val port: String\n  open val
pathname: String\n  open val search: String\n  open val hash: String}\n}\n\n/**\n * Exposes the JavaScript
[Storage](https://developer.mozilla.org/en/docs/Web/API/Storage) to Kotlin\n *\npublic
external abstract class Storage {\n  open val length: Int\n  fun key(index: Int): String?\n  fun getItem(key:
String): String?\n  fun setItem(key: String, value: String): Unit\n  fun removeItem(key: String): Unit\n  fun
clear(): Unit}\n}\n\n@kotlin.internal.InlineOnly inline operator fun Storage.get(key: String): String? =
asDynamic()[key]\n\n@kotlin.internal.InlineOnly inline operator fun Storage.set(key: String, value: String): Unit {
asDynamic()[key] = value; }\n}\n\n/**\n * Exposes the JavaScript
[WindowSessionStorage](https://developer.mozilla.org/en/docs/Web/API/WindowSessionStorage) to Kotlin\n
*\npublic external interface WindowSessionStorage {\n  val sessionStorage: Storage}\n}\n\n/**\n * Exposes the
JavaScript [WindowLocalStorage](https://developer.mozilla.org/en/docs/Web/API/WindowLocalStorage) to
Kotlin\n *\npublic external interface WindowLocalStorage

```

```

{\n  val localStorage: Storage\n}\n\n/**\n * Exposes the JavaScript
[StorageEvent](https://developer.mozilla.org/en/docs/Web/API/StorageEvent) to Kotlin\n *\npublic external open
class StorageEvent(type: String, eventInitDict: StorageEventInit = definedExternally) : Event {\n  open val key:
String?\n  open val oldValue: String?\n  open val newValue: String?\n  open val url: String\n  open val
storageArea: Storage?\n}\n\npublic external interface StorageEventInit : EventInit {\n  var key: String? /* = null
*/\n  get() = definedExternally\n  set(value) = definedExternally\n  var oldValue: String? /* = null */\n
get() = definedExternally\n  set(value) = definedExternally\n  var newValue: String? /* = null */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var url: String? /* = \"\" */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var storageArea: Storage? /* = null */\n  get()
= definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
StorageEventInit(key: String? = null, oldValue: String? = null, newValue: String? = null, url: String? = \"\",
storageArea: Storage? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
StorageEventInit {\n  val o = js(\"({})\")\n  o[\"key\"] = key\n  o[\"oldValue\"] = oldValue\n  o[\"newValue\"]
= newValue\n  o[\"url\"] = url\n  o[\"storageArea\"] = storageArea\n  o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n  o[\"composed\"] = composed\n  return o\n}\n\npublic external abstract class
HTMLAppletElement : HTMLInputElement {\n  open var align: String\n  open var alt: String\n  open var archive:
String\n  open var code: String\n  open var codeBase: String\n  open var height: String\n  open var hspace: Int\n
open var name: String\n  open var _object: String\n  open var vspace: Int\n
open var width: String\n}\n\npublic external abstract class HTMLMarqueeElement : HTMLInputElement {\n  open
var behavior: String\n  open var bgColor: String\n  open var direction: String\n  open var height: String\n  open
var hspace: Int\n  open var loop: Int\n  open var scrollAmount: Int\n  open var scrollDelay: Int\n  open var
trueSpeed: Boolean\n  open var vspace: Int\n  open var width: String\n  open var onbounce: ((Event) ->
dynamic)?\n  open var onfinish: ((Event) -> dynamic)?\n  open var onstart: ((Event) -> dynamic)?\n  fun start():
Unit\n  fun stop(): Unit\n}\n\n/**\n * Exposes the JavaScript
[HTMLFrameSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFrameSetElement) to Kotlin\n
*\npublic external abstract class HTMLFrameSetElement : HTMLInputElement, WindowEventHandlers {\n  open var
cols: String\n  open var rows: String\n}\n\npublic external abstract class HTMLFrameElement : HTMLInputElement {\n
open var name: String\n  open var
scrolling: String\n  open var src: String\n  open var frameBorder: String\n  open var longDesc: String\n  open
var noResize: Boolean\n  open val contentDocument: Document?\n  open val contentWindow: Window?\n  open
var marginHeight: String\n  open var marginWidth: String\n}\n\npublic external abstract class
HTMLDirectoryElement : HTMLInputElement {\n  open var compact: Boolean\n}\n\n/**\n * Exposes the JavaScript
[HTMLFontElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFontElement) to Kotlin\n *\npublic
external abstract class HTMLFontElement : HTMLInputElement {\n  open var color: String\n  open var face: String\n
open var size: String\n}\n\npublic external interface External {\n  fun AddSearchProvider(): Unit\n  fun
IsSearchProviderInstalled(): Unit\n}\n\npublic external interface EventInit {\n  var bubbles: Boolean? /* = false
*/\n  get() = definedExternally\n  set(value) = definedExternally\n  var cancelable: Boolean? /* = false */\n
get() = definedExternally\n  set(value) = definedExternally\n  var composed: Boolean? /* = false */\n
get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
EventInit(bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): EventInit {\n  val
o = js(\"({})\")\n  o[\"bubbles\"] = bubbles\n  o[\"cancelable\"] = cancelable\n  o[\"composed\"] =
composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[CustomEvent](https://developer.mozilla.org/en/docs/Web/API/CustomEvent) to Kotlin\n *\npublic external open
class CustomEvent(type: String, eventInitDict: CustomEventInit = definedExternally) : Event {\n  open val detail:
Any?\n  fun initCustomEvent(type: String, bubbles: Boolean, cancelable: Boolean, detail: Any?): Unit\n}\n\npublic
external interface CustomEventInit : EventInit {\n  var detail: Any? /* = null */\n  get() = definedExternally\n
set(value)

```

```

= definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CustomEventInit(detail: Any? = null,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CustomEventInit {\n  val o
= js("{}")\n  o["detail"] = detail\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n
o["composed"] = composed\n\n  return o\n}\n\npublic external interface EventListenerOptions {\n  var capture:
Boolean? /* = false */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun EventListenerOptions(capture: Boolean? =
false): EventListenerOptions {\n  val o = js("{}")\n  o["capture"] = capture\n  return o\n}\n\npublic
external interface AddEventListenerOptions : EventListenerOptions {\n  var passive: Boolean? /* = false */\n
get() = definedExternally\n  set(value) = definedExternally\n  var once: Boolean? /* = false */\n
get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
inline fun AddEventListenerOptions(passive: Boolean? = false, once: Boolean? = false, capture: Boolean? = false):
AddEventListenerOptions {\n  val o = js("{}")\n  o["passive"] = passive\n  o["once"] = once\n
o["capture"] = capture\n  return o\n}\n\npublic external interface NonElementParentNode {\n  fun
getElementById(elementId: String): Element?\n}\n\n/**\n * Exposes the JavaScript
[DocumentOrShadowRoot](https://developer.mozilla.org/en/docs/Web/API/DocumentOrShadowRoot) to Kotlin\n
*/\n\npublic external interface DocumentOrShadowRoot {\n  val fullscreenElement: Element?\n}\n\n/**\n * Exposes
the JavaScript [ParentNode](https://developer.mozilla.org/en/docs/Web/API/ParentNode) to Kotlin\n
*/\n\npublic external interface ParentNode {\n  val children: HTMLCollection\n  val firstElementChild: Element?\n  val
lastElementChild: Element?\n  val
childElementCount: Int\n  fun prepend(vararg nodes: dynamic): Unit\n  fun append(vararg nodes: dynamic):
Unit\n  fun querySelector(selectors: String): Element?\n  fun querySelectorAll(selectors: String):
NodeList\n}\n\n/**\n * Exposes the JavaScript
[NonDocumentTypeChildNode](https://developer.mozilla.org/en/docs/Web/API/NonDocumentTypeChildNode) to
Kotlin\n
*/\n\npublic external interface NonDocumentTypeChildNode {\n  val previousElementSibling: Element?\n
val nextElementSibling: Element?\n}\n\n/**\n * Exposes the JavaScript
[ChildNode](https://developer.mozilla.org/en/docs/Web/API/ChildNode) to Kotlin\n
*/\n\npublic external interface
ChildNode {\n  fun before(vararg nodes: dynamic): Unit\n  fun after(vararg nodes: dynamic): Unit\n  fun
replaceWith(vararg nodes: dynamic): Unit\n  fun remove(): Unit\n}\n\n/**\n * Exposes the JavaScript
[Slotable](https://developer.mozilla.org/en/docs/Web/API/Slotable) to Kotlin\n
*/\n\npublic external interface Slotable
{\n  val assignedSlot:
HTMLSlotElement?\n}\n\n/**\n * Exposes the JavaScript
[NodeList](https://developer.mozilla.org/en/docs/Web/API/NodeList) to Kotlin\n
*/\n\npublic external abstract class
NodeList : ItemArrayLike<Node> {\n  override val length: Int\n  override fun item(index: Int):
Node?\n}\n\n@kotlin.internal.InlineOnly inline operator fun NodeList.get(index: Int): Node? =
asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[HTMLCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLCollection) to Kotlin\n
*/\n\npublic external abstract class HTMLCollection : UnionElementOrHTMLCollection, ItemArrayLike<Element> {\n
override val length: Int\n  override fun item(index: Int): Element?\n  fun namedItem(name: String):
Element?\n}\n\n@kotlin.internal.InlineOnly inline operator fun HTMLCollection.get(index: Int): Element? =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun HTMLCollection.get(name: String): Element?
= asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[MutationObserver](https://developer.mozilla.org/en/docs/Web/API/MutationObserver)
to Kotlin\n
*/\n\npublic external open class MutationObserver(callback: (Array<MutationRecord>,
MutationObserver) -> Unit) {\n  fun observe(target: Node, options: MutationObserverInit = definedExternally):
Unit\n  fun disconnect(): Unit\n  fun takeRecords(): Array<MutationRecord>\n}\n\npublic external interface
MutationObserverInit {\n  var childList: Boolean? /* = false */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var attributes: Boolean?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var characterData: Boolean?\n  get() = definedExternally\n  set(value) =

```

```

definedExternally\n    var subtree: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var attributeOldValue: Boolean?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var characterDataOldValue:
    Boolean?\n        get() = definedExternally\n        set(value) = definedExternally\n    var attributeFilter:
Array<String>?\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MutationObserverInit(childList: Boolean? =
false, attributes: Boolean? = null, characterData: Boolean? = null, subtree: Boolean? = false, attributeOldValue:
Boolean? = null, characterDataOldValue: Boolean? = null, attributeFilter: Array<String>? = null):
MutationObserverInit {\n    val o = js("{}")\n\n    o["childList"] = childList\n    o["attributes"] = attributes\n
o["characterData"] = characterData\n    o["subtree"] = subtree\n    o["attributeOldValue"] = attributeOldValue\n
o["characterDataOldValue"] = characterDataOldValue\n    o["attributeFilter"] = attributeFilter\n\n    return
o\n}\n\n/**\n * Exposes the JavaScript
[MutationRecord](https://developer.mozilla.org/en/docs/Web/API/MutationRecord) to
Kotlin\n */\npublic external abstract class MutationRecord {\n    open val type: String\n    open val target: Node\n
open val addedNodes: NodeList\n    open val removedNodes: NodeList\n    open val previousSibling: Node?\n
open val nextSibling: Node?\n    open val attributeName: String?\n    open val attributeNamespace: String?\n    open
val oldValue: String?\n}\n\n/**\n * Exposes the JavaScript
[Node](https://developer.mozilla.org/en/docs/Web/API/Node) to Kotlin\n */\npublic external abstract class Node :
EventTarget {\n    open val nodeType: Short\n    open val nodeName: String\n    open val baseURI: String\n    open
val isConnected: Boolean\n    open val ownerDocument: Document?\n    open val parentNode: Node?\n    open val
parentElement: Element?\n    open val childNodes: NodeList\n    open val firstChild: Node?\n    open val lastChild:
Node?\n    open val previousSibling: Node?\n    open val nextSibling: Node?\n    open var nodeValue: String?\n
open var textContent: String?\n
    fun getRootNode(options: GetRootNodeOptions = definedExternally): Node\n    fun hasChildNodes(): Boolean\n
    fun normalize(): Unit\n    fun cloneNode(deep: Boolean = definedExternally): Node\n    fun
isEqualNode(otherNode: Node?): Boolean\n    fun isSameNode(otherNode: Node?): Boolean\n    fun
compareDocumentPosition(other: Node): Short\n    fun contains(other: Node?): Boolean\n    fun
lookupPrefix(namespace: String?): String?\n    fun lookupNamespaceURI(prefix: String?): String?\n    fun
isDefaultNamespace(namespace: String?): Boolean\n    fun insertBefore(node: Node, child: Node?): Node\n    fun
appendChild(node: Node): Node\n    fun replaceChild(node: Node, child: Node): Node\n    fun removeChild(child:
Node): Node\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE:
Short\n        val COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val
DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val
NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val
DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external
interface GetRootNodeOptions {\n    var composed: Boolean? /* = false */\n        get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
GetRootNodeOptions(composed: Boolean? = false): GetRootNodeOptions {\n    val o = js("{}")\n\n    o["composed"] = composed\n\n    return o\n}\n\n/**\n * Exposes the JavaScript
[XMLDocument](https://developer.mozilla.org/en/docs/Web/API/XMLDocument) to
Kotlin\n */\npublic external open class XMLDocument : Document {\n    override fun getElementById(elementId:
String): Element?\n    override fun prepend(vararg nodes: dynamic): Unit\n    override fun append(vararg nodes:
dynamic): Unit\n    override fun querySelector(selectors: String): Element?\n    override fun

```

```

querySelectorAll(selectors: String): NodeList\n  override fun getBoxQuads(options: BoxQuadOptions /* =
definedExternally */): Array<DOMQuad>\n  override fun convertQuadFromNode(quad: dynamic, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun
convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n  override fun convertPointFromNode(point: DOMPointInit, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n}\n\npublic external interface
ElementCreationOptions {\n  @JsName("\is") var is_: String?\n  get()
= definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ElementCreationOptions(is_: String? = null): ElementCreationOptions {\n  val o = js("\{\}")\n\n  o["is"] =
is_\n\n  return o\n}\n\n/**\n * Exposes the JavaScript
[DOMImplementation](https://developer.mozilla.org/en/docs/Web/API/DOMImplementation) to Kotlin\n
*/\n\npublic external abstract class DOMImplementation {\n  fun createDocumentType(qualifiedName: String,
publicId: String, systemId: String): DocumentType\n  fun createDocument(namespace: String?, qualifiedName:
String, doctype: DocumentType? = definedExternally): XMLDocument\n  fun createHTMLDocument(title: String
= definedExternally): Document\n  fun hasFeature(): Boolean\n}\n\n/**\n * Exposes the JavaScript
[DocumentType](https://developer.mozilla.org/en/docs/Web/API/DocumentType) to Kotlin\n
*/\n\npublic external
abstract class DocumentType : Node, ChildNode {\n  open val name: String\n  open val publicId:
String\n  open val systemId: String\n}\n\n/**\n * Exposes the JavaScript
[DocumentFragment](https://developer.mozilla.org/en/docs/Web/API/DocumentFragment) to Kotlin\n
*/\n\npublic external open class DocumentFragment : Node, NonElementParentNode, ParentNode {\n  override val children:
HTMLCollection\n  override val firstElementChild: Element?\n  override val lastElementChild: Element?\n
override val childElementCount: Int\n  override fun getElementById(elementId: String): Element?\n  override fun
prepend(vararg nodes: dynamic): Unit\n  override fun append(vararg nodes: dynamic): Unit\n  override fun
querySelector(selectors: String): Element?\n  override fun querySelectorAll(selectors: String):
NodeList\n}\n\n/**\n * Exposes the JavaScript
[ShadowRoot](https://developer.mozilla.org/en/docs/Web/API/ShadowRoot) to Kotlin\n
*/\n\npublic external open
class ShadowRoot : DocumentFragment, DocumentOrShadowRoot {\n  open val mode: ShadowRootMode\n
open val host:
Element\n  override val fullscreenElement: Element?\n  override fun getElementById(elementId: String):
Element?\n  override fun prepend(vararg nodes: dynamic): Unit\n  override fun append(vararg nodes: dynamic):
Unit\n  override fun querySelector(selectors: String): Element?\n  override fun querySelectorAll(selectors:
String): NodeList\n}\n\n/**\n * Exposes the JavaScript
[Element](https://developer.mozilla.org/en/docs/Web/API/Element) to Kotlin\n
*/\n\npublic external abstract class
Element : Node, ParentNode, NonDocumentTypeChildNode, ChildNode, Slotable, GeometryUtils,
UnionElementOrProcessingInstruction, UnionElementOrHTMLCollection, UnionElementOrRadioNodeList,
UnionElementOrMouseEvent {\n  open var innerHTML: String\n  open var outerHTML: String\n  open val
namespaceURI: String?\n  open val prefix: String?\n  open val localName: String\n  open val tagName: String\n
open var id: String\n  open var className: String\n  open val classList: DOMTokenList\n
open var slot: String\n  open val attributes: NamedNodeMap\n  open val shadowRoot: ShadowRoot?\n  open
var scrollTop: Double\n  open var scrollLeft: Double\n  open val scrollWidth: Int\n  open val scrollHeight: Int\n
open val clientTop: Int\n  open val clientLeft: Int\n  open val clientWidth: Int\n  open val clientHeight: Int\n
fun requestFullscreen(): Promise<Unit>\n  fun insertAdjacentHTML(position: String, text: String): Unit\n  fun
hasAttributes(): Boolean\n  fun getAttributeNames(): Array<String>\n  fun getAttribute(qualifiedName: String):
String?\n  fun getAttributeNS(namespace: String?, localName: String): String?\n  fun setAttribute(qualifiedName:
String, value: String): Unit\n  fun setAttributeNS(namespace: String?, qualifiedName: String, value: String): Unit\n
fun removeAttribute(qualifiedName: String): Unit\n  fun removeAttributeNS(namespace: String?, localName:
String): Unit\n  fun hasAttribute(qualifiedName: String): Boolean\n

```

```

fun hasAttributeNS(namespace: String?, localName: String): Boolean\n fun getAttributeNode(qualifiedName:
String): Attr?\n fun getAttributeNodeNS(namespace: String?, localName: String): Attr?\n fun
setAttributeNode(attr: Attr): Attr?\n fun setAttributeNodeNS(attr: Attr): Attr?\n fun removeAttributeNode(attr:
Attr): Attr?\n fun attachShadow(init: ShadowRootInit): ShadowRoot\n fun closest(selectors: String): Element?\n
fun matches(selectors: String): Boolean\n fun webkitMatchesSelector(selectors: String): Boolean\n fun
getElementsByTagName(qualifiedName: String): HTMLCollection\n fun
getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n fun
getElementsByClassName(classNames: String): HTMLCollection\n fun insertAdjacentElement(where: String,
element: Element): Element?\n fun insertAdjacentText(where: String, data: String): Unit\n fun getClientRects():
Array<DOMRect>\n fun getBoundingClientRect(): DOMRect\n fun
scrollIntoView(): Unit\n fun scrollIntoView(arg: dynamic): Unit\n fun scroll(options: ScrollToOptions =
definedExternally): Unit\n fun scroll(x: Double, y: Double): Unit\n fun scrollTo(options: ScrollToOptions =
definedExternally): Unit\n fun scrollTo(x: Double, y: Double): Unit\n fun scrollBy(options: ScrollToOptions =
definedExternally): Unit\n fun scrollBy(x: Double, y: Double): Unit\n}\n\npublic external interface
ShadowRootInit {\n var mode: ShadowRootMode?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ShadowRootInit(mode:
ShadowRootMode?): ShadowRootInit {\n val o = js("{}")\n o["mode"] = mode\n return o\n}\n\n/**\n * Exposes the JavaScript [NamedNodeMap](https://developer.mozilla.org/en/docs/Web/API/NamedNodeMap) to
Kotlin\n */\npublic external abstract class NamedNodeMap : ItemArrayLike<Attr> {\n override val length: Int\n
override fun item(index:
Int): Attr?\n fun getNamedItem(qualifiedName: String): Attr?\n fun getNamedItemNS(namespace: String?,
localName: String): Attr?\n fun setNamedItem(attr: Attr): Attr?\n fun setNamedItemNS(attr: Attr): Attr?\n fun
removeNamedItem(qualifiedName: String): Attr?\n fun removeNamedItemNS(namespace: String?, localName:
String): Attr?\n}\n\n@kotlin.internal.InlineOnly inline operator fun NamedNodeMap.get(index: Int): Attr? =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun NamedNodeMap.get(qualifiedName: String):
Attr? = asDynamic()[qualifiedName]\n\n/**\n * Exposes the JavaScript
[Attr](https://developer.mozilla.org/en/docs/Web/API/Attr) to Kotlin\n */\npublic external abstract class Attr : Node
{\n open val namespaceURI: String?\n open val prefix: String?\n open val localName: String\n open val
name: String\n open var value: String\n open val ownerElement: Element?\n open val specified:
Boolean\n}\n\n/**\n * Exposes the JavaScript
[CharacterData](https://developer.mozilla.org/en/docs/Web/API/CharacterData)
to Kotlin\n */\npublic external abstract class CharacterData : Node, NonDocumentTypeChildNode, ChildNode {\n
open var data: String\n open val length: Int\n fun substringData(offset: Int, count: Int): String\n fun
appendData(data: String): Unit\n fun insertData(offset: Int, data: String): Unit\n fun deleteData(offset: Int, count:
Int): Unit\n fun replaceData(offset: Int, count: Int, data: String): Unit\n}\n\n/**\n * Exposes the JavaScript
[Text](https://developer.mozilla.org/en/docs/Web/API/Text) to Kotlin\n */\npublic external open class Text(data:
String = definedExternally) : CharacterData, Slotable, GeometryUtils {\n open val wholeText: String\n override
val previousElementSibling: Element?\n override val nextElementSibling: Element?\n override val assignedSlot:
HTMLSlotElement?\n fun splitText(offset: Int): Text\n override fun before(vararg nodes: dynamic): Unit\n
override
fun after(vararg nodes: dynamic): Unit\n override fun replaceWith(vararg nodes: dynamic): Unit\n override fun
remove(): Unit\n override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */):
Array<DOMQuad>\n override fun convertQuadFromNode(quad: dynamic, from: dynamic, options:
ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun convertRectFromNode(rect:
DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n
override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n}\n\n/**\n * Exposes the JavaScript
[CDATASection](https://developer.mozilla.org/en/docs/Web/API/CDATASection) to Kotlin\n */\npublic external

```

```

open class CDATASection : Text {\n  override fun before(vararg nodes: dynamic): Unit\n  override fun
after(vararg nodes: dynamic): Unit\n  override fun replaceWith(vararg nodes: dynamic): Unit\n
  override fun remove(): Unit\n  override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */):
Array<DOMQuad>\n  override fun convertQuadFromNode(quad: dynamic, from: dynamic, options:
ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun convertRectFromNode(rect:
DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n
override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n}\n\n/**\n * Exposes the JavaScript
[ProcessingInstruction](https://developer.mozilla.org/en/docs/Web/API/ProcessingInstruction) to Kotlin\n
*\npublic external abstract class ProcessingInstruction : CharacterData, LinkStyle,
UnionElementOrProcessingInstruction {\n  open val target: String\n}\n\n/**\n * Exposes the JavaScript
[Comment](https://developer.mozilla.org/en/docs/Web/API/Comment) to Kotlin\n
*\npublic external open class
Comment(data: String = definedExternally) : CharacterData {\n  override val previousElementSibling: Element?\n
override val nextElementSibling: Element?\n  override fun before(vararg nodes: dynamic): Unit\n  override fun
after(vararg nodes: dynamic): Unit\n  override fun replaceWith(vararg nodes: dynamic): Unit\n  override fun
remove(): Unit\n}\n\n/**\n * Exposes the JavaScript
[Range](https://developer.mozilla.org/en/docs/Web/API/Range) to Kotlin\n
*\npublic external open class Range {\n
  open val startContainer: Node\n  open val startOffset: Int\n  open val endContainer: Node\n  open val
endOffset: Int\n  open val collapsed: Boolean\n  open val commonAncestorContainer: Node\n  fun
createContextualFragment(fragment: String): DocumentFragment\n  fun setStart(node: Node, offset: Int): Unit\n
fun setEnd(node: Node, offset: Int): Unit\n  fun setStartBefore(node: Node): Unit\n  fun setStartAfter(node:
Node): Unit\n  fun setEndBefore(node: Node): Unit\n
  fun setEndAfter(node: Node): Unit\n  fun collapse(toStart: Boolean = definedExternally): Unit\n  fun
selectNode(node: Node): Unit\n  fun selectNodeContents(node: Node): Unit\n  fun compareBoundaryPoints(how:
Short, sourceRange: Range): Short\n  fun deleteContents(): Unit\n  fun extractContents(): DocumentFragment\n
fun cloneContents(): DocumentFragment\n  fun insertNode(node: Node): Unit\n  fun
surroundContents(newParent: Node): Unit\n  fun cloneRange(): Range\n  fun detach(): Unit\n  fun
isPointInRange(node: Node, offset: Int): Boolean\n  fun comparePoint(node: Node, offset: Int): Short\n  fun
intersectsNode(node: Node): Boolean\n  fun getClientRects(): Array<DOMRect>\n  fun
getBoundingClientRect(): DOMRect\n}\n\n companion object {\n  val START_TO_START: Short\n  val
START_TO_END: Short\n  val END_TO_END: Short\n  val END_TO_START: Short\n  }\n}\n\n/**\n *
Exposes the JavaScript [NodeIterator](https://developer.mozilla.org/en/docs/Web/API/NodeIterator)
to Kotlin\n
*\npublic external abstract class NodeIterator {\n  open val root: Node\n  open val referenceNode:
Node\n  open val pointerBeforeReferenceNode: Boolean\n  open val whatToShow: Int\n  open val filter:
NodeFilter?\n  fun nextNode(): Node?\n  fun previousNode(): Node?\n  fun detach(): Unit\n}\n\n/**\n * Exposes
the JavaScript [TreeWalker](https://developer.mozilla.org/en/docs/Web/API/TreeWalker) to Kotlin\n
*\npublic
external abstract class TreeWalker {\n  open val root: Node\n  open val whatToShow: Int\n  open val filter:
NodeFilter?\n  open var currentNode: Node\n  fun parentNode(): Node?\n  fun firstChild(): Node?\n  fun
lastChild(): Node?\n  fun previousSibling(): Node?\n  fun nextSibling(): Node?\n  fun previousNode(): Node?\n
fun nextNode(): Node?\n}\n\n/**\n * Exposes the JavaScript
[NodeFilter](https://developer.mozilla.org/en/docs/Web/API/NodeFilter) to Kotlin\n
*\npublic external interface
NodeFilter {\n  fun acceptNode(node: Node): Short\n}\n\n companion object {\n  val FILTER_ACCEPT:
Short\n  val FILTER_REJECT: Short\n  val FILTER_SKIP: Short\n  val SHOW_ALL: Int\n  val
SHOW_ELEMENT: Int\n  val SHOW_ATTRIBUTE: Int\n  val SHOW_TEXT: Int\n  val
SHOW_CDATA_SECTION: Int\n  val SHOW_ENTITY_REFERENCE: Int\n  val SHOW_ENTITY: Int\n
  val SHOW_PROCESSING_INSTRUCTION: Int\n  val SHOW_COMMENT: Int\n  val
SHOW_DOCUMENT: Int\n  val SHOW_DOCUMENT_TYPE: Int\n  val
SHOW_DOCUMENT_FRAGMENT: Int\n  val SHOW_NOTATION: Int\n  }\n}\n\n/**\n * Exposes the

```

JavaScript [DOMTokenList](https://developer.mozilla.org/en/docs/Web/API/DOMTokenList) to Kotlin\n \*^\\npublic external abstract class DOMTokenList : ItemArrayLike<String> {\n override val length: Int\n open var value: String\n override fun item(index: Int): String?\n fun contains(token: String): Boolean\n fun add(vararg tokens: String): Unit\n fun remove(vararg tokens: String): Unit\n fun toggle(token: String, force: Boolean = definedExternally): Boolean\n fun replace(token: String, newToken: String): Unit\n fun supports(token: String): Boolean\n}\n@kotlin.internal.InlineOnly inline operator fun DOMTokenList.get(index: Int): String? = asDynamic()[index]\n\n\*\*\n \* Exposes the JavaScript

[DOMPointReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMPointReadOnly) to Kotlin\n \*^\\npublic external open class DOMPointReadOnly(x: Double, y: Double, z: Double, w: Double) {\n open val x: Double\n open val y: Double\n open val z: Double\n open val w: Double\n fun matrixTransform(matrix: DOMMatrixReadOnly): DOMPoint}\n\n\*\*\n \* Exposes the JavaScript

[DOMPoint](https://developer.mozilla.org/en/docs/Web/API/DOMPoint) to Kotlin\n \*^\\npublic external open class DOMPoint : DOMPointReadOnly {\n constructor(point: DOMPointInit)\n constructor(x: Double = definedExternally, y: Double = definedExternally, z: Double = definedExternally, w: Double = definedExternally)\n override var x: Double\n override var y: Double\n override var z: Double\n override var w: Double\n}\n\npublic external interface DOMPointInit {\n var x: Double? /\* = 0.0 \*/\n get() = definedExternally\n set(value) = definedExternally\n var y: Double? /\* = 0.0 \*/\n get() = definedExternally\n set(value) = definedExternally\n var z: Double? /\* = 0.0 \*/\n get() = definedExternally\n set(value) = definedExternally\n var w: Double? /\* = 1.0 \*/\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DOMPointInit(x: Double? = 0.0, y: Double? = 0.0, z: Double? = 0.0, w: Double? = 1.0): DOMPointInit {\n val o = js("{}")\n o["x"] = x\n o["y"] = y\n o["z"] = z\n o["w"] = w\n return o}\n\n\*\*\n \* Exposes the JavaScript

[DOMRect](https://developer.mozilla.org/en/docs/Web/API/DOMRect) to Kotlin\n \*^\\npublic external open class DOMRect(x: Double = definedExternally, y: Double = definedExternally, width: Double = definedExternally, height: Double = definedExternally) : DOMRectReadOnly {\n override var x: Double\n override var y: Double\n override var width: Double\n override var height: Double\n}\n\n\*\*\n \* Exposes the JavaScript

[DOMRectReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMRectReadOnly) to Kotlin\n \*^\\npublic external open class DOMRectReadOnly(x: Double, y: Double, width: Double, height: Double) {\n open val x: Double\n open val y: Double\n open val width: Double\n open val height: Double\n open val top: Double\n open val right: Double\n open val bottom: Double\n open val left: Double\n}\n\npublic external interface DOMRectInit {\n var x: Double? /\* = 0.0 \*/\n get() = definedExternally\n set(value) = definedExternally\n var y: Double? /\* = 0.0 \*/\n get() = definedExternally\n set(value) = definedExternally\n var width: Double? /\* = 0.0 \*/\n get() = definedExternally\n set(value) = definedExternally\n var height: Double? /\* = 0.0 \*/\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DOMRectInit(x: Double? = 0.0, y: Double? = 0.0, width: Double? = 0.0, height: Double? = 0.0): DOMRectInit {\n val o = js("{}")\n o["x"] = x\n o["y"] = y\n o["width"] = width\n o["height"] = height\n return o}\n\npublic external interface DOMRectList : ItemArrayLike<DOMRect> {\n override fun item(index: Int): DOMRect?\n}\n\n@kotlin.internal.InlineOnly inline operator fun DOMRectList.get(index: Int): DOMRect? = asDynamic()[index]\n\n\*\*\n \* Exposes the JavaScript

[DOMQuad](https://developer.mozilla.org/en/docs/Web/API/DOMQuad) to Kotlin\n \*^\\npublic external open class DOMQuad {\n constructor(p1: DOMPointInit = definedExternally, p2: DOMPointInit = definedExternally, p3: DOMPointInit = definedExternally, p4: DOMPointInit = definedExternally)\n constructor(rect: DOMRectInit)\n open val p1: DOMPoint\n open val p2: DOMPoint\n open val p3: DOMPoint\n open val p4: DOMPoint\n open val bounds: DOMRectReadOnly\n}\n\n\*\*\n \* Exposes the JavaScript

[DOMMatrixReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMMatrixReadOnly) to Kotlin\n

```

*\npublic external open class DOMMatrixReadOnly(numberSequence: Array<Double>) {\n  open val a: Double\n  open val b: Double\n  open val c: Double\n  open val d: Double\n  open val e: Double\n  open val f: Double\n  open val m11: Double\n  open val m12: Double\n  open val m13: Double\n  open val m14: Double\n  open val m21: Double\n  open val m22: Double\n  open val m23: Double\n  open val m24: Double\n  open val m31: Double\n  open val m32: Double\n  open val m33: Double\n  open val m34: Double\n  open val m41: Double\n  open val m42: Double\n  open val m43: Double\n  open val m44: Double\n  open val is2D: Boolean\n  open val isIdentity: Boolean\n  fun translate(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\n  fun scale(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n  fun scale3d(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n  fun scaleNonUniform(scaleX: Double, scaleY: Double = definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n  fun rotate(angle: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n  fun rotateFromVector(x: Double, y: Double): DOMMatrix\n  fun rotateAxisAngle(x: Double, y: Double, z: Double, angle: Double): DOMMatrix\n  fun skewX(sx: Double): DOMMatrix\n  fun skewY(sy: Double): DOMMatrix\n  fun multiply(other: DOMMatrix): DOMMatrix\n  fun flipX(): DOMMatrix\n  fun flipY(): DOMMatrix\n  fun inverse(): DOMMatrix\n  fun transformPoint(point: DOMPointInit = definedExternally): DOMPoint\n  fun toFloat32Array(): Float32Array\n  fun toFloat64Array(): Float64Array\n}\n\n/**\n * Exposes the JavaScript [DOMMatrix](https://developer.mozilla.org/en/docs/Web/API/DOMMatrix) to Kotlin\n */\npublic external open class DOMMatrix() : DOMMatrixReadOnly {\n  constructor(transformList: String)\n  constructor(other: DOMMatrixReadOnly)\n  constructor(array32: Float32Array)\n  constructor(array64: Float64Array)\n  constructor(numberSequence: Array<Double>)\n  override var a: Double\n  override var b: Double\n  override var c: Double\n  override var d: Double\n  override var e: Double\n  override var f: Double\n  override var m11: Double\n  override var m12: Double\n  override var m13: Double\n  override var m14: Double\n  override var m21: Double\n  override var m22: Double\n  override var m23: Double\n  override var m24: Double\n  override var m31: Double\n  override var m32: Double\n  override var m33: Double\n  override var m34: Double\n  override var m41: Double\n  override var m42: Double\n  override var m43: Double\n  override var m44: Double\n  fun multiplySelf(other: DOMMatrix): DOMMatrix\n  fun preMultiplySelf(other: DOMMatrix): DOMMatrix\n  fun translateSelf(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\n  fun scaleSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n  fun scale3dSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n  fun scaleNonUniformSelf(scaleX: Double, scaleY: Double = definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n  fun rotateSelf(angle: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n  fun rotateFromVectorSelf(x: Double, y: Double): DOMMatrix\n  fun rotateAxisAngleSelf(x: Double, y: Double, z: Double, angle: Double): DOMMatrix\n  fun skewXSelf(sx: Double): DOMMatrix\n  fun skewYSelf(sy: Double): DOMMatrix\n  fun invertSelf(): DOMMatrix\n  fun setMatrixValue(transformList: String): DOMMatrix\n}\n\npublic external interface ScrollOptions {\n  var behavior: ScrollBehavior? /* = ScrollBehavior.AUTO */\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ScrollOptions(behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollOptions {\n  val o = js("{}")\n  o["behavior"] = behavior\n  return o\n}\n\npublic external interface ScrollToOptions : ScrollOptions {\n  var left: Double?\n  get() = definedExternally\n  set(value) = definedExternally\n  var top: Double?\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ScrollToOptions(left: Double? = null, top: Double? = null, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollToOptions {\n  val o = js("{}")\n}

```

```

o["left"] = left\n  o["top"] = top\n  o["behavior"] = behavior\n\n  return o\n}\n\n/**\n * Exposes the
JavaScript [MediaQueryList](https://developer.mozilla.org/en/docs/Web/API/MediaQueryList) to Kotlin\n
*\npublic external abstract class MediaQueryList : EventTarget {\n  open val media: String\n  open val matches:
Boolean\n  open var onchange: ((Event) -> dynamic)?\n  fun addListener(listener: EventListener?): Unit\n  fun
addListener(listener: ((Event) -> Unit)?): Unit\n  fun removeListener(listener: EventListener?): Unit\n  fun
removeListener(listener: ((Event) -> Unit)?): Unit\n}\n\n/**\n * Exposes the JavaScript
[MediaQueryListEvent](https://developer.mozilla.org/en/docs/Web/API/MediaQueryListEvent) to Kotlin\n
*\npublic external open class MediaQueryListEvent(type: String, eventInitDict: MediaQueryListEventInit =
definedExternally) : Event {\n  open val media: String\n  open val matches: Boolean\n}\n\npublic external
interface MediaQueryListEventInit : EventInit {\n  var media: String? /* = \"\" */\n  get() = definedExternally\n
  set(value) = definedExternally\n  var matches: Boolean? /* = false */\n  get() = definedExternally\n
  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
MediaQueryListEventInit(media: String? = \"\", matches: Boolean? = false, bubbles: Boolean? = false, cancelable:
Boolean? = false, composed: Boolean? = false): MediaQueryListEventInit {\n  val o = js(\"({})\")\n\n
o["media"] = media\n  o["matches"] = matches\n
  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n\n  return
o\n}\n\n/**\n * Exposes the JavaScript [Screen](https://developer.mozilla.org/en/docs/Web/API/Screen) to Kotlin\n
*\npublic external abstract class Screen {\n  open val availWidth: Int\n  open val availHeight: Int\n  open val
width: Int\n  open val height: Int\n  open val colorDepth: Int\n  open val pixelDepth: Int\n}\n\n/**\n * Exposes
the JavaScript [CaretPosition](https://developer.mozilla.org/en/docs/Web/API/CaretPosition) to Kotlin\n
*\npublic external abstract class CaretPosition {\n  open val offsetNode: Node\n  open val offset: Int\n  fun
getClientRect(): DOMRect?\n}\n\npublic external interface ScrollIntoViewOptions : ScrollOptions {\n  var block:
ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var inline: ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER
*/\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
inline fun ScrollIntoViewOptions(block: ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, inline:
ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, behavior: ScrollBehavior? = ScrollBehavior.AUTO):
ScrollIntoViewOptions {\n  val o = js(\"({})\")\n\n  o["block"] = block\n  o["inline"] = inline\n
o["behavior"] = behavior\n\n  return o\n}\n\npublic external interface BoxQuadOptions {\n  var box:
CSSBoxType? /* = CSSBoxType.BORDER */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var relativeTo: dynamic\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun BoxQuadOptions(box: CSSBoxType? =
CSSBoxType.BORDER, relativeTo: dynamic = null): BoxQuadOptions {\n  val o = js(\"({})\")\n\n  o["box"] =
box\n  o["relativeTo"]
= relativeTo\n\n  return o\n}\n\npublic external interface ConvertCoordinateOptions {\n  var fromBox:
CSSBoxType? /* = CSSBoxType.BORDER */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var toBox: CSSBoxType? /* = CSSBoxType.BORDER */\n  get() = definedExternally\n
  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ConvertCoordinateOptions(fromBox: CSSBoxType? = CSSBoxType.BORDER, toBox: CSSBoxType? =
CSSBoxType.BORDER): ConvertCoordinateOptions {\n  val o = js(\"({})\")\n\n  o["fromBox"] = fromBox\n
o["toBox"] = toBox\n\n  return o\n}\n\n/**\n * Exposes the JavaScript
[GeometryUtils](https://developer.mozilla.org/en/docs/Web/API/GeometryUtils) to Kotlin\n
*\npublic external interface GeometryUtils {\n  fun getBoxQuads(options: BoxQuadOptions = definedExternally):
Array<DOMQuad>\n  fun convertQuadFromNode(quad: dynamic, from: dynamic, options:
ConvertCoordinateOptions = definedExternally):
DOMQuad\n  fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options:
ConvertCoordinateOptions = definedExternally): DOMQuad\n  fun convertPointFromNode(point: DOMPointInit,
from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMPoint\n}\n\npublic external

```

```

@marker interface UnionElementOrProcessingInstruction {\n}\n\npublic external @marker interface
UnionElementOrHTMLCollection {\n}\n\npublic external @marker interface UnionElementOrRadioNodeList
{\n}\n\npublic external @marker interface UnionHTMLOptGroupElementOrHTMLOptionElement {\n}\n\npublic
external @marker interface UnionAudioTrackOrTextTrackOrVideoTrack {\n}\n\npublic external @marker
interface UnionElementOrMouseEvent {\n}\n\npublic external @marker interface UnionMessagePortOrWindow
{\n}\n\npublic external @marker interface UnionMessagePortOrServiceWorker {\n}\n\npublic external @marker
interface HTMLOrSVGScriptElement {\n}\n\npublic external @marker interface RenderingContext {\n}\n\npublic
external @marker interface HTMLOrSVGImageElement {\n}\n\n/* please, don't implement this interface!
*/\n\npublic external interface DocumentReadyState {\n  companion object\n}\n\npublic inline val
DocumentReadyState.Companion.LOADING: DocumentReadyState get() =
\\"loading\\".asDynamic().unsafeCast<DocumentReadyState>()\n\npublic inline val
DocumentReadyState.Companion.INTERACTIVE: DocumentReadyState get() =
\\"interactive\\".asDynamic().unsafeCast<DocumentReadyState>()\n\npublic inline val
DocumentReadyState.Companion.COMPLETE: DocumentReadyState get() =
\\"complete\\".asDynamic().unsafeCast<DocumentReadyState>()\n\n/* please, don't implement this interface!
*/\n\npublic external interface CanPlayTypeResult {\n  companion object\n}\n\npublic inline val
CanPlayTypeResult.Companion.EMPTY: CanPlayTypeResult get() =
\\"".asDynamic().unsafeCast<CanPlayTypeResult>()\n\npublic inline val CanPlayTypeResult.Companion.MAYBE:
CanPlayTypeResult get() = \\"maybe\\".asDynamic().unsafeCast<CanPlayTypeResult>()\n\npublic
inline val CanPlayTypeResult.Companion.PROBABLY: CanPlayTypeResult get() =
\\"probably\\".asDynamic().unsafeCast<CanPlayTypeResult>()\n\n/* please, don't implement this interface!
*/\n\npublic external interface TextTrackMode {\n  companion object\n}\n\npublic inline val
TextTrackMode.Companion.DISABLED: TextTrackMode get() =
\\"disabled\\".asDynamic().unsafeCast<TextTrackMode>()\n\npublic inline val TextTrackMode.Companion.HIDDEN:
TextTrackMode get() = \\"hidden\\".asDynamic().unsafeCast<TextTrackMode>()\n\npublic inline val
TextTrackMode.Companion.SHOWING: TextTrackMode get() =
\\"showing\\".asDynamic().unsafeCast<TextTrackMode>()\n\n/* please, don't implement this interface! */\n\npublic
external interface TextTrackKind {\n  companion object\n}\n\npublic inline val
TextTrackKind.Companion.SUBTITLES: TextTrackKind get() =
\\"subtitles\\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val TextTrackKind.Companion.CAPTIONS:
TextTrackKind get() = \\"captions\\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic
inline val TextTrackKind.Companion.DESCRPTIONS: TextTrackKind get() =
\\"descriptions\\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.CHAPTERS: TextTrackKind get() =
\\"chapters\\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.METADATA: TextTrackKind get() =
\\"metadata\\".asDynamic().unsafeCast<TextTrackKind>()\n\n/* please, don't implement this interface! */\n\npublic
external interface SelectionMode {\n  companion object\n}\n\npublic inline val
SelectionMode.Companion.SELECT: SelectionMode get() =
\\"select\\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.START:
SelectionMode get() = \\"start\\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val
SelectionMode.Companion.END: SelectionMode get() =
\\"end\\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.PRESERVE:
SelectionMode get() = \\"preserve\\".asDynamic().unsafeCast<SelectionMode>()\n\n/*
please, don't implement this interface! */\n\npublic external interface CanvasFillRule {\n  companion
object\n}\n\npublic inline val CanvasFillRule.Companion.NONZERO: CanvasFillRule get() =
\\"nonzero\\".asDynamic().unsafeCast<CanvasFillRule>()\n\npublic inline val CanvasFillRule.Companion.EVENODD:
CanvasFillRule get() = \\"evenodd\\".asDynamic().unsafeCast<CanvasFillRule>()\n\n/* please, don't implement this

```

```

interface! *\npublic external interface ImageSmoothingQuality {\n  companion object\n}\npublic inline val
ImageSmoothingQuality.Companion.LOW: ImageSmoothingQuality get() =
\"low\".asDynamic().unsafeCast<ImageSmoothingQuality>()\npublic inline val
ImageSmoothingQuality.Companion.MEDIUM: ImageSmoothingQuality get() =
\"medium\".asDynamic().unsafeCast<ImageSmoothingQuality>()\npublic inline val
ImageSmoothingQuality.Companion.HIGH: ImageSmoothingQuality get() =
\"high\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\n/* please, don't implement this interface!
*\npublic
external interface CanvasLineCap {\n  companion object\n}\npublic inline val CanvasLineCap.Companion.BUTT:
CanvasLineCap get() = \"butt\".asDynamic().unsafeCast<CanvasLineCap>()\npublic inline val
CanvasLineCap.Companion.ROUND: CanvasLineCap get() =
\"round\".asDynamic().unsafeCast<CanvasLineCap>()\npublic inline val CanvasLineCap.Companion.SQUARE:
CanvasLineCap get() = \"square\".asDynamic().unsafeCast<CanvasLineCap>()\n\n/* please, don't implement this
interface! *\npublic external interface CanvasLineJoin {\n  companion object\n}\npublic inline val
CanvasLineJoin.Companion.ROUND: CanvasLineJoin get() =
\"round\".asDynamic().unsafeCast<CanvasLineJoin>()\npublic inline val CanvasLineJoin.Companion.BEVEL:
CanvasLineJoin get() = \"bevel\".asDynamic().unsafeCast<CanvasLineJoin>()\npublic inline val
CanvasLineJoin.Companion.MITER: CanvasLineJoin get() =
\"miter\".asDynamic().unsafeCast<CanvasLineJoin>()\n\n/* please, don't implement this interface! *\npublic
external interface CanvasTextAlign
{\n  companion object\n}\npublic inline val CanvasTextAlign.Companion.START: CanvasTextAlign get() =
\"start\".asDynamic().unsafeCast<CanvasTextAlign>()\npublic inline val CanvasTextAlign.Companion.END:
CanvasTextAlign get() = \"end\".asDynamic().unsafeCast<CanvasTextAlign>()\npublic inline val
CanvasTextAlign.Companion.LEFT: CanvasTextAlign get() =
\"left\".asDynamic().unsafeCast<CanvasTextAlign>()\npublic inline val CanvasTextAlign.Companion.RIGHT:
CanvasTextAlign get() = \"right\".asDynamic().unsafeCast<CanvasTextAlign>()\npublic inline val
CanvasTextAlign.Companion.CENTER: CanvasTextAlign get() =
\"center\".asDynamic().unsafeCast<CanvasTextAlign>()\n\n/* please, don't implement this interface! *\npublic
external interface CanvasTextBaseline {\n  companion object\n}\npublic inline val
CanvasTextBaseline.Companion.TOP: CanvasTextBaseline get() =
\"top\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val
CanvasTextBaseline.Companion.HANGING: CanvasTextBaseline
get() = \"hanging\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val
CanvasTextBaseline.Companion.MIDDLE: CanvasTextBaseline get() =
\"middle\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val
CanvasTextBaseline.Companion.ALPHABETIC: CanvasTextBaseline get() =
\"alphabetic\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val
CanvasTextBaseline.Companion.IDEOGRAPHIC: CanvasTextBaseline get() =
\"ideographic\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val
CanvasTextBaseline.Companion.BOTTOM: CanvasTextBaseline get() =
\"bottom\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\n/* please, don't implement this interface! *\npublic
external interface CanvasDirection {\n  companion object\n}\npublic inline val CanvasDirection.Companion.LTR:
CanvasDirection get() = \"ltr\".asDynamic().unsafeCast<CanvasDirection>()\npublic inline val
CanvasDirection.Companion.RTL: CanvasDirection get() =
\"rtl\".asDynamic().unsafeCast<CanvasDirection>()\npublic
inline val CanvasDirection.Companion.INHERIT: CanvasDirection get() =
\"inherit\".asDynamic().unsafeCast<CanvasDirection>()\n\n/* please, don't implement this interface! *\npublic
external interface ScrollRestoration {\n  companion object\n}\npublic inline val

```

```

ScrollRestoration.Companion.AUTO: ScrollRestoration get() =
\"auto\".asDynamic().unsafeCast<ScrollRestoration>()\npublic inline val ScrollRestoration.Companion.MANUAL:
ScrollRestoration get() = \"manual\".asDynamic().unsafeCast<ScrollRestoration>()\n\n/* please, don't implement
this interface! *\npublic external interface ImageOrientation {\n  companion object\n}\npublic inline val
ImageOrientation.Companion.NONE: ImageOrientation get() =
\"none\".asDynamic().unsafeCast<ImageOrientation>()\npublic inline val ImageOrientation.Companion.FLIPY:
ImageOrientation get() = \"flipY\".asDynamic().unsafeCast<ImageOrientation>()\n\n/* please, don't implement this
interface! *\npublic external interface PremultiplyAlpha
{\n  companion object\n}\npublic inline val PremultiplyAlpha.Companion.NONE: PremultiplyAlpha get() =
\"none\".asDynamic().unsafeCast<PremultiplyAlpha>()\npublic inline val
PremultiplyAlpha.Companion.PREMULTIPLY: PremultiplyAlpha get() =
\"premultiply\".asDynamic().unsafeCast<PremultiplyAlpha>()\npublic inline val
PremultiplyAlpha.Companion.DEFAULT: PremultiplyAlpha get() =
\"default\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\n/* please, don't implement this interface! *\npublic
external interface ColorSpaceConversion {\n  companion object\n}\npublic inline val
ColorSpaceConversion.Companion.NONE: ColorSpaceConversion get() =
\"none\".asDynamic().unsafeCast<ColorSpaceConversion>()\npublic inline val
ColorSpaceConversion.Companion.DEFAULT: ColorSpaceConversion get() =
\"default\".asDynamic().unsafeCast<ColorSpaceConversion>()\n\n/* please, don't implement this interface!
*\npublic external interface ResizeQuality {\n  companion object\n}\npublic inline val
ResizeQuality.Companion.PIXELATED:
ResizeQuality get() = \"pixelated\".asDynamic().unsafeCast<ResizeQuality>()\npublic inline val
ResizeQuality.Companion.LOW: ResizeQuality get() = \"low\".asDynamic().unsafeCast<ResizeQuality>()\npublic
inline val ResizeQuality.Companion.MEDIUM: ResizeQuality get() =
\"medium\".asDynamic().unsafeCast<ResizeQuality>()\npublic inline val ResizeQuality.Companion.HIGH:
ResizeQuality get() = \"high\".asDynamic().unsafeCast<ResizeQuality>()\n\n/* please, don't implement this
interface! *\npublic external interface BinaryType {\n  companion object\n}\npublic inline val
BinaryType.Companion.BLOB: BinaryType get() = \"blob\".asDynamic().unsafeCast<BinaryType>()\npublic inline
val BinaryType.Companion.ARRAYBUFFER: BinaryType get() =
\"arraybuffer\".asDynamic().unsafeCast<BinaryType>()\n\n/* please, don't implement this interface! *\npublic
external interface WorkerType {\n  companion object\n}\npublic inline val WorkerType.Companion.CLASSIC:
WorkerType get() = \"classic\".asDynamic().unsafeCast<WorkerType>()\npublic
inline val WorkerType.Companion.MODULE: WorkerType get() =
\"module\".asDynamic().unsafeCast<WorkerType>()\n\n/* please, don't implement this interface! *\npublic
external interface ShadowRootMode {\n  companion object\n}\npublic inline val
ShadowRootMode.Companion.OPEN: ShadowRootMode get() =
\"open\".asDynamic().unsafeCast<ShadowRootMode>()\npublic inline val
ShadowRootMode.Companion.CLOSED: ShadowRootMode get() =
\"closed\".asDynamic().unsafeCast<ShadowRootMode>()\n\n/* please, don't implement this interface! *\npublic
external interface ScrollBehavior {\n  companion object\n}\npublic inline val ScrollBehavior.Companion.AUTO:
ScrollBehavior get() = \"auto\".asDynamic().unsafeCast<ScrollBehavior>()\npublic inline val
ScrollBehavior.Companion.INSTANT: ScrollBehavior get() =
\"instant\".asDynamic().unsafeCast<ScrollBehavior>()\npublic inline val ScrollBehavior.Companion.SMOOTH:
ScrollBehavior get() = \"smooth\".asDynamic().unsafeCast<ScrollBehavior>()\n\n/*
please, don't implement this interface! *\npublic external interface ScrollLogicalPosition {\n  companion
object\n}\npublic inline val ScrollLogicalPosition.Companion.START: ScrollLogicalPosition get() =
\"start\".asDynamic().unsafeCast<ScrollLogicalPosition>()\npublic inline val
ScrollLogicalPosition.Companion.CENTER: ScrollLogicalPosition get() =

```

```

\"center\".asDynamic().unsafeCast<ScrollLogicalPosition>()\npublic inline val
ScrollLogicalPosition.Companion.END: ScrollLogicalPosition get() =
\"end\".asDynamic().unsafeCast<ScrollLogicalPosition>()\npublic inline val
ScrollLogicalPosition.Companion.NEAREST: ScrollLogicalPosition get() =
\"nearest\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\n/* please, don't implement this interface!
*\npublic external interface CSSBoxType {\n    companion object\n}\n\npublic inline val
CSSBoxType.Companion.MARGIN: CSSBoxType get() =
\"margin\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val CSSBoxType.Companion.BORDER:
CSSBoxType get() = \"border\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val
CSSBoxType.Companion.PADDING: CSSBoxType get() =
\"padding\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val CSSBoxType.Companion.CONTENT:
CSSBoxType get() = \"content\".asDynamic().unsafeCast<CSSBoxType>()\n\n\"/*\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n * \n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See
libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npackage
org.w3c.fetch\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.parsing.*\nimport
org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [Headers](https://developer.mozilla.org/en/docs/Web/API/Headers) to Kotlin\n *\npublic
external open class Headers(init: dynamic = definedExternally) {\n    fun append(name: String, value: String):
Unit\n    fun delete(name: String): Unit\n    fun get(name: String): String?\n    fun has(name: String): Boolean\n
fun set(name: String, value: String): Unit\n}\n\n/**\n * Exposes the JavaScript
[Body](https://developer.mozilla.org/en/docs/Web/API/Body) to Kotlin\n *\npublic external interface Body {\n
val bodyUsed: Boolean\n    fun arrayBuffer(): Promise<ArrayBuffer>\n    fun blob(): Promise<Blob>\n    fun
formData(): Promise<FormData>\n    fun json(): Promise<Any?>\n    fun text(): Promise<String>\n}\n\n/**\n *
Exposes the JavaScript [Request](https://developer.mozilla.org/en/docs/Web/API/Request) to Kotlin\n *\npublic
external open class Request(input: dynamic, init: RequestInit = definedExternally) : Body {\n    open val method:
String\n
    open val url: String\n    open val headers: Headers\n    open val type: RequestType\n    open val destination:
RequestDestination\n    open val referrer: String\n    open val referrerPolicy: dynamic\n    open val mode:
RequestMode\n    open val credentials: RequestCredentials\n    open val cache: RequestCache\n    open val redirect:
RequestRedirect\n    open val integrity: String\n    open val keepalive: Boolean\n    override val bodyUsed:
Boolean\n    fun clone(): Request\n    override fun arrayBuffer(): Promise<ArrayBuffer>\n    override fun blob():
Promise<Blob>\n    override fun formData(): Promise<FormData>\n    override fun json(): Promise<Any?>\n
override fun text(): Promise<String>\n}\n\npublic external interface RequestInit {\n    var method: String?\n
get() = definedExternally\n    set(value) = definedExternally\n    var headers: dynamic\n    get() =
definedExternally\n    set(value) = definedExternally\n    var body: dynamic\n    get() = definedExternally\n
set(value) = definedExternally\n    var referrer: String?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var referrerPolicy: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n    var mode: RequestMode?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var credentials: RequestCredentials?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var cache: RequestCache?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var redirect: RequestRedirect?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var integrity: String?\n    get() = definedExternally\n    set(value) = definedExternally\n
var keepalive: Boolean?\n    get() = definedExternally\n    set(value) = definedExternally\n    var window:
Any?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\n\npublic

```

```

inline fun RequestInit(method: String? = null, headers: dynamic = null, body: dynamic = null, referrer: String? =
null, referrerPolicy: dynamic = null, mode: RequestMode? = null, credentials: RequestCredentials? = null, cache:
RequestCache? = null, redirect: RequestRedirect? = null, integrity: String? = null, keepalive: Boolean? = null,
window: Any? = null): RequestInit {\n  val o = js("{}")\n  o["method"] = method\n  o["headers"] =
headers\n  o["body"] = body\n  o["referrer"] = referrer\n  o["referrerPolicy"] = referrerPolicy\n
o["mode"] = mode\n  o["credentials"] = credentials\n  o["cache"] = cache\n  o["redirect"] = redirect\n
o["integrity"] = integrity\n  o["keepalive"] = keepalive\n  o["window"] = window\n\n  return o\n}\n\n/*\n *
Exposes the JavaScript [Response](https://developer.mozilla.org/en/docs/Web/API/Response) to Kotlin\n */\npublic
external open class Response(body: dynamic
= definedExternally, init: ResponseInit = definedExternally) : Body {\n  open val type: ResponseType\n  open
val url: String\n  open val redirected: Boolean\n  open val status: Short\n  open val ok: Boolean\n  open val
statusText: String\n  open val headers: Headers\n  open val body: dynamic\n  open val trailer:
Promise<Headers>\n  override val bodyUsed: Boolean\n  fun clone(): Response\n  override fun arrayBuffer():
Promise<ArrayBuffer>\n  override fun blob(): Promise<Blob>\n  override fun formData():
Promise<FormData>\n  override fun json(): Promise<Any?>\n  override fun text(): Promise<String>\n\n
companion object {\n  fun error(): Response\n  fun redirect(url: String, status: Short = definedExternally):
Response\n  }\n}\n\npublic external interface ResponseInit {\n  var status: Short? /* = 200 */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var statusText: String? /* = "OK" */\n  get()
= definedExternally\n  set(value) = definedExternally\n  var headers: dynamic\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ResponseInit(status: Short? = 200, statusText: String? = "OK", headers: dynamic = null): ResponseInit {\n  val o
= js("{}")\n  o["status"] = status\n  o["statusText"] = statusText\n  o["headers"] = headers\n\n  return
o\n}\n\n/* please, don't implement this interface! */\npublic external interface RequestType {\n  companion
object\n}\n\npublic inline val RequestType.Companion.EMPTY: RequestType get() =
"".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.AUDIO: RequestType
get() = "audio".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.FONT:
RequestType get() = "font".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.IMAGE: RequestType get() =
"image".asDynamic().unsafeCast<RequestType>()\n\npublic
inline val RequestType.Companion.SCRIPT: RequestType get() =
"script".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.STYLE:
RequestType get() = "style".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.TRACK: RequestType get() = "track".asDynamic().unsafeCast<RequestType>()\n\npublic
inline val RequestType.Companion.VIDEO: RequestType get() =
"video".asDynamic().unsafeCast<RequestType>()\n\n/* please, don't implement this interface! */\npublic external
interface RequestDestination {\n  companion object\n}\n\npublic inline val RequestDestination.Companion.EMPTY:
RequestDestination get() = "".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.DOCUMENT: RequestDestination get() =
"document".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.EMBED: RequestDestination get() =
"embed".asDynamic().unsafeCast<RequestDestination>()\n\npublic
inline val RequestDestination.Companion.FONT: RequestDestination get() =
"font".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.IMAGE:
RequestDestination get() = "image".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.MANIFEST: RequestDestination get() =
"manifest".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.MEDIA: RequestDestination get() =
"media".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val

```

```

RequestDestination.Companion.OBJECT: RequestDestination get() =
  \"object\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.REPORT: RequestDestination get() =
  \"report\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.SCRIPT: RequestDestination get() =
  \"script\".asDynamic().unsafeCast<RequestDestination>()\npublic
  inline val RequestDestination.Companion.SERVICEWORKER: RequestDestination get() =
  \"serviceworker\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.SHAREDWORKER: RequestDestination get() =
  \"sharedworker\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.STYLE: RequestDestination get() =
  \"style\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.WORKER: RequestDestination get() =
  \"worker\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.XSLT: RequestDestination get() =
  \"xslt\".asDynamic().unsafeCast<RequestDestination>()\n\n/* please, don't implement this interface! */\npublic
external interface RequestMode {\n  companion object\n}\npublic inline val
RequestMode.Companion.NAVIGATE: RequestMode get() =
  \"navigate\".asDynamic().unsafeCast<RequestMode>()\npublic inline val
RequestMode.Companion.SAME_ORIGIN:
  RequestMode get() = \"same-origin\".asDynamic().unsafeCast<RequestMode>()\npublic inline val
RequestMode.Companion.NO_CORS: RequestMode get() = \"no-
cors\".asDynamic().unsafeCast<RequestMode>()\npublic inline val RequestMode.Companion.CORS: RequestMode
get() = \"cors\".asDynamic().unsafeCast<RequestMode>()\n\n/* please, don't implement this interface! */\npublic
external interface RequestCredentials {\n  companion object\n}\npublic inline val
RequestCredentials.Companion.OMIT: RequestCredentials get() =
  \"omit\".asDynamic().unsafeCast<RequestCredentials>()\npublic inline val
RequestCredentials.Companion.SAME_ORIGIN: RequestCredentials get() = \"same-
origin\".asDynamic().unsafeCast<RequestCredentials>()\npublic inline val
RequestCredentials.Companion.INCLUDE: RequestCredentials get() =
  \"include\".asDynamic().unsafeCast<RequestCredentials>()\n\n/* please, don't implement this interface! */\npublic
external interface RequestCache {\n  companion object\n}\npublic inline val
RequestCache.Companion.DEFAULT:
  RequestCache get() = \"default\".asDynamic().unsafeCast<RequestCache>()\npublic inline val
RequestCache.Companion.NO_STORE: RequestCache get() = \"no-
store\".asDynamic().unsafeCast<RequestCache>()\npublic inline val RequestCache.Companion.RELOAD:
RequestCache get() = \"reload\".asDynamic().unsafeCast<RequestCache>()\npublic inline val
RequestCache.Companion.NO_CACHE: RequestCache get() = \"no-
cache\".asDynamic().unsafeCast<RequestCache>()\npublic inline val RequestCache.Companion.FORCE_CACHE:
RequestCache get() = \"force-cache\".asDynamic().unsafeCast<RequestCache>()\npublic inline val
RequestCache.Companion.ONLY_IF_CACHED: RequestCache get() = \"only-if-
cached\".asDynamic().unsafeCast<RequestCache>()\n\n/* please, don't implement this interface! */\npublic external
interface RequestRedirect {\n  companion object\n}\npublic inline val RequestRedirect.Companion.FOLLOW:
RequestRedirect get() = \"follow\".asDynamic().unsafeCast<RequestRedirect>()\npublic inline
  val RequestRedirect.Companion.ERROR: RequestRedirect get() =
  \"error\".asDynamic().unsafeCast<RequestRedirect>()\npublic inline val RequestRedirect.Companion.MANUAL:
RequestRedirect get() = \"manual\".asDynamic().unsafeCast<RequestRedirect>()\n\n/* please, don't implement this
interface! */\npublic external interface ResponseType {\n  companion object\n}\npublic inline val

```

```

ResponseType.Companion.BASIC: ResponseType get() =
    \"basic\".asDynamic().unsafeCast<ResponseType>()\npublic inline val ResponseType.Companion.CORS:
ResponseType get() = \"cors\".asDynamic().unsafeCast<ResponseType>()\npublic inline val
ResponseType.Companion.DEFAULT: ResponseType get() =
    \"default\".asDynamic().unsafeCast<ResponseType>()\npublic inline val ResponseType.Companion.ERROR:
ResponseType get() = \"error\".asDynamic().unsafeCast<ResponseType>()\npublic inline val
ResponseType.Companion.OPAQUE: ResponseType get() =
    \"opaque\".asDynamic().unsafeCast<ResponseType>()\npublic inline val
ResponseType.Companion.OPAQUEREDIRECT:
    ResponseType get() = \"opaqueredirect\".asDynamic().unsafeCast<ResponseType>()\n\n\",/*\n * Copyright 2010-
2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the
license/LICENSE.txt file.\n *\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See
libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage
org.w3c.dom.svg\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.parsing.*\nimport
org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[SVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGElement) to Kotlin\n *\npublic external
abstract class SVGElement : Element, ElementCSSInlineStyle, GlobalEventHandlers,
SVGElementInstance {\n    open val dataset: DOMStringMap\n    open val ownerSVGElement:
SVGSVGElement?\n    open val viewportElement: SVGElement?\n    open var tabIndex: Int\n    fun focus(): Unit\n
fun blur(): Unit\n}\n\npublic external interface SVGBoundingBoxOptions {\n    var fill: Boolean? /* = true *\n
get() = definedExternally\n    set(value) = definedExternally\n    var stroke: Boolean? /* = false *\n
get() = definedExternally\n    set(value) = definedExternally\n    var markers: Boolean? /* = false *\n
get() = definedExternally\n    set(value) = definedExternally\n    var clipped: Boolean? /* = false *\n
get() = definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
SVGBoundingBoxOptions(fill: Boolean? = true, stroke: Boolean? = false, markers: Boolean? = false, clipped:
Boolean? = false): SVGBoundingBoxOptions {\n    val o = js(\"{\}\")\n    o[\"fill\"] = fill\n
o[\"stroke\"] = stroke\n    o[\"markers\"] = markers\n    o[\"clipped\"] = clipped\n    return o\n}\n\n/**\n *
Exposes the JavaScript
[SVGGraphicsElement](https://developer.mozilla.org/en/docs/Web/API/SVGGraphicsElement) to Kotlin\n *\npublic
external abstract class SVGGraphicsElement : SVGElement, SVGTTests {\n    open val transform:
SVGAnimatedTransformList\n    fun getBBox(options: SVGBoundingBoxOptions = definedExternally):
DOMRect\n    fun getCTM(): DOMMatrix?\n    fun getScreenCTM(): DOMMatrix?\n}\n\n/**\n * Exposes the
JavaScript [SVGGeometryElement](https://developer.mozilla.org/en/docs/Web/API/SVGGeometryElement) to
Kotlin\n *\npublic external abstract class SVGGeometryElement : SVGGraphicsElement {\n    open val
pathLength: SVGAnimatedNumber\n    fun isPointInFill(point: DOMPoint): Boolean\n    fun isPointInStroke(point:
DOMPoint): Boolean\n    fun getTotalLength(): Float\n    fun getPointAtLength(distance: Float):
DOMPoint\n}\n\n/**\n * Exposes the JavaScript
[SVGNumber](https://developer.mozilla.org/en/docs/Web/API/SVGNumber)
to Kotlin\n *\npublic external abstract class SVGNumber {\n    open var value: Float\n}\n\n/**\n * Exposes the
JavaScript [SVGLength](https://developer.mozilla.org/en/docs/Web/API/SVGLength) to Kotlin\n *\npublic
external abstract class SVGLength {\n    open val unitType: Short\n    open var value: Float\n    open var
valueInSpecifiedUnits: Float\n    open var valueAsString: String\n    fun newValueSpecifiedUnits(unitType: Short,
valueInSpecifiedUnits: Float): Unit\n    fun convertToSpecifiedUnits(unitType: Short): Unit\n\n    companion object
{\n        val SVG_LENGTHTYPE_UNKNOWN: Short\n        val SVG_LENGTHTYPE_NUMBER: Short\n
        val SVG_LENGTHTYPE_PERCENTAGE: Short\n        val SVG_LENGTHTYPE_EMS: Short\n        val
SVG_LENGTHTYPE_EXS: Short\n        val SVG_LENGTHTYPE_PX: Short\n        val

```

```

SVG_LENGTHTYPE_CM: Short\n    val SVG_LENGTHTYPE_MM: Short\n    val
SVG_LENGTHTYPE_IN: Short\n    val SVG_LENGTHTYPE_PT:
Short\n    val SVG_LENGTHTYPE_PC: Short\n    }\n}\n\n**\n * Exposes the JavaScript
[SVGAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAngle) to Kotlin\n *^npublic external abstract
class SVGAngle {\n    open val unitType: Short\n    open var value: Float\n    open var valueInSpecifiedUnits:
Float\n    open var valueAsString: String\n    fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits:
Float): Unit\n    fun convertToSpecifiedUnits(unitType: Short): Unit\n}\n\n    companion object {\n        val
SVG_ANGLETYPE_UNKNOWN: Short\n        val SVG_ANGLETYPE_UNSPECIFIED: Short\n        val
SVG_ANGLETYPE_DEG: Short\n        val SVG_ANGLETYPE_RAD: Short\n        val
SVG_ANGLETYPE_GRAD: Short\n    }\n}\n\npublic external abstract class SVGNameList {\n    open val length:
Int\n    open val numberOfItems: Int\n    fun clear(): Unit\n    fun initialize(newItem: dynamic): dynamic\n    fun
getItem(index: Int): dynamic\n    fun insertItemBefore(newItem: dynamic, index:
Int): dynamic\n    fun replaceItem(newItem: dynamic, index: Int): dynamic\n    fun removeItem(index: Int):
dynamic\n    fun appendItem(newItem: dynamic): dynamic\n}\n\n@kotlin.internal.InlineOnly inline operator fun
SVGNameList.get(index: Int): dynamic = asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun
SVGNameList.set(index: Int, newItem: dynamic): Unit { asDynamic()[index] = newItem; }\n\n**\n * Exposes the
JavaScript [SVGNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGNumberList) to Kotlin\n *^npublic external abstract class SVGNumberList {\n    open val length: Int\n    open val numberOfItems: Int\n    fun
clear(): Unit\n    fun initialize(newItem: SVGNumber): SVGNumber\n    fun getItem(index: Int): SVGNumber\n    fun
insertItemBefore(newItem: SVGNumber, index: Int): SVGNumber\n    fun replaceItem(newItem:
SVGNumber, index: Int): SVGNumber\n    fun removeItem(index: Int): SVGNumber\n    fun appendItem(newItem:
SVGNumber): SVGNumber\n}\n\n@kotlin.internal.InlineOnly
inline operator fun SVGNumberList.get(index: Int): SVGNumber? =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun SVGNumberList.set(index: Int, newItem:
SVGNumber): Unit { asDynamic()[index] = newItem; }\n\n**\n * Exposes the JavaScript
[SVGLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGLengthList) to Kotlin\n *^npublic external
abstract class SVGLengthList {\n    open val length: Int\n    open val numberOfItems: Int\n    fun clear(): Unit\n    fun
initialize(newItem: SVGLength): SVGLength\n    fun getItem(index: Int): SVGLength\n    fun
insertItemBefore(newItem: SVGLength, index: Int): SVGLength\n    fun replaceItem(newItem: SVGLength, index:
Int): SVGLength\n    fun removeItem(index: Int): SVGLength\n    fun appendItem(newItem: SVGLength):
SVGLength\n}\n\n@kotlin.internal.InlineOnly inline operator fun SVGLengthList.get(index: Int): SVGLength? =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun SVGLengthList.set(index:
Int, newItem: SVGLength): Unit { asDynamic()[index] = newItem; }\n\n**\n * Exposes the JavaScript
[SVGAnimatedBoolean](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedBoolean) to Kotlin\n *^npublic external abstract class SVGAnimatedBoolean {\n    open var baseVal: Boolean\n    open val animVal:
Boolean\n}\n\n**\n * Exposes the JavaScript
[SVGAnimatedEnumeration](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedEnumeration) to
Kotlin\n *^npublic external abstract class SVGAnimatedEnumeration {\n    open var baseVal: Short\n    open val
animVal: Short\n}\n\n**\n * Exposes the JavaScript
[SVGAnimatedInteger](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedInteger) to Kotlin\n *^npublic external abstract class SVGAnimatedInteger {\n    open var baseVal: Int\n    open val animVal:
Int\n}\n\n**\n * Exposes the JavaScript
[SVGAnimatedNumber](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumber) to Kotlin\n *^npublic external abstract class SVGAnimatedNumber
{\n    open var baseVal: Float\n    open val animVal: Float\n}\n\n**\n * Exposes the JavaScript
[SVGAnimatedLength](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLength) to Kotlin\n *^npublic external abstract class SVGAnimatedLength {\n    open val baseVal: SVGLength\n    open val animVal:
SVGLength\n}\n\n**\n * Exposes the JavaScript

```

[SVGAnimatedAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedAngle) to Kotlin\n \*  
 external abstract class SVGAnimatedAngle {\n open val baseVal: SVGAngle\n open val animVal:  
 SVGAngle\n}\n\n\*\*\n \* Exposes the JavaScript

[SVGAnimatedString](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedString) to Kotlin\n \*  
 external abstract class SVGAnimatedString {\n open var baseVal: String\n open val animVal: String\n}\n\n\*\*\n  
 \* Exposes the JavaScript [SVGAnimatedRect](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedRect)  
 to Kotlin\n \*  
 external abstract class SVGAnimatedRect  
 {\n open val baseVal: DOMRect\n open val animVal: DOMRectReadOnly\n}\n\n\*\*\n \* Exposes the  
 JavaScript [SVGAnimatedNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumberList)  
 to Kotlin\n \*  
 external abstract class SVGAnimatedNumberList {\n open val baseVal: SVGNumberList\n  
 open val animVal: SVGNumberList\n}\n\n\*\*\n \* Exposes the JavaScript

[SVGAnimatedLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLengthList) to Kotlin\n  
 \*  
 external abstract class SVGAnimatedLengthList {\n open val baseVal: SVGLengthList\n open val  
 animVal: SVGLengthList\n}\n\n\*\*\n \* Exposes the JavaScript

[SVGStringList](https://developer.mozilla.org/en/docs/Web/API/SVGStringList) to Kotlin\n \*  
 external  
 abstract class SVGStringList {\n open val length: Int\n open val numberOfItems: Int\n fun clear(): Unit\n fun  
 initialize(newItem: String): String\n fun getItem(index: Int): String\n fun insertItemBefore(newItem:  
 String, index: Int): String\n fun replaceItem(newItem: String, index: Int): String\n fun removeItem(index: Int):  
 String\n fun appendItem(newItem: String): String\n}\n@kotlin.internal.InlineOnly inline operator fun  
 SVGStringList.get(index: Int): String? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun  
 SVGStringList.set(index: Int, newItem: String): Unit { asDynamic()[index] = newItem; }\n\n\*\*\n \* Exposes the  
 JavaScript [SVGUnitTypes](https://developer.mozilla.org/en/docs/Web/API/SVGUnitTypes) to Kotlin\n \*  
 external  
 interface SVGUnitTypes {\n\n companion object {\n val SVG\_UNIT\_TYPE\_UNKNOWN: Short\n  
 val SVG\_UNIT\_TYPE\_USERSPACEONUSE: Short\n val SVG\_UNIT\_TYPE\_OBJECTBOUNDINGBOX:  
 Short\n } }\n\n\*\*\n \* Exposes the JavaScript

[SVGTTests](https://developer.mozilla.org/en/docs/Web/API/SVGTTests) to Kotlin\n \*  
 external  
 interface SVGTTests {\n val requiredExtensions: SVGStringList\n val systemLanguage: SVGStringList\n}\n\npublic  
 external interface SVGFitToViewBox {\n val viewBox: SVGAnimatedRect\n val preserveAspectRatio:  
 SVGAnimatedPreserveAspectRatio\n}\n\n\*\*\n \* Exposes the JavaScript

[SVGZoomAndPan](https://developer.mozilla.org/en/docs/Web/API/SVGZoomAndPan) to Kotlin\n \*  
 external  
 interface SVGZoomAndPan {\n var zoomAndPan: Short\n\n companion object {\n val  
 SVG\_ZOOMANDPAN\_UNKNOWN: Short\n val SVG\_ZOOMANDPAN\_DISABLE: Short\n val  
 SVG\_ZOOMANDPAN\_MAGNIFY: Short\n } }\n\n\*\*\n \* Exposes the JavaScript

[SVGURIReference](https://developer.mozilla.org/en/docs/Web/API/SVGURIReference) to Kotlin\n \*  
 external  
 interface SVGURIReference {\n val href: SVGAnimatedString\n}\n\n\*\*\n \* Exposes the JavaScript

[SVGSVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGSVGElement) to Kotlin\n \*  
 external  
 abstract class SVGSVGElement : SVGGraphicsElement, SVGFitToViewBox, SVGZoomAndPan,  
 WindowEventHandlers {\n open val x: SVGAnimatedLength\n  
 open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height:  
 SVGAnimatedLength\n open var currentScale: Float\n open val currentTranslate: DOMPointReadOnly\n fun  
 getIntersectionList(rect: DOMRectReadOnly, referenceElement: SVGElement?): NodeList\n fun  
 getEnclosureList(rect: DOMRectReadOnly, referenceElement: SVGElement?): NodeList\n fun  
 checkIntersection(element: SVGElement, rect: DOMRectReadOnly): Boolean\n fun checkEnclosure(element:  
 SVGElement, rect: DOMRectReadOnly): Boolean\n fun deselectAll(): Unit\n fun createSVGNumber():  
 SVGNumber\n fun createSVGLength(): SVGLength\n fun createSVGAngle(): SVGAngle\n fun  
 createSVGPoint(): DOMPoint\n fun createSVGMatrix(): DOMMatrix\n fun createSVGRect(): DOMRect\n  
 fun createSVGTransform(): SVGTransform\n fun createSVGTransformFromMatrix(matrix:  
 DOMMatrixReadOnly): SVGTransform\n fun getElementById(elementId: String): Element\n fun



```

appendItem(newItem: SVGTransform): SVGTransform\n fun createSVGTransformFromMatrix(matrix:
DOMMatrixReadOnly): SVGTransform\n fun consolidate(): SVGTransform?\n}\n@kotlin.internal.InlineOnly
inline operator fun SVGTransformList.get(index: Int): SVGTransform? =
asDynamic()[index]\n@kotlin.internal.InlineOnly
inline operator fun SVGTransformList.set(index: Int, newItem: SVGTransform): Unit { asDynamic()[index] =
newItem; }\n\n/**\n * Exposes the JavaScript
[SVGAnimatedTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedTransformList) to
Kotlin\n */\npublic external abstract class SVGAnimatedTransformList {\n open val baseVal:
SVGTransformList\n open val animVal: SVGTransformList\n}\n\n/**\n * Exposes the JavaScript
[SVGPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGPreserveAspectRatio) to Kotlin\n
*/\npublic external abstract class SVGPreserveAspectRatio {\n open var align: Short\n open var meetOrSlice:
Short\n\n companion object {\n val SVG_PRESERVEASPECTRATIO_UNKNOWN: Short\n val
SVG_PRESERVEASPECTRATIO_NONE: Short\n val SVG_PRESERVEASPECTRATIO_XMINYMIN:
Short\n val SVG_PRESERVEASPECTRATIO_XMIDYMIN: Short\n val
SVG_PRESERVEASPECTRATIO_XMAXYMIN: Short\n val
SVG_PRESERVEASPECTRATIO_XMINYMID:
Short\n val SVG_PRESERVEASPECTRATIO_XMIDYMID: Short\n val
SVG_PRESERVEASPECTRATIO_XMAXYMID: Short\n val
SVG_PRESERVEASPECTRATIO_XMINYMAX: Short\n val
SVG_PRESERVEASPECTRATIO_XMIDYMAX: Short\n val
SVG_PRESERVEASPECTRATIO_XMAXYMAX: Short\n val SVG_MEETORSlice_UNKNOWN: Short\n
val SVG_MEETORSlice_MEET: Short\n val SVG_MEETORSlice_SLICE: Short\n }\n}\n\n/**\n *
Exposes the JavaScript
[SVGAnimatedPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPreserveAspect
Ratio) to Kotlin\n */\npublic external abstract class SVGAnimatedPreserveAspectRatio {\n open val baseVal:
SVGPreserveAspectRatio\n open val animVal: SVGPreserveAspectRatio\n}\n\n/**\n * Exposes the JavaScript
[SVGPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGPathElement) to Kotlin\n */\npublic
external abstract class SVGPathElement : SVGGeometryElement {\n}\n\n/**\n * Exposes the JavaScript
[SVGRectElement](https://developer.mozilla.org/en/docs/Web/API/SVGRectElement)
to Kotlin\n */\npublic external abstract class SVGRectElement : SVGGeometryElement {\n open val x:
SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val
height: SVGAnimatedLength\n open val rx: SVGAnimatedLength\n open val ry:
SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript
[SVGCircleElement](https://developer.mozilla.org/en/docs/Web/API/SVGCircleElement) to Kotlin\n */\npublic
external abstract class SVGCircleElement : SVGGeometryElement {\n open val cx: SVGAnimatedLength\n
open val cy: SVGAnimatedLength\n open val r: SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript
[SVGEllipseElement](https://developer.mozilla.org/en/docs/Web/API/SVGEllipseElement) to Kotlin\n */\npublic
external abstract class SVGEllipseElement : SVGGeometryElement {\n open val cx: SVGAnimatedLength\n
open val cy: SVGAnimatedLength\n open val rx: SVGAnimatedLength\n
open val ry: SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript
[SVGLineElement](https://developer.mozilla.org/en/docs/Web/API/SVGLineElement) to Kotlin\n */\npublic
external abstract class SVGLineElement : SVGGeometryElement {\n open val x1: SVGAnimatedLength\n open
val y1: SVGAnimatedLength\n open val x2: SVGAnimatedLength\n open val y2:
SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript
[SVGMeshElement](https://developer.mozilla.org/en/docs/Web/API/SVGMeshElement) to Kotlin\n */\npublic
external abstract class SVGMeshElement : SVGGeometryElement, SVGURIReference {\n}\n\n/**\n * Exposes the
JavaScript [SVGAnimatedPoints](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPoints) to Kotlin\n
*/\npublic external interface SVGAnimatedPoints {\n val points: SVGPointList\n val animatedPoints:

```

```

SVGPointList\n}\n\npublic external abstract class SVGPointList {\n  open val length: Int\n  open val
numberOfItems: Int\n  fun clear(): Unit\n  fun initialize(newItem:
DOMPoint): DOMPoint\n  fun getItem(index: Int): DOMPoint\n  fun insertItemBefore(newItem: DOMPoint,
index: Int): DOMPoint\n  fun replaceItem(newItem: DOMPoint, index: Int): DOMPoint\n  fun removeItem(index:
Int): DOMPoint\n  fun appendItem(newItem: DOMPoint): DOMPoint\n}\n\n@kotlin.internal.InlineOnly inline
operator fun SVGPointList.get(index: Int): DOMPoint? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline
operator fun SVGPointList.set(index: Int, newItem: DOMPoint): Unit { asDynamic()[index] = newItem; }\n\n/**\n
* Exposes the JavaScript
[SVGPolylineElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolylineElement) to Kotlin\n
*\n\npublic external abstract class SVGPolylineElement : SVGGeometryElement, SVGAnimatedPoints {\n}\n\n/**\n
* Exposes the JavaScript
[SVGPolygonElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolygonElement) to Kotlin\n
*\n\npublic external abstract class SVGPolygonElement : SVGGeometryElement, SVGAnimatedPoints {\n}\n\n/**\n
* Exposes the JavaScript
[SVGTextContentElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextContentElement) to Kotlin\n
*\n\npublic external abstract class SVGTextContentElement : SVGGraphicsElement {\n  open val textLength:
SVGAnimatedLength\n  open val lengthAdjust: SVGAnimatedEnumeration\n  fun getNumberOfChars(): Int\n
fun getComputedTextLength(): Float\n  fun getSubStringLength(charnum: Int, nchars: Int): Float\n  fun
getStartPositionOfChar(charnum: Int): DOMPoint\n  fun getEndPositionOfChar(charnum: Int): DOMPoint\n  fun
getExtentOfChar(charnum: Int): DOMRect\n  fun getRotationOfChar(charnum: Int): Float\n  fun
getCharNumAtPosition(point: DOMPoint): Int\n  fun selectSubString(charnum: Int, nchars: Int): Unit\n\n
companion object {\n  val LENGTHADJUST_UNKNOWN: Short\n  val LENGTHADJUST_SPACING:
Short\n  val LENGTHADJUST_SPACINGANDGLYPHS: Short\n  }\n}\n\n/**\n
* Exposes the JavaScript
[SVGTextPositioningElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPositioningElement)
to Kotlin\n
*\n\npublic external abstract class SVGTextPositioningElement : SVGTextContentElement {\n  open
val x: SVGAnimatedLengthList\n  open val y: SVGAnimatedLengthList\n  open val dx:
SVGAnimatedLengthList\n  open val dy: SVGAnimatedLengthList\n  open val rotate:
SVGAnimatedNumberList\n}\n\n/**\n
* Exposes the JavaScript
[SVGTextElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextElement) to Kotlin\n
*\n\npublic
external abstract class SVGTextElement : SVGTextPositioningElement {\n}\n\n/**\n
* Exposes the JavaScript
[SVGTSpanElement](https://developer.mozilla.org/en/docs/Web/API/SVGTSpanElement) to Kotlin\n
*\n\npublic
external abstract class SVGTSpanElement : SVGTextPositioningElement {\n}\n\n/**\n
* Exposes the JavaScript
[SVGTextPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPathElement) to Kotlin\n
*\n\npublic external abstract class SVGTextPathElement : SVGTextContentElement,
SVGURIReference {\n  open val startOffset: SVGAnimatedLength\n  open val method:
SVGAnimatedEnumeration\n  open val spacing: SVGAnimatedEnumeration\n\n  companion object {\n  val
TEXTPATH_METHODTYPE_UNKNOWN: Short\n  val TEXTPATH_METHODTYPE_ALIGN: Short\n
val TEXTPATH_METHODTYPE_STRETCH: Short\n  val TEXTPATH_SPACINGTYPE_UNKNOWN:
Short\n  val TEXTPATH_SPACINGTYPE_AUTO: Short\n  val TEXTPATH_SPACINGTYPE_EXACT:
Short\n  }\n}\n\n/**\n
* Exposes the JavaScript
[SVGImageElement](https://developer.mozilla.org/en/docs/Web/API/SVGImageElement) to Kotlin\n
*\n\npublic
external abstract class SVGImageElement : SVGGraphicsElement, SVGURIReference,
HTMLorSVGImageElement {\n  open val x: SVGAnimatedLength\n  open val y: SVGAnimatedLength\n  open
val width: SVGAnimatedLength\n  open val height: SVGAnimatedLength\n  open val preserveAspectRatio:
SVGAnimatedPreserveAspectRatio\n  open var crossOrigin: String?\n}\n\n/**\n
* Exposes the JavaScript
[SVGForeignObjectElement](https://developer.mozilla.org/en/docs/Web/API/SVGForeignObjectElement) to
Kotlin\n
*\n\npublic external abstract class SVGForeignObjectElement : SVGGraphicsElement {\n  open val x:
SVGAnimatedLength\n  open val y: SVGAnimatedLength\n  open val width: SVGAnimatedLength\n  open val

```

```

height: SVGAnimatedLength\n}\n\npublic external abstract class SVGMarkerElement : SVGElement,
SVGFitToViewBox {\n  open val refX: SVGAnimatedLength\n  open val refY: SVGAnimatedLength\n  open
val markerUnits: SVGAnimatedEnumeration\n  open val markerWidth: SVGAnimatedLength\n  open val
markerHeight: SVGAnimatedLength\n  open val orientType: SVGAnimatedEnumeration\n  open val
orientAngle: SVGAnimatedAngle\n  open var orient: String\n  fun setOrientToAuto(): Unit\n  fun
setOrientToAngle(angle: SVGAngle): Unit\n\n  companion object {\n    val
SVG_MARKERUNITS_UNKNOWN: Short\n    val SVG_MARKERUNITS_USERSPACEONUSE: Short\n
val SVG_MARKERUNITS_STROKEWIDTH:
Short\n    val SVG_MARKER_ORIENT_UNKNOWN: Short\n    val SVG_MARKER_ORIENT_AUTO:
Short\n    val SVG_MARKER_ORIENT_ANGLE: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[SVGSolidcolorElement](https://developer.mozilla.org/en/docs/Web/API/SVGSolidcolorElement) to Kotlin\n
*/\n\npublic external abstract class SVGSolidcolorElement : SVGElement {\n}\n\n/**\n * Exposes the JavaScript
[SVGGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGGradientElement) to Kotlin\n
*/\n\npublic external abstract class SVGGradientElement : SVGElement, SVGURIReference, SVGUnitTypes {\n
open val gradientUnits: SVGAnimatedEnumeration\n  open val gradientTransform: SVGAnimatedTransformList\n
open val spreadMethod: SVGAnimatedEnumeration\n\n  companion object {\n    val
SVG_SPREADMETHOD_UNKNOWN: Short\n    val SVG_SPREADMETHOD_PAD: Short\n    val
SVG_SPREADMETHOD_REFLECT: Short\n    val SVG_SPREADMETHOD_REPEAT: Short\n    val
SVG_UNIT_TYPE_UNKNOWN:
Short\n    val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n    val
SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[SVGLinearGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGLinearGradientElement) to
Kotlin\n */\n\npublic external abstract class SVGLinearGradientElement : SVGGradientElement {\n  open val x1:
SVGAnimatedLength\n  open val y1: SVGAnimatedLength\n  open val x2: SVGAnimatedLength\n  open val
y2: SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript
[SVGRadialGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGRadialGradientElement) to
Kotlin\n */\n\npublic external abstract class SVGRadialGradientElement : SVGGradientElement {\n  open val cx:
SVGAnimatedLength\n  open val cy: SVGAnimatedLength\n  open val r: SVGAnimatedLength\n  open val fx:
SVGAnimatedLength\n  open val fy: SVGAnimatedLength\n  open val fr: SVGAnimatedLength\n}\n\npublic
external abstract class SVGMeshGradientElement
: SVGGradientElement {\n}\n\npublic external abstract class SVGMeshrowElement : SVGElement {\n}\n\npublic
external abstract class SVGMeshpatchElement : SVGElement {\n}\n\n/**\n * Exposes the JavaScript
[SVGStopElement](https://developer.mozilla.org/en/docs/Web/API/SVGStopElement) to Kotlin\n */\n\npublic
external abstract class SVGStopElement : SVGElement {\n  open val offset: SVGAnimatedNumber\n}\n\n/**\n *
Exposes the JavaScript [SVGPatternElement](https://developer.mozilla.org/en/docs/Web/API/SVGPatternElement)
to Kotlin\n */\n\npublic external abstract class SVGPatternElement : SVGElement, SVGFitToViewBox,
SVGURIReference, SVGUnitTypes {\n  open val patternUnits: SVGAnimatedEnumeration\n  open val
patternContentUnits: SVGAnimatedEnumeration\n  open val patternTransform: SVGAnimatedTransformList\n
open val x: SVGAnimatedLength\n  open val y: SVGAnimatedLength\n  open val width: SVGAnimatedLength\n
open val height: SVGAnimatedLength\n\n  companion object {\n    val
SVG_UNIT_TYPE_UNKNOWN: Short\n    val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n    val
SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n  }\n}\n\npublic external abstract class SVGHatchElement
: SVGElement {\n}\n\npublic external abstract class SVGHatchpathElement : SVGElement {\n}\n\n/**\n * Exposes
the JavaScript [SVGCursorElement](https://developer.mozilla.org/en/docs/Web/API/SVGCursorElement) to
Kotlin\n */\n\npublic external abstract class SVGCursorElement : SVGElement, SVGURIReference {\n  open val x:
SVGAnimatedLength\n  open val y: SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript
[SVGScriptElement](https://developer.mozilla.org/en/docs/Web/API/SVGScriptElement) to Kotlin\n */\n\npublic
external abstract class SVGScriptElement : SVGElement, SVGURIReference, HTMLOrSVGScriptElement {\n

```

```

open var type: String\n  open var crossOrigin: String?\n}\n\n/**\n * Exposes the JavaScript
[SVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGElement) to Kotlin\n */\npublic
external abstract class SVGElement : SVGGraphicsElement, SVGURIReference {\n  open val target:
SVGAnimatedString\n  open val download: SVGAnimatedString\n  open val rel: SVGAnimatedString\n  open
val relList: SVGAnimatedString\n  open val hreflang: SVGAnimatedString\n  open val type:
SVGAnimatedString}\n\n/**\n * Exposes the JavaScript
[SVGViewElement](https://developer.mozilla.org/en/docs/Web/API/SVGViewElement) to Kotlin\n */\npublic
external abstract class SVGViewElement : SVGElement, SVGFitToViewBox, SVGZoomAndPan {\n\n
companion object {\n    val SVG_ZOOMANDPAN_UNKNOWN: Short\n    val
SVG_ZOOMANDPAN_DISABLE: Short\n    val SVG_ZOOMANDPAN_MAGNIFY: Short\n    }\n}\n\n"/\n
* Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can
be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n\n// See libraries/tools/idl2k for
details\n\n@file:Suppress("\nNESTED_CLASS_IN_EXTERNAL_INTERFACE\n")\npackage
org.w3c.files\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.parsing.*\nimport
org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.notifications.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[Blob](https://developer.mozilla.org/en/docs/Web/API/Blob) to Kotlin\n */\npublic external open class
Blob(blobParts: Array<dynamic> = definedExternally, options: BlobPropertyBag = definedExternally) {\n  open
val size: Int\n  open val type: String\n  open val isClosed: Boolean\n  fun slice(start: Int = definedExternally,
end: Int = definedExternally, contentType: String = definedExternally): Blob\n  fun close(): Unit\n}\n\npublic
external interface BlobPropertyBag {\n  var type: String? /* = "" */\n    get() = definedExternally\n
set(value)
= definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun BlobPropertyBag(type: String? = ""):
BlobPropertyBag {\n  val o = js("{}")\n  o["type"] = type\n  return o\n}\n\n/**\n * Exposes the
JavaScript [File](https://developer.mozilla.org/en/docs/Web/API/File) to Kotlin\n */\npublic external open class
File(fileBits: Array<dynamic>, fileName: String, options: FilePropertyBag = definedExternally) : Blob {\n  open
val name: String\n  open val lastModified: Int\n}\n\npublic external interface FilePropertyBag : BlobPropertyBag
{\n  var lastModified: Int?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun FilePropertyBag(lastModified: Int? = null,
type: String? = ""): FilePropertyBag {\n  val o = js("{}")\n  o["lastModified"] = lastModified\n
o["type"] = type\n  return o\n}\n\n/**\n * Exposes the JavaScript
[FileList](https://developer.mozilla.org/en/docs/Web/API/FileList)
to Kotlin\n */\npublic external abstract class FileList : ItemArrayLike<File> {\n  override val length: Int\n
override fun item(index: Int): File?\n}\n\n@kotlin.internal.InlineOnly inline operator fun FileList.get(index: Int): File?
= asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[FileReader](https://developer.mozilla.org/en/docs/Web/API/FileReader) to Kotlin\n */\npublic external open class
FileReader : EventTarget {\n  open val readyState: Short\n  open val result: dynamic\n  open val error:
dynamic\n  var onloadstart: ((Event) -> dynamic)?\n  var onprogress: ((Event) -> dynamic)?\n  var onload:
((Event) -> dynamic)?\n  var onabort: ((Event) -> dynamic)?\n  var onerror: ((Event) -> dynamic)?\n  var
onloadend: ((Event) -> dynamic)?\n  fun readAsArrayBuffer(blob: Blob): Unit\n  fun readAsBinaryString(blob:
Blob): Unit\n  fun readAsText(blob: Blob, label: String = definedExternally): Unit\n  fun readAsDataURL(blob:
Blob): Unit\n
fun abort(): Unit\n\n  companion object {\n    val EMPTY: Short\n    val LOADING: Short\n    val
DONE: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[FileReaderSync](https://developer.mozilla.org/en/docs/Web/API/FileReaderSync) to Kotlin\n */\npublic external
open class FileReaderSync {\n  fun readAsArrayBuffer(blob: Blob): ArrayBuffer\n  fun readAsBinaryString(blob:

```

```

Blob): String\n fun readAsText(blob: Blob, label: String = definedExternally): String\n fun
readAsDataURL(blob: Blob): String\n}\n\n",/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n *\n\n// NOTE: THIS
FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See libraries/tools/idl2k for
details\n\n@file:Suppress(\\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\\")\npackage
org.w3c.notifications\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport
org.w3c.dom.parsing.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport
org.w3c.files.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/*\n *
Exposes the JavaScript [Notification](https://developer.mozilla.org/en/docs/Web/API/Notification) to Kotlin\n
*\n\npublic external open class Notification(title: String, options: NotificationOptions = definedExternally) :
EventTarget {\n var onclick: ((Event) -> dynamic)?\n var onerror: ((Event) -> dynamic)?\n open val title:
String\n open val dir: NotificationDirection\n open val lang: String\n open val body: String\n open val tag:
String\n open val image: String\n open val icon: String\n open val badge: String\n open val sound: String\n
open val vibrate: Array<out Int>\n open val timestamp: Number\n open val renotify: Boolean\n open val
silent: Boolean\n open val noscreen: Boolean\n open val requireInteraction:
Boolean\n open val sticky: Boolean\n open val data: Any?\n open val actions: Array<out
NotificationAction>\n fun close(): Unit\n\n companion object {\n var permission: NotificationPermission\n
var maxActions: Int\n fun requestPermission(deprecatedCallback: (NotificationPermission) -> Unit =
definedExternally): Promise<NotificationPermission>\n }\n\n\npublic external interface NotificationOptions {\n
var dir: NotificationDirection? /* = NotificationDirection.AUTO */\n get() = definedExternally\n set(value)
= definedExternally\n var lang: String? /* = \"\" */\n get() = definedExternally\n set(value) =
definedExternally\n var body: String? /* = \"\" */\n get() = definedExternally\n set(value) =
definedExternally\n var tag: String? /* = \"\" */\n get() = definedExternally\n set(value) =
definedExternally\n var image: String?\n get() = definedExternally\n
set(value) = definedExternally\n var icon: String?\n get() = definedExternally\n set(value) =
definedExternally\n var badge: String?\n get() = definedExternally\n set(value) = definedExternally\n
var sound: String?\n get() = definedExternally\n set(value) = definedExternally\n var vibrate: dynamic\n
get() = definedExternally\n set(value) = definedExternally\n var timestamp: Number?\n get() =
definedExternally\n set(value) = definedExternally\n var renotify: Boolean? /* = false */\n get() =
definedExternally\n set(value) = definedExternally\n var silent: Boolean? /* = false */\n get() =
definedExternally\n set(value) = definedExternally\n var noscreen: Boolean? /* = false */\n get() =
definedExternally\n set(value) = definedExternally\n var requireInteraction: Boolean? /* = false */\n get()
= definedExternally\n set(value) = definedExternally\n
var sticky: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var
data: Any? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var actions:
Array<NotificationAction>? /* = arrayOf() */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun NotificationOptions(dir:
NotificationDirection? = NotificationDirection.AUTO, lang: String? = \"\", body: String? = \"\", tag: String? = \"\",
image: String? = null, icon: String? = null, badge: String? = null, sound: String? = null, vibrate: dynamic = null,
timestamp: Number? = null, renotify: Boolean? = false, silent: Boolean? = false, noscreen: Boolean? = false,
requireInteraction: Boolean? = false, sticky: Boolean? = false, data: Any? = null, actions:
Array<NotificationAction>? = arrayOf()): NotificationOptions {\n val o = js(\\"({})\\")\n o[\"dir\"] = dir\n
o[\"lang\"]
= lang\n o[\"body\"] = body\n o[\"tag\"] = tag\n o[\"image\"] = image\n o[\"icon\"] = icon\n o[\"badge\"] =
badge\n o[\"sound\"] = sound\n o[\"vibrate\"] = vibrate\n o[\"timestamp\"] = timestamp\n o[\"renotify\"] =
renotify\n o[\"silent\"] = silent\n o[\"noscreen\"] = noscreen\n o[\"requireInteraction\"] = requireInteraction\n
o[\"sticky\"] = sticky\n o[\"data\"] = data\n o[\"actions\"] = actions\n\n return o\n}\n\n\npublic external interface

```

```

NotificationAction {\n  var action: String?\n    get() = definedExternally\n    set(value) = definedExternally\n  var title: String?\n    get() = definedExternally\n    set(value) = definedExternally\n  var icon: String?\n    get() = definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun NotificationAction(action: String?, title: String?, icon: String? = null): NotificationAction {\n  val o = js("{}")\n\n  o["action"] = action\n  o["title"] = title\n  o["icon"] = icon\n\n  return o\n}\n\npublic external interface GetNotificationOptions {\n  var tag: String? /* = "" */\n    get() = definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun GetNotificationOptions(tag: String? = ""): GetNotificationOptions {\n  val o = js("{}")\n\n  o["tag"] = tag\n\n  return o\n}\n\n/**\n * Exposes the JavaScript [NotificationEvent](https://developer.mozilla.org/en/docs/Web/API/NotificationEvent) to Kotlin\n */\n\npublic external open class NotificationEvent(type: String, eventInitDict: NotificationEventInit) : ExtendableEvent {\n  open val notification: Notification\n  open val action: String\n}\n\npublic external interface NotificationEventInit : ExtendableEventInit {\n  var notification: Notification?\n    get() = definedExternally\n  set(value) = definedExternally\n  var action: String? /* = "" */\n    get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun NotificationEventInit(notification: Notification?, action: String? = "", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): NotificationEventInit {\n  val o = js("{}")\n\n  o["notification"] = notification\n  o["action"] = action\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n\n  return o\n}\n\n/* please, don't implement this interface! */\n\npublic external interface NotificationPermission {\n  companion object\n}\n\npublic inline val NotificationPermission.Companion.DEFAULT: NotificationPermission get() = "default".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val NotificationPermission.Companion.DENIED: NotificationPermission get() = "denied".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val NotificationPermission.Companion.GRANTED: NotificationPermission get() = "granted".asDynamic().unsafeCast<NotificationPermission>()\n\n/* please, don't implement this interface! */\n\npublic external interface NotificationDirection {\n  companion object\n}\n\npublic inline val NotificationDirection.Companion.AUTO: NotificationDirection get() = "auto".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val NotificationDirection.Companion.LTR: NotificationDirection get() = "ltr".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val NotificationDirection.Companion.RTL: NotificationDirection get() = "rtl".asDynamic().unsafeCast<NotificationDirection>()\n\n"/\n\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for details\n\n@file:Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npackage org.w3c.workers\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [ServiceWorkerRegistration](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerRegistration) to Kotlin\n */\n\npublic external abstract class ServiceWorkerRegistration : EventTarget {\n  open val installing: ServiceWorker?\n  open val waiting: ServiceWorker?\n  open val active: ServiceWorker?\n  open val scope: String\n  open var onupdatefound: ((Event) -> dynamic)?\n  open val APISpace: dynamic\n  fun update(): Promise<Unit>\n  fun unregister(): Promise<Boolean>\n  fun methodName(): Promise<dynamic>\n  fun showNotification(title: String, options: NotificationOptions = definedExternally): Promise<Unit>\n  fun getNotifications(filter: GetNotificationOptions = definedExternally): Promise<dynamic>\n}\n\n/**\n * Exposes the JavaScript [ServiceWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerGlobalScope) to

```

```

Kotlin\n */\npublic external abstract class ServiceWorkerGlobalScope : WorkerGlobalScope {\n  open val clients: Clients\n  open val registration: ServiceWorkerRegistration\n  open val oninstall: ((Event) -> dynamic)?\n  open var onactivate: ((Event) -> dynamic)?\n  open var onfetch: ((Event) -> dynamic)?\n  open var onforeignfetch: ((Event) -> dynamic)?\n  open var onmessage: ((Event) -> dynamic)?\n  open var onfunctionalevent: ((Event) -> dynamic)?\n  open var onnotificationclick: ((Event) -> dynamic)?\n  open var onnotificationclose: ((Event) -> dynamic)?\n  fun skipWaiting(): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript [ServiceWorker](https://developer.mozilla.org/en/docs/Web/API/ServiceWorker) to Kotlin\n */\npublic external abstract class ServiceWorker : EventTarget, AbstractWorker, UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n  open val scriptURL: String\n  open val state: ServiceWorkerState\n  open var onstatechange: ((Event) -> dynamic)?\n  fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript [ServiceWorkerContainer](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerContainer) to Kotlin\n */\npublic external abstract class ServiceWorkerContainer : EventTarget {\n  open val controller: ServiceWorker?\n  open val ready: Promise<ServiceWorkerRegistration>\n  open var oncontrollerchange: ((Event) -> dynamic)?\n  open var onmessage: ((Event) -> dynamic)?\n  fun register(scriptURL: String, options: RegistrationOptions = definedExternally): Promise<ServiceWorkerRegistration>\n  fun getRegistration(clientURL: String = definedExternally): Promise<Any?>\n  fun getRegistrations(): Promise<dynamic>\n  fun startMessages(): Unit\n}\n\npublic external interface RegistrationOptions {\n  var scope: String?\n  get() = definedExternally\n  set(value) = definedExternally\n  var type: WorkerType? /* = WorkerType.CLASSIC */\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun RegistrationOptions(scope: String? = null, type: WorkerType? = WorkerType.CLASSIC): RegistrationOptions {\n  val o = js("{}")\n  o["scope"] = scope\n  o["type"] = type\n  return o\n}\n\n/**\n * Exposes the JavaScript [ServiceWorkerMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerMessageEvent) to Kotlin\n */\npublic external open class ServiceWorkerMessageEvent(type: String, eventInitDict: ServiceWorkerMessageEventInit = definedExternally) : Event {\n  open val data: Any?\n  open val origin: String\n  open val lastEventId: String\n  open val source: UnionMessagePortOrServiceWorker?\n  open val ports: Array<out MessagePort>?\n}\n\npublic external interface ServiceWorkerMessageEventInit : EventInit {\n  var data: Any?\n  get() = definedExternally\n  set(value) = definedExternally\n  var origin: String?\n  get() = definedExternally\n  set(value) = definedExternally\n  var lastEventId: String?\n  get() = definedExternally\n  set(value) = definedExternally\n  var source: UnionMessagePortOrServiceWorker?\n  get() = definedExternally\n  set(value) = definedExternally\n  var ports: Array<MessagePort>?\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ServiceWorkerMessageEventInit(data: Any? = null, origin: String? = null, lastEventId: String? = null, source: UnionMessagePortOrServiceWorker? = null, ports: Array<MessagePort>? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ServiceWorkerMessageEventInit {\n  val o = js("{}")\n  o["data"] = data\n  o["origin"] = origin\n  o["lastEventId"] = lastEventId\n  o["source"] = source\n  o["ports"] = ports\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript [Client](https://developer.mozilla.org/en/docs/Web/API/Client) to Kotlin\n */\npublic external abstract class Client : UnionClientOrMessagePortOrServiceWorker {\n  open val url: String\n  open val frameType: FrameType\n  open val id: String\n  fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript [WindowClient](https://developer.mozilla.org/en/docs/Web/API/WindowClient) to Kotlin\n */\npublic external abstract class WindowClient : Client {\n  open val visibilityState: dynamic\n  open val focused: Boolean\n  fun focus(): Promise<WindowClient>\n  fun navigate(url: String): Promise<WindowClient>\n}\n\n/**\n * Exposes the JavaScript [Clients](https://developer.mozilla.org/en/docs/Web/API/Clients) to Kotlin\n */\npublic external abstract class

```

```

Clients {\n fun get(id: String): Promise<Any?>\n fun matchAll(options: ClientQueryOptions =
definedExternally): Promise<dynamic>\n fun openWindow(url: String): Promise<WindowClient?>\n fun
claim(): Promise<Unit>\n}\n\npublic external interface ClientQueryOptions {\n var includeUncontrolled:
Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var type:
ClientType? /* = ClientType.WINDOW */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ClientQueryOptions(includeUncontrolled:
Boolean? = false, type: ClientType? = ClientType.WINDOW): ClientQueryOptions {\n val o = js("{}")\n\n
o["includeUncontrolled"] = includeUncontrolled\n
o["type"] = type\n\n return o\n}\n\n/**\n * Exposes the JavaScript
[ExtendableEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableEvent) to Kotlin\n */\n\npublic external
open class ExtendableEvent(type: String, eventInitDict: ExtendableEventInit = definedExternally) : Event {\n fun
waitUntil(f: Promise<Any?>): Unit\n}\n\n\npublic external interface ExtendableEventInit : EventInit
{\n}\n\n\n@kotlin.internal.InlineOnly\npublic inline fun ExtendableEventInit(bubbles: Boolean? = false, cancelable:
Boolean? = false, composed: Boolean? = false): ExtendableEventInit {\n val o = js("{}")\n\n o["bubbles"] =
bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n\n return o\n}\n\n/**\n * Exposes the
JavaScript [InstallEvent](https://developer.mozilla.org/en/docs/Web/API/InstallEvent) to Kotlin\n */\n\npublic
external open class InstallEvent(type: String, eventInitDict: ExtendableEventInit = definedExternally) :
ExtendableEvent {\n fun registerForeignFetch(options:
ForeignFetchOptions): Unit\n}\n\n\npublic external interface ForeignFetchOptions {\n var scopes:
Array<String>?\n get() = definedExternally\n set(value) = definedExternally\n var origins:
Array<String>?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchOptions(scopes:
Array<String>?, origins: Array<String>?): ForeignFetchOptions {\n val o = js("{}")\n\n o["scopes"] =
scopes\n o["origins"] = origins\n\n return o\n}\n\n/**\n * Exposes the JavaScript
[FetchEvent](https://developer.mozilla.org/en/docs/Web/API/FetchEvent) to Kotlin\n */\n\npublic external open class
FetchEvent(type: String, eventInitDict: FetchEventInit) : ExtendableEvent {\n open val request: Request\n open
val clientId: String?\n open val isReload: Boolean\n fun respondWith(r: Promise<Response>): Unit\n}\n\n\npublic
external interface FetchEventInit : ExtendableEventInit
{\n var request: Request?\n get() = definedExternally\n set(value) = definedExternally\n var clientId:
String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var isReload: Boolean?
/* = false */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n\n@kotlin.internal.InlineOnly\npublic inline fun FetchEventInit(request: Request?, clientId:
String? = null, isReload: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): FetchEventInit {\n val o = js("{}")\n\n o["request"] = request\n o["clientId"] =
clientId\n o["isReload"] = isReload\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n
o["composed"] = composed\n\n return o\n}\n\n\npublic external open class ForeignFetchEvent(type: String,
eventInitDict: ForeignFetchEventInit) : ExtendableEvent {\n open val request: Request\n open val origin:
String\n fun respondWith(r: Promise<ForeignFetchResponse>): Unit\n}\n\n\npublic external interface
ForeignFetchEventInit : ExtendableEventInit {\n var request: Request?\n get() = definedExternally\n
set(value) = definedExternally\n var origin: String? /* = \"null\" */\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchEventInit(request:
Request?, origin: String? = \"null\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): ForeignFetchEventInit {\n val o = js("{}")\n\n o["request"] = request\n o["origin"] = origin\n
o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n\n return
o\n}\n\n\npublic external interface ForeignFetchResponse {\n var response: Response?\n get() =
definedExternally\n set(value) = definedExternally\n var origin: String?\n get() =
definedExternally\n set(value) = definedExternally\n var headers: Array<String>?\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

ForeignFetchResponse(response: Response?, origin: String? = null, headers: Array<String>? = null):
ForeignFetchResponse {\n  val o = js("{}")\n\n  o["response"] = response\n  o["origin"] = origin\n  o["headers"] = headers\n\n  return o\n}\n\n/**\n * Exposes the JavaScript [ExtendableMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableMessageEvent) to Kotlin\n *\npublic external open class ExtendableMessageEvent(type: String, eventInitDict: ExtendableMessageEventInit = definedExternally) : ExtendableEvent {\n  open val data: Any?\n  open val origin: String\n  open val lastEventId: String\n  open val source: UnionClientOrMessagePortOrServiceWorker?\n  open val ports: Array<out MessagePort>?\n}\n\npublic external interface
ExtendableMessageEventInit : ExtendableEventInit {\n  var data: Any?\n  get() = definedExternally\n  set(value) = definedExternally\n  var origin: String?\n  get() = definedExternally\n  set(value) = definedExternally\n  var lastEventId: String?\n  get() = definedExternally\n  set(value) = definedExternally\n  var source: UnionClientOrMessagePortOrServiceWorker?\n  get() = definedExternally\n  set(value) = definedExternally\n  var ports: Array<MessagePort>?\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ExtendableMessageEventInit(data: Any? = null, origin: String? = null, lastEventId: String? = null, source: UnionClientOrMessagePortOrServiceWorker? = null, ports: Array<MessagePort>? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableMessageEventInit {\n  val o = js("{}")\n\n  o["data"] = data\n  o["origin"] = origin\n  o["lastEventId"] = lastEventId\n  o["source"] = source\n  o["ports"] = ports\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n\n  return o\n}\n\n/**\n * Exposes the JavaScript [Cache](https://developer.mozilla.org/en/docs/Web/API/Cache) to Kotlin\n *\npublic external abstract class Cache {\n  fun match(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Any?>\n  fun matchAll(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally): Promise<dynamic>\n  fun add(request: dynamic): Promise<Unit>\n  fun addAll(requests: Array<dynamic>): Promise<Unit>\n  fun put(request: dynamic, response: Response): Promise<Unit>\n  fun delete(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Boolean>\n  fun keys(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally): Promise<dynamic>\n}\n\npublic
external interface CacheQueryOptions {\n  var ignoreSearch: Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var ignoreMethod: Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var ignoreVary: Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var cacheName: String?\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
CacheQueryOptions(ignoreSearch: Boolean? = false, ignoreMethod: Boolean? = false, ignoreVary: Boolean? = false, cacheName: String? = null): CacheQueryOptions {\n  val o = js("{}")\n\n  o["ignoreSearch"] = ignoreSearch\n  o["ignoreMethod"] = ignoreMethod\n  o["ignoreVary"] = ignoreVary\n  o["cacheName"] = cacheName\n\n  return o\n}\n\npublic external interface CacheBatchOperation {\n  var type: String?\n  get() = definedExternally\n  set(value) = definedExternally\n  var request: Request?\n  get() = definedExternally\n  set(value) = definedExternally\n  var response: Response?\n  get() = definedExternally\n  set(value) = definedExternally\n  var options: CacheQueryOptions?\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
CacheBatchOperation(type: String? = null, request: Request? = null, response: Response? = null, options: CacheQueryOptions? = null): CacheBatchOperation {\n  val o = js("{}")\n\n  o["type"] = type\n  o["request"] = request\n  o["response"] = response\n  o["options"] = options\n\n  return o\n}\n\n/**\n * Exposes the JavaScript [CacheStorage](https://developer.mozilla.org/en/docs/Web/API/CacheStorage) to Kotlin\n *\npublic external abstract class CacheStorage {\n  fun match(request: dynamic, options: CacheQueryOptions = definedExternally):

```

```

Promise<Any?>\n fun has(cacheName: String): Promise<Boolean>\n fun open(cacheName: String):
Promise<Cache>\n fun delete(cacheName: String): Promise<Boolean>\n fun keys():
Promise<dynamic>\n}\n\npublic external open class FunctionalEvent : ExtendableEvent {\n}\n\npublic external
@marker interface UnionClientOrMessagePortOrServiceWorker {\n}\n\n/* please, don't implement this interface!
*/\n\npublic external interface ServiceWorkerState {\n companion object\n}\n\npublic inline val
ServiceWorkerState.Companion.INSTALLING: ServiceWorkerState get() =
\"installing\".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.INSTALLED: ServiceWorkerState get() =
\"installed\".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.ACTIVATING: ServiceWorkerState get() =
\"activating\".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.ACTIVATED: ServiceWorkerState
get() = \"activated\".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.REDUNDANT: ServiceWorkerState get() =
\"redundant\".asDynamic().unsafeCast<ServiceWorkerState>()\n\n/* please, don't implement this interface!
*/\n\npublic external interface FrameType {\n companion object\n}\n\npublic inline val
FrameType.Companion.AUXILIARY: FrameType get() =
\"auxiliary\".asDynamic().unsafeCast<FrameType>()\n\npublic inline val FrameType.Companion.TOP_LEVEL:
FrameType get() = \"top-level\".asDynamic().unsafeCast<FrameType>()\n\npublic inline val
FrameType.Companion.NESTED: FrameType get() = \"nested\".asDynamic().unsafeCast<FrameType>()\n\npublic
inline val FrameType.Companion.NONE: FrameType get() =
\"none\".asDynamic().unsafeCast<FrameType>()\n\n/* please, don't implement this interface! */\n\npublic external
interface ClientType {\n companion object\n}\n\npublic inline val ClientType.Companion.WINDOW: ClientType
get() = \"window\".asDynamic().unsafeCast<ClientType>()\n\npublic
inline val ClientType.Companion.WORKER: ClientType get() =
\"worker\".asDynamic().unsafeCast<ClientType>()\n\npublic inline val ClientType.Companion.SHAREDWORKER:
ClientType get() = \"sharedworker\".asDynamic().unsafeCast<ClientType>()\n\npublic inline val
ClientType.Companion.ALL: ClientType get() = \"all\".asDynamic().unsafeCast<ClientType>()\n\n\"/*\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n * \n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n//
See libraries/tools/idl2k for
details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npackage org.w3c.xr\n\nimport
kotlin.js.*\n\nimport org.khronos.webgl.*\n\nimport org.w3c.dom.*\n\nimport org.w3c.dom.css.*\n\nimport
org.w3c.dom.events.*\n\nimport org.w3c.dom.parsing.*\n\nimport org.w3c.dom.svg.*\n\nimport
org.w3c.dom.url.*\n\nimport org.w3c.fetch.*\n\nimport org.w3c.files.*\n\nimport org.w3c.notifications.*\n\nimport
org.w3c.performance.*\n\nimport org.w3c.workers.*\n\n\n/*\n * Exposes the JavaScript
[XMLHttpRequestEventTarget](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequestEventTarget) to
Kotlin\n * \n\npublic external abstract class XMLHttpRequestEventTarget : EventTarget {\n open var onloadstart:
((Event) -> dynamic)?\n open var onprogress: ((Event) -> dynamic)?\n open var onabort: ((Event) ->
dynamic)?\n open var onerror: ((Event) -> dynamic)?\n open var onload: ((Event) -> dynamic)?\n open var
ontimeout: ((Event) -> dynamic)?\n open var onloadend: ((Event) -> dynamic)?\n}\n\n\npublic external abstract
class XMLHttpRequestUpload : XMLHttpRequestEventTarget {\n}\n\n\n/*\n * Exposes the JavaScript
[XMLHttpRequest](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequest) to Kotlin\n * \n\npublic
external open class XMLHttpRequest : XMLHttpRequestEventTarget {\n var onreadystatechange: ((Event) ->
dynamic)?\n open val readyState: Short\n var timeout:
Int\n var withCredentials: Boolean\n open val upload: XMLHttpRequestUpload\n open val responseURL:
String\n open val status: Short\n open val statusText: String\n var responseType:
XMLHttpRequestResponseType\n open val response: Any?\n open val responseText: String\n open val

```



```

*\n@Target(ANNOTATION_CLASS)\n@Retention(BINARY)\n@SinceKotlin("1.2")\n@RequireKotlin("1.2.50
\",
versionKind =
RequireKotlinVersionKind.COMPILER_VERSION)\n@Suppress("ANNOTATION_CLASS_MEMBER")\nannota
tion class Experimental(val level: Level = Level.ERROR) {\n    /**\n    * Severity of the diagnostic that should be
reported on usages of experimental API which did not explicitly accept the experimental aspect\n    * of that API
either by using [UseExperimental] or by being annotated with the corresponding marker annotation.\n    *\n
enum class Level {\n    /** Specifies that a warning should be reported on incorrect usages of this experimental
API. *\n    WARNING,\n    /** Specifies that an error should be reported on incorrect usages of this
experimental API. *\n    ERROR,\n    }\n    @Deprecated("This enum is going to be removed and should no
longer be used.")\n    public enum class Impact {\n    COMPILATION,\n    LINKAGE,\n    RUNTIME,\n
}\n}\n\n/**\n * Allows to use experimental API denoted by
the given markers in the annotated file, declaration, or expression.\n * If a declaration is annotated with
[UseExperimental], its usages are **not** required to opt-in to that experimental API.\n *\n * This class is
experimental itself and can only be used with the compiler argument `Xuse-experimental=kotlin.Experimental`.
*\n*\n@Target(\n    CLASS, PROPERTY, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR,
FUNCTION, PROPERTY_GETTER, PROPERTY_SETTER, EXPRESSION, FILE,
TYPEALIAS)\n\n@Retention(SOURCE)\n@SinceKotlin("1.2")\n@RequireKotlin("1.2.50", versionKind =
RequireKotlinVersionKind.COMPILER_VERSION)\n\nannotation class UseExperimental(\n    vararg val
markerClass: KClass<out Annotation>)\n\n\n@Target(CLASS, PROPERTY, CONSTRUCTOR, FUNCTION,
TYPEALIAS)\n\n@Retention(BINARY)\n\ninternal annotation class WasExperimental(\n    vararg val markerClass:
KClass<out Annotation>)\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by
the Apache 2.0 license\n
* that can be found in the license/LICENSE.txt file.\n *\npackage kotlin.collections\n\n/**\n * Provides a skeletal
implementation of the read-only [Collection] interface.\n *\n * @param E the type of elements contained in the
collection. The collection is covariant on its element type.\n *\n@SinceKotlin("1.1")\n\npublic abstract class
AbstractCollection<out E> protected constructor() : Collection<E> {\n    abstract override val size: Int\n    abstract
override fun iterator(): Iterator<E>\n\n    override fun contains(element: @UnsafeVariance E): Boolean = any { it
== element }\n\n    override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean =\n
elements.all { contains(it) } // use when js will support bound refs: elements.all(this::contains)\n\n    override fun
isEmpty(): Boolean = size == 0\n\n    override fun toString(): String = joinToString(", ", "[", "]") {\n        if (it
=== this) "(this Collection)" else it.toString()\n    }\n\n    /**\n    *
Returns new array of type `Array<Any?>` with the elements of this collection.\n    *\n    protected open fun
toArray(): Array<Any?> = copyToArrayImpl(this)\n\n    /**\n    * Fills the provided [array] or creates new array of
the same type\n    * and fills it with the elements of this collection.\n    *\n    protected open fun <T>
toArray(array: Array<T>): Array<T> = copyToArrayImpl(this, array)\n}\n\n", "/*\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n *\npackage kotlin.collections\n\nprivate enum class State {\n    Ready,\n
NotReady,\n    Done,\n    Failed\n}\n\n/**\n * A base class to simplify implementing iterators so that
implementations only have to implement [computeNext]\n * to implement the iterator, calling [done] when the
iteration is complete.\n *\npublic abstract class AbstractIterator<T> : Iterator<T> {\n    private var state =
State.NotReady\n    private
var nextValue: T? = null\n\n    override fun hasNext(): Boolean {\n        require(state != State.Failed)\n        return
when (state) {\n            State.Done -> false\n            State.Ready -> true\n            else -> tryToComputeNext()\n
}\n    }\n\n    override fun next(): T {\n        if (!hasNext()) throw NoSuchElementException()\n        state =
State.NotReady\n        @Suppress("UNCHECKED_CAST")\n        return nextValue as T\n    }\n\n    private fun
tryToComputeNext(): Boolean {\n        state = State.Failed\n        computeNext()\n        return state ==
State.Ready\n    }\n\n    /**\n    * Computes the next item in the iterator.\n    *\n    * This callback method should

```

```

call one of these two methods:\n    * [setNext] with the next value of the iteration\n    * [done] to indicate
there are no more elements\n    * Failure to call either method will result in the iteration terminating with a
failed state\n    /\n    abstract protected
    fun computeNext(): Unit\n    /**\n     * Sets the next value in the iteration, called from the [computeNext]
function\n    /\n    protected fun setNext(value: T): Unit {\n        nextValue = value\n        state = State.Ready\n    }\n    /**\n     * Sets the state to done so that the iteration terminates.\n    /\n    protected fun done() {\n        state
= State.Done\n    }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the
Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n * Based on GWT AbstractList\n * Copyright 2007 Google Inc.\n */\n\npackage kotlin.collections\nimport kotlin.*\n\n * Provides a skeletal
implementation of the read-only [List] interface.\n * This class is intended to help implementing read-only lists
so it doesn't support concurrent modification tracking.\n * @param E the type of elements contained in the list.
The list is covariant on its element type.\n */\n@SinceKotlin("1.1")\npublic
abstract class AbstractList<out E> protected constructor() : AbstractCollection<E>(), List<E> {\n    abstract
override val size: Int\n    abstract override fun get(index: Int): E\n    override fun iterator(): Iterator<E> =
IteratorImpl()\n    override fun indexOf(element: @UnsafeVariance E): Int = indexOfFirst { it == element }\n    override
fun lastIndexOf(element: @UnsafeVariance E): Int = indexOfLast { it == element }\n    override fun
listIterator(): ListIterator<E> = ListIteratorImpl(0)\n    override fun listIterator(index: Int): ListIterator<E> =
ListIteratorImpl(index)\n    override fun subList(fromIndex: Int, toIndex: Int): List<E> = SubList(this, fromIndex,
toIndex)\n    private class SubList<out E>(private val list: AbstractList<E>, private val fromIndex: Int, toIndex:
Int) : AbstractList<E>(), RandomAccess {\n        private var _size: Int = 0\n        init {\n
checkRangeIndexes(fromIndex, toIndex, list.size)\n
            this._size = toIndex - fromIndex\n        }\n        override fun get(index: Int): E {\n
checkElementIndex(index, _size)\n            return list[fromIndex + index]\n        }\n        override val size: Int
get() = _size\n    }\n    /**\n     * Compares this list with other list instance with the ordered structural equality.\n
*\n     * @return true, if [other] instance is a [List] of the same size, which contains the same elements in the same
order.\n    /\n    override fun equals(other: Any?): Boolean {\n        if (other === this) return true\n        if (other !is
List<*>) return false\n        return orderedEquals(this, other)\n    }\n    /**\n     * Returns the hash code value for
this list.\n    /\n    override fun hashCode(): Int = orderedHashCode(this)\n    private open inner class IteratorImpl
: Iterator<E> {\n        /** the index of the item that will be returned on the next call to [next]()\n        /\n        protected
var index = 0\n
        override fun hasNext(): Boolean = index < size\n        override fun next(): E {\n            if (!hasNext()) throw
NoSuchElementException()\n            return get(index++)\n        }\n    }\n    /**\n     * Implementation of
[ListIterator] for abstract lists.\n    /\n    private open inner class ListIteratorImpl(index: Int) : IteratorImpl(),
ListIterator<E> {\n        init {\n            checkPositionIndex(index, this@AbstractList.size)\n            this.index =
index\n        }\n        override fun hasPrevious(): Boolean = index > 0\n        override fun nextIndex(): Int =
index\n        override fun previous(): E {\n            if (!hasPrevious()) throw NoSuchElementException()\n            return
get(--index)\n        }\n        override fun previousIndex(): Int = index - 1\n    }\n    internal companion
object {\n        internal fun checkElementIndex(index: Int, size: Int) {\n            if (index < 0 || index >= size) {\n
throw IndexOutOfBoundsException("index:
\n                $index, size: $size")\n            }\n        }\n        internal fun checkPositionIndex(index: Int, size: Int) {\n
if (index < 0 || index > size) {\n            throw IndexOutOfBoundsException("index: $index, size: $size")\n        }\n    }\n
        internal fun checkRangeIndexes(fromIndex: Int, toIndex: Int, size: Int) {\n            if (fromIndex <
0 || toIndex > size) {\n                throw IndexOutOfBoundsException("fromIndex: $fromIndex, toIndex: $toIndex,
\n                size: $size")\n            }\n            if (fromIndex > toIndex) {\n                throw
IllegalArgumentOutOfRangeException("fromIndex: $fromIndex > toIndex: $toIndex")\n            }\n        }\n        internal fun
orderedHashCode(c: Collection<*>): Int {\n            var hashCode = 1\n            for (e in c) {\n                hashCode =
31 * hashCode + (e?.hashCode() ?: 0)\n            }\n            return hashCode\n        }\n        internal fun
orderedEquals(c: Collection<*>,

```

```

other: Collection<*>): Boolean {\n      if (c.size != other.size) return false\n\n      val otherIterator =\n      other.iterator()\n      for (elem in c) {\n          val elemOther = otherIterator.next()\n          if (elem !=\n          elemOther) {\n              return false\n          }\n          return true\n      }\n  }\n  }", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n * Based on GWT AbstractMap\n * Copyright 2007 Google Inc.\n */\n * Package kotlin.collections\n */\n * Provides a skeletal implementation of the read-only [Map] interface.\n *\n * The implementor is required to implement [entries] property, which should return read-only set of map\n * entries.\n */\n * @param K the type of map keys. The map is invariant on its key type.\n * @param V the type of\n * map values. The map is covariant on its\n * value type.\n */\n @SinceKotlin("1.1")\n public abstract class AbstractMap<K, out V> protected constructor() :\n Map<K, V> {\n     override fun containsKey(key: K): Boolean {\n         return implFindEntry(key) != null\n     }\n     override fun containsValue(value: @UnsafeVariance V): Boolean = entries.any { it.value == value }\n     internal fun containsEntry(entry: Map.Entry<*, *>?): Boolean {\n         // since entry comes from @UnsafeVariance\n         parameters it can be virtually anything\n         if (entry !is Map.Entry<*, *>) return false\n         val key = entry.key\n         val value = entry.value\n         val ourValue = get(key)\n         if (value != ourValue) {\n             return false\n         }\n         // Perhaps it was null and we don't contain the key?\n         if (ourValue == null && !containsKey(key)) {\n             return false\n         }\n         return true\n     }\n     /**\n      * Compares this map with other instance with the\n      * ordered structural equality.\n      *\n      * @return true, if [other] instance is a [Map] of the same size, all entries of which are contained in the [entries]\n      * set of this map.\n      */\n     override fun equals(other: Any?): Boolean {\n         if (other === this) return true\n         if (other !is Map<*, *>) return false\n         if (size != other.size) return false\n         return other.entries.all {\n             containsEntry(it) }\n     }\n     override operator fun get(key: K): V? = implFindEntry(key)?.value\n     /**\n      * Returns the hash code value for this map.\n      * It is the same as the hashCode of [entries] set.\n      */\n     override fun hashCode(): Int = entries.hashCode()\n     override fun isEmpty(): Boolean = size == 0\n     override val size: Int get() = entries.size\n     /**\n      * Returns a read-only [Set] of all keys in this map.\n      *\n      * Accessing this property first time creates a keys view from [entries].\n      * All subsequent accesses just return the\n      * created instance.\n      */\n     override val keys: Set<K>\n         get() {\n             if (_keys == null) {\n                 _keys = object : AbstractSet<K>()\n             }\n             override operator fun contains(element: K): Boolean = containsKey(element)\n             override operator fun iterator(): Iterator<K> {\n                 val entryIterator = entries.iterator()\n                 return object : Iterator<K> {\n                     override fun hasNext(): Boolean = entryIterator.hasNext()\n                     override fun next(): K = entryIterator.next().key\n                 }\n             }\n             override val size: Int get() = this@AbstractMap.size\n             _keys\n         }\n     @kotlin.jvm.Volatile\n     private var _keys: Set<K>? = null\n     override fun toString(): String =\n     entries.joinToString(", ", "{", "}") { toString(it) }\n     private fun toString(entry: Map.Entry<K, V>):\n     String = toString(entry.key) + "=" + toString(entry.value)\n     private fun toString(o: Any?): String = if (o ===\n     this) \"(this Map)\" else o.toString()\n     /**\n      * Returns a read-only [Collection] of all values in this map.\n      *\n      * Accessing this property first time creates a values view from [entries].\n      * All subsequent accesses just\n      * return the created instance.\n      */\n     override val values: Collection<V>\n         get() {\n             if (_values == null)\n             {\n                 _values = object : AbstractCollection<V>()\n             }\n             override operator fun contains(element:\n             @UnsafeVariance V): Boolean = containsValue(element)\n             override operator fun iterator():\n             Iterator<V> {\n                 val entryIterator = entries.iterator()\n                 return object : Iterator<V> {\n                     override fun hasNext(): Boolean = entryIterator.hasNext()\n                     override fun next():\n                     V = entryIterator.next().value\n                 }\n             }\n             override val size: Int get() =\n             this@AbstractMap.size\n             _values\n         }\n     @kotlin.jvm.Volatile\n     private var _values: Collection<V>? = null\n     private fun implFindEntry(key: K): Map.Entry<K, V>? =\n     entries.firstOrNull { it.key == key }\n     internal companion object {\n         internal fun entryHashCode(e:\n         Map.Entry<*, *>): Int = with(e) { (key?.hashCode() ?: 0) xor (value?.hashCode() ?: 0) }\n         internal fun

```



```

default (see [withDefault]).\n */\n@kotlin.jvm.JvmName("getVar")\n@kotlin.internal.InlineOnly\npublic inline
operator fun <V, V1 : V> MutableMap<in String, out @Exact V>.getValue(thisRef: Any?, property:
KProperty<*>): V1 =\n    @Suppress("UNCHECKED_CAST")
    (getOrImplicitDefault(property.name) as V1)\n\n@Deprecated("Use getValue() with two type parameters
instead")\n@kotlin.jvm.JvmName("getVarContravariant")\n@kotlin.internal.LowPriorityInOverloadResolution\n
@kotlin.internal.InlineOnly\npublic inline fun <V> MutableMap<in String, in V>.getValue(thisRef: Any?,
property: KProperty<*>): V =\n    @Suppress("UNCHECKED_CAST") (getOrImplicitDefault(property.name) as
V)\n\n/**\n * Stores the value of the property for the given object in this mutable map.\n * @param thisRef the
object for which the value is requested (not used).\n * @param property the metadata for the property, used to get
the name of property and store the value associated with that name in the map.\n * @param value the value to set.\n
*/\n@kotlin.internal.InlineOnly\npublic inline operator fun <V> MutableMap<in String, in V>.setValue(thisRef:
Any?, property: KProperty<*>, value: V) {\n    this.put(property.name, value)\n}\n"/*\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("MapsKt")\n\npackage
kotlin.collections\n\n/**\n * Returns the value for the given key, or the implicit default value for this map.\n * By
default no implicit value is provided for maps and a [NoSuchElementException] is thrown.\n * To create a map with
implicit default value use [withDefault] method.\n * @throws NoSuchElementException when the map doesn't
contain a value for the specified key and no implicit default was provided for that map.\n
*/\n@kotlin.jvm.JvmName("getOrImplicitDefaultNullable")\n@PublishedApi\ninternal fun <K, V> Map<K,
V>.getOrImplicitDefault(key: K): V {\n    if (this is MapWithDefault)\n        return
this.getOrImplicitDefault(key)\n    return getOrElseNullable(key, { throw NoSuchElementException("Key $key
is missing in the map.") })\n}\n\n/**\n * Returns
a wrapper of this read-only map, having the implicit default value provided with the specified function
[defaultValue].\n * This implicit default value is used when the original map doesn't contain a value for the key
specified\n * and a value is obtained with [Map.getValue] function, for example when properties are delegated to the
map.\n * When this map already has an implicit default value provided with a former call to [withDefault], it is
being replaced by this call.\n */\npublic fun <K, V> Map<K, V>.withDefault(defaultValue: (key: K) -> V): Map<K,
V> =\n    when (this) {\n        is MapWithDefault -> this.map.withDefault(defaultValue)\n        else ->
MapWithDefaultImpl(this, defaultValue)\n    }\n\n/**\n * Returns a wrapper of this mutable map, having the
implicit default value provided with the specified function [defaultValue].\n * This implicit default value is used
when the original map doesn't contain a value for the key specified\n * and a value is obtained
with [Map.getValue] function, for example when properties are delegated to the map.\n * When this map
already has an implicit default value provided with a former call to [withDefault], it is being replaced by this call.\n
*/\n@kotlin.jvm.JvmName("withDefaultMutable")\npublic fun <K, V> MutableMap<K,
V>.withDefault(defaultValue: (key: K) -> V): MutableMap<K, V> =\n    when (this) {\n        is
MutableMapWithDefault -> this.map.withDefault(defaultValue)\n        else -> MutableMapWithDefaultImpl(this,
defaultValue)\n    }\n\nprivate interface MapWithDefault<K, out V> : Map<K, V> {\n    public val map: Map<K,
V>\n    public fun getOrImplicitDefault(key: K): V\n}\n\nprivate interface MutableMapWithDefault<K, V> :
MutableMap<K, V>, MapWithDefault<K, V> {\n    public override val map: MutableMap<K, V>\n}\n\nprivate
class MapWithDefaultImpl<K, out V>(public override val map: Map<K, V>, private val default: (key: K) -> V) :
MapWithDefault<K, V> {\n    override fun equals(other:
Any?): Boolean = map.equals(other)\n    override fun hashCode(): Int = map.hashCode()\n    override fun
toString(): String = map.toString()\n    override val size: Int get() = map.size\n    override fun isEmpty(): Boolean =
map.isEmpty()\n    override fun containsKey(key: K): Boolean = map.containsKey(key)\n    override fun
containsValue(value: @UnsafeVariance V): Boolean = map.containsValue(value)\n    override fun get(key: K): V?
= map.get(key)\n    override val keys: Set<K> get() = map.keys\n    override val values: Collection<V> get() =
map.values\n    override val entries: Set<Map.Entry<K, V>> get() = map.entries\n    override fun

```

```

getOrImplicitDefault(key: K): V = map.getOrElseNullable(key, { default(key) })\n\nprivate class
MutableMapWithDefaultImpl<K, V>(public override val map: MutableMap<K, V>, private val default: (key: K) ->
V) : MutableMapWithDefault<K, V> {\n  override fun equals(other: Any?): Boolean = map.equals(other)\n  override fun hashCode(): Int = map.hashCode()\n  override fun toString(): String = map.toString()\n  override val size: Int get() = map.size\n  override fun isEmpty(): Boolean = map.isEmpty()\n  override fun containsKey(key: K): Boolean = map.containsKey(key)\n  override fun containsValue(value: @UnsafeVariance V): Boolean = map.containsValue(value)\n  override fun get(key: K): V? = map.get(key)\n  override val keys: MutableSet<K> get() = map.keys\n  override val values: MutableCollection<V> get() = map.values\n  override val entries: MutableSet<MutableMap.MutableEntry<K, V>> get() = map.entries\n  override fun put(key: K, value: V): V? = map.put(key, value)\n  override fun remove(key: K): V? = map.remove(key)\n  override fun putAll(from: Map<out K, V>) = map.putAll(from)\n  override fun clear() = map.clear()\n  override fun getOrImplicitDefault(key: K): V = map.getOrElseNullable(key, { default(key) })\n}\n\n"/>\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by
the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\n/**\n * Removes a single instance of the specified element from this\n * collection, if it is
present.\n * Allows to overcome type-safety restriction of `remove` that requires to pass an element of type
`E`.\n * @return `true` if the element has been successfully removed; `false` if it was not present in the
collection.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T>
MutableCollection<out T>.remove(element: T): Boolean =\n  @Suppress("UNCHECKED_CAST") (this as
MutableCollection<T>).remove(element)\n\n/**\n * Removes all of this collection's elements that are also
contained in the specified collection.\n * Allows to overcome type-safety restriction of `removeAll` that requires
to pass a collection of type `Collection<E>`.\n * @return
`true` if any of the specified elements was removed from the collection, `false` if the collection was not modified.\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out
T>.removeAll(elements: Collection<T>): Boolean =\n  @Suppress("UNCHECKED_CAST") (this as
MutableCollection<T>).removeAll(elements)\n\n/**\n * Retains only the elements in this collection that are
contained in the specified collection.\n * Allows to overcome type-safety restriction of `retainAll` that requires
to pass a collection of type `Collection<E>`.\n * @return `true` if any element was removed from the collection,
`false` if the collection was not modified.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun
<@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.retainAll(elements: Collection<T>): Boolean =\n
@Suppress("UNCHECKED_CAST") (this as MutableCollection<T>).retainAll(elements)\n\n/**\n * Removes the
element at the specified
[index] from this list.\n * In Kotlin one should use the [MutableList.removeAt] function instead.\n
*/\n\n@Deprecated("Use removeAt(index) instead.", ReplaceWith("removeAt(index)"), level =
DeprecationLevel.ERROR)\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> MutableList<T>.remove(index:
Int): T = removeAt(index)\n\n/**\n * Adds the specified [element] to this mutable collection.\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(element: T)
{\n  this.add(element)\n}\n\n/**\n * Adds all elements of the given [elements] collection to this mutable
collection.\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in
T>.plusAssign(elements: Iterable<T>) {\n  this.addAll(elements)\n}\n\n/**\n * Adds all elements of the given
[elements] array to this mutable collection.\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
MutableCollection<in T>.plusAssign(elements: Array<T>) {\n  this.addAll(elements)\n}\n\n/**\n * Adds all
elements of the given [elements] sequence to this mutable collection.\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements:
Sequence<T>) {\n  this.addAll(elements)\n}\n\n/**\n * Removes a single instance of the specified [element] from
this mutable collection.\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in
T>.minusAssign(element: T) {\n  this.remove(element)\n}\n\n/**\n * Removes all elements contained in the given

```

```

[elements] collection from this mutable collection.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun
<T> MutableCollection<in T>.minusAssign(elements: Iterable<T>) {\n  this.removeAll(elements)\n}\n\n/**\n *
Removes all elements contained in the given [elements] array from this mutable collection.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements:
Array<T>) {\n
  this.removeAll(elements)\n}\n\n/**\n * Removes all elements contained in the given [elements] sequence from
this mutable collection.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in
T>.minusAssign(elements: Sequence<T>) {\n  this.removeAll(elements)\n}\n\n/**\n * Adds all elements of the
given [elements] collection to this [MutableCollection].\n *\npublic fun <T> MutableCollection<in
T>.addAll(elements: Iterable<T>): Boolean {\n  when (elements) {\n    is Collection -> return
addAll(elements)\n    else -> {\n      var result: Boolean = false\n      for (item in elements)\n        if
(add(item)) result = true\n      return result\n    }\n  }\n}\n\n/**\n * Adds all elements of the given [elements]
sequence to this [MutableCollection].\n *\npublic fun <T> MutableCollection<in T>.addAll(elements:
Sequence<T>): Boolean {\n  var result: Boolean = false\n  for (item in elements) {\n    if (add(item))
result = true\n  }\n  return result\n}\n\n/**\n * Adds all elements of the given [elements] array to this
[MutableCollection].\n *\npublic fun <T> MutableCollection<in T>.addAll(elements: Array<out T>): Boolean {\n
return addAll(elements.asList())\n}\n\n/**\n * Removes all elements from this [MutableIterable] that match the
given [predicate].\n *\npublic fun <T> MutableIterable<T>.removeAll(predicate: (T) -> Boolean): Boolean =
filterInPlace(predicate, true)\n\n/**\n * Retains only elements of this [MutableIterable] that match the given
[predicate].\n *\npublic fun <T> MutableIterable<T>.retainAll(predicate: (T) -> Boolean): Boolean =
filterInPlace(predicate, false)\n\nprivate fun <T> MutableIterable<T>.filterInPlace(predicate: (T) -> Boolean,
predicateResultToRemove: Boolean): Boolean {\n  var result = false\n  with(iterator()) {\n    while
(hasNext())\n      if (predicate(next()) == predicateResultToRemove) {\n        remove()\n        result
= true\n      }\n  }\n  return result\n}\n\n/**\n * Removes all elements from this [MutableList] that match the
given [predicate].\n *\npublic fun <T> MutableList<T>.removeAll(predicate: (T) -> Boolean): Boolean =
filterInPlace(predicate, true)\n\n/**\n * Retains only elements of this [MutableList] that match the given
[predicate].\n *\npublic fun <T> MutableList<T>.retainAll(predicate: (T) -> Boolean): Boolean =
filterInPlace(predicate, false)\n\nprivate fun <T> MutableList<T>.filterInPlace(predicate: (T) -> Boolean,
predicateResultToRemove: Boolean): Boolean {\n  if (this !is RandomAccess)\n    return (this as
MutableIterable<T>).filterInPlace(predicate, predicateResultToRemove)\n  var writeIndex: Int = 0\n  for
(readIndex in 0..lastIndex) {\n    val element = this[readIndex]\n    if (predicate(element) ==
predicateResultToRemove)\n      continue\n    if (writeIndex != readIndex)\n      this[writeIndex] =
element\n    writeIndex++\n  }\n  if (writeIndex < size) {\n    for (removeIndex in lastIndex downTo writeIndex)\n
removeAt(removeIndex)\n    return true\n  } else {\n    return false\n  }\n}\n\n/**\n * Removes all elements
from this [MutableCollection] that are also contained in the given [elements] collection.\n *\npublic fun <T>
MutableCollection<in T>.removeAll(elements: Iterable<T>): Boolean {\n  return
removeAll(elements.convertToSetForSetOperationWith(this))\n}\n\n/**\n * Removes all elements from this
[MutableCollection] that are also contained in the given [elements] sequence.\n *\npublic fun <T>
MutableCollection<in T>.removeAll(elements: Sequence<T>): Boolean {\n  val set = elements.toHashSet()\n
return set.isNotEmpty() && removeAll(set)\n}\n\n/**\n * Removes all elements from this [MutableCollection] that
are also contained in the given [elements] array.\n *\npublic fun <T> MutableCollection<in
T>.removeAll(elements: Array<out T>): Boolean {\n  return
elements.isNotEmpty() && removeAll(elements.toHashSet())\n}\n\n/**\n * Retains only elements of this
[MutableCollection] that are contained in the given [elements] collection.\n *\npublic fun <T>
MutableCollection<in T>.retainAll(elements: Iterable<T>): Boolean {\n  return
retainAll(elements.convertToSetForSetOperationWith(this))\n}\n\n/**\n * Retains only elements of this
[MutableCollection] that are contained in the given [elements] array.\n *\npublic fun <T> MutableCollection<in

```

```

T>.retainAll(elements: Array<out T>): Boolean {
    if (elements.isNotEmpty())
        return retainAll(elements.toHashSet())
    else
        return retainNothing()
}

/**
 * Retains only elements of this [MutableCollection] that are contained in the given [elements] sequence.
 */
public fun <T> MutableCollection<in T>.retainAll(elements: Sequence<T>): Boolean {
    val set = elements.toHashSet()
    if (set.isNotEmpty())
        return retainAll(set)
    else
        return retainNothing()
}

private fun MutableCollection<*>.retainNothing(): Boolean {
    val result = isEmpty()
    clear()
    return result
}

/**
 * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
 * that can be found in the license/LICENSE.txt file.
 */
@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("CollectionsKt")
package kotlin.collections
import kotlin.*

private open class ReversedListReadOnly<out T>(private val delegate: List<T>) : AbstractList<T>() {
    override val size: Int get() = delegate.size
    override fun get(index: Int): T = delegate[reverseElementIndex(index)]
}

private class ReversedList<T>(private val delegate: MutableList<T>) : AbstractMutableList<T>() {
    override val size: Int get() = delegate.size
    override fun get(index: Int): T = delegate[reverseElementIndex(index)]
    override fun clear() = delegate.clear()
    override fun removeAt(index: Int): T = delegate.removeAt(reverseElementIndex(index))

    override fun set(index: Int, element: T): T = delegate.set(reverseElementIndex(index), element)
    override fun add(index: Int, element: T) {
        delegate.add(reversePositionIndex(index), element)
    }

    private fun List<*>.reverseElementIndex(index: Int) =
        if (index in 0..lastIndex) lastIndex - index else throw IndexOutOfBoundsException("Element index $index must be in range [0..lastIndex].")

    private fun List<*>.reversePositionIndex(index: Int) =
        if (index in 0..size) size - index else throw IndexOutOfBoundsException("Position index $index must be in range [0..size].")
}

/**
 * Returns a reversed read-only view of the original List.
 * All changes made in the original list will be reflected in the reversed one.
 * @sample samples.collections.ReversedViews.asReversedList
 */
public fun <T> List<T>.asReversed(): List<T> = ReversedListReadOnly(this)

/**
 * Returns a reversed mutable view of the original mutable List.
 * All changes made in the original list will be reflected in the reversed one and vice versa.
 * @sample samples.collections.ReversedViews.asReversedMutableList
 */
@kotlin.jvm.JvmName("asReversedMutable")
public fun <T> MutableList<T>.asReversed(): MutableList<T> = ReversedList(this)

/**
 * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
 * that can be found in the license/LICENSE.txt file.
 */
package kotlin.collections
import kotlin.*
import kotlin.coroutines.experimental.buildIterator
internal fun checkWindowSizeStep(size: Int, step: Int) {
    require(size > 0 && step > 0) {
        if (size != step)
            "Both size $size and step $step must be greater than zero."
        else
            "size $size must be greater than zero."
    }
}

internal fun <T> Sequence<T>.windowedSequence(size: Int, step: Int, partialWindows: Boolean, reuseBuffer: Boolean): Sequence<List<T>> {
    {
        checkWindowSizeStep(size, step)
        return Sequence {
            windowedIterator(iterator(), size, step, partialWindows, reuseBuffer)
        }
    }

    internal fun <T> windowedIterator(iterator: Iterator<T>, size: Int, step: Int, partialWindows: Boolean, reuseBuffer: Boolean): Iterator<List<T>> {
        if (!iterator.hasNext()) return EmptyIterator
        return buildIterator<List<T>> {
            val gap = step - size
            if (gap >= 0) {
                var buffer = ArrayList<T>(size)
                var skip = 0
                for (e in iterator) {
                    if (skip > 0) { skip -= 1; continue }
                    buffer.add(e)
                    if (buffer.size == size) {
                        yield(buffer)
                        if (reuseBuffer) buffer.clear() else buffer = ArrayList(size)
                        skip = gap
                    }
                }
                if (buffer.isNotEmpty()) {
                    if (partialWindows || buffer.size == size) yield(buffer)
                } else {
                    val buffer = RingBuffer<T>(size)
                    for (e in iterator) {
                        buffer.add(e)
                        if (buffer.isFull()) {
                            yield(if (reuseBuffer) buffer else ArrayList(buffer))
                            buffer.removeFirst(step)
                        }
                    }
                    if (partialWindows) {
                        while (buffer.size > step) {
                            yield(if (reuseBuffer) buffer else ArrayList(buffer))
                            buffer.removeFirst(step)
                        }
                    }
                    if (buffer.isNotEmpty()) yield(buffer)
                }
            }
        }
    }

    internal class MovingSubList<out

```

```

E>(private val list: List<E>) : AbstractList<E>(), RandomAccess {
    private var fromIndex: Int = 0
    private var _size: Int = 0
    fun move(fromIndex: Int, toIndex: Int) {
        checkRangeIndexes(fromIndex, toIndex, list.size)
        this.fromIndex = fromIndex
        this._size = toIndex - fromIndex
    }
    override fun get(index: Int): E {
        checkElementIndex(index, _size)
        return list[fromIndex + index]
    }
    override val size: Int get() = _size
}
/**
 * Provides ring buffer implementation.
 * Buffer overflow is not allowed so [add] doesn't overwrite tail but raises an exception.
 */
private class RingBuffer<T>(val capacity: Int) : AbstractList<T>(), RandomAccess {
    init {
        require(capacity >= 0) { "ring buffer capacity should not be negative but it is $capacity" }
    }
    private val buffer = arrayOfNulls<Any?>(capacity)
    private var startIndex: Int = 0
    override var size: Int = 0
    private set
    override fun get(index: Int): T {
        checkElementIndex(index, size)
        @Suppress("UNCHECKED_CAST")
        return buffer[startIndex.forward(index)] as T
    }
    fun isFull() = size == capacity
    override fun iterator(): Iterator<T> = object : AbstractIterator<T>() {
        private var count = size
        private var index = startIndex
        override fun computeNext() {
            if (count == 0) {
                done()
            } else {
                @Suppress("UNCHECKED_CAST")
                setNext(buffer[index] as T)
                index = index.forward(1)
                count--
            }
        }
    }
    @Suppress("UNCHECKED_CAST")
    override fun <T> toArray(array: Array<T>): Array<T> {
        val result: Array<T?> = if (array.size < this.size) array.copyOf(this.size) else array as Array<T?>
        val size = this.size
        var widx = 0
        var idx = startIndex
        while (widx < size && idx < capacity) {
            result[widx] = buffer[idx] as T
            widx++
            idx++
        }
        idx = 0
        while (widx < size) {
            result[widx] = buffer[idx] as T
            widx++
            idx++
        }
        if (result.size > this.size) result[this.size] = null
        return result as Array<T>
    }
    override fun toArray(): Array<Any?> {
        return toArray(arrayOfNulls(size))
    }
    /**
     * Add [element] to the buffer or fail with [IllegalStateException] if no free space available in the buffer
     */
    fun add(element: T) {
        if (isFull()) {
            throw IllegalStateException("ring buffer is full")
        }
        buffer[startIndex.forward(size)] = element
        size++
    }
    /**
     * Removes [n] first elements from the buffer or fails with [IllegalArgumentException] if not enough elements in the buffer to remove
     */
    fun removeFirst(n: Int) {
        require(n >= 0) { "shouldn't be negative but it is $n" }
        require(n <= size) { "n shouldn't be greater than the buffer size: n = $n, size = $size" }
        if (n > 0) {
            val start = startIndex
            val end = start.forward(n)
            if (start > end) {
                buffer.fill(null, start, capacity)
                buffer.fill(null, 0, end)
            } else {
                buffer.fill(null, start, end)
            }
            startIndex = end
            size -= n
        }
    }
    @Suppress("NOTHING_TO_INLINE")
    private inline fun Int.forward(n: Int): Int = (this + n) % capacity
    // TODO: replace with Array.fill from stdlib when available in common
    private fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit {
        for (idx in fromIndex until toIndex) {
            this[idx] = element
        }
    }
}
/**
 * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
 * that can be found in the license/LICENSE.txt file.
 */
package kotlin.coroutines.experimental
/**
 * Marks coroutine context element that intercepts coroutine continuations.
 * The coroutines framework uses [ContinuationInterceptor.Key] to retrieve the interceptor and
 * intercepts all coroutine continuations with [interceptContinuation] invocations.
 */
@SinceKotlin("1.1")
public interface ContinuationInterceptor : CoroutineContext.Element {
    /**
     * The key that defines the context interceptor.
     */
    companion object Key : CoroutineContext.Key<ContinuationInterceptor>
    /**
     * Returns continuation that wraps the original [continuation], thus intercepting all resumptions.
     * This function is invoked by coroutines framework when needed and the resulting continuations are
     * cached internally per each instance of the original [continuation].
     */
    /**
     * By convention, implementations that install themselves as the interceptor in the context with
     * the [Key] shall also scan the context for other element that implement [ContinuationInterceptor] interface
     * and use their [interceptContinuation] functions, too.
     */
    public fun <T> interceptContinuation(continuation:

```

Continuation<T>):

```
Continuation<T>}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the
Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.coroutines.experimental\n\n/**\n * Persistent context for the coroutine. It is an indexed set of [Element]
instances.\n * An indexed set is a mix between a set and a map.\n * Every element in this set has a unique [Key].
Keys are compared _by reference_.\n * An @SinceKotlin("1.1")\npublic interface CoroutineContext {\n /**\n *
Returns the element with the given [key] from this context or `null`.\n * Keys are compared _by reference_, that
is to get an element from the context the reference to its actual key\n * object must be presented to this function.\n
*/\n public operator fun <E : Element> get(key: Key<E>): E?\n\n /**\n * Accumulates entries of this
context starting with [initial] value and applying [operation]\n * from left to right
to current accumulator value and each element of this context.\n * An public fun <R> fold(initial: R, operation:
(R, Element) -> R): R\n\n /**\n * Returns a context containing elements from this context and elements from
other [context].\n * The elements from this context with the same key as in the other one are dropped.\n * An
public operator fun plus(context: CoroutineContext): CoroutineContext =\n if (context ===
EmptyCoroutineContext) this else // fast path -- avoid lambda creation\n context.fold(this) { acc, element ->\n
val removed = acc.minusKey(element.key)\n if (removed === EmptyCoroutineContext) element
else {\n // make sure interceptor is always last in the context (and thus is fast to get when present)\n
val interceptor = removed[ContinuationInterceptor]\n if (interceptor == null)
CombinedContext(removed, element) else {\n
val left = removed.minusKey(ContinuationInterceptor)\n if (left === EmptyCoroutineContext)
CombinedContext(element, interceptor) else\n CombinedContext(CombinedContext(left, element),
interceptor)\n }\n }\n }\n\n /**\n * Returns a context containing elements from this
context, but without an element with\n * the specified [key]. Keys are compared _by reference_, that is to remove
an element from the context\n * the reference to its actual key object must be presented to this function.\n * An
public fun minusKey(key: Key<*>): CoroutineContext\n\n /**\n * An element of the [CoroutineContext]. An
element of the coroutine context is a singleton context by itself.\n * An public interface Element :
CoroutineContext {\n /**\n * A key of this coroutine context element.\n * An public val key:
Key<*>\n\n @Suppress("UNCHECKED_CAST")\n
public override operator fun <E : Element> get(key: Key<E>): E? =\n if (this.key === key) this as E else
null\n\n public override fun <R> fold(initial: R, operation: (R, Element) -> R): R =\n operation(initial,
this)\n\n public override fun minusKey(key: Key<*>): CoroutineContext =\n if (this.key === key)
EmptyCoroutineContext else this\n }\n\n /**\n * Key for the elements of [CoroutineContext]. [E] is a type of
element with this key.\n * Keys in the context are compared _by reference_.\n * An public interface Key<E :
Element>}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0
license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.coroutines.experimental\n\nimport kotlin.coroutines.experimental.CoroutineContext.*\n\n/**\n * Base class
for [CoroutineContext.Element] implementations.\n * An @SinceKotlin("1.1")\npublic
abstract class AbstractCoroutineContextElement(public override val key: Key<*>) : Element\n\n /**\n * An empty
coroutine context.\n * An @SinceKotlin("1.1")\npublic object EmptyCoroutineContext : CoroutineContext {\n
public override fun <E : Element> get(key: Key<E>): E? = null\n public override fun <R> fold(initial: R,
operation: (R, Element) -> R): R = initial\n public override fun plus(context: CoroutineContext):
CoroutineContext = context\n public override fun minusKey(key: Key<*>): CoroutineContext = this\n public
override fun hashCode(): Int = 0\n public override fun toString(): String = "EmptyCoroutineContext"\n\n /---
----- internal impl -----\n\n // this class is not exposed, but is hidden inside
implementations\n // this is a left-biased list, so that `plus` works naturally\n internal class CombinedContext(val left:
CoroutineContext, val element: Element) : CoroutineContext {\n override fun <E : Element> get(key: Key<E>):
E?
```



```

constructor() {\n /**\n * Yields a value to the [Iterator] being built.\n *\n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n
 * @sample samples.collections.Sequences.Building.buildFibonacciSequence\n */\n public abstract suspend
fun yield(value: T)\n\n /**\n * Yields all values from the `iterator` to the [Iterator] being built.\n *\n * The
sequence of values returned by the given iterator can be potentially infinite.\n *\n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n */\n public abstract suspend fun
yieldAll(iterator: Iterator<T>)\n\n /**\n * Yields a collections of values to the [Iterator] being built.\n *\n *
@sample samples.collections.Sequences.Building.buildSequenceYieldAll\n */\n public suspend fun
yieldAll(elements: Iterable<T>) {\n if (elements is Collection && elements.isEmpty()) return\n return
yieldAll(elements.iterator())\n }\n\n /**\n * Yields potentially infinite sequence of values to the [Iterator]
being built.\n *\n
 * The sequence can be potentially infinite.\n *\n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n */\n public suspend fun yieldAll(sequence:
Sequence<T>) = yieldAll(sequence.iterator())\n\n\nprivate typealias State = Int\nprivate const val
State_NotReady: State = 0\nprivate const val State_ManyNotReady: State = 1\nprivate const val State_ManyReady:
State = 2\nprivate const val State_Ready: State = 3\nprivate const val State_Done: State = 4\nprivate const val
State_Failed: State = 5\nprivate class SequenceBuilderIterator<T> : SequenceBuilder<T>(), Iterator<T>,
Continuation<Unit> {\n private var state = State_NotReady\n private var nextValue: T? = null\n private var
nextIterator: Iterator<T>? = null\n var nextStep: Continuation<Unit>? = null\n\n override fun hasNext():
Boolean {\n while (true) {\n when (state) {\n State_NotReady -> {\n
State_ManyNotReady ->\n if
(nextIterator!!.hasNext()) {\n state = State_ManyReady\n return true\n }
else {\n nextIterator = null\n } State_Done -> return false\n
State_Ready, State_ManyReady -> return true\n else -> throw exceptionalState()\n }\n\n state
= State_Failed\n val step = nextStep!!\n nextStep = null\n step.resume(Unit)\n }\n }\n\n
override fun next(): T {\n when (state) {\n State_NotReady, State_ManyNotReady -> return
nextNotReady()\n State_ManyReady -> {\n state = State_ManyNotReady\n return
nextIterator!!.next()\n }\n State_Ready -> {\n state = State_NotReady\n
@Suppress("UNCHECKED_CAST")\n val result = nextValue as T\n nextValue = null\n
return result\n }\n else -> throw exceptionalState()\n }\n }\n\n private fun
nextNotReady(): T {\n if (!hasNext()) throw NoSuchElementException() else return next()\n }\n\n private
fun exceptionalState(): Throwable = when (state) {\n State_Done -> NoSuchElementException()\n
State_Failed -> IllegalStateException("Iterator has failed.")\n else -> IllegalStateException("Unexpected state
of the iterator: $state")\n }\n\n\n suspend override fun yield(value: T) {\n nextValue = value\n state =
State_Ready\n return suspendCoroutineOrReturn { c ->\n nextStep = c\n
COROUTINE_SUSPENDED\n }\n }\n\n suspend override fun yieldAll(iterator: Iterator<T>) {\n if
(!iterator.hasNext()) return\n nextIterator = iterator\n state = State_ManyReady\n return
suspendCoroutineOrReturn { c ->\n nextStep = c\n COROUTINE_SUSPENDED\n
}\n }\n\n // Completion continuation implementation\n override fun resume(value: Unit) {\n state =
State_Done\n }\n\n override fun resumeWithException(exception: Throwable) {\n throw exception // just
rethrow\n }\n\n override val context: CoroutineContext\n get() = EmptyCoroutineContext\n\n\n"}\n\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName("IntrinsicsKt")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage
kotlin.coroutines.experimental.intrinsics\n\nimport kotlin.coroutines.experimental.*\n\n/**\n * Obtains the current
continuation instance inside suspend functions and either suspends\n * currently running coroutine or returns result
immediately without suspension.\n *\n * If the [block] returns the special [COROUTINE_SUSPENDED] value, it
means that suspend function did suspend the

```

execution and will not return any result immediately. In this case, the [Continuation] provided to the [block] shall be invoked at some moment in the future when the result becomes available to resume the computation. Otherwise, the return value of the [block] must have a type assignable to [T] and represents the result of this suspend function. It means that the execution was not suspended and the [Continuation] provided to the [block] shall not be invoked. As the result type of the [block] is declared as `Any?` and cannot be correctly type-checked, its proper return type remains on the conscience of the suspend function's author. Note that it is not recommended to call either [Continuation.resume] nor [Continuation.resumeWithException] functions synchronously in the same stackframe where suspension function is run. Use [suspendCoroutine] as a safer way to obtain current continuation instance.

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("UNUSED_PARAMETER")\npublic suspend inline fun <T> suspendCoroutineOrReturn(crossinline block: (Continuation<T>) -> Any?): T =\n suspendCoroutineUninterceptedOrReturn { cont -> block(cont.intercepted()) }\n\n/*\n * Obtains the current continuation instance inside suspend functions and either suspends currently running coroutine or returns result immediately without suspension.\n *\n * Unlike [suspendCoroutineOrReturn] it does not intercept continuation.\n *\n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic suspend inline fun <T>\nsuspendCoroutineUninterceptedOrReturn(crossinline block: (Continuation<T>) -> Any?): T =\n throw\n NotImplementedError("Implementation of suspendCoroutineUninterceptedOrReturn is intrinsic")\n\n/*\n * Intercept continuation with [ContinuationInterceptor].\n\n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Continuation<T>.intercept():\n Continuation<T> =\n throw NotImplementedError("Implementation of intercepted is intrinsic")\n\n/*\n * This value is used as a return value of [suspendCoroutineOrReturn] `block` argument to state that the execution was suspended and will not return any result immediately.\n\n@SinceKotlin("1.1")\npublic expect val COROUTINE_SUSPENDED: Any // get() =\n CoroutineSuspendedMarker\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n@package kotlin.experimental\n\n/*\n * Performs a bitwise AND operation between the two values.\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.and(other: Byte): Byte =\n (this.toInt() and other.toInt()).toByte()\n\n/*\n * Performs a bitwise OR operation between the two values.\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.or(other: Byte): Byte =\n (this.toInt() or other.toInt()).toByte()\n\n/*\n * Performs a bitwise XOR operation between the two values.\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.xor(other: Byte): Byte =\n (this.toInt() xor other.toInt()).toByte()\n\n/*\n * Inverts the bits in this value.\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.inv(): Byte =\n (this.toInt().inv()).toByte()\n\n/*\n * Performs a bitwise AND operation between the two values.\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.and(other: Short): Short =\n (this.toInt() and other.toInt()).toShort()\n\n/*\n * Performs a bitwise OR operation between the two values.\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.or(other: Short): Short =\n (this.toInt() or other.toInt()).toShort()\n\n/*\n * Performs a bitwise XOR operation between the two values.\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.xor(other: Short): Short =\n (this.toInt() xor other.toInt()).toShort()\n\n/*\n * Inverts the bits in this value.\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun Short.inv():\n Short =\n (this.toInt().inv()).toShort()\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n@package kotlin.internal\n\n/*\n * Specifies that the corresponding type should be ignored during type inference.\n\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class NoInfer\n\n/*\n * Specifies that the constraint built for the type during type inference should be an equality one.\n\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class Exact\n\n/*\n * Specifies that a corresponding member has the lowest priority in overload resolution.\n\n
```

\*`@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)``@Retention(AnnotationRetention.BINARY)` internal annotation class `LowPriorityInOverloadResolution` Specifies that the corresponding member has the highest priority in overload resolution. Effectively this means that an extension annotated with this annotation will win in overload resolution over a member with the same signature.

\*`@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)``@Retention(AnnotationRetention.BINARY)` internal annotation class `HidesMembers` The value of this type parameter should be mentioned in input types (argument types, receiver type or expected type).

\*`@Target(AnnotationTarget.TYPE_PARAMETER)``@Retention(AnnotationRetention.BINARY)` internal annotation class `OnlyInputTypes` Specifies that this function should not be called directly without inlining

\*`@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.PROPERTY_GETTER, AnnotationTarget.PROPERTY_SETTER)``@Retention(AnnotationRetention.BINARY)` internal annotation class `InlineOnly`

\* Specifies that this declaration can have dynamic receiver type.

\*`@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)``@Retention(AnnotationRetention.BINARY)` internal annotation class `DynamicExtension` The value of this parameter should be a property reference expression (`this::foo`), referencing a `lateinit` property, the backing field of which is accessible at the point where the corresponding argument is passed.

\*`@Target(AnnotationTarget.VALUE_PARAMETER)``@Retention(AnnotationRetention.BINARY)``@SinceKotlin("1.2")` internal annotation class `AccessibleLateinitPropertyLiteral` Specifies that this declaration is only completely supported since the specified version.

\* The Kotlin compiler of an earlier version is going to report a diagnostic on usages of this declaration.

\* The diagnostic message can be specified with `[message]`, or via `[errorCode]` (takes less space, but might not be immediately clear to the user). The diagnostic severity can be specified with `[level]`: `WARNING/ERROR` mean that either a warning or an error is going to be reported, `HIDDEN` means that the declaration is going to be removed from resolution completely.

\* `[versionKind]` specifies which version should be compared with the `[version]` value, when compiling the usage of the annotated declaration.

\* Note that prior to 1.2, only `[RequireKotlinVersionKind.LANGUAGE_VERSION]` was supported, so the Kotlin compiler before 1.2 is going to treat any `[RequireKotlin]` as if it requires the language version. Since 1.2, the Kotlin compiler supports `[RequireKotlinVersionKind.LANGUAGE_VERSION]`, `[RequireKotlinVersionKind.COMPILER_VERSION]` and `[RequireKotlinVersionKind.API_VERSION]`.

\* If the actual value of `[versionKind]` is something different (e.g. a new version kind, added in future versions of Kotlin), Kotlin 1.2 is going to ignore this `[RequireKotlin]` altogether, whereas Kotlin before 1.2 is going to treat this as a requirement on the language version.

\* This annotation is erased at compile time; its arguments are stored in a more compact form in the Kotlin metadata.

\*`@Target(AnnotationTarget.CLASS, AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.CONSTRUCTOR, AnnotationTarget.TYPEALIAS)``@Retention(AnnotationRetention.SOURCE)``@SinceKotlin("1.2")` internal annotation class `RequireKotlin`

```

val version: String,
val message: String = "",
val level: DeprecationLevel = DeprecationLevel.ERROR,
val versionKind: RequireKotlinVersionKind = RequireKotlinVersionKind.LANGUAGE_VERSION,
val errorCode: Int = -1

```

\* The kind of the version that is required by `[RequireKotlin]`.

\*`@SinceKotlin("1.2")` internal enum class `RequireKotlinVersionKind`

```

{
LANGUAGE_VERSION,
COMPILER_VERSION,
API_VERSION,
}

```

\* Specifies that this declaration is a part of special DSL, used for constructing function's contract.

\*`@Retention(AnnotationRetention.BINARY)``@SinceKotlin("1.2")` internal annotation class `ContractsDsl`

Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

kotlin.internal.contracts\n\nimport kotlin.internal.ContractsDsl\nimport
kotlin.internal.InlineOnly\n\n@ContractsDsl\n@SinceKotlin("1.2")\ninternal interface ContractBuilder {\n
@ContractsDsl fun returns(): Returns\n @ContractsDsl fun returns(value: Any?): Returns\n @ContractsDsl fun
returnsNotNull(): ReturnsNotNull\n @ContractsDsl fun <R> callsInPlace(lambda: Function<R>, kind:
InvocationKind = InvocationKind.UNKNOWN):
CallsInPlace\n}\n\n@ContractsDsl\n@SinceKotlin("1.2")\ninternal enum class InvocationKind {\n
@ContractsDsl AT_MOST_ONCE,\n @ContractsDsl AT_LEAST_ONCE,\n @ContractsDsl
EXACTLY_ONCE,\n @ContractsDsl
UNKNOWN\n}\n\n@ContractsDsl\n@InlineOnly\n@SinceKotlin("1.2")\ninternal
inline fun contract(builder: ContractBuilder.() -> Unit) { },"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this
source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.properties\n\nimport kotlin.*\nimport kotlin.reflect.KProperty\n\n/**\n * Standard property
delegates.\n */\npublic object Delegates {\n /**\n * Returns a property delegate for a read/write property with a
non-`null` value that is initialized not during\n * object construction time but at a later time. Trying to read the
property before the initial value has been\n * assigned results in an exception.\n */\n * @sample
samples.properties.Delegates.notNullDelegate\n */\n public fun <T : Any> notNull():
ReadWriteProperty<Any?, T> = NotNullVar()\n /**\n * Returns a property delegate for a read/write property
that calls a specified callback function when changed.\n * @param initialValue the initial
value of the property.\n * @param onChange the callback which is called after the change of the property is
made. The value of the property\n * has already been changed when this callback is invoked.\n */\n *
@sample samples.properties.Delegates.observableDelegate\n */\n public inline fun <T>
observable(initialValue: T, crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Unit):\n
ReadWriteProperty<Any?, T> =\n object : ObservableProperty<T>(initialValue) {\n override fun
afterChange(property: KProperty<*>, oldValue: T, newValue: T) = onChange(property, oldValue, newValue)\n
}\n\n /**\n * Returns a property delegate for a read/write property that calls a specified callback function when
changed,\n * allowing the callback to veto the modification.\n * @param initialValue the initial value of the
property.\n * @param onChange the callback which is called before a change to the property
value is attempted.\n * The value of the property hasn't been changed yet, when this callback is invoked.\n *
If the callback returns `true` the value of the property is being set to the new value,\n * and if the callback returns
`false` the new value is discarded and the property remains its old value.\n */\n * @sample
samples.properties.Delegates.vetoableDelegate\n * @sample
samples.properties.Delegates.throwVetoableDelegate\n */\n public inline fun <T> vetoable(initialValue: T,
crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Boolean):\n
ReadWriteProperty<Any?, T> =\n object : ObservableProperty<T>(initialValue) {\n override fun
beforeChange(property: KProperty<*>, oldValue: T, newValue: T): Boolean = onChange(property, oldValue,
newValue)\n }\n\n}\n\nprivate class NotNullVar<T : Any>(): ReadWriteProperty<Any?, T> {\n private var
value: T? = null\n\n public override fun getValue(thisRef:
Any?, property: KProperty<*>): T {\n return value ?: throw IllegalStateException("Property
${property.name} should be initialized before get.")\n }\n\n public override fun setValue(thisRef: Any?,
property: KProperty<*>, value: T) {\n this.value = value\n }\n}\n\n"/*\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n *
Implements the core logic of a property delegate for a read/write property that calls callback functions when
changed.\n * @param initialValue the initial value of the property.\n */\n\npublic abstract class
ObservableProperty<T>(initialValue: T) : ReadWriteProperty<Any?, T> {\n private var value = initialValue\n\n
/**\n * The callback which is called before a change to the property value is attempted.\n * The value of the
property hasn't

```

```

been changed yet, when this callback is invoked.\n    * If the callback returns `true` the value of the property is
being set to the new value,\n    * and if the callback returns `false` the new value is discarded and the property
remains its old value.\n    */\n    protected open fun beforeChange(property: KProperty<*>, oldValue: T, newValue:
T): Boolean = true\n\n    /**\n    * The callback which is called after the change of the property is made. The value
of the property\n    * has already been changed when this callback is invoked.\n    */\n    protected open fun
afterChange(property: KProperty<*>, oldValue: T, newValue: T): Unit {} \n\n    public override fun
getValue(thisRef: Any?, property: KProperty<*>): T {\n        return value\n    }\n\n    public override fun
setValue(thisRef: Any?, property: KProperty<*>, value: T) {\n        val oldValue = this.value\n        if
(!beforeChange(property, oldValue, value)) {\n            return\n        }\n        this.value = value\n
afterChange(property, oldValue, value)\n    }\n}", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this
source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("RangesKt")\n\npackage
kotlin.ranges\n\nimport kotlin.*\n\n/**\n * Represents a range of floating point numbers.\n * Extends
[ClosedRange] interface providing custom operation [lessThanOrEquals] for comparing values of range domain
type.\n * This interface is implemented by floating point ranges returned by [Float.rangeTo] and
[Double.rangeTo] operators to\n * achieve IEEE-754 comparison order instead of total order of floating point
numbers.\n */\n\n@SinceKotlin("1.1")\npublic interface ClosedFloatingPointRange<T : Comparable<T>> :
ClosedRange<T> {\n    override fun contains(value: T): Boolean = lessThanOrEquals(start, value) &&
lessThanOrEquals(value, endInclusive)\n    override fun isEmpty():
Boolean = !lessThanOrEquals(start, endInclusive)\n\n    /**\n    * Compares two values of range domain type and
returns true if first is less than or equal to second.\n    */\n    fun lessThanOrEquals(a: T, b: T): Boolean\n}\n\n/**\n
 * Represents a range of [Comparable] values.\n */\n\nprivate open class ComparableRange<T : Comparable<T>>(\n
override val start: T,\n    override val endInclusive: T): ClosedRange<T> {\n\n    override fun equals(other:
Any?): Boolean {\n        return other is ComparableRange<*> && (isEmpty() && other.isEmpty()) ||\n
start == other.start && endInclusive == other.endInclusive\n    }\n\n    override fun hashCode(): Int {\n
return if (isEmpty()) -1 else 31 * start.hashCode() + endInclusive.hashCode()\n    }\n\n    override fun toString(): String =
"$start..$endInclusive"\n}\n\n/**\n * A closed range of values of type `Double`.\n * Numbers are compared
with the ends of this range according to IEEE-754.\n */\n\nprivate class
ClosedDoubleRange(\n    start: Double,\n    endInclusive: Double)\n : ClosedFloatingPointRange<Double> {\n
private val _start = start\n    private val _endInclusive = endInclusive\n    override val start: Double get() = _start\n
override val endInclusive: Double get() = _endInclusive\n\n    override fun lessThanOrEquals(a: Double, b:
Double): Boolean = a <= b\n\n    override fun contains(value: Double): Boolean = value >= _start && value <=
_endInclusive\n\n    override fun isEmpty(): Boolean = !(_start <= _endInclusive)\n\n    override fun equals(other:
Any?): Boolean {\n        return other is ClosedDoubleRange && (isEmpty() && other.isEmpty()) ||\n
_start == other._start && _endInclusive == other._endInclusive\n    }\n\n    override fun hashCode(): Int {\n
return if (isEmpty()) -1 else 31 * _start.hashCode() + _endInclusive.hashCode()\n    }\n\n    override fun toString(): String =
"$_start..$_endInclusive"\n}\n\n\n/**\n * Creates a range from this [Comparable]
value to the specified [that] value.\n * This value needs to be smaller than [that] value, otherwise the returned
range will be empty.\n * @sample samples.ranges.Ranges.rangeFromComparable\n */\n\npublic operator fun <T :
Comparable<T>> T.rangeTo(that: T): ClosedRange<T> = ComparableRange(this, that)\n\n/**\n * Creates a range
from this [Double] value to the specified [that] value.\n * Numbers are compared with the ends of this range
according to IEEE-754.\n * @sample samples.ranges.Ranges.rangeFromDouble\n
*/\n\n@SinceKotlin("1.1")\npublic operator fun Double.rangeTo(that: Double): ClosedFloatingPointRange<Double>
= ClosedDoubleRange(this, that)\n\n\ninternal fun checkStepIsPositive(isPositive: Boolean, step: Number) {\n    if
(!isPositive) throw IllegalArgumentException("Step must be positive, was: $step.")\n}\n\n", "/*\n * Copyright 2010-
2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n

```

```

*^@file:kotlin.jvm.JvmMultifileClass@file:kotlin.jvm.JvmName("CharsKt")\n\npackage kotlin.text\n/**\n * Concatenates this Char and a String.\n *^@kotlin.internal.InlineOnly\npublic inline operator fun Char.plus(other: String): String = this.toString() + other\n/**\n * Returns `true` if this character is equal to the [other] character, optionally ignoring character case.\n *^ * @param ignoreCase `true` to ignore character case when comparing characters. By default `false`.\n *^ * Two characters are considered the same ignoring case if at least one of the following is `true`:\n *^ * - The two characters are the same (as compared by the == operator)\n *^ * - Applying the method [toUpperCase] to each character produces the same result\n *^ * - Applying the method [toLowerCase] to each character produces the same result\n *^public fun Char.equals(other: Char, ignoreCase: Boolean = false): Boolean {\n    if (this == other) return true\n    if (!ignoreCase) return false\n\n    if (this.toUpperCase() == other.toUpperCase()) return true\n    if (this.toLowerCase() == other.toLowerCase()) return true\n    return false\n}\n/**\n * Returns `true` if this character is a Unicode surrogate code unit.\n *^public fun Char.isSurrogate(): Boolean = this in Char.MIN_SURROGATE..Char.MAX_SURROGATE\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n\n*^@file:kotlin.jvm.JvmMultifileClass@file:kotlin.jvm.JvmName("StringsKt")\n\npackage kotlin.text\n/**\n * Trims leading whitespace characters followed by [marginPrefix] from every line of a source string and removes\n * the first and the last lines if they are blank (notice difference blank vs empty).\n *^ * Doesn't affect a line if it doesn't contain [marginPrefix] except the first and the last blank lines.\n *^ * Doesn't preserve the original line endings.\n *^ * @param marginPrefix non-blank string, which is used as a margin delimiter. Default is `|` (pipe character).\n *^ * @sample samples.text.Strings.trimMargin\n *^ * @see trimIndent\n *^ * @see kotlin.text.isWhitespace\n *^public fun String.trimMargin(marginPrefix: String = "|"): String =\n    replaceIndentByMargin("|", marginPrefix)\n/**\n * Detects indent by [marginPrefix] as it does [trimMargin] and replace it with [newIndent].\n *^ * @param marginPrefix non-blank string, which is used as a margin delimiter. Default is `|` (pipe character).\n *^public fun String.replaceIndentByMargin(newIndent: String = "|", marginPrefix: String = "|"): String {\n    require(marginPrefix.isNotBlank()) { "marginPrefix must be non-blank string." }\n    val lines = lines()\n    return lines.reindent(length + newIndent.length * lines.size, getIndentFunction(newIndent), { line ->\n        val firstNonWhitespaceIndex = line.indexOfFirst { !it.isWhitespace() }\n        when {\n            firstNonWhitespaceIndex == -1 -> null\n            line.startsWith(marginPrefix, firstNonWhitespaceIndex) -> line.substring(firstNonWhitespaceIndex + marginPrefix.length)\n            else -> null\n        }\n    })\n}\n/**\n * Detects a common minimal indent of all the input lines, removes it from every line and also removes the first and the last\n * lines if they are blank (notice difference blank vs empty).\n *^ * Note that blank lines do not affect the detected indent level.\n *^ * In case if there are non-blank lines with no leading whitespace characters (no indent at all) then the\n * common indent is 0, and therefore this function doesn't change the indentation.\n *^ * Doesn't preserve the original line endings.\n *^ * @sample samples.text.Strings.trimIndent\n *^ * @see trimMargin\n *^ * @see kotlin.text.isBlank\n *^public fun String.trimIndent(): String = replaceIndent("|")\n/**\n * Detects a common minimal indent like it does [trimIndent] and replaces it with the specified [newIndent].\n *^public fun String.replaceIndent(newIndent: String = "|"): String {\n    val lines = lines()\n    val minCommonIndent = lines\n        .filter(String::isNotBlank)\n        .map(String::indentWidth)\n        .min() ?: 0\n    return lines.reindent(length + newIndent.length * lines.size, getIndentFunction(newIndent), { line -> line.drop(minCommonIndent) })\n}\n/**\n * Prepends [indent] to every line of the original string.\n *^ * Doesn't preserve the original line endings.\n *^public fun String.prependIndent(indent: String = "  "): String =\n    lineSequence()\n        .map {\n            when {\n                it.isBlank() -> {\n                    when {\n                        it.length < indent.length -> indent\n                        else -> it\n                    }\n                }\n                else -> indent + it\n            }\n        }\n        .joinToString("\n")\nprivate fun String.indentWidth(): Int = indexOfFirst { !it.isWhitespace() }.let { if (it == -1) length else it }\nprivate fun getIndentFunction(indent: String) = when {\n    indent.isEmpty() -> { line: String -> line }\n    else -> { line: String -> indent + line }\n}\nprivate inline fun List<String>.reindent(\n    resultSizeEstimate: Int,\n
```

```

indentAddFunction: (String) -> String, \n indentCutFunction: (String) -> String? \n): String { \n val lastIndex =
lastIndex \n return mapIndexedNotNull { index, value -> \n if ((index == 0 || index == lastIndex) &&
value.isBlank()) \n null \n else \n indentCutFunction(value)?.let(indentAddFunction) ?: value \n
} \n .joinTo(StringBuilder(resultSizeEstimate), "\\n") \n .toString() \n } \n", null, "/" \n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the
license/LICENSE.txt file. \n * \n \n package kotlin.text \n \n /** \n * Defines names for Unicode symbols used in proper
Typography. \n * \n public object Typography { \n /**
The character &#x22; \u2013 quotation mark * \n public const val quote: Char = "\u0022" \n /** The character
&#x24; \u2013 dollar sign * \n public const val dollar: Char = "\u0024" \n /** The character &#x26; \u2013
ampersand * \n public const val amp: Char = "\u0026" \n /** The character &#x3C; \u2013 less-than sign * \n
public const val less: Char = "\u003C" \n /** The character &#x3E; \u2013 greater-than sign * \n public const val
greater: Char = "\u003E" \n /** The non-breaking space character * \n public const val nbsp: Char = "\u00A0" \n
/** The character &#xD7; * \n public const val times: Char = "\u00D7" \n /** The character &#xA2; * \n
public const val cent: Char = "\u00A2" \n /** The character &#xA3; * \n public const val pound: Char =
"\u00A3" \n /** The character &#xA7; * \n public const val section: Char = "\u00A7" \n /** The character
&#xA9; * \n public const val copyright: Char = "\u00A9" \n /** The character
&#xAB; * \n public const val leftGuillemete: Char = "\u00AB" \n /** The character &#xBB; * \n public const
val rightGuillemete: Char = "\u00BB" \n /** The character &#xAE; * \n public const val registered: Char =
"\u00AE" \n /** The character &#xB0; * \n public const val degree: Char = "\u00B0" \n /** The character
&#xB1; * \n public const val plusMinus: Char = "\u00B1" \n /** The character &#xB6; * \n public const val
paragraph: Char = "\u00B6" \n /** The character &#xB7; * \n public const val middleDot: Char = "\u00B7" \n
/** The character &#xBD; * \n public const val half: Char = "\u00BD" \n /** The character &#x2013; * \n
public const val ndash: Char = "\u2013" \n /** The character &#x2014; * \n public const val mdash: Char =
"\u2014" \n /** The character &#x2018; * \n public const val leftSingleQuote: Char = "\u2018" \n /** The
character &#x2019; * \n public const val rightSingleQuote: Char = "\u2019" \n
/** The character &#x201A; * \n public const val lowSingleQuote: Char = "\u201A" \n /** The character
&#x201C; * \n public const val leftDoubleQuote: Char = "\u201C" \n /** The character &#x201D; * \n public
const val rightDoubleQuote: Char = "\u201D" \n /** The character &#x201E; * \n public const val
lowDoubleQuote: Char = "\u201E" \n /** The character &#x2020; * \n public const val dagger: Char =
"\u2020" \n /** The character &#x2021; * \n public const val doubleDagger: Char = "\u2021" \n /** The
character &#x2022; * \n public const val bullet: Char = "\u2022" \n /** The character &#x2026; * \n public
const val ellipsis: Char = "\u2026" \n /** The character &#x2032; * \n public const val prime: Char = "\u2032" \n
/** The character &#x2033; * \n public const val doublePrime: Char = "\u2033" \n /** The character &#x20AC;
* \n public const val euro: Char = "\u20AC" \n /** The character &#x2122; * \n public const val tm:
Char = "\u2122" \n /** The character &#x2248; * \n public const val almostEqual: Char = "\u2248" \n /** The
character &#x2260; * \n public const val notEqual: Char = "\u2260" \n /** The character &#x2264; * \n public
const val lessOrEqual: Char = "\u2264" \n /** The character &#x2265; * \n public const val greaterOrEqual: Char
= "\u2265" \n } \n", "/" \n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0
license \n * that can be found in the license/LICENSE.txt file. \n * \n \n package kotlin.text \n \n /** \n * Represents a
collection of captured groups in a single match of a regular expression. \n * \n * This collection has size of
`groupCount + 1` where `groupCount` is the count of groups in the regular expression. \n * Groups are indexed from
1 to `groupCount` and group with the index 0 corresponds to the entire match. \n * \n * An element of the collection
at the particular index can be `null`, \n * if the corresponding group in the
regular expression is optional and \n * there was no match captured by that group. \n * \n public interface
MatchGroupCollection : Collection<MatchGroup?> { \n \n /** Returns a group with the specified [index]. \n * \n
* @return An instance of [MatchGroup] if the group with the specified [index] was matched or `null` otherwise. \n
* \n * Groups are indexed from 1 to the count of groups in the regular expression. A group with the index 0 \n *
corresponds to the entire match. \n * \n public operator fun get(index: Int): MatchGroup? \n } \n", "/" \n /** \n * Extends

```

[MatchGroupCollection] by introducing a way to get matched groups by name, when regex supports it.

```

@SinceKotlin("1.1")
public interface MatchNamedGroupCollection : MatchGroupCollection {
    /**
     * Returns a named group with the specified [name].
     * @return An instance of [MatchGroup] if the group with the
     * specified [name] was matched or `null` otherwise.
     */
    public operator fun get(name: String): MatchGroup?
}

/**
 * Represents the results from a single regular expression match.
 */
public interface MatchResult {
    /**
     * The range of indices in the original string where match was captured.
     */
    public val range: IntRange
    /**
     * The substring from the input string captured by this match.
     */
    public val value: String
    /**
     * A collection of groups matched by the regular expression.
     * This collection has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.
     * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.
     */
    public val groups: MatchGroupCollection
    /**
     * A list of matched indexed group values.
     * This list has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.
     * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.
     * If the group in the regular expression is optional and there were no match captured by that group,
     * corresponding item in [groupValues] is an empty string.
     * @sample
     * samples.text.Regexps.matchDestructuringToGroupValues
     */
    public val groupValues: List<String>
    /**
     * An instance of [MatchResult.Destructured] wrapper providing components for destructuring assignment
     * of group values.
     * component1 corresponds to the value of the first group, component2 of the second,
     * and so on.
     * @sample: samples.text.Regexps.matchDestructuring
     */
    public val destructured: Destructured
    /**
     * Returns a new [MatchResult] with the results for the next match,
     * starting at the position at which the last match ended (at the character after the last matched
     * character).
     */
    public fun next(): MatchResult?
    /**
     * Provides components for destructuring assignment of group values.
     * [component1] corresponds to the value of the first group, [component2] of the second,
     * and so on.
     * If the group in the regular expression is optional and there were no match captured by that group,
     * corresponding component value is an empty string.
     * @sample: samples.text.Regexps.matchDestructuringToGroupValues
     */
    public class Destructured internal constructor(public val match: MatchResult) {
        @kotlin.internal.InlineOnly
        public operator inline fun component1(): String = match.groupValues[1]
        @kotlin.internal.InlineOnly
        public operator inline fun component2(): String = match.groupValues[2]
        @kotlin.internal.InlineOnly
        public operator inline fun component3(): String = match.groupValues[3]
        @kotlin.internal.InlineOnly
        public operator inline fun component4(): String = match.groupValues[4]
        @kotlin.internal.InlineOnly
        public operator inline fun component5(): String = match.groupValues[5]
        @kotlin.internal.InlineOnly
        public operator inline fun component6(): String = match.groupValues[6]
        @kotlin.internal.InlineOnly
        public operator inline fun component7(): String = match.groupValues[7]
        @kotlin.internal.InlineOnly
        public operator inline fun component8(): String = match.groupValues[8]
        @kotlin.internal.InlineOnly
        public operator inline fun component9(): String = match.groupValues[9]
        @kotlin.internal.InlineOnly
        public operator inline fun component10(): String = match.groupValues[10]
    }
    /**
     * Returns destructured group values as a list of strings.
     * First value in the returned list corresponds to the value of the first group,
     * and so on.
     * @sample: samples.text.Regexps.matchDestructuringToGroupValues
     */
    public fun toList(): List<String> = match.groupValues.subList(1, match.groupValues.size)
}

```

}
 }
}

/\* Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.
\*/
package kotlin

/\*\*
 \* Represents a version of the Kotlin standard library.
 \* [major], [minor] and [patch] are integer components of a version,
 \* they must be non-negative and not greater than 255 ([MAX\_COMPONENT\_VALUE]).
 \* @constructor Creates a version from all three components.
 \*/
@SinceKotlin("1.1")
public class KotlinVersion(val major: Int, val minor: Int, val patch: Int) : Comparable<KotlinVersion> {
 /\*\*
 \* Creates a version from [major] and [minor] components, leaving [patch] component zero.
 \*/
 public constructor(major: Int, minor: Int) : this(major, minor, 0)
 private val



```

the [Lazy] instance value; if the instance is accessed from multiple threads, its behavior is undefined.
 *
 * This mode should not be used unless the [Lazy] instance is guaranteed never to be initialized from more than one
thread.
 *
 * NONE,
}
internal object UNINITIALIZED_VALUE
internal to be called from lazy in
JS
internal class UnsafeLazyImpl<out T>(initializer: () -> T) : Lazy<T>, Serializable {
    private var initializer:
    (() -> T)? = initializer
    private var _value: Any? = UNINITIALIZED_VALUE
    override val value: T
    get() {
        if (_value === UNINITIALIZED_VALUE) {
            _value = initializer!!()
        }
        initializer = null
    }
    @Suppress("UNCHECKED_CAST")
    return _value as T
}
override fun isInitialized(): Boolean = _value !== UNINITIALIZED_VALUE
override fun toString(): String =
if (isInitialized()) value.toString() else "Lazy value not
initialized yet."
private fun writeReplace(): Any = InitializedLazyImpl(value)
}
internal class
InitializedLazyImpl<out T>(override val value: T) : Lazy<T>, Serializable {
    override fun isInitialized():
    Boolean = true
    override fun toString(): String = value.toString()
}
"/*
 * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
 * that can be found in the
license/LICENSE.txt file.
 */
package kotlin.internal
import kotlin.internal.RequireKotlin
import
kotlin.internal.RequireKotlinVersionKind
@kotlin.internal.InlineOnly
@SinceKotlin("1.2")
@Suppress("IN
VISIBLE_MEMBER", "INVISIBLE_REFERENCE")
@RequireKotlin("1.2.30", level =
DeprecationLevel.HIDDEN, versionKind = RequireKotlinVersionKind.COMPILER_VERSION)
public inline fun
<R> suspend(noinline block: suspend () -> R): suspend () -> R = block
"/*
 * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license
 * that can be found in the license/LICENSE.txt file.
 */
@file:kotlin.jvm.JvmName("TuplesKt")
package
kotlin
/**
 * Represents a generic pair of two values.
 * There is no meaning attached to values in this
class, it can be used for any purpose.
 * Pair exhibits value semantics, i.e. two pairs are equal if both components
are equal.
 * An example of decomposing it into values:
 * @sample samples.misc.Tuples.pairDestructuring
 *
 * @param A type of the first value.
 * @param B type of the second value.
 * @property first First value.
 *
 * @property second Second value.
 * @constructor Creates a new instance of Pair.
 */
public data class Pair<out
A, out B>(
    public val first: A,
    public val second: B
) : Serializable {
    /**
     * Returns string
representation of the [Pair] including its [first] and [second] values.
     */
    public override fun toString(): String
= "\($first, $second)"
}
/**
 * Creates a tuple of type [Pair]
from this and [that].
 * This can be useful for creating [Map] literals with less noise, for example:
 * @sample
samples.collections.Maps.instantiation.mapFromPairs
 */
public infix fun <A, B> A.to(that: B): Pair<A, B> =
Pair(this, that)
/**
 * Converts this pair into a list.
 */
public fun <T> Pair<T, T>.toList(): List<T> =
listOf(first, second)
}
/**
 * Represents a triad of values
 * There is no meaning attached to values in this
class, it can be used for any purpose.
 * Triple exhibits value semantics, i.e. two triples are equal if all three
components are equal.
 * An example of decomposing it into values:
 * @sample
samples.misc.Tuples.tripleDestructuring
 *
 * @param A type of the first value.
 * @param B type of the second
value.
 * @param C type of the third value.
 * @property first First value.
 * @property second Second value.
 *
 * @property third Third value.
 */
public data class Triple<out A, out B, out C>(
    public val first: A,
    public val second: B,
    public val third: C
) : Serializable {
    /**
     * Returns string representation of the
[Triple] including its [first], [second] and [third] values.
     */
    public override fun toString(): String = "\($first,
$second, $third)"
}
/**
 * Converts this triple into a list.
 */
public fun <T> Triple<T, T, T>.toList():
List<T> = listOf(first, second, third)
"/*
 * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license
 * that can be found in the license/LICENSE.txt file.
 */
@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("MathKt")
package
kotlin.math
// constants, can't use them from nativeMath as they are not constants there
/**
 * Ratio of the
circumference of a circle to its diameter, approximately 3.14159.
 */
@SinceKotlin("1.2")
public const val PI:
Double = 3.141592653589793
/**
 * Base of the natural logarithms, approximately 2.71828.
 */
@SinceKotlin("1.2")
public

```

```

const val E: Double = 2.718281828459045\n\n// ===== Double Math
=====
\n\n** Computes the sine of the angle [x] given in
radians.\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n * ^\n@SinceKotlin("1.2")\npublic expect fun
sin(x: Double): Double\n\n** Computes the cosine of the angle [x] given in radians.\n * Special cases:\n * -
`cos(NaN|+Inf|-Inf)` is `NaN`\n * ^\n@SinceKotlin("1.2")\npublic expect fun cos(x: Double): Double\n\n**
Computes the tangent of the angle [x] given in radians.\n * Special cases:\n * - `tan(NaN|+Inf|-Inf)` is `NaN`\n
* ^\n@SinceKotlin("1.2")\npublic expect fun tan(x: Double): Double\n\n**\n * Computes the arc sine of the value
[x];\n * the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.\n * Special cases:\n * -
`asin(x)` is `NaN`, when  $abs(x) > 1$  or x is `NaN`\n * ^\n@SinceKotlin("1.2")\npublic expect fun asin(x: Double):
Double\n\n**\n * Computes the arc cosine of the value [x];\n * the returned value is an angle in the range from  $0.0$  to  $\pi$ 
radians.\n * Special cases:\n * - `acos(x)` is `NaN`, when  $abs(x) > 1$  or x is `NaN`\n
* ^\n@SinceKotlin("1.2")\npublic expect fun acos(x: Double): Double\n\n**\n * Computes the arc tangent of the
value [x];\n * the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.\n * Special cases:\n * -
`atan(NaN)` is `NaN`\n * ^\n@SinceKotlin("1.2")\npublic expect fun atan(x: Double): Double\n\n**\n * Returns
the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the rectangular coordinates `(x, y)` by
computing the arc tangent of the value  $y / x$ ;\n * the returned value is an angle in the range from  $-\pi$  to  $\pi$ 
radians.\n * Special cases:\n * - `atan2(0.0, 0.0)` is  $0.0$ \n * - `atan2(0.0, x)` is  $0.0$  for  $x > 0$  and  $\pi$  for
 $x < 0$ \n * - `atan2(-0.0, x)` is  $-0.0$  for  $x > 0$  and  $-\pi$  for  $x < 0$ \n *
- `atan2(y, +Inf)` is  $0.0$  for  $0 < y < +Inf$  and  $-0.0$  for  $-\infty < y < 0$ \n * - `atan2(y, -Inf)` is  $\pi$  for  $0 < y <
+Inf$  and  $-\pi$  for  $-\infty < y < 0$ \n * - `atan2(y, 0.0)` is  $\pi/2$  for  $y > 0$  and  $-\pi/2$  for  $y < 0$ \n * - `atan2(+Inf,
x)` is  $\pi/2$  for finite  $x$ \n * - `atan2(-Inf, x)` is  $-\pi/2$  for finite  $x$ \n * - `atan2(NaN, x)` and `atan2(y, NaN)` is
`NaN`\n * ^\n@SinceKotlin("1.2")\npublic expect fun atan2(y: Double, x: Double): Double\n\n**\n * Computes
the hyperbolic sine of the value [x].\n * Special cases:\n * - `sinh(NaN)` is `NaN`\n * - `sinh(+Inf)` is  $+\infty$ \n
* - `sinh(-Inf)` is  $-\infty$ \n * ^\n@SinceKotlin("1.2")\npublic expect fun sinh(x: Double): Double\n\n**\n *
Computes the hyperbolic cosine of the value [x].\n * Special cases:\n * - `cosh(NaN)` is `NaN`\n * -
`cosh(+Inf|-Inf)` is  $+\infty$ \n * ^\n@SinceKotlin("1.2")\npublic expect fun cosh(x: Double): Double\n\n**\n *
Computes the hyperbolic tangent of the value [x].\n * Special
cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(+Inf)` is  $1.0$ \n * - `tanh(-Inf)` is  $-1.0$ \n
* ^\n@SinceKotlin("1.2")\npublic expect fun tanh(x: Double): Double\n\n**\n * Computes the inverse hyperbolic
sine of the value [x].\n * The returned value is `y` such that  $\sinh(y) == x$ .\n * Special cases:\n * -
`asinh(NaN)` is `NaN`\n * - `asinh(+Inf)` is  $+\infty$ \n * - `asinh(-Inf)` is  $-\infty$ \n * ^\n@SinceKotlin("1.2")\npublic
expect fun asinh(x: Double): Double\n\n**\n * Computes the inverse hyperbolic cosine of the value [x].\n * The
returned value is positive `y` such that  $\cosh(y) == x$ .\n * Special cases:\n * - `acosh(NaN)` is `NaN`\n * -
`acosh(x)` is `NaN` when  $x < 1$ \n * - `acosh(+Inf)` is  $+\infty$ \n * ^\n@SinceKotlin("1.2")\npublic expect fun
acosh(x: Double): Double\n\n**\n * Computes the inverse hyperbolic tangent of the value [x].\n * The returned
value is `y` such that  $\tanh(y) == x$ .\n * Special cases:\n * - `atanh(NaN)` is
`NaN`\n * - `atanh(x)` is `NaN` when  $x > 1$  or  $x < -1$ \n * - `atanh(1.0)` is  $+\infty$ \n * - `atanh(-1.0)` is  $-\infty$ \n
* ^\n@SinceKotlin("1.2")\npublic expect fun atanh(x: Double): Double\n\n**\n * Computes  $\sqrt{x^2 + y^2}$ 
without intermediate overflow or underflow.\n * Special cases:\n * - returns  $+\infty$  if any of arguments is
infinite\n * - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n
* ^\n@SinceKotlin("1.2")\npublic expect fun hypot(x: Double, y: Double): Double\n\n**\n * Computes the
positive square root of the value [x].\n * Special cases:\n * - `sqrt(x)` is `NaN` when  $x < 0$  or  $x$  is `NaN`\n
* ^\n@SinceKotlin("1.2")\npublic expect fun sqrt(x: Double): Double\n\n**\n * Computes Euler's number `e`
raised to the power of the value [x].\n * Special cases:\n * - `exp(NaN)` is `NaN`\n * - `exp(+Inf)` is  $+\infty$ \n
* - `exp(-Inf)` is  $0.0$ \n * ^\n@SinceKotlin("1.2")\npublic expect fun exp(x: Double): Double\n\n**\n *
Computes

```

`exp(x) - 1`.  
 Special cases:  
`expm1(NaN)` is `NaN`  
`expm1(+Inf)` is `+Inf`  
`expm1(-Inf)` is `-1.0`  
 @see [exp] function.  
 SinceKotlin("1.2")\npublic expect fun expm1(x: Double): Double  
 Computes the logarithm of the value [x] to the given [base].  
 Special cases:  
`log(x, b)` is `NaN` if either `x` or `b` are `NaN`  
`log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`  
`log(+Inf, +Inf)` is `NaN`  
`log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`  
`log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`  
 See also logarithm functions for common fixed bases: [ln], [log10] and [log2].  
 SinceKotlin("1.2")\npublic expect fun log(x: Double, base: Double): Double  
 Computes the natural logarithm (base `E`) of the value [x].  
 Special cases:  
`ln(NaN)` is `NaN`  
`ln(x)` is `NaN` when `x < 0.0`  
`ln(+Inf)` is `+Inf`  
`ln(0.0)` is `-Inf`  
 SinceKotlin("1.2")\npublic expect fun ln(x: Double): Double  
 Computes the common logarithm (base 10) of the value [x].  
 @see [ln] function for special cases.  
 SinceKotlin("1.2")\npublic expect fun log10(x: Double): Double  
 Computes the binary logarithm (base 2) of the value [x].  
 @see [ln] function for special cases.  
 SinceKotlin("1.2")\npublic expect fun log2(x: Double): Double  
 Computes `ln(x + 1)`.  
 This function can be implemented to produce more precise result for [x] near zero.  
 Special cases:  
`ln1p(NaN)` is `NaN`  
`ln1p(x)` is `NaN` where `x < -1.0`  
`ln1p(-1.0)` is `-Inf`  
`ln1p(+Inf)` is `+Inf`  
 @see [ln] function  
 @see [expm1] function  
 SinceKotlin("1.2")\npublic expect fun ln1p(x: Double): Double  
 Rounds the given value [x] to an integer towards positive infinity.  
 @return the smallest double value that is greater than the given value [x] and is a mathematical integer.  
 Special cases:  
`ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.  
 SinceKotlin("1.2")\npublic expect fun ceil(x: Double): Double  
 Rounds the given value [x] to an integer towards negative infinity.  
 @return the largest double value that is smaller than the given value [x] and is a mathematical integer.  
 Special cases:  
`floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.  
 SinceKotlin("1.2")\npublic expect fun floor(x: Double): Double  
 Rounds the given value [x] to an integer towards zero.  
 @return the value [x] having its fractional part truncated.  
 Special cases:  
`truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.  
 SinceKotlin("1.2")\npublic expect fun truncate(x: Double): Double  
 Rounds the given value [x] towards the closest integer with ties rounded towards even integer.  
 Special cases:  
`round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.  
 SinceKotlin("1.2")\npublic expect fun round(x: Double): Double  
 Returns the absolute value of the given value [x].  
 Special cases:  
`abs(NaN)` is `NaN`  
 @see absoluteValue extension property for [Double]  
 SinceKotlin("1.2")\npublic expect fun abs(x: Double): Double  
 Returns the sign of the given value [x]:  
`-1.0` if the value is negative,  
`0.0` if the value is zero,  
`1.0` if the value is positive  
 Special case:  
`sign(NaN)` is `NaN`  
 SinceKotlin("1.2")\npublic expect fun sign(x: Double): Double  
 Returns the smaller of two values.  
 If either value is `NaN`, then the result is `NaN`.  
 SinceKotlin("1.2")\npublic expect fun min(a: Double, b: Double): Double  
 Returns the greater of two values.  
 If either value is `NaN`, then the result is `NaN`.  
 SinceKotlin("1.2")\npublic expect fun max(a: Double, b: Double): Double  
 Raises this value to the power [x].  
 Special cases:  
`b.pow(0.0)` is `1.0`  
`b.pow(1.0) == b`  
`b.pow(NaN)` is `NaN`  
`NaN.pow(x)` is `NaN` for `x != 0.0`  
`b.pow(Inf)` is `NaN` for `abs(b) == 1.0`  
`b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer  
 SinceKotlin("1.2")\npublic expect fun Double.pow(x: Double): Double  
 Raises this value to the integer power [n].  
 See the other overload of [pow] for details.  
 SinceKotlin("1.2")\npublic expect fun Double.pow(n: Int): Double  
 Returns the absolute value of this value.  
 Special cases:  
`NaN.absoluteValue` is `NaN`  
 @see abs function  
 SinceKotlin("1.2")\npublic expect val Double.absoluteValue: Double  
 Returns the sign of this value:  
`-1.0` if the value is negative,  
`0.0` if the value is zero,  
`1.0` if the value is positive  
 Special case:  
`NaN.sign` is `NaN`  
 SinceKotlin("1.2")\npublic expect val

Double.sign: Double\n\n/\*\*\n \* Returns this value with the sign bit same as of the [sign] value.\n \* If [sign] is `NaN` the sign of the result is undefined.\n \*/\n@SinceKotlin("1.2")\npublic expect fun Double.withSign(sign: Double): Double\n\n/\*\*\n \* Returns this value with the sign bit same as of the [sign] value.\n \*/\n@SinceKotlin("1.2")\npublic expect fun Double.withSign(sign: Int): Double\n\n/\*\*\n \* Returns the ulp (unit in the last place) of this value.\n \* An ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.\n \* Special Cases:\n \* - `NaN.ulp` is `NaN`\n \* - `x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`\n \* - `0.0.ulp` is `Double.MIN\_VALUE`\n \*/\n@SinceKotlin("1.2")\npublic expect fun Double.ulp: Double\n\n/\*\*\n \* Returns the [Double] value nearest to this value in direction of positive infinity.\n \*/\n@SinceKotlin("1.2")\npublic expect fun Double.nextUp(): Double\n\n/\*\*\n \* Returns the [Double] value nearest to this value in direction of negative infinity.\n \*/\n@SinceKotlin("1.2")\npublic expect fun Double.nextDown(): Double\n\n/\*\*\n \* Returns the [Double] value nearest to this value in direction from this value towards the value [to].\n \* Special cases:\n \* - `x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`\n \* - `x.nextTowards(x) == x`\n \*/\n@SinceKotlin("1.2")\npublic expect fun Double.nextTowards(to: Double): Double\n\n/\*\*\n \* Rounds this [Double] value to the nearest integer and converts the result to [Int].\n \* Ties are rounded towards positive infinity.\n \* Special cases:\n \* - `x.roundToInt() == Int.MAX\_VALUE` when `x > Int.MAX\_VALUE`\n \* - `x.roundToInt() == Int.MIN\_VALUE` when `x < Int.MIN\_VALUE`\n \* @throws IllegalArgumentException when this value is `NaN`\n \*/\n@SinceKotlin("1.2")\npublic expect fun Double.roundToInt(): Int\n\n/\*\*\n \* Rounds this [Double] value to the nearest integer and converts the result to [Long].\n \* Ties are rounded towards positive infinity.\n \* Special cases:\n \* - `x.roundToLong() == Long.MAX\_VALUE` when `x > Long.MAX\_VALUE`\n \* - `x.roundToLong() == Long.MIN\_VALUE` when `x < Long.MIN\_VALUE`\n \* @throws IllegalArgumentException when this value is `NaN`\n \*/\n@SinceKotlin("1.2")\npublic expect fun Double.roundToLong(): Long\n\n/\*\*\n \* Computes the sine of the angle [x] given in radians.\n \* Special cases:\n \* - `sin(NaN|+Inf|-Inf)` is `NaN`\n \*/\n@SinceKotlin("1.2")\npublic expect fun sin(x: Float): Float\n\n/\*\*\n \* Computes the cosine of the angle [x] given in radians.\n \* Special cases:\n \* - `cos(NaN|+Inf|-Inf)` is `NaN`\n \*/\n@SinceKotlin("1.2")\npublic expect fun cos(x: Float): Float\n\n/\*\*\n \* Computes the tangent of the angle [x] given in radians.\n \* Special cases:\n \* - `tan(NaN|+Inf|-Inf)` is `NaN`\n \*/\n@SinceKotlin("1.2")\npublic expect fun tan(x: Float): Float\n\n/\*\*\n \* Computes the arc sine of the value [x];\n \* the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.\n \* Special cases:\n \* - `asin(x)` is `NaN`, when  $abs(x) > 1$  or x is `NaN`\n \*/\n@SinceKotlin("1.2")\npublic expect fun asin(x: Float): Float\n\n/\*\*\n \* Computes the arc cosine of the value [x];\n \* the returned value is an angle in the range from  $0.0$  to  $\pi$  radians.\n \* Special cases:\n \* - `acos(x)` is `NaN`, when  $abs(x) > 1$  or x is `NaN`\n \*/\n@SinceKotlin("1.2")\npublic expect fun acos(x: Float): Float\n\n/\*\*\n \* Computes the arc tangent of the value [x];\n \* the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.\n \* Special cases:\n \* - `atan(NaN)` is `NaN`\n \*/\n@SinceKotlin("1.2")\npublic expect fun atan(x: Float): Float\n\n/\*\*\n \* Returns the angle  $\theta$  of the polar coordinates  $(r, \theta)$  that correspond to the rectangular coordinates  $(x, y)$  by computing the arc tangent of the value  $y / x$ ;\n \* the returned value is an angle in the range from  $-\pi$  to  $\pi$  radians.\n \* Special cases:\n \* - `atan2(0.0, 0.0)` is  $0.0$ \n \* - `atan2(0.0, x)` is  $0.0$  for  $x > 0$  and  $\pi$  for  $x < 0$ \n \* - `atan2(-0.0, x)` is  $-0.0$  for  $x > 0$  and  $-\pi$  for  $x < 0$ \n \* - `atan2(y, +Inf)` is  $0.0$  for  $0 < y < +Inf$  and  $-0.0$  for  $-\text{Inf} < y < 0$ \n \* - `atan2(y, -Inf)` is  $\pi$  for  $0 < y < +Inf$  and  $-\pi$  for  $-\text{Inf} < y < 0$ \n \* - `atan2(y, 0.0)` is  $\pi/2$  for  $y > 0$  and  $-\pi/2$  for  $y < 0$ \n \* - `atan2(+Inf, x)` is  $\pi/2$  for finite  $x$ \n \* - `atan2(-Inf, x)` is  $-\pi/2$  for finite  $x$ \n \* - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n \*/\n@SinceKotlin("1.2")\npublic expect fun atan2(y: Float, x: Float): Float\n\n/\*\*\n \* Computes the hyperbolic sine of the value [x].\n \* Special cases:\n \* - `sinh(NaN)` is `NaN`\n \* - `sinh(+Inf)` is  $+\text{Inf}$ \n \* - `sinh(-Inf)` is  $-\text{Inf}$ \n \*/\n@SinceKotlin("1.2")\npublic expect fun sinh(x: Float): Float\n\n/\*\*\n \* Computes the hyperbolic cosine of the value [x].\n \* Special cases:\n \* - `cosh(NaN)` is `NaN`\n \* - `cosh(+Inf|-Inf)` is  $+\text{Inf}$ \n \*/\n@SinceKotlin("1.2")\npublic expect fun cosh(x: Float): Float\n\n/\*\*\n \* Computes the hyperbolic

tangent of the value [x].  
Special cases:  $\tanh(\text{NaN})$  is  $\text{NaN}$   $\tanh(+\text{Inf})$  is  $1.0$   $\tanh(-\text{Inf})$  is  $-1.0$   
`@SinceKotlin("1.2")\npublic expect fun tanh(x: Float): Float\n/**\n * Computes the inverse hyperbolic sine of the value [x].\n * The returned value is `y` such that  $\sinh(y) == x$ .\n * Special cases:\n * -  $\text{asinh}(\text{NaN})$  is  $\text{NaN}$ \n * -  $\text{asinh}(+\text{Inf})$  is  $+\text{Inf}$ \n * -  $\text{asinh}(-\text{Inf})$  is  $-\text{Inf}$ \n */\n@SinceKotlin("1.2")\npublic expect fun asinh(x: Float): Float\n/**\n * Computes the inverse hyperbolic cosine of the value [x].\n * The returned value is positive `y` such that  $\cosh(y) == x$ .\n * Special cases:\n * -  $\text{acosh}(\text{NaN})$  is  $\text{NaN}$ \n * -  $\text{acosh}(x)$  is  $\text{NaN}$  when  $x < 1$ \n * -  $\text{acosh}(+\text{Inf})$  is  $+\text{Inf}$ \n */\n@SinceKotlin("1.2")\npublic expect fun acosh(x: Float): Float\n/**\n * Computes the inverse hyperbolic tangent of the value [x].\n * The returned value is `y` such that  $\tanh(y) == x$ .\n * Special cases:\n * -  $\text{atanh}(\text{NaN})$  is  $\text{NaN}$ \n * -  $\text{atanh}(x)$  is  $\text{NaN}$  when  $x > 1$  or  $x < -1$ \n * -  $\text{atanh}(1.0)$  is  $+\text{Inf}$ \n * -  $\text{atanh}(-1.0)$  is  $-\text{Inf}$ \n */\n@SinceKotlin("1.2")\npublic expect fun atanh(x: Float): Float\n/**\n * Computes  $\sqrt{x^2 + y^2}$  without intermediate overflow or underflow.\n * Special cases:\n * - returns  $+\text{Inf}$  if any of arguments is infinite\n * - returns  $\text{NaN}$  if any of arguments is  $\text{NaN}$  and the other is not infinite\n */\n@SinceKotlin("1.2")\npublic expect fun hypot(x: Float, y: Float): Float\n/**\n * Computes the positive square root of the value [x].\n * Special cases:\n * -  $\sqrt{x}$  is  $\text{NaN}$  when  $x < 0$  or  $x$  is  $\text{NaN}$ \n */\n@SinceKotlin("1.2")\npublic expect fun sqrt(x: Float): Float\n/**\n * Computes Euler's number `e` raised to the power of the value [x].\n * Special cases:\n * -  $\exp(\text{NaN})$  is  $\text{NaN}$ \n * -  $\exp(+\text{Inf})$  is  $+\text{Inf}$ \n * -  $\exp(-\text{Inf})$  is  $0.0$ \n */\n@SinceKotlin("1.2")\npublic expect fun exp(x: Float): Float\n/**\n * Computes  $\exp(x) - 1$ .\n * This function can be implemented to produce more precise result for [x] near zero.\n * Special cases:\n * -  $\text{expm1}(\text{NaN})$  is  $\text{NaN}$ \n * -  $\text{expm1}(+\text{Inf})$  is  $+\text{Inf}$ \n * -  $\text{expm1}(-\text{Inf})$  is  $-1.0$ \n * @see [exp] function.\n */\n@SinceKotlin("1.2")\npublic expect fun expm1(x: Float): Float\n/**\n * Computes the logarithm of the value [x] to the given [base].\n * Special cases:\n * -  $\log(x, b)$  is  $\text{NaN}$  if either `x` or `b` are  $\text{NaN}$ \n * -  $\log(x, b)$  is  $\text{NaN}$  when  $x < 0$  or  $b <= 0$  or  $b == 1.0$ \n * -  $\log(+\text{Inf}, +\text{Inf})$  is  $\text{NaN}$ \n * -  $\log(+\text{Inf}, b)$  is  $+\text{Inf}$  for  $b > 1$  and  $-\text{Inf}$  for  $b < 1$ \n * -  $\log(0.0, b)$  is  $-\text{Inf}$  for  $b > 1$  and  $+\text{Inf}$  for  $b > 1$ \n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n */\n@SinceKotlin("1.2")\npublic expect fun log(x: Float, base: Float): Float\n/**\n * Computes the natural logarithm (base `E`) of the value [x].\n * Special cases:\n * -  $\ln(\text{NaN})$  is  $\text{NaN}$ \n * -  $\ln(x)$  is  $\text{NaN}$  when  $x < 0.0$ \n * -  $\ln(+\text{Inf})$  is  $+\text{Inf}$ \n * -  $\ln(0.0)$  is  $-\text{Inf}$ \n */\n@SinceKotlin("1.2")\npublic expect fun ln(x: Float): Float\n/**\n * Computes the common logarithm (base 10) of the value [x].\n * @see [ln] function for special cases.\n */\n@SinceKotlin("1.2")\npublic expect fun log10(x: Float): Float\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n * @see [ln] function for special cases.\n */\n@SinceKotlin("1.2")\npublic expect fun log2(x: Float): Float\n/**\n * Computes  $\ln(a + 1)$ .\n * This function can be implemented to produce more precise result for [x] near zero.\n * Special cases:\n * -  $\ln1p(\text{NaN})$  is  $\text{NaN}$ \n * -  $\ln1p(x)$  is  $\text{NaN}$  where  $x < -1.0$ \n * -  $\ln1p(-1.0)$  is  $-\text{Inf}$ \n * -  $\ln1p(+\text{Inf})$  is  $+\text{Inf}$ \n * @see [ln] function\n * @see [expm1] function\n */\n@SinceKotlin("1.2")\npublic expect fun ln1p(x: Float): Float\n/**\n * Rounds the given value [x] to an integer towards positive infinity.\n * @return the smallest Float value that is greater than the given value [x] and is a mathematical integer.\n * Special cases:\n * -  $\text{ceil}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.\n */\n@SinceKotlin("1.2")\npublic expect fun ceil(x: Float): Float\n/**\n * Rounds the given value [x] to an integer towards negative infinity.\n * @return the largest Float value that is smaller than the given value [x] and is a mathematical integer.\n * Special cases:\n * -  $\text{floor}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.\n */\n@SinceKotlin("1.2")\npublic expect fun floor(x: Float): Float\n/**\n * Rounds the given value [x] to an integer towards zero.\n * @return the value [x] having its fractional part truncated.\n * Special cases:\n * -  $\text{truncate}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.\n */\n@SinceKotlin("1.2")\npublic expect fun truncate(x: Float): Float\n/**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n * Special cases:\n * -  $\text{round}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.\n */\n@SinceKotlin("1.2")\npublic expect`

fun round(x: Float): Float\n\n/\*\*\n \* Returns the absolute value of the given value [x].\n \*\n \* Special cases:\n \* - `abs(NaN)` is `NaN`\n \* @see absoluteValue extension property for [Float]\n \*/\n\n@SinceKotlin("1.2")\npublic expect fun abs(x: Float): Float\n\n/\*\*\n \* Returns the sign of the given value [x]:\n \* - `-1.0` if the value is negative,\n \* - zero if the value is zero,\n \* - `1.0` if the value is positive\n \*\n \* Special case:\n \* - `sign(NaN)` is `NaN`\n \*/\n\n@SinceKotlin("1.2")\npublic expect fun sign(x: Float): Float\n\n/\*\*\n \* Returns the smaller of two values.\n \*\n \* If either value is `NaN`, then the result is `NaN`.\n \*/\n\n@SinceKotlin("1.2")\npublic expect fun min(a: Float, b: Float): Float\n\n/\*\*\n \* Returns the greater of two values.\n \*\n \* If either value is `NaN`, then the result is `NaN`.\n \*/\n\n@SinceKotlin("1.2")\npublic expect fun max(a: Float, b: Float): Float\n\n// extensions\n\n/\*\*\n \* Raises this value to the power [x].\n \*\n \* Special cases:\n \* - `b.pow(0.0)` is `1.0`\n \* - `b.pow(1.0) == b`\n \* - `b.pow(NaN)` is `NaN`\n \* - `NaN.pow(x)` is `NaN` for `x != 0.0`\n \* - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n \* - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n \*/\n\n@SinceKotlin("1.2")\npublic expect fun Float.pow(x: Float): Float\n\n/\*\*\n \* Raises this value to the integer power [n].\n \*\n \* See the other overload of [pow] for details.\n \*/\n\n@SinceKotlin("1.2")\npublic expect fun Float.pow(n: Int): Float\n\n/\*\*\n \* Returns the absolute value of this value.\n \*\n \* Special cases:\n \* - `NaN.absoluteValue` is `NaN`\n \*\n \* @see abs function\n \*/\n\n@SinceKotlin("1.2")\npublic expect val Float.absoluteValue: Float\n\n/\*\*\n \* Returns the sign of this value:\n \* - `-1.0` if the value is negative,\n \* - zero if the value is zero,\n \* - `1.0` if the value is positive\n \*\n \* Special case:\n \* - `NaN.sign` is `NaN`\n \*/\n\n@SinceKotlin("1.2")\npublic expect val Float.sign: Float\n\n/\*\*\n \* Returns this value with the sign bit same as of the [sign] value.\n \*\n \* If [sign] is `NaN` the sign of the result is undefined.\n \*/\n\n@SinceKotlin("1.2")\npublic expect fun Float.withSign(sign: Float): Float\n\n/\*\*\n \* Returns this value with the sign bit same as of the [sign] value.\n \*/\n\n@SinceKotlin("1.2")\npublic expect fun Float.withSign(sign: Int): Float\n\n/\*\*\n \* Rounds this [Float] value to the nearest integer and converts the result to [Int].\n \*\n \* Ties are rounded towards positive infinity.\n \*\n \* Special cases:\n \* - `x.roundToInt() == Int.MAX\_VALUE` when `x > Int.MAX\_VALUE`\n \* - `x.roundToInt() == Int.MIN\_VALUE` when `x < Int.MIN\_VALUE`\n \*\n \* @throws IllegalArgumentException when this value is `NaN`\n \*/\n\n@SinceKotlin("1.2")\npublic expect fun Float.roundToInt(): Int\n\n/\*\*\n \* Rounds this [Float] value to the nearest integer and converts the result to [Long].\n \*\n \* Ties are rounded towards positive infinity.\n \*\n \* Special cases:\n \* - `x.roundToLong() == Long.MAX\_VALUE` when `x > Long.MAX\_VALUE`\n \* - `x.roundToLong() == Long.MIN\_VALUE` when `x < Long.MIN\_VALUE`\n \*\n \* @throws IllegalArgumentException when this value is `NaN`\n \*/\n\n@SinceKotlin("1.2")\npublic expect fun Float.roundToLong(): Long\n\n/\*\*\n \* Returns the absolute value of the given value [n].\n \*\n \* Special cases:\n \* - `abs(Int.MIN\_VALUE)` is `Int.MIN\_VALUE` due to an overflow\n \*\n \* @see absoluteValue extension property for [Int]\n \*/\n\n@SinceKotlin("1.2")\npublic expect fun abs(n: Int): Int\n\n/\*\*\n \* Returns the smaller of two values.\n \*/\n\n@SinceKotlin("1.2")\npublic expect fun min(a: Int, b: Int): Int\n\n/\*\*\n \* Returns the greater of two values.\n \*/\n\n@SinceKotlin("1.2")\npublic expect fun max(a: Int, b: Int): Int\n\n/\*\*\n \* Returns the absolute value of this value.\n \*\n \* Special cases:\n \* - `Int.MIN\_VALUE.absoluteValue` is `Int.MIN\_VALUE` due to an overflow\n \*\n \* @see abs function\n \*/\n\n@SinceKotlin("1.2")\npublic expect val Int.absoluteValue: Int\n\n/\*\*\n \* Returns the sign of this value:\n \* - `-1` if the value is negative,\n \* - `0` if the value is zero,\n \* - `1` if the value is positive\n \*/\n\n@SinceKotlin("1.2")\npublic expect val Int.sign: Int\n\n/\*\*\n \* Returns the absolute value of the given value [n].\n \*\n \* Special cases:\n \* - `abs(Long.MIN\_VALUE)` is `Long.MIN\_VALUE` due to an overflow\n \*\n \* @see absoluteValue extension property for [Long]\n \*/\n\n@SinceKotlin("1.2")\npublic expect fun abs(n: Long): Long\n\n/\*\*\n \* Returns the smaller of two values.\n \*/\n\n@SinceKotlin("1.2")\npublic expect fun min(a: Long, b: Long): Long\n\n/\*\*\n \* Returns the greater of two values.\n \*/\n\n@SinceKotlin("1.2")\npublic expect fun max(a: Long, b: Long): Long\n\n/\*\*\n \* Returns the absolute value of this value.\n \*\n \* Special cases:\n \* - `Long.MIN\_VALUE.absoluteValue` is `Long.MIN\_VALUE` due to an overflow\n \*\n \* @see abs function\n \*/\n\n@SinceKotlin("1.2")\npublic expect val Long.absoluteValue: Long\n\n/\*\*\n \* Returns the sign of this value:\n \*/\n\n@SinceKotlin("1.2")\npublic expect val Long.sign: Int



,oC;IACP,OAAO,MAAM,OAAO,QAAQ,W;EAAy,CADjC,CAJf,CADgC,EAShC,UACa,QAAS,IAAT,oC;IACL,  
OAAO,MAAM,OAAO,QAAQ,kB;EAAMb,CADlC,CADb,aAlE,QAAS,IAAT,oC;IACP,OAAO,MAAM,OAAO,Q  
AAQ,W;EAAy,CADjC,CAJf,CATgC,C;;IAoBhC,IAAI,KAAK,MAAO,KAAI,IAApB,C;MACI,KAAK,MAAO,G  
AAE,aACE,CAAC,KAAK,qBAAqB,EAA3B,CADF,aAEC,IAFD,aAGC,EAHD,cAIE,EAJF,SAKH,EALG,iBAMK  
,EANL,C;;IASIB,OAAO,KAAK,M;EACbB,C;ECjDA,MAAM,QAAS,gB;IACX,OAAoB,CAAZ,CAAE,GAAE,K  
AAQ,KAAg,EAAG,IAAG,E;EACjC,C;EAEA,MAAM,OAAQ,gB;IACV,OAAkB,CAAV,CAAE,GAAE,GAAM,K  
AAG,EAAG,IAAG,E;EAC/B,C;EAEA,MAAM,OAAQ,gB;IACV,OAAO,CAAE,GAAE,K;EACf,C;EAEA,MAAM  
,aAAc,gB;IACbB,OAAO,CAAE,YAAW,MAAM,KAAM,GAAE,CAAF,GAAM,MAAM,KAAK,WAaw,CAAC,C  
AAD,C;EACbE,C;EAEA,MAAM,YAAa,gB;IACf,OAAO,CAAE,YAAW,MAAM,KAAM,GAAE,CAAC,MAAM,  
EAAT,GAAC,MAAM,YAAy,CAAC,CAAD,C;EACpE,C;EAEA,MAAM,cAAe,gB;IACjB,OAAO,MAAM,QAAQ  
,CAAC,MAAM,YAAy,CAAC,CAAD,CAAnB,C;EACzB,C;EAEA,MAAM,aAAc,gB;IACbB,OAAO,MAAM,OA  
AO,CAAC,MAAM,YAAy,CAAC,CAAD,CAAnB,C;EACxB,C;EAEA,MAAM,eAAgB,gB;IACIB,OAAO,CAAC,  
C;EACZ,C;EAEA,MAAM,aAAc,gB;IACbB,OAAO,MAAM,OAAO,CAAC,MAAM,YAAy,CAAC,CAAD,CAAn  
B,C;EACxB,C;EAEA,MAAM,YAAa,gB;IACf,IAAI,CAAE,GAAE,UAAr,C;MAAoB,OAAO,U;IAC3B,IAAI,CA  
AE,GAAE,WAAR,C;MAAqB,OAAO,W;IAC5B,OAAO,CAAE,GAAE,C;EACf,C;EAEA,MAAM,YAAa,gB;IACf,  
IAAI,CAAE,IAAG,IAAT,C;MAAe,OAAO,C;IACtB,IAAI,CAAE,YAAW,MAAM,UAAvB,C;MAAmC,OAAO,C;  
IAClC,OAAO,IAAI,MAAM,UAAV,CAAqB,CAArB,C;EACX,C;EAEA,MAAM,UAAW,gB;IACb,IAAI,CAAE,I  
AAG,IAAT,C;MAAe,OAAO,C;IACtB,OAAO,MAAM,OAAO,CAAC,CAAD,C;EACxB,C;ECnDA,MAAM,OAA  
Q,yB;IACV,IAAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,IAAK,IAAG,I;;IAGnB,IAAI,IAAK,IAAG,IAAZ,C;MACI,  
OAAO,K;;IAGX,IAAI,IAAK,KAAI,IAAb,C;MACI,OAAO,IAAK,KAAI,I;;IAGpB,IAAI,OAAO,IAAK,KAAI,QA  
AS,IAAG,OAAO,IAAI,OAAQ,KAAI,UAAvD,C;MACI,OAAO,IAAI,OAAO,CAAC,IAAD,C;;IAGtB,IAAI,OAA  
O,IAAK,KAAI,QAAS,IAAG,OAAO,IAAK,KAAI,QAAdD,C;MACI,OAAO,IAAK,KAAI,IAAK,KAAI,IAAK,KA  
AI,CAAE,IAAG,CAAE,GAAE,IAAK,KAAI,CAAE,GAAE,IAAnC,C;;IAGzB,OAAO,IAAK,KAAI,I;EACpB,C;E  
AEA,MAAM,SAAU,kB;IACZ,IAAI,GAAL,IAAG,IAAX,C;MACI,OAAO,C;;IAEX,IAAI,UAAU,OAAO,G;IACrB,  
IAAI,QAAS,KAAI,OAAjB,C;MACI,OAAO,UAAW,KAAI,OAAO,GAAG,SAAU,GAAE,GAAG,SAAS,EAAd,G  
AAmB,iBAAiB,CAAC,GAAD,C;;IAEIF,IAAI,UAAW,KAAI,OAAAnB,C;MACI,OAAO,iBAAiB,CAAC,GAAD,C;  
;IAE5B,IAAI,QAAS,KAAI,OAAjB,C;MACI,OAAO,MAAM,eAAe,CAAC,GAAD,C;;IAEhC,IAAI,SAAU,KAAI,  
OAAIB,C;MACI,OAAO,MAAM,CAAC,GAAD,C;;IAGjB,IAAI,MAAM,MAAM,CAAC,GAAD,C;IACbB,OAAO  
,iBAAiB,CAAC,GAAD,C;EAC5B,C;EAGA,MAAM,SAAU,gB;IACZ,IAAI,CAAE,IAAG,IAAT,C;MACI,OAAO,  
M;;UAEN,IAAI,MAAM,WAaw,CAAC,CAAD,CAArB,C;MACD,OAAO,O;;MAGP,OAAO,CAAC,SAAS,E;;E  
AEzB,C;EAGA,IAAI,WAaw,a;EAGf,IAAI,iCAAiC,sB;;IAGjC,IAAI,EAAE,8BAA+B,IAAG,GAAPC,CAAJ,C;M  
ACI,IAAI,OAAQ,IAAI,OAAO,EAAG,GAAE,QAAU,GAAE,C;MACxC,MAAM,eAAe,CAAC,GAAD,EAAM,8B  
AAN,EAAc,QAAU,IAAV,cAA4B,KAA5B,CAAtC,C;;IAEzB,OAAO,GAAG,CAAC,8BAAD,C;EACd,C;;IAGI,  
IAAI,OAAO,C;IACX,KAAK,IAAI,IAAI,CAAb,EAAGB,CAAE,GAAE,GAAG,OAAvB,EAAGC,CAAC,EAajC,C;  
MACI,IAAI,OAAQ,GAAG,WAaw,CAAC,CAAD,C;MAClB,IAAM,GAAG,IAAK,GAAE,EAAG,GAAE,IAAM,  
GAAE,C;;IAEjC,OAAO,I;EACX,C;EAEA,MAAM,iBAakB,GAAE,iB;EC9C1B,MAAM,KAAM,wB;IAKV,IAAI,  
KAAM,GAAE,GAAL,GAAE,C;IAMIB,IAAI,MAAO,GAAE,IAAK,GAAE,C;EACtB,C;EAEA,MAAM,KAAK,W  
AAy,GAAE,OACf,OADe,cAET,MAFS,cAGV,EAHU,C;EAgBzB,MAAM,KAAK,UAAW,GAAE,E;EAQxB,MA  
AM,KAAK,QAAS,oB;IACIB,IAAI,IAAK,IAAG,KAAM,IAAG,KAAM,GAAE,GAA7B,C;MACE,IAAI,YAAy,M  
AAM,KAAK,UAAU,CAAC,KAAD,C;MACrC,IAAI,SAAJ,C;QACE,OAAO,S;;IAIX,IAAI,MAAM,IAAI,MAAM  
,KAAV,CAAgB,KAAM,GAAE,CAAxB,EA2B,KAAM,GAAE,CAAE,GAAE,EAaf,GAAO,CAA5C,C;IACV,IA  
AI,IAAK,IAAG,KAAM,IAAG,KAAM,GAAE,GAA7B,C;MACE,MAAM,KAAK,UAAU,CAAC,KAAD,CAAQ,G  
AAE,G;;IAEjC,OAAO,G;EACT,C;EASA,MAAM,KAAK,WAAY,oB;IACrB,IAAI,KAAK,CAAC,KAAD,CAAQ,I  
AAG,CAAC,QAAQ,CAAC,KAAD,CAA7B,C;MACE,OAAO,MAAM,KAAK,K;;UACb,IAAI,KAAM,IAAG,CAA  
C,MAAM,KAAK,gBAAzB,C;MACL,OAAO,MAAM,KAAK,U;;UACb,IAAI,KAAM,GAAE,CAAE,IAAG,MAA  
M,KAAK,gBAA5B,C;MACL,OAAO,MAAM,KAAK,U;;UACb,IAAI,KAAM,GAAE,CAAZ,C;MACL,OAAO,MA  
AM,KAAK,WAaw,CAAC,CAAC,KAaf,CAAQ,OAAO,E;;MAE5C,OAAO,IAAI,MAAM,KAAV,CACf,KAA  
M,GAAE,MAAM,KAAK,gBAakB,GAAE,CADrC,EAef,KAAM,GAAE,MAAM,KAAK,gBAakB,GAAE,CAFr

C,C;;EAIX,C;EAUA,MAAM,KAAK,SAAU,gC;IACnB,OAAO,IAAI,MAAM,KAAV,CAAkB,OAAhB,EAAyB,QAAzB,C;EACT,C;EAUA,MAAM,KAAK,WAAY,6B;IACrB,IAAI,GAAG,OAAQ,IAAG,CAAIB,C;MACE,MAAM,KAAK,CAAC,mCAAD,C;;IAGb,IAAI,QAAQ,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAAE,CAAE,IAAG,EAA G,GAAE,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAAuB,GAAE,KAA1B,C;;IAGb,IAAI,GAAG,OAAO,CAAC ,CAAD,CAAI,IAAG,GAArB,C;MACE,OAAO,MAAM,KAAK,WAAW,CAAC,GAAG,UAAU,CAAC,CAAD,CA Ad,EAAmB,KAAhB,CAAyB,OAAO,E;;UACxD,IAAI,GAAG,QAAQ,CAAC,GAAD,CAAM,IAAG,CAAxB,C;M ACL,MAAM,KAAK,CAAC,+CAAgD,GAAE,GAAnD,C;;IAKb,IAAI,eAAe,MAAM,KAAK,WAAW,CAAC,IAAI ,IAAI,CAAC,KAAD,EAAQ,CAAR,CAAT,C;IAEzC,IAAI,SAAS,MAAM,KAAK,K;IACxB,KAAK,IAAI,IAAI,C AAb,EAAgB,CAAE,GAAE,GAAG,OAAvB,EAAgC,CAAE,IAAG,CAArC,C;MACE,IAAI,OAAO,IAAI,IAAI,CA AC,CAAD,EAAI,GAAG,OAAQ,GAAE,CAAjB,C;MACnB,IAAI,QAAQ,QAAQ,CAAC,GAAG,UAAU,CAAC,C AAD,EAAI,CAAE,GAAE,IAAR,CAAd,EAA6B,KAA7B,C;MACpB,IAAI,IAAK,GAAE,CAAX,C;QACE,IAAI,Q AAQ,MAAM,KAAK,WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,IAAR,CAAT,C;QACIC,MAAO,GAAE,M AAM,SAAS,CAAC,KAAD,CAAO,IAAI,CAAC,MAAM,KAAK,WAAW,CAAC,KAAD,CAAvB,C;;QAEnC,MA AO,GAAE,MAAM,SAAS,CAAC,YAAD,C;QACxB,MAAO,GAAE,MAAM,IAAI,CAAC,MAAM,KAAK,WAAW ,CAAC,KAAD,CAAvB,C;;IAGvB,OAAO,M;EACT,C;EAaA,MAAM,KAAK,gBAAiB,GAAE,CAAE,IAAG,E;E AOnC,MAAM,KAAK,gBAAiB,GAAE,CAAE,IAAG,E;EAOnC,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK ,gBAAiB,GAAE,MAAM,KAAK,gB;EA07C,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,C ;EA0IC,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EA07C,MAAM,K AAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EA07C,MAAM,KAAK,gBAAiB,GA CxB,MAAM,KAAK,gBAAiB,GAAE,C;EAIIC,MAAM,KAAK,KAAM,GAAE,MAAM,KAAK,QAAQ,CAAC,CA AD,C;EAItC,MAAM,KAAK,IAAK,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EAIrC,MAAM,KAAK,QAA S,GAAE,MAAM,KAAK,QAAQ,CAAC,EAAD,C;EAIzC,MAAM,KAAK,UAAW,GACIB,MAAM,KAAK,SAAS, CAAC,aAAW,GAAE,CAAd,EAAiB,UAAW,GAAE,CAA9B,C;EAIxB,MAAM,KAAK,UAAW,GAAE,MAAM,K AAK,SAAS,CAAC,CAAD,EAAI,aAAW,GAAE,CAAjB,C;EA05C,MAAM,KAAK,YAAa,GAAE,MAAM,KAAK ,QAAQ,CAAC,CAAE,IAAG,EAAN,C;EAI7C,MAAM,KAAK,UAAU,MAAO,e;IAC1B,OAAO,IAAI,K;EACb,C; EAIA,MAAM,KAAK,UAAU,SAAU,e;IAC7B,OAAO,IAAI,MAAO,GAAE,MAAM,KAAK,gBAAiB,GACzC,IAA I,mBAAmB,E;EACb,C;EAGA,MAAM,KAAK,UAAU,SAAU,e;IAC7B,OAAO,IAAI,MAAO,GAAE,IAAI,K;EA C1B,C;EAOA,MAAM,KAAK,UAAU,SAAU,wB;IAC7B,IAAI,QAAQ,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAA E,CAAE,IAAG,EAAG,GAAE,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAAuB,GAAE,KAA1B,C;;IAGb,IAAI, IAAI,OAAO,EAAf,C;MACE,OAAO,G;;IAGT,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,IAAI,WAAW,CAAC, MAAM,KAAK,UAAZ,CAAnB,C;QAGE,IAAI,YAAY,MAAM,KAAK,WAAW,CAAC,KAAD,C;QACIC,IAAI,M AAM,IAAI,IAAI,CAAC,SAAD,C;QACIB,IAAI,MAAM,GAAG,SAAS,CAAC,SAAD,CAAW,SAAS,CAAC,IAA D,C;QACIC,OAAO,GAAG,SAAS,CAAC,KAAD,CAAQ,GAAE,GAAG,MAAM,EAAE,SAAS,CAAC,KAAD,C;; ;QAEjD,OAAO,GAAI,GAAE,IAAI,OAAO,EAAE,SAAS,CAAC,KAAD,C;;IAMvC,IAAI,eAAe,MAAM,KAAK, WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,CAAR,CAAT,C;IAEzC,IAAI,MAAM,I;IACV,IAAI,SAAS,E;IA Cb,OAAO,IAAP,C;MACE,IAAI,SAAS,GAAG,IAAI,CAAC,YAAD,C;MACpB,IAAI,SAAS,GAAG,SAAS,CAAC ,MAAM,SAAS,CAAC,YAAD,CAAhB,CAA+B,MAAM,E;MAC9D,IAAI,SAAS,MAAM,SAAS,CAAC,KAAD,C; MAE5B,GAAL,GAAE,M;MACN,IAAI,GAAG,OAAO,EAAd,C;QACE,OAAO,MAAO,GAAE,M;;QAEhB,OAAO ,MAAM,OAAQ,GAAE,CAAvB,C;UACE,MAAO,GAAE,GAAL,GAAE,M;;QAEjB,MAAO,GAAE,EAAG,GAAE, MAAO,GAAE,M;;EAG7B,C;EAIA,MAAM,KAAK,UAAU,YAAa,e;IACbC,OAAO,IAAI,M;EACb,C;EAIA,MA AM,KAAK,UAAU,WAAY,e;IAC/B,OAAO,IAAI,K;EACb,C;EAIA,MAAM,KAAK,UAAU,mBAAoB,e;IACvC,O AAQ,IAAI,KAAM,IAAG,CAAG,GACpB,IAAI,KADgB,GACR,MAAM,KAAK,gBAAiB,GAAE,IAAI,K;EACpD, C;EAOA,MAAM,KAAK,UAAU,cAAe,e;IACIC,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,IAAI,WAAW,CAA C,MAAM,KAAK,UAAZ,CAAnB,C;QACE,OAAO,E;;QAEp,OAAO,IAAI,OAAO,EAAE,cAAc,E;;MAGpC,IA AI,MAAM,IAAI,MAAO,IAAG,CAAE,GAAE,IAAI,MAAN,GAAe,IAAI,K;MAC7C,KAAK,IAAI,MAAM,EAAf, EAAmB,GAAL,GAAE,CAAzB,EAA4B,GAAG,EAA/B,C;QACE,IAAuB,CAAIB,GAAL,GAAG,CAAE,IAAG,GA AM,KAAK,CAA1B,C;UACE,K;;MAGJ,OAAO,IAAI,MAAO,IAAG,CAAE,GAAE,GAAL,GAAE,EAAR,GAaA, GAAL,GAAE,C;;EAE9C,C;EAIA,MAAM,KAAK,UAAU,OAAQ,e;IAC3B,OAAO,IAAI,MAAO,IAAG,CAAE,IA



AZ,CAAkB,IACIC,KAAK,WAAW,CAAC,MAAM,KAAK,QAAZ,CADpB,C;QAEe,OOAO,MAAM,KAAK,U;Y  
ACb,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;QACL,OOAO,MAAM,KAAK,I;QAGIB,IA  
AI,WAAW,IAAI,WAAW,CAAC,CAAD,C;QAC9B,IAAI,SAAS,QAAQ,IAAI,CAAC,KAAD,CAAO,UAAU,CAA  
C,CAAD,C;QAC1C,IAAI,MAAM,WAAW,CAAC,MAAM,KAAK,KAAZ,CAArB,C;UACE,OOAO,KAAK,WAA  
W,EAAG,GAAE,MAAM,KAAK,IAAb,GAAoB,MAAM,KAAK,Q;UAEzD,IAAI,MAAM,IAAI,SAAS,CAAC,K  
AAK,SAAS,CAAC,MAAD,CAAf,C;UACvB,IAAI,SAAS,MAAM,IAAI,CAAC,GAAG,IAAI,CAAC,KAAD,CAA  
R,C;UACvB,OOAO,M;UAGN,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;MACL,OOAO,  
MAAM,KAAK,K;IAGpB,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,KAAK,WAAW,EAAPB,C;QACE,OOAO,  
IAAI,OOAO,EAAE,IAAI,CAAC,KAAK,OOAO,EAAb,C;QAExB,OOAO,IAAI,OOAO,EAAE,IAAI,CAAC,KA  
AD,CAAO,OOAO,E;UAEEnC,IAAI,KAAK,WAAW,EAAPB,C;MACL,OOAO,IAAI,IAAI,CAAC,KAAK,OOAO,  
EAAb,CAAgB,OOAO,E;IAQxC,IAAI,MAAM,MAAM,KAAK,K;IACrB,IAAI,MAAM,I;IACV,OOAO,GAAG,m  
BAAmB,CAAC,KAAD,CAA7B,C;MAGE,IAAI,SAAS,IAAI,IAAI,CAAC,CAAD,EAAl,IAAI,MAAM,CAAC,GA  
AG,SAAS,EAAG,GAAE,KAAK,SAAS,EAAbC,CAAd,C;MAIrB,IAAI,OOAO,IAAI,KAAK,CAAC,IAAI,IAAI,C  
AAC,MAAD,CAAS,GAAE,IAAI,IAAxB,C;MACpB,IAAI,QAAS,IAAK,IAAG,EAAl,GAAE,CAAF,GAAM,IAAI  
,IAAI,CAAC,CAAD,EAAl,IAAK,GAAE,EAAX,C;MAIvC,IAAI,YAAY,MAAM,KAAK,WAAW,CAAC,MAAD,  
C;MACtC,IAAI,YAAY,SAAS,SAAS,CAAC,KAAD,C;MACIC,OOAO,SAAS,WAAW,EAAG,IAAG,SAAS,YAA  
Y,CAAC,GAAD,CAAtD,C;QACE,MAAO,IAAG,K;QACV,SAAU,GAAE,MAAM,KAAK,WAAW,CAAC,MAA  
D,C;QACIC,SAAU,GAAE,SAAS,SAAS,CAAC,KAAD,C;MAKhC,IAAI,SAAS,OOAO,EAAPB,C;QACE,SAAU,  
GAAE,MAAM,KAAK,I;MAGzB,GAAl,GAAE,GAAG,IAAI,CAAC,SAAD,C;MACb,GAAl,GAAE,GAAG,SAA  
S,CAAC,SAAD,C;IAEpB,OOAO,G;EACT,C;EAQA,MAAM,KAAK,UAAU,OOAQ,oB;IAC3B,OOAO,IAAI,SA  
AS,CAAC,IAAI,IAAI,CAAC,KAAD,CAAO,SAAS,CAAC,KAAD,CAAzB,C;EActB,C;EAIA,MAAM,KAAK,UA  
AU,IAAK,e;IACxB,OOAO,MAAM,KAAK,SAAS,CAAC,CAAC,IAAI,KAAK,EAaA,CAAC,IAAI,MAAlB,C;EA  
C7B,C;EAQA,MAAM,KAAK,UAAU,IAAK,oB;IACxB,OOAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAA  
E,KAAK,KAAIB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;EAE7B,C;EAQA,MAAM,KAAK,UAAU,GAAl,o  
B;IACvB,OOAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE,KAAK,KAAIB,EACI,IAAI,MAAO,GAAE,  
KAAK,MADtB,C;EAE7B,C;EAQA,MAAM,KAAK,UAAU,IAAK,oB;IACxB,OOAO,MAAM,KAAK,SAAS,CAA  
C,IAAI,KAAM,GAAE,KAAK,KAAIB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;EAE7B,C;EAQA,MAAM,K  
AAK,UAAU,UAAW,sB;IAC9B,OOAQ,IAAG,E;IACX,IAAI,OOAQ,IAAG,CAAf,C;MACE,OOAO,I;MAEP,IA  
AI,MAAM,IAAI,K;MACd,IAAI,OOAQ,GAAE,EAAd,C;QACE,IAAI,OOAO,IAAI,M;QACf,OOAO,MAAM,KA  
AK,SAAS,CACvB,GAAl,IAAG,OADgB,EAEtB,IAAK,IAAG,OAAS,GAAG,GAAl,KAAK,EAAG,GAAE,OFZ,  
C;QAI3B,OOAO,MAAM,KAAK,SAAS,CAAC,CAAD,EAAl,GAAl,IAAI,OOAQ,GAAE,EAAtB,C;EAGjC,C;  
EAQA,MAAM,KAAK,UAAU,WAAW,sB;IAC/B,OOAQ,IAAG,E;IACX,IAAI,OOAQ,IAAG,CAAf,C;MACE,OA  
AO,I;MAEP,IAAI,OOAO,IAAI,M;MACf,IAAI,OOAQ,GAAE,EAAd,C;QACE,IAAI,MAAM,IAAI,K;QACd,OA  
AO,MAAM,KAAK,SAAS,CACtB,GAAl,KAAI,OAAS,GAAG,IAAK,IAAI,EAAG,GAAE,OADZ,EAEvB,IAAK,I  
AAG,OAFc,C;QAI3B,OOAO,MAAM,KAAK,SAAS,CACvB,IAAK,IAAI,OOAQ,GAAE,EADI,EAEvB,IAAK,I  
AAG,CAAE,GAAE,CAAF,GAAM,EAFO,C;EAKjC,C;EAUA,MAAM,KAAK,UAAU,mBAAoB,sB;IACvC,OA  
AQ,IAAG,E;IACX,IAAI,OOAQ,IAAG,CAAf,C;MACE,OOAO,I;MAEP,IAAI,OOAO,IAAI,M;MACf,IAAI,OOA  
Q,GAAE,EAAd,C;QACE,IAAI,MAAM,IAAI,K;QACd,OOAO,MAAM,KAAK,SAAS,CACtB,GAAl,KAAI,OAAS  
,GAAG,IAAK,IAAI,EAAG,GAAE,OADZ,EAEvB,IAAK,KAAI,OAFc,C;YAGtB,IAAI,OOAQ,IAAG,EAaf,C;Q  
ACL,OOAO,MAAM,KAAK,SAAS,CAAC,IAAD,EA AO,CAAP,C;QAE3B,OOAO,MAAM,KAAK,SAAS,CAA  
C,IAAK,KAAK,OOAQ,GAAE,EAArB,EA A0B,CAA1B,C;EAGjC,C;EAGA,MAAM,KAAK,UAAU,OOAQ,oB;I  
ACzB,OOAO,KAAM,YAAW,MAAM,KAAM,IAAG,IAAI,WAAW,CAAC,KAAD,C;EAC1D,C;EAEA,MAAM,K  
AAK,UAAU,gBAAiB,GAAE,MAAM,KAAK,UAAU,Q;EAE7D,MAAM,KAAK,UAAU,IAAK,e;IACtB,OOAO,I  
AAI,IAAI,CAAC,MAAM,KAAK,IAAZ,C;EACnB,C;EAEA,MAAM,KAAK,UAAU,IAAK,e;IACtB,OOAO,IAAI,  
IAAI,CAAC,MAAM,KAAK,QAAZ,C;EACnB,C;EAEA,MAAM,KAAK,UAAU,QAAS,e;IAC1B,OOAO,IAAI,SA  
AS,E;EACxB,C;EAEA,MAAM,KAAK,UAAU,UAAW,e;IAC5B,OOAO,I;EACX,C;EAEA,MAAM,KAAK,UAAU  
,WAAW,GAAE,MAAM,KAAK,UAAU,O;EACxD,MAAM,KAAK,UAAU,IAAK,GAAE,MAAM,KAAK,UAAU,I;  
EAEjD,MAAM,KAAK,UAAU,QAAS,oB;IAC1B,OOAO,IAAI,MAAM,OOAO,OOAO,UAAxB,CAAmC,IAAnC,

EAAyC,KAAzC,C;EACX,C;ECzzBA,MAAM,aAAc,8B;EACpB,C;EAEA,MAAM,qBAAsB,uB;IACxB,OAAO,G;EACX,C;EAEA,MAAM,aAAc,kB;IACbB,IAAI,gB;MACA,CAAE,GAAE,GAAG,E;MACP,OAAO,CAAC,MAAM,CAAC,IAAD,EAAO,SAAP,C;IACIB,C;IACA,mB;MACI,OAAO,CAAC,MAAM,CAAC,IAAD,EAAO,SAAP,C;IACIB,C;EACJ,C;EAEA,MAAM,SAAU,mB;IACZ,yB;MACI,OAAO,OAAO,MAAO,KAAL,I;IAC7B,C;EACJ,C;EAEA,MAAM,aAAc,oB;IACbB,yB;MACI,OAAO,MAAM,OAAO,CAAC,MAAD,EAAS,KAAT,C;IACxB,C;EACJ,C;EAEA,MAAM,OAAQ,iB;IACV,yB;MACI,OAAO,MAAO,IAAG,IAAK,IAAG,EAAE,CAAC,MAAD,C;IAC/B,C;EACJ,C;EAEA,MAAM,aAAc,mB;IACbB,yB;MACI,OAAO,CAAC,CAAC,MAAD,CAAS,IAAG,CAAC,CAAC,MAAD,C;IACzB,C;EACJ,C;EAEA,MAAM,qBAAsB,2C;EAC5B,C;EAEA,MAAM,YAAa,oB;IACf,OAAO,K;EACX,C;EAEA,MAAM,gBAAiB,wB;IACnB,gBAAgB,E;EACpB,C;EAEA,MAAM,oBAAqB,wB;IACvB,gBAAgB,E;EACpB,C;EAEA,MAAM,kBAAmB,wB;IACrB,gBAAgB,E;EACpB,C;EAEA,MAAM,mBAAoB,+B;IACtB,gBAAgB,E;EACpB,C;IAGI,MAAM,IAAI,KAJ,CACF,iDAaKd,GACID,qDAAsD,GACTd,uDAHE,C;EAIv,C;EAEA,MAAM,gBAAiB,+B;IACnB,mB;MACI,OAAO,Y;IACX,C;EACJ,C;EC/EA,MAAM,UAAW,mB;IACb,IAAI,QAAQ,OAAO,C;IACnB,IAAI,KAAM,KAAL,QAAd,C;MACI,IAAI,OAAO,CAAE,KAAL,QAAjB,C;QACI,OAAO,MAAM,gBAAgB,CAAC,CAAD,EAAL,CAAJ,C;MAEjC,OAAO,MAAM,mBAAmB,CAAC,CAAD,EAAL,CAAJ,C;IAEpC,IAAI,KAAM,KAAL,QAAS,IAAG,KAAM,KAAL,SAAP,C;MACI,OAAO,MAAM,mBAAmB,CAAC,CAAD,EAAL,CAAJ,C;IAEpC,OAAO,CAAC,gBAAgB,CAAC,CAAD,C;EAC5B,C;EAEA,MAAM,mBAAoB,mB;IACtB,OAAO,CAAE,GAAE,CAAE,GAAE,EAAG,GAAG,CAAE,GAAE,CAAE,GAAE,CAAF,GAAM,C;EACpC,C;EAEA,MAAM,gBAAiB,mB;IACnB,IAAI,CAAE,GAAE,CAAR,C;MAAW,OAAO,E;IACIB,IAAI,CAAE,GAAE,CAAR,C;MAAW,OAAO,C;IAEIB,IAAI,CAAE,KAAL,CAAV,C;MACI,IAAI,CAAE,KAAL,CAAV,C;QAAa,OAAO,C;MAEpB,IAAI,KAAL,CAAE,GAAE,C;MACb,OAAO,EAAG,KAAL,CAAE,GAAE,CAAE,GAAE,CAAF,GAAG,EAAG,GAAE,CAAE,GAAE,EAAG,GAAG,C;IAG7C,OAAO,CAAE,KAAL,CAAE,GAAG,CAAE,KAAL,CAAE,GAAE,CAAF,GAAM,CAAJB,GAAsB,E;EACzC,C;EAEA,MAAM,QAAS,oB;IACX,OAAO,MAAM,OAAO,CAAC,KAAL,GAAC,CAAP,C;EACxB,C;EAEA,MAAM,QAAS,oB;IACX,OAAO,MAAM,OAAO,CAAC,KAAL,GAAC,CAAP,C;EACxB,C;EAEA,MAAM,KAAM,GAAE,IAAI,KAAM,IAAG,I;EAE3B,MAAM,aAAc,GAAE,I;IAGIB,OAAyB,CAAhB,CAAE,GAAE,YAAY,KAAG,CAAE,GAAE,KAAP,CAAe,GAAe,CAAZ,CAAE,GAAE,KAAQ,KAAG,CAAE,GAAE,CAAP,CAAW,GAAE,C;EACxE,C;EA4DE,a;IAzDE,IAAI,MAAM,IAAI,WAAJ,CAAgB,CAAhB,C;IACV,IAAI,aAAa,IAAI,YAAJ,CAAI,GAJb,C;IACjB,IAAI,aAAa,IAAI,YAAJ,CAAI,GAJb,C;IACjB,IAAI,WAAW,IAAI,UAAJ,CAAe,GAAf,C;IACf,IAAI,WAAW,C;IACf,IAAI,YAAY,C;IAEhB,UAAU,CAAC,CAAD,CAAI,GAAE,E;IACbB,IAAI,QAAQ,CAAC,QAAD,CAAW,KAAL,CAA3B,C;MACI,QAAS,GAAE,C;MACX,SAAU,GAAE,C;IAGhB,MAAM,aAAc,oB;MACbB,OAAO,MAAM,gBAAgB,CAAC,KAAL,CAAC,KAAD,CAAQ,GAAE,GAAG,GAAG,KAATB,C;IACjC,C;IAEA,MAAM,gBAAiB,oB;MACnB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACbB,OAAO,MAAM,KAAL,SAAS,CAAC,QAAQ,CAAC,QAAD,CAAT,EAAqB,QAAQ,CAAC,SAAD,CAA7B,C;IAC/B,C;IAEA,MAAM,eAAgB,oB;MACIB,QAAQ,CAAC,QAAD,CAAW,GAAE,KAAL,K;MACIB,QAAQ,CAAC,SAAD,CAAY,GAAE,KAAL,M;MAC3B,OAAO,UAAU,CAAC,CAAD,C;IACrB,C;IAEA,MAAM,YAAa,oB;MACf,OAAO,MAAM,eAAe,CAAC,KAAL,CAAC,KAAD,CAAQ,GAAE,GAAG,GAAG,KAATB,C;IACbB,C;IAEA,MAAM,eAAgB,oB;MACIB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACbB,OAAO,QAAQ,CAAC,CAAD,C;IACnB,C;IAEA,MAAM,cAAe,oB;MACjB,QAAQ,CAAC,CAAD,CAAI,GAAE,K;MACd,OAAO,UAAU,CAAC,CAAD,C;IACrB,C;IAGA,MAAM,cAAe,oB;MACjB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACbB,OAAO,QAAQ,CAAC,SAAD,CAAY,GAAE,a;IACjC,C;IAEA,MAAM,eAAgB,kB;MACIB,IAAc,CAAT,GAAL,GAAE,CAAG,MAAI,GAALB,C;QACI,OAAO,GAAL,GAAE,C;QAGb,UAAU,CAAC,CAAD,CAAI,GAAE,G;QACbB,OAAc,CAA9B,QAAQ,CAAC,SAAD,CAAY,GAAE,EAAG,GAAE,CAAG,IAAE,QAAQ,CAAC,QAAD,CAAW,GAAE,C;IAEe,C;EACJ,CAAE,G;EAEF,MAAM,cAAe,gB;IACjB,OAAO,CAAE,IAAG,IAAK,GAAE,CAAF,GAAM,MAAM,SAAS,E;EAC1C,C;EC9GA,IAAI,OAAO,MAAM,UAAU,WAAJ,KAAL,WAA3C,C;IACIL,MAAM,UAAU,WAAJ,qC;MACxB,QAAS,GAAE,QAAS,IAAG,C;MACvB,OAAO,IAAI,YAAY,CAAC,YAAD,EAAe,QAAf,CAAYB,KAAL,Q;IACxD,C;EAEJ,IAAI,OAAO,MAAM,UAAU,SAAU,KAAL,WAAzC,C;IACI,MAAM,UAAU,SAAU,qC;MACtB,IAAI,gBAAgB,IAAI,SAAS,E;MACjC,IAAI,QAAS,KAAL,SAAU,IAAG,QAAS,GAAE,aAAa,OAAtD,C;QACI,QAAS,GAAE,aAAa,O;MAE5B,QAAS,IAAG,YAAY,O;MACxB,IAAI,YAAY,aAAa,QAAQ,CAAC,YAAD,EAAe,QAAf,C;MACrC,OAAO,SAAU,KAAL,EAAG,IAAG,SAAU,KAAL,Q;IAC7C,C;E

AGJ,IAAI,OAAO,IAAI,KAAM,KAAl,WAAzB,C;IACI,IAAI,KAAM,gB;MACN,CAAe,GAAE,CAAC,C;MACL,IAAI,CAAe,KAAl,CAAe,IAAG,KAAl,CAAC,CAAD,CAApB,C;QACI,OAAO,MAAM,CAAC,CAAD,C;;MAEjB,OAAO,CAAe,GAAE,CAAe,GAAE,CAAf,GAAM,E;IACvB,C;;EAEJ,IAAI,OAAO,IAAI,MAAO,KAAl,WAA1B,C;IACI,IAAI,MAAO,gB;MACP,IAAI,KAAl,CAAC,CAAD,CAAT,C;QACI,OAAO,G;;MAEX,IAAI,CAAe,GAAE,CAAR,C;QACI,OAAO,IAAI,MAAM,CAAC,CAAD,C;;MAErB,OAAO,IAAI,KAAl,CAAC,CAAD,C;IACpB,C;;EAsKF,a;IAIKe,IAAI,UAAU,qB;IACd,IAAI,iBAAiB,IAAI,KAAl,CAAC,OAAD,C;IAC9B,IAAI,iBAAiB,IAAI,KAAl,CAAC,cAAD,C;IAC9B,IAAI,uBAAuB,CAAC,GAAC,c;IAC7B,IAAI,uBAAuB,CAAC,GAAC,c;IAE7B,IAAI,OAAO,IAAI,KAAM,KAAl,WAAzB,C;MACI,IAAI,KAAM,gB;QACN,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACI,MAAO,IAAI,CAAe,GAAE,CAAe,GAAE,CAAG,GAAE,C;;UAE5B,OAAO,M;;UAEP,IAAI,IAAI,IAAI,IAAI,CAAC,CAAD,C;UACb,IAAI,KAAl,CAAe,GAAE,C;UACb,IAAI,CAAC,QAAQ,CAAC,CAAD,CAAb,C;YAakB,OAAO,IAAI,IAAI,CAAC,CAAe,GAAE,IAAI,IAAT,C;UACjC,IAAI,CAAC,QAAQ,CAAC,EAAD,CAAb,C;YAAmB,OAAO,CAAC,IAAI,IAAI,CAAC,CAAC,CAAe,GAAE,IAAI,IAAV,C;UACnC,OAAgB,CAAR,CAAe,GAAE,EAAl,IAAE,C;;MAE1B,C;;IAEJ,IAAI,OAAO,IAAI,KAAM,KAAl,WAAzB,C;MACI,IAAI,KAAM,gB;QACN,IAAI,IAAI,IAAI,IAAI,CAAC,CAAD,C;QACb,IAAI,KAAl,CAAe,GAAE,C;QACb,IAAI,CAAC,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAC,QAAQ,CAAC,EAAD,CAA7B,C;UAAmC,OAAO,IAAI,IAAI,CAAC,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,IAAnB,C;QACID,OAAgB,CAAR,CAAe,GAAE,EAAl,IAAE,C;MACtB,C;;IAGJ,IAAI,OAAO,IAAI,KAAM,KAAl,WAAzB,C;MACI,IAAI,KAAM,gB;QACN,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACI,MAAO,IAAI,CAAe,GAAE,CAAe,GAAE,CAAG,GAAE,C;;UAE5B,OAAO,M;;UAGP,IAAI,IAAI,IAAI,IAAI,CAAC,CAAC,CAAf,CAAhB,EAAsB,IAAI,IAAI,IAAI,CAAC,CAAC,CAAf,C;UACIC,OAAO,CAAe,KAAl,QAAS,GAAE,CAAf,GAAM,CAAe,KAAl,QAAS,GAAE,EAaf,GAAe,CAAP,CAAe,GAAE,CAAG,KAAG,CAAe,GAAE,CAAP,C;;MAEIE,C;;IAMJ,IAAI,OAAO,IAAI,MAAO,KAAl,WAA1B,C;MACI,IAAI,qB;QACA,IAAI,CAAe,IAAG,CAAC,cAAV,C;UAEI,IAAI,CAAe,GAAE,oBAAR,C;YAEI,IAAI,CAAe,GAAE,oBAAR,C;cAGI,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,I;;cAKzB,OAAO,IAAI,IAAI,CAAC,CAAe,GAAE,CAAe,GAAG,CAAe,IAAG,CAAe,GAAE,CAAP,CAAZ,C;;YAKnB,OAAO,IAAI,IAAI,CAAC,CAAe,GAAE,IAAI,KAAl,CAAC,CAAe,GAAE,CAAe,GAAE,CAAT,CAAd,C;;cAGIB,IAAI,CAAe,IAAG,CAAC,cAAV,C;UAED,OAAO,CAAC,KAAl,CAAC,CAAC,CAAf,C;;UAKb,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,IAAG,cAAAnB,C;YAEI,IAAI,KAAl,CAAe,GAAE,CAAe,GAAE,C;YAEjB,MAAO,IAAG,EAAG,GAAE,C;;UAEnB,OAAO,M;;MAEf,C;MACA,IAAI,MAAO,GAAE,K;;IAEjB,IAAI,OAAO,IAAI,MAAO,KAAl,WAA1B,C;MACI,IAAI,MAAO,gB;QACP,IAAI,CAAe,GAAE,CAAR,C;UAEI,OAAO,G;;cAEN,IAAI,CAAe,GAAE,CAAe,IAAG,cAAb,C;UAED,IAAI,CAAe,GAAE,oBAAR,C;YAGI,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,I;;YAlzB,OAAO,IAAI,IAAI,CAAC,CAAe,GAAE,IAAI,KAAl,CAAC,CAAe,GAAE,CAAe,GAAE,CAAT,CAAd,C;;UAKnB,IAAI,IAAI,IAAI,KAAl,CAAC,CAAe,GAAE,CAAL,C;UAEjB,IAAI,SAAS,C;UACb,IAAI,CAAe,IAAG,cAAT,C;YAEI,IAAI,KAAl,CAAe,GAAE,CAAe,GAAE,C;YAEjB,MAAO,IAAG,EAAG,GAAE,E;;UAGnB,OAAO,IAAI,KAAl,CAAC,CAAD,CAAI,GAAE,M;;MAE9B,C;;IAEJ,IAAI,OAAO,IAAI,MAAO,KAAl,WAA1B,C;MACLI,IAAI,MAAO,gB;QACP,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACI,MAAO,IAAI,CAAe,GAAE,CAAe,GAAE,CAAG,GAAE,C;;UAE5B,OAAO,M;;QAEX,OAAO,IAAI,IAAI,CAAS,CAAP,CAAe,GAAE,CAAG,KAAG,CAAe,GAAE,CAAP,CAAT,CAAoB,GAAE,C;MACzC,C;;IAEJ,IAAI,OAAO,IAAI,MAAO,KAAl,WAA1B,C;MACI,IAAI,MAAO,gB;QACP,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI,KAAl,CAAe,GAAE,C;UACb,IAAI,KAAl,EAAG,GAAE,C;UACd,IAAI,KAAl,EAAG,GAAE,C;UAEd,OAAQ,CAAC,EAAG,GAAE,CAAe,GAAE,EAAG,GAAE,CAAe,GAAE,EAAG,GAAE,CAAe,GAAE,C;;QAExC,OAAO,IAAI,IAAI,CAAC,CAAe,GAAE,CAAL,C;MACnB,C;;IAEJ,IAAI,OAAO,IAAI,MAAO,KAAl,WAA1B,C;MACI,IAAI,MAAO,gB;QACP,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI,KAAl,CAAe,GAAE,C;UACb,IAAI,KAAl,EAAG,GAAE,C;UACd,IAAI,KAAl,EAAG,GAAE,C;UAEd,OAAQ,EAAG,GAAE,EAAG,GAAE,EAAG,GAAE,CAAe,GAAE,EAAG,GAAE,CAAe,GAAE,C;;QAExC,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,C;MACzB,C;;EAER,CAAe,G;EACF,IAAI,OAAO,IAAI,MAAO,KAAl,WAA1B,C;IACI,IAAI,MAAO,e;MACP,IAAI,IAAI,C;MA

CR,IAAI,SAAS,SAAS,O;MAEtB,KAAK,IAAI,IAAI,CAAb,EAAGB,CAAE,GAAE,MAApB,EAA4B,CAAC,EAA  
7B,C;QACI,IAAI,SAAS,CAAC,CAAD,CAAI,KAAI,QAAS,IAAG,SAAS,CAAC,CAAD,CAAI,KAAI,CAAC,QA  
AnD,C;UACI,OAAO,Q;;QAEX,CAAE,IAAG,SAAS,CAAC,CAAD,CAAI,GAAE,SAAS,CAAC,CAAD,C;;MAEj  
C,OAAO,IAAI,KAAK,CAAC,CAAD,C;IACpB,C;;EAEJ,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI  
,MAAO,gB;MACP,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,O;IAC7B,C;;EAEJ,IAAI,OAAO,IAAI,K  
AAM,KAAI,WAAzB,C;IACI,IAAI,KAAAM,gB;MACN,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,M;I  
AC7B,C;;EAIJ,IAAI,OAAO,WAAW,OAAQ,KAAI,WAAIC,C;IACI,WAAW,OAAQ,gB;MACf,OAAO,CAAE,IA  
AG,IAAK,IAAG,CAAC,UAAW,IAAG,IAAK,IAAG,CAAC,UAAU,UAAW,KAAI,SAAS,UAAU,U;IAC5F,C;;EA  
+DF,a;;MA1DM,IAAI,MAAO,GAAE,CAAb,C;QAAgB,OAAO,IAAI,IAAI,CAAC,CAAD,EAAI,MAAO,GAAE,  
MAAb,C;MAC/B,OAAO,IAAI,IAAI,CAAC,MAAD,EAAS,MAAT,C;IACnB,C;;MAEI,IAAI,OAAO,GAAI,KAAI  
,WAA1B,C;QACI,GAAI,GAAE,IAAI,O;;MAEd,KAAAM,GAAE,eAAe,CAAC,KAAAM,IAAG,CAAV,EAAa,IAAI,  
OAAjB,C;MACvB,GAAI,GAAE,IAAI,IAAI,CAAC,KAAD,EAAQ,eAAe,CAAC,GAAD,EAAM,IAAI,OAAV,CA  
AvB,C;MACd,OAAO,IAAI,IAAI,YAAR,CAAqB,IAAI,SAAS,CAAC,KAAD,EAAQ,GAAR,CAAIC,C;IACX,C;I  
AEA,IAAI,SAAS,CAAC,SAAD,EAAy,UAAZ,EAAwB,WAAxB,EAAqC,UAArC,EAAiD,YAAjD,EAA+D,YAA/  
D,C;IACb,KAAK,IAAI,IAAI,CAAb,EAAGB,CAAE,GAAE,MAAM,OAA1B,EAAMC,EAAE,CAArC,C;MACI,IA  
AI,aAAa,MAAM,CAAC,CAAD,C;MACvB,IAAI,OAAO,UAAU,UAAU,MAAO,KAAI,WAA1C,C;QACI,MAAM  
,eAAe,CAAC,UAAU,UAAx,EAAuB,OAAvB,EAAGC,QAC1C,eAD0C,CAAhC,C;;;MAQJ,CAAN,Y;MAAF,CA  
AE,MAAM,CAAC,IAAD,EAAO,IAAI,UAAJ,CAAe,CAAf,CAAP,E;;MAErB,IAAI,QAAQ,QAAQ,UAAU,M;M  
AC9B,MAAM,eAAe,CAAC,QAAQ,UAAAT,EAAqB,OAArB,EAA8B,+B;QAE3C,OAAO,KAAK,KAAK,CAAC,I  
AAD,EAAO,IAAP,EAAa,EAAE,MAAM,KAAK,CAAC,KAAD,CAA1B,C;MACrB,CAH+C,CAA9B,C;;IASzB,K  
AAK,IAAI,IAAI,CAAb,EAAGB,CAAE,GAAE,MAAM,OAA1B,EAAMC,EAAE,CAArC,C;MACI,IAAI,aAAa,M  
AAM,CAAC,CAAD,C;MACvB,IAAI,OAAO,UAAU,UAAU,IAAK,KAAI,WAAxC,C;QACI,MAAM,eAAe,CAA  
C,UAAU,UAAx,EAAuB,KAAvB,EAA8B,kC;UAE3C,OAAO,EAAE,MAAM,KAAK,CAAC,IAAD,CAAM,IAAI,  
CAAC,QAAD,EAAW,IAAX,C;QACIC,CAH+C,CAA9B,C;;IAS7B,KAAK,IAAI,IAAI,CAAb,EAAGB,CAAE,GA  
AE,MAAM,OAA1B,EAAMC,EAAE,CAArC,C;MACI,IAAI,aAAa,MAAM,CAAC,CAAD,C;MACvB,IAAI,OAA  
O,UAAU,UAAU,KAAAM,KAAI,WAAzC,C;QACI,MAAM,eAAe,CAAC,UAAU,UAAx,EAAuB,MAAvB,EAA+B  
,mC;UAE5C,OAAO,KAAK,UAAU,KAAK,KAAK,CAAC,IAAD,EAAO,eAAP,C;QACpC,CAHgD,CAA/B,C;;E  
AOjC,CAAE,G;ECvSF,MAAM,KAAAM,GAAE,QACH,OADG,aAEC,WAFD,UAGF,QAHE,C;EAMd,MAAM,WA  
AY,8C;IACd,IAAI,qBAAqB,MAAM,yBAAyB,CAAC,KAAD,EAAQ,YAAR,C;IACxD,IAAI,kBAAmB,IAAG,IA  
AK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;MACI,OAAO,kBAAkB,IAAI,KAAK,CAAC,UAAD,C;;IAGtC,kBAA  
mB,GAAE,MAAM,yBAAyB,CAAC,UAAD,EAAa,YAAb,C;IACpD,IAAI,kBAAmB,IAAG,IAAK,IAAG,OAAQ,I  
AAG,kBAA7C,C;MACI,OAAO,UAAU,CAAC,YAAD,C;;IAGrB,OAAO,MAAM,WAAW,CAAC,UAAD,EAAa,  
MAAM,eAAe,CAAC,KAAD,CAAIC,EAA2C,YAA3C,C;EAC5B,C;EAEA,MAAM,WAAy,qD;IACd,IAAI,qBAA  
qB,MAAM,yBAAyB,CAAC,KAAD,EAAQ,YAAR,C;IACxD,IAAI,kBAAmB,IAAG,IAAK,IAAG,kBAAkB,IAAK  
,IAAG,IAA5D,C;MACI,kBAAkB,IAAI,KAAK,CAAC,UAAD,EAAa,KAAb,C;MAC3B,M;;IAGJ,kBAAmB,GAA  
E,MAAM,yBAAyB,CAAC,UAAD,EAAa,YAAb,C;IACpD,IAAI,kBAAmB,IAAG,IAAK,IAAG,OAAQ,IAAG,kB  
AA7C,C;MACI,UAAU,CAAC,YAAD,CAAe,GAAE,K;MAC3B,M;;IAGJ,MAAM,WAAW,CAAC,UAAD,EAAa,  
MAAM,eAAe,CAAC,KAAD,CAAIC,EAA2C,YAA3C,EAAyD,KAAzD,C;EACrB,C;;IAGI,IAAI,IAAK,KAAI,KA  
Ab,C;MAAoB,OAAO,I;IAE3B,IAAI,WAAW,IAAI,W;IACnB,IAAI,QAAS,IAAG,IAAhB,C;MACI,IAAI,aAAa,Q  
AAQ,W;MACzB,KAAK,IAAI,IAAI,CAAb,EAAGB,CAAE,GAAE,UAAU,OAA9B,EAAuC,CAAC,EAAxC,C;QA  
CI,IAAI,0BAA0B,CAAC,UAAU,CAAC,CAAD,CAAX,EAAGB,KAAhB,CAA9B,C;UACI,OAAO,I;;;IAKnB,IAA  
I,iBAAiB,IAAI,UAAW,IAAG,IAAK,GAAE,MAAM,eAAe,CAAC,IAAI,UAAU,CAAvB,GAA0C,I;IACtF,IAAI,m  
BAAmB,cAAe,IAAG,IAAK,GAAE,cAAc,YAAhB,GAA+B,I;IAC7E,OAAO,gBAAiB,IAAG,IAAK,IAAG,0BAA0  
B,CAAC,gBAAD,EAAMB,KAA1B,C;EACjE,C;EAQA,MAAM,OAAQ,4B;IACV,IAAI,KAAAM,KAAI,MAAD,C;  
MACI,QAAQ,OAAO,MAAf,C;aACS,Q;aACA,Q;aACA,S;aACA,U;UACD,OAAO,I;gBAEP,OAAO,MAAO,YAA  
W,M;;;IAIrC,IAAI,MAAO,IAAG,IAAK,IAAG,KAAAM,IAAG,IAAK,KAAI,OAAO,MAAO,KAAI,QAAS,IAAG,O  
AAO,MAAO,KAAI,UAApD,CAApC,C;MACI,OAAO,K;;IAGX,IAAI,OAAO,KAAAM,KAAI,UAAW,IAAG,MAA  
O,YAAW,KAArD,C;MACI,OAAO,I;;IAGX,IAAI,QAAQ,MAAM,eAAe,CAAC,KAAD,C;IACjC,IAAI,cAAc,KA

AM,IAAG,IAAK,GAAE,KAAK,YAAP,GAA**s**B,I;IACtD,IAAI,WAA**Y**,IAAG,IAAK,IAAG,YAA**a**,IAAG,WAA3C,C;MACI,IAAI,WAA**W**,WAA**W**,W;MAC1B,IAAI,QAAQ,KAAM,KAAI,MAAM,KAAK,OAA**j**C,C;QACI,OAAO,MAAO,KAAI,K;IAI1B,IAAI,gBA**A**gB,KAAK,W;IAGzB,IAAI,aAAc,IAAG,IAArB,C;MACI,OAAO,MAAO,YAAW,K;IAG7B,IAAI,aAAa,KAAM,KAAI,MAAM,KAAK,UAAW,IAAG,MAAM,YAAa,IAAG,IAA1E,C;MACI,OAAO,0BAA0B,CAAC,MAAM,YAAP,EAAqB,KAArB,C;IAGrC,OAAO,K;EACX,C;EAEA,MAAM,SAAU,gB;IACZ,OAAO,OAAO,CAAE,IAAG,QAAS,IAAG,CAAE,YAAW,MAAM,K;EACtD,C;EAEA,MAAM,OAAQ,oB;IACV,OAAO,KAAM,YAAW,MAAM,U;EACIC,C;EAEA,MAAM,aAAc,oB;IAC**h**B,IAAI,OAAO,OAAO,K;IAEIB,OAAO,IAAK,KAAI,QAAS,IACIB,IAAK,KAAI,SAAU,IACnB,MAAM,SAAS,CAAC,KAAD,CAAQ,IACvB,MAAM,OAAO,CAAC,KAAD,EAAQ,MAAM,OAAO,WAArB,C;EACx**B**,C;EAEA,MAAM,eAAgB,oB;IACIB,OAAO,OAAO,KAAM,KAAI,QAAS,IAAG,MAAM,OAAO,CAAC,KAAD,EAAQ,MAAM,OAAO,aAArB,C;EACrD,C; ;;;aCtD2C,gB; ;;;MCjDvC,4B;MAjBA,aAA6C,E;MAC7C,gBA**A**gD,C;IAFpD,C;MAK**g**B,iB;IAAA,C;MAGA,oB;IAAA,C;MAE6B,OAAQ,0BAAR,YAAQ,EAAU,KAAM,QA**A**hB,C;IAAR,C;MAEN,gBAAS,K;IAAT,C;MAEJ,OAA**n**C,MAA**m**C,kBAA8B,IAA9B,C;IAAA,C;MAEL,gB;IAAA,C;MAE1B,8B;IAAA,C; ;;;MAAA,qC;QAAA,oB;MAAA,8B;IAAA,C; ;MDdwC,oBAAa,MAAS,IAAT,CAAb,EAA6B,SAA7B,C;IAAA,C;gEAE5C,yB;MAAA,mB;MAAA,6B;QAC2D,YAAa,QAAS,IAAT,C;QAIvD,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MAAM,CAAN,IAlgF,IAK**r**E,CAAK,CAAL,C;QALwC,OAOhD,K;MAPgD,C;KAD3D,C; ;MAKiB,Q;MAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW,KAAK,CAAL,C;MAEf,OAAO,K;IACX,C;MAMiB,IAAN,I;MAFP,aAAsB,MAAe,IAAf,C;MACTb,gBA**A**kB,c;MAEd,IADS,IAC**T**,mBAD**S**,IAC**T**,EAAM,IAAN,E;QAAC,oBAAa,MAAb,EAAqB,KAArB,C;WACd,WAFS,IAET,S;QAAS,a;QAZA,U;QAAA,SAaqB,MAbf,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,mB;UAakC,MAZ9B,CAAM,CAAN,IAYsC,IAZ3B,CAAK,CAAL,C;QAYH,OAA**s**B,M;MAHIC,W;IAKJ,C;2EAEA,yB;MAAA,iC;MAAA,6B;QACoF,YAAa,aAAa,IAAb,EA**A**mB,KAA**n**B,C;QAIb**H**F,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MAAM,CAAN,IAiBoH,IAjBzG,CAAK,CAAL,C;QAIb**i**BiE,OafzE,K;MAEyE,C;KADpF,C;MAQ**i**B,IAAN,I;MAFP,aAAa,IAAb,WAAa,CAAD,IAAC,C;MACb,gBA**A**kB,W;MAEd,IADS,IAC**T**,mBAD**S**,IAC**T**,EAAM,IAAN,YADS,IAC**T**,EAAY,KA**A**Z,E;QAAqB,a;QA1BZ,U;QAAA,SA2Bk**B**,MA3BZ,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,mB;UA2B+B,MA1B3B,CAAM,CAAN,IA0BmC,IA1BxB,CAAK,CAAL,C;QA0BH,OA**A**mB,M;MAF/B,W;IAIJ,C;qEAEA,yB;MAAA,2B;MAAA,gC;MAAA,6B;QAGiB,Q;QADb,YAAY,UAU,IAAV,EA**A**gB,IAAhB,C;QACC,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,YAAY,eAAK,CAAL,E;UACpB,KAAK,CAAC,CAAD,CAAG,GAAG,K;QAEP,OAAO,K;MACX,C;KARA,C;mFAUA,yB;MAAA,mB;MAAA,gC;MAAA,6B;QAGiB,Q;QADb,YAAY,QAAY,IAAZ,C;QACC,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,YAAY,eAAK,CAAL,E;UACpB,KAAK,CAAC,CAAD,CAAG,GAAG,K;QAEP,OAAO,K;MACX,C;KARA,C;MACiB,IAAN,I;MAFP,aAAsB,MAAY,IAAZ,C;MACTb,gBA**A**kB,W;MAEd,IADS,IAC**T**,mBAD**S**,IAC**T**,EAAM,IAAN,E;QAAC,oBAAa,MAAb,K;WACd,WAFS,IAET,S;QAAS,a;QAzDA,U;QAAA,SA0Dk**B**,MA1DZ,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,mB;UA0D+B,MAzD3B,CAAM,CAAN,IAyDmC,IAzDxB,CAAK,CAAL,C;QAYDH,OA**A**mB,M;MAH/B,W;IAKJ,C;qEAEA,yB;MAAA,2B;MAAA,6B;QAC2E,YAAa,UAAU,IAAV,EA**A**gB,KA**A**hB,C;QA/DvE,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MAAM,CAAN,IA8DwG,IA9D7F,CAAK,CAAL,C;QA8DwD,OA5D**h**E,K;MA4DgE,C;KAD3E,C;MAIiB,Q;MAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW,S;MAEf,OAAO,K;IACX,C;MEjFA,qC;MAEI,iBACJ,MAA4B,U;MAExB,iBACJ,MAA4B,U;MAExB,yBACJ,MAA**o**C,kB;MAEhC,yBACJ,MAA**o**C,kB;MAEhC,WACJ,MAA**s**B,I;IAftB,C; ;;;MAAA,4C;QAAA,2B;MAAA,qC;IAAA,C;MAkBA,oC;MAEI,iBACJ,MAA2B,U;MAEvB,iBACJ,MAA2B,U;MAEvB,yBACJ,MAA**m**C,kB;MAE/B,yBACJ,MAA**m**C,kB;MAE/B,WACJ,MAAqB,I;IAftB,C; ;;;MAAA,2C;QAAA,0B;MAAA,oC;IAAA,C;MAkBA,kC;MAEI,iBACqB,W;MAErB,iBACqB,U;IANzB,C; ;;;MAAA,yC;QAAA,wB;MAAA,kC;IAAA,C;MASA,mC;MAEI,iBACJ,MAAM,KAAoB,U;MAEtB,iBACJ,MAAM,KAAoB,U;IAN1B,C; ;;;MAAA,0C;QAAA,yB;MAAA,mC;IAAA,C;MASA,mC;MAEI,iBACsB,Q;MAEtB,iBACsB,G;IAN1B,C; ;;;MAAA,0C;QAAA,yB;MAAA,mC;IAAA,C;MASA,mC;MAEI,0BAC4C,K;MAE5C,0BAC4C,K;MAE5C,yBAC2C,K;MAE3C,yBAC2C,K;MAE3C,qBACuC,uB;MAEvC,qBACuC,sB;IAIB3C,C; ;;;MAAA,0C;QAAA,yB;MAAA,mC;IAAA,C;MAqBA,qC;IAAA,C; ;;;

MAAA,4C;QAAA,2B;;MAAA,qC;IAAA,C;;aCy0aoB,gB;cCvha0C,mB;;gBAyEvC,yB;eA  
AyB,wB;;uBAGbZB,gC;sBAAwB,+B;mCA4KjC,qB;mCA5JmC,qB;;kBAQ1B,2B;iBAA0B,0B;;aCvc8C,e;;;  
;;gCCzChD,yC;+BCZA,uC;+BCCA,sC;;gCCmJ/B,+B;;MNvIZ,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UA  
AI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OA  
AO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MA  
OI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,  
C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;  
IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,C  
AAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,U  
AAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,O  
AAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;M  
AOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IAC  
X,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,  
C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,  
CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,  
UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,  
OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;  
MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IA  
CX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAMI,OAAO,mBAAQ,OAAR,KAAoB,C;IAC/B,C;;MAMI,OAA  
O,qBAAQ,OAAR,KAAoB,C;IAC/B,C;;MAMI,OAAO,qBAAQ,OAAR,KAAoB,C;IAC/B,C;;MAMI,OAAO,qBAA  
Q,OAAR,KAAoB,C;IAC/B,C;;MAMI,OAAO,qBAAQ,OAAR,KAAoB,C;IAC/B,C;;MAMI,OAAO,qBAAQ,OAAR,KAAo  
B,C;IAC/B,C;;MAMI,OAAO,qBAAQ,OAAR,KAAoB,C;IAC/B,C;;MAOI,OAAO,UAAI,KAJ,C;IACX,C;;MAOI  
,OAAO,UAAI,KAJ,C;IACX,C;;MAOI,OAAO,UAAI,KAJ,C;IACX,C;;MAOI,OAAO,UAAI,KAJ,C;IACX,C;;  
MAOI,OAAO,UAAI,KAJ,C;IACX,C;;MAOI,OAAO,UAAI,KAJ,C;IACX,C;;MAOI,OAAO,UAAI,KAJ,C;IA  
CX,C;;MAOI,OAAO,UAAI,KAJ,C;IACX,C;;MAOI,OAAO,UAAI,KAJ,C;IACX,C;;oGAEA,yB;MAAA,8D;M  
AAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,aAAa,KAAb,  
C;MACjE,C;KANA,C;sGAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GA  
AsC,UAAI,KAJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KANA,C;sGAQA,yB;MAAA,8D;MAAA,iD;QAKI,  
OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KA  
NA,C;sGAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KA  
AJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KANA,C;sGAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,  
CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KANA,C;sGAQA,  
yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAJ,CAAtC,GAA  
sD,aAAa,KAAb,C;MACjE,C;KANA,C;sGAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SA  
AS,wBAA3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KANA,C;sGAQA,yB;MAAA,8D;  
MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,aAAa,KA  
Ab,C;MACjE,C;KANA,C;sGAQA,yB;MAAA,8D;MAAA,gC;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,  
wBAA3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,uBAAa,KAAb,E;MACjE,C;KANA,C;oGAQA,yB;MAAA,sD;M  
AAA,mC;QAKI,OAAY,UAAL,SAAK,EAAU,KA AV,C;MACHB,C;KANA,C;qGAQA,yB;MAAA,qD;MAAA,mC;  
QAKI,OAAY,UAAL,SAAK,EAAU,KA AV,C;MACHB,C;KANA,C;sGAQA,yB;MAAA,sD;MAAA,mC;QAKI,OA  
AY,UAAL,SAAK,EAAU,KA AV,C;MACHB,C;KANA,C;sGAQA,yB;MAAA,sD;MAAA,mC;QAKI,OAAY,UA  
L,SAAK,EAAU,KA AV,C;MACHB,C;KANA,C;sGAQA,yB;MAAA,sD;MAAA,mC;QAKI,OAAY,UAAL,SAAK,  
EAAU,KA AV,C;MACHB,C;KANA,C;sGAQA,yB;MAAA,sD;MAAA,mC;QAKI,OAAY,UAAL,SAAK,EAAU,K  
AAV,C;MACHB,C;KANA,C;sGAQA,yB;MAAA,sD;MAAA,mC;QAKI,OAAY,UAAL,SAAK,EAAU,KA AV,C;M  
ACHB,C;KANA,C;sGAQA,yB;MAAA,sD;MAAA,mC;QAKI,OAAY,UAAL,SAAK,EAAU,KA AV,C;MACHB,C;  
KANA,C;sGAQA,yB;MAAA,sD;MAAA,mC;QAKI,OAAY,UAAL,SAAK,EAAU,KA AV,C;MACHB,C;KANA,C;;



MACV,OAAO,UAAK,CAAL,C;IACX,C;kFAEA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB ,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAU B,mDAAvB,C;MACV,C;KAPA,C;kFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;U AAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAUb,mD AA vB,C;MACV,C;KAPA,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB ,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAUb,mDAAvB ,C;MACV,C;KAPA,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAA A,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAUb,mDAAvB,C;M ACV,C;KAPA,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SA AhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAUb,mDAAvB,C;MACV ,C;KAPA,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB ,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAUb,mDAAvB,C;MACV ,C;KAPA,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB ,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAUb,mDAAvB,C;MACV,C;K APA,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;U AAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAUb,mDAAvB,C;MACV,C;KAPA, C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;U AAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAUb,mDAAvB,C;MACV,C;KAPA, C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;U AAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAUb,mDAAvB,C;MACV,C;KAPA,C;mF ASA,yB;MAAA,oC;MAAA,gC;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB, UAAgB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAUb,mDAA vB,C;MACV,C;KAPA,C;;MAA,I,OAKwJO,qBAAQ,CAIwJR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;IACpC,C;;MA MI,OA mwJO,qBAAQ,CAnwJR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;IACpC,C;;MAMI,OAowJO,qBAAQ,CAP wJR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;IACpC,C;;MAMI,OAqwJO,qBAAQ,CArwJR,GAAe,IAAf,GAAYB,U AAK,CAAL,C;IACpC,C;;MAMI,OA swJO,qBAAQ,CAtwJR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;IACpC,C;;M AMI,OAuwJO,qBAAQ,CAvwJR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;IACpC,C;;MAMI,OAwwJO,qBAAQ,CAx wJR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;IACpC,C;;MAMI,OAYwJO,qBAAQ,CAzwJR,GAAe,IAAf,GAAYB,U AAK,CAAL,C;IACpC,C;;MAMI,OA0wJO,qBAAQ,CA1wJR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;IACpC,C;;M AMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAw B,OAAO,O;;MACrD,OAAO,I;IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;Q AAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;;MAMoB,Q;MAAhB,wBAAg B,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAA O,I;IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV, CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAA A,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;;MAMoB,Q;M AAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O ;MACrD,OAAO,I;IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI, UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,g B;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C ;+FAEA,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB, SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,OAAO,I;MACX,C;KANA,C;wFA QA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC, GAAsD,aAAa,KAAb,C;MACjE,C;KANA,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAA c,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KANA,C;0FAQA,yB;MAAA, 8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,K AA b,C;MACjE,C;KANA,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3 B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KANA,C;0FAQA,yB;MAAA,8D;MAAA,iD;Q AKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE, C;KANA,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI ,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KANA,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SA AS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KANA,C;0FA









B,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAoB,I;MACpB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAqB,I;MACrB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAsB,I;MAcTb,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAuB,I;MACvB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;iGAEA,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAFhB,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,OAAO,I;YACIB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,OAAO,I;QACnB,OAAO,M;MACX,C;KafA,C;;MO56EI,IAAI,EPm8EI,KAAK,CO8ET,CAAJ,C;QACI,cP8Ec,sD;QOj8Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPk8EV,OAAO,oBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MO8EI,IAAI,EP68EI,KAAK,CO78ET,CAAJ,C;QACI,cP48Ec,sD;QO38Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP48EV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MO/8EI,IAAI,EPu9EI,KAAK,COv9ET,CAAJ,C;QACI,cPs9Ec,sD;QOr9Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPs9EV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MOz9EI,IAAI,EPi+EI,KAAK,COj+ET,CAAJ,C;QACI,cPg+Ec,sD;QO/9Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPg+EV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MON+EI,IAAI,EP2+EI,KAAK,CO3+ET,CAAJ,C;QACI,cP0+Ec,sD;QOz+Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP0+EV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MO7+EI,IAAI,EPq/EI,KAAK,CO/ET,CAAJ,C;QACI,cPo/Ec,sD;QOOn/Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPo/EV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MOv/EI,IAAI,EP+/EI,KAAK,CO/ET,CAAJ,C;QACI,cP8/Ec,sD;QO7/Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP8/EV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MOjgFI,IAAI,EPygFI,KAAK,COzgFT,CAAJ,C;QACI,cPwgFc,sD;QOvgFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPwgFV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MO3gFI,IAAI,EPmhFI,KAAK,COnhFT,CAAJ,C;QACI,cPkhFc,sD;QOjhFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPkhFV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MOrhFI,IAAI,EP6hFI,KAAK,CO7hFT,CAAJ,C;QACI,cP4hFc,sD;QO3hFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP4hFV,OAAO,gBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MO/hFI,IAAI,EPuiFI,KAAK,COviFT,CAAJ,C;QACI,cPsiFc,sD;QOriFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPsiFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MOziFI,IAAI,EPijFI,KAAK,COjjFT,CAAJ,C;QACI,cPgjFc,sD;QO/iFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPgjFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MONjFI,IAAI,EP2jFI,KAAK,CO3jFT,CAAJ,C;QACI,cP0jFc,sD;QOzjFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP0jFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MO7jFI,IAAI,EPqkFI,KAAK,COrkFT,CAAJ,C;QACI,cPokFc,sD;QONkFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPokFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MOvkFI,IAAI,EP+kFI,KAAK,CO/kFT,CAAJ,C;QACI,cP8kFc,sD;QO7kFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP8kFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MOjIFI,IAAI,EPyIFI,KAAK,COzIFT,CAAJ,C;QACI,cPwIFc,sD;QOvIFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPwIFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MO3IFI,IAAI,EPmmFI,KAAK,CONmFT,CAAJ,C;QACI,cPkmFc,sD;QOjmFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPkmFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MOrmFI,IAAI,EP6mFI,KAAK,CO7mFT,CAAJ,C;QACI,cP4mFc,sD;QO3mFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP4mFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;gGAEA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,



AAhB,e;UAAaB,IAnac,SAmaV,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAl,OAAJ,C;;QAna1D,OAoaO,W;M AnaX,C;KALA,C;oFAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QAoaA,Q;QAAhB,iD;UAAgB,cAAhB,e; UAAaB,IApaY,SAoaR,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAl,OAAJ,C;;QAPA1D,OAqaO,W;MPaX,C; KALA,C;oFAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QAqaA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAaB, IAraa,SAqaT,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAl,OAAJ,C;;QArA1D,OAsaO,W;MraX,C;KALA,C;o FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QAsaA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAaB,IAtac,SAsa V,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAl,OAAJ,C;;QAta1D,OAuaO,W;MataX,C;KALA,C;oFAOA,yB; MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QAuaA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAaB,IAvae,SAuaX,CAAU, OAAV,CAAJ,C;YAAwB,WAAY,WAAl,OAAJ,C;;QAvA1D,OAwaO,W;MAvaX,C;KALA,C;oFAOA,yB;MAAA, +D;MAAA,uC;QAIW,kBAAS,gB;QawaA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAaB,IAxagB,SAwaZ,CAAU,OAA V,CAAJ,C;YAAwB,WAAY,WAAl,OAAJ,C;;QAxalD,OAYaO,W;MAxaX,C;KALA,C;oFAOA,yB;MAAA,+D;M AyaA,oC;MAAA,gC;MAzaA,uC;QAIW,kBAAS,gB;QayaA,Q;QAAhB,iD;UAAgB,cAAhB,OB;UAAaB,IAzaa,SA yaT,CAAU,oBAaV,CAAJ,C;YAAwB,WAAY,WAAl,oBAaJ,C;;QAZa1D,OA0aO,W;MAzaX,C;KALA,C;gGAO A,yB;MAAA,+D;MAAA,uC;QAMW,kBAaG,gB;QAuiOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAR9 NI,IAIFmC,SAkF/B,EAq9NkB,cAr9NIB,EAq9NkB,sBAr9NIB,WAq9N2B,IAr9N3B,CAAJ,C;YAA2C,sBAq9NZ,I Ar9NY,C;;QAlF/C,OAoFO,W;MAnFX,C;KAPA,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAaG,gB;QA wiOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAN9NI,IArFsC,SAqFIC,EAm9NkB,cAn9NIB,EAm9NkB,s BAn9NIB,WAm9N2B,IAN9N3B,CAAJ,C;YAA2C,sBAm9NZ,IAN9NY,C;;QArF/C,OAuFO,W;MatFX,C;KAPA,C ;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAaG,gB;QAYiOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb, e;UAj9NI,IAxFuC,SAwFnC,EAi9NkB,cAj9NIB,EAi9NkB,sBAj9NIB,Wai9N2B,IAj9N3B,CAAJ,C;YAA2C,sBAi 9NZ,IAj9NY,C;;QAxF/C,OA0FO,W;MAzFX,C;KAPA,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAaG,g B;QA0iOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA/8NI,IA3FqC,SA2FjC,EA+8NkB,cA/8NIB,EA+8N kB,sBA/8NIB,WA+8N2B,IA/8N3B,CAAJ,C;YAA2C,sBA+8NZ,IA/8NY,C;;QA3F/C,OA6FO,W;MA5FX,C;KAP A,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAaG,gB;QA2iOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WA Ab,e;UA78NI,IA9FsC,SA8FIC,EA68NkB,cA78NIB,EA68NkB,sBA78NIB,WA68N2B,IA78N3B,CAAJ,C;YAA2C ,sBA68NZ,IA78NY,C;;QA9F/C,OAgGO,W;MAFX,C;KAPA,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBA AgB,gB;QA4iOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA38NI,IAjGuC,SAiGnC,EA28NkB,cA38NIB, EA28NkB,sBA38NIB,WA28N2B,IA38N3B,CAAJ,C;YAA2C,sBA28NZ,IA38NY,C;;QAjG/C,OAmGO,W;MAIG X,C;KAPA,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAaG,gB;QA6iOV,gB;QADb,YAAY,C;QACZ,iD;U AAa,WAAb,e;UAz8NI,IApGwC,SAoGpC,EAy8NkB,cAz8NIB,EAy8NkB,sBAz8NIB,WAy8N2B,IAz8N3B,CAAJ ,C;YAA2C,sBAy8NZ,IAz8NY,C;;QApG/C,OAsGO,W;MARGX,C;KAPA,C;kGASA,yB;MAAA,+D;MAAA,uC;Q AMW,kBAaG,gB;QA8iOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAv8NI,IAvGyC,SAuGrC,EAu8Nk B,cAv8NIB,EAu8NkB,sBAv8NIB,WAv8N2B,IAv8N3B,CAAJ,C;YAA2C,sBAu8NZ,IAv8NY,C;;QAvG/C,OAYG O,W;MAxGX,C;KAPA,C;kGASA,yB;MAAA,+D;MAyGA,gC;MAq8NA,oC;MA9iOA,uC;QAMW,kBAaG,gB; QA+iOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,OB;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAg B,iB;UAR8N/B,IA1GsC,SA0GIC,CAAU,OAAV,EAaiB,OAAjB,CAAJ,C;YAA2C,sBAAL,OAAJ,C;;QA1G/C,OA4 GO,W;MA3GX,C;KAPA,C;oGASA,yB;MAAA,oD;QA49NiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA r9NI,IAAI,WAq9NkB,cAr9NIB,EAq9NkB,sBAr9NIB,WAq9N2B,IAr9N3B,CAAJ,C;YAA2C,sBAq9NZ,IAr9NY, C;;QAE/C,OAAO,W;MACX,C;KAVA,C;qGAYA,yB;MAAA,oD;QA09NiB,gB;QADb,YAAY,C;QACZ,iD;UAAa ,WAAb,e;UAN9NI,IAAI,WAm9NkB,cAn9NIB,EAm9NkB,sBA9NIB,WAm9N2B,IAN9N3B,CAAJ,C;YAA2C,sB Am9NZ,IAN9NY,C;;QAE/C,OAAO,W;MACX,C;KAVA,C;sGAYA,yB;MAAA,oD;QAw9NiB,gB;QADb,YAAY, C;QACZ,iD;UAAa,WAAb,e;UAj9NI,IAAI,Wai9NkB,cAj9NIB,EAi9NkB,sBAj9NIB,Wai9N2B,IAj9N3B,CAAJ, C;YAA2C,sBAi9NZ,IAj9NY,C;;QAE/C,OAAO,W;MACX,C;KAVA,C;qGAYA,yB;MAAA,oD;QAs9NiB,gB;QA Db,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA/8NI,IAAI,WA+8NkB,cA/8NIB,EA+8NkB,sBA/8NIB,WA+8N2B,IA/ 8N3B,CAAJ,C;YAA2C,sBA+8NZ,IA/8NY,C;;QAE/C,OAAO,W;MACX,C;KAVA,C;sGAYA,yB;MAAA,oD;QAo 9NiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA78NI,IAAI,WA68NkB,cA78NIB,EA68NkB,sBA78NIB, WA68N2B,IA78N3B,CAAJ,C;YAA2C,sBA68NZ,IA78NY,C;;QAE/C,OAAO,W;MACX,C;KAVA,C;sGAYA,yB; MAAA,oD;Qak9NiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA38NI,IAAI,WA28NkB,cA38NIB,EA28N

kB,sBA38NIB,WA28N2B,IA38N3B,CAAJ,C;YAA2C,sBA28NZ,IA38NY,C;;QAE/C,OAAO,W;MACX,C;KAVA,C;sGAYA,yB;MAAA,oD;QAg9NiB,gB;QADb,YAAy,C;QACZ,iD;UAAa,WAAb,e;UAz8NI,IAAI,WaY8NkB,cAz8NIB,EAY8NkB,sBAz8NIB,WaY8N2B,IAz8N3B,CAAJ,C;YAA2C,sBAy8NZ,IAz8NY,C;;QAE/C,OAAO,W;MACX,C;KAVA,C;sGAYA,yB;MAAA,oD;QA88NiB,gB;QADb,YAAy,C;QACZ,iD;UAAa,WAAb,e;UAu8NI,IAAI,WAu8NkB,cAv8NIB,EAu8NkB,sBAv8NIB,WAu8N2B,IAv8N3B,CAAJ,C;YAA2C,sBAu8NZ,IAv8NY,C;;QAE/C,OAAO,W;MACX,C;KAVA,C;sGAYA,yB;MAAA,gC;MAq8NA,oC;MAr8NA,oD;QA48NiB,gB;QADb,YAAy,C;QACZ,iD;UAAa,WAAb,0B;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAr8N/B,IAAI,UAAU,OAAV,EAaiB,OAAjB,CAAJ,C;YAA2C,sBAAI,OAAJ,C;;QAE/C,OAAO,W;MACX,C;KAVA,C;sGAYA,yB;MAAA,+D;MAAA,sC;QAIW,kBAAmB,gB;QAOV,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,YAAJ,C;YAAkB,WAAy,WAAI,OAAJ,C;;QAPpD,OAQO,W;MAPX,C;KALA,C;;MAW0B,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,YAAJ,C;UAaKb,WAAy,WAAI,OAAJ,C;;MACpD,OAAO,W;IACX,C;wFAEA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA8EH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA9ES,SA8ER,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QA9E3D,OA+EO,W;MA9EX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA+EH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA/EY,SA+EX,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QA/E3D,OAgFO,W;MA/EX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAgFH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAhFa,SagFZ,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QAhF3D,OaiFO,W;MAhFX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QaiFH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAjFW,SAiFV,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QajF3D,OakFO,W;MAjFX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QakFH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAiFY,SAkFX,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QAiF3D,OAmFO,W;MAiFX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAmFH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAnFa,SAmFZ,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QAnF3D,OAOFO,W;MAnFX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAOFH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CApFc,SAOFb,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QApF3D,OaqFO,W;MApFX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAqFH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CArFe,SAqFd,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QArF3D,OAsFO,W;MArFX,C;KALA,C;0FAOA,yB;MAAA,+D;MASFA,oC;MAAA,gC;MatFA,uC;QAIW,kBAAY,gB;QAsFH,Q;QAaHb,iD;UAAgB,cAAhB,0B;UAAsB,IAAI,CAiFY,SAsFX,CAAU,oBAAV,CAAL,C;YAAyB,WAAy,WAAI,oBAAJ,C;;QAtF3D,OAUFO,W;MATFX,C;KALA,C;;MAWI,OAAO,2BAAGB,gBAAhB,C;IACX,C;;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,eAAJ,C;UAAqB,WAAy,WAAI,OAAJ,C;;MACvD,OAAO,W;IACX,C;;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;IACX,C;;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;IACX,C;;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;IACX,C;;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;IACX,C;;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;IACX,C;8FAEA,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAIoB,Q;QAaHb,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,CAAC,UAAU,oBAAV,CAAL,C;YAAyB,WAAy,WAAI,oBAAJ,C;;QAC3D,OAAO,W;MACX,C;KANA,C;;MAYoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;IACX,C;;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IA



,M;MAHX,aAAa,aAAa,SAAb,EAAmB,OAAQ,KAA3B,C;MACb,kBAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;IACX,C;;MAQwB,UACTION,M;MAHX,aAAa,cAAU,OAAQ,KAAIB,C;MACb,kBAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;IACX,C;;MAQwB,UACTION,M;MAHX,aAAa,eAAW,OAAQ,KAAmB,C;MACb,kBAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;IACX,C;;MAQwB,UACTION,M;MAHX,aAAa,eAAS,OAAQ,KAAjB,C;MACb,kBAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;IACX,C;;MAQwB,UACTION,M;MAHX,aAAa,iBAAU,OAAQ,KAAIB,C;MACb,kBAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;IACX,C;;MAQwB,UACTION,M;MAHX,aAAa,iBAAW,OAAQ,KAAmB,C;MACb,kBAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;IACX,C;;MAQwB,UACTION,M;MAHX,aAAa,iBAAy,OAAQ,KAApB,C;MACb,kBAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;IACX,C;;MAQwB,UACTION,M;MAHX,aAAa,oBAAa,OAAQ,KAArB,C;MACb,kBAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;IACX,C;;MAQwB,UACTION,M;MAHX,aAAa,iBAAU,OAAQ,KAAIB,C;MACb,kBAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;IACX,C;;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OQ/IGC,gBR+IGkB,CQ/IGIB,ER+IGqB,CQ/IGrB,C;;MRgmGxB,OQhmGwB,gBRgmGL,OAAQ,MQhmGH,ERgmGU,OAAQ,aAAR,GAAuB,CAAvB,IQhmGV,C;IRimG5B,C;;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,cAAU,CAAV,C;MAC9B,OQhmGwB,gBRgmGL,OAAQ,MQhmGH,ERgmGU,OAAQ,aAAR,GAAuB,CAAvB,IQhmGV,C;IRimG5B,C;;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,eAAW,CAAX,C;MAC9B,OQhmGwB,gBRgmGL,OAAQ,MQhmGH,ERgmGU,OAAQ,aAAR,GAAuB,CAAvB,IQhmGV,C;IRimG5B,C;;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,eAAS,CAAT,C;MAC9B,OQhmGwB,gBRgmGL,OAAQ,MQhmGH,ERgmGU,OAAQ,aAAR,GAAuB,CAAvB,IQhmGV,C;IRimG5B,C;;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAU,CAAV,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;IACX,C;;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAW,CAAX,C;MAC9B,OQjmGwB,gBRimGL,OAAQ,MQjmGH,ERimGU,OAAQ,aAAR,GAAuB,CAAvB,IQjmGV,C;IRkmG5B,C;;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAY,CAAZ,C;MAC9B,OQjmGwB,gBRimGL,OAAQ,MQjmGH,ERimGU,OAAQ,aAAR,GAAuB,CAAvB,IQjmGV,C;IRkmG5B,C;;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,oBAAa,CAAb,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;IACX,C;;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAU,CAAV,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;IACX,C;;MACiB,UACL,M;MOxvHR,IAAI,EPivHI,KAAK,COjvHT,CAAJ,C;QACI,cPgvHc,sD;QO/uHd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MPgvHV,IAAI,MAAK,CAAT,C;QAAy,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,iB;MACTb,IAAI,MAAK,CAAT,C;QAAy,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAy,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAL,IAAJ,C;;MAET,OAAO,I;IACX,C;;MACiB,UACL,M;MO5wHR,IAAI,EPqwHI,KAAK,COrwHT,CAAJ,C;QACI,cPowHc,sD;QOnwHd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MPowHV,IAAI,MAAK,CAAT,C;QAAy,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACTb,IAAI,MAAK,CAAT,C;QAAy,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAy,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAL,IAAJ,C;;MAET,OAAO,I;IACX,C;;MACiB,UACL,M;MOhyHR,IAAI,EPyxHI,KAAK,COzxHT,CAAJ,C;QACI,cPwxHc,sD;QOvxHd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MPwxHV,IAAI,MAAK,CAAT,C;QAAy,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACTb,IAAI,MAAK,CAAT,C;QAAy,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAy,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAL,IAAJ,C;;MAET,OAAO,I;IACX,C;;MACiB,UACL,M;MOpzHR,IAAI,EP6yHI,KAAK,CO7yHT,CAAJ,C;QACI,cP4yHc,sD;QO3yHd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MP4yHV,IAAI,MAAK,CAAT,C;QAAy,OAAO,W;MACnB,IAAI,

KAAK,gBAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBA Ae,CAAf,C;MACX,wBA Aa,SAAb,gB;QA Aa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOx0HR,IAAI,EPi0HI,KAAK,COj0HT,CAAJ,C;QACI,cPg0Hc,sD;QO/zHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPg0HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBA AgB,CAAhB,C;MACX,wBA Aa,SAAb,gB;QA Aa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MO51HR,IAAI,EPq1HI,KAAK,COr1HT,CAAJ,C;QACI,cPo1Hc,sD;QOn1Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPo1HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBA AiB,CAAjB,C;MACX,wBA Aa,SAAb,gB;QA Aa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOh3HR,IAAI,EPy2HI,KAAK,COz2HT,CAAJ,C;QACI,cPw2Hc,sD;QOv2Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPw2HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBA AkB,CAAlB,C;MACX,wBA Aa,SAAb,gB;QA Aa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOp4HR,IAAI,EP63HI,KAAK,CO73HT,CAAJ,C;QACI,cP43Hc,sD;QO33Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP43HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBA AmB,CAAnB,C;MACX,wBA Aa,SAAb,gB;QA Aa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOx5HR,IAAI,EPi5HI,KAAK,COj5HT,CAAJ,C;QACI,cPg5Hc,sD;QO/4Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPg5HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBA AK,CAAL,EAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBA AgB,CAAhB,C;MACX,wBA Aa,SAAb,gB;QA Aa,WAAb,UAAa,SAAb,O;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MO75HI,IAAI,EPq6HI,KAAK,COr6HT,CAAJ,C;QACI,cPo6Hc,sD;QOn6Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPo6HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,iB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBA Aa,CAAb,C;MACX,iBA Ac,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MO96HI,IAAI,EPs7HI,KAAK,COt7HT,CAAJ,C;QACI,cPq7Hc,sD;QOp7Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPq7HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBA AgB,CAAhB,C;MACX,iBA Ac,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MO/7HI,IAAI,EPu8HI,KAAK,COv8HT,CAAJ,C;QACI,cPs8Hc,sD;QOr8Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPs8HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBA AiB,CAAjB,C;MACX,iBA Ac,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOh9HI,IAAI,EPw9HI,KAAK,COx9HT,CAAJ,C;QACI,cPu9Hc,sD;QOt9Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPu9HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBA AgB,CAAhB,C;MACX,iBA Ac,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOj+HI,IAAI,EPy+HI,KAAK,COz+HT,CAAJ,C;QACI,cPw+Hc,sD;QOv+Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPw+HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBA AgB,CAAhB,C;MACX,iBA Ac,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOl/HI,IAAI,EP0/HI,KAAK,CO1/HT,CAAJ,C;QACI,cPy



AU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;MACX,C;KAbA,C;0FAeA,yB;MAAA ,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CA AC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;MACX,C;KAbA,C;0FAeA,yB; MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IA AI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;MACX,C;KAbA,C;0FA eA,yB;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UA Aa,WAAb,UAAa,SAAb,O;UACI,IAAI,CAAC,UAAU,iBAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,iBAAJ,C;;Q AET,OAAO,I;MACX,C;KAbA,C;;MAMBI,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAA W,CAAf,C;QAAkB,M;MACIB,mBAAmB,wB;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,K AAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;IAER,C;;MA MI,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAA mB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,U AAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;IAER,C;;MAMI,eAAe,CAAC,mBAAO,CAAP,IAAD ,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB, QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IA AqB,G;QACrB,mC;;IAER,C;;MAMI,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CA Af,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C ;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;IAER,C;;MAMI,eAA e,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;M ACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAA L,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;IAER,C;;MAMI,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CA Ab,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U; QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QA CrB,mC;;IAER,C;;MAMI,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAA kB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,U AAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;IAER,C;;MAMI,eAAe,CAAC, mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,i BAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;Q ACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;IAER,C;;MAMI,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;M ACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI, UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,m C;;IAER,C;;MAMI,IAwuCO,qBAAQ,CXuCf,C;QAe,OAAO,W;MACtB,WAAW,wB;MACN,UAAL,IAAK,C; MACL,OAAO,I;IACX,C;;MAMI,IASuCO,qBAAQ,CAtuCf,C;QAe,OAAO,W;MACtB,WAAW,0B;MACN,UAAL,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IAouCO,qBAAQ,CAPuCf,C;QAe,OAAO,W;MACtB,WAAW,0B; MACN,UAAL,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IAkuCO,qBAAQ,CAluCf,C;QAe,OAAO,W;MACtB, WAAW,0B;MACN,UAAL,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IAguCO,qBAAQ,CAHuCf,C;QAe,OAAO, W;MACtB,WAAW,0B;MACN,UAAL,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IA8tCO,qBAAQ,CA9tCf,C;QA Ae,OAAO,W;MACtB,WAAW,0B;MACN,UAAL,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IA4tCO,qBAAQ,CA 5tCf,C;QAe,OAAO,W;MACtB,WAAW,0B;MACN,UAAL,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IA0tCO,q BAAQ,CA1tCf,C;QAe,OAAO,W;MACtB,WAAW,0B;MACN,UAAL,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI ,IAwtCO,qBAAQ,CAXtCf,C;QAe,OAAO,W;MACtB,WAAW,0B;MACN,UAAL,IAAK,C;MACL,OAAO,I;IAC X,C;;MAMI,IA8oCO,qBAAQ,CA9oCf,C;QAe,OAAO,S;MACtB,aAAa,aAAa,SAAb,EAAMb,gBAAmB,C;MAC b,gBAAgB,wB;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL ,C;MAC5B,OAAO,M;IACX,C;;MAMI,IA0oCO,qBAAQ,CA1oCf,C;QAe,OAAO,S;MACtB,aAAa,cAAU,gBAA V,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UA AK,CAAL,C;MAC5B,OAAO,M;IACX,C;;MAMI,IAsoCO,qBAAQ,CAtocf,C;QAe,OAAO,S;MACtB,aAAa,eA AW,gBAAAX,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IA AwB,UAAK,CAAL,C;MAC5B,OAAO,M;IACX,C;;MAMI,IAkoCO,qBAAQ,CAlOCf,C;QAe,OAAO,S;MACt

B,aAAa,eAAS,gBAAT,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAAY,CAA  
Z,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;IACX,C;;MAMI,IA8nCO,qBAAQ,CA9nCf,C;QAAe,OAAO,  
S;MACtB,aAAa,iBAAU,gBAAV,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,Y  
AAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;IACX,C;;MAMI,IA0nCO,qBAAQ,CA1nCf,C;QA  
Ae,OAAO,S;MACtB,aAAa,iBAAW,gBAAX,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QAC  
I,OAAO,YAAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;IACX,C;;MAMI,IAsnCO,qBAAQ,CAt  
nCf,C;QAAe,OAAO,S;MACtB,aAAa,iBAAAY,gBAAZ,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SA  
Ab,M;QACI,OAAO,YAAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;IACX,C;;MAMI,IAknCO,qB  
AAQ,CA1nCf,C;QAAe,OAAO,S;MACtB,aAAa,oBAAa,gBAAb,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,O  
AAa,SAAb,M;QACI,OAAO,YAAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;IACX,C;;MAMI,I  
A8mCO,qBAAQ,CA9mCf,C;QAAe,OAAO,S;MACtB,aAAa,iBAAU,gBAAV,C;MACb,gBAAgB,0B;MACHb,aA  
AU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;IAC  
X,C;kFAEA,yB;MAAA,oD;MS/kJA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA  
5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,k  
C;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;  
MVgqJA,sC;QAIi,IAAI,mBAAO,CAAX,C;UAAc,iDS5kJH,iBT4kJsB,QS5kJtB,CT4kJG,E;;MACIB,C;KALA,C;s  
GAOA,yB;MAAA,oD;MSnkJA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,c  
AAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MA  
AA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVuq  
JA,sC;QAIi,IAAI,mBAAO,CAAX,C;UAAc,iDShkJH,2BTgkJgC,QShkJhC,CTgkJG,E;;MACIB,C;KALA,C;;MAW  
I,oBAAS,cAAT,C;IACJ,C;;MAMI,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;;IAER,C;;MAMI,IAAI,mBAAO,C  
AAX,C;QACI,e;QACA,oB;;IAER,C;;MAMI,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;;IAER,C;;MAMI,IAAI,  
mBAAO,CAAX,C;QACI,iB;QACA,oB;;IAER,C;;MAMI,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;;IAER,C;;M  
AMI,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;;IAER,C;;MAMI,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;;I  
AER,C;;MAMI,OAAqB,OAAd,sBAAc,C;IACzB,C;;MAM0B,kBAAf,uB;MAAuB,mB;MAA9B,OAAuC,OWxsJh  
C,WXwsJgC,C;IAC3C,C;;MAM0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OW/sJhC,WX+sJgC,C;IAC3C,C;;  
MAM0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OWtJhC,WXstJgC,C;IAC3C,C;;MAM0B,kBAAf,yB;MAAu  
B,mB;MAA9B,OAAuC,OW7tJhC,WX6tJgC,C;IAC3C,C;;MAM0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,O  
WpuJhC,WXouJgC,C;IAC3C,C;;MAM0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OW3uJhC,WX2uJgC,C;IAC  
3C,C;;MAM0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OWlvJhC,WXkvJgC,C;IAC3C,C;;MAMI,IA+4BO,qBA  
AQ,CA/4Bf,C;QAAe,OAAO,S;MACD,kBAAd,SQr6liB,Q;MRq6IK,mB;MAA7B,OW1vJO,W;IX2vJX,C;;MAMI,I  
A+4BO,qBAAQ,CA/4Bf,C;QAAe,OAAO,S;MACD,kBAAd,SQn6liB,Q;MRm6IK,iB;MAA7B,OWlwJO,W;IXmw  
JX,C;;MAMI,IA+4BO,qBAAQ,CA/4Bf,C;QAAe,OAAO,S;MACD,kBAAd,SQj6liB,Q;MRi6IK,iB;MAA7B,OW1  
wJO,W;IX2wJX,C;;MAMI,IA+4BO,qBAAQ,CA/4Bf,C;QAAe,OAAO,S;MACD,kBAAd,SQ/5liB,Q;MR+5IK,iB;  
MAA7B,OWlxJO,W;IXmxJX,C;;MAMI,IA+4BO,qBAAQ,CA/4Bf,C;QAAe,OAAO,S;MACD,kBAAT,SAAL,SA  
AK,C;MAAiB,mB;MAA7B,OW1xJO,W;IX2xJX,C;;MAMI,IA+4BO,qBAAQ,CA/4Bf,C;QAAe,OAAO,S;MACD,  
kBAAd,SQ55liB,Q;MR45IK,iB;MAA7B,OWlyJO,W;IXmyJX,C;;MAMI,IA+4BO,qBAAQ,CA/4Bf,C;QAAe,OAA  
O,S;MACD,kBAAd,SQ15liB,Q;MR05IK,iB;MAA7B,OW1yJO,W;IX2yJX,C;;MAMI,IAu5BO,qBAAQ,CAv5Bf,C  
;QAAe,OAAO,S;MACD,kBAAT,SAAL,SAAK,C;MAAiB,iB;MAA7B,OWlzJO,W;IXmzJX,C;;MAMI,IA+0BO,q  
BAAQ,CA/0Bf,C;QAAe,OAAO,S;MACD,kBAAd,SQr+liB,Q;MRq+IK,sBAAS,cAAT,C;MAA7B,OW1zJO,W;IX  
2zJX,C;;MAMI,IA+0BO,qBAAQ,CA/0Bf,C;QAAe,OAAO,S;MACD,kBAAd,SQn+liB,Q;MRm+IK,6B;MAA7B,O  
Wl0JO,W;IXm0JX,C;;MAMI,IA+0BO,qBAAQ,CA/0Bf,C;QAAe,OAAO,S;MACD,kBAAd,SQj+liB,Q;MRi+IK,6  
B;MAA7B,OW10JO,W;IX20JX,C;;MAMI,IA+0BO,qBAAQ,CA/0Bf,C;QAAe,OAAO,S;MACD,kBAAd,SQ/9liB,  
Q;MR+9IK,6B;MAA7B,OW11JO,W;IXm1JX,C;;MAMI,IA+0BO,qBAAQ,CA/0Bf,C;QAAe,OAAO,S;MACD,kB  
AAT,SAAL,SAAK,C;MAAiB,6B;MAA7B,OW11JO,W;IX21JX,C;;MAMI,IA+0BO,qBAAQ,CA/0Bf,C;QAAe,OA  
AO,S;MACD,kBAAd,SQ59liB,Q;MR49IK,6B;MAA7B,OW12JO,W;IXm2JX,C;;MAMI,IA+0BO,qBAAQ,CA/0Bf,  
C;QAAe,OAAO,S;MACD,kBAAd,SQ19liB,Q;MR09IK,6B;MAA7B,OW12JO,W;IX22JX,C;;MAMI,IAu1BO,qB  
AAQ,CAv1Bf,C;QAAe,OAAO,S;MACD,kBAAT,SAAL,SAAK,C;MAAiB,6B;MAA7B,OW13JO,W;IXm3JX,C;;

MAMI,IA+wBO,qBAAQ,CA/wBf,C;QAAe,OAAO,S;MACD,kBAAd,SQriJiB,Q;MRqjJK,iC;MAA7B,OW13JO,W;IX23JX,C;sFAEA,yB;MAAA,wD;MS12JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MV27JA,sC;QAI,OOAO,mDSv2JI,iBTu2JiB,QSv2JjB,CTu2JJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MSj3JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MVk8JA,sC;QAI,OOAO,mDS92JI,iBT82JiB,QS92JjB,CT82JJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MSx3JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MVy8JA,sC;QAI,OOAO,mDSr3JI,iBTq3JiB,QSr3JjB,CTq3JJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MS/3JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MVg9JA,sC;QAI,OOAO,mDS53JI,iBT43JiB,QS53JjB,CT43JJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MSt4JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MVu9JA,sC;QAI,OOAO,mDSn4JI,iBTm4JiB,QSn4JjB,CTm4JJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MS74JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MV89JA,sC;QAI,OOAO,mDS14JI,iBT04JiB,QS14JjB,CT04JJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MSp5JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MVq+JA,sC;QAI,OOAO,mDSj5JI,iBTi5JiB,QSj5JjB,CTi5JJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MS35JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MV4+JA,sC;QAI,OOAO,mDSx5JI,iBTw5JiB,QSx5JjB,CTw5JJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MSl6JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MVm/JA,sC;QAI,OOAO,mDS/5JI,iBT+5JiB,QS/5JjB,CT+5JJ,E;MACX,C;KALA,C;0GAOA,yB;MAAA,wD;MSt5JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAWFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MV0/JA,sC;QAI,OOAO,mDSn5JI,2BTm5J2B,QSn5J3B,CTm5JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS75JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAWFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MVigKA,sC;QAI,OOAO,mDS15JI,2BT05J2B,QS15J3B,CT05JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSp6JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAWFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MVwgKA,sC;QAI,OOAO,mDSj6JI,2BTi6J2B,QSj6J3B,CTi6JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS36JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAWFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;

QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV+gKA,sC; QAIL,OAAO,mDSx6JI,2BTw6J2B,QSx6J3B,CTw6JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSI7JA,sC; MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EA A2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MA A,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVshKA,sC;QAIL,OAAO,mDS/6JI,2BT+ 6J2B,QS/6J3B,CT+6JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSz7JA,sC;MAAA,iCAOe,yB;QAxFf,8D;; UAwFe,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C ;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAA X,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV6hKA,sC;QAIL,OAAO,mDSt7JI,2BTs7J2B,QSt7J3B,CTs7JJ,E;MAC X,C;KALA,C;4GAOA,yB;MAAA,wD;MSh8JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB; YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C; MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;M AD5C,kF;MVoiKA,sC;QAIL,OAAO,mDS77JI,2BT67J2B,QS77J3B,CT67JJ,E;MACX,C;KALA,C;4GAOA,yB;M AAA,wD;MSv8JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+Eg B,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAA sG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV2iKA,sC;QAIL, OAAO,mDSp8JI,2BTo8J2B,QSp8J3B,CTo8JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS98JA,sC;MAAA, iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+ EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;Q AC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVkjKA,sC;QAIL,OAAO,mDS38JI,2BT28J2B,QS 38J3B,CT28JJ,E;MACX,C;KALA,C;;MAWI,OAAO,sBAAW,cAAX,C;IACX,C;;MAMoB,kBQvqJQ,iB;MRuqJA,i B;MAAxB,OAAiC,WWtgK1B,WXsgK0B,C;IACrC,C;;MAMoB,kBQppJQ,iB;MRoqJA,iB;MAAxB,OAAiC,WW7 gK1B,WX6gK0B,C;IACrC,C;;MAMoB,kBQjqJQ,iB;MRiqJA,iB;MAAxB,OAAiC,WWphK1B,WXohK0B,C;IACr C,C;;MAMoB,kBAAT,mB;MAAiB,mB;MAAxB,OAAiC,WW3hK1B,WX2hK0B,C;IACrC,C;;MAMoB,kBQ5pJQ, iB;MR4pJA,iB;MAAxB,OAAiC,WWliK1B,WXkiK0B,C;IACrC,C;;MAMoB,kBQzpJQ,iB;MRypJA,iB;MAAxB,O AAiC,WWziK1B,WXyiK0B,C;IACrC,C;;MAMoB,kBAAT,mB;MAAiB,iB;MAAxB,OAAiC,WWhjK1B,WXgjK0 B,C;IACrC,C;;MAMI,OAAmC,OAA5B,2BAAgB,UAAhB,CAA4B,C;IACvC,C;;MAM0B,kBAAf,uB;MAAuB,iC; MAA9B,OAAqD,OW9jK9C,WX8jK8C,C;IACzD,C;;MAM0B,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OWrkK9 C,WXqkK8C,C;IACzD,C;;MAM0B,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OW5kK9C,WX4kK8C,C;IACzD,C; ;MAM0B,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OWnlK9C,WXmlK8C,C;IACzD,C;;MAM0B,kBAAf,yB;MA AuB,iC;MAA9B,OAAqD,OW11K9C,WX01K8C,C;IACzD,C;;MAM0B,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD, OWjmK9C,WXimK8C,C;IACzD,C;;MAM0B,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OWxmK9C,WXwmK8C, C;IACzD,C;;MAM0B,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OW/mK9C,WX+mK8C,C;IACzD,C;;MAieY,oBA AS,CAAT,EAAY,wBAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,0BAAZ,C;IAAA,C;;MAMA,oBAAS,CAA T,EAAY,0BAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,0BAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY, 0BAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,0BAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,0BAAZ,C ;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,0BAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,0BAAZ,C;IAAA,C; ;MAOR,OAAO,qBAAQ,C;IACnB,C;;MAOI,OAAO,qBAAQ,C;IACnB,C;;MAOI,OAAO,qBAAQ,C;IACnB,C;;M AOI,OAAO,qBAAQ,C;IACnB,C;;MAOI,OAAO,qBAAQ,C;IACnB,C;;MAOI,OAAO,qBAAQ,C;IACnB,C;;MAOI ,OAAO,qBAAQ,C;IACnB,C;;MAOI,OAAO,qBAAQ,C;IACnB,C;;MAOI,OAAO,qBAAQ,C;IACnB,C;;MAOI,OA AO,EAxEA,qBAAQ,CAwER,C;IACX,C;;MAOI,OAAO,EAxEA,qBAAQ,CAwER,C;IACX,C;;MAOI,OAAO,EAx EA,qBAAQ,CAwER,C;IACX,C;;MAOI,OAAO,EAxEA,qBAAQ,CAwER,C;IACX,C;;MAOI,OAAO,EAxEA,qBA AQ,CAwER,C;IACX,C;;MAOI,OAAO,EAxEA,qBAAQ,CAwER,C;IACX,C;;MAOI,OAAO,EAxEA,qBAAQ,CA wER,C;IACX,C;;MAOI,OAAO,EAxEA,qBAAQ,CAwER,C;IACX,C;;MAOI,OAAO,EAxEA,qBAAQ,CAwER,C;I ACX,C;;MAMY,0BAAO,CAAP,I;IAAA,C;;MAMA,0BAAO,CAAP,I;IAAA,C;;MAMA,0BAAO,CAAP,I;IAAA,C ;MAMA,0BAAO,CAAP,I;IAAA,C;;MAMA,0BAAO,CAAP,I;IAAA,C;;MAMA,0BAAO,CAAP,I;IAAA,C;;MAM A,0BAAO,CAAP,I;IAAA,C;;MAMA,0BAAO,CAAP,I;IAAA,C;;MAMA,0BAAO,CAAP,I;IAAA,C;;MAM MR,aA Aa,oBAAa,gBAAb,C;MACb,wD;QACI,OAAO,KAAP,IAAgB,UAAK,KAAL,C;;MACpB,OAAO,M;IACX,C;;MA



AvB,C;QAmOL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,aApOuC,WAOOnC,CAAY,OAAZ,CAAJ,EAA0B ,OAA1B,C;;QApOhB,OASOO,W;MArOX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC; QASI,eAAiC,cAAIB,YAAy,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAwB,QAAxB,C;QAOOL,Q;Q AAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,aArOwC,WaqOpC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QArOhB ,OAUOO,W;MATOX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAIB, YAAy,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAyB,QAAzB,C;QAqOL,Q;QAAhB,iD;UAAgB,cA AhB,e;UACI,WAAy,aAtOyC,WASOrC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QATOhB,OAWOO,W;MAvOX, C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAIB,YAAy,gBAAZ,CAAk B,EAAC,EAAd,C;QAC1B,kBAAC,mBAA0B,QAA1B,C;QASOL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,a AvOOC,WAUOTC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAVOhB,OAYOO,W;MAXOX,C;KAXA,C;8FAaA,yB ;MAAA,0D;MAAA,yD;MAAA,uE;MAyOA,oC;MAAA,gC;MAzOA,yC;QASI,eAAiC,cAAIB,YAAy,gBAAZ,CA AkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAuB,QAAvB,C;QAUOL,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,WA AY,aAxOuC,WAWOnC,CAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QAXOhB,OA0OO,W;MAzOX,C;KAXA,C;8 FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAIB,YAAy,gBAAZ,CAAkB,EAAC,EA Ad,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QAYOL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,aA1OoC,WA 0OhC,CAAY,OAAZ,CAAJ,EA1OiD,cA0OvB,CAAe,OAaf,CAA1B,C;;QA1OhB,OA4OO,W;MA3OX,C;KAVA, C;8FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAIB,YAAy,gBAAZ,CAAkB,EAAC, EAAd,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QA2OL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,aA5OoC, WA4OhC,CAAY,OAAZ,CAAJ,EA5OiD,cA4OvB,CAAe,OAaf,CAA1B,C;;QA5OhB,OA8OO,W;MA7OX,C;KA VA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAIB,YAAy,gBAAZ,CAAkB,E AAc,EAAd,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QA6OL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,aA9 OoC,WA8OhC,CAAY,OAAZ,CAAJ,EA9OiD,cA8OvB,CAAe,OAaf,CAA1B,C;;QA9OhB,OA9PO,W;MA/OX,C; KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAIB,YAAy,gBAAZ,CAAk B,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QA+OL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,a AhPoC,WAgPhC,CAAY,OAAZ,CAAJ,EAhPiD,cAgPvB,CAAe,OAaf,CAA1B,C;;QAhPhB,OAkPO,W;MAjPX,C; KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAIB,YAAy,gBAAZ,CAAk B,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QAIPL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,a AlPoC,WakPhC,CAAY,OAAZ,CAAJ,EAlPiD,cAkPvB,CAAe,OAaf,CAA1B,C;;QAlPhB,OAoPO,W;MANPX,C; KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAIB,YAAy,gBAAZ,CAAk B,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QAmPL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,a ApPoC,WAOPhC,CAAY,OAAZ,CAAJ,EAPiD,cAoPvB,CAAe,OAaf,CAA1B,C;;QAPhB,OASPO,W;MARPX,C; KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAIB,YAAy,gBAAZ,CAAk B,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QAqPL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,a AtPoC,WASPhC,CAAY,OAAZ,CAAJ,EATPiD,cAsPvB,CAAe,OAaf,CAA1B,C;;QAThB,OAwPO,W;MAvPX,C; KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAIB,YAAy,gBAAZ,CAAk B,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QAUPL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,a AxPoC,WAWPhC,CAAY,OAAZ,CAAJ,EAXPiD,cAwPvB,CAAe,OAaf,CAA1B,C;;QAXhB,OA0PO,W;MAzPX, C;KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA0PA,oC;MAAA,gC;MA1PA,yD;QAQI,eAAiC,cA AIB,YAAy,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QAYPL,Q;QAAhB,iD;UAAgB ,cAAhB,0B;UACI,WAAy,aA1PoC,WA0PhC,CAAY,oBAAZ,CAAJ,EA1PiD,cA0PvB,CAAe,oBAaf,CAA1B,C;; QA1PhB,OA4PO,W;MA3PX,C;KAVA,C;;MAoBoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M; QACI,WAAy,aAAI,YAAy,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB, wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAy,aAAI,YAAy,OAAZ,CAAJ,EAA0B,OAA1B,C;;M AEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAy,a AAI,YAAy,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wBAAGB,SAAh B,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAy,aAAI,YAAy,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO, W;IACX,C;;MAUoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAy,aAAI,YAAy,O AAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,







B;QAgPD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAjPmD,WaIPzC,CAAY,OAAZ,C;UIhgPP,U;UADP,YJkgPe,WIlgPH,WJkgPwB,GIlgPxB,C;UACL,IAAI,aAAJ,C;YACH,aJggPuC,gB;YAA5B,WI/OX,aJ+/OgC,GI//OhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ4/OA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnPT,OAqPO,W;MApPX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAqPA,+D;MArPA,yC;QASW,kBAAU,oB;QAqPD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAtPoD,WAsP1C,CAAY,OAAZ,C;UIjhPP,U;UADP,YJmhPe,WInhPH,WJmhPwB,GInhPxB,C;UACL,IAAI,aAAJ,C;YACH,aJihPuC,gB;YAA5B,WIhhPX,aJghPgC,GIhhPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ6gPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxPT,OA0PO,W;MAzPX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA0PA,+D;MA1PA,yC;QASW,kBAAU,oB;QA0PD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UA3PqD,WA2P3C,CAAY,OAAZ,C;UIliPP,U;UADP,YJoiPe,WIpiPH,WJoiPwB,GIpiPxB,C;UACL,IAAI,aAAJ,C;YACH,aJkiPuC,gB;YAA5B,WIjipPX,aJiiPgC,GIjiPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ8hPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7PT,OA+PO,W;MA9PX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA+PA,+D;MA/PA,yC;QASW,kBAAU,oB;QA+PD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAhQsD,WAgQ5C,CAAY,OAAZ,C;UInjPP,U;UADP,YJqjPe,WIriPH,WJqjPwB,GIriPxB,C;UACL,IAAI,aAAJ,C;YACH,aJmjPuC,gB;YAA5B,WIijPX,aJkjPgC,GIijPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ+iPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAIQT,OAoQO,W;MAnQX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAoQA,+D;MApQA,yC;QASW,kBAAU,oB;QAoQD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UArQuD,WAqQ7C,CAAY,OAAZ,C;UIpkPP,U;UADP,YJskPe,WItkPH,WJskPwB,GItkPxB,C;UACL,IAAI,aAAJ,C;YACH,aJokPuC,gB;YAA5B,WInkPX,aJmkPgC,GInkPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJgkPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvQT,OAYQO,W;MAxQX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAyQA,oC;MAAA,+D;MAAA,gC;MAzQA,yC;QASW,kBAAU,oB;QAYQD,Q;QAaHb,iD;UAAgB,cAAhB,0B;UACI,UA1QoD,WA0Q1C,CAAY,oBAAZ,C;UIrlPP,U;UADP,YJulPe,WIvlPH,WJulPwB,GIvlPxB,C;UACL,IAAI,aAAJ,C;YACH,aJqlPuC,gB;YAA5B,WIplPX,aJolPgC,GIplPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJiiPA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA5QT,OA8QO,W;MA7QX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA8QA,+D;MA9QA,yD;QAUW,kBAAU,oB;QA8QD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UA/QiD,WA+QvC,CAAY,OAAZ,C;UIvmPP,U;UADP,YJymPe,WIzmPH,WJymPwB,GIzmPxB,C;UACL,IAAI,aAAJ,C;YACH,aJumPuC,gB;YAA5B,WItmPX,aJsmPgC,GItmPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJmmPA,iB;UACA,IAAK,WAJRyD,cAiRrD,CAAe,OAAf,CAAJ,C;;QAJRT,OAmRO,W;MAIRX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAmRA,+D;MAnRA,yD;QAUW,kBAAU,oB;QAmRD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UApRiD,WAoRvC,CAAY,OAAZ,C;UIznPP,U;UADP,YJ2nPe,WI3nPH,WJ2nPwB,GI3nPxB,C;UACL,IAAI,aAAJ,C;YACH,aJynPuC,gB;YAA5B,WIxnPX,aJwnPgC,GIxnPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJqnPA,iB;UACA,IAAK,WATryD,cAsRrD,CAAe,OAAf,CAAJ,C;;QATRT,OAwRO,W;MAvRX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAwRA,+D;MAxRA,yD;QAUW,kBAAU,oB;QAwRD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAzRiD,WAYRvC,CAAY,OAAZ,C;UI3oPP,U;UADP,YJ6oPe,WI7oPH,WJ6oPwB,GI7oPxB,C;UACL,IAAI,aAAJ,C;YACH,aJ2oPuC,gB;YAA5B,WI1oPX,aJ0oPgC,GI1oPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJuoPA,iB;UACA,IAAK,WA3RyD,cA2RrD,CAAe,OAAf,CAAJ,C;;QA3RT,OA6RO,W;MA5RX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA6RA,+D;MA7RA,yD;QAUW,kBAAU,oB;QA6RD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UA9RiD,WA8RvC,CAAY,OAAZ,C;UI7pPP,U;UADP,YJ+pPe,WI/pPH,WJ+pPwB,GI/pPxB,C;UACL,IAAI,aAAJ,C;YACH,aJ6pPuC,gB;YAA5B,WI5pPX,aJ4pPgC,GI5pPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJypPA,iB;UACA,IAAK,WAhSyD,cAgSrD,CAAe,OAAf,CAAJ,C;;QAhST,OAKSO,W;MAjSX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAkSA,+D;MAiSA,yD;QAUW,kBAAU,oB;QAKSD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAnSiD,WAmSvC,CAAY,OAAZ,C;UI/qPP,U;UADP,YJirPe,WIjrPH,WJirPwB,GIjrPxB,C;UACL,IAAI,aAAJ,C;YACH,aJ+qPuC,gB;YAA5B,WI9qPX,aJ8qPgC,GI9qPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ2qPA,iB;UACA,IAAK,WArSyD,cAqSrD,CAAe,OAAf,CAAJ,C;;QArST,OAuSO,W;MAtSX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAuSA,+D;MAvSA,yD;QAUW,kBAAU,oB;QAUd,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAXSiD,WAWsvC,CAAY,OAAZ,C;UIjsPP,U;UADP,YJmsPe,WInsPH,WJmsPwB,GInsPxB,C;UACL,IAAI,aAAJ,C;YACH,aJisPuC,gB;YAA5B,WIhsPX,aJgsPgC,GIhsPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ6rPA,iB;UACA,IAAK,WA1SyD,cA0SrD,CAAe,OAAf,CAAJ,C;;QA1ST,OA4SO,W;MA3SX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA4SA,+D;MA5SA,yD;QAUW,kBAAU,oB;QA4SD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UA7SiD,WA6SvC,CAAY,OAAZ,C;UIntPP,U;UADP,YJqtPe,WIrtPH,WJqtPwB,GIrtPxB,C;UACL,IAAI,aAAJ,C;YACH,aJmtPuC,gB;YAA5B,WIltPX,aJktPgC,GIltPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ+sPA,iB;UACA,IAAK,WA/SyD,cA+SrD,CAAe,OAAf,CAAJ,C;;

QA/ST,OAI TO,W;MAhTX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAiTA,+D;MAjTA,yD;QAUW,kBAAU,oB;QAI T  
D,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAI TiD,WAKTvC,CAAY,OAAZ,C;UIruPP,U;UADP,YJuuPe,WIvuPH,  
WJuuPwB,GIvuPx B,C;UACL,IAAI,aAAJ,C;YACH,aJquPuC,gB;YAA5B,WIpuPX,aJouPgC,GIpuPhC,EAAS,MA  
AT,C;YACA,e;;;YAEA,c;;;UJiuPA,iB;UACA,IAAK,WApTyD,cAoTrD,CAAE,OAAf,CAAJ,C;;QApTT,OAsTO,W  
;MArTX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAStA,oC;MAAA,+D;MAAA,gC;MAtTA,yD;QAUW,kBAAU,oB;  
QAsTD,Q;QAaHb,iD;UAAgB,cAAhB,OB;UACI,UAVTiD,WAUtvC,CAAY,oBAAZ,C;UIvvPP,U;UADP,YJyvPe,  
WIZvPH,WJyvPwB,GIzvPx B,C;UACL,IAAI,aAAJ,C;YACH,aJuvPuC,gB;YAA5B,WItvPX,aJsvPgC,GItvPhC,EA  
AS,MAAT,C;YACA,e;;;YAEA,c;;;UJmvPA,iB;UACA,IAAK,WAZTyD,cAyTrD,CAAE,oBAAf,CAAJ,C;;QAZTT,  
OA2TO,W;MAITX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UA  
AgB,cAAA,SAaHb,M;UACI,UAAU,YAA Y,OAAZ,C;UI78OP,U;UADP,YJ+8Oe,WI/8OH,WJ+8OwB,GI/8OxB,  
C;UACL,IAAI,aAAJ,C;YACH,aJ68OuC,gB;YAA5B,WI58OX,aJ48OgC,GI58OhC,EAAS,MAAT,C;YACA,e;;;YA  
EA,c;;;UJy8OA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,+D;M  
AAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAA Y,OAAZ,C;UI9  
9OP,U;UADP,YJg+Oe,WIh+OH,WJg+OwB,GIh+OxB,C;UACL,IAAI,aAAJ,C;YACH,aJ89OuC,gB;YAA5B,WI79  
OX,aJ69OgC,GI79OhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;;UJ09OA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,O  
AAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB  
,cAAA,SAaHb,M;UACI,UAAU,YAA Y,OAAZ,C;UI+OP,U;UADP,YJi/Oe,WIj/OH,WJi/OwB,GIj/OxB,C;UACL,  
IAAI,aAAJ,C;YACH,aJ++OuC,gB;YAA5B,WI9+OX,aJ8+OgC,GI9+OhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;;U  
J2+OA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,sD  
;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAA Y,OAAZ,C;UIhgPP,U;U  
ADP,YJkgPe,WIlgPH,WJkgPwB,GIlgPx B,C;UACL,IAAI,aAAJ,C;YACH,aJggPuC,gB;YAA5B,WI//OX,aJ+/OgC,  
GI//OhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;;UJ4/OA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MAC  
X,C;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaH  
B,M;UACI,UAAU,YAA Y,OAAZ,C;UIjhPP,U;UADP,YJmhPe,WIhPH,WJmhPwB,GIhPx B,C;UACL,IAAI,aAA  
J,C;YACH,aJihPuC,gB;YAA5B,WIhhPX,aJghPgC,GIhhPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;;UJ6gPA,iB;UA  
CA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;Q  
AaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAA Y,OAAZ,C;UIliPP,U;UADP,YJoiPe,  
WIpiPH,WJoiPwB,GIpiPx B,C;UACL,IAAI,aAAJ,C;YACH,aJkiPuC,gB;YAA5B,WIjiPX,aJiiPgC,GIjiPhC,EAAS,  
MAAT,C;YACA,e;;;YAEA,c;;;UJ8hPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;0F  
AiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAA  
U,YAA Y,OAAZ,C;UInjPP,U;UADP,YJqiPe,WIriPH,WJqiPwB,GIriPx B,C;UACL,IAAI,aAAJ,C;YACH,aJmjPuC,  
gB;YAA5B,WIijPX,aJkjPgC,GIijPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;;UJ+iPA,iB;UACA,IAAK,WAAI,OAA  
J,C;;QAET,OAAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaH  
B,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAA Y,OAAZ,C;UIpkPP,U;UADP,YJskPe,WItkPH,WJskPwB,GI  
tkPx B,C;UACL,IAAI,aAAJ,C;YACH,aJokPuC,gB;YAA5B,WInkPX,aJmkPgC,GIkPhC,EAAS,MAAT,C;YACA,e  
;;;YAEA,c;;;UJgkPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,o  
C;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAhB,UAAgB,SAaHb,  
O;UACI,UAAU,YAA Y,oBAAZ,C;UIrPP,U;UADP,YJulPe,WIvIPH,WJulPwB,GIvIPxB,C;UACL,IAAI,aAAJ,C;Y  
ACH,aJqlPuC,gB;YAA5B,WIplPX,aJolPgC,GIplPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;;UJilPA,iB;UACA,IAA  
K,WAAI,oBAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAaHb,  
wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAA Y,OAAZ,C;UIvmPP,U;UADP,YJymPe,WIz  
mPH,WJymPwB,GIzmPx B,C;UACL,IAAI,aAAJ,C;YACH,aJumPuC,gB;YAA5B,WItmPX,aJsmPgC,GItmPhC,EA  
AS,MAAT,C;YACA,e;;;YAEA,c;;;UJmmPA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MA  
CX,C;KAhBA,C;0FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,S  
AaHb,M;UACI,UAAU,YAA Y,OAAZ,C;UIznPP,U;UADP,YJ2nPe,WI3nPH,WJ2nPwB,GI3nPx B,C;UACL,IAAI,a  
AAJ,C;YACH,aJynPuC,gB;YAA5B,WIxnPX,aJwnPgC,GIxnPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;;UJqnPA,iB  
;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MA  
AA,sE;QAUoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAA Y,OAAZ,C;UI3o

PP,U;UADP,YJ6oPe,WI7oPH,WJ6oPwB,GI7oPxB,C;UACL,IAAI,aAAJ,C;YACH,aJ2oPuC,gB;YAA5B,WI1oPX,  
aJ0oPgC,GI1oPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJuoPA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;  
QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAGB,SAAhB,  
gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI7pPP,U;UADP,YJ+pPe,WI/pPH,WJ+pPwB,GI/pP  
xB,C;UACL,IAAI,aAAJ,C;YACH,aJ6pPuC,gB;YAA5B,WI5pPX,aJ4pPgC,GI5pPhC,EAAS,MAAT,C;YACA,e;;;  
YAEA,c;;UJypPA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA  
,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YA  
AY,OAAZ,C;UI/qPP,U;UADP,YJirPe,WIjrPH,WJirPwB,GIjrPxB,C;UACL,IAAI,aAAJ,C;YACH,aJ+qPuC,gB;YA  
A5B,WI9qPX,aJ8qPgC,GI9qPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ2qPA,iB;UACA,IAAK,WAAI,eAAe,O  
AAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wB  
AAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UIjsPP,U;UADP,YJmsPe,WInsPH,  
WJmsPwB,GImsPxB,C;UACL,IAAI,aAAJ,C;YACH,aJisPuC,gB;YAA5B,WIhsPX,aJgsPgC,GIhsPhC,EAAS,MAA  
T,C;YACA,e;;;YAEA,c;;UJ6rPA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAh  
BA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;U  
ACI,UAAU,YAAY,OAAZ,C;UIIntPP,U;UADP,YJqtPe,WIrtPH,WJqtPwB,GIrtPxB,C;UACL,IAAI,aAAJ,C;YACH,  
aJmtPuC,gB;YAA5B,WIltPX,aJktPgC,GIltPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ+sPA,iB;UACA,IAAK,W  
AAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;  
QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UIruPP,U;UADP,YJuuP  
e,WIvuPH,WJuuPwB,GIvuPxB,C;UACL,IAAI,aAAJ,C;YACH,aJquPuC,gB;YAA5B,WIpuPX,aJouPgC,GIpuPhC,  
EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJiuPA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;M  
ACX,C;KAhBA,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAUoB,Q;QAAhB,wBAAGB,SA  
AhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,UAAU,YAAY,oBAAZ,C;UIvvPP,U;UADP,YJyvPe,WIzvPH,W  
JyvPwB,GIzvPxB,C;UACL,IAAI,aAAJ,C;YACH,aJuvPuC,gB;YAA5B,WItvPX,aJsvPgC,GIvPhC,EAAS,MAAT,  
C;YACA,e;;;YAEA,c;;UJmvPA,iB;UACA,IAAK,WAAI,eAAe,oBAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAh  
BA,C;0FAkBA,yB;MAAA,kC;MAAA,4C;;QAQW,sC;QAAA,8C;MARX,C;MAAA,gE;QASqD,OAAgB,qBAAhB  
,oBAAgB,C;MAAhB,C;MATrD,oE;QAU4C,gCAAY,OAAZ,C;MAAA,C;MAV5C,gF;MAAA,yC;QAQI,2D;MAIJ  
,C;KAZA,C;4EAca,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA6TA,Q;QAAb,iD;UAAa,WA  
Ab,e;UACI,WAAY,WA9TiB,SA8Tb,CAAU,IAAV,CAAJ,C;;QA9ThB,OA+TO,W;MA9TX,C;KANA,C;8EAQA,y  
B;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA+TA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,  
WAhUiB,SAgUb,CAAU,IAAV,CAAJ,C;;QAhUhB,OAiUO,W;MAhUX,C;KANA,C;8EAQA,yB;MAAA,gE;MAA  
A,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAIUA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAIUiB,SAkUb,CA  
AU,IAAV,CAAJ,C;;QAIUhB,OAmUO,W;MAIUX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAA  
M,eAAa,gBAAb,C;QAmUA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WApUiB,SAoUb,CAAU,IAAV,CAAJ,C;  
;QApUhB,OAqUO,W;MApUX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;  
QAqUA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WatUiB,SAsUb,CAAU,IAAV,CAAJ,C;;QatUhB,OAuUO,  
W;MATUX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAUUA,Q;QAAb,i  
D;UAAa,WAAb,e;UACI,WAAY,WaxUiB,SAwUb,CAAU,IAAV,CAAJ,C;;QAxUhB,OAyUO,W;MAxUX,C;KA  
NA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAYUA,Q;QAAb,iD;UAAa,WAAb,e;  
UACI,WAAY,WA1UiB,SA0Ub,CAAU,IAAV,CAAJ,C;;QA1UhB,OA2UO,W;MA1UX,C;KANA,C;8EAQA,yB;  
MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA2UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA  
5UiB,SA4Ub,CAAU,IAAV,CAAJ,C;;QA5UhB,OA6UO,W;MA5UX,C;KANA,C;8EAQA,yB;MAAA,gE;MA6UA,  
oC;MAAA,gC;MA7UA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA6UA,Q;QAAb,iD;UAAa,WAAb,0B;UACI,WA  
AY,WA9UiB,SA8Ub,CAAU,iBAAV,CAAJ,C;;QA9UhB,OA+UO,W;MA9UX,C;KANA,C;0FAQA,yB;MAAA,gE  
;MAAA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QAgHP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAA  
Y,WAjHwB,SAiHpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAJHhB,OAkHO,W;MAjHX,C;K  
ARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QAmHP,gB;QADb,YAAY,C;QACZ,i  
D;UAAa,WAAb,e;UACI,WAAY,WApHwB,SAoHpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;Q  
ApHhB,OAqHO,W;MApHX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QAS

HP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAvHwB,SAuHpB,EAAU,cAAV,EAAU,sBA  
AV,WAAMb,IAAnB,CAAJ,C;;QAvHhB,OAwhO,W;MAvHX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QA  
OW,kBAAa,eAAa,gBAAb,C;QAYHP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA1HwB,S  
A0HpB,EAAU,cAAV,EAAU,sBAAV,WAAMb,IAAnB,CAAJ,C;;QA1HhB,OA2HO,W;MA1HX,C;KARA,C;4FA  
UA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA4HP,gB;QADb,YAAY,C;QACZ,iD;UAAa,W  
AAb,e;UACI,WAAY,WA7HwB,SA6HpB,EAAU,cAAV,EAAU,sBAAV,WAAMb,IAAnB,CAAJ,C;;QA7HhB,OA  
8HO,W;MA7HX,C;KARA,C;2FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA+HP,gB;QA  
Db,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhIwB,SAgIpB,EAAU,cAAV,EAAU,sBAAV,WAAMb,  
IAAnB,CAAJ,C;;QAhIhB,OAIIO,W;MAhIX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAA  
a,gBAAb,C;QAKIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAnIwB,SAmIpB,EAAU,cAA  
V,EAAU,sBAAV,WAAMb,IAAnB,CAAJ,C;;QAnIhB,OAoIO,W;MAnIX,C;KARA,C;4FAUA,yB;MAAA,gE;MA  
AA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAqIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,W  
AtIwB,SASIpB,EAAU,cAAV,EAAU,sBAAV,WAAMb,IAAnB,CAAJ,C;;QAtIhB,OAuIO,W;MAtIX,C;KARA,C;4  
FAUA,yB;MAAA,gE;MAuIA,oC;MAAA,gC;MAvIA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAwIP,gB;QADb,YA  
AY,C;QACZ,iD;UAAa,WAAb,0B;UACI,WAAY,WazIwB,SAyIpB,EAAU,cAAV,EAAU,sBAAV,WAAMb,iBA  
AnB,CAAJ,C;;QazIhB,OA0IO,W;MAzIX,C;KARA,C;wGAUA,yB;MAAA,+D;MAUA,sC;MAAA,6B;MAAA,iC  
AOmB,yB;;UAAA,iC;YAAoB,Q;YAAA,8BAAU,KAAV,EAAiB,OAAjB,W;cAA6C,mC;;YAAU,W;UAA3E,C;Q  
AAA,C;OAAA,C;MAjBnB,uC;QAOW,kBAAoB,gB;QA21Dd,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAj  
1DmC,U;UAAA,cAVQ,SAUR,EAi1DT,cAj1DS,EAi1DT,sBAj1DS,Wai1DA,IAj1DA,W;YAA6C,6B;;;QAVhF,O  
AWO,W;MAVX,C;KARA,C;4GAUA,yB;MAAA,sC;MAAA,6B;MAAA,iCAOmB,yB;;UAAA,iC;YAAoB,Q;YA  
AA,8BAAU,KAAV,EAAiB,OAAjB,W;cAA6C,mC;;YAAU,W;UAA3E,C;QAAA,C;OAAA,C;MAPnB,oD;QAw1  
DiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAj1DmC,U;UAAA,yBAi1DT,cAj1DS,EAi1DT,sBAj1DS,W  
Ai1DA,IAj1DA,W;YAA6C,6B;;;QChF,OAAO,W;MACX,C;KATA,C;;MAMBiB,UACiB,M;MAF9B,YAAY,C;  
MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAMb,  
IAAnB,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAUiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,SAAb,gB;Q  
AAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAMb,IAAnB,CAAJ,C;;MACHB,  
OAAO,W;IACX,C;;MAUiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QA  
CI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAMb,IAAnB,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAUi  
B,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,  
cAAV,EAAU,sBAAV,WAAMb,IAAnB,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAUiB,UACiB,M;MAF9B,YAA  
Y,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WA  
AMb,IAAnB,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAUiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,SAAb,  
gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAMb,IAAnB,CAAJ,C;;MA  
ChB,OAAO,W;IACX,C;;MAUiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M  
;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAMb,IAAnB,CAAJ,C;;MACHB,OAAO,W;IACX,C;;M  
AUiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WA  
AU,cAAV,EAAU,sBAAV,WAAMb,IAAnB,CAAJ,C;;MACHB,OAAO,W;IACX,C;gGAEA,yB;MAAA,oC;MAAA  
,gC;MAAA,oD;QAQiB,UACiB,M;QAF9B,YAAY,C;QACZ,wBAAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UA  
CI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAMb,iBAAnB,CAAJ,C;;QChB,OAAO,W;MACX,C;KAX  
A,C;0FAaA,yB;MAAA,+D;MAQA,sC;MAAA,6B;MAAA,0BAKY,yB;;UAAA,0B;YAAa,Q;YAAA,8BAAU,OAA  
V,W;cAAsC,mC;;YAAU,W;UAA7D,C;QAAA,C;OAAA,C;MAbZ,uC;QAKW,kBAAa,gB;QAipDJ,Q;QAaHb,iD;  
UAAgB,cAaHb,e;UAzoDqB,U;UAAA,cARe,SAQf,CAyoDQ,OAzoDR,W;YAAc,6B;;;QAR3D,OASO,W;MAR  
X,C;KANA,C;8FAQA,yB;MAAA,sC;MAAA,6B;MAAA,0BAKY,yB;;UAAA,0B;YAAa,Q;YAAA,8BAAU,OAA  
V,W;cAAsC,mC;;YAAU,W;UAA7D,C;QAAA,C;OAAA,C;MALZ,oD;QA8oDoB,Q;QAaHb,iD;UAAgB,cAaHb,  
e;UAzoDqB,U;UAAA,wBAyoDQ,OAzoDR,W;YAAc,6B;;;QAC3D,OAAO,W;MACX,C;KAPA,C;;MAciB,Q;M  
AAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W  
;IACX,C;;MAOiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UAAU,IAAV,CAA  
J,C;;MACHB,OAAO,W;IACX,C;;MAOiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,W







QAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAGC,OAAhC,C;;MACpC,OAAO,W;IACX,C;  
;MAWoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAakB,O;MACIB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAh  
B,M;QAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAGC,OAAhC,C;;MACpC,OAAO,W;IA  
CX,C;;MAWoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAakB,O;MACIB,wBAAGB,SAAhB,gB;QAAGB,cAAA,  
SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAGC,OAAhC,C;;MACpC,OAAO,  
W;IACX,C;;MAWoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAakB,O;MACIB,wBAAGB,SAAhB,gB;QAAGB,c  
AAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAGC,OAAhC,C;;MACpC,O  
AAO,W;IACX,C;;MAWoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAakB,O;MACIB,wBAAGB,SAAhB,gB;QA  
AGB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAGC,OAAhC,C;;MA  
CpC,OAAO,W;IACX,C;;MAWoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAakB,O;MACIB,wBAAGB,SAAhB,g  
B;QAAGB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAGC,OAAhC,C;  
;MACpC,OAAO,W;IACX,C;;MAWoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAakB,O;MACIB,wBAAGB,SA  
hB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAGC,OAAh  
C,C;;MACpC,OAAO,W;IACX,C;8FAEA,yB;MAAA,oC;MAAA,gC;MAAA,gD;QASoB,UAA8B,M;QAF9C,YAA  
Y,C;QACZ,kBAakB,O;QACIB,wBAAGB,SAAhB,gB;UAGB,cAAhB,UAGB,SAAhB,O;UAsB,cAAc,WAAU,  
cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAGC,oBAAhC,C;;QACpC,OAAO,W;MACX,C;KAXA,C;wFAaA,yB  
;MAAA,8D;MAAA,gD;QAOoC,Q;QAHhC,YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UAC  
I,cAAc,UAAU,UAAI,YAAJ,EAAL,oBAAJ,OAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;MACX,C;KAVA,C;0F  
AYA,yB;MAAA,8D;MAAA,gD;QAOoC,Q;QAHhC,YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAh  
B,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAL,oBAAJ,OAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;MACX,C;K  
AVA,C;0FAYA,yB;MAAA,8D;MAAA,gD;QAOoC,Q;QAHhC,YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SA  
AS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAL,oBAAJ,OAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;M  
ACX,C;KAVA,C;0FAYA,yB;MAAA,8D;MAAA,gD;QAOoC,Q;QAHhC,YAAY,wB;QACZ,kBAakB,O;QACIB,  
OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAL,oBAAJ,OAAV,EAawB,WAAxB,C;;QAEIB,O  
AAO,W;MACX,C;KAVA,C;0FAYA,yB;MAAA,8D;MAAA,gD;QAOoC,Q;QAHhC,YAAY,wB;QACZ,kBAakB,  
O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAL,oBAAJ,OAAV,EAawB,WAAxB,C;;  
QAEIB,OAAO,W;MACX,C;KAVA,C;0FAYA,yB;MAAA,8D;MAAA,gD;QAOoC,Q;QAHhC,YAAY,wB;QACZ,  
kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAL,oBAAJ,OAAV,EAawB,W  
AAxB,C;;QAEIB,OAAO,W;MACX,C;KAVA,C;0FAYA,yB;MAAA,8D;MAAA,gD;QAOoC,Q;QAHhC,YAAY,w  
B;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAL,oBAAJ,OAAV,E  
AAwB,WAAxB,C;;QAEIB,OAAO,W;MACX,C;KAVA,C;0FAYA,yB;MAAA,8D;MAAA,gD;QAOoC,Q;QAHhC,  
YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAL,oBAAJ,  
OAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;MACX,C;KAVA,C;0FAYA,yB;MAAA,8D;MAAA,oC;MAAA,gD  
;QAOoC,Q;QAHhC,YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,sBAAL,  
YAAJ,EAAL,oBAAJ,QAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;MACX,C;KAVA,C;SAYA,yB;MAAA,8D;  
MAAA,gD;QAOI,YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KA  
AAV,EAAL,UAAL,KAAL,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;MACX,C;KAdA,C;wGAgBA,yB;MA  
AA,8D;MAAA,gD;QAOI,YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,K  
AAV,EAAL,UAAL,KAAL,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;MACX,C;KAdA,C;wGAgBA,  
yB;MAAA,8D;MAAA,gD;QAOI,YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,U  
AAU,KAAL,EAAL,UAAL,KAAL,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;MACX,C;KAdA,C;w  
GAgBA,yB;MAAA,8D;MAAA,gD;QAOI,YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,  
cAAc,UAAU,KAAL,EAAL,UAAL,KAAL,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;MACX,C;KA  
dA,C;wGAgBA,yB;MAAA,8D;MAAA,gD;QAOI,YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C  
;UACI,cAAc,UAAU,KAAL,EAAL,UAAL,KAAL,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;MAC  
X,C;KAdA,C;wGAgBA,yB;MAAA,8D;MAAA,gD;QAOI,YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,C  
AAhB,C;UACI,cAAc,UAAU,KAAL,EAAL,UAAL,KAAL,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,  
W;MACX,C;KAdA,C;wGAgBA,yB;MAAA,8D;MAAA,gD;QAOI,YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,

SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,  
OAAO,W;MACX,C;KAdA,C;wGAgBA,yB;MAAA,8D;MAAA,gD;QAOI,YAAY,wB;QACZ,kBAAkB,O;QACIB,  
OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;  
;QAEJ,OAAO,W;MACX,C;KAdA,C;wGAgBA,yB;MAAA,8D;MAAA,oC;MAAA,gD;QAOI,YAAY,wB;QACZ,k  
BAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAjB,EAA6B,W  
AA7B,C;UACd,qB;;QAEJ,OAAO,W;MACX,C;KAdA,C;;MAoBoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cA  
AA,SAAhB,M;QAAsB,OAAO,OAAP,C;;IAC1B,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,S  
AAhB,M;QAAsB,OAAO,OAAP,C;;IAC1B,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB  
,M;QAAsB,OAAO,OAAP,C;;IAC1B,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;Q  
AAsB,OAAO,OAAP,C;;IAC1B,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,  
OAAO,OAAP,C;;IAC1B,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAA  
O,OAAP,C;;IAC1B,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OA  
AP,C;;IAC1B,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OA  
AP,C;;IAC1B,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OA  
AP,C;;IAC1B,C;SFAEA,yB;MAAA,oC;MAAA,gC;MAAA,oC;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB  
,UAAgB,SAAhB,O;UAAsB,OAAO,oBAAP,C;;MAC1B,C;KALA,C;;MAciB,UAAa,M;MAD1B,YAAY,C;MACZ,  
wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;IACvB,C;;  
MASiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,QAAO,cAAP,E  
AAO,sBAAP,WAAgB,IAAhB,C;;IACvB,C;;MASiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAA  
a,WAAA,SAAb,M;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;IACvB,C;;MASiB,UAAa,M;MAD  
1B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,I  
AAhB,C;;IACvB,C;;MASiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QA  
AMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;IACvB,C;;MASiB,UAAa,M;MAD1B,YAAY,C;MACZ,w  
BAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;IACvB,C;;M  
ASiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,QAAO,cAAP,EA  
AO,sBAAP,WAAgB,IAAhB,C;;IACvB,C;;MASiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,  
WAAA,SAAb,M;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;IACvB,C;oGAEA,yB;MAAA,oC;M  
AAA,gC;MAAA,oC;QAOiB,UAAa,M;QAD1B,YAAY,C;QACZ,wBAAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O  
;UAAmB,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;;MACvB,C;KARA,C;;MAoBiB,Q;MAHb,IAv6IO,qB  
AAQ,CAu6If,C;QAAe,OAAO,I;MACTB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAl,CAAR,C;QAAiB,O  
AAO,G;MACX,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,  
C;UAAe,OAAO,C;QACTB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAyiB,Q;MA  
Hb,IAz7IO,qBAAQ,CAy7If,C;QAAe,OAAO,I;MACTB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAl,CAA  
R,C;QAAiB,OAAO,G;MACX,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,  
CAAE,CAAN,C;UAAe,OAAO,C;QACTB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;  
MAQiB,Q;MAFb,IAx8IO,qBAAQ,CAw8If,C;QAAe,OAAO,I;MACTB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb  
,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEv  
B,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA78IO,qBAAQ,CA68If,C;QAAe,OAAO,I;MACTB,UAAU,UAAK,CAAL  
,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MA  
AM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA19IO,qBAAQ,CAk9If,C;QAAe,OAAO,I;MACTB,UAAU,  
UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,  
C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAv9IO,qBAAQ,CAu9If,C;QAAe,OAAO,I;M  
ACTB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,M  
AAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA59IO,qBAAQ,CA49If,C;QAA  
e,OAAO,I;MACTB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;Q  
ACR,IAAI,oBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAWiB,Q;MAHb,IAN+IO,q  
BAAQ,CAM+If,C;QAAe,OAAO,I;MACTB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAl,CAAR,C;QAAiB  
,OAAO,G;MACX,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN  
,C;UAAe,OAAO,C;QACTB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAWiB,Q;M

AHb,IA5+IO,qBAAQ,CA4+If,C;QAAe,OAAO,I;MACTB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,OAAO,G;MACX,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACTb,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA3+IO,qBAAQ,CA2+If,C;QAAe,OAAO,I;MACTB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;gFAEA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAxjJO,qBAAQ,CAwjJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAIkJO,qBAAQ,CAkkJf,C;UAAe,OAAO,I;QACTb,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA5kJO,qBAAQ,CA4kJf,C;UAAe,OAAO,I;QACTb,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAItJO,qBAAQ,CAsJf,C;UAAe,OAAO,I;QACTb,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAhmJO,qBAAQ,CAGmJf,C;UAAe,OAAO,I;QACTb,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA1mJO,qBAAQ,CA0mJf,C;UAAe,OAAO,I;QACTb,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IApnJO,qBAAQ,CAonJf,C;UAAe,OAAO,I;QACTb,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAxoJO,qBAAQ,CAwoJf,C;UAAe,OAAO,I;QACTb,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IA1tJO,qBAAQ,CA0tJf,C;QAAe,OAAO,I;MACTB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA/tJO,qBAAQ,CA+tJf,C;QAAe,OAAO,I;MACTB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAzuJO,qBAAQ,CAyuJf,C;QAAe,OAAO,I;MACTB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA9uJO,qBAAQ,CA8uJf,C;QAAe,OAAO,I;MACTB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAnvJO,qBAAQ,CAMvJf,C;QAAe

,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAxvJO,qBAAQ,CAwvJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA7vJO,qBAAQ,CA6vJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAIwJO,qBAAQ,CAkwJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAYiB,Q;MAHb,IAI1JO,qBAAQ,CAk1Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAL,CAAR,C;QAAiB,OAAO,G;MACX,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAYiB,Q;MAHb,IAp2JO,qBAAQ,CAo2Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAL,CAAR,C;QAAiB,OAAO,G;MACX,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAN3JO,qBAAQ,CAm3Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAx3JO,qBAAQ,CAw3Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA73JO,qBAAQ,CA63Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAI4JO,qBAAQ,CAk4Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAv4JO,qBAAQ,CAu4Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,oBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAWiB,Q;MAHb,IA94JO,qBAAQ,CA84Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAL,CAAR,C;QAAiB,OAAO,G;MACX,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAWiB,Q;MAHb,IAv5JO,qBAAQ,CAu5Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAL,CAAR,C;QAAiB,OAAO,G;MACX,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAt5JO,qBAAQ,CAs5Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;gFAEA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAN+JO,qBAAQ,CAm+Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFakBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA7+JO,qBAAQ,CA6+Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFakBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAv/JO,qBAAQ,CAu/Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFakBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAjgKO,qBAAQ,CAigKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OA



AA5B,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;IACX,C;;MAQoB,Q;MAAhB,wBAAg  
B,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAA  
O,I;IACX,C;;MAQoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,  
CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;IACX,C;;MAQoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAA  
A,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;IACX,C;;MAQoB,Q;M  
AAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;  
;MACrD,OAAO,I;IACX,C;iFAEA,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAhB,wBAAgB,SAAhB,g  
B;UAAgB,cAAhB,UAAgB,SAAhB,O;UAA5B,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,K;;QACrD,OAAO  
,I;MACX,C;KARA,C;kFAUA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAOqB,Q;QAHjB,IAr6KO,qBAAQ,CAq6Kf  
,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;U  
ACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;MACX,C;KAXA,C;oFAaA,yB;  
MAAA,4F;MAAA,8D;MAAA,uC;QAOqB,Q;QAHjB,IA16KO,qBAAQ,CA06Kf,C;UACI,MAAM,mCAA8B,+BA  
A9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAA  
uB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;MACX,C;KAXA,C;oFAaA,yB;MAAA,4F;MAAA,8D;MAAA,uC  
;QAOqB,Q;QAHjB,IA/6KO,qBAAQ,CA+6Kf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,C  
AAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QA  
EIB,OAAO,W;MACX,C;KAXA,C;oFAaA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAOqB,Q;QAHjB,IAp7KO,qB  
AAQ,CAo7Kf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBA  
Ac,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;MACX,C;KAXA  
,C;oFAaA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAOqB,Q;QAHjB,IAz7KO,qBAAQ,CAY7Kf,C;UACI,MAAM,  
mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAA  
U,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;MACX,C;KAXA,C;oFAaA,yB;MAAA,4F;MAA  
A,8D;MAAA,uC;QAOqB,Q;QAHjB,IA97KO,qBAAQ,CA87Kf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,k  
BAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAA  
L,CAAvB,C;;QAEIB,OAAO,W;MACX,C;KAXA,C;oFAaA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAOqB,Q;QA  
HjB,IAN8KO,qBAAQ,CAM8Kf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD  
,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;  
MACX,C;KAXA,C;oFAaA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAOqB,Q;QAHjB,IAx8KO,qBAAQ,CAw8Kf,  
C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;U  
ACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;MACX,C;KAXA,C;oFAaA,yB;  
MAAA,4F;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAOqB,Q;QAHjB,IA78KO,qBAAQ,CA68Kf,C;UACI,  
MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cA  
Ac,oBAAU,wBAAV,EAAuB,sBAAK,KAAL,EAAvB,E;;QAEIB,OAAO,W;MACX,C;KAXA,C;gGAaA,yB;MAA  
A,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA7hLO,qBAAQ,CA6hLf,C;UACI,MAAM,mCAA8B,+BAA9B,C  
;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAA  
jB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;  
MAAA,uC;QAUqB,Q;QAHjB,IAriLO,qBAAQ,CAqiLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,  
UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAA  
K,KAAL,CAA9B,C;;QAEIB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAU  
qB,Q;QAHjB,IA7iLO,qBAAQ,CA6iLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;  
QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B  
,C;;QAEIB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IArj  
LO,qBAAQ,CAqjLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAj  
B,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAA  
O,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA7jLO,qBAAQ,CA  
6jLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,  
yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;MACX,C;K  
AdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IArkLO,qBAAQ,CAqkLf,C;UACI,MA





AAy,MAAZ,C;MACX,C;KAhBA,C;0FAkBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAy,g  
B;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;Y  
ACI,KAAM,WAAI,OAAJ,C;;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;MA  
CX,C;KAhBA,C;0FAkBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAy,gB;QACZ,aAAa,gB;  
QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI  
,OAAJ,C;;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;MACX,C;KAhBA,C;0  
FAkBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAy,gB;QACZ,aAAa,gB;QACb,wBAAgB,S  
AAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;;YAEN,  
MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;MACX,C;KAhBA,C;0FAkBA,yB;MAAA  
,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAy,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,  
cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;;YAEN,MAAO,WAAI,OA  
AJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;MACX,C;KAhBA,C;0FAkBA,yB;MAAA,+D;MAAA,6B;M  
AAA,uC;QAQoB,Q;QAFhB,YAAy,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;  
UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OA  
AO,cAAK,KAAL,EAAY,MAAZ,C;MACX,C;KAhBA,C;0FAkBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,  
Q;QAFhB,YAAy,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAA  
U,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,  
EAAY,MAAZ,C;MACX,C;KAhBA,C;0FAkBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAy,  
gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;  
YACI,KAAM,WAAI,OAAJ,C;;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;M  
ACX,C;KAhBA,C;0FAkBA,yB;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YA  
AY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,IAAI,UAAU,oB  
AAV,CAAJ,C;YACI,KAAM,WAAI,oBAAJ,C;;;YAEN,MAAO,WAAI,oBAAJ,C;;;QAGf,OAAO,cAAK,KAAL,E  
AAY,MAAZ,C;MACX,C;KAhBA,C;IY9zXA,iB;;MZk7XI,WY56XO,MAAK,KZ46XK,gBY56XL,EZi1XD,KA2F  
kB,OY56XjB,C;MZ66XZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA9Fq  
B,GA8FP,UAAK,CAAL,CA9FO,EAAnB,KA8FqB,CAAM,CAAN,CA9FF,CA8FrB,C;;MA9FT,OAAGo,I;IA/FX,  
C;;MA0GI,WY57XO,MAAK,KZ47XK,gBY57XL,EZ21XD,KAIgkB,OY57XjB,C;MZ67XZ,WAAW,iBAAa,IAA  
b,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WApGqB,GAoGP,UAAK,CAAL,CAPGO,EAAnB,KA  
oGqB,CAAM,CAAN,CAPGF,CAoGrB,C;;MApGT,OAsGO,I;IArGX,C;;MAGHI,WY58XO,MAAK,KZ48XK,gBY  
58XL,EZq2XD,KAuGkB,OY58XjB,C;MZ68XZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,  
M;QACI,IAAK,WA1GqB,GA0GP,UAAK,CAAL,CA1GO,EAAnB,KA0GqB,CAAM,CAAN,CA1GF,CA0GrB,C;;  
MA1GT,OA4GO,I;IA3GX,C;;MAshI,WY59XO,MAAK,KZ49XK,gBY59XL,EZ+2XD,KA6GkB,OY59XjB,C;MZ  
69XZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAhHqB,GAGHP,UAAK,  
CAAL,CAhHO,EAAnB,KAgHqB,CAAM,CAAN,CAhHF,CAGhrB,C;;MAhHT,OAKHO,I;IAjHX,C;;MA4HI,WY5  
+XO,MAAK,KZ4+XK,gBY5+XL,EZy3XD,KAmHkB,OY5+XjB,C;MZ6+XZ,WAAW,iBAAa,IAAb,C;MACX,aA  
AU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAtHqB,GAsHP,UAAK,CAAL,CAtHO,EAAnB,KAsHqB,CAAM,C  
AAN,CAtHF,CAsHrB,C;;MAtHT,OAwHO,I;IAvHX,C;;MAkII,WY5/XO,MAAK,KZ4/XK,gBY5/XL,EZm4XD,K  
AyHkB,OY5/XjB,C;MZ6/XZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA  
5HqB,GA4HP,UAAK,CAAL,CA5HO,EAAnB,KA4HqB,CAAM,CAAN,CA5HF,CA4HrB,C;;MA5HT,OA8HO,I;I  
A7HX,C;;MAwII,WY5gYO,MAAK,KZ4gYK,gBY5gYL,EZ64XD,KA+HkB,OY5gYjB,C;MZ6gYZ,WAAW,iBA  
Aa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAlIqB,GAKIP,UAAK,CAAL,CAIIO,EAAnB,  
KAKIqB,CAAM,CAAN,CAIIF,CAkIrB,C;;MAIIT,OAoIO,I;IANIX,C;;MA8II,WY5hYO,MAAK,KZ4hYK,gBY5h  
YL,EZu5XD,KAqIkB,OY5hYjB,C;MZ6hYZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;Q  
ACI,IAAK,WAxIqB,GAwIP,UAAK,CAAL,CAXIO,EAAnB,KAwIqB,CAAM,CAAN,CAXIF,CAwIrB,C;;MAxIT,  
OA0IO,I;IAzIX,C;;MAoJI,WY5iYO,MAAK,KZ4iYK,gBY5iYL,EZi6XD,KA2IkB,OY5iYjB,C;MZ6iYZ,WAAW,i  
BAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA9IqB,GA8IP,sBAAK,CAAL,EA9IO,EA  
AnB,KA8IqB,CAAM,CAAN,CA9IF,CA8IrB,C;;MA9IT,OA9JO,I;IAIX,C;8EAEA,yB;MAAA,gE;MY16XA,iB;M  
Z06XA,8C;QAQI,WY56XO,MAAK,KZ46XK,gBY56XL,EZ46XW,KAAM,OY56XjB,C;QZ66XZ,WAAW,eAAa,

IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;8EAgBA,yB;MAAA,gE;MY17XA,iB;MZ07XA,8C;QAQI,WY57XO,MAAK,KZ47XK,gBY57XL,EZ47XW,KAAM,OY57XjB,C;QZ67XZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MY18XA,iB;MZ08XA,8C;QAQI,WY58XO,MAAK,KZ48XK,gBY58XL,EZ48XW,KAAM,OY58XjB,C;QZ68XZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;8EAgBA,yB;MAAA,gE;MY19XA,iB;MZ09XA,8C;QAQI,WY59XO,MAAK,KZ49XK,gBY59XL,EZ49XW,KAAM,OY59XjB,C;QZ69XZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MY1+XA,iB;MZ0+XA,8C;QAQI,WY5+XO,MAAK,KZ4+XK,gBY5+XL,EZ4+XW,KAAM,OY5+XjB,C;QZ6+XZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MY1/XA,iB;MZ0/XA,8C;QAQI,WY5/XO,MAAK,KZ4/XK,gBY5/XL,EZ4/XW,KAAM,OY5/XjB,C;QZ6/XZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MY1gYA,iB;MZ0gYA,8C;QAQI,WY5gYO,MAAK,KZ4gYK,gBY5gYL,EZ4gYW,KAAM,OY5gYjB,C;QZ6gYZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MY1hYA,iB;MZ0hYA,8C;QAQI,WY5hYO,MAAK,KZ4hYK,gBY5hYL,EZ4hYW,KAAM,OY5hYjB,C;QZ6hYZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MY1iYA,iB;MZ0iYA,8C;QAQI,WY5iYO,MAAK,KZ4iYK,gBY5iYL,EZ4iYW,KAAM,OY5iYjB,C;QZ6iYZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,EAaV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;;MAqHoB,gB;MAHhB,gBAAgB,gB;MACHb,WAAW,iBYvpYJ,MAAK,KZupYwB,wBA5FzB,KA4FyB,EAawB,EAaxB,CYvpYxB,EZupYqD,SYvpYrD,CZupYD,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhGqB,GAGGP,UAAK,UAAAL,EAaK,kBAAL,SAhGO,EAaGI,OAaGJ,CAaGrB,C;;MAhGT,OAkGO,I;IAjGX,C;;MA+GoB,gB;MAHhB,gBAAGB,gB;MACHb,WAAW,iBYzqYJ,MAAK,KZyqYwB,wBApGzB,KAoGyB,EAawB,EAaxB,CYzqYxB,EZyqYqD,SYzqYrD,CZyqYD,C;MACX,QAAQ,C;MACQ,OAiGL,KAsGK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxGqB,GAwGP,UAAK,UAAAL,EAaK,kBAAL,SAxGO,EAaGI,OAaGJ,CAwGrB,C;;MAxGT,OA0GO,I;IAzGX,C;;MAuHoB,gB;MAHhB,gBAAGB,gB;MACHb,WAAW,iBY3rYJ,MAAK,KZ2rYwB,wBA5GzB,KA4GyB,EAawB,EAaxB,CY3rYxB,EZ2rYqD,SY3rYrD,CZ2rYD,C;MACX,QAAQ,C;MACQ,OA9GL,KA8GK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhHqB,GAGHP,UAAK,UAAAL,EAaK,kBAAL,SAhHO,EAaHI,OAaHJ,CAGhrB,C;;MAhHT,OAkHO,I;IAjHX,C;;MA+HoB,gB;MAHhB,gBAAGB,gB;MACHb,WAAW,iBY7sYJ,MAAK,KZ6sYwB,wBApHzB,KAoHyB,EAawB,EAaxB,CY7sYxB,EZ6sYqD,SY7sYrD,CZ6sYD,C;MACX,QAAQ,C;MACQ,OAiHL,KAsHK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxHqB,GAwHP,UAAK,UAAAL,EAaK,kBAAL,SAxHO,EAaHI,OAaHJ,CAwHrB,C;;MAxHT,OA0HO,I;IAzHX,C;;MAuIoB,gB;MAHhB,gBAAGB,gB;MACHb,WAAW,iBY/tYJ,MAAK,KZ+tYwB,wBA5HzB,KA4HyB,EAawB,EAaxB,CY/tYxB,EZ+tYqD,SY/tYrD,CZ+tYD,C;MACX,QAAQ,C;MACQ,OA9HL,KA8HK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhIqB,GAGIP,UAAK,UAAAL,EAaK,kBAAL,SAhIO,EAaII,OAaIJ,CAGIrB,C;;MAhIT,OAkIO,I;IAjIX,C;;MA+IoB,gB;MAHhB,gBAAGB,gB;MACHb,WAAW,iBYjvYJ,MAAK,KZivYwB,wBAplzB,KAofyB,EAawB,EAaxB,CYjvYxB,EZivYqD,SYjvYrD,CZivYD,C;MACX,QAAQ,C;MACQ,OAiIL,KAsIK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxIqB,GAwIP,UAAK,UAAAL,EAaK,kBAAL,SAxIO,EAaII,OAaIJ,CAwIrB,C;;MAxIT,OA0IO,I;IAzIX,C;;MAuJoB,gB;MAHhB,gBAAGB,gB;MACHb,WAAW,iBYnwYJ,MAAK

,KZmwYwB,wBA5IzB,KA4IyB,EAAwB,EAAxB,CYnwYxB,EZmwYqD,SYnwYrD,CZmwYD,C;MACX,QAAQ,C;MACQ,OA9IL,KA8IK,W;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAC,SAAT,C;UAAoB,K;QACpB,IAAK,WAhJqB,GAgJP,UAAK,UAAAL,EAAK,kBAAL,SAhJO,EAgJI,OAkJ,CAgJrB,C;;MAhJT,OAKJO,I;IAjJX,C;;MA+JoB,gB;MAHhB,gBAAGB,gB;MACHb,WAAW,iBYrxYJ,MAAK,KZqxYwB,wBApJzB,KAoJyB,EAwB,EAAxB,CYrxYxB,EZqxYqD,SYrxYrD,CZqxYD,C;MACX,QAAQ,C;MACQ,OAtJL,KAsJK,W;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAC,SAAT,C;UAAoB,K;QACpB,IAAK,WAxJqB,GAwJP,UAAK,UAAAL,EAAK,kBAAL,SAxJO,EAwJI,OAxJJ,CAwJrB,C;;MAxJT,OA0JO,I;IAzJX,C;;MAuKoB,gB;MAHhB,gBAAGB,gB;MACHb,WAAW,iBYvyYJ,MAAK,KZuyYwB,wBA5JzB,KA4JyB,EAAwB,EAAxB,CYvyYxB,EZuyYqD,SYvyYrD,CZuyYD,C;MACX,QAAQ,C;MACQ,OA9JL,KA8JK,W;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAC,SAAT,C;UAAoB,K;QACpB,IAAK,WAhKqB,GAgKP,sBAAK,UAAAL,EAAK,kBAAL,UAhKO,EAgKI,OAkJ,CAgKrB,C;;MAhKT,OAKKO,I;IAjKX,C;+EAEA,yB;MAAA,kF;MAAA,gE;MYppYA,iB;MZopYA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHb,WAAW,eYvpYJ,MAAK,KZupYwB,wBAAN,KAAM,EAAwB,EAAxB,CYvpYxB,EZupYqD,SYvpYrD,CZupYD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAC,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;+EAKBA,yB;MAAA,kF;MAAA,gE;MYtqYA,iB;MZsqYA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHb,WAAW,eYzqYJ,MAAK,KZyqYwB,wBAAN,KAAM,EAAwB,EAAxB,CYzqYxB,EZyqYqD,SYzqYrD,CZyqYD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAC,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;+EAKBA,yB;MAAA,kF;MAAA,gE;MYxrYA,iB;MZwrYA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHb,WAAW,eY3rYJ,MAAK,KZ2rYwB,wBAAN,KAAM,EAAwB,EAAxB,CY3rYxB,EZ2rYqD,SY3rYrD,CZ2rYD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAC,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;+EAKBA,yB;MAAA,kF;MAAA,gE;MY1sYA,iB;MZ0sYA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHb,WAAW,eY7sYJ,MAAK,KZ6sYwB,wBAAN,KAAM,EAAwB,EAAxB,CY7sYxB,EZ6sYqD,SY7sYrD,CZ6sYD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAC,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;+EAKBA,yB;MAAA,kF;MAAA,gE;MY5tYA,iB;MZ4tYA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHb,WAAW,eY/tYJ,MAAK,KZ+tYwB,wBAAN,KAAM,EAAwB,EAAxB,CY/tYxB,EZ+tYqD,SY/tYrD,CZ+tYD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAC,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;+EAKBA,yB;MAAA,kF;MAAA,gE;MY9uYA,iB;MZ8uYA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHb,WAAW,eYjvYJ,MAAK,KZivYwB,wBAAN,KAAM,EAAwB,EAAxB,CYjvYxB,EZivYqD,SYjvYrD,CZivYD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAC,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;+EAKBA,yB;MAAA,kF;MAAA,gE;MYhwYA,iB;MZgwYA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHb,WAAW,eYnwYJ,MAAK,KZmwYwB,wBAAN,KAAM,EAAwB,EAAxB,CYnwYxB,EZmwYqD,SYnwYrD,CZmwYD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAC,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;+EAKBA,yB;MAAA,kF;MAAA,gE;MY1xYA,iB;MZkxYA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHb,WAAW,eYrxYJ,MAAK,KZqxYwB,wBAAN,KAAM,EAAwB,EAAxB,CYrxYxB,EZqxYqD,SYrxYrD,CZqxYD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAC,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;+EAKBA,yB;MAAA,kF;MAAA,gE;MAAA,oC;MYpyYA,iB;MZoyYA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHb,WAAW,eYvyYJ,MAAK,KZuyYwB,wBAAN,KAAM,EAAwB,EAAxB,CYvyYxB,EZuyYqD,SYvyYrD,CZuyYD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAC,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,sBAAK,UAAAL,EAAK,kBAAL,UAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;;MA0GI,W

Yx4YO,MAAK,KZw4YK,gBYx4YL,EZuzYD,KAiFkB,OYx4YjB,C;MZy4YZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAKB,IAAIB,M;QACI,IAAK,WApFqB,GAoFP,UAAK,CAAL,CAPFO,EAAnB,KAoFqB,CAAM,CAAN,CAPFF,CAoFrB,C;;MApFT,OAsFO,I;IArFX,C;;MAgGI,WYx5YO,MAAK,KZw5YK,gBYx5YL,EZi0YD,KAuFkB,OYx5YjB,C;MZy5YZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAKB,IAAIB,M;QACI,IAAK,WA1FqB,GA0FP,UAAK,CAAL,CA1FO,EAAnB,KA0FqB,CAAM,CAAN,CA1FF,CA0FrB,C;;MA1FT,OA4FO,I;IA3FX,C;;MAsgI,WYx6YO,MAAK,KZw6YK,gBYx6YL,EZ20YD,KA6FkB,OYx6YjB,C;MZy6YZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAKB,IAAIB,M;QACI,IAAK,WAhGqB,GAgGP,UAAK,CAAL,CAhGO,EAAnB,KAgGqB,CAAM,CAAN,CAhGF,CAGrB,C;;MAhGT,OAkGO,I;IAjGX,C;;MA4GI,WYx7YO,MAAK,KZw7YK,gBYx7YL,EZq1YD,KAmGkB,OYx7YjB,C;MZy7YZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAKB,IAAIB,M;QACI,IAAK,WAtGqB,GAsGP,UAAK,CAAL,CAtGO,EAAnB,KAsGqB,CAAM,CAAN,CAtGF,CAsGrB,C;;MAtGT,OAwGO,I;IAvGX,C;;MAkHI,WYx8YO,MAAK,KZw8YK,gBYx8YL,EZ+1YD,KAYGkB,OYx8YjB,C;MZy8YZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAKB,IAAIB,M;QACI,IAAK,WA5GqB,GA4GP,UAAK,CAAL,CA5GO,EAAnB,KA4GqB,CAAM,CAAN,CA5GF,CA4GrB,C;;MA5GT,OA8GO,I;IA7GX,C;;MAwHI,WYx9YO,MAAK,KZw9YK,gBYx9YL,EZY2YD,KA+GkB,OYx9YjB,C;MZy9YZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAKB,IAAIB,M;QACI,IAAK,WAIHqB,GAKHP,UAAK,CAAL,CAIHO,EAAnB,KAKHqB,CAAM,CAAN,CAIHF,CakHrB,C;;MAIHT,OAoHO,I;IANHX,C;;MA8HI,WYx+YO,MAAK,KZw+YK,gBYx+YL,EZm3YD,KAqHkB,OYx+YjB,C;MZy+YZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAKB,IAAIB,M;QACI,IAAK,WAxHqB,GAwHP,UAAK,CAAL,CAXHO,EAAnB,KAwHqB,CAAM,CAAN,CAXHF,CawHrB,C;;MAxHT,OA0HO,I;IAzHX,C;;MAoII,WYx/YO,MAAK,KZw/YK,gBYx/YL,EZ63YD,KA2HkB,OYx/YjB,C;MZy/YZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAKB,IAAIB,M;QACI,IAAK,WA9HqB,GA8HP,sBAAK,CAAL,EA9HO,EA8HE,YA9HrB,KA8HqB,CAAM,CAAN,EA9HF,CA8HrB,C;;MA9HT,OAgiO,I;IA/HX,C;+EAEA,yB;MAAA,gE;MYt4YA,iB;MZs4YA,8C;QAQI,WYx4YO,MAAK,KZw4YK,gBYx4YL,EZw4YW,KAAM,OYx4YjB,C;QZy4YZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAKB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MYt5YA,iB;MZs5YA,8C;QAQI,WYx5YO,MAAK,KZw5YK,gBYx5YL,EZw5YW,KAAM,OYx5YjB,C;QZy5YZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAKB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MYt6YA,iB;MZs6YA,8C;QAQI,WYx6YO,MAAK,KZw6YK,gBYx6YL,EZw6YW,KAAM,OYx6YjB,C;QZy6YZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAKB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MYt7YA,iB;MZs7YA,8C;QAQI,WYx7YO,MAAK,KZw7YK,gBYx7YL,EZw7YW,KAAM,OYx7YjB,C;QZy7YZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAKB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MYt8YA,iB;MZs8YA,8C;QAQI,WYx8YO,MAAK,KZw8YK,gBYx8YL,EZw8YW,KAAM,OYx8YjB,C;QZy8YZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAKB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MYt9YA,iB;MZs9YA,8C;QAQI,WYx9YO,MAAK,KZw9YK,gBYx9YL,EZw9YW,KAAM,OYx9YjB,C;QZy9YZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAKB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MYt+YA,iB;MZs+YA,8C;QAQI,WYx+YO,MAAK,KZw+YK,gBYx+YL,EZw+YW,KAAM,OYx+YjB,C;QZy+YZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAKB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MYt/YA,iB;MZs/YA,8C;QAQI,WYx/YO,MAAK,KZw/YK,gBYx/YL,EZw/YW,KAAM,OYx/YjB,C;QZy/YZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAKB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,EA AV,EAAMB,kBAAM,CAAN,EAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;;MAwB8D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MAGvN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,

IAAa,SAAS,KAA1B,C;UACW,gBAAP,MAAO,EAAC,OAAd,EAAuB,SAAvB,C;;;UACJ,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OA AO,M;IACX,C;;MAUwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI ,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBA AO,MAAP,C;MACP,YAAY,C;MACZ,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAA d,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBA AJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;;UACR,K;;MAEX,IAA I,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MA CP,OAAO,M;IACX,C;;MAUyD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E; MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAGtN,Q;MAFhB,MAA O,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAA U,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iB AAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;;UACR,K;;MA EX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OA AP,C;MACP,OAAO,M;IACX,C;;MAUuD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,U AAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAGtN,Q;MAFh B,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IA AI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UAC I,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;;UACR ,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAA O,OAAP,C;MACP,OAAO,M;IACX,C;;MAUwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;Q AAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN, Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;Q ACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B, C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C; ;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAA O,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAUyD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MA AI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I; MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAGB,SAAhB,gB;QAAGB,cAAA,SA AhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS ,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ, WAAf,C;;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MAC xC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAU0D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAu B,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YA AyC,I;MAGxN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAGB,SAAhB,gB;QAAGB,cA AA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa ,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO, OAAQ,WAAf,C;;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP, C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAU2D,yB;QAAA,YAA0B,I;MAAM,sB;QAA A,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;Q AAA,YAA0C,I;MAG1N,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAGB,SAAhB,gB;Q AAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,C AAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAA O,gBAAO,OAAQ,WAAf,C;;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBA AO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAUwD,yB;QAAA,YAA0B,I;MAA M,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;M AAO,yB;QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAGB,SA AhB,gB;QAAGB,cAAhB,UAAgB,SAAhB,O;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QA

CxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,oBAAV,C  
AAP,C;;YAEP,MAAO,gBAAO,OAAP,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC  
,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAUyC,yB;QAAA,YA  
A0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,Y  
AA0B,K;MAAO,yB;QAAA,YAAoC,I;MACIN,OAAO,kBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2  
C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAiF,W;IAC5F,C;;MAUkC,yB;QAAA,YAA0B,I;  
MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,  
K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OA  
A3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAiF,W;IAC5F,C;;MAUmC,yB;QAAA,YAA0B,I;MAA  
M,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;M  
AAO,yB;QAAA,YAAwC,I;MACHN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C  
,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAiF,W;IAC5F,C;;MAUiC,yB;QAAA,YAA0B,I;MAAM,sB;  
QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,y  
B;QAAA,YAAc,I;MAC5M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAo  
D,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAiF,W;IAC5F,C;;MAUkC,yB;QAAA,YAA0B,I;MAAM,sB;QAA  
A,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;Q  
AAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,K  
AApD,EAA2D,SAA3D,EAASe,SAAtE,CAAiF,W;IAC5F,C;;MAUmC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,S  
AAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAA  
A,YAAwC,I;MACHN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAA  
pD,EAA2D,SAA3D,EAASe,SAAtE,CAAiF,W;IAC5F,C;;MAUoC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAu  
B,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YA  
AyC,I;MACIN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EA  
A2D,SAA3D,EAASe,SAAtE,CAAiF,W;IAC5F,C;;MAUqC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;M  
AAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAA0C,I;  
MACpN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,S  
AA3D,EAASe,SAAtE,CAAiF,W;IAC5F,C;;MAUkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,u  
B;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC  
9M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3  
D,EAASe,SAAtE,CAAiF,W;IAC5F,C;;MAOoB,mB;QAAE,OAAK,qBAAL,eAAK,C;MAAP,C;IAAA,C;;Mal/Zm  
E,wC;IANvF,C;IAAA,wD;MAO2C,8B;IAAA,C;IAP3C,8E;;Mbu/ZI,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,  
W;MACTb,kCAAgB,4BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MAD  
hB,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACTb,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OA  
AK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACTb,kCAAg  
B,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,wBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7yOO,qBAA  
Q,CA6yOf,C;QAAe,OAAO,W;MACTb,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,yBAAL,eAAK  
,C;MAAP,C;IAAA,C;;MADhB,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACTb,kCAAgB,8BAAhB,C;IACJ  
,C;;MAOoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7yOO,qBAAQ,CA6yOf,C;QAAe  
,OAAO,W;MACTb,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,  
C;;MADhB,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACTb,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;Q  
AAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACT  
B,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7y  
OO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACTb,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,qBA  
AL,eAAK,C;MAAP,C;IAAA,C;;McvjamE,wC;IARvF,C;IAAA,wD;MAS2C,8B;IAAA,C;IAT3C,8E;;Md8jaI,IAv3  
OO,qBAAQ,CAu3Of,C;QAAe,OAAO,e;MACTb,kCAAgB,4BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAA  
L,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAz3OO,qBAAQ,CAy3Of,C;QAAe,OAAO,e;MACTb,kCAAgB,8BAAhB,  
C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA33OO,qBAAQ,CA23Of,C  
;QAAe,OAAO,e;MACTb,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,wBAAL,eAAK,C;MAAP,C;I

AAA,C;;MADhB,IA7300,qBAAQ,CA63Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,m  
B;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA/300,qBAAQ,CA+3Of,C;QAAe,OAAO,e;MA  
CtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAj  
400,qBAAQ,CAi4Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BA  
AL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAN400,qBAAQ,CAm4Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAh  
B,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAr400,qBAAQ,CAq4Of  
,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C  
;IAAA,C;;MADhB,IAv400,qBAAQ,CAu4Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,  
Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,  
O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;  
MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI  
,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IA  
CjD,C;;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,  
M;QACI,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAA  
M,K;IACjD,C;;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,S  
AAhB,M;QACI,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAg  
C,MAAM,K;IACjD,C;;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,c  
AAA,SAAhB,M;QACI,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,  
GAAgC,MAAM,K;IACjD,C;;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;Q  
AAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,  
IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAh  
B,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW,UAAS,CAAb,GAAgB,w  
CAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB  
,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW,UAAS,CAAb,GA  
AgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,w  
BAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW,UAAS,C  
AAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;M  
ACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW,U  
AAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;MAFhB,UAAkB,G;MACIB,YAAi  
B,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,O  
AAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;MAFhB,UAAkB,G;MACI  
B,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,gBAAS,CAAT,I;;M  
AEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;MADhB,UAAe,C;  
MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;IACX,C;;MAQoB,Q;  
MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;IAC  
X,C;;MAQoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I  
;;MAEJ,OAAO,G;IACX,C;;MAQoB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAC  
I,cAAO,OAAP,C;;MAEJ,OAAO,G;IACX,C;;MAQoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QA  
AgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;IACX,C;;MAQoB,Q;MADhB,UAAkB,G;MACIB,wBA  
AgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAe,  
C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;IACX,C;;MAOoB,Q  
;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I;;MAEJ,  
OAAO,G;IACX,C;;MAOoB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QA  
CI,cAAO,OAAP,C;;MAEJ,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QA  
AgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAkB,G;MACIB,wBA  
AgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;IACX,C;;Meh7aI,OAAO,sBAALC  
AAJ,C;IACX,C;;MAOI,OAAO,sBAAL,CAAJ,C;IACX,C;;MAOI,OAAO,sBAAL,CAAJ,C;IACX,C;;MAOI,OAAO,

sBAAI,CAAJ,C;IACX,C;;MAOI,OAAO,sBAAI,CAAJ,C;IACX,C;;MAMI,IAAI,oCAAJ,C;QACI,OAAO,yBAAS, OAAT,C;MACX,OAAO,qBAAQ,OAAR,KAAoB,C;IAC/B,C;;MAQkC,qB;QAAE,MAAM,8BAA0B,iDAA8C,aA A9C,MAA1B,C;MAAR,C;IAAA,C;;MAF9B,IAAI,8BAAJ,C;QACI,OAAO,sBAAI,KAJ,C;MACX,OAAO,6BA AgB,KAAhB,EAaB,uBAAvB,C;IACX,C;;MAOI,OAAO,sBAAI,KAJ,C;IACX,C;;MACqB,Q;MARjB,IAAI,8B AAJ,C;QACI,OAAoB,KakJf,IAAS,CAAT,IAIJe,KakJD,IAAS,gBAIJvB,SakJuB,CAA3B,GAIJI,SakJkC,aAIJnB, KakJmB,CAAtC,GAIJ0B,YakJ4B,CAIJnC,KakJmC,C;;MAjJ7D,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KA Ab,C;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,W AAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,aAAa,KAAb,C;IACX,C;sGAEA,yB;MAAA, 8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,sBAAI,KAJ,CAAtC,GAAsD,aAAa, KAAb,C;MACjE,C;KANA,C;;MAoBqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OAAO,YAAL,SAAK,EAAU,KAAV,C; MACHB,IAAI,QAAQ,CAAZ,C;QACI,OAAO,I;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB, C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,I;I ACX,C;sGAEA,yB;MAAA,sD;MAAA,mC;QAKI,OAAO,YAAL,SAAK,EAAU,KAAV,C;MACHB,C;KANA,C;;M AaW,sB;;QAqFS,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAGB,yB;UAAM,IArFH,SAqFO,CAAU,OAAV,CA AJ,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;MATFP,yB;IACJ,C;;MAMSoB,Q;MADhB,WAAe,I;MA CC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IA7Rc,SA6RV,CAAU,OAAV,CAAJ,C;UACI,OAAO,O;; MA9Rf,OAiSO,I;IAhSX,C;;MAOW,qB;;QAGSP,eAAoB,+BAAa,cAAb,C;QACpB,OAAO,QAAS,cAAhB,C;UACI ,cAAc,QAAS,W;UACvB,IAAnSc,SAmSV,CAAU,OAAV,CAAJ,C;YAAwB,oBAAO,O;YAAP,sB;;;QAE5B,oBAA O,I;;;MARSP,wB;IACJ,C;;MAQQ,kBADE,SACF,Q;QAAW,OAAO,SAAL,SAAK,C;;QAE5B,eAAe,oB;QACf,IAA I,CAAC,QAAS,UAd,C;UACI,MAAM,2BAAuB,sBAAvB,C;QACV,OAAO,QAAS,O;;IAG5B,C;;MAOI,IAAI,m BAAJ,C;QACI,MAAM,2BAAuB,gBAAvB,C;MACV,OAAO,sBAAK,CAAL,C;IACX,C;mFAEA,yB;MAAA,iE;M AAA,uC;QAKoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAGB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YA AwB,OAAO,O;;QACrD,MAAM,gCAAuB,wDAAvB,C;MACV,C;KAPA,C;;MACQ,kBADE,SACF,Q;QACI,IAAI, mBAAJ,C;UACI,OAAO,I;;UAEP,OAAO,sBAAK,CAAL,C;;QAGX,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAd,C ;UACI,OAAO,I;QACX,OAAO,QAAS,O;;IAG5B,C;;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAYB,sBAAK,CAAL ,C;IACpC,C;;MAMoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ, C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;0FAEA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,I AAc,SAAS,wBAA3B,GAAsC,sBAAI,KAJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KANA,C;;MAYI,OAAW ,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,sBAAI,KAJ,CAAtC,GAAsD,I;IACjE,C;;MAQiB,Q;MAFb,IAAI,8 BAAJ,C;QAakB,OAAO,SAAK,eAAQ,OAAR,C;MAC9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB; QACT,IAAI,gBAAW,IAAX,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;IACX,C;;MAOI,OAAO,wBA AQ,OAAR,C;IACX,C;;MAOiB,Q;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,UA AU,IAAV,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;IACX,C;;MAOiB,Q;MADb,YAAY,C;MACC,2B ;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,UAAU,IAAV,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO, E;IACX,C;;MAQiB,Q;MAFb,gBAAgB,E;MACHB,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,I AAI,UAAU,IAAV,CAAJ,C;UACI,YAAY,K;QACHB,qB;;MAEJ,OAAO,S;IACX,C;;MAMI,eAAe,SAAK,sBAAa,c AAAb,C;MACpB,OAAO,QAAS,cAAhB,C;QACI,IAAI,UAAU,QAAS,WAAAnB,CAAJ,C;UACI,OAAO,QAAS,Y;; MAGxB,OAAO,E;IACX,C;;MAQQ,kBADE,SACF,Q;QAAW,OAAO,QAAL,SAAK,C;;QAE5B,eAAe,oB;QACf,I AAI,CAAC,QAAS,UAd,C;UACI,MAAM,2BAAuB,sBAAvB,C;QACV,WAAW,QAAS,O;QACpB,OAAO,QAA S,UAAhB,C;UACI,OAAO,QAAS,O;QACpB,OAAO,I;;IAGnB,C;;MAOI,IAAI,mBAAJ,C;QACI,MAAM,2BAAu B,gBAAvB,C;MACV,OAAO,sBAAK,0BAAL,C;IACX,C;iFAEA,yB;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,u C;QAOoB,UAQT,M;QAVP,WAAe,I;QACf,YAAY,K;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAGB,yB;UACZ,I AAI,UAAU,OAAV,CAAJ,C;YACI,OAAO,O;YACP,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAO,MAAM,gC AAuB,wDAAvB,C;QAEIB,OAAO,2E;MACX,C;KAhBA,C;IFakBA,yB;MAAA,iE;MAAA,uC;QAKI,eAAe,SAA K,sBAAa,cAAb,C;QACpB,OAAO,QAAS,cAAhB,C;UACI,cAAc,QAAS,W;UACvB,IAAI,UAAU,OAAV,CAAJ,C ;YAAwB,OAAO,O;;QAE5B,MAAM,gCAAuB,kDAAvB,C;MACV,C;KAXA,C;;MAoBiB,Q;MAHb,IAAI,8BAAJ, C;QAakB,OAAO,SAAK,mBAAO,AAZ,C;MAC9B,gBAAgB,E;MACHB,YAAY,C;MACC,2B;MAAb,OAAa,cA Ab,C;QAAa,sB;QACT,IAAI,gBAAW,IAAX,CAAJ,C;UACI,YAAY,K;QACHB,qB;;MAEJ,OAAO,S;IACX,C;;MA

OI,OAAO,4BAAY,OAAZ,C;IACX,C;;MAOQ,kBADE,SACF,Q;QAAW,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sB  
AAK,iBAAO,CAAP,IAAL,C;;QAEvC,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,OAAO,I;QACX,WA  
AW,QAAS,O;QACpB,OAAO,QAAS,UAAhB,C;UACI,OAAO,QAAS,O;QACpB,OAAO,I;;IAGnB,C;;MAMI,OA  
AW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;IACpC,C;;MAOoB,Q;MADhB,WAAe,I;MAC  
C,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,OAAO,O;;;MAGf,OAA  
O,I;IACX,C;;MAMI,eAAe,SAAK,sBAAa,cAAb,C;MACpB,OAAO,QAAS,cAAhB,C;QACI,cAAc,QAAS,W;QAC  
vB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MAEnC,OAAO,I;IACX,C;;MAOQ,kBADE,SACF,Q;QAA  
W,OAAAY,UAAAL,SAAK,C;;QAEvB,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,MAAM,2BAAuB,sBAA  
vB,C;QACV,aAAa,QAAS,O;QACtB,IAAI,QAAS,UAAb,C;UACI,MAAM,gCAAYB,uCAAzB,C;QACV,OAAO,M  
;;IAGnB,C;;MAMiB,IAAN,I;MAAA,QAAM,cAAN,C;aACH,C;UAAK,MAAM,2BAAuB,gBAAvB,C;aACX,C;U  
AAK,6BAAK,CAAL,C;UAAAL,K;gBACQ,MAAM,gCAAYB,iCAAzB,C;;MAHIB,W;IAKJ,C;qFAEA,yB;MAAA,k  
F;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAy,K;QACI,2B;Q  
AAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,  
8BAAyB,qDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB  
,wDAAvB,C;QAEIB,OAAO,6E;MACX,C;KAhBA,C;;MAuBQ,kBADE,SACF,Q;QAAW,OAAW,mBAAQ,CAAZ  
,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;;QAE1C,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,OAAO,I;Q  
ACX,aAAa,QAAS,O;QACtB,IAAI,QAAS,UAAb,C;UACI,OAAO,I;QACX,OAAO,M;;IAGnB,C;;MAMI,OAAW,  
mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MAQoB,Q;MAFhB,aAAiB,I;MACjB,YAAy,K  
;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YA  
AW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAy,OAAO,I;MACnB,OAAO  
,M;IACX,C;;MAoBsC,UAGT,MAHS,EAarB,MAbqB,EAclB,M;MR5hBR,IAAI,EQkgBI,KAAK,CRIgBT,CAAJ,C  
;QACI,cQigBc,sD;QRhgBd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MQigBV,IAAI,MAAK,CAAT,C;QAAy,OAAO  
,mB;MACnB,Q;MACA,IAAI,oCAAJ,C;QACI,iBAAiB,iBAAO,CAAP,I;QACjB,IAAI,cAAc,CAAIB,C;UACI,OA  
AO,W;QACX,IAAI,eAAc,CAAIB,C;UACI,OAAO,OAAO,kBAAP,C;QACX,OAAO,iBAAa,UAAb,C;QACP,IAAI  
,8BAAJ,C;UACI,IAAI,sCAAJ,C;YAC0B,qB;YAAtB,iBAAc,CAAd,wB;cACI,IAAK,WAAI,sBAAK,KAAL,CAAJ  
,C;;YAEI,wCAAA,CAAb,C;YAAb,OAAa,gBAAb,C;cAAa,wB;cACT,IAAK,WAAI,IAAJ,C;;UAEb,OAAO,I;;Q  
AIX,OAAO,gB;;MAEX,YAAy,C;MACC,6B;MAAb,OAAa,gBAAb,C;QAAa,0B;QACT,IAAI,oDAAW,CAAf,C;  
UAAkB,IAAK,WAAI,MAAJ,C;;MAE3B,OAAy,qBAAL,IAAK,C;IACHB,C;;MR/hBI,IAAI,EQuiBI,KAAK,CRvi  
BT,CAAJ,C;QACI,cQsiBc,sD;QRriBd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MQsiBV,OAAO,kBAAGB,gBAAV,i  
BAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;kGAEA,yB;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,IAAI  
,CAAC,mBAAL,C;UACI,eAAe,+BAAa,cAAb,C;UACf,OAAO,QAAS,cAAhB,C;YACI,IAAI,CAAC,UAAU,QAAS,  
WAAAnB,CAAL,C;cACI,OAAO,gBAAK,QAAS,YAAT,GAAuB,CAAvB,IAAL,C;;;QAIInB,OAAO,W;MACX,C  
;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAA  
a,cAAb,C;UAAa,sB;UACT,IAAI,QA AJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C  
;YACD,IAAK,WAAI,IAAJ,C;YA CL,WAAW,I;;QAEvB,OAAO,I;MACX,C;KAhBA,C;oFAkBA,yB;MAAA,+D;  
MAAA,uC;QAIW,kBAAS,gB;QAYEA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAzEU,SAy  
EN,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAZe1D,OA0EO,W;MAzEX,C;KALA,C;kGAOA,  
yB;MAAA,+D;MAAA,uC;QAMW,kBAAGB,gB;QA81BV,gB;QADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;  
UAAa,sB;UAp1BT,IAVmC,SAU/B,EAo1BkB,cAp1BIB,EAo1BkB,sBAp1BIB,WAO1B2B,IAp1B3B,CAAJ,C;YA  
A2C,sBAo1BZ,IAp1BY,C;;QAV/C,OAYO,W;MAXX,C;KAPA,C;sGASA,yB;MAAA,oD;QA21BiB,gB;QADb,Y  
AAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAp1BT,IAAI,WAO1BkB,cAp1BIB,EAo1BkB,sBAp1BIB,W  
AO1B2B,IAp1B3B,CAAJ,C;YAA2C,sBAo1BZ,IAp1BY,C;;QAE/C,OAAO,W;MACX,C;KAVA,C;wGAYA,yB;M  
AAA,+D;MAAA,sC;QAIW,kBAAMB,gB;QAOV,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA  
AAI,YAAJ,C;YAAKB,WAAy,WAAI,OAAJ,C;;QAPpD,OAQO,W;MAPX,C;KALA,C;;MAWoB,Q;MAAA,2B;M  
AAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,YAAJ,C;UAAkB,WAAy,WAAI,OAAJ,C;;MACpD,OAAO,  
W;IACX,C;0FAEA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QASBH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB  
,C;UAAgB,yB;UAAM,IAAI,CAtBS,SAsBR,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QAtB3D,  
OAuBO,W;MatBX,C;KALA,C;;MAWI,OAAO,6BAAgB,gBAAhB,C;IACX,C;;MAMoB,Q;MAAA,2B;MAAhB,

OAAgB,cAAhB,C;QAAGb,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAAY,WAAl,OAAJ,C;;MACvD,OAAO,W;IACX,C;;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGb,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAl,OAAJ,C;;MAC3D,OAAO,W;IACX,C;;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGb,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAl,OAAJ,C;;MAC1D,OAAO,W;IACX,C;;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OZpnBe,W;;MYqnBtC,OAA6D,SAAtD,SAAK,iBAAQ,OAAQ,MAAhB,EAAuB,OAAQ,aAAR,GAAuB,CAAvB,IAAvB,CAAiD,C;IACjE,C;;MAskB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTb,WAAW,iBAAa,IAAb,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAl,sBAAl,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MAGBiB,UACL,M;MRnsBR,IAAI,EQOrBI,KAAK,CR1rBT,CAAJ,C;QACI,cQyrBc,sD;QRxrBd,MAAM,gCAAYB,OA AQ,WAAjC,C;;MQyrBV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,oCAAJ,C;QACI,IAAI,KAAK,cAAT,C;UAAe,OAAO,mB;QACtB,IAAI,MAAK,CAAT,C;UAAy,OAAO,OAAO,mBAAP,C;;MAEvB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAF,C;UACI,K;QACJ,IAAK,WAAl,IAAJ,C;;MAET,OAAy,qBAAL,IAAK,C;IAChB,C;;MAeqC,IAGhB,I;MR1tBjB,IAAI,E QgtBI,KAAK,CRhtBT,CAAJ,C;QACI,cQ+sBc,sD;QR9sBd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MQ+sBV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,kBAAP,C;MACnB,WAAW,iBAAa,CAAb,C;MACX,IAAI,sCAAJ,C;QACI,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;UACI,IAAK,WAAl,sBAAK,KAAL,CAAJ,C;;QAEI,sCAA a,OAAO,CAAP,IAAb,C;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAK,WAAl,IAAJ,C;;MAEb,OAAO,I;IACX,C; kGAEA,yB;MAAA,qD;MAAA,gE;MAAA,gD;MAAA,uC;QAMI,IAAI,mBAAJ,C;UACI,OAAO,W;QACX,eAAe,+BAaA,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,IAAI,CAAC,UAAU,QAAS,WAAmB,CAAL,C;YACI,QAA S,O;YACT,mBAAmB,iBAAO,QAAS,YAAhB,I;YACnB,IAAI,iBAAGB,CAApB,C;cAAuB,OAAO,W;YACI,kBA A3B,eAAa,YAAb,C;YACH,OAAgB,kBAAhB,C;cACI,sBAaA,eAAb,C;YAFR,OJtsBD,W;;QI4sBP,OAAO,iB;M ACX,C;KArBA,C;0FAuBA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACE,2B;QAAb,OAAa,cA Ab,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAl,IAAJ,C;;QAET,OAAO, I;MACX,C;KAbA,C;;MAwBI,IAAI,wCAAsB,kBAAQ,CAAIC,C;QAAqC,OAAO,mB;MAC5C,WAAW,0B;MAC N,UAAAL,IAAK,C;MACL,OAAO,I;IACX,C;oFAEA,yB;MAAA,oD;MN1tBA,sC;MAAA,uBAOe,yB;QArEf,8D;;U AqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B, C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAA X,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MK2yBA,sC;QAI,IAAI,iBAAO,CAAX,C;UAAc,iDNvtBH,iBMutBsB, QNvtBtB,CMutBG,E;;MACIB,C;KALA,C;wGAOA,yB;MAAA,oD;MN9sBA,sC;MAAA,iCAOe,yB;QAxFf,8D;;U AwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C; UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX ,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MKkzBA,sC;QAI,IAAI,iBAAO,CAAX,C;UAAc,iDN3sBH,2BM2sBgC,Q N3sBhC,CM2sBG,E;;MACIB,C;KALA,C;;MAWI,sBAAS,cAAT,C;IACJ,C;;MASgB,Q;MAHZ,IAAI,oCAAJ,C;Q ACI,IAAI,kBAAQ,CAAZ,C;UAAe,OAAy,SAAL,SAAK,C;QAEwB,kBAA3C,sBCr0BsD,sBDq0BtD,uB;QAAmD ,mB;QAA3D,OAAoE,OJzwBjE,WIywBiE,C;;MAEjD,kBAAhB,0B;MAAwB,oB;MAA/B,OJ3wBO,W;II4wBX,C; wFAEA,yB;MAAA,wD;MN3vBA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5 Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC ;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF; MK40BA,sC;QAI,OAAO,mDNxvBI,iBMwvBiB,QNxvBjB,CMwvBJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA, wD;MN/uBA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA /EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C ;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MKm1BA,sC;QAI,OAA O,mDN5uBI,2BM4uB2B,QN5uB3B,CM4uBJ,E;MACX,C;KALA,C;;MAWI,OAAO,wBAAW,cAAX,C;IACX,C;; MAsE,Q;MAHX,IAAI,oCAAJ,C;QACG,IAAI,kBAAQ,CAAZ,C;UAAe,OAAy,SAAL,SAAK,C;QAEe,kBAAIC,s BCt2BuD,sBDs2BvD,uB;QAA0C,iC;QAAID,OAAyE,OJ1yBrE,WI0yBqE,C;;MAErD,kBAAhB,0B;MAAwB,mC; MAA/B,OJ5yBO,W;II6yBX,C;;MAQoB,UACL,M;MAHX,aAAa,oBAAa,cAAb,C;MACb,YAAY,C;MACI,2B;MA AhB,OAAgB,cAAhB,C;QAAGb,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACTb,OAAO,M;IACX,C;;



yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAAY,OAAZ,C;UXr4BP,U;UADP,YWu4Be,WXv4BH,WWu4BwB,GXv4BxB,C;UACL,IAAI,aAAJ,C;YACH,aWq4BuC,gB;YAA5B,WXp4BX,aWo4BgC,GXp4BhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;;UWi4BA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAFa,C;2FAiBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAAY,OAAZ,C;UXv5BP,U;UADP,YWy5Be,WXz5BH,WWy5BwB,GXz5BxB,C;UACL,IAAI,aAAJ,C;YACH,aWu5BuC,gB;YAA5B,WXt5BX,aWs5BgC,GXt5BhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;;UWm5BA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;4FAkBA,yB;MAAA,kC;MAAA,4C;;QAQW,sC;QAAA,8C;MARX,C;MAAA,gE;QASqD,OAAA,oBAAgB,W;MAAhB,C;MATrD,oE;QAU4C,gCAAY,OAAZ,C;MAAA,C;MAV5C,gF;MAAA,yC;QAQI,2D;MAIJ,C;KAZA,C;8EAcA,yB;MAAA,kF;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,mCAAwB,EAAxB,CAAb,C;QAqEA,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAAY,WAtEwC,SAsEpC,CAAU,IAAV,CAAJ,C;;QAtEhB,OAUeO,W;MATeX,C;KANA,C;4FAQA,yB;MAAA,kF;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,mCAAwB,EAAxB,CAAb,C;QAqCP,gB;QADb,YAAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAAY,WAjC+C,SAiC3C,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjChB,OakCO,W;MAjCX,C;KARA,C;0GAUA,yB;MAAA,+D;MAUA,sC;MAAA,6B;MAAA,iCAOmB,yB;;UAAA,iC;YAAoB,Q;YAAA,8BAAU,KAAV,EAAiB,OAAjB,W;cAA6C,mC;;YAAU,W;UAA3E,C;QAAA,C;OAAA,C;MAjBnB,uC;QAOW,kBAAoB,gB;QAuQd,gB;QADb,YAAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA7PsB,U;UAAA,cAVQ,SAUR,EA6PT,cA7PS,EA6PT,sBA7PS,WA6PA,IA7PA,W;YAA6C,6B;;;QAVhF,OAWO,W;MAVX,C;KARA,C;8GAUA,yB;MAAA,sC;MAAA,6B;MAAA,iCAOmB,yB;;UAAA,iC;YAAoB,Q;YAAA,8BAAU,KAAV,EAAiB,OAAjB,W;cAA6C,mC;;YAAU,W;UAA3E,C;QAAA,C;OAAA,C;MAPnB,oD;QAoQiB,gB;QADb,YAAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA7PsB,U;UAAA,yBA6PT,cA7PS,EA6PT,sBA7PS,WA6PA,IA7PA,W;YAA6C,6B;;;QACHF,OAAO,W;MACX,C;KATA,C;;MAMBiB,UACiB,M;MAF9B,YAAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;IACX,C;4FAEA,yB;MAAA,+D;MAQA,sC;MAAA,6B;MAAA,0BAKY,yB;;UAAA,0B;YAAa,Q;YAAA,8BAAU,OAAV,W;cAAAsC,mC;;YAAU,W;UAA7D,C;QAAA,C;OAAA,C;MAbZ,uC;QAKW,kBAAa,gB;QA6NJ,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UArNK,U;UAAA,cARe,SAQf,CAqNQ,OArNR,W;YAAAsC,6B;;;QAR3D,OASO,W;MARX,C;KANA,C;gGAQA,yB;MAAA,sC;MAAA,6B;MAAA,0BAKY,yB;;UAAA,0B;YAAa,Q;YAAA,8BAAU,OAAV,W;cAAAsC,mC;;YAAU,W;UAA7D,C;QAAA,C;OAAA,C;MALZ,oD;QA0NoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UArNK,U;UAAA,wBAqNQ,OArNR,W;YAAAsC,6B;;;QAC3D,OAAO,W;MACX,C;KAPA,C;;MAciB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAM4B,mB;QAAE,gC;MAAF,C;IAAA,C;;MAAxB,OAAO,qBAAiB,6BAAjB,C;IACX,C;;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;IAC/B,C;4FAEA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QASc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACD,2B;QAAV,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAL,WAAI,GAAL,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;MACX,C;KAFa,C;;MAuBI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;IACX,C;;MAQiB,IAAN,I;MACH,kBAD,S,SACT,c;QAAoB,4BAAc,SAAd,C;;QACZ,iCAAa,sBAAb,C;MAFZ,W;IAIJ,C;;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAL,EAAO,KAAP,C;MACJ,OAAO,G;IACX,C;8EAEA,yB;MAAA,gD;MAAA,uC;QAOoB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,I;QAC5B,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;YAAyB,OAAO,K;;QACtD,OAAO,I;MACX,C;KATA,C;;MAiBI,IAAI,oCAAJ,C;QAAwB,OAAO,CAAC,mB;MACHC,OAAO,oBAAW,U;IACtB,C;+EAEA,yB;MAAA,gD;MAAA,uC;QAOoB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,K;QAC5B,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,I;;QACrD,OAAO,K;MACX,C;KATA,C;;MAiBoB,Q;MAFhB,IAAI,oCAAJ,C;QAAwB,OAAO,c;MAC/B,YAAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,qB;;MACTb,OAAO,K;IACX,C;;MAOI,OAAO,c;IACX,C;mFAEA,yB;MAAA,gD;MAAA,uC;QAMoB,Q;QAFhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,C;QAC5C,YAAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qB;;;QAC9C,OAAO,K;MACX,C;KARA,C;;MAeoB,Q;MADhB,kBAAB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;



AO,W;MACX,C;KAZA,C;4GAcA,yB;MAAA,4F;MAAA,uC;QAOI,eAAe,+BAAa,cAAb,C;QACf,IAAI,CAAC,Q  
AAS,cAAd,C;UACI,MAAM,mCAA8B,8BAA9B,C;QACV,kBAAqB,QAAS,W;QAC9B,OAAO,QAAS,cAAhB,C;  
UACI,YAAAY,QAAS,gB;UACrB,cAAc,UAAU,KAAV,EAAiB,QAAS,WAA1B,EAAcC,WAAtC,C;;QAEIB,OAA  
O,W;MACX,C;KAhBA,C;;MAuBoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QA  
CZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,  
OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;IACX,C;;MAMoB,UAMT,M;M  
ANS,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAAyB,2BAAwB,SAAxB  
,MAAzB,C;;MAId,OAAO,mE;IACX,C;;MAMoB,UAMT,M;MANS,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;  
QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAAyB,2BAAwB,SAAxB,MAAzB,C;;MAId,OAAO,+D;IACX,C;;MAaI,O  
AAO,oBAAS,IAAT,EAAe,IAAf,EAAcC,IAAtC,C;IACX,C;;MAkBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAcC,IA  
AtC,EAAwD,SAAXD,C;IACX,C;;MAMI,aAAa,iBAAa,mCAAwB,EAAxB,CAAb,C;MACb,kBAAc,KAAAd,C;MA  
5nCb,Q;MAAA,OA6nCT,SA7nCS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,2B;QAAU,oB;QA6nCK,IAAI,CAAC  
,SAAD,IAAY,OA7nCX,SA6nCW,UAAhB,C;UAAiC,YAAU,I;UAA3C,mBAAiD,K;;;UAAjD,mBAA8D,I;;QA7n  
CvE,qB;UA6nCD,MA7nCqC,WAAI,SAAJ,C;;MA6nC1D,OAAqB,M;IACzB,C;;MAMI,IAAI,Qfi5HG,YAAQ,Cej  
5Hf,C;QAAwB,OAAY,SAAL,SAAK,C;MACpC,YAAqB,UAAT,QAAS,C;MANqCd,kBAAY,gB;MASBH,Q;MAA  
A,OA8oCT,SA9oCS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CA8oCF,qBA9oCa,OA8oCb,CA9o  
CF,C;UAAyB,WAAy,WAAI,OAAJ,C;;MA8oC3D,OA7oCO,W;IA8oCX,C;;MAMI,YAAqB,gCAAT,QAAS,EAA  
gC,SAAhC,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAY,SAAL,SAAK,C;MA7qCT,kBAAY,gB;MASBH,Q;M  
AAA,OAwpCT,SAxpCS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAwpCF,qBAxpCa,OAwpCb,  
CAxpCF,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAwpC3D,OAvpCO,W;IAwpCX,C;;MAMI,YAAqB,YAAT,QAAS  
,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAY,SAAL,SAAK,C;MAvrCT,kBAAY,gB;MASBH,Q;MAAA,OAkq  
CT,SAIqCS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAkqCF,qBAIqCa,OAkqCb,CAIqCF,C;UA  
AyB,WAAy,WAAI,OAAJ,C;;MAkqC3D,OAjqCO,W;IAkqCX,C;8FAEA,yB;MAAA,8C;MAAA,qC;QAKI,OAA  
O,iBAAM,OAAN,C;MACX,C;KANA,C;0FAQA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAA  
Y,gB;QACZ,aAAa,gB;QACG,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;Y  
ACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAy,MAAZ,C;MA  
CX,C;KAhBA,C;;MASBI,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EAAK,OAAL,C;MACpC,aAAa,gB;MA  
CN,OAAP,MAAO,EAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP,OAAO,M;IACX,C;;MAMI,aAAa,iBA  
Aa,iBAAO,CAAP,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP,OAAO,M;IA  
CX,C;;MAMI,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EAAK,QAAL,C;MACpC,aAAa,gB;MACN,OAAP,  
MAAO,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;;MAMI,aAAa,iBAAa,  
SAAK,KAAL,GAAY,QAAS,OAArB,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QA  
AP,C;MACP,OAAO,M;IACX,C;;MAMI,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EAAK,QAAL,C;MACp  
C,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,OAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IA  
CX,C;;MAMI,IAAI,mCAAJ,C;QACI,aAAa,iBAAa,SAAK,KAAL,GAAY,QAAS,KAArB,IAAb,C;QACb,MAAO,  
gBAAO,SAAP,C;QACP,MAAO,gBAAO,QAAP,C;QACP,OAAO,M;;;QAEp,eAAa,iBAAa,SAAb,C;QACN,OAA  
P,QAAO,EAAO,QAAP,C;QACP,OAAO,Q;;IAEf,C;;MAMI,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MA  
CA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;;MAMI,aAAa,iBAAa,SAAK,KAAL,GAAY,EAAZ  
,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;4FA  
EA,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;MACX,C;KANA,C;8FAQA,yB;MAAA,4C;MAA  
A,qC;QAKI,OAAO,gBAAK,OAAL,C;MACX,C;KANA,C;;MAwB+C,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iB  
AA0B,K;MACpF,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAAwB,8BAA5B,C;QACI,eAAe,SAAK,K;  
QACpB,aAAa,iBAAmB,CAAC,WAAW,IAAX,GAaKB,CAaIB,IAAD,IAAwB,IAAxB,IAAnB,C;QACb,gBAAY,  
CAAZ,C;QACA,OAAO,UAAQ,QAaf,C;UACI,iBAAsB,eAAL,IAAK,EAAa,WAAW,OAAX,IAAb,C;UACtB,IA  
AI,aAAa,IAAb,IAAqB,CAAC,cAA1B,C;YAA0C,K;UZv2DId,WAAW,iBYw2Da,UZx2Db,C;UQRX,mBAAC,CA  
Ad,YIg3DwB,UJh3DxB,Y;YRS6B,eYu2DS,sBJ/2D3B,OI+2DgC,GAAK,OAAL,IAAL,CZv2DT,C;;UYu2DrB,MA  
AO,WZt2DR,IYs2DQ,C;UACP,oBAAS,IAAT,I;;QAEJ,OAAO,M;;MAEX,eAAa,gB;MACiE,kBAA9E,iBAaIB,oB  
AAjB,EAA6B,IAA7B,EAAmC,IAAnC,EAAyC,cAAzC,EAAuE,KAAvE,C;ME/9DA,OAAgB,qBAAhB,C;QAAgB

,gC;QFg+DL,mBEh+DqB,OFg+DrB,C;;MAEX,OAAO,Q;IACX,C;;MAoBkD,oB;QAAA,OAAy,C;MAAG,8B;QA  
AA,iBAA0B,K;MACvF,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAAwB,8BAA5B,C;QACI,eAAe,SA  
AK,K;QACpB,aAAa,iBAAa,CAAC,WAAW,IAAX,GAaKb,CAAIB,IAAD,IAAwB,IAAxB,IAAb,C;QACb,eAAa,  
kBAAc,SAAd,C;QACb,YAAy,C;QACZ,OAAO,QAAQ,QAAf,C;UACI,QAAO,cAAK,KAAL,EAA2B,eAAAd,QA  
AQ,IAAR,IAAc,EAAa,QAAb,CAA3B,C;UACP,IAAI,CAAC,cAAD,IAAmB,QAAO,KAAP,GAAC,IAArC,C;YAA  
2C,K;UAC3C,MAAO,WAAI,UAAU,QAAV,CAAJ,C;UACP,gBAAS,IAAT,I;;QAEJ,OAAO,M;;MAEX,eAAa,gB;  
MACgE,kBAA7E,iBAAiB,oBAAjB,EAA6B,IAA7B,EAAmC,IAAnC,EAAyC,cAAzC,EAAuE,IAAvE,C;MEvgEA  
,OAAgB,qBAAhB,C;QAAgB,gC;QFwgEL,mBAAI,UExgEiB,OFwgEjB,CAAJ,C;;MAEX,OAAO,Q;IACX,C;;MA  
uBoB,gB;MAHhB,gBAXW,KAWW,O;MACTb,WAAW,iBH54DJ,MAAK,KG44DkB,mCAAwB,EAAxB,CH54DI  
B,EG44D+C,SH54D/C,CG44DD,C;MACX,QAAQ,C;MACQ,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,I  
AAI,KAaK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhBqB,GAgBP,OAhBO,EAAhB,KAgBqB,CAAM,UAAAN,EA  
AM,kBAAN,SAhBF,CAGBrB,C;;MAhBT,OakBO,I;IAjBX,C;+EAEA,yB;MAAA,kF;MAAA,gE;MHZ4DA,iB;M  
Gy4DA,8C;QAWoB,UAEsB,M;QALiC,gBAAgB,KAAM,O;QACTb,WAAW,eH54DJ,MAAK,KG44DkB,mCAAw  
B,EAAxB,CH54DIB,EG44D+C,SH54D/C,CG44DD,C;QACX,QAAQ,C;QACQ,2B;QAAhB,OAAgB,cAAhB,C;U  
AAgB,yB;UACZ,IAAI,KAaK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,OAAV,EAAmB,MAAM,UAAAN  
,EAAM,kBAAN,SAANB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;;MAoCI,YAAy,oB;MACZ,aAZW,KAY  
Q,W;MACnB,WAAW,iBH6DJ,MAAK,KGy6DkB,mCAAwB,EAAxB,CHz6DIB,EGy6DqD,wBAbtD,KAAsD,EA  
AwB,EAAxB,CHz6DrD,CGy6DD,C;MACX,OAAO,KAAM,UAAAN,IAAmB,MAAO,UAAjC,C;QACI,IAAK,Waf  
qB,GaEP,KAAM,OAFc,EAeO,MAAO,OAFd,CAerB,C;;MAfT,OAIBo,I;IAhBX,C;+EAEA,yB;MAAA,kF;MAAA,  
gE;MHR6DA,iB;MGq6DA,8C;QAQI,YAAy,oB;QACZ,aAAa,KAAM,W;QACnB,WAAW,eHz6DJ,MAAK,KGy6  
DkB,mCAAwB,EAAxB,CHz6DIB,EGy6DqD,wBAAN,KAAM,EAAwB,EAAxB,CHz6DrD,CGy6DD,C;QACX,O  
AAO,KAAM,UAAAN,IAAmB,MAAO,UAAjC,C;UACI,IAAK,WAAI,UAAU,KAAM,OAAhB,EAAwB,MAAO,O  
AA/B,CAAJ,C;;QAET,OAAO,I;MACX,C;KAfA,C;;MA0BW,sB;;QAaP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UA  
Ad,C;UAAyB,qBAAO,W;UAAp,uB;;QACzB,aZhiEoD,gB;QYiiEpD,cAAc,QAAS,O;QACvB,OAAO,QAAS,UAA  
hB,C;UACI,WAAW,QAAS,O;UACpB,MAAO,WAnBkB,GAmBJ,OAnBI,EAmBK,IAnBL,CAMBiB,C;UACP,UA  
AU,I;;QAEd,qBAAO,M;;MatBP,yB;IACJ,C;8FAEA,yB;MAAA,qD;MZ1hEA,+D;MY0hEA,uC;QAUI,eAAe,oB;  
QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,W;QACChC,aZhiEoD,gB;QYiiEpD,cAAc,QAAS,O;QACvB,O  
AAO,QAAS,UAAhB,C;UACI,WAAW,QAAS,O;UACpB,MAAO,WAAI,UAAU,OAAV,EAAmB,IAAnB,CAAJ,C  
;UACP,UAAU,I;;QAEd,OAAO,M;MACX,C;KApBA,C;;MA8B6D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAA  
uB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,Y  
AAoC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAy,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;Q  
AAgB,yB;QACZ,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SA  
AS,KAA1B,C;UACW,gBAAP,MAAO,EAAC,OAAd,EAAuB,SAAvB,C;;UACJ,K;;MAEX,IAAI,SAAS,CAAT,IA  
Ac,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IAC  
X,C;;MAUwC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA  
,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACjN,OAAO,oBAAO,sBAAP,EAAwB,SA  
AxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAAPD,EAA2D,SAA3D,EAASe,SAATe,CAAiF,W;IAC5F,C;;  
MAOI,OAAO,S;IACX,C;;MAQoB,mB;QAAE,OAAA,eAAK,W;MAAP,C;IAAA,C;;MDhqEmE,wC;IARvF,C;IA  
AA,0D;MAS2C,8B;IAAA,C;IAT3C,gF;;MCwqEI,oCAAgB,8BAAhB,C;IACJ,C;;MASoB,Q;MAFhB,UAAkB,G;  
MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,gBAAS,CAAT,I;;  
MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MASoB,Q;MAFhB,UAAkB,  
G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,gBAAS,CAAT,  
I;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MASoB,Q;MAFhB,UAAk  
B,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,gBAAS,CAA  
T,I;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MASoB,Q;MAFhB,UA  
AkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,gBAAS,C  
AAT,I;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MASoB,Q;MAFhB,  
UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,gBAA

S,CAAT,I;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MASoB,Q;MAFhB,UAAbK,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,gB AAS,CAAT,I;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;IACX,C;;MAQoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;IACX,C;;MAQoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAAO,O AAP,I;;MAEJ,OAAO,G;IACX,C;;MAQoB,Q;MADhB,Y;MACgB,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,cAAO,OAAP,C;;MAEJ,OAAO,G;IACX,C;;MAQoB,Q;MADhB,UAAiB,G;MACD,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;IACX,C;;MAQoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;IACX,C;;MGxtEI,OAAO,QAAM,CAAN,EAAS,QAAM,CAAN,EAAS,CAAT,EAAY,UAAZ,CAAT,EAakC,UAAIC,C;IACX,C;;MAQI,OAAW,UAAW,SAAQ,CAAR,EAAW,CAAX,CAAX,IAA4B,CAAhC,GAAmC,CAAnC,GAA0C,C;IACrD,C;;MAwGI,OAAO,QAAM,CAAN,EAAS,QAAM,CAAN,EAAS,CAAT,EAAY,UAAZ,CAAT,EAakC,UAAIC,C;IACX,C;;MAQI,OAAW,UAAW,SAAQ,CAAR,EAAW,CAAX,CAAX,IAA4B,CAAhC,GAAmC,CAAnC,GAA0C,C;IACrD,C;;MC9NI,IAAI,mBAAQ,CAAZ,C;QACI,OAAO,W;MACX,eAAe,iBAAQ,W;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,W;MACX,YAAY,QAAS,O;MACrB,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,OfyMiD,SezM1C,KfyM+C,IAAL,EezM1C,KfyMoD,MAAV,CezMjD,C;;MACX,aAAa,iBAAsB,cAAtB,C;MACb,MAAO,WfuMqD,SevMjD,KfuMsD,IAAL,EevMjD,KfuM2D,MAAV,CevMrD,C;;QAEwB,kBAAhB,QAAS,O;QAAPB,MAAO,WfqMiD,SAAK,eAAL,EAAU,iBAAV,CerMjD,C;;MACO,QAAT,QAAS,W;MACIB,OAAO,M;IACX,C;sFAEA,yB;MAAA,+D;MAOA,gD;MAPA,uC;QAIW,kBAAU,gB;QAOD,Q;QAAA,Of6OoE,iBAAQ,W;Qe7O5F,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAR6B,SAQIB,CAAU,OAAP,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAThB,OAWO,W;MAVX,C;KALA,C;0FAOA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAA,OAAA,Sf6OoE,QAAQ,W;Qe7O5F,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAP,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;MACX,C;KATA,C;8EAWA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,cAAb,C;QAYBA,Q;QAAA,OfwMuE,iBAAQ,W;QexM5F,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA1BiB,SA0Bb,CAAU,IAAV,CAAJ,C;;QA1BhB,OA2BO,W;MA1BX,C;KANA,C;4FAQA,yB;MAAA,+D;MAQA,sC;MAAA,6B;MAAA,0BAKY,yB;;UAAA,0B;YAAa,Q;YAAA,8BAAU,OAAP,W;cAAsC,mC;;YAAU,W;UAA7D,C;QAAA,C;OAAA,C;MAbZ,uC;QAKW,kBAAa,gB;QA4EJ,Q;QAAA,Of6IoE,iBAAQ,W;Qe7I5F,OAAGB,cAAhB,C;UAAgB,yB;UApEK,U;UAAA,cARe,SAQf,CAoEQ,OApER,W;YAAc,6B;;QAR3D,OASO,W;MARX,C;KANA,C;gGAQA,yB;MAAA,sC;MAAA,6B;MAAA,0BAKY,yB;;UAAA,0B;YAAa,Q;YAAA,8BAAU,OAAP,W;cAAsC,mC;;YAAU,W;UAA7D,C;QAAA,C;OAAA,C;MALZ,oD;QAYeOB,Q;QAAA,Of6IoE,iBAAQ,W;Qe7I5F,OAAGB,cAAhB,C;UAAgB,yB;UApEK,U;UAAA,wBAoEQ,OApER,W;YAAc,6B;;QAC3D,OAAO,W;MACX,C;KAPA,C;;MACiB,Q;MAAA,OAAA,SfwMuE,QAAQ,W;MexM5F,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAL,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MASoB,Q;MADhB,IAAI,mBAAJ,C;QAae,OAAO,I;MACN,OAAA,Sf4LoE,QAAQ,W;Me5L5F,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU,OAAP,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;IACX,C;;MAQI,OAAO,CAAC,mB;IACZ,C;;MASoB,Q;MADhB,IAAI,mBAAJ,C;QAae,OAAO,K;MACN,OAAA,SfwKoE,QAAQ,W;MexK5F,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAP,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;IACX,C;;MAOI,OAAO,c;IACX,C;;MAQoB,Q;MAFhB,IAAI,mBAAJ,C;QAae,OAAO,C;MACtB,YAAY,C;MACI,OAAA,SfsJoE,QAAQ,W;MetJ5F,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAP,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;IACX,C;;MAOoB,Q;MAAA,OAAA,Sf6IoE,QAAQ,W;Me7I5F,OAAGB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;IAC1B,C;;MAOmB,kBAAR,iB;MAAQ,gB;;QJ63Cf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,eAAO,I;UAAp,iB;;QACzB,cAAc,QAAS,O;QACvB,eIh4CqB,QJg4CN,CAAS,OAAT,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,QAAS,O;UACjB,QIn4CiB,QJm4CT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,eAAO,O;;MIz4CP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MACnB,C;KANA,C;;MAYmB,kBAAR,iB;MAAQ,gB;;QJm8Cf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,eAAO,I;UAAp,iB;;QACzB,cAAc,QAAS,O;QACvB,eIt8CqB,QJ8CN,CAAS,OAAT,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,QAAS,O;UACjB,QIz8CiB,QJy8CT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,UAAU,C;

YACV,WAAW,C;;;QAGnB,eAAO,O;;;MI/8CP,mB;IACJ,C;;;MAMI,OAAe,UAAR,iBAAQ,EAAQ,UAAR,C;IACn  
B,C;;;MAQI,OAAO,mB;IACX,C;;;MASoB,Q;MADhB,IAAI,mBAAJ,C;QAAe,OAAO,I;MACN,OAAA,Sf4FoE,QA  
AQ,W;Me5F5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;;MACrD  
,OAAO,I;IACX,C;oFAEA,yB;MAAA,oC;QAKmC,Q;QAAA,OfmFqD,iBAAQ,W;QenF7E,OAAgB,cAAhB,C;UA  
AgB,yB;UAAM,OAAO,OAAP,C;;;QAArC,gB;MACJ,C;KANA,C;;;MAaI,OAAO,iB;IACX,C;;;MAMI,OAAe,aAAR  
,iBAAQ,C;IACnB,C;;;MIBpMI,OAAO,2BA Ae,KAAf,C;IACX,C;;;MAOI,OAAO,2BA Ae,oBAAN,KAAM,CAAf,C;  
IACX,C;;;MAOI,OAAO,2BA Ae,KAAf,C;IACX,C;;;MAOI,OAAO,2BA Ae,KAAf,C;IACX,C;;;MAOI,OAAO,2BA  
Ae,KAAf,C;IACX,C;;;MU0CW,SVnCM,mBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB  
,GAAkC,K;IAC5E,C;;;MUKCW,SV3BM,kBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAH  
B,GAAkC,K;IAC7E,C;;;MU0BW,SVnBM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAA  
hB,GAAkC,K;IAC7E,C;;;MUKBW,SVXM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAA  
hB,GAAkC,K;IAC9E,C;;;MAOI,OAAO,2BA Ae,KAAf,C;IACX,C;;;MUEW,SVKM,mBAAN,KAAM,C;MAAb,OA  
A0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC5E,C;;;MUNW,SVaM,oBAAN,KAAM,C;MAAb,OAA  
2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC7E,C;;;MUdW,SVqBM,oBAAN,KAAM,C;MAAb,OAA  
2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC7E,C;;;MUTBW,SV6BM,qBAAN,KAAM,C;MAAb,OA  
A4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC9E,C;;;MAOI,OAAO,2BA Ae,KAAf,C;IACX,C;;;MAO  
I,OAAO,2BA Ae,oBAAN,KAAM,CAAf,C;IACX,C;;;MU9CW,SVqDM,kBAAN,KAAM,C;MAAb,OAA2C,UAAJ,  
GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC7E,C;;;MUTDW,SV6DM,mBAAN,KAAM,C;MAAb,OAA4C,UAA  
J,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC9E,C;;;MAOI,OAAO,2BA Ae,KAAf,C;IACX,C;;;MAOI,OAAO,2  
BA Ae,KAAf,C;IACX,C;;;MU9EW,SVqFM,iBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CA  
AhB,GAAkC,K;IAC5E,C;;;MUTFW,SV6FM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CA  
AhB,GAAkC,K;IAC7E,C;;;MU9FW,SVqGM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,C  
AAhB,GAAkC,K;IAC9E,C;;;MAOI,OAAO,2BAAS,KAAM,WAAf,C;IACX,C;;;MAOI,OAAO,2BAAS,KAAM,W  
AAf,C;IACX,C;;;MAOI,OAAO,2BA Ae,KAAf,C;IACX,C;;;MAOI,OAAO,2BA Ae,oBAAN,KAAM,CAAf,C;IACX,  
C;;;MUTIW,SV6IM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC7E,  
C;;;MAOI,OAAO,2BA Ae,KAAf,C;IACX,C;;;MAOI,OAAO,2BA Ae,KAAf,C;IACX,C;;;MASI,OAAO,sCAAe,yBA  
AgB,SAAhB,EAAYB,EAZB,EAkC,EAAIC,C;IAC1B,C;;;MASI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAYB,oB  
AAH,EAAG,CAAZB,M;IAC3B,C;;;MASI,OAAO,sCAAe,yBAAqB,SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;IA  
C1B,C;;;MASI,OAAO,sCAAe,yBAAqB,SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;IAC1B,C;;;MASI,OAAO,uCA  
AgB,yBAAgB,SAAhB,EAAiC,EAAjC,EAA0C,EAA1C,C;IAC3B,C;;;MASI,OAAO,sCAAe,yBAAgB,SAAhB,EA  
AsB,EAATB,EAA0B,EAA1B,C;IAC1B,C;;;MASI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAYB,oBAAH,EAAG,CA  
AZB,M;IAC3B,C;;;MASI,OAAO,sCAAe,yBAAqB,SAArB,EAA8B,EAA9B,EAAkC,EAAIC,C;IAC1B,C;;;MASI,O  
AAO,sCAAe,yBAAqB,SAArB,EAA8B,EAA9B,EAAkC,EAAIC,C;IAC1B,C;;;MASI,OAAO,uCAAgB,yBAAqB,o  
BAAL,SAAK,CAArB,EAA+B,EAA/B,M;IAC3B,C;;;MASI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAiC,EAAjC,EAA0C,  
EAA1C,C;IAC1B,C;;;MASI,OAAO,sCAAe,yBAAqB,SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;IAC1B,C;;;MAMI,  
OAAO,sCAAe,yBAAgB,cAAhB,EAAsB,eAATB,EAA6B,CAAC,cAAD,IAA7B,C;IAC1B,C;;;MAMI,OAAO,uCAAgB,yBAAgB,cAAhB,EA  
AsB,eAATB,EAA8B,cAAD,aAA7B,C;IAC3B,C;;;MAMI,OAAO,uCAAgB,yBAAgB,cAAhB,EAAsB,eAATB,EAA6  
B,CAAC,cAAD,IAA7B,C;IAC3B,C;;;MAMI,oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,sCAAe,y  
BAAgB,eAAhB,EAAB,cAAvB,EAAiC,SAAK,KAAL,GAAY,CAAhB,GAAMB,IAANB,GAA6B,CAAC,IAAD,IAA  
1D,C;IAC1B,C;;;MAMI,oBAAoB,kBAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAgB,eAA  
hB,EAAB,cAAvB,EAAiC,SAAK,KAAL,cAAy,CAAhB,GAAMB,IAANB,GAA8B,IAAD,aAA1D,C;IAC3B,C;;;M  
AMI,oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAgB,eAAhB,EAAB,cAAvB,EA  
AiC,SAAK,KAAL,GAAY,CAAhB,GAAMB,IAANB,GAA6B,CAAC,IAAD,IAA1D,C;IAC3B,C;;;MAGI,OAAMB,I  
AAR,8BAAGC,GAApC,GAAiE,OAAL,SAAK,CAAjE,GAA+E,I;IAC1F,C;;;MAGI,OAAW,mEAAJ,GAAmE,OAA

L,SAAK,SAAnE,GAAiF,I;IAC5F,C;;MAGI,OAAW,YAAQ,aAAA,sCAAe,UAAf,EAA0B,sCAAe,UAAzC,CAAR,  
YAAJ,GAAqE,OAAL,SAAK,CAArE,GAAmF,I;IAC9F,C;;MAGI,OAAmB,UAAA,sCAAe,UAAf,EAA2B,sCAAe,  
UAA1C,CAAR,4BAAJ,GAAuE,mBAAL,SAAK,EAAvE,GAAqF,I;IAC7G,C;;MAGI,OmBjegB,UnBieG,sCAAe,U  
mBjelB,EnBie6B,sCAAe,UmBje5C,CnBieL,4BAAJ,GAAqE,mBAAL,SAAK,EAAR,E,GAAmF,I;IAC9F,C;;MAGI,  
OAAW,iFAAJ,GAA4D,SAAK,QAAjE,GAA8E,I;IACzF,C;;MAGI,OAAmB,UAAc,WAAAd,EAAwC,UAAxC,CAA  
R,4BAAJ,GAAqE,YAAL,SAAK,CAArE,GAAkF,I;IAC7F,C;;MAGI,OmB7egB,UnB6eiB,WmB7ejB,EnB6e0C,U  
mB7e1C,CnB6eL,4BAAJ,GAAmE,YAAL,SAAK,CAAnE,GAAgF,I;IAC3F,C;;MAGI,OAAmB,UAAe,mCAAf,EA  
A0C,mCAA1C,CAAR,4BAAJ,GAAuE,uBAAL,SAAK,CAAvE,GAAqF,I;IAC7G,C;;MAGI,OmBrgfB,UnBqfB,m  
CmBrf1B,EnBqf4C,mCmBrf5C,CnBqfL,4BAAJ,GAAqE,uBAAL,SAAK,CAArE,GAAmF,I;IAC9F,C;;MAGI,OAA  
mB,MAAR,8BAAiC,KAArC,GAAmE,QAAL,SAAK,CAAnE,GAAkF,I;IAC7F,C;;MAGI,OAAW,uEAAJ,GAAqE,  
QAAL,SAAK,SAArE,GAAoF,I;IAC/F,C;;MAGI,OAAmB,UAAA,uCAAgB,UAAhB,EAA4B,uCAAgB,UAA5C,C  
AAR,4BAAJ,GAAyE,oBAAL,SAAK,EAAzE,GAAwF,I;IACnG,C;;MAGI,OmBrgBgB,UnBqgBG,uCAAgB,UmBr  
gBnB,EnBqgB8B,uCAAgB,UmBrgB9C,CnBqgBL,4BAAJ,GAAuE,oBAAL,SAAK,EAAvE,GAAf,I;IACjG,C;;M  
AQI,OAAO,wBAAY,EAAa,GAAH,CAAG,IAAzB,C;IACX,C;;MAQI,OAAO,kBAAY,oBAAH,EAAG,CAAc,8B  
AAH,CAAG,EAA1B,C;IACX,C;;MAQI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAAH,CAAG,IAAjC,C;IACX,C;;M  
AQI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAAH,CAAG,IAAjC,C;IACX,C;;MAUI,IAAI,MAAM,CAAV,C;QAAo  
B,OAAO,iCAAU,M;MACrC,OAAO,yBAAiB,OAAR,EAAQ,GAAH,CAAG,CAAjB,C;IACX,C;;MAUI,IAAI,MA  
AM,WAAV,C;QAAyB,OAAO,gCAAS,M;MACzC,OAAO,wBAAS,EAAQ,GAAH,CAAG,IAAjB,C;IACX,C;;MA  
QI,OAAO,kBAAY,oBAAH,EAAG,CAAc,8BAAH,CAAG,EAA1B,C;IACX,C;;MAUI,IAAI,MAAM,WAAV,C;Q  
AAyB,OAAO,gCAAS,M;MACzC,OAAO,aAAK,SAAL,EAAiB,EAAQ,GAAH,CAAG,IAAzB,C;IACX,C;;MAUI,  
IAAI,MAAM,WAAV,C;QAAyB,OAAO,gCAAS,M;MACzC,OAAO,aAAK,SAAL,EAAiB,EAAQ,GAAH,CAAG,I  
AAzB,C;IACX,C;;MAUI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAO,yBAAL,SAAK,CAAL,SAA  
kB,EAAQ,8BAAH,CAAG,EAA1B,C;IACX,C;;MAUI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAO  
kBAAS,EAAQ,8BAAH,CAAG,EAAjB,C;IACX,C;;MAUI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,O  
AAO,yBAAL,SAAK,CAAL,SAAkB,EAAQ,8BAAH,CAAG,EAA1B,C;IACX,C;;MAUI,IAAI,iDAAJ,C;QAA0B,  
OAAO,iCAAU,M;MAC3C,OAAO,yBAAL,SAAK,CAAL,SAAkB,EAAQ,8BAAH,CAAG,EAA1B,C;IACX,C;;M  
AQI,OAAO,wBAAY,EAAa,GAAH,CAAG,IAAzB,C;IACX,C;;MAQI,OAAO,kBAAY,oBAAH,EAAG,CAAc,8B  
AAH,CAAG,EAA1B,C;IACX,C;;MAQI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAAH,CAAG,IAAjC,C;IACX,C;;M  
AQI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAAH,CAAG,IAAjC,C;IACX,C;;MAUI,OAAW,4BAAO,YAAP,KAAJ,  
GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI  
,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GA  
A2C,S;IACtD,C;;MAUI,OAAW,0BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YA  
AO,YAAX,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;IACt  
D,C;;MAUI,OAAW,4BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,YAAX,  
GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI  
,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,0BAAO,YAAP,KAAJ,GAAyB,YA  
AzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YA  
AO,YAAX,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,IAAI,iBAAiB,IAAjB,IAAyB,iBAAiB,IAA9C,C;QACI,I  
AAI,+BAAe,YAAf,KAAJ,C;UAAiC,MAAM,gCAAyB,6DAAiD,YAAjD,wCAAoF,YAApF,OAAzB,C;QACvC,IA  
AI,4BAAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;QACChC,IAAI,4BAAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;;;QAGh  
C,IAAI,iBAAiB,IAAjB,IAAyB,4BAAO,YAAP,KAA7B,C;UAAkD,OAAO,Y;QACzD,IAAI,iBAAiB,IAAjB,IAAy  
B,4BAAO,YAAP,KAA7B,C;UAAkD,OAAO,Y;;MAE7D,OAAO,S;IACX,C;;MAUI,IAAI,eAAe,YAAAnB,C;QAAi  
C,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OA  
AO,Y;MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,OAAO,S;IACX,C;;MAUI,IAAI,eAAe,YAAAnB,  
C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAA  
yB,OAAO,Y;MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,OAAO,S;IACX,C;;MAUI,IAAI,eAAe,Y  
AAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,  
C;QAAyB,OAAO,Y;MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,OAAO,S;IACX,C;;MAUI,IAAI,

6BAAe,YAAf,KAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,0  
BAAO,YAAP,KAAJ,C;QAAyB,OAAO,Y;MACHc,IAAI,0BAAO,YAAP,KAAJ,C;QAAyB,OAAO,Y;MACHc,OA  
AO,S;IACX,C;;MAUI,IAAI,eAAe,YAAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAA  
zB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHc,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAC  
hC,OAAO,S;IACX,C;;MAUI,IAAI,eAAe,YAAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAAp  
F,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHc,IAAI,YAAO,YAAX,C;QAAyB,OAAO,  
Y;MACHc,OAAO,S;IACX,C;;MAYW,Q;MADP,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KA  
AzC,MAAzB,C;MAGvB,IAAA,KAAM,0BAAiB,SAAjB,EAAuB,KAAM,MAA7B,CAAN,IAA6C,CAAC,KAAM,  
0BAAiB,KAAM,MAAvB,EAA8B,SAA9B,CAApD,C;QAAiG,OAAN,KAAM,M;WAEjG,IAAA,KAAM,0BAAiB,  
KAAM,aAAvB,EAAqC,SAArC,CAAN,IAAoD,CAAC,KAAM,0BAAiB,SAAjB,EAAuB,KAAM,aAA7B,CAA3D,  
C;QAA+G,OAAN,KAAM,a;;QACvG,gB;MALZ,W;IAOJ,C;;MacW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAY,WA  
AL,SAAK,EAAy,KAAZ,C;;MAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAz  
B,C;MAEvB,gCAAo,KAAM,MAAb,M;QAA4B,OAAN,KAAM,M;WAC5B,gCAAo,KAAM,aAAb,M;QAAMc,  
OAAN,KAAM,a;;QAC3B,gB;MAHZ,W;IAKJ,C;;MacW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAY,WAAL,SAAK,E  
AAc,KAAc,C;;MAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAEvB,  
gBAAO,KAAM,MAAb,C;QAA4B,OAAN,KAAM,M;WAC5B,gBAAO,KAAM,aAAb,C;QAAMc,OAAN,KAAM,  
a;;QAC3B,gB;MAHZ,W;IAKJ,C;;MacW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAY,WAAL,SAAK,EAAe,KAAf,C;;  
MAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAEvB,8BAAO,KAA  
M,MAAb,M;QAA4B,OAAN,KAAM,M;WAC5B,8BAAO,KAAM,aAAb,M;QAAMc,OAAN,KAAM,a;;QAC3B,g  
B;MAHZ,W;IAKJ,C;;MoBr/BI,OAAO,sBAAQ,OAAR,KAAoB,C;IAC/B,C;;MAQkC,qB;QAAE,MAAM,8BAA0B  
,+CAA4C,aAA5C,MAA1B,C;MAAR,C;IAAA,C;;MAA9B,OAAO,8BAAgB,KAAhB,EAAuB,yBAAvB,C;IACX,  
C;;MACqB,Q;MANjB,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KAAb,C;MACX,eAAe,oB;MACf,YAAY,C;MA  
CZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,  
OAAO,O;;MAEf,OAAO,aAAa,KAAb,C;IACX,C;;MACqB,Q;MANjB,IAAI,QAAQ,CAAZ,C;QACI,OAAO,I;MA  
CX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YA  
AT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,I;IACX,C;;MASW,sB;;QAUdS,Q;QAAA,2B;QAAhB  
,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAvDH,SAuDO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;  
QAC9C,qBAAO,I;;MAxDP,yB;IACJ,C;;MAKLoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAgB,cAAhB,C;Q  
AAgB,yB;QACZ,IA1Kc,SA0KV,CAAU,OAAV,CAAJ,C;UACI,OAAO,O;;MA3Kf,OA8KO,I;IA7KX,C;;MASI,e  
AAe,oB;MACf,IAAI,CAAC,QAAS,UAAc,C;QACI,MAAM,2BAAuB,oBAAvB,C;MACV,OAAO,QAAS,O;IACp  
B,C;iFAEA,yB;MAAA,iE;MAAA,uC;QAOoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI  
,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,sDAAvB,C;MACV,C;KATA,C;;MAiBl,e  
AAe,oB;MACf,IAAI,CAAC,QAAS,UAAc,C;QACI,OAAO,I;MACX,OAAO,QAAS,O;IACpB,C;;MAQoB,Q;MA  
AA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACr  
D,OAAO,I;IACX,C;;MASiB,Q;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,gBAA  
W,IAAX,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;IACX,C;;MASiB,Q;MADb,YAAY,C;MACC,2B;  
MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,UAAU,IAAV,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,  
E;IACX,C;;MAUiB,Q;MAFb,gBAAgB,E;MACHb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,I  
AAI,UAAU,IAAV,CAAJ,C;UACI,YAAY,K;QACHb,qB;;MAEJ,OAAO,S;IACX,C;;MASI,eAAe,oB;MACf,IAAI,  
CAAC,QAAS,UAAc,C;QACI,MAAM,2BAAuB,oBAAvB,C;MACV,WAAW,QAAS,O;MACpB,OAAO,QAAS,U  
AAhB,C;QACI,OAAO,QAAS,O;MACpB,OAAO,I;IACX,C;+EAEA,yB;MAAA,iE;MAAA,gB;MAAA,8B;MAAA  
,uC;QASoB,UAQT,M;QAVP,WAAe,I;QACf,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,I  
AAI,UAAU,OAAV,CAAJ,C;YACI,OAAO,O;YACP,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gC  
AAuB,sDAAvB,C;QAEIB,OAAO,2E;MACX,C;KAIbA,C;;MA4BiB,Q;MAFb,gBAAgB,E;MACHb,YAAY,C;MA  
CC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,gBAAW,IAAX,CAAJ,C;UACI,YAAY,K;QACHb,qB;;MAE  
J,OAAO,S;IACX,C;;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAc,C;QACI,OAAO,I;MACX,WAAW,QAAS  
,O;MACpB,OAAO,QAAS,UAAhB,C;QACI,OAAO,QAAS,O;MACpB,OAAO,I;IACX,C;;MASoB,Q;MADhB,WA  
Ae,I;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,OAAO,O;;

MAGf,OAAO,I;IACX,C;;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,MAAM,2BAAuB,oBAAvB ,C;MACV,aAAa,QAAS,O;MACtB,IAAI,QAAS,UAAAb,C;QACI,MAAM,gCAAYB,qCAAzB,C;MACV,OAAO,M;I ACX,C;mFAEA,yB;MAAA,kF;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAQoB,UAST,M;QAXP,aAAiB,I;Q ACjB,YAAY,K;QACI,2B;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IA AI,KAAJ,C;CAAW,MAAM,8BAAYB,mDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAA L,C;UAAy,MAAM,gCAAuB,sDAAvB,C;QAEIB,OAAO,6E;MACX,C;KAIBA,C;;MA0BI,eAAe,oB;MACf,IAAI, CAAC,QAAS,UAAAd,C;QACI,OAAO,I;MACX,aAAa,QAAS,O;MACtB,IAAI,QAAS,UAAAb,C;QACI,OAAO,I;M ACX,OAAO,M;IACX,C;;MAUoB,Q;MAFhB,aAAiB,I;MACjB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C; QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT, QAAQ,I;;;MAGhB,IAAI,CAAC,KAAAL,C;QAAy,OAAO,I;MACnB,OAAO,M;IACX,C;;MAWW,Q;MdvTP,IAAI, EcsTI,KAAK,CdfTT,CAAJ,C;QACI,ccqTc,sD;QdpTd,MAAM,gCAAYB,OAAQ,WAAjC,C;;McsTN,UAAK,CAA L,C;QAAU,gB;WACV,+C;QAAiC,OAAL,SAAK,cAAK,CAAL,C;;QACzB,wBAaA,SAAb,EAAmB,CAAnB,C;M AHZ,W;IAKJ,C;;MAUI,OAAO,sBAaKB,SAAIB,EAAwB,SAAxB,C;IACX,C;;MAQI,OAAO,sBAaKB,SAAIB,E AAwB,IAAxB,EAA8B,SAA9B,C;IACX,C;;MAWgF,qB;QAAE,yBAAU,EAAG,MAAb,EAAoB,EAAG,MAAvB, C;MAAF,C;IAAA,C;;MAAsC,OAAA,EAAG,M;IAAM,C;;MAA3H,OAAO,yBAAqB,sBAaKB,qBAAiB,SAAjB,C AAIB,EAA0C,IAA1C,EAAGD,+BAAhD,CAArB,EAAYG,sBAAzG,C;IACX,C;oGAEA,yB;MAAA,oD;QA4oBiB, gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAnoBT,IAAI,WAmoBkB,cAnoBIB,EAmoBkB, sBAnoBIB,WAmoB2B,IAnoB3B,CAAJ,C;YAA2C,sBAmoBZ,IAnoBY,C;;QAE/C,OAAO,W;MACX,C;KAZA,C;s GAcA,yB;MAAA,8C;MAAA,0C;MAAA,8B;;QAOKb,qB;UAAE,c;QAAF,C;MAAA,C;MAPIB,sC;QAOW,Q;QA AP,OAAO,uCAAO,iCAAP,gC;MACX,C;KARA,C;;MAGBoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB, yB;QAAM,IAAI,YAAJ,C;UAAkB,WAAy,WAAI,OAAJ,C;;MACpD,OAAO,W;IACX,C;;MAQI,OAAO,sBAaKB ,SAAIB,EAAwB,KAAxB,EAA+B,SAA/B,C;IACX,C;;MASuB,iB;IAAW,C;;MAAvB,Q;MAAP,OAAO,4CAAU,o BAAV,kC;IACX,C;;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,eAAJ,C;UAAq B,WAAy,WAAI,OAAJ,C;;MACvD,OAAO,W;IACX,C;;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAA gB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;IACX, C;;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB, WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;IACX,C;;MAWW,Q;MdlbP,IAAI,Ecybl,KAAK,CdzbT,CAAJ,C;QA Cl,ccwbc,sD;Qdvbd,MAAM,gCAAYB,OAAQ,WAAjC,C;;McybN,UAAK,CAAL,C;QAAU,sB;WACV,+C;QAAiC ,OAAL,SAAK,cAAK,CAAL,C;;QACzB,wBAaA,SAAb,EAAmB,CAAnB,C;MAHZ,W;IAKJ,C;;MAUI,OAAO,sB AaKB,SAAIB,EAAwB,SAAxB,C;IACX,C;;MAQW,8B;IAAA,C;;MAEC,iBAA6B,iBAAZ,gBAAy,C;MACIB,QA AX,UAAW,C;MACX,OAAO,UAAW,W;IACtB,C;;;MALJ,0C;IAOJ,C;sFAEA,yB;MAAA,sD;MZhaA,sC;MAAA, uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,S A4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6 D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MWifA,sC;QAMI,OAAO,mDZ/ZI,iBY+ZiB,Q Z/ZjB,CY+ZJ,E;MACX,C;KAPA,C;0GASA,yB;MAAA,sD;MZtZA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAWFe,uB; YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C; QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CA Ad,C;MAAA,C;MAD5C,kF;MW0fA,sC;QAMI,OAAO,mDZrZI,2BYqZ2B,QZrZ3B,CYqZJ,E;MACX,C;KAPA, C;;MAeI,OAAO,wBAAW,cAAX,C;IACX,C;;MAQW,sC;MAAA,4C;IAAA,C;;MAEC,iBAAiC,iBAAhB,oBAAgB ,C;MACtB,WAAx,UAAW,EAAS,uBAAT,C;MACX,OAAO,UAAW,W;IACtB,C;;;MALJ,0D;IAOJ,C;wFAEA,yB ;MAAA,wE;MAAA,uC;QAWW,kBAAY,oB;QAUeH,Q;QAAA,2B;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UAC Z,WAxEsC,SAwEvB,CAAU,OAAV,C;UjBpDnB,wBAALI,IAAK,MAAT,EAAGB,IAAK,OAAR,B,C;;QiBpBA,OA0 EO,W;MAzEX,C;KAZA,C;6FAcA,yB;MAAA,wE;MAAA,yC;QAWW,kBAAc,oB;QA0BL,Q;QAAA,2B;QAaHb, OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAy,aA3B4B,WA2BxB,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA3 BhB,OA6BO,W;MA5BX,C;KAZA,C;6FAcA,yB;MAAA,wE;MAAA,yD;QAUW,kBAAc,oB;QA6BL,Q;QAAA,2 B;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAy,aA9B4B,WA8BxB,CAAY,OAAZ,CAAJ,EA9ByC,cA8 Bf,CAAE,OAaf,CAA1B,C;;QA9BhB,OA9CO,W;MA/BX,C;KAXA,C;;MAuBoB,Q;MAAA,2B;MAAhB,OAAgB, cAAhB,C;QAAgB,yB;QACZ,WAAy,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;IACX,C

;;MAYoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aAAI,YAAy,OAaZ,CAAJ,EAA  
0B,eAAe,OAaf,CAAIB,C;;MAEhB,OAaO,W;IACX,C;;MAWoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QA  
AgB,yB;QACZ,WAAe,UAAU,OAaV,C;QjBpDnB,wBAaI,IAAK,MAAT,EAAGB,IAAK,OAaRb,C;;MiBsDA,OA  
AO,W;IACX,C;;MAQiB,Q;MAAA,2B;MAAb,OAaA,cAAAb,C;QAaA,sB;QACT,WAAy,WAAI,IAAJ,C;;MAEhB,  
OAaO,W;IACX,C;;MAQI,OAaO,0BAaA,cAAAb,C;IACX,C;;MAQI,OAa4B,qBAAhB,iBAAL,SAAK,CAAGB,C;I  
AChC,C;;MAQI,OAaO,0BAaA,gBAAb,C;IACX,C;;MAUI,OAaWc,oBAaJc,0BAaA,sBAAb,CAaIc,C;IAC5C,C  
;;MAQiD,OAaA,EAAG,W;IAAW,C;;MAA3D,OAaO,uBAaMb,SAaNB,EAaYB,SAaZB,EAaOc,cAApC,C;IAC  
X,C;yFAEA,yB;MAAA,gD;MAAA,oD;QAMoB,Q;QAAA,2B;QAaHb,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WA  
AW,UAAU,OAaV,C;UACC,OAaZ,WAAy,EAaO,IAAP,C;;QAEhB,OAaO,W;MACX,C;KAXA,C;qFAaA,yB;  
MAAA,wE;MA6BA,+D;MA7BA,yC;QAWW,kBAaU,oB;QA6BD,Q;QAAA,2B;QAaHb,OAAGB,cAAhB,C;UAA  
gB,yB;UACZ,UA9BiD,WA8BvC,CAAY,OAaZ,C;UjBjeP,U;UADP,YiBmee,WjBneH,WiBmewB,GjBnexB,C;UA  
CL,IAAI,aAAJ,C;YACH,aiBieuC,gB;YAA5B,WjBheX,aiBgegC,GjBhehC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U  
iB6dA,iB;UACA,IAAK,WAAI,OAaJ,C;;QAhCT,OaKCO,W;MAjCX,C;KAZA,C;qFAcA,yB;MAAA,wE;MAKCA  
,+D;MAICA,yD;QAYW,kBAaU,oB;QAKCD,Q;QAAA,2B;QAaHb,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAnCi  
D,WAmCvC,CAAY,OAaZ,C;UjBrfP,U;UADP,YiBufe,WjBvfH,WiBufwB,GjBvfxB,C;UACL,IAAI,aAAJ,C;YAC  
H,aiBqfuC,gB;YAA5B,WjBpfX,aiBofgC,GjBpfc,EAAS,MAAT,C;YACA,e;;YAEA,c;;UiBifA,iB;UACA,IAAK,  
WArCyD,cAqCrD,CAAE,OAaf,CAAJ,C;;QArCT,OAuCO,W;MAcCX,C;KAbA,C;yFAeA,yB;MAAA,+D;MAAA,  
sD;QAWoB,Q;QAAA,2B;QAaHb,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAy,OAaZ,C;UjBjeP,U;UA  
DP,YiBmee,WjBneH,WiBmewB,GjBnexB,C;UACL,IAAI,aAAJ,C;YACH,aiBieuC,gB;YAA5B,WjBheX,aiBgegC,  
GjBhehC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UiB6dA,iB;UACA,IAAK,WAAI,OAaJ,C;;QAET,OAaO,W;MAC  
X,C;KAjBA,C;yFAmBA,yB;MAAA,+D;MAAA,sE;QAYoB,Q;QAAA,2B;QAaHb,OAAGB,cAAhB,C;UAAgB,yB  
;UACZ,UAAU,YAAy,OAaZ,C;UjBrfP,U;UADP,YiBufe,WjBvfH,WiBufwB,GjBvfxB,C;UACL,IAAI,aAAJ,C;Y  
ACH,aiBqfuC,gB;YAA5B,WjBpfX,aiBofgC,GjBpfc,EAAS,MAAT,C;YACA,e;;YAEA,c;;UiBifA,iB;UACA,IA  
AK,WAAI,eAAe,OAaf,CAAJ,C;;QAET,OAaO,W;MACX,C;KAlBA,C;0FAoBA,yB;MAAA,kC;MAAA,4C;;QA  
UW,sC;QAAA,8C;MAVX,C;MAAA,gE;QAWqD,OAaA,oBAAGB,W;MAAhB,C;MAXrD,oE;QAY4C,gCAAY,O  
AAZ,C;MAAA,C;MAZ5C,gF;MAAA,yC;QAUI,2D;MAIJ,C;KAdA,C;;MAuBI,OAaO,yBAaQB,SAaRb,EAa2B,  
SAA3B,C;IACX,C;;MAWI,OAaO,gCAA4B,SAA5B,EAaKc,SAaIc,C;IACX,C;;MAWI,OAaOd,gBAA7C,gCA  
A4B,SAA5B,EAaKc,SAaIc,CAA6C,C;IACxD,C;4GAEA,yB;MAAA,sC;MAAA,6B;MAAA,iCASmB,yB;;UAA  
A,iC;YAAoB,Q;YAAA,8BAaU,KAAV,EAaiB,OAajB,W;cAA6C,mC;;YAAU,W;UAA3E,C;QAAA,C;OAAA,C;  
MATnB,oD;QA+MiB,gB;QADb,YAAy,C;QACC,2B;QAAb,OAaA,cAAAb,C;UAAa,sB;UatMsB,U;UAAA,yBas  
MT,cAtMS,EAsMT,sBAAtMS,WAsMA,IAtMA,W;YAA6C,6B;;QACHF,OAaO,W;MACX,C;KAXA,C;;MAuBiB,  
UACiB,M;MAF9B,YAAy,C;MACC,2B;MAAb,OAaA,cAAAb,C;QAaA,sB;QACT,WAAy,WAAI,WAAU,cAAV,E  
AAU,sBAaV,WAAmB,IAAnB,CAAJ,C;;MAChB,OAaO,W;IACX,C;;MASI,OAa6C,gBAAtC,yBAaQB,SAaRb,  
EAa2B,SAA3B,CAAsC,C;IACjD,C;8FAEA,yB;MAAA,sC;MAAA,6B;MAAA,0BAOY,yB;;UAAA,0B;YAAa,Q;  
YAAA,8BAaU,OAaV,W;cAAAsC,mC;;YAAU,W;UAA7D,C;QAAA,C;OAAA,C;MAPZ,oD;QA6JoB,Q;QAAA,2  
B;QAaHb,OAAGB,cAAhB,C;UAAgB,yB;UAtJK,U;UAAA,wBasJQ,OAtJR,W;YAAsC,6B;;QAC3D,OAaO,W;  
MACX,C;KATA,C;;MAkBiB,Q;MAAA,2B;MAAb,OAaA,cAAAb,C;QAaA,sB;QACT,WAAy,WAAI,UAAU,IAA  
V,CAAJ,C;;MAChB,OAaO,W;IACX,C;;MAQI,OAaO,qBAaiB,SAajB,C;IACX,C;;MAU6B,S;IAAG,C;;MAA5  
B,OAAY,aAAL,SAAK,EAaW,eAAx,C;IACHB,C;;MAWI,OAaO,qBAaiB,SAajB,EAaUB,QAavB,C;IACX,C;;  
MAWiB,Q;MADb,UAAU,sB;MACG,2B;MAAb,OAaA,cAAAb,C;QAaA,sB;QAAM,GAAL,WAAI,IAAJ,C;;MACv  
B,OAaO,G;IACX,C;;MAUoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU  
,OAaV,CAAL,C;UAAyB,OAaO,K;;MACiD,OAaO,I;IACX,C;;MAUI,OAaO,oBAaW,U;IACtB,C;;MAUoB,Q;  
MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAaV,CAAJ,C;UAAwB,OAaO,I;;MA  
CrD,OAaO,K;IACX,C;;MASoB,Q;MADhB,YAAy,C;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,  
qB;;MACtB,OAaO,K;IACX,C;;MASoB,Q;MADhB,YAAy,C;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;  
QAAM,IAAI,UAAU,OAaV,CAAJ,C;UAAwB,qB;;MAC9C,OAaO,K;IACX,C;;MASoB,Q;MADhB,kBAaKB,O;  
MACF,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,cAAc,UAAU,WAAV,EAaUB,OAavB,C;;MACpC,O  
AAO,W;IACX,C;;MAaoB,UAA8B,M;MAF9C,YAAy,C;MACZ,kBAaKB,O;MACF,2B;MAAhB,OAAGB,cAAhB,

C;QAAGB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAMb,WAAAnB,EAAGC,OAAhC,C;;MACpC,OAA  
O,W;IACX,C;;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;IAC1B,C  
;;MAWiB,UAAa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,  
sBAAP,WAAgB,IAAhB,C;;IACvB,C;;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;M  
AChC,UAAU,QAAS,O;MACnB,IAAQ,QAAJ,GAAL,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,  
C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C  
;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,O  
AAO,I;MACHC,UAAU,QAAS,O;MACnB,IAAQ,QAAJ,GAAL,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAA  
S,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAA  
M,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;  
QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IA  
AI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQI,eAAe,oB;MACf,IAAI,CAAC,  
QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,cAAc,QAAS,O;MACvB,eAAe,SAAS,OAAT,C;MACf,OAAO,QAAS,  
UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,  
UAAU,C;UACV,WAAW,C;;MAGnB,OAAO,O;IACX,C;;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;  
QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IA  
AI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C  
;;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,IAA  
Q,QAAJ,GAAL,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IA  
AM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,  
G;IACX,C;;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;M  
ACnB,IAAQ,QAAJ,GAAL,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;  
QACjB,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEv  
B,OAAO,G;IACX,C;;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QA  
AS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,M  
AAM,C;;MAEvB,OAAO,G;IACX,C;;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MA  
ChC,cAAc,QAAS,O;MACvB,eAAe,SAAS,OAAT,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QA  
CjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAGnB,  
OAAO,O;IACX,C;;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QA  
S,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,  
CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUI,OAAO,CAAC,oBAAW,U;IAC  
vB,C;;MAUoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAP,CAAJ,C;UAA  
wB,OAAO,K;;MACrD,OAAO,I;IACX,C;;MASE,qB;QACP,eAAO,EAAP,C;QAAA,OACA,E;MAFO,C;IAAA,C;;  
MAAX,OAAO,kBAAL,qBAAL,C;IAIX,C;kFAEA,yB;MAAA,4F;MAAA,uC;QAMI,eAAe,SAAK,W;QACpB,IAAI  
,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,kCAA9B,C;QAC/B,kBAAqB,QAAS,O;QAC9B,OAAO,QAA  
S,UAAhB,C;UACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;QAEIB,OAAO,W;MACX,C;KAbA,C;gGAe  
A,yB;MAAA,4F;MAAA,uC;QAcgC,Q;QAL5B,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,M  
AAM,mCAA8B,kCAA9B,C;QAC/B,YAAY,C;QACZ,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UAC  
I,cAAc,WAAU,YAAV,EAAU,oBAAV,SAAMb,WAAAnB,EAAGC,QAAS,OAAzC,C;;QAEIB,OAAO,W;MACX,C;  
KAjBA,C;;MAOBoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,YAAO,SAA  
S,OAAT,CAAP,I;;MAEJ,OAAO,G;IACX,C;;MASoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,  
C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;IACX,C;;MAQE,qB;QAAE,e;UAAM,MAAM,gC  
AAyB,2BAAwB,mBAAxB,MAAzB,C;;QAAZ,S;MAAF,C;IAAA,C;;MAAX,OAAO,kBAAL,gCAAJ,C;IACX,C;;  
MAeI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,C;IACX,C;;MAoBI,OAAO,sBAAS,IAAT,EAAe,IAAf,E  
AAc,IAAtC,EAAwD,SAAxD,C;IACX,C;;MAQW,4B;MAAA,sC;IAAA,C;;MAG0B,qB;QAAE,IAAI,CAAC,iBA  
AD,IAAY,WAAm,eAAN,CAAhB,C;UAAiC,oBAAU,I;UAA3C,OAAiD,K;;UAAjD,OAA8D,I;MAAhE,C;IAAA,  
C;;MADzB,kBAAC,KAAAd,C;MACA,OAAkB,SAAX,eAAW,EAAO,kEAAP,CAA8E,W;IACpG,C;;MAJJ,kD;IA  
MJ,C;;MAYW,wC;MAAA,4B;IAAA,C;;MAG6B,qB;QAAE,OAAM,aAAN,mB;MAAF,C;IAAA,C;;MAD5B,YAA

qB,UAAT,qBAAS,C;MACrB,OAakB,YAAX,eAAW,EAAU,4CAAV,CAA0B,W;IAChD,C;;;MALJ,IAAI,QrBg2I  
G,YAAQ,CqBh2If,C;QAAwB,OAAO,S;MAC/B,qD;IAMJ,C;;MAWW,wC;MAAA,4B;IAAA,C;;MAMiC,qB;QA  
AE,OAAM,aAAN,mB;MAAF,C;IAAA,C;;MAJhC,YAAqB,4BAAT,qBAAS,C;MACrB,IAAI,KAAM,UAAV,C;Q  
ACI,OAAO,eAAW,W;;QAEIB,OAakB,YAAX,eAAW,EAAU,4CAAV,CAA0B,W;IACpD,C;;;MAPJ,qD;IASJ,C;;  
MAWW,wC;MAAA,4B;IAAA,C;;MAMiC,qB;QAAE,OAAM,aAAN,mB;MAAF,C;IAAA,C;;MAJhC,YAAqB,YA  
AT,qBAAS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAO,eAAW,W;;QAEIB,OAakB,YAAX,eAAW,EAAU,4  
CAAV,CAA0B,W;IACpD,C;;;MAPJ,qD;IASJ,C;8FAEA,yB;MAAA,4C;MAAA,qC;QAOI,OAAO,iBAAM,OAAN  
,C;MACX,C;KARA,C;wFAUA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAy,gB;QACZ,aAA  
a,gB;QACG,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WA  
AI,OAAJ,C;;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;MACX,C;KAIBA,C;  
;MA0BI,OAA6C,UAAtC,YAAW,SAAX,EAAiB,YAAW,OAAX,EAAjB,EAAc,C;IACjD,C;;MAWI,OAAy,OA  
AL,SAAK,EAAc,OAAT,QAAS,CAAd,C;IACbB,C;;MAWI,OAA+C,UAAxC,YAAW,SAAX,EAA0B,aAAT,QAA  
S,CAA1B,EAAwC,C;IACnD,C;;MAWI,OAakC,UAA3B,YAAW,SAAX,EAAiB,QAAjB,EAA2B,C;IACtC,C;4FA  
EA,yB;MAAA,0C;MAAA,qC;QAOI,OAAO,gBAAK,OAAL,C;MACX,C;KARA,C;;MA0B+C,oB;QAAA,OAAy,  
C;MAAG,8B;QAAA,iBAA0B,K;MACpF,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2D,KAA3  
D,C;IACX,C;;MAoBkD,oB;QAAA,OAAy,C;MAAG,8B;QAAA,iBAA0B,K;MACvF,OAawE,OAAjE,8BAAiB,I  
AAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2D,IAA3D,CAAiE,EAAI,SAAJ,C;IAC5E,C;;MAWoD,cAAM,EAAN,  
C;IAAS,C;;MAAZD,OAAO,oBAAGB,SAAhB,EAAcB,KAAtB,EAA6B,UAA7B,C;IACX,C;;MAAiC,aAAK,CAAL,C;IAAO,C;;MAApC,OAAO,yBA  
AY,kBAAZ,C;IACX,C;;MAciC,yD;uBAAA,4G;YAAA,S;iBAAA,Q;;iBAAA,uB;MAAA,C;IAAA,C;;MAAA,wC;  
MAAA,6B;MAAA,yB;MAAA,gD;MAAA,kD;MAAA,4B;MAAA,2B;MAAA,wB;MAAA,kC;IAS7B,C;;;;;;oCA  
RmB,sC;cACf,IAAI,CAAC,mBAAS,UAAAd,C;gBAAYB,M;;;gBAAZB,gB;;;;;;mCACc,mBAAS,O;cACvB,gB;;cA  
AA,KAAM,mBAAS,UAAhB,C;gBAAA,gB;;;gCACe,mBAAS,O;cACpB,gB;8BAAA,iCAAM,6BAAU,kBAAV,E  
AAmB,eAANB,CAAN,O;kBAAA,qC;uBAAA,mB;cAAA,Q;;cACA,qBAAU,e;cAHd,gB;;cAKJ,W;;;;;;IAAA  
,C;;MATA,OAAO,cAAc,0CAAd,C;IAUX,C;;MAY6D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,  
uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MA  
GtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAy,C;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;Q  
ACZ,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,  
C;UACW,gBAAP,MAAO,EAAc,OAAd,EAAuB,SAAvB,C;;;UACJ,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,K  
AA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAYw  
C,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;M  
AAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACjN,OAAO,oBAAO,sBAAP,EAAwB,SAAXB,EAAm  
C,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAAS3D,EAAcE,SAAtE,CAAiF,W;IAC5F,C;;MAMoB,mB;  
QAAE,OAAA,eAAK,W;MAAP,C;IAAA,C;;MR7nDmE,wC;IANvF,C;IAAA,0D;MAO2C,8B;IAAA,C;IAP3C,gF;;  
MQmoDI,oCAAGB,8BAAhB,C;IACJ,C;;MAOI,OAAO,S;IACX,C;;MAWoB,Q;MAFhB,UAAkB,G;MACIB,YAAi  
B,C;MACD,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW,  
UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAWoB,Q;MAFhB,UAAkB,G;MACIB,YA  
AiB,C;MACD,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAA  
W,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAWoB,Q;MAFhB,UAAkB,G;MACIB,  
YAAiB,C;MACD,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,O  
AAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAWoB,Q;MAFhB,UAAkB,G;MAC  
IB,YAAiB,C;MACD,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,gBAAS,CAAT,I;;M  
AEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAWoB,Q;MAFhB,UAAkB,  
G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,gBAAS,CAAT,  
I;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAUoB,Q;MADhB,UAA  
e,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;IACX,C;;MAUoB,Q;

MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;IACX,C;;MAUoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,OAAP,I;;MAEJ,OAAO,G;IACX,C;;MAUoB,Q;MADhB,Y;MACgB,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,cAAO,OAAP,C;;MAEJ,OAAO,G;IACX,C;;MAUoB,Q;MADhB,UAAiB,G;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;IACX,C;;MAUoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;IACX,C;;MChzDI,aAAa,qBAAiB,YAAY,cAAZ,CAAjB,C;MACb,kBAAc,KAAAd,C;MPoqBgB,Q;MAAA,OOnqBT,SPmqBS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,2B;QAAU,oB;QOnqBK,IAAI,CAAC,SAAD,IAAY,OPmqBX,SONqBW,UAAhB,C;UAAiC,YAAU,I;UAA3C,mBAAiD,K;;UAAjD,mBAA8D,I;;QPmqBvE,qB;UOnqBD,MPmqBqC,WAAI,SAAJ,C;;MOnqB1D,OAAqB,M;IACzB,C;;MAQI,aAAa,qBAAiB,SAAjB,C;MACN,YAAP,MAAO,EAAU,QAAV,C;MACP,OAAO,M;IACX,C;;MAQI,YAAqB,gCAAT,QAAS,EAAgC,SAAhC,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAy,QAAL,SAAK,C;MAChB,IAAI,yBAAJ,C;QACgB,kBAAY,sB;QPmoBZ,Q;QAAA,OOnoBL,SPmoBK,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,COnoBwB,qBPmoBb,OOnoBa,CPmoB5B,C;YAAyB,WAAy,WAAI,OAAJ,C;;QOnoBvD,OPooBG,W;;MOnoBP,aAAa,qBAAiB,SAAjB,C;MACb,MAAO,mBAAU,KAAV,C;MACP,OAAO,M;IACX,C;;MAQI,aAAa,qBAAiB,SAAjB,C;MACN,YAAP,MAAO,EAAU,QAAV,C;MACP,OAAO,M;IACX,C;gGAEA,yB;MAAA,8C;MAAA,qC;QAOI,OAAO,iBAAM,OAAN,C;MACX,C;KARA,C;;MAGBI,aAAa,qBAAiB,YAAY,iBAAO,CAAP,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP,OAAO,M;IACX,C;;MASI,aAAa,qBAAiB,YAAY,SAAK,KAAL,GAAY,QAAS,OAArB,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;;MAQuD,UAAAT,M;MAA1C,aAAa,qBAAiB,YAAY,WAAS,4BAAT,QAAS,CAAT,YAA4C,cAAL,WAAvC,4BAA2D,SAAK,KAAL,GAAY,CAAZ,IAAvE,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACA,OAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;;MASI,aAAa,qBAAiB,YAAY,SAAK,KAAL,GAAY,CAAZ,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;8FAEA,yB;MAAA,4C;MAAA,qC;QAOI,OAAO,gBAAK,OAAL,C;MACX,C;KARA,C;;MCxGI,OAAO,qBAAI,KAAJ,C;IACX,C;gGAEA,yB;MAAA,uD;MAAA,gC;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,qBAAI,KAAJ,CAAtC,GAAsD,uBAAa,KAAb,E;MACjE,C;KANA,C;gGAQA,yB;MAAA,+C;MAAA,mC;QAKI,OAAy,UAAAL,SAAK,EAAU,KAAV,C;MACHB,C;KANA,C;0EAQA,yB;MA0CA,6C;MAAA,oC;MAAA,gC;MA1CA,uC;QAKW,sB;;UAYCS,Q;UAAA,0B;UAhB,OAAgB,cAAhB,C;YAAgB,oC;YAAM,IAZCH,SAyCO,CAAU,oBAAV,CAAJ,C;cAAwB,qBAAO,O;cAAP,uB;;UAC9C,qBAAO,I;;QA1CP,yB;MACJ,C;KANA,C;kFAQA,yB;MA8GA,mD;MAAA,+C;MAAA,oC;MA9GA,uC;QAKW,qB;;UA6GO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,cAAAc,qBAAK,KAAL,C;YACd,IA/Gc,SA+GV,CAAU,oBAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;QAJHP,wB;MACJ,C;KANA,C;;MAaI,ICqKgD,qBAAU,CDrK1D,C;QACI,MAAM,2BAAuB,yBAAvB,C;MACV,OAAO,qBAAK,CAAL,C;IACX,C;4EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,iE;MAAA,uC;QAKoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,6DAAvB,C;MACV,C;KAPA,C;;MAaI,OCmJgD,qBAAU,CDnJnD,GAAe,IAAf,GAAyB,qBAAK,CAAL,C;IACpC,C;wFAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,OA AO,I;MACX,C;KANA,C;mFAQA,yB;MAAA,uD;MAAA,gC;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAA S,wBAA3B,GAAsC,qBAAI,KAAJ,CAAtC,GAAsD,uBAAa,KAAb,E;MACjE,C;KANA,C;;MAYI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,qBAAI,KAAJ,CAAtC,GAAsD,I;IACjE,C;0FAEA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAIkB,gC;QAAA,6B;QAAA,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,UAAU,iCAAk,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;MACX,C;KAVA,C;wFAYA,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,iCAAk,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;MACX,C;KAVA,C;;MAiBI,IC4FgD,qBAAU,CD5F1D,C;QACI,MAAM,2BAAuB,yBAAvB,C;MACV,OAAO,qBAAK,0BAAAL,C;IACX,C;0EAEA,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,qBAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,6DAAvB,C;MACV,C;KAVA,C;;MAGBI,OCuEgD,qBAAU,CD

vEnD,GAAe,IAAf,GAAYB,qBAAK,mBAAS,CAAT,IAAL,C;IACpC,C;sFAEA,yB;MAAA,mD;MAAA,+C;MAA  
A,oC;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,u  
B;UACV,cAAc,qBAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;M  
ACX,C;KATA,C;;MAeiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,yBAAvB,C;aAC  
X,C;UAAK,4BAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAYB,0CAAzB,C;;MAHIB,W;IAKJ,C;8EAEA,yB;M  
AAA,6C;MAAA,oC;MAAA,kF;MAAA,gC;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;  
QACpB,YAAY,K;QACI,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,  
IAAI,KAJ,C;CAAW,MAAM,8BAAyB,wDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KA  
AL,C;UAAy,MAAM,gCAAuB,6DAAvB,C;QAEIB,OAAO,4E;MACX,C;KAhBA,C;;MASBI,OAAW,qBAAU,CA  
Ad,GAAiB,qBAAK,CAAL,CAAJB,GAA8B,I;IACzC,C;0FAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;  
QAMoB,Q;QAFhB,aAAoB,I;QACpB,YAAY,K;QACI,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,U  
AAU,oBAAV,CAAJ,C;YACI,IAAI,KAJ,C;CAAW,OAAO,I;YACIB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,C  
AAC,KAAL,C;UAAy,OAAO,I;QACnB,OAAO,M;MACX,C;KafA,C;;MhB7KI,IAAI,EgBoMI,KAAK,ChBpMT,  
CAAJ,C;QACI,cgBmMc,wD;QhBIMd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MgBmMV,OAAO,8BAAc,eAAF,CA  
AE,EAAa,gBAAb,CAAd,EAAoC,gBAApC,C;IACX,C;;MhBtMI,IAAI,EgB8MI,KAAK,ChB9MT,CAAJ,C;QACI,  
cgB6Mc,wD;QhB5Md,MAAM,gCAAYB,OAAQ,WAAjC,C;;MgB6MV,OEpm6E,oBFoM1D,eAAF,CAAE,EAAa,  
gBAAb,CEpm0D,C;IFqMjF,C;;MhBhNI,IAAI,EgBwNI,KAAK,ChBxNT,CAAJ,C;QACI,cgBuNc,wD;QhBtNd,M  
AAM,gCAAYB,OAAQ,WAAjC,C;;MgBuNV,OAAO,mBAAkB,gBAAZ,mBAAS,CAAT,IAAY,EAAc,CAAd,CA  
AIB,C;IACX,C;;MhB1NI,IAAI,EgBkOI,KAAK,ChBIOT,CAAJ,C;QACI,cgBiOc,wD;QhBhOd,MAAM,gCAAYB,  
OAAQ,WAAjC,C;;MgBiOV,OAAO,mBAAkB,gBAAZ,mBAAS,CAAT,IAAY,EAAc,CAAd,CAAIB,C;IACX,C;2  
FAEA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAA  
U,iCAAk,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAy,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;QACf,OAAO,E;M  
ACX,C;KAVA,C;4FAYA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UAC  
I,IAAI,CAAC,UAAU,iCAAk,KAAL,EAAV,CAAL,C;YACI,OE5OoF,oBF4OnE,CE5OmE,EF4OhE,QAAQ,CAA  
R,IE5OgE,C;;QF6O5F,OAAO,E;MACX,C;KAVA,C;oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMuB,UA  
AL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI  
,IAAI,CAAC,UAAU,iCAAk,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAy,KAAZ,EAAmB,gBAAnB,C;QACf,O  
AAO,E;MACX,C;KAVA,C;oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMuB,UAAL,MAAK,EAAL,MAA  
K,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iC  
AAK,KAAL,EAAV,CAAL,C;YACI,OEvQqE,oBFuQpD,KEvQoD,C;;QFwQ7E,OAAO,E;MACX,C;KAVA,C;8E  
AYA,yB;MAAA,yD;MAkEA,oC;MAIEA,uC;QAIW,kBAAS,oB;QAKEM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB  
;UACI,cAAc,qBAAI,KAJ,C;UACd,IApE6B,SAoEzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAy,gBAAO,OAAP,  
C;;QApExC,OAsEO,W;MArEX,C;KALA,C;8EAOA,yB;MAAA,yD;MA2DA,oC;MA3DA,uC;QAIW,kBAAS,oB;  
QA2DM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,KAJ,C;UACd,IA7D6B,SA6DzB,CAAU,o  
BAAV,CAAJ,C;YAAwB,WAAy,gBAAO,OAAP,C;;QA7DxC,OA+DO,WA/DqC,W;MACHD,C;KALA,C;4FAOA  
,yB;MAAA,yD;MAkBA,gC;MAylBA,6C;MAAA,oC;MA3mBA,uC;QAMW,kBAAGB,oB;QA4mBV,gB;QADb,Y  
AAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UA  
zIB/B,IAnBoC,SAmBhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAnB/C,OAqBO,  
W;MApBX,C;KAPA,C;4FASA,yB;MAAA,yD;MASA,gC;MAylBA,6C;MAAA,oC;MAlmBA,uC;QAMW,kBAAG  
B,oB;QAmBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sB  
AAP,S;UAAA,cAAGB,iB;UAzIB/B,IAVoC,SAUhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kB  
AAP,C;;QAV/C,OAYO,WAZ4C,W;MACvD,C;KAPA,C;gGASA,yB;MAAA,gC;MAylBA,6C;MAAA,oC;MAzIB  
A,oD;QAGmBiB,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sB  
AAP,S;UAAA,cAAGB,iB;UAzIB/B,IAAI,UAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;Q  
AE/C,OAAO,W;MACX,C;KAVA,C;oFAYA,yB;MAAA,yD;MAcA,6C;MAAA,oC;MAAA,gC;MAAd,uC;QAIW,  
kBAAY,oB;QAcH,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAdU,SaCT,CAAU,oBAA  
V,CAAL,C;YAAyB,WAAy,gBAAO,OAAP,C;;QAd3D,OAeO,W;MAAdX,C;KALA,C;oFAOA,yB;MAAA,yD;MA  
OA,6C;MAAA,oC;MAAA,gC;MAPA,uC;QAIW,kBAAY,oB;QAOH,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;U

AAgB,oC;UAAM,IAAI,CAPU,SAOT,CAAU,oBAAV,CAAL,C;YAAyB,WAAy,gBAAO,OAAP,C;;QAP3D,OAQO,WARwC,W;MACnD,C;KALA,C;wFAOA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAIoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAAC,UAAU,oBAAV,CAAL,C;YAAyB,WAAy,gBAAO,OAAP,C;;QAC3D,OOAO,W;MACX,C;KANA,C;kFAQA,yB;MAAA,oC;MAAA,oD;QAI0B,Q;QAAA,uB;QAAtB,iBAAC,CAAd,wB;UACI,cAAc,qBAAI,KAAJ,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,WAAy,gBAAO,OAAP,C;;QAExC,OOAO,W;MACX,C;KATA,C;;MAeI,IAAI,OOAQ,UAAZ,C;QAAuB,OOAO,E;MAC9B,OOAO,yBAAY,OOAZ,C;IACX,C;;MAMI,IAAI,OOAQ,UAAZ,C;QAAuB,OOAO,E;MAC9B,OOAO,uBAAU,OOAV,C;IACX,C;;MASc,Q;MAHV,WAAmB,wBAAR,OOAQ,EAawB,EAaxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QA Ae,OOAO,E;MACTb,aAAa,mBAAC,IAAd,C;MACH,yB;MAAV,OOAU,cAAV,C;QAAU,mB;QACN,MAAO,gBAAO,qBAAI,CAAJ,CAAP,C;;MAEX,OOAO,M;IACX,C;4EAEA,yB;MAAA,8B;MAAA,uC;MAAA,qC;QAKY,Q;QAAR,OOA8B,MAAtB,2DAAsB,EAAM,OOAN,CAAe,W;MACjD,C;KANA,C;;MhBhYI,IAAI,EgB8YI,KAAK,ChB9YT,CAAJ,C;QACI,cgB6Yc,wD;QhB5Yd,MAAM,gCAAYB,OOAQ,WAAjC,C;;MgB6YV,OOAO,8BAAY,C AAZ,EAAiB,eAAF,CAAE,EAAa,gBAAb,CAAjB,C;IACX,C;;MhBhZI,IAAI,EgBwZI,KAAK,ChBxZT,CAAJ,C;QACI,cgBuZc,wD;QhBtZd,MAAM,gCAAYB,OOAQ,WAAjC,C;;MgBuZV,OE3Y4F,oBF2Y3E,CE3Y2E,EF2YtE,e AAF,CAAE,EAAa,gBAAb,CE3YsE,C;IF4YhG,C;;MhB1ZI,IAAI,EgBkaI,KAAK,ChBlaT,CAAJ,C;QACI,cgBiac,wD;QhBhad,MAAM,gCAAYB,OOAQ,WAAjC,C;;MgBiaV,aAAa,gB;MACb,OOAO,8BAAY,SAAW,eAAF,CAA E,EAAa,MAAb,CAAX,IAAZ,EAA6C,MAA7C,C;IACX,C;;MhBraI,IAAI,EgB6aI,KAAK,ChB7aT,CAAJ,C;QACI,cgB4ac,wD;QhB3ad,MAAM,gCAAYB,OOAQ,WAAjC,C;;MgB4aV,aAAa,gB;MACb,OEpa6E,oBFoa5D,SAAW,e AAF,CAAE,EAAa,MAAb,CAAX,IEpa4D,C;IFqajF,C;2FAEA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EA AV,CAAL,C;YACI,OOAO,8BAAY,QAAQ,CAAR,IAAZ,EAAuB,gBAAvB,C;;;QAGf,OOAO,8BAAY,CAAZ,EAAe,gBAaf,C;MACX,C;KAZA,C;4F AcA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EA AV,CAAL,C;YACI,OE7bqE,oBF6bpD,QAAQ,CAAR,IE7boD,C;;;QFgc7E,OOAO,S;MACX,C;KAZA,C;oFAcA,yB;MAAA,oC;MAAA,uC;QAM0B,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,IAAI,CAAC,UAAU,iCAAI,KAAJ,EA AV,CAAL,C;YACI,OOAO,8BAAY,CAAZ,EAAe,KAAf,C;;QAEf,OOAO,8BAAY,CAA Z,EAAe,gBAaf,C;MACX,C;KAXA,C;oFAaA,yB;MAAA,oC;MAAA,uC;QAM0B,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,IAAI,CAAC,UAAU,iCAAI,KAAJ,EA AV,CAAL,C;YACI,OErdof,oBFqdnE,CerdmE,EFqdhE,KE rdgE,C;;QFud5F,OOAO,S;MACX,C;KAXA,C;;MAiBI,OOAO,qBAAC,SAAd,CAAoB,U;IAC/B,C;kFAEA,yB;MA AA,8B;MAAA,6C;MAAA,4B;QAKY,Q;QAAR,OOA8B,SAAtB,2DAAsB,CAAW,W;MAC7C,C;KANA,C;oFAQ A,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAkEA,6C;MAAA,oC;MAAA,gC;MAIEA,uC;QASI,eAAmC,cAApB,Y AAY,gBAAZ,CAAoB,EAAC,EAAd,C;QAC5B,kBAAY,mBAAoB,QAAPB,C;QA+DH,Q;QAAA,0B;QAAhB,OA AgB,cAAhB,C;UAAgB,oC;UACZ,WAhE8C,SAGe/B,CAAU,oBAAV,C;UnB7BnB,wBAAI,IAAK,MAAT,EAAG B,IAAK,OOArB,C;;QmBnCA,OAKEO,W;MAjEX,C;KAXA,C;wFAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA yBA,6C;MAAA,oC;MAAA,gC;MAZBA,yC;QASI,eAAmC,cAApB,YAAY,gBAAZ,CAAoB,EAAC,EAAd,C;QAC 5B,kBAAC,mBAAuB,QAavB,C;QAuBL,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aA xBuC,WAwBnC,CAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QAxBhB,OA0BO,W;MAzBX,C;KAXA,C;wFAaA,y B;MAAA,0D;MAAA,yD;MAAA,uE;MA0BA,6C;MAAA,oC;MAAA,gC;MA1BA,yD;QAQI,eAAmC,cAApB,YA AY,gBAAZ,CAAoB,EAAC,EAAd,C;QAC5B,kBAAC,mBAAoB,QAAPB,C;QAyBL,Q;QAAA,0B;QAAhB,OAAG B,cAAhB,C;UAAgB,oC;UACZ,WAAy,aA1BoC,WA0BhC,CAAY,oBAAZ,CAAJ,EA1BiD,cA0BvB,CAAe,oBAA f,CAA1B,C;;QA1BhB,OA4BO,W;MA3BX,C;KAVA,C;4FAYA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sD ;QAQoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aAAI,YAAY,oBAAZ,CAAJ,EAA0 B,oBAA1B,C;;QAEhB,OOAO,W;MACX,C;KAZA,C;4FAcA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sE;Q AQoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aAAI,YAAY,oBAAZ,CAAJ,EAA0B, eAAe,oBAAf,CAA1B,C;;QAEhB,OOAO,W;MACX,C;KAZA,C;wFAcA,yB;MAAA,6C;MAAA,oC;MAAA,gC;M AAA,oD;QAOb,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,WAAe,UAAU,oBAAV,C;UnB7B nB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OOArB,C;;QmB+BA,OOAO,W;MACX,C;KAXA,C;;MAiBiB,Q;MAAA ,4B;MAAb,OOAa,cAAb,C;QAAa,iC;QACT,WAAy,WAAI,iBAAJ,C;;MAEhB,OOAO,W;IACX,C;;MAMI,OOAO ,2BAAa,eAAc,YAAY,gBAAZ,CAAd,CAAb,C;IACX,C;;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UA

AK,kB;UAAL,K;aACA,C;UAAK,cAAO,iCAAK,CAAL,EAAP,C;UAAL,K;gBACa,wBAAL,SAAK,C;UAHV,K;;  
MAAP,W;IAKJ,C;;MAMI,OAAO,2BAAa,iBAAgB,gBAAhB,CAAb,C;IACX,C;;MAQiB,IAAN,I;MAAA,QAAM,  
gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,iCAAK,CAAL,EAAN,C;UAAL,K;gBACQ,kCA  
Aa,qBAAoB,YAAY,gBAAZ,CAApB,CAAb,C;UAHL,K;;MAAP,W;IAKJ,C;gFAEA,yB;MAAA,+D;MAOA,6C;M  
AAA,oC;MAAA,gD;MAAA,gC;MAPA,uC;QAIW,kBAAU,gB;QAOD,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;  
UAAgB,oC;UACZ,WAR6B,SAQIB,CAAU,oBAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAThB,OAOW,W  
;MAVX,C;KALA,C;oFAOA,yB;MAAA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oD;QAIoB,Q;QAAA,0B;Q  
AAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAW,UAAU,oBAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;  
QAEhB,OAAO,W;MACX,C;KATA,C;gFAWA,yB;MAAA,wE;MAyBA,6C;MAAA,oC;MAAA,+D;MAAA,gC;M  
AzBA,yC;QASW,kBAAU,oB;QAYBD,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UA1BoD,W  
A0B1C,CAAY,oBAAZ,C;UnB9bP,U;UADP,YmBgce,WnBhcH,WmBgcwB,GnBhcxB,C;UACL,IAAI,aAAJ,C;YA  
CH,amB8buC,gB;YAA5B,WnB7bX,amB6bgC,GnB7bhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UmB0bA,iB;UAC  
A,IAAK,WAAI,oBAAJ,C;;QA5BT,OA8BO,W;MA7BX,C;KAVA,C;gFAYA,yB;MAAA,wE;MA8BA,6C;MAAA,  
oC;MAAA,+D;MAAA,gC;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UA  
AgB,oC;UACZ,UA/BiD,WA+BvC,CAAY,oBAAZ,C;UnBhdP,U;UADP,YmBkde,WnBldH,WmBkdwB,GnBldxB,  
C;UACL,IAAI,aAAJ,C;YACH,amBgduC,gB;YAA5B,WnB/cX,amB+cgC,GnB/chC,EAAS,MAAT,C;YACA,e;;;Y  
AEA,c;;UmB4cA,iB;UACA,IAAK,WAjCyD,cAiCrD,CAAE,oBAAf,CAAJ,C;;QAJCT,OAmCO,W;MAICX,C;KA  
XA,C;oFAaA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAA,0B;QAAhB,OAAg  
B,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;UnB9bP,U;UADP,YmBgce,WnBhcH,WmBgcwB,GnBh  
cxB,C;UACL,IAAI,aAAJ,C;YACH,amB8buC,gB;YAA5B,WnB7bX,amB6bgC,GnB7bhC,EAAS,MAAT,C;YACA  
e;;;YAEA,c;;UmB0bA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAET,OAAO,W;MACX,C;KAFa,C;oFAiBA,yB;MA  
AA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAUoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,o  
C;UACZ,UAAU,YAAY,oBAAZ,C;UnBhdP,U;UADP,YmBkde,WnBldH,WmBkdwB,GnBldxB,C;UACL,IAAI,aA  
AJ,C;YACH,amBgduC,gB;YAA5B,WnB/cX,amB+cgC,GnB/chC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UmB4cA,i  
B;UACA,IAAK,WAAI,eAAe,oBAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;qFAkBA,yB;MAAA,6C;M  
AAA,oC;MAAA,kC;MAAA,4C;;QAQW,sC;QAAA,8C;MARX,C;MAAA,gE;QASwD,OAAgB,SAAhB,oBAAgB,  
C;MAAhB,C;MATxD,oE;QAU+C,gCAAY,oBAAZ,C;MAAA,C;MAV/C,gF;MAAA,yC;QAQI,2D;MAIJ,C;KAZA  
,C;wEAaA,yB;MAAA,gE;MAqEA,6C;MAAA,oC;MAAA,gC;MArEA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAq  
EA,Q;QAAA,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAY,WAtEmB,SAsEf,CAAU,iBAAV,CAAJ,C;;QAT  
EhB,OAuEO,W;MATEx,C;KANA,C;sFAQA,yB;MAAA,gE;MA+BA,6C;MAAA,oC;MAAA,gC;MA/BA,uC;QAO  
W,kBAAa,eAAa,gBAAb,C;QAgCP,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAA  
Y,WAjC0B,SAiCtB,EAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QAJChB,OAkCO,W;MAjCX,C;K  
ARA,C;mGAUA,yB;MAAA,+D;MAUA,gC;MAAA,sC;MAAA,6B;MAAA,iCAOmB,yB;;UAAA,iC;YAAoB,Q;Y  
AAA,8BAAU,KAAV,EAAiB,OAAjB,W;cAA6C,mC;;YAAU,W;UAA3E,C;QAAA,C;OAAA,C;MA0JnB,6C;MA  
AA,oC;MA3KA,uC;QAOW,kBAAoB,gB;QA2Kd,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC  
;UAjKsB,U;UAAA,cAVQ,SAUR,EAiKT,cAjKS,EAiKT,sBAjKS,WAiKA,iBAjKA,W;YAA6C,6B;;QAVhF,OA  
WO,W;MAVX,C;KARA,C;uGAUA,yB;MAAA,gC;MAAA,sC;MAAA,6B;MAAA,iCAOmB,yB;;UAAA,iC;YAAo  
B,Q;YAAA,8BAAU,KAAV,EAAiB,OAAjB,W;cAA6C,mC;;YAAU,W;UAA3E,C;QAAA,C;OAAA,C;MA0JnB,6  
C;MAAA,oC;MAjKA,oD;QAwKiB,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAjKsB,U;U  
AAA,yBAiKT,cAjKS,EAiKT,sBAjKS,WAiKA,iBAjKA,W;YAA6C,6B;;QACHF,OAAO,W;MACX,C;KATA,C;0  
FAWA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAQiB,UACiB,M;QAF9B,YAAY,C;QACC,0B;QAAb,  
OAAa,cAAb,C;UAAa,iC;UACT,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QAC  
hB,OAAO,W;MACX,C;KAXA,C;qFAaA,yB;MAAA,+D;MAQA,gC;MAAA,sC;MAAA,6B;MAAA,0BAKY,yB;;  
UAAA,0B;YAAa,Q;YAAA,8BAAU,OAAV,W;cAAsC,mC;;YAAU,W;UAA7D,C;QAAA,C;OAAA,C;MAqHZ,6C  
;MAAA,oC;MAIIA,uC;QAKW,kBAAa,gB;QAIJ,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAzHK,  
U;UAAA,cARe,SAQf,CAyHQ,oBAzHR,W;YAA6C,6B;;QAR3D,OASO,W;MARX,C;KANA,C;yFAQA,yB;MA  
AA,gC;MAAA,sC;MAAA,6B;MAAA,0BAKY,yB;;UAAA,0B;YAAa,Q;YAAA,8BAAU,OAAV,W;cAAsC,mC;;Y  
AAU,W;UAA7D,C;QAAA,C;OAAA,C;MAqHZ,6C;MAAA,oC;MA1HA,oD;QA8HoB,Q;QAAA,0B;QAAhB,OA

AgB,cAAhB,C;UAAgB,oC;UAzHK,U;UAAA,wBAyHQ,oBAzHR,W;YAAsC,6B;;;QAC3D,OAAO,W;MACX,C;  
KAPA,C;4EASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAKiB,Q;QAAA,0B;QAAb,OAAa,cAAb,C;  
UAAa,iC;UACT,WAAy,WAAI,UAAU,iBAAV,CAAJ,C;;QACbB,OAAO,W;MACX,C;KARA,C;;MAc4B,mB;Q  
AAE,iC;MAAF,C;IAAA,C;;MAAxB,OAAO,qBAAiB,6BAAjB,C;IACX,C;wEAEA,yB;MAAA,6C;MAAA,oC;M  
AAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAAC,UAAU,o  
BAAV,CAAL,C;YAAyB,OAAO,K;;QACtD,OAAO,I;MACX,C;KARA,C;;MAGBI,OAAO,ECtnByC,qBAAU,CDs  
nBnD,C;IACX,C;wEAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAA  
gB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,I;;QACrD,OAAO,K;MACX,C;  
KARA,C;;MAeI,OAAO,gB;IACX,C;4EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAKoB,Q;QADh  
B,YAAy,C;QACI,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,qB  
;;;QAC9C,OAAO,K;MACX,C;KAPA,C;0EASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAKoB,Q;QA  
DhB,kBAAkB,O;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,cAAc,UAAU,WAAV,EAAuB,oBAA  
vB,C;;QACpC,OAAO,W;MACX,C;KAPA,C;wFASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QASoB,  
UAA8B,M;QAF9C,YAAy,C;QACZ,kBAAkB,O;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,cAAc  
,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAGC,oBAAhC,C;;QACpC,OAAO,W;MACX,C;KAXA,C;m  
FAaA,yB;MAAA,uD;MAAA,oC;MAAA,gD;QAOoC,Q;QAHhC,YAAy,wB;QACZ,kBAAkB,O;QACIB,OAAO,S  
AAS,CAAhB,C;UACI,cAAc,UAAU,kCAAI,YAAJ,EAAL,oBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;  
MACX,C;KAVA,C;iGAYA,yB;MAAA,uD;MAAA,oC;MAAA,gD;QAOI,YAAy,wB;QACZ,kBAAkB,O;QACIB,  
OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAaiB,iCAAI,KAaJ,EAajB,EAA6B,WAA7B,C;UACd,qB;  
;QAEJ,OAAO,W;MACX,C;KAdA,C;gFAGBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAIoB,Q;QAA  
A,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,OAAO,oBAAP,C;;MAC1B,C;KALA,C;8FAOA,yB;MAAA,  
6C;MAAA,oC;MAAA,gC;MAAA,oC;QAOiB,UAAa,M;QAD1B,YAAy,C;QACC,0B;QAAb,OAAa,cAAb,C;UAA  
a,iC;UAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;;MACvB,C;KARA,C;;MAGBiB,Q;MAFb,IC3tBgD  
,qBAAU,CD2tB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QAC  
I,QAAQ,qBAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;4EAEA,  
yB;MAAA,oC;MAAA,uD;MAAA,sC;QAOiB,Q;QAHb,ICxuBgD,qBAAU,CDwuB1D,C;UAAe,OAAO,I;QACtB,c  
AAc,qBAAK,CAAL,C;QACd,eAAe,SAAS,oBAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,qBAAK,  
CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C  
;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC1vBgD,qBAAU,CD0vB1D,C;QAAe,OAAO,I;M  
ACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,  
UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;  
MAQiB,Q;MAFb,ICvwBgD,qBAAU,CDuwB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;  
MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEv  
B,OAAO,G;IACX,C;4EAEA,yB;MAAA,oC;MAAA,uD;MAAA,sC;QAOiB,Q;QAHb,ICpxBgD,qBAAU,CDoxB1  
D,C;UAAe,OAAO,I;QACtB,cAAc,qBAAK,CAAL,C;QACd,eAAe,SAAS,oBAAT,C;QACF,+B;QAAb,aAAU,CA  
AV,iB;UACI,QAAQ,qBAAK,CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YA  
CI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,ICtyBgD,qBAAU,C  
DsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,q  
BAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;  
;MAE9C,OAAO,G;IACX,C;;MAQI,OCrzBgD,qBAAU,C;IDSzB9D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,  
gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAA  
J,C;YAAwB,OAAO,K;;QACrD,OAAO,I;MACX,C;KARA,C;6EUAU,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAA  
A,oC;QAKmC,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,OAAO,oBAAP,C;;QAArC,gB;MAC  
J,C;KANA,C;8EAQA,yB;MAAA,4F;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAOqB,Q;QAHjB,IC90BgD,  
qBAAU,CD80B1D,C;UACI,MAAM,mCAA8B,uCAA9B,C;QACV,kBAAkB,qBAAK,CAAL,C;QACD,+B;QAAj  
B,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,iCAAK,KAAL,EAAvB,E;;QAEIB,OAAO,W;MACX,  
C;KAXA,C;4FAaA,yB;MAAA,4F;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAUqB,Q;QAHjB,IC91BgD,qB  
AAU,CD81B1D,C;UACI,MAAM,mCAA8B,uCAA9B,C;QACV,kBAAkB,qBAAK,CAAL,C;QACD,+B;QAAjB,i

BAAc,CAAd,yB;UACI,cAAc,oBAAU,KAAV,EAAiB,wBAAjB,EAA8B,iCAAK,KAAL,EAA9B,E;;QAEIB,OAA  
O,W;MACX,C;KAdA,C;uFAGBA,yB;MAAA,uD;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAM0B,UAEU,  
M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,uCAA9B,C;QACrB,kBAakB,sBA  
AI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,kCAAI,cAAJ,EAAI,sBAAJ,WA  
AV,EAAwB,wBAAxB,E;;QAEIB,OAAO,W;MACX,C;KAXA,C;qGAaA,yB;MAAA,uD;MAAA,4F;MAAA,oC;M  
AAA,gC;MAAA,uC;QAS0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,uCAA  
9B,C;QACrB,kBAakB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,KA  
AV,EAAiB,iCAAI,KAJ,EAAjB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OAAO,W;MACX,C;KAFa,C;4EaiBA,y  
B;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAKoB,Q;QADhB,UAAe,C;QACC,0B;QAAhB,OAAgB,cAAhB,  
C;UAAgB,oC;UACZ,YAAO,SAAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;MACX,C;KATA,C;wFAWA,yB;MAAA,6  
C;MAAA,oC;MAAA,gC;MAAA,sC;QAKoB,Q;QADhB,UAAkB,G;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAg  
B,oC;UACZ,OAAO,SAAS,oBAAT,C;;QAEJ,OAAO,G;MACX,C;KATA,C;;MA sBI,OAAO,sBAAS,IAAT,EAAe,  
IAAf,EAA sC,IAAtC,C;IACX,C;;MAkBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAA sC,IAAtC,EAAwD,SAAXD,C;IA  
CX,C;;MAAmC,OAAA,EAAG,W;IAAW,C;;MAA7C,OAAO,6BAAgB,IAAhB,EAA sB,sBAAtB,C;IACX,C;;MAk  
BI,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA8C,IAA9C,EAAGe,SAAhE,C;IACX,C;oFAEA,yB;MAAA,yD;M  
AAA,6C;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,oB;QACZ,aAAa,oB;QACG,0B  
;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,KAAM,gBAAO,OAAP,C;;;  
YAEN,MAAO,gBAAO,OAAP,C;;;QAGf,OAAO,cAAK,KAAL,EAAy,MAAZ,C;MACX,C;KAhBA,C;oFAkBA,y  
B;MAAA,yD;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,oB;QACZ,aA  
Aa,oB;QACG,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,KAAM,gB  
AAO,OAAP,C;;;YAEN,MAAO,gBAAO,OAAP,C;;;QAGf,OAAO,cAAK,KAAM,WAAX,EAAuB,MAAO,WAA9  
B,C;MACX,C;KAhBA,C;;MAmCkD,OAAA,EAAG,W;IAAW,C;;MADpB,oB;QAAA,OAAy,C;MAAG,8B;QAA  
A,iBAA0B,K;MACJF,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAqB,cAArB,EAAqC,eAArC,C;IACX,C;;MAoBgD,o  
B;QAAA,OAAy,C;MAAG,8B;QAAA,iBAA0B,K;MAOhE,Q;MANrB,oBAAoB,IAApB,EAA0B,IAA1B,C;MAC  
A,eAAe,SAAK,O;MACpB,aAAa,iBAAa,CAAC,WAAW,IAAX,GAakB,CAAIB,IAAD,IAAwB,IAAxB,IAAb,C;  
MACb,YAAY,C;MACZ,OAAO,QAAQ,QAAf,C;QACI,UAAU,QAAQ,IAAR,I;QACO,IAAI,MAAM,QAAV,C;U  
AAsB,IAAI,cAAJ,C;YAAoB,e;;YAAc,K;;;UAAa,U;QAAtF,qB;QACA,MAAO,WAAl,UAAU,8BAAY,KAAZ,EA  
AmB,UAA nB,CAAV,CAAJ,C;QACP,gBAAS,IAAT,I;;MAEJ,OAAO,M;IACX,C;;MAmB0D,OAAA,EAAG,W;IA  
AW,C;;MADpB,oB;QAAA,OAAy,C;MAAG,8B;QAAA,iBAA0B,K;MACzF,OAAO,8BAAiB,IAAjB,EAAuB,IA  
AvB,EAA6B,cAA7B,EAA6C,uBAA7C,C;IACX,C;;MAuBoC,wB;QAAW,yBAAU,0CAAY,KAAZ,EAAkC,eAAd  
,QAAQ,YAAR,IAAc,EAAa,4BAAb,CAAIc,CAAV,C;MAAX,C;IAAA,C;;MAHoB,sB;QAAA,SAAY,C;MAAG,8  
B;QAAA,iBAA0B,K;MAC7F,oBAAoB,IAApB,EAA0B,MAA1B,C;MACA,cAAc,KAAK,cAAJ,GAAoB,wBAAp  
B,GAAiC,WAAQ,mBAAS,IAAT,GAAGB,CAAhB,IAAR,CAAIC,EAAkE,MAAIE,C;MACd,OAA4B,OAAb,aAA  
R,OAAQ,CAAA,EAAI,qDAAJ,C;IACX,C;;MAoBI,aXtqCO,MAAK,KWsqCY,gBXtqCZ,EW2pCD,KAW2B,OXt  
qC1B,C;MWuqCZ,WAAW,iBAAa,MAAb,C;MACX,aAAU,CAAV,MAAkB,MAAIB,M;QACI,IAAK,WAdqB,GA  
cP,iCAAK,CAAL,EAdO,EAcE,YAdrB,KAcqB,YAAM,CAAN,EAdF,CACrB,C;;MADt,OAGBO,I;IAfX,C;wEAEA  
,yB;MAAA,gE;MAAA,oC;MXpqCA,iB;MWoqCA,8C;QAQI,aXtqCO,MAAK,KWsqCO,SAAK,OXtqCZ,EWsqCo  
B,KAAM,OXtqC1B,C;QWuqCZ,WAAW,eAAa,MAAb,C;QACX,aAAU,CAAV,MAAkB,MAAIB,M;UACI,IAAK,  
WAAl,UAAU,iCAAK,CAAL,EAAV,EAAMB,6BAAM,CAAN,EAA nB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAd  
A,C;;MAyBW,sB;;QAaP,WAAW,mBAAS,CAAT,I;QACX,IAAI,OAAO,CAAX,C;UAAc,qBAAO,W;UAAP,uB;;  
QACd,aAAa,iBAAa,IAAb,C;QACb,iBAAc,CAAd,UAA sB,IAAtB,U;UACI,MAAO,WajBkB,GAiBJ,iCAAK,KA  
AL,EAjBI,EAiBS,iCAAK,QAAQ,CAAR,IAAL,EAjBT,CaiBIB,C;;QAEJ,qBAAO,M;;;MANBP,yB;IACJ,C;uFAE  
A,yB;MAAA,qD;MAAA,gE;MAAA,oC;MAAA,uC;QAUI,WAAW,mBAAS,CAAT,I;QACX,IAAI,OAAO,CAAX,  
C;UAAc,OAAO,W;QACrB,aAAa,eAAa,IAAb,C;QACb,iBAAc,CAAd,UAA sB,IAAtB,U;UACI,MAAO,WAAl,U  
AAU,iCAAK,KAAL,EAAV,EAAuB,iCAAK,QAAQ,CAAR,IAAL,EAAvB,CAAJ,C;;QAEJ,OAAO,M;MACX,C;  
KAjBA,C;;MAwBoB,mB;QAAE,OAAK,WAAL,eAAK,C;MAAP,C;IAAA,C;;MVr3CmE,wC;IANvF,C;IAAA,0D;  
MAO2C,8B;IAAA,C;IAP3C,gF;;MU03CQ,wC;MAAA,S;QAakB,OC9pC0B,qBAAU,C;;MD8pC1D,S;QAAiC,O  
AAO,W;MACxC,oCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,WAAL,eAAK,C;MAAP,C;IAAA,C;;





C;aAAA,U;UAAA,yC;aAAA,S;UAAA,wC;gBAAA,+D;;IAAA,C;;;M9BQI,OAAO,cAAa,SAAb,C;IACX,C;oFAE  
A,yB;MAAA,gD;MAAA,4B;QAKI,OAAcC,OAA/B,SAA+B,C;MAC1C,C;KANA,C;oFAQA,yB;MAAA,gD;MAA  
A,4B;QAKI,OAAuC,OAAhC,SAAgC,C;MAC3C,C;KANA,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAqC,  
OAA9B,SAAB,C;MACzC,C;KANA,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAcC,OAA/B,SAA+B,C;MA  
C1C,C;KANA,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAuC,OAAhC,SAAgC,C;MAC3C,C;KANA,C;oFA  
QA,yB;MAAA,gD;MAAA,4B;QAKI,OAAwC,OAAjC,SAAiC,C;MAC5C,C;KANA,C;oFAQA,yB;MAAA,gD;M  
AAA,4B;QAKI,OAAyC,OAAiC,SAAkC,C;MAC7C,C;KANA,C;;MAYW,8B;MAAS,uB;IAAT,C;;MAC4B,OAA  
A,gBAAY,O;IAAZ,C;;MACG,OAAA,gBRwrL/B,YAAQ,C;IQxrLuB,C;;MACc,OAAy,WAAZ,gBAAY,EAAS,O  
AAT,C;IAAZ,C;;MACX,oCAAY,KAAs,E;IAAA,C;;MACM,OAAy,UAAZ,gBAAY,EAAQ,OAAR,C;IAAZ,C;;  
MACI,OAAy,cAAZ,gBAAY,EAAY,OAAZ,C;IAAZ,C;;;MANnD,0C;IAQJ,C;;MA+TI,OAAy,SAAY,Q;IAC5B,C  
;;MASI,OAAy,SAAY,Q;IAC5B,C;;MASI,OAAy,SAAY,Q;IAC5B,C;;MASI,OAAy,SAAY,Q;IAC5B,C;;MAQW,  
WAAS,W;MAAT,YAA2B,SAAY,Q;M+BpP9C,eAAiB,I;M/BqPjB,O+BpPO,K;I/BqPX,C;;MASI,OAAy,SAAY,Q;  
IAC5B,C;;MASI,OAAy,SAAY,Q;IAC5B,C;;MAQW,WAAS,c;MAAT,YAA8B,SAAY,Q;M+BIRjD,eAAiB,I;M/B  
kRjB,O+BjRO,K;I/BkRX,C;;MAQW,WAAS,W;MAAT,YAA2B,SAAY,Q;M+B3R9C,eAAiB,I;M/B2RjB,O+B1R  
O,K;I/B2RX,C;;MAYI,OAAO,SAAS,SAAT,EAAe,cAAU,OAAV,CAAf,C;IACX,C;;MAYI,OAAO,SAAS,SAAT,  
EAAe,eAAW,OAAx,CAAf,C;IACX,C;;MAYI,OAAO,SAAS,SAAT,EAAe,eAAS,OAAT,CAAf,C;IACX,C;;MAY  
W,WAAS,W;MAAT,YAAsB,gBAAGB,SAAhB,EAASB,OAATB,K;M+B/U7B,eAAiB,I;M/B+UjB,O+B9UO,K;I/B  
+UX,C;;MAYI,OAAO,SAAS,SAAT,EAAe,iBAAW,OAAx,CAAf,C;IACX,C;;MAYI,OAAO,SAAS,SAAT,EAAe,  
iBAAY,OAAZ,CAAf,C;IACX,C;;MAYW,WAAS,c;MAAT,YAAyB,gBAAGB,SAAhB,EAASB,OAATB,EAA+B,K  
AA/B,C;M+BtXhC,eAAiB,I;M/BsXjB,O+BrXO,K;I/BsXX,C;;MAYW,WAAS,W;MAAT,YAAsB,SAAS,SAAT,E  
AAe,iBAAU,OAAV,CAAf,C;M+BnY7B,eAAiB,I;M/BmYjB,O+BIYO,K;I/BmYX,C;;MAaI,OAAO,gBAAGB,SA  
AhB,EAASB,OAATB,EAA+B,IAA/B,C;IACX,C;;MAOI,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;IAC5B,  
C;;MAOI,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;IAC5B,C;;MAOI,OAAy,SAAY,OAAM,SAAN,EAAiB  
,OAAjB,C;IAC5B,C;;MAOI,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;IAC5B,C;;MAMW,WAAS,W;MAA  
T,YAA2B,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;M+Bxb9C,eAAiB,I;M/BwbjB,O+BvbO,K;I/BwbX,C;;MAOI,  
OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;IAC5B,C;;MAOI,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,  
C;IAC5B,C;;MAMW,WAAS,c;MAAT,YAA8B,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;M+B/cjD,eAAiB,I;M/B+  
cjB,O+B9cO,K;I/B+cX,C;;MAMW,WAAS,W;MAAT,YAA2B,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;M+Btd9C  
,eAAiB,I;M/BsdjB,O+BrdO,K;I/BsdX,C;;MAOI,OAAy,SAAY,QAAO,CAAQ,OAAR,CAAP,C;IAC5B,C;iFAEA,  
yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,eAAy,OAAZ,EAwIL,C;MAvIX,C;KANA,C;iFAQA,yB;MAw  
IA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,gBAAa,OAAb,EAwIL,C;MAvIX,C;KANA,C;iFAQA,yB;MAwIA,iD;M  
AxIA,qC;QAKI,OAwIO,gCAxIK,gBAAW,OAAX,EAwIL,C;MAvIX,C;KANA,C;iFAQA,yB;MAwIA,iD;MAxIA,  
qC;QAKI,OAwIO,gCAxIK,mBAAY,OAAZ,CAwIL,C;MAvIX,C;KANA,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;Q  
AKI,OAwIO,gCAxIK,kBAAa,OAAb,EAwIL,C;MAvIX,C;KANA,C;gFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,O  
AwIO,gCAxIK,kBAAc,OAAd,EAwIL,C;MAvIX,C;KANA,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,g  
CAxIK,sBAAE,OAaf,CAwIL,C;MAvIX,C;KANA,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,  
mBAAY,OAAZ,CAwIL,C;MAvIX,C;KANA,C;;MAaI,OAAO,oBAAoB,SAApB,EAA0B,QAA1B,C;IACX,C;;MA  
MI,OAAO,mBAAwB,SAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAA  
iE,QAAjE,C;IACX,C;;MAMI,OAAO,mBAAwB,SAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EA  
AsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,  
KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,oBAAoB,SAApB,EA  
A0B,QAA1B,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB  
,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QA  
AS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,oBAAoB,SAApB,  
EAA0B,QAA1B,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CA  
AxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAOI,OAAy,SAAY,QAAO,QAAP,C;IAC5B,C;iFAEA  
,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;MACX,C;KANA,C;iFAQA,yB;MA  
AA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;MACX,C;KANA,C;iFAQA,yB;MAAA,iD;



A,SAAY,S;IAAZ,C;;MAGY,OAAA,SAAY,QAAO,MAAP,C;IAAZ,C;;MAGa,OAAA,SAAY,QAAO,IAAP,EAAa,KAAb,C;IAAZ,C;;MAGb,OAAA,SAAY,QAAO,IAAP,C;IAAZ,C;;MAG4B,OAAA,SAAY,QAAO,IAAP,EAAa,KAAb,EAAoB,KAAPB,C;IAAZ,C;;MAGxC,OAAA,SAAY,S;IAAZ,C;;MAGG,OAAA,SAAY,Y;IAAZ,C;;MAGY,OAAA,SAAY,WAAU,MAAV,C;IAAZ,C;;MAGX,OAAA,SAAY,a;IAAZ,C;;;gF/BvBhD,yB;MAAA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MAAA,6B;QAAsG,+C;MAAA,C;KAAAtG,C;;MgCF+B,oB;QAAA,OAA0B,E;MAA1B,gB;IAAD,C;;IAE9B,C;;IAIA,C;;IAIA,C;;MAKkC,oB;QAAA,OAA0B,E;MAA1B,gB;IAAD,C;;IAEjC,C;;MAcSwB,gB;IAAD,C;;MAiCG,sB;IAAD,C;;IAEzB,C;;MAGe6B,kB;IAAD,C;;IC5J5B,C;;MAQyC,gB;IAAD,C;;IAExC,C;;IAMA,C;;IAOA,C;;IAIA,C;;MJ3BQ,8B;MACl,aAAY,C;IADhB,C;;MAE6B,oBAAQ,gBAAl,O;IAAZ,C;;MACuB,Q;MAA1B,IAAI,aAAQ,gBAAl,OAAhB,C;QAAA,OAAsB,iBAAl,iBAAJ,EAAl,yBAAJ,O;;QAAkB,MAAM,2BAAYB,UAAF,WAAvB,C;IAA9C,C;;MAL9B,IAD8D,IAC9D,S;QACl,UAA0B,K;QAF0B,2C;;QAAA,QAAM,IAAN,C;eASxD,c;YATwD,OAStC,qBAAqB,KAArB,C;eAClB,W;YAVwD,OAUzC,kBAaKB,KAAIB,C;eACf,Y;YAXwD,OAWxC,mBAAMB,KAAAnB,C;eAChB,W;YAZwD,OAYzC,kBAaKB,KAAIB,C;eACf,U;YAbwD,OAA1C,iBAAIb,KAAjB,C;eACd,W;YAdwD,OAczC,kBAaKB,KAAIB,C;eACf,Y;YafwD,OAExC,mBAAMB,KAAAnB,C;eAChB,a;YAhBwD,OAgBvC,oBAAoB,KAAPB,C;kBACT,MAAM,6BAAsB,2DAA+C,IAA/C,CAAtB,C;;IAjB0C,C;;MAqBH,kC;MAAS,0B;MAC9D,aAAY,C;IADyC,C;;MAE5B,oBAAQ,kBAAM,O;IAAd,C;;MACkC,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;IAAID,C;;MAHwB,oD;IAAA,C;;MAON,kC;MAAS,uB;MACxD,aAAY,C;IADmC,C;;MAEtB,oBAAQ,kBAAM,O;IAAd,C;;MAC+B,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QA AoB,MAAM,2BAAYB,UAAF,WAAvB,C;IAAID,C;;MAHqB,iD;IAAA,C;;MAOE,kC;MAAS,wB;MAC1D,aAAY,C;IADqC,C;;MAExB,oBAAQ,kBAAM,O;IAAd,C;;MACgC,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;IAAID,C;;MAHsB,kD;IAAA,C;;MAOF,kC;MAAS,uB;MACxD,aAAY,C;IADmC,C;;MAEtB,oBAAQ,kBAAM,O;IAAd,C;;MAC+B,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;IAAID,C;;MAHqB,iD;IAAA,C;;MAOF,kC;MAAS,sB;MACtD,aAAY,C;IADiC,C;;MAEpB,oBAAQ,kBAAM,O;IAAd,C;;MAC8B,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;IAAID,C;;MAHoB,gD;IAAA,C;;MAOI,kC;MAAS,wB;MAC1D,aAAY,C;IADqC,C;;MAExB,oBAAQ,kBAAM,O;IAAd,C;;MACgC,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;IAAID,C;;MAHsB,kD;IAAA,C;;MAOE,kC;MAAS,yB;MAC5D,aAAY,C;IADuC,C;;MAE1B,oBAAQ,kBAAM,O;IAAd,C;;MACiC,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;IAAID,C;;MAHuB,mD;IAAA,C;;MAOJ,kC;MAAS,uB;MACxD,aAAY,C;IADmC,C;;MAEtB,oBAAQ,kBAAM,O;IAAd,C;;MAC+B,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;IAAID,C;;MAHqB,iD;IAAA,C;;MAOnB,wB;IAAD,C;;MAGe,MAAM,mC;IAAN,C;;MAI1C,IAAI,qBAAJ,C;QACl,OAAO,Cd1CiF,Wc0CrE,Ud1CqE,Ec0CzD,Qd1CyD,C;;Qc4CxF,OAAS,CAAY,qBAAsB,UAAtB,EAAC,QAAIC,C;;IAE7B,C;;MAII,IAAI,KAAY,kBAAhB,C;QACl,KAAY,mBAaKB,QAAIB,EAA4C,sCAAhB,QAAgB,EAA5C,C;;QAEH,QAAT,SAA+C,CAAIB,IAAjC,KAAiC,EAakB,O;;IAEvD,C;;MAKwB,Q;MADpB,gBAAgB,IAAhB,KAAGB,E;MACl,IAAI,OKjGkB,OLiGT,OAAT,EAAqB,WAArB,CAAJ,C;QACHB,OAAI,aAAJ,GAAMB,KAAM,WAAzB,GAAyC,I;;QAEzC,c;;MAHJ,wB;MAKA,kBAaKB,K;MACIB,iBAAIb,W;MACjB,OAAO,S;IACX,C;;MAGyB,U;IAAD,C;;MAEhB,OAAO,mCAAsB,WAAK,KAAM,E;IAC5C,C;;MAGI,OAAO,M;IACX,C;;MAGI,OAAuC,oBAAnB,UAA5B,IAAe,EAAa,CAAmB,C;IAC3C,C;;MAGI,OAAR,IAAI,EAAW,GAAN,K;IACL,C;;MAII,OAAO,M;IACX,C;;MAKA,YAAY,MAAY,IAAK,OAAjB,C;MACZ,sBAAU,IAAV,a;QACl,UAAU,KAAC,CAAL,C;QACV,IAAI,oBAAJ,C;UACl,MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,GAAL,C;;UAE1B,MAAM,CAAN,IAAW,G;;MAGnB,OAAO,EAAS,OAAO,OAAM,EAAN,EAAGB,KAAhB,C;IAC3B,C;;MAQW,WAAO,S;MAIBd,YAAY,MAAY,IAAK,OAAjB,C;MACZ,sBAAU,IAAV,a;QACl,UAAU,KAAC,CAAL,C;QACV,IAAI,oBAAJ,C;UACl,MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,GAAL,C;;UAE1B,MAAM,CAAN,IAAW,G;;MAYnB,OATO,EAAS,OAAO,OAAM,EAAN,EAAGB,KAAhB,C;IAU3B,C;;MAaI,WAAqB,S;MACrB,IAAI,qBAA

mB,CAAY,OAAd,KAA2B,SAAhD,C;QAJCA,YAAY,MAKCM,IAICW,OAAJB,C;QACZ,sBAiCkB,IAjCIB,a;UAC I,UAGCc,IAhCJ,CAAK,CAAL,C;UACV,IAAI,oBAAJ,C;YACI,MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,GAL,C;;YAE1B,MAAM,CAAN,IAAW,G;;Q4Bf,OAzBG,EAAS,OAAO,OAAM,EAAN,EAAGB,KAAhB,C;;QA 2BnB,WAAW,C;QACX,0BAAU,IAAV,e;UACY,IAAoB,I;UAA5B,eAAQ,QAAoB,OAAPB,IAAQ,CAAH,GAAG, CAAY,OAAPB,oCAAR,K;;QAEJ,aAAa,IAAJB,CAAC,YAAGB,CAAH,IAAG,C;QMzFjB,IN0FyB,CM1FhB,OAA L,KAAkB,SAAtB,C;UN0F4B,MMzFxB,UNyFqB,CMzFF,O;;QN0FnB,OAAO,C;QACP,0BAAU,IAAV,e;UAE0B, YACX,M;UAFX,YAAU,IAAQ,CAAH,GAAG,C;UACI,SAAJ,KAAI,O;UAAtB,aAAU,CAAV,kB;YACI,OAAO,a AAP,EAAO,qBAAP,YAAiB,MAAI,CAAJ,C;;QAGzB,OAAO,M;;IAEf,C;;MAGgC,WAAS,c;MAAT,YAAhC,EA AE,MAAM,KAAiD,CAA3C,SAA2C,C;MAWRd,eAAiB,I;MAXW,OAYrB,K;IAZqB,C;;MAGH,WAAS,W;MAA T,YAAsB,IAA/C,WAA+C,CAAnC,EAAE,MAAM,KAAK,CAAC,SAAD,CAAsB,C;MAQ/C,eAAiB,I;MARQ,OA SIB,K;IATkB,C;;MAGA,WAAS,W;MAAT,YAA7B,EAAE,MAAM,KAA2C,CAArC,SAAqC,C;MAK/C,eAAiB,I; MALQ,OAMIB,K;IANkB,C;;MAKzB,eAAiB,I;MACjB,OAAO,K;IACX,C;;MO5MiD,OAAW,QAAx,8BAAW,E AAQ,YAAR,C;IAAX,C;qFAEjD,yB;MAAA,gC;MAAA,4B;QACoD,OAA8C,UAAIG,MAAoD,cAA0B,SAA1B,C AAgC,cAAc,YAAW,CAAX,E;MAA9C,C;KADpD,C;qFAGA,yB;MAAA,gC;MAAA,4B;QACoD,OAA8C,UAAI G,MAAoD,cAA0B,SAA1B,CAAgC,cAAc,YAAW,CAAX,E;MAA9C,C;KADpD,C;;MAMoD,QAAQ,cAAA,sCA AK,mBAAL,EAAyB,sCAAK,mBAA9B,CAAR,6B;IAAA,C;;MAKD,QAAQ,cAAA,sCAAK,kBAAL,EAAwB,sC AAK,kBAA7B,CAAR,6B;IAAA,C;;M9BzkB,uC6BAtB,E;I7BAsB,C;gGAErE,yB;MAAA,kD;MAAA,4B;QACsE, mBAAy,SAAZ,C;MAAA,C;KADtE,C;;MAMI,OAAsB,UAAy,QAAvB,KAAmC,SAA9C,GACe,UAAy,UAD3B, GAGI,gBAAGB,UAAhB,C;IACR,C;;MAII,Y6BhB2C,E;M7BiB3C,eAAe,UAAW,W;MAC1B,OAAO,QAAS,UAA hB,C;QACU,KAAy,MAAK,QAAS,OAAd,C;MACTB,OAAO,K;IACX,C;;MAUc,Q;MANV,IAAI,KAAM,OAAN, GAAa,UAAW,KAA5B,C;QACI,OAAO,gBAAGB,UAAhB,C;;MAEX,eAAe,UAAW,W;MAC1B,YAAY,C;MACZ, OAAO,QAAS,UAAhB,C;QACI,MAAM,YAAN,EAAM,oBAAN,UAAiB,QAAS,O;;MAE9B,IAAI,QAAQ,KAAM, OAAIB,C;QACI,MAAM,KAAN,IAAe,I;;MAEnB,OAAO,K;IACX,C;;MAS6C,sBAAy,OAAs,E;IAAA,C;;MAKF, oBAAU,OAAV,E;IAAA,C;;MAMY,oBAAU,IAAV,E;IAAA,C;;MASIC,Q;MAAA,iC;MAAJB,iBAAc,CAAd,yB;Q ACI,sBAAK,KAAL,EAAc,KAAd,C;;IAER,C;;MASI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,KAAK,IA AI,CAAJ,IAAL,C;QACR,WAAW,sBAAK,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBAAK,CAAL,CAAV,C;QAC A,sBAAK,CAAL,EAAU,IAAV,C;;IAER,C;;MAEoC,OAA4C,Y+BoN5B,MAAW,O/BpNN,aAAf,GAA0B,U+BoN L,C/BpNiB,C;IAA5C,C;;MAMoC,kBAAhB,0B;MAAwB,oB;MAAxB,OL7B7C,W;IK6B6C,C;;MAMPd,gBAAGB ,SAAhB,EAAsB,cAAtB,C;IACJ,C;;MAMI,gBAAGB,SAAhB,EAAsB,UAAtB,C;IACJ,C;;MAGI,IAAI,IAAK,KAA L,IAAa,CAAJB,C;QAAoB,M;MAEpB,YAAY,YAAY,IAAZ,C;MAEN,KAAy,MAAGB,UAAy,QAAQ,MAAK,U AAL,CAApC,C;MAEIB,aAAU,CAAV,MAAKB,KAAM,OAAxB,M;QACI,iBAAK,CAAL,EAAU,MAAM,CAAN, CAAV,C;;IAER,C;;MAGI,OAAO,gBAAKB,IAAIB,O;IACX,C;;MAIgF,gB;IAAA,C;kGAehF,yB;MAAA,4D;MA AA,4B;QAC8E,OAAK,aAAL,SAAK,C;MAAL,C;KAD9E,C;;MAMI,OAAl,SAAJ,GAEl,SAFJ,GAIL,SR0QoB,Q;I Q9QxB,C;;MgCtIyE,6B;IAA1B,C;;MAK3C,eAAe,e;MACf,OAAO,QAAS,UAAhB,C;QACI,IAAI,OAAA,QAAS, OAAI,EAAMB,OAANB,CAAJ,C;UACI,QAAS,S;UACT,OAAO,I;;MAGf,OAAO,K;IACX,C;;MAIoB,Q;MADhB ,eAAe,K;MACC,0B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,eAAI,OAAl,CAAJ,C;UAAkB,WAAW, I;;MAEjC,OAAO,Q;IACX,C;;MAEkG,qB;QAAE,OAAM,gBAAN,mB;MAAF,C;IAAA,C;;MAAtC,Q;MAAD,OA A6B,YAA5B,iEAA4B,EAAU,oDAAV,C;IAA7B,C;;MACuC,qB;QAAE,QAAO,gBAAP,mB;MAAF,C;IAAA,C;; MAAtC,Q;MAAD,OAA6B,YAA5B,iEAA4B,EAAU,oDAAV,C;IAA7B,C;;MAGvD,eAAe,IAAK,W;MACpB,OA AO,QAAS,UAAhB,C;QACI,QAAS,O;QACT,QAAS,S;;IAEjB,C;;MAEyB,OAAA,IAAK,U;IAAL,C;;MC7BwD,o C;MACjF,gBAA8B,C;IADkB,C;;MAQ5C,iBAAl,SAAJ,EAAU,OAAV,C;MACA,OAAO,I;IACX,C;;MAKc,UACF ,M;MAHR,aAAa,K;MACb,cAAc,K;MACJ,0B;MAAV,OAAU,cAAV,C;QAAU,mB;QACN,kBAAl,eAAJ,EAAI,u BAAJ,WAAc,CAAd,C;QACA,UAAU,I;;MAEd,OAAO,O;IACX,C;;MAGI,yBAAy,CAAZ,EAAe,SAAf,C;IACJ,C ;MAE4E,qB;QAAE,OAAM,gBAAN,mB;MAAF,C;IAAA,C;;MAAV,yBAAU,8CAAV,C;IAAA,C;;MACU,qB;Q AAE,QAAO,gBAAP,mB;MAAF,C;IAAA,C;;MAAV,yBAAU,8CAAV,C;IAAA,C;;MAGb,iD;IAAA,C;;MAED,0B AAQ,OAAR,KAAoB,C;IAApB,C;;MAG/B,Q;MAAA,4B;MAAJB,iBAAc,CAAd,yB;QACI,IAAI,wBAAl,KAAJ,G AAc,OAAd,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;IACX,C;;MAGI,iBAAc,qBAAd,WAA+B,CAA/B,U;QAC I,IAAI,wBAAl,KAAJ,GAAC,OAAd,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;IACX,C;;MAE6D,iCAAA,CAAB,

C;IAAA,C;;MACU,sDAAiB,KAAjB,C;IAAA,C;;MAGK,uCAAQ,IAAR,EAAC,SAAd,EAAyB,OAAzB,C;IAAA,C  
;;MAMxE,eAAe,0BAAa,SAAb,C;MACf,YAAO,UAAU,SAAV,I;MtCuDX,iBAAc,CAAd,UAAaB,KAAtB,U;QsCt  
DiB,e;QACA,iB;;IAEjB,C;;MAQI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,2BAAJ,C;QAAuB,OAA  
O,K;MAE9B,OAAO,oCAAa,uBAAc,IAAd,EAAoB,KAApB,C;IACxB,C;;MAK+B,OAAA,oCAAa,yBAAgB,IAA  
hB,C;IAAb,C;;MAG/B,oB;MACl,eACsB,C;MACtB,cAIqB,E;IAPzB,C;;MASsC,sBAAQ,gB;IAAR,C;;MAIvB,Q;  
MADP,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACtB,eAAO,mBAAP,EAAO,2BAAP,O;MACA,OAAO,wBA  
AI,WAAJ,C;IACX,C;;M1CxBJ,IAAI,E0C2BU,gBAAQ,E1C3BIB,CAAJ,C;QACI,c0C0BwB,sE;Q1CzBxB,MAAM  
,6BAAsB,OAAQ,WAA9B,C;;M0C2BF,6BAAS,WAAT,C;MACA,eAAQ,W;MACR,cAAO,E;IACX,C;;MAGJ,oB  
;MAGmD,wD;MAG3C,oCAAa,4BAAmB,KAAAnB,EAA0B,WAAyB,KAAAnD,C;MACb,eAAa,K;IAJe,C;;MAOM,s  
BAAQ,C;IAAR,C;;MAEN,mB;IAAA,C;;MAG5B,IAAI,CAAC,kBAAL,C;QAAoB,MAAM,6B;MAE1B,eAAO,m  
CAAP,EAAO,YAAP,C;MACA,OAAO,wBAAI,WAAJ,C;IACX,C;;MAEoC,sBAAQ,CAAR,I;IAAA,C;;MAGhC,w  
BAAI,YAAJ,EAAW,OAAZ,C;MACA,mC;MACA,cAAO,E;IACX,C;;M1C9DJ,IAAI,E0CiEU,gBAAQ,E1CjEIB,C  
AAJ,C;QACI,c0CgEwB,4E;Q1C/DxB,MAAM,6BAAsB,OAAQ,WAA9B,C;;M0CgEF,wBAAyB,WAAzB,EAAiC,  
OAAjC,C;IACJ,C;;MAG2G,8B;MAAtF,kB;MAA0C,4B;MAC/D,eAAyB,C;MAGrB,oCAAa,2BAAkB,gBAAlB,E  
AA6B,OAA7B,EAAc,WAAK,KAA3C,C;MACb,eAAa,UAAU,gBAAV,I;IALG,C;;MASHb,oCAAa,4BAAmB,K  
AAAnB,EAA0B,YAA1B,C;MAEb,WAAK,aAAI,mBAAy,KAAZ,IAAJ,EAAuB,OAAvB,C;MACL,mC;IACJ,C;;M  
AGI,oCAAa,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,OAAO,wBAAK,mBAAy,KAAZ,IAAL,C;IACX,C;;MA  
GI,oCAAa,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,aAAa,WAAK,kBAAS,mBAAy,KAAZ,IAAT,C;MACIB,  
mC;MACA,OAAO,M;IACX,C;;MAGI,oCAAa,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,OAAO,WAAK,aAAI,  
mBAAy,KAAZ,IAAJ,EAAuB,OAAvB,C;IACb,C;;MAE+B,mB;IAAA,C;;MCRlgD,sB;MA4BnF,uBAAoC,I;M  
A2CpC,yBAA6C,I;IAvEK,C;;MAKZ,wB;MAGlC,gBAAqB,K;IAHY,C;;MAAC,yB;IAAA,C;;MAKJ,oB;IAAA,C;;  
MAG1B,eAAe,IAAK,S;MACpB,gBAAc,Q;MACd,OAAO,Q;IACX,C;;MAE+B,iEAAc,IAAd,C;IAAA,C;;MACG,i  
EAAc,IAAd,C;IAAA,C;;MACU,+DAAY,IAAZ,EAakB,KAAIB,C;IAAA,C;;MAd5C,wE;MAAsC,2CAAK,KAA  
M,IAAX,EAAGB,KAAM,MAAtB,C;MAAtC,Y;IAAA,C;;MAMBA,YAAQ,Q;IACZ,C;;MAMoB,sD;MAAS,6B;IA  
AT,C;;MACoC,MAAM,qCAA8B,8BAA9B,C;IAAN,C;;MAEpC,4BAAwB,Q;IAC5B,C;;MAEsD,sDAAY,OAAZ,  
C;IAAA,C;;MAI3C,kD;IAAA,C;;MAC+B,OAAA,0BAAc,U;IAAd,C;;MACT,OAAA,0BAAc,OAAO,I;IAArB,C;;  
MACD,0BAAc,S;IAAd,C;;MAJ5B,oBAAoB,oCAAQ,W;MAC5B,6G;IAKJ,C;;MAGI,IAAI,+CAAY,OAAZ,CAA  
J,C;QACI,4BAAwB,cAAO,OAAP,C;QACxB,OAAO,I;MAEX,OAAO,K;IACX,C;;MAE+B,OAAA,4BAAwB,K;I  
AAxB,C;;MA1BvC,IAAI,4BAAJ,C;QACI,6F;;MA4BJ,OAAO,mC;IACX,C;;MAKqB,Q;MAAA,OAAA,I9C0M2  
D,QAAQ,W;M8C1MxF,OAAqB,cAArB,C;QAAqB,wB;QAAf,U9C+HsD,U;Q8C/HjD,Y9C4iD,Y;Q8C3IxD,iBA  
AI,GAAJ,EAAS,KAAAT,C;;IAER,C;;MAMsB,sD;MAAS,oC;IAAT,C;;MACkC,MAAM,qCAA8B,gCAA9B,C;IAA  
N,C;;MACjB,4BAAwB,Q;IAAxB,C;;MAE+B,wDAAc,OAAd,C;IAAA,C;;MAI3C,kD;IAAA,C;;MAC+B,OAAA,0  
BAAc,U;IAAd,C;;MACT,OAAA,0BAAc,OAAO,M;IAArB,C;;MACD,0BAAc,S;IAAd,C;;MAJ5B,oBAAoB,oCA  
AQ,W;MAC5B,+G;IAKJ,C;;MAE+B,OAAA,4BAAwB,K;IAAxB,C;;MAI3B,IAAI,SAAS,KAAb,C;QAAoB,OAA  
O,I;MAC3B,IAAI,iCAAJ,C;QAA6B,OAAO,K;MACpC,OAAO,oCAAa,uBAAc,IAAd,EAAoB,KAApB,C;IACxB,  
C;;MAE+B,OAAA,oCAAa,yBAAgB,IAAhB,C;IAAb,C;;MAzBvC,IAAI,8BAAJ,C;QACI,iG;;MA2BJ,OAAO,qC;  
IACX,C;;MAGA,WAAW,YAAQ,W;MACnB,OAAO,IAAK,UAAZ,C;QACI,YAAy,IAAK,O;QACjB,QAAQ,KA  
AM,I;QACd,IAAI,YAAO,CAAP,CAAJ,C;UACI,YAAy,KAAM,M;UACIB,IAAK,S;UACL,OAAO,K;;MAGf,OA  
AO,I;IACX,C;;MC7HgF,oC;IAAjC,C;;MAQ3C,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,0BAAJ,C;  
QAAsB,OAAO,K;MAC7B,OAAO,mCAAY,mBAAU,IAAV,EAAgB,KAAhB,C;IACvB,C;;MAK+B,OAAA,mCA  
AY,2BAAkB,IAAI,C;IAAZ,C;;MCb0D,8B;MAAIC,4B;IAArB,C;;IAoBF,C;;IAGoB,C;;MAEd,OAAA,oBAAM,  
O;IAAN,C;;MACG,Q;MAAA,oCAAM,0BAAW,KAAZ,CAAN,4D;IAAA,C;;MAG9B,IAAa,I;MADpB,0BAAW,  
KAAZ,C;MACoB,gBAAb,qBAAM,KAAAN,C;MAAqB,qC;MAA5B,OAAO,CAAa,OzCgCjB,SyChCI,2D;IACX,C;  
;MAGU,oBAAy,MAAK,OAAL,C;MACIB,qC;MACA,OAAO,I;IACX,C;;MAGU,oBAAy,QAAO,mCAAoB,KAA  
pB,CAAP,EAAmC,CAAnC,EAAc,OAAtC,C;MACIB,qC;IACJ,C;;MAGI,IAAI,QAAS,UAAb,C;QAAwB,OAAO  
,K;MAE/B,uBAAA,oB5C4vBoB,QQzyB0C,YoC6CrD,QpC7CqD,CRyyB1C,C;M4C3vBpB,qC;MACA,OAAO,I;I  
ACX,C;;MAGI,mCAAoB,KAApB,C;MAEA,IAAI,UAAZ,SAAb,C;QAAmB,OAAO,oBAAO,QAAP,C;MACIB,I  
AAI,QAAS,UAAb,C;QAAwB,OAAO,K;MAE3B,IADE,KACF,e;QAAQ,OAAO,oBAAO,QAAP,C;WACf,IAFE,K

AEF,O;QAAK,uBpCzDqD,YoCyD7C,QpCzD6C,CRyyB1C,Q4ChvB6B,oB5CgvB7B,C;;;Q4C/uBR,uBAAQ,oB5C  
kiBA,O4CliBkB,C5CkiBIB,E4CliBqB,K5CkiBrB,C4CliBwC,QpC1DE,YoC0DK,QpC1DL,CoC0DF,EAAcC,oB5C  
kiB9E,O4CliBgG,K5CkiBhG,E4CliBuG,S5CkiBvG,C4CliBwC,C;;MAG5D,qC;MACA,OAAO,I;IACX,C;;MAGI,  
0BAAW,KAAX,C;MACA,qC;MACA,OAAW,UAAAS,qBAAb,GACG,oBAAY,MADf,GAGG,oBAAY,QAAO,KA  
AP,EAAc,CAAd,CAAIB,CAAmC,CAAnC,C;IACR,C;;MAGkB,Q;MAAA,2B;MAAd,mD;QACI,IAAI,4BAAM,K  
AAN,GAAgB,OAAhB,CAAJ,C;UACU,oBAAY,QAAO,KAAP,EAAc,CAAd,C;UACIB,qC;UACA,OAAO,I;;;MA  
Gf,OAAO,K;IACX,C;;MAGI,qC;MACM,oBAAY,QAAO,SAAP,EAAkB,UAAU,SAAV,IAAIB,C;IACtB,C;;MAG  
I,uBP9FuC,E;MO+FvC,qC;IACJ,C;;MAG+C,OAAM,QAAN,oBAAM,EAAQ,OAAR,C;IAAN,C;;MAEI,OAAM,Y  
AAN,oBAAM,EAAy,OAaz,C;IAAN,C;;MAEzB,qBAAc,oBAAd,C;IAAA,C;;MACY,OAAA,EAAS,MAAM,MA  
AK,oBAAL,C;IAAf,C;;MAIIC,oCAAA,kCAyB,SAazB,C;MADoB,Y;IAAA,C;;MAKjC,oCAAA,mCAA0B,SA  
1B,C;MAD6B,Y;IAAA,C;;;MA3G9C,mD;MAG8B,sBPPa,EOOb,C;MAH9B,Y;IAAA,C;;MAU0B,+B;QAAA,kBA  
AuB,C;MALjD,mD;MAKsD,sBPdX,EOcW,C;MALtD,Y;IAAA,C;;MAOA,mD;MAGqD,sBpChBa,YoCgBR,QpC  
hBQ,CoCgBb,C;MAHrD,Y;IAAA,C;;;MCRA,2C;IAAA,C;;MAC+D,sBAAU,MAAV,C;IAAA,C;;MAEd,Q;MAA  
A,wEAAqB,C;IAArB,C;;;MAHjD,kD;QAAA,iC;;MAAA,2C;IAAA,C;;MCuBA,iC;MAKA,8B;MA8CA,0BAAM  
E,I;;;MA1EnE,oB;MAA+B,6B;IAA/B,C;;MAE6D,MAAM,qCAA8B,iCAA9B,C;IAAN,C;;MAErD,WAAa,Q;IACj  
B,C;;MAEuE,yCAAc,OAAd,C;IAAA,C;;MAEC,OAAA,iCAAY,W;IAAZ,C;;MAGpE,IAAI,oBAAS,OAAT,CAAJ  
,C;QACI,WAAa,cAAO,OAAQ,IAAf,C;QACb,OAAO,I;;MAEX,OAAO,K;IACX,C;;MAE+B,OAAA,WAAa,K;IA  
Ab,C;;;MA+C/B,0BAAY,Q;IAEhB,C;;MAEmD,OAAA,0BAAY,gBAAS,GAAT,C;IAAZ,C;;MAEgB,gBAAZ,0B;  
MAAY,c;;QvC2xCnD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAP,e;;QACrB,2B;QAAhB,O  
AAgB,cAAhB,C;UAAgB,yB;UAAM,IuC3xCmD,uBAAS,gBvC2xC9C,OuC3xCwD,MAAV,QvC2xC5D,C;YAAw  
B,aAAO,I;YAAP,e;;;QAC9C,aAAO,K;;;MuC5xCgD,iB;IAAA,C;;MAK/C,IAAI,+BAAJ,C;QACI,0BAAW,qB;;M  
AEf,OAAO,sC;IACX,C;;MAE6E,iC;IAAA,C;;MAEIC,OAAA,0BAAY,WAAI,GAAJ,C;IAAZ,C;;MAEC,OAAA,0  
BAAY,aAAI,GAAJ,EAAS,KAAT,C;IAAZ,C;;MAEP,OAAA,0BAAY,cAAO,GAAP,C;IAAZ,C;;MAEH,OAAA,0  
BAAY,K;IAAZ,C;;MA7DtC,iD;MAAuD,8B;MArC3D,mB;MAcCQ,8BAAmB,W;MACnB,2BAAGB,WAAy,S;M  
AFhC,Y;IAAA,C;;MAKA,iD;MAGuB,aAAK,kEAAAL,Q;MAHvB,Y;IAAA,C;;MAcyC,0B;QAAA,aAAoB,G;MAT  
7D,iD;MASqE,qB;M/CICrE,IAAI,E+CoCQ,mBAAmB,C/CpC3B,CAAJ,C;QACI,c+CmCgC,+C;Q/CiChC,MAAM,  
gCAAYB,OAAQ,WAAjC,C;;MAFV,IAAI,E+CqCQ,cAAc,C/CrCtB,CAAJ,C;QACI,gB+CoC2B,yC;Q/CnC3B,MA  
AM,gCAAYB,SAAQ,WAAjC,C;;M+CuBV,Y;IAAA,C;;MAeA,iD;MAA2C,eAAK,eAAL,EAASB,GAATB,Q;MAA  
3C,Y;IAAA,C;;MAGA,iD;MAG8C,qB;MAC1C,KAAC,gBAAO,QAAP,C;MAJT,Y;IAAA,C;;MA0C0E,gBAAne,  
aAAmB,gEAAneB,C;MAA2E,wB;MAAIF,O3C7CO,S;I2C8CX,C;;MCzGI,yB;;;MA2CI,UAAU,kBAAI,aAAI,OAA  
J,EAAa,IAAb,C;MACd,OAAO,W;IACX,C;;MAGI,kBAAI,Q;IACR,C;;MAM6D,OAAA,kBAAI,mBAAY,OAaz,  
C;IAAJ,C;;MAEpB,OAAA,kBAAI,U;IAAJ,C;;MAEY,OAAA,kBAAI,KAAC,W;IAAT,C;;MAEH,OAAA,kBAAI,  
cAAO,OAAP,CAAJ,Q;IAAA,C;;MAEZ,OAAA,kBAAI,K;IAAJ,C;;;MA7DtC,iD;MAGoB,8B;MAVxB,mB;MAW  
Q,sBAAM,gB;MAJV,Y;IAAA,C;;MAOA,iD;MAG2C,8B;MAjB/C,mB;MAkBQ,sBAAM,eAAGB,QAAS,KAazB,  
C;MACN,qBAAO,QAAP,C;MALJ,Y;IAAA,C;;MAiByC,0B;QAAA,aAAoB,G;MAT7D,iD;MASkE,8B;MA/BtE,  
mB;MAGCQ,sBAAM,eAAGB,eAAhB,EAAiC,UAAjC,C;MAVV,Y;IAAA,C;;MAaA,iD;MAA2C,eAAK,eAAL,EA  
ASB,GAATB,Q;MAA3C,Y;IAAA,C;;MAEA,iD;MAM0C,8B;MA3C9C,mB;MA4CQ,sBAAW,G;MAPf,Y;IAAA,C;  
;MAwCmC,gBAA5B,eAAQ,eAAR,C;MAAoC,6B;MAA3C,O5CbO,S;I4CcX,C;;MC/DyC,kC;MAErC,oBAakC,k  
B;MACIC,sBAAYB,C;IAHW,C;;MAAC,8B;IAAA,C;;MAGrC,0B;IAAA,C;MAAA,0B;IAAA,C;;MAII,eAAe,aAA  
S,qBAAY,GAaz,C;MACxB,mBAAmB,6BAASB,QAATB,C;MACnB,IAAI,oBAAJ,C;QAEI,kBAAW,QAAX,IAA  
uB,mCAAY,GAaz,EAAiB,KAAjB,C;;;QAEvB,IAAI,6BAAJ,C;UAEI,YAA+B,Y;UAC/B,IAAI,aAAS,gBAAO,K  
AAM,IAAb,EAAkB,GAAlB,CAAb,C;YACI,OAAO,KAAM,gBAAS,KAAT,C;;;YAEb,kBAAW,QAAX,IAAuB,C  
AAQ,KAAR,EAAe,mCAAY,GAaz,EAAiB,KAAjB,CAAf,C;YACvB,6B;YACA,OAAO,I;;;UAIX,YAAuC,Y;U  
ACvC,cAAkB,wBAAN,KAAM,EAAiB,GAAjB,C;UACIB,IAAI,eAAJ,C;YACI,OAAO,OAAM,gBAAS,KAAT,C;;  
UAEX,KAAY,MAAK,mCAAY,GAaz,EAAiB,KAAjB,CAAL,C;;;MAG1B,6B;MAEA,OAAO,I;IACX,C;;MAIuB  
,Q;MADnB,eAAe,aAAS,qBAAY,GAaz,C;MACL,oCAASB,QAATB,C;MAAA,iB;QAAMC,OAAO,I;;MAA7D,m  
BAAmB,I;MACnB,IAAI,6BAAJ,C;QACI,YAAgC,Y;QACHC,IAAI,aAAS,gBAAO,KAAM,IAAb,EAAkB,GAAlB,  
CAAb,C;UC3DR,OD4D2B,iBC5DrB,CD4DiC,QC5DjC,C;UD6DM,6B;UACA,OAAO,KAAM,M;;;UAEb,OAAO,

I;;;QAGX,YAAuC,Y;QACvC,8BAAc,KAAd,iB;UACI,cAAY,MAAM,KAAN,C;UACZ,IAAI,aAAS,gBAAO,GA AP,EAAY,OAAM,IAAI,CAAb,C;YACI,IAAI,KAAM,OAAN,KAAC,CAAIB,C;cACU,KAAN,UAA2B,C;cCxE/ C,OD0EmC,iBC1E7B,CD0EyC,QC1EzC,C;;;cD6EoB,KAAY,QAAO,KAAP,EAAC,CAAd,C;;;YAEtB,6B;YAEA, OAAO,OAAM,M;;;MAIzB,OAAO,I;IACX,C;;;MAGI,oBAAa,kB;MACb,YAAO,C;IACX,C;;;MAEyC,uBAAS,GA AT,S;IAAA,C;;;MAEV,Q;MAAA,+BAAS,GAAT,8B;IAAA,C;;;MAGR,Q;MAAA,oCAAsB,aAAS,qBAAY,GA AZ, CAA/B,C;MAAA,iB;QAAoD,OAAO,I;;;MAA9E,mBAAMb,I;MACnB,IAAI,6BAAJ,C;QACI,YAAgC,Y;QAChC,I AAI,aAAS,gBAAO,KAAM,IAAb,EAakB,GAAIB,CAAb,C;UACI,OAAO,K;;;UAEP,OAAO,I;;;QAGX,YAAuC, Y;QACvC,OAAa,wBAAN,KAAM,EAAiB,GAAjB,C;;;IAErB,C;;;MAGI,sB;;;QxDq5BY,Q;QAAhB,iD;UAAgB,cA AhB,e;UAAsB,IwDr5BK,aAAS,gBxDq5BA,OwDr5Ba,IAAb,MxDq5Bd,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9 C,qBAAO,I;;;MwDt5BH,yB;IAAA,C;;;MAIO,wD;MACH,aAAY,E;MAEZ,YAAuB,MAAa,MAAK,qCAAL,C;MA CpC,gBA Ae,E;MAEf,oBAA4B,I;MAC5B,eAAc,K;MACd,iBAAgB,E;MAChB,iBAAqC,I;IATIC,C;;;MAYC,IAAI, 6BAAwB,YAA5B,C;QACI,gBAAqB,iBAAqD,O;QAC1E,IAAI,4DAAC,SAAlB,C;UACI,OAAO,C;;;MAGf,IAAI,y DAAa,SAAK,OAAtB,C;QACI,oBAAe,2CAAW,UAAK,aAAL,CAAX,C;QACf,eAAU,iC;QACV,iBAAY,C;QACZ ,OAAO,C;;;QAEP,oBAAe,I;QACf,OAAO,C;;;IAEf,C;;;MAGI,IAAI,eAAS,EAAb,C;QACI,aAAQ,oB;MACZ,OAA O,eAAS,C;IACpB,C;;;MAIoB,Q;MADhB,IAAI,CAAC,cAAL,C;QAAGB,MAAM,6B;MACN,IAAI,YAAJ,C;QACZ ,yBAAqD,cAArD,C;;;QAEa,OAAb,iB;;;MAHJ,oB;MAKA,iBAAiB,S;MACjB,aAAQ,E;MACR,OAAO,S;IACX,C;;; MjDiDR,liDqDyB,cjDrDrB,QAAJ,C;QACI,cAfUE,0B;QAGvE,MAAM,6BAAsB,OAAQ,WAA9B,C;;;MiDoDE,6 BAAyB,cAAO,6BAAy,IAAnB,C;MACzB,iBAAy,I;MAEZ,uC;IACJ,C;;;MarDJ,2D;IAuDj,C;;;MAGI,mBAAMb, kBAAW,QAAX,C;MACnB,OAAW,iBAAiB,SAArB,GAAgC,IAAhC,GAA0C,Y;IACrD,C;;;;MEtKI,aAAR,MAA M,OAAe,CAAP,IAAO,C;MAEb,OAAO,KAAP,IAAgB,C;MDbpB,OCcmB,MDdb,CCcqB,KDdrB,C;MCeF,OAAO ,M;IACX,C;;;MCPmC,kC;MAEnC,oBAAkC,kB;MACIC,sBAAyB,C;IAHS,C;;;MAAC,8B;IAAA,C;;;MAGnC,0B;I AAA,C;MAAA,0B;IAAA,C;;;MAYI,IAAI,0BAAJ,C;QAAoB,OAAO,K;MAC3B,OAAO,kBAAW,GAAX,MAAoB ,S;IAC/B,C;;;MAGI,IAAI,0BAAJ,C;QAAoB,OAAO,I;MAC3B,YAAY,kBAAW,GAAX,C;MACZ,OAAW,UAAU, SAArB,GAAgC,KAAhC,GAA2D,I;IAC/D,C;;;MpDPA,IAAI,EoDWQ,uBpDXR,CAAJ,C;QACI,cAda,qB;QAeb,M AAM,gCAAYB,OAAQ,WAAjC,C;;;MoDUN,eAAe,kBAAW,GAAX,C;MACf,kBAAW,GAAX,IAAkB,K;MAEIB,I AAI,aAAa,SAAJB,C;QACI,6B;QAEA,OAAO,I;;;QAGP,OAAO,Q;IAEf,C;;;MAGI,IAAI,0BAAJ,C;QAAoB,OAA O,I;MAC3B,YAAY,kBAAW,GAAX,C;MACZ,IAAI,UAAU,SAAd,C;QFrDJ,OEsdub,iBftDjB,CEsd6B,GftD7B, C;QEuDE,6B;QAEA,OAAO,K;;;QAGP,OAAO,I;IAEf,C;;;MAII,oBAAa,kB;MACb,YAAO,C;IACX,C;;;MAIW,oD ;MACH,cAAkC,MAAa,MAAK,mCAAL,C;MAC/C,kBAA4B,qBAAL,WAAK,C;MAC5B,iBAA+B,I;IAH5B,C;;;M AK+B,OAAA,eAAS,U;IAAT,C;;;MAMX,gB;MAHnB,UAAU,eAAS,O;MACnB,iBAAU,G;MAES,+E;MAAnB,O AAO,iD;IACX,C;;;MAIkC,UAA9B,M;MAAA,oC;MAA8B,YAAa,c;MpDUF,uB;MAcrD,IAdkE,KAc9D,QAAJ,C; QACI,cAfUE,0B;QAGvE,MAAM,6BAAsB,OAAQ,WAA9B,C;;;QAEN,sBAIB8D,K;;;MoDV/B,oBAAO,sFAAP,C ;IAC3B,C;;;MAjBJ,yD;IAmBJ,C;;;MAESD,8B;MAAA,oD;IAAA,C;;;MActB,uB;IAAA,C;;;MACE,6CAAuB,gBAA vB,C;IAAA,C;;;MAEU,OAAA,2BAAuB,aAAI,gBAAJ,EAAS,QAAT,C;IAAvB,C;;;MAET,OAAA,mCAAY,uBAA c,IAAd,C;IAAZ,C;;;MACG,OAAA,mCAAY,uBAAc,IAAd,C;IAAZ,C;;;MACU,OAAA,mCAAY,qBAAY,IAAZ,EA AkB,KAAlB,C;IAAZ,C;;;MARM,iE;IAAA,C;;;MCNtD,sBAOsC,I;MA6CtC,yB;;;MarHmD,0CAAqC,GAArC,EA A0C,KAA1C,C;MAC/C,oBAAuC,I;MACvC,oBAAuC,I;IAFb,C;;;MAK9B,oB;MAA+B,6B;IAA/B,C;;;MAEI,oB;M ACI,cACsC,I;MAEtC,cACsC,I;MAGIC,cAAO,iC;IARf,C;;;MAAq,OAAO,gBAAS,I;IACpB,C;;;MAII,IAAI,CAAC, cAAL,C;QAAGB,MAAM,6B;MAEtB,cAAc,0B;MACd,cAAO,O;MACa,gBAAb,OAAQ,a;MAAf,cjDkDS,SiDiDo B,KAAO,iCjDkDzC,GAAqB,SAArB,GAA+B,I;MiDjD1B,OAAO,O;IACX,C;;;MrDgCR,IAAI,EqD7Bc,eAAQ,IrD 6BtB,CAAJ,C;QACI,cAdW,e;QAeX,MAAM,6BAAsB,OAAQ,WAA9B,C;;;MqD5BS,oCAAP,0BAAO,C;MACP,g CAAI,cAAO,0BAAO,IAAd,C;MAEJ,cAAO,I;IACX,C;;;MAGqD,MAAM,qCAA8B,iCAA9B,C;IAAN,C;;;MAErD, WAAMb,Q;IACvB,C;;;MAEuE,yCAAc,OAAd,C;IAAA,C;;;MAEC,qD;IAAA,C;;;MAGpE,IAAI,oBAAS,OAAT,CA AJ,C;QACI,WAAmB,cAAO,OAAQ,IAAf,C;QACnB,OAAO,I;MAEX,OAAO,K;IACX,C;;;MAE+B,OAAA,WAA mB,K;IAAnB,C;;;MrDEnC,IAAI,EqDgBM,0BAAQ,IAAR,IAAgB,0BAAQ,IrDhB9B,CAAJ,C;QACI,cAdW,e;QAe X,MAAM,6BAAsB,OAAQ,WAA9B,C;;;MqDgBN,YAAY,mB;MACZ,IAAI,SAAS,IAAb,C;QACI,sBAAO,S;QAC P,yBAAO,S;QACP,yBAAO,S;;;QAGK,YAAa,KAAM,a;QrDZc,uB;QAcR,D,IAdkE,KAc9D,QAAJ,C;UACI,gBAfu E,0B;UAGvE,MAAM,6BAAsB,SAAQ,WAA9B,C;;;UAEN,sBAIB8D,K;;;QqDY1D,+B;QAEA,yBAAO,K;QACP,

yBAAO,K;QAEP,qBAaA,S;QACb,qBAaA,S;;IAErB,C;;MAMI,IAAI,SAAK,aAAL,KAAc,SAAIb,C;QAEI,sBAA  
O,I;;;QAEP,IAAI,wBAAS,SAAb,C;UAEI,sBAAO,sB;;QAEX,qDAAc,sB;QACd,qDAAc,sB;;MAEIB,yBAAO,I;M  
ACP,yBAAO,I;IACX,C;;MA6CI,kBAAI,Q;MACJ,sBAAO,I;IACX,C;;MAQmD,OAAA,kBAAI,mBAAY,GAAZ,C  
;IAAJ,C;;MAGIB,Q;MAAA,0B;MAAA,iB;QAAQ,OAAO,K;;MAA5C,WAA6B,I;;QAEzB,IAAI,OAAA,IAAK,M  
AAL,EAAc,KAAc,CAAJ,C;UACI,OAAO,I;;QAEX,OAAO,cAAA,IAAK,aAAL,C;;MACF,iBAAS,mBAAT,C;MA  
CT,OAAO,K;IACX,C;;MAG2E,uC;IAAA,C;;MAExB,Q;MAAJ,QAAI,OAAJ,kBAAI,WAAI,GA AJ,CAAJ,6B;IA  
AA,C;;MAG3C,UAAU,kBAAI,WAAI,GA AJ,C;MACd,IAAI,OAAO,IAAX,C;QACI,eAAe,6BAAW,GAAX,EAAg  
B,KAAhB,C;QACf,kBAAI,aAAI,GA AJ,EAAS,QAAT,C;QACK,wBAAT,QAAS,C;QACT,OAAO,I;;;QAEP,OAA  
O,GA AI,gBAAS,KAAT,C;;IAEnB,C;;MAGI,YAAY,kBAAI,cAAO,GAAP,C;MACHb,IAAI,SAAS,IAAb,C;QAC  
U,sBAAN,KAAM,C;QACN,OAAO,KAAM,M;;MAEjB,OAAO,I;IACX,C;;MAEsC,OAAA,kBAAI,K;IAAJ,C;;;M  
ArFtC,uD;MAGuB,qB;MAAJ3B,yB;MAoJQ,sBAAM,gB;MAJV,Y;IAAA,C;;MAOA,uD;MAAoD,qB;MAvJxD,yB  
;MAyJc,Q;MAAN,sBAAM,+D;MAFV,Y;IAAA,C;;MAcyC,0B;QAAA,aAAoB,G;MAT7D,uD;MASqE,eAAM,eA  
AN,EAAuB,UAAvB,Q;MArKzE,yB;MASkQ,sBAAM,gB;MAVV,Y;IAAA,C;;MAaA,uD;MAA2C,qBAAK,eAAL  
,EAAsB,GAAtB,Q;MAA3C,Y;IAAA,C;;MAEA,uD;MAG2C,qB;MA9K/C,yB;MA+KQ,sBAAM,gB;MACN,KAA  
K,gBAAO,QAAP,C;MALT,Y;IAAA,C;;MAMeOD,gBAA7C,qBAAYB,eAAzB,C;MAAqD,wB;MAA5D,OjD/KO,S  
;IiDg LX,C;;;MCzOI,uD;MAAmD,eAAM,GAAN,Q;MAPvD,yB;MAOI,Y;IAAA,C;;MAEA,uD;MAGuB,eAAM,o  
BAAN,Q;MAZ3B,yB;MASI,Y;IAAA,C;;MAKA,uD;MAG8C,eAAM,oBAAN,Q;MAjBID,yB;MAkBQ,qBAAO,Q  
AAP,C;MAJJ,Y;IAAA,C;;MAGByC,0B;QAAA,aAAoB,G;MAT7D,uD;MASqE,eAAM,qBAAsB,eAAtB,EAAuC,  
UAAvC,CAAN,Q;MA9BzE,yB;MAqBI,Y;IAAA,C;;MAWA,uD;MAA2C,qBAAK,eAAL,EAAsB,GAAtB,Q;MAA  
3C,Y;IAAA,C;;MAa+C,gBAAXC,mBAAc,qBAAd,C;MAAgD,6B;MAAvD,OldmBO,S;IkDlBX,C;;;MJ/CI,OAA  
G,GAAG,CAAC,QAAD,C;IACV,C;;MKI0E,c;IAAA,C;;ICR1E,C;;MAEQ,mBAAM,IAAN,C;IACJ,C;;MAGI,mB  
AAM,OAAN,C;MACA,c;IACJ,C;;IAIkB,C;;;MAKmC,qB;MAA7B,gC;IAAD,C;;MACa,OAAA,iBAaA,OA6DJ,O  
A7DiB,OA6DjB,CA7DI,C;IAAb,C;;;MAKJ,qB;IAFP,C;;MAIQ,OAAQ,KAAL,OAAJ,C;IACZ,C;;MAGI,OAAQ,  
KAAL,OAAJ,C;IACZ,C;;MAGI,OAAQ,KAAL,EA AJ,C;IACZ,C;;MAKiC,qB;MACjC,cAAa,E;IAHjB,C;;MAMQ,  
eAoCyC,OApCxB,OAcwB,C;IANC7C,C;;MAGI,cAAS,E;IACb,C;;MAKwC,yB;IAF5C,C;;MAIQ,QAwByC,OA  
xB1B,OAwB0B,C;MAvBzC,QAAU,eAAF,CAAE,EAAY,EA AZ,C;MACV,IAAI,KAAK,CAAT,C;QACI,4BAAU,  
CtChB0E,WsCgB9D,CtChB8D,EsCgB3D,CtChB2D,C;QsCiBpF,Y;QACA,IAAI,CtCrBiE,WsCqBrD,IAAI,CAAJ,I  
tCrBqD,C;;MsCuBzE,4BAAU,C;IACd,C;;MAGI,OAAQ,KAAL,WAAJ,C;MACR,cAAS,E;IACb,C;;;MAW6C,cA  
Aa,KAAb,C;IAAA,C;;MAI7C,MAAO,U;IACX,C;;MAIL,MAAO,iBAAQ,OAAR,C;IACX,C;;MAIL,MAAO,eAAM  
,OAAN,C;IACX,C;;MC3FsC,8C;MACiC,eAAsB,C;MACtB,wBAA+B,C;MAC/B,gBAA6B,I;MAC7B,mBAAsC,I;  
MACtC,qBAAYC,I;MAEzC,yBAAGD,yBAAMB,Q;MAEIC,gB;MAAJC,cAAiC,2CAAQ,yCAAR,gDAawD,IAAx  
D,6BAAiE,I;IATjE,C;;MAOjC,6B;IAAA,C;;MAKI,gBAAS,K;MACT,wB;IACJ,C;;MAGI,eAAQ,qB;MACR,mBA  
AiB,S;MACjB,wB;IACJ,C;IC0EJ,8B;;MDvEQ,iBAA8B,yB;MC6EzB,Q;;QAhL,aD1EoD,e;QC2EpD,IAAI,WAA  
W,mBAAf,C;UAEuC,CAAIc,kEAAkC,eAAO,MAAP,C;;;QAEzC,gC;UACE,UAAW,6BAAoB,CAApB,C;;;UAPf  
,O;;IDxEa,C;;;MAQe,0B;IAAD,C;;MAKd,0B;MAUA,gBAA2B,a;IAX/B,C;;MASgB,OAAA,eAAS,Q;IAAT,C;;  
MAMJ,sBAAW,SAAX,C;QACI,gBAAS,K;WAEb,sBAAW,mBAAX,C;QACI,gBAAS,O;QACT,eAAS,cAAO,KA  
AP,C;;;QAGT,MAAM,6BAAsB,iBAAtB,C;;IAGIB,C;;MAIQ,sBAAW,SAAX,C;QACI,gBAAS,SAAK,SAAL,C;  
WAEb,sBAAW,mBAAX,C;QACI,gBAAS,O;QACT,eAAS,6BAAoB,SAApB,C;;;QAGT,MAAM,6BAAsB,iBAAt  
B,C;;IAGIB,C;;MAQW,Q;MAJP,IAAI,kBAAW,SAaf,C;QACI,gBAAS,mB;;MAEb,aAAa,IAAK,S;MAEd,eAAW,  
OAAAX,C;QACI,0B;WAEJ,gC;QACI,MAAM,MAAO,U;;QAGb,a;;MARR,W;IAWJ,C;;MAvDA,0D;MACyD,6BA  
AK,QAAL,EAAe,SAaf,C;MADzD,Y;IAAA,C;;MErCM,OAAK,SAAL,CAAiB,UAAjB,EAA6B,KAA7B,C;IAAA,  
C;;MAQA,OAAK,SAAL,CAAiB,QAAjB,EAA2B,UAA3B,EAAuC,KAAvC,C;IAAA,C;;MAMc,OAAK,SAAL,C  
AAiB,QAAjB,EAA2B,UAA3B,EAAuC,IAAvC,CAA6C,O;IAA7C,C;;MAKA,OAAK,SAAL,CAAiB,UAAjB,EAA  
6B,IAA7B,CAAmC,O;IAAnC,C;;MAUxB,wC;IAAA,C;;;MAAA,+C;QAAA,8B;;MAAA,wC;IAAA,C;;MC2FI,a  
AAa,IAAb,MAAa,E;MACb,KAAK,MAAL,C;MACA,OAAO,M;IACX,C;;MC3HyG,kBAApB,wBAAc,IAAd,C;M  
AA0B,IzD4D3G,a;MyD5DiF,OzD6D1E,W;IyD7D0E,C;;MAQvC,kBAA1B,cAAhB,sCAAgB,EAAc,IAAd,EAAoB  
,IAApB,C;MAAiC,sBzDiE3C,WyDjE2C,C;MAAJD,OzDkEO,W;IyDIEP,C;;MCZ8C,8B;MAAA,OCIN,aDJwB,yB  
AAa,QAAb,mCCIXB,C9C6pBgC,sB;I6CjQB1B,C;;MrEyrGvC,kBAAY,gB;MA8EH,Q;MAAhB,wBqE/vGqB,UrE+

vGrB,gB;QAAgB,cqE/vGK,UrE+vGrB,M;QAAsB,IAAI,CqE/vGkB,oBrE+vGP,OqE/vGO,CrE+vGtB,C;UAAyB, WAAY,WAAI,OAAJ,C;;MqE/vG3D,qBrEgwGO,W;MqE/vGP,IIEqJwD,CkErJpD,cIEqJqD,UkErJzD,C;Q7CwGuC ,U;Q6CvGnC,qB7CuGyD,OAAtB,+B6CvGd,mB7CuGc,uBAAsB,CAAO,W;Q+C3GpD,kBAAhB,sB;QFMQ,0C;Q ACA,IAAI,E7C8MoC,0BAAU,C6C9M9C,CAAJ,C;UACI,2BAAO,GAAP,C;;QAEW,sCAAa,GAAb,C;QALnB,sB 1DsDG,W4D3D8B,W;QFYjC,OAAO,I;;MAGX,OAAO,K;IACX,C;;MAQmB,c;;QrEmwSC,Q;QAAhB,wBqEnwSI ,UrEmwSJ,gB;UAAgB,cqEnwSZ,UrEmwSJ,M;UAAAsB,IqEnwSD,oBrEmwSe,OqEnwSf,CrEmwSC,C;YAAwB,aA AO,I;YAAP,e;;;QAC9C,aAAO,K;;;MqEpwSP,e;QACI,kBAA6B,MAAX,UAAW,C;Q7CkFM,U;Q6CjFb,a7CiFmC ,OAAtB,+B6CjFvB,mB7CiFuB,uBAAsB,CAAO,W;Q6CjFX,kBC5BjB,aD4BD,MC5BC,C9CwsC6C,uBAAzB,CA AyB,C;QTjmB9E,kBAAS,gB;QAYEA,U;QAAA,+B;QAAhB,OAAgB,gBAAhB,C;UAAgB,6B;UAAM,IsDppB4C, 4BtDopB9B,SsDppB8B,CtDopB5C,C;YAAwB,WAAI,SAAJ,C;;QsDppBtD,sBAAMF,etDqpBhF,WsDrpB gF,EAAa,GAAb,C;QACnF,OAAO,I;;MAGX,OAAO,K;IACX,C;;MGjCY,8BAAY,IAAK,UAAjB,IAA8B,uBAAY, IAAK,mB;IAA/C,C;;MAOA,8BAAY,IAAK,a;IAAjB,C;;MCdWd,gCAAqB,OAArB,C;IAAA,C;;MAEjC,wB;IAA D,C;;MAE1B,eAAQ,CAAR,C;IACJ,C;;MAEyC,iCAAuB,cAAvB,M;IAAA,C;;MCCO,8B;MAAS,uB;IAAT,C;;M ACjB,OAAA,gBAAY,O;IAAZ,C;;MAG3B,IADoC,KACpC,IAAG,CAAH,IADoC,KACpC,IAAM,qBAAN,C;QA D8B,OACX,gBAAY,MAAK,KAAL,C;;;QACvB,MAAM,8BAA0B,WAAQ,KAAR,6BAAMC,qBAANc,MAA1B, C;IAFgB,C;;;MAHc,4C;IAAA,C;;MCJhD,OAAO,yBAAP,C;QACI,sBAAY,mCAAZ,C;;IAER,C;;MAQI,sBAAY,s CAAgB,gBAAe,IAAf,CAA5B,C;MACA,OAAO,S;IACX,C;;MCb8C,gB;IAAA,C;;MAMwB,OAAK,S;IAAL,C;;M AQG,gB;IAAA,C;;MAmB5D,UAPF,M;MAFP,QAAc,S;MAGV,cAAK,UAAU,U;QACI,mBAAK,UAAU,G;WACJ, IAAA,MAAa,YAAW,CAAX,CAAb,C;QAC6B,8BAAZB,CAAyB,C;;;QAGN,UAAIB,uDAaKb,Y;MAP3B,a;IASJ, C;;MCrCI,MAAM,yBAAqB,OAArB,C;IACV,C;;MAII,MAAM,uBAAMb,cAAAnB,C;IACV,C;;MAII,MAAM,6BA AsB,OAAtB,C;IACV,C;;MAII,MAAM,4CAAqC,uBAAqB,YAArB,8BAArC,C;IACV,C;;MCH4G,Q;MAAA,+BA AS,I;sCAAIB,O,2DAAA,O;;;IAApE,C;;;MAC3B,iD;;gCAA4B,I;8BAAM,I;MACd,0BAAY,MAAK,KAAL,E AAW,IAAX,EAAiB,IAAjB,C;MADhC,Y;IAAA,C;;MAIA,iD;;gCAA4C,O;8BAAS,I;MACjC,0BAAY,MAAK,KA AL,EAAW,OAAx,EAAoB,IAApB,C;MADhC,Y;IAAA,C;;MAIA,iD;;uCAA6C,S,oBAAW,K,2BAAA,K,IAAX,S; 8BAAW,K;MACpC,0BAAY,MAAK,KAAL,EAAW,SAAX,EAAsB,KAAtB,C;MADhC,Y;IAAA,C;;MAM4G,Q; MAAA,+BAAS,I;sCAAIB,O,2DAAA,O;;;IAApE,C;;;MAC/B,mD;;gCAA4B,I;8BAAM,I;MACV,4BAAY,M AAK,KAAL,EAAW,IAAX,EAAiB,IAAjB,C;MADpC,Y;IAAA,C;;MAIA,mD;;gCAA4C,O;8BAAS,I;MAC7B,4B AAY,MAAK,KAAL,EAAW,OAAx,EAAoB,IAApB,C;MADpC,Y;IAAA,C;;MAIA,mD;;uCAA6C,S,oBAAW,K,2 BAAA,K,IAAX,S;8BAAW,K;MACHc,4BAAY,MAAK,KAAL,EAAW,SAAX,EAAsB,KAAtB,C;MADpC,Y;IAA A,C;;MAKgG,qBAAU,OAAV,EAAmB,KAAAnB,C;;IAA1D,C;;MACtC,0D;MAAuB,6BAAK,IAAL,EAAW,IAAX ,C;MAAvB,Y;IAAA,C;;MACA,0D;MAAuC,6BAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;IAAA,C;;MACA,0D;MA AwC,6BAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;IAAA,C;;MAGwG,4BAAiB,OAAjB,EAA0B,KAA1B,C;;IAA 1D,C;;MAC9C,kE;MAAuB,qCAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;IAAA,C;;MACA,kE;MAAuC,qCAAK,O AAL,EAAc,IAAd,C;MAAvC,Y;IAAA,C;;MACA,kE;MAAwC,qCAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;IA AA,C;;MAGqG,4BAAiB,OAAjB,EAA0B,KAA1B,C;;IAA1D,C;;MAC3C,+D;MAAuB,kCAAK,IAAL,EAAW,IA AX,C;MAAvB,Y;IAAA,C;;MACA,+D;MAAuC,kCAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;IAAA,C;;MACA,+D; MAAwC,kCAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;IAAA,C;;8BAGuG,O;;IAAxD,C;;MAC/C,mE;MAAuB,s CAAK,IAAL,C;MAAvB,Y;IAAA,C;;MAG+G,4BAAiB,OAAjB,EAA0B,KAA1B,C;;IAA1D,C;;MACrD,yE;MAA uB,4CAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;IAAA,C;;MACA,yE;MAAuC,4CAAK,OAAL,EAAc,IAAd,C;MA AvC,Y;IAAA,C;;MACA,yE;MAAwC,4CAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;IAAA,C;;MAG6G,4BAAiB, OAAjB,EAA0B,KAA1B,C;;IAA1D,C;;MACnD,uE;MAAuB,0CAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;IAAA,C ;MACA,uE;MAAuC,0CAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;IAAA,C;;MACA,uE;MAAwC,0CAAK,SAAL,E AAgB,KAAhB,C;MAAxC,Y;IAAA,C;;sCAI2G,O;;IAAhE,C;;MAC3C,+D;MAAuB,kCAAK,IAAL,C;MAAvB,Y; IAAA,C;;8BAIkG,O;;IAAxD,C;;MAC1C,8D;MAAuB,iCAAK,IAAL,C;MAAvB,Y;IAAA,C;;8BAGgG,O;;IAAxD ,C;;MACx4C,4D;MAAuB,+BAAK,IAAL,C;MAAvB,Y;IAAA,C;;MAG+F,mBAAM,OAAN,EAAe,KAAf,C;;IAA3 D,C;;MACpC,wD;MAAuB,sBAAK,IAAL,Q;MAAvB,Y;IAAA,C;;MACA,wD;MAAgC,2BAAK,OAAL,EAAc,IA Ad,C;MAAhC,Y;IAAA,C;;MACA,wD;MAAiD,IAAY,I;MAAZB,2BAAa,SAAR,OAAQ,CAAb,EAAyB,sDAAzB, C;MAApC,Y;IAAA,C;;8BAGoG,O;;IAAxD,C;;MAC5C,gE;MAAuB,mCAAK,IAAL,C;MAAvB,Y;IAAA,C;;MAI

4G,4BAAiB,OAAjB,EAA0B,KAA1B,C;;IAA1D,C;;MACID,sE;MAAuB,yCAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;IAAA,C;;MACA,sE;MAAuC,yCAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;IAAA,C;;MACA,sE;MAAwC,yCAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;IAAA,C;;MAGoH,4BAAiB,OAAjB,EAA0B,KAA1B,C;;IAA1D,C;;MAC1D,8E;MAAuB,iDAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;IAAA,C;;MACA,8E;MAAuC,iDAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;IAAA,C;;MACA,8E;MAAwC,iDAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;IAAA,C;;MCPeO,kB3EmBiD,oB;M2EO9C,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,C AAN,C;QACV,kBAAkB,sBAAY,GAAZ,C;QA+EiD,U;QA9EnE,W3EwFJ,a2ExFgB,G3EwFhB,E4E3JoB,CDmEkC,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,CA8EhD,GCjJrC,CDiJqC,GAA6B,UA9EjC,WA8EiC,6DCjJnD,IAA M,CAAN,I5E2JpB,C;;M4E3JA,ODqEO,W;ICrEP,C;;MCKf0C,OAAI,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAmB,C;IAAnB,C;;MAOA,OAAI,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAmB,C;IAAnB,C;;MrC1FA,cAAvC,C ;IAAuC,C;;MsC4CpB,Q;MADtB,UAAmB,E;MACnB,wBAAsB,KAAtB,gB;QAAsB,aAAA,KAAtB,M;QAAK,IA AC,0BAAD,EAAO,2B;QACR,IAAI,IAAJ,IAAY,K;;MAEhB,OAAO,G;IACX,C;;MAQgB,Q;MADZ,WAA0B,MA Aa,MAAK,KAAL,C;MACvC,wBAAY,IAAZ,gB;QAAY,UAAA,IAAZ,M;QACI,IAAU,KAAy,gBA Ae,GAAf,CA AtB,C;UACI,UAAK,GAAL,IAAY,MAAM,GAAN,C;;MAGpB,OAAO,S;IACX,C;;MrC9D+C,S;IAAA,C;;MAGc a,0BA Ae,WAAf,C;IAAA,C;;MAM4B,0BA Ae,WAAf,C;IAAA,C;;MAOhB,0BA Ae,WAAf,C;IAAA,C;;MAOV,Q; MAH1D,aAAkB,GAAL,O;MACtB,aAAkB,GAAL,O;MACtB,YAAiB,C;MACjB,OAAO,QAAQ,MAAR,IAAkB,Q AAQ,MAAjC,C;QAAyC,IAAI,KAAJ,IAAa,IAAI,YAAJ,EAAL,oBAAJ,O;;MACtD,OAAO,G;IACX,C;;MASuC,Q; MALnC,aAAa,MAAO,OAAM,CAAN,EAAS,OAAT,C;MA0BpB,IAzBc,MAyBL,OAAL,KAakB,SAAtB,C;QazB sB,MA0BIB,UA1BU,MA0BS,O;;MAzBvB,YAAiB,MAAO,O;MACxB,IAAI,UAAU,KAAc,C;QACI,gBAAgB,O; QACHB,OAAO,QAAQ,OAAf,C;UAAwB,OAAO,YAAP,EAAO,oBAAP,UAAkB,Y;;MAE9C,OAAO,M;IACX,C; ;MAOoB,UAAmB,M;MAJnC,aAAa,KAAM,Q;MACnB,MAAO,OAAP,IAAiB,UAAW,K;MAc5B,IAbc,KAAaL,OA AL,KAAkB,SAAtB,C;QAbqB,MAcjB,UAdU,KAcS,O;;MABvB,YAAiB,KAAM,O;MACP,4B;MAAhB,OAAGB,c AAhB,C;QAAGB,yB;QAAY,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MAC9C,OAAO,M;IACX,C;;MAIoB,UAA gB,M;MADhC,YAAy,U;MACI,4B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAY,IAAI,cAAJ,EAAL,sBAAJ,YA Ae,O;;MAC3C,OAAO,G;IACX,C;;MAGI,IAAI,IAAK,OAAL,KAAkB,SAAtB,C;QACI,YAAc,IAAK,O;;IAE3B,C ;qEErFA,yB;MAAA,iB;MAAA,oB;QAOKD,OAAA,MAAW,KAAI,CAAJ,C;MAAX,C;KAPID,C;qEASA,yB;MA AA,iB;MAAA,oB;QAOKD,OAAA,MAAW,KAAI,CAAJ,C;MAAX,C;KAPID,C;qEASA,yB;MAAA,iB;MAAA,oB ;QAOKD,OAAA,MAAW,KAAI,CAAJ,C;MAAX,C;KAPID,C;uEASA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA, MAAW,MAAK,CAAL,C;MAAX,C;KATnD,C;uEAWA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAA K,CAAL,C;MAAX,C;KATnD,C;uEAWA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;M AAX,C;KATnD,C;yEAWA,yB;MAAA,iB;MAAA,uB;QAKB+D,OAAA,MAAW,OAAM,CAAN,EAAS,CAAT,C; MAAX,C;KAIB/D,C;uEAoBA,yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAAW,MAAK,CAAL,C;MAAX,C;K AVnD,C;uEAYA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;MAAX,C;KATnD,C;uEA WA,yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAAW,MAAK,CAAL,C;MAAX,C;KAVnD,C;yEAYA,yB;MAA A,iB;MAAA,oB;QAYoD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAZpD,C;yEAcA,yB;MAAA,iB;MAAA,o B;QAYoD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAZpD,C;yEAcA,yB;MAAA,iB;MAAA,oB;QAaoD,OA AA,MAAW,OAAM,CAAN,C;MAAX,C;KAbpD,C;yEAEa,yB;MAAA,iB;MAAA,uB;QAS+D,OAAA,MAAW,OA AM,CAAN,EAAS,CAAT,C;MAAX,C;KAT/D,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAQmD,OAAA,MAAW,M AAK,CAAL,C;MAAX,C;KARnD,C;qEUA,yB;MAAA,iB;MAAA,oB;QAUKD,OAAA,MAAW,KAAI,CAAJ,C; MAAX,C;KAVID,C;yEAYA,yB;MAAA,iB;MAAA,oB;QacoD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAd pD,C;;MA8BI,IAAI,QAAQ,GAAR,IAAe,SAAQ,GAA3B,C;QAAGC,OAAO,wCAAO,I;MAC9C,OAAO,IAAW,K AAI,CAAJ,CAAX,GAAoB,IAAW,KAAI,IAAJ,C;IAC1C,C;mEAEA,yB;MAAA,iB;MAAA,oB;QAWiD,OAAA,M AAW,KAAI,CAAJ,C;MAAX,C;KAXjD,C;yEAaA,yB;MAAA,iB;MAAA,oB;QAOoD,OAAA,MAAW,OAAM,CA AN,C;MAAX,C;KAPpD,C;uEASA,yB;MAAA,iB;MAAA,oB;QAOmD,OAAA,MAAW,MAAK,CAAL,C;MAAX, C;KAPnD,C;uEASA,yB;MAAA,iB;MAAA,oB;QAgBmD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAhBnD, C;uEakBA,yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAAW,MAAK,CAAL,C;MAAX,C;KAVnD,C;yEAYA,y B;MAAA,iB;MAAA,oB;QAUoD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAVpD,C;+EAYA,yB;MAAA,iB; MAAA,oB;QAUuD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAVvD,C;;MAoBI,IAAI,IAAI,GAAJ,KAAW,G

AAf,C;QACI,OAAO,IAAW,OAAM,CAAN,C;;MAEtB,YAZBgD,MAAW,OAYBzC,CAzByC,C;MA0B3D,OAAW  
,QAAQ,CAAR,KAAa,GAAxB,GAA6B,KAA7B,GAtC+C,MAAW,MASCb,CAtCa,C;IAuC9D,C;qEAEA,yB;MAA  
A,iB;MAAA,oB;QAUkD,OAAA,MAAW,KAAI,CAAJ,C;MAAX,C;KAVID,C;uEAYA,yB;MAAA,iB;MAAA,oB;  
QAWmD,OAAA,MAAW,MAAK,CAAL,C;MAAX,C;KAXnD,C;wEAcA,yB;MAAA,iB;MAAA,uB;QAO6D,OA  
AA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;MAAX,C;KAP7D,C;wEASA,yB;MAAA,iB;MAAA,uB;QAO6D,OAA  
A,MAAW,KAAI,CAAJ,EAAO,CAAP,C;MAAX,C;KAP7D,C;qEAWA,yB;MAAA,iB;MAAA,+B;QAyD,OAAA,  
MAAW,KAAI,SAAJ,EAAU,CAAV,C;MAAX,C;KAbzD,C;uEAeA,yB;MAAA,iB;MAAA,+B;QAOsD,OAAA,M  
AAW,KAAI,SAAJ,EAAU,CAAV,C;MAAX,C;KAPtD,C;iGAmBsD,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MA  
AW,KAAI,SAAJ,C;MAAX,C;KAAR,C;+EAaT,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAW,MAAK,SAAL,  
C;MAAX,C;KAAR,C;;MASzC,kBAaKB,MAAa,eAAc,SAAd,C;MAC/B,iBAaIB,MAAa,eAAc,IAAd,C;MAC9B,  
OAAW,gBAaE,UAAAnB,GAA+B,SAA/B,GAAyC,CAAC,S;IACrD,C;iFAEA,yB;MAAA,6C;MAAA,kC;QAK8D,  
OAAK,SAAL,SAAK,EAAc,IAAd,C;MAAL,C;KAL9D,C;;MAmBI,gBAAO,CAAP,C;QADyC,OACrB,QAAP,CA  
AC,SAAM,C;WACpB,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAAO,kBAA/B,C;QAFyC,OAeW,S;WACp  
D,kBAAQ,wCAAO,UAAf,C;QAHyC,OAGb,YAAy,SAAL,SAAK,C;;QAHc,OAI5B,OAAL,SAAK,CAAL,GAAg  
B,S;IAJiB,C;;MAYzC,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAAO,kBAA/B,C;QADwC,OACY,S;WACp  
D,kBAAQ,GAAR,C;QAFwC,OAeZB,wCAAO,U;;QACP,WAAc,UAAAL,SAAK,CAAL,yBAaUB,YAAO,CAAX,G  
AAc,CAAd,GAAqB,EAAxC,E;QAHgB,OoC9Z6B,MAAa,gBAaE,IAAf,C;;IpC8Z1C,C;;MAWxC,IAAK,QAAL,S  
AAK,CAAL,IAAgB,cAAQ,wCAAO,kBAA/B,C;QAD0C,OACU,S;WACpD,kBAAQ,GAAR,C;QAF0C,OAe3B,C  
AAC,wCAAO,U;;QACR,WAAc,UAAAL,SAAK,CAAL,yBAaUB,YAAO,CAAX,GAAc,EAAd,GAAsB,CAAzC,E;  
QAHkB,OoCxa2B,MAAa,gBAaE,IAAf,C;;IpCwaxC,C;;MAiB1C,IAAK,QAAL,SAAK,CAAL,IAAmB,QAaH,EA  
AG,CAAnB,C;QADuD,OACzB,wCAAO,I;WACrC,WAAM,SAAN,C;QAFuD,OAeZC,E;WACd,SAAK,SAAL,C;  
QAHuD,OAGrC,OAAL,SAAK,C;;QAHqC,OAI1B,SAAL,SAAK,C;IAJ0B,C;;MAoBvD,uB;QAAW,MAAM,gCA  
AyB,yBAaZB,C;WACjB,gBAAO,UAAp,C;QAFyC,OAeJB,U;WACxB,gBAAO,WAAP,C;QAHyC,OAGjB,W;;Q  
AHiB,OAIW,YAA5C,IAAW,OAAM,SAAN,CAAiC,C;;IAJX,C;;MAmBzC,uB;QAAW,MAAM,gCAAyB,yBAaZ  
B,C;WACjB,oD;QAF2C,+B;WAG3C,oD;QAH2C,+B;;QAAA,OAI5,uBAA5C,IAAW,OAAM,SAAN,CAAiC,C;;I  
AJT,C;uEAY/C,yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;MAA7B,C;KAPhD,C;uEAS  
A,yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;MAA7B,C;KAPhD,C;uEASA,yB;MAAA,i  
B;MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;MAA7B,C;KAPhD,C;yEASA,yB;MAAA,iB;MAAA,oB;  
QASiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KATjD,C;yEAWA,yB;MAAA,iB;MAAA,oB;QASiD,OAA  
A,MAA8B,MAAZ,CAAY,C;MAA9B,C;KATjD,C;yEAWA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,M  
AAZ,CAAY,C;MAA9B,C;KATjD,C;2EAWA,yB;MAAA,iB;MAAA,uB;QakB4D,OAAA,MAA6C,OAA1B,CAA  
0B,EAAZ,CAAY,C;MAA7C,C;KAIB5D,C;yEAoBA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,C  
AAY,C;MAA9B,C;KAVjD,C;yEAYA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA  
9B,C;KATjD,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KAVjD,  
C;2EAYA,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;MAA/B,C;KAZID,C;2EAeA,yB;  
MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;MAA/B,C;KAZID,C;2EAeA,yB;MAAA,iB;MA  
AA,oB;QAakD,OAAA,MAA+B,OAAZ,CAAY,C;MAA/B,C;KAbID,C;2EAeA,yB;MAAA,iB;MAAA,uB;QAS4D,  
OAAA,MAA6C,OAA1B,CAA0B,EAAZ,CAAY,C;MAA7C,C;KAT5D,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAQ  
iD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KARjD,C;uEAUA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,M  
AA6B,KAAZ,CAAY,C;MAA7B,C;KAVhD,C;2EAYA,yB;MAAA,iB;MAAA,oB;QackD,OAAA,MAA+B,OAAZ,  
CAAY,C;MAA/B,C;KAdID,C;uEAgBA,yB;MAAA,mC;MAAA,0B;QAc6D,OAAmC,IAA7B,CAA6B,EAAZ,IAA  
Y,C;MAAnC,C;KAd7D,C;qEAgBA,yB;MAAA,iB;MAAA,oB;QAW+C,OAAA,MAA6B,KAAZ,CAAY,C;MAA7  
B,C;KAX/C,C;2EAaA,yB;MAAA,iB;MAAA,oB;QAOkD,OAAA,MAA+B,OAAZ,CAAY,C;MAA/B,C;KAPID,C;  
yEASA,yB;MAAA,iB;MAAA,oB;QAOiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KAPjD,C;yEASA,yB;M  
AAA,iB;MAAA,oB;QAgBiD,OAAA,MAA+B,OAAZ,CAAY,C;MAA/B,C;KAhBjD,C;yEAkBA,yB;MAAA,iB;M  
AAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KAVjD,C;2EAYA,yB;MAAA,iB;MAAA,oB;QA  
UkD,OAAA,MAA+B,OAAZ,CAAY,C;MAA/B,C;KAVID,C;iFAYA,yB;MAthBA,iB;MAshBA,oB;QAUqD,Oath  
BE,MAAW,OAshBF,CathBE,C;MAshBb,C;KAVrD,C;2EAYA,yB;MAAA,uC;MAAA,oB;QAQkD,OAAoB,MA

AZ,CAAY,C;MAApB,C;KARID,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MAA6B,KAAZ,CAAY,C;MAA7B,C;KAVhD,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAWiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KAXjD,C;wEAeA,yB;MAAA,iB;MAAA,uB;QAO0D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;MAAX,C;KAP1D,C;wEASA,yB;MAAA,iB;MAAA,uB;QAO0D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;MAAX,C;KAP1D,C;sEAYA,yB;MAAA,iB;MAAA,+B;QAasD,OAAA,MAA8C,KAA1B,SAA0B,EAAZ,CAAY,C;MAA9C,C;KAbtD,C;uEAeA,yB;MAAA,iB;MAAA,+B;QAOoD,OAAA,MAA8C,KAA1B,SAA0B,EAAZ,CAAY,C;MAA9C,C;KAPpD,C;kGAmBoD,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAgC,KAAZ,SAAY,C;MAAhC,C;KAAR,C;gFAaT,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAiC,MAAZ,SAAY,C;MAAjC,C;KAAR,C;gFAE3C,yB;MAAA,6C;MAAA,kC;QAO8D,OAA0C,SAArC,SAAqC,EAAZ,IAAY,C;MAA1C,C;KAP9D,C;iFASA,yB;MAAA,6C;MAAA,kC;QAK4D,OAA0C,SAArC,SAAqC,EAAZ,IAAY,C;MAA1C,C;KAL5D,C;oFAQA,yB;MAAA,iD;MAAA,4B;QAYmD,OAAW,WAAx,SAAW,C;MAAX,C;KAZnD,C;sFAcA,yB;MAAA,mD;MAAA,4B;QAYqD,OAAW,YAAX,SAAW,C;MAAX,C;KAZrD,C;;MA2BqC,OAAI,IAAI,CAAR,GAAY,CAAC,CAAD,OAAM,CAAI,B,GAA0B,C;IAA1B,C;wEAeC,yB;MAAA,iB;MAAA,uB;QAKoD,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;MAAX,C;KALpD,C;wEAOA,yB;MAAA,iB;MAAA,uB;QAKoD,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;MAAX,C;KALpD,C;mGAiBgD,yB;MAAA,mC;MAAA,4B;QAAQ,WAAI,SAAJ,C;MAAA,C;KAAR,C;;MAU5C,gBAAO,CAAP,C;QADoC,OACxB,E;WACZ,gBAAO,CAAP,C;QAFoC,OAExB,C;;QAFwB,OAG5B,C;IAH4B,C;;MAiBD,OAAl,eAAI,CAAR,GAAY,CAAD,aAAx,GAAM,B,C;IAAnB,C;;MAOgB,OAAI,kBAaK,CAAL,MAAJ,GAAY,CAAZ,GAAM,B,C;IAAnB,C;;MAOA,OAAI,kBAaK,CAAL,MAAJ,GAAY,CAAZ,GAAM,B,C;IAAnB,C;mGAYL,yB;MAAA,mC;MAAA,4B;QAAQ,WAAI,SAAJ,C;MAAA,C;KAAR,C;;MAU9C,2BAAO,CAAP,C;QADqC,OACzB,E;WACZ,2BAAO,CAAP,C;QAFqC,OAExB,C;;QAFyB,OAG7B,C;IAH6B,C;;MqC5kCO,c3DoBoB,uB2DpBpB,EAAiB,MAAjB,C;IAAA,C;;MAMN,Q;MAAA,yDAaKb,kBAaKb,SAaIB,C;IAAIB,C;;MAOU,Q;MAAA,yCAAa,KAAb,oBAaU,bBAaKb,SAaIB,C;IAAvB,C;;MAOR,Q;MAAA,0DAaM,bBAaKb,SAaIB,C;IAAnB,C;;MAOU,Q;MAAA,0CAAc,KAAd,oBAaW,bBAaKb,SAaIB,C;IAAxB,C;;MAMd,Q;MAAA,wDAaI,bBAaKb,SAaIB,C;IAAjB,C;;MAOU,Q;MAAA,wCAAY,KAAZ,oBAAsB,kBAaKb,SAaIB,C;IAAtB,C;;MAMR,Q;MAAA,yDAaKb,kBAaKb,SAaIB,C;IAAIB,C;;MAOU,Q;MAAA,yCAAa,KAAb,oBAaU,bBAaKb,SAaIB,C;IAAvB,C;;MAmQc,kBAA1C,CAAO,S;MACID,IAAO,QzEgBD,WyEhBC,CAAH,IAAc,CAAM,kBAApB,KzEgBE,WyEhB6B,KAAAM,GAAN,IAaKb,kBAAjD,CAAJ,C;QACI,4B;MAFsC,OzEkBnC,W;IyElBmC,C;6EAK9C,yB;MAAA,6C;MAAA,4B;QAKmD,0B;MAAA,C;KALnD,C;;MAWgG,kBAA1C,CAAO,S;MAAR,OACjD,EAAK,QzEwBgB,WyExBhB,CAAH,IAAc,CAAM,kBAApB,KzEwBmB,WyExBY,KAAAM,GAAN,IAaKb,kBAAjD,CAAF,CzEwBO,GAAqB,WAArB,GAA+B,I;IyEzBW,C;yFAIrD,yB;MAAA,yD;MAAA,4B;QAK0D,gC;MAAA,C;KAL1D,C;iFAOA,yB;MAAA,6C;MAAA,mC;QAO6D,OAAa,SAAR,SAAQ,EAAS,KAAT,C;MAAb,C;KAP7D,C;iFASA,yB;MAAA,6C;MAAA,mC;QAO8D,OAAa,SAAR,SAAQ,EAAS,KAAT,C;MAAb,C;KAP9D,C;;MAesD,OAAA,SAAY,UAAS,WAAW,KAAx,CAAT,C;IAAZ,C;;MAQD,OAAA,SAAY,UAAS,WAAW,KAAx,CAAT,C;IAAZ,C;;MAEf,QAAM,S3DpGwB,c2DoG9B,C;aACIC,K;aAAA,M;aAAA,M;UAdkC,OACT,I;gBADS,OAE1B,K;;IAF0B,C;;MAUIC,IAAI,EAAU,CAAV,sBAAa,EAAb,CAAJ,C;QACI,MAAM,gCAAYB,WAAQ,KAAR,kCAAzB,C;;MAEV,OAAO,K;IACX,C;;MAE2D,Q;MACvD,YAAQ,EAAR,IAAe,QAAQ,EAAvB,C;QAA8B,cAAO,E;WACrC,YAAQ,EAAR,IAAe,QAAQ,EAAvB,C;QAA8B,cAAO,EAAP,GAAa,EAAb,I;WAC9B,YAAQ,EAAR,IAAe,QAAQ,GAAvB,C;QAA8B,cAAO,EAAP,GAAa,EAAb,I;;QACtB,S;MzEpDD,a;MyEgDgD,OAK/C,WAAJ,GAAiB,EAajB,GAAyB,E;IAL0B,C;;MAOH,MAAM,0BAAsB,6BAA0B,KAA1B,MAAtB,C;IAAN,C;;MD/IZ,qBAAQ,S;IAAR,C;;MAMD,qBAAQ,S;IAAR,C;;MAKM,qBAAQ,wCAAO,kBAAf,IAAoC,cAAQ,wCAAO,kB;IAAnD,C;;MAKD,qBAAQ,uCAAM,kBAAd,IAAmC,cAAQ,uCAAM,kB;IAAjD,C;;MAKD,QAAC,qBAAD,IAAiB,CAAC,kB;IAAIB,C;;MAKD,QAAc,uBAAD,IAAiB,CAAC,kB;IAAIB,C;;MAwB2B,OAAA,MAAa,gBAAe,IAAf,C;IAAb,C;;MA8BH,OAAA,MAAa,eAAc,IAAd,C;IAAb,C;;MErDIE,OAAO,SAA8B,MAAK,WAAAL,C;IACzC,C;;MAMI,OAAO,SAA8B,MAAK,WAAAL,EAaKb,UAAIB,C;IACzC,C;8EjEvCA,yB;MAAA,6C;MAAA,kC;QAGI,OAAgB,QAAX,SAAW,EAAa,IAAb,C;MAAhB,C;KAHJ,C;;MkEmBY,Q1CdkC,00CcnB,SAAf,C;aACJ,Q;UADI,OACQ,M;aACZ,Q;UAFI,OAEQ,M;aACZ,S;UAHI,OAGS,O;gBAHT,OAIL,MAAa,gBAaE,SAAf,CAAqB,Y;;IAJtC,C;;MAWC,Q;MAAD,OAAwB,CAAvB,iEAAuB,Q;IAAxB,C;;MAMA,iBAAU,SAAV,C;IAAA,C;;MCjCR,8B;IADuC,C;;MACvC,4B;IAAA,C;;M5EWgC,MAAM,yB;I4ER1B,C;;M5EQoB,MAAM,yB;I4EN1B,C;;M5EMoB,MAAM,yB;I4EJ1B,C;;M5EIoB,MAAM

,yB;I4EF1B,C;;M5EEoB,MAAM,yB;I4EA1B,C;;M5EAoB,MAAM,yB;I4EE1B,C;;M5EFoB,MAAM,yB;I4EI1B,C  
;;M5EJoB,MAAM,yB;I4EM1B,C;;M5ENoB,MAAM,yB;I4EQ1B,C;;M5ERoB,MAAM,yB;I4EU1B,C;;M5EVoB,  
MAAM,yB;I4EY1B,C;;M5EZoB,MAAM,yB;I4Ec1B,C;;M5EdoB,MAAM,yB;I4EgB1B,C;;M5EhBoB,MAAM,yB;  
I4EkB1B,C;;M5ElBoB,MAAM,yB;I4EoB1B,C;;M5EpBoB,MAAM,yB;I4EsB1B,C;;MAGR,OAAO,oCAA0B,oBA  
AU,KAAM,OAAhB,C;IACrC,C;;MAG+B,gB;MAAA,8FAA0B,C;IAA1B,C;;MAI3B,OAAO,oBAAQ,eAAR,C;IA  
CX,C;;MAG2D,sBAAC,MAAd,C;MACL,Q;MAAtD,4BAAmC,CAAmB,OAAZ,MAAY,WAAAnB,kC;IADC,C;;M  
ACpC,gC;IAAA,C;;MAGI,OAAO,MAAa,QAAO,KAAP,EAAc,WAAAd,C;IACxB,C;;MAOA,sBAAC,MAAd,C;M  
AFA,wC;MACA,8C;IAHuC,C;;MAMnC,IAAI,0CAAJ,C;QAAsC,OAAO,K;MAC7C,OAAa,uCAAQ,KAAP,CAA  
N,IAAuB,+BAAmB,KAAM,kBAAzB,C;IAClC,C;;MAEyC,6B;IAAA,C;;MAGrC,OAAO,0BAAmB,KAAnB,C;IA  
CX,C;;MAGJ,iC;MAAoC,sBAAoB,MAApB,C;MACHc,4BAAkC,S;IADtC,C;;MACl,gC;IAAA,C;;MAEgD,Y;IA  
AA,C;;MAGpC,MAAM,qCAA8B,6CAA9B,C;IAAN,C;;MAEgC,iBAAU,I;IAAV,C;;MAEb,Q;IAAA,C;;MAVnC  
,wC;QAAA,uB;;MAAA,iC;IAAA,C;;MC1EA,gC;MAEl,gBACe,wBAAoB,MAApB,EAA6D,KAA7D,EAAoE,gC  
AApE,C;MAEf,mBACkB,wBAAoB,MAApB,EAAgE,QAAhE,EAA0E,mCAA1E,C;MAElB,oBACmB,+B;MAEn  
B,oBACmB,wBAAoB,OAApB,EAAkE,SAAlE,EAA6E,oCAA7E,C;MAEnB,iBACgB,wBAAoB,MAApB,EAA8D  
,MAA9D,EAASe,iCAAtE,C;MAEhB,kBACiB,wBAAoB,MAApB,EAA+D,OAA/D,EAAwE,kCAAxE,C;MAEjB,g  
BACe,wBAAoB,MAApB,EAA6D,KAA7D,EAAoE,gCAApE,C;MAEf,kBACiB,wBAAoB,MAApB,EAA+D,OAA  
/D,EAAwE,kCAAxE,C;MAEjB,mBACkB,wBAAoB,MAApB,EAAgE,QAAhE,EAA0E,mCAA1E,C;MAElB,kBA  
CiB,wBAAoB,KAAPB,EAAiE,OAAjE,EAA0E,kCAA1E,C;MAEjB,mBACkB,wBAAoB,MAApB,EAAgE,QAAh  
E,EAA0E,mCAA1E,C;MAElB,sBACqB,wBAAoB,KAAPB,EAAkE,WAAIE,EAA+E,sCAA/E,C;MAErB,yBACw  
B,wBAAoB,KAAPB,EAAqE,cAArE,EAAqF,yCAArF,C;MAExB,sBACqB,wBAAoB,WAApB,EAAwE,WAAxE,  
EAAqF,sCAArF,C;MAErB,sBACqB,wBAAoB,SAAPB,EAASe,WAAtE,EAAmF,sCAAnF,C;MAErB,uBACsB,w  
BAAoB,UAApB,EAAwE,YAAxE,EAAfE,uCAAtF,C;MAEtB,qBACoB,wBAAoB,UAApB,EAASe,UAAtE,EAAk  
F,qCAAI,C;MAEpB,sBACqB,wBAAoB,KAAPB,EAAkE,WAAIE,EAA+E,sCAA/E,C;MAErB,uBACsB,wBAAo  
B,YAApB,EAA0E,YAA1E,EAAwF,uCAAxF,C;MAEtB,wBACuB,wBAAoB,YAApB,EAA2E,aAA3E,EAA0F,wC  
AA1F,C;IA5D3B,C;;MAkE6C,qB;QAAE,O5C/DD,O4C+DU,EAAT,KAAiB,UAAjB,IAAkC,EAAY,OAAf,IAAyB  
,a;MAA1D,C;IAAA,C;;MAFd,Q;MAAhB,U;MAAA,KAAGB,OAAhB,eAAGB,CAAI,KAAJ,CAAhB,U;QAAA,a;;  
QACH,aAAa,wBAAoB,QAApB,EAA+D,kBAA/D,EACoB,mDADpB,C;QAEg,eAAhB,UAAqC,M;QAHIC,SAIH,  
M;;MAJJ,a;IAMJ,C;;MANEqF,6B;IAAU,C;;MAGD,0B;IAAa,C;;MAMT,8B;IAAc,C;;MAGxB,6B;IAAW,C;;MAG  
R,6B;IAAY,C;;MAGlB,6B;IAAU,C;;MAGJ,6B;IAAY,C;;MAGT,6B;IAAa,C;;MAGd,yB;IAAe,C;;MAGd,6B;IAA  
a,C;;MAGL,mC;IAAGB,C;;MAGP,gC;IAAmB,C;;MAGtB,6B;IAAGB,C;;MAGlB,6B;IAAGB,C;;MAGZ,8B;IAAiB  
,C;;MAGvB,4B;IAAe,C;;MAGjB,6B;IAAGB,C;;MAGN,8B;IAAiB,C;;MAGd,+B;IAAkB,C;;MA5DzI,uC;QAAA,  
sB;;MAAA,gC;IAAA,C;;MCEkE,yBAAkB,MAAIB,C;IAAA,C;;MAIxD,IAAN,I;MAAA,Q7CH0C,O6CG3B,CA  
Af,C;aACl,Q;UAA6B,OAAjB,8BAAiB,Y;UAA7B,K;aACA,Q;UAAy,OAAI,CAAxB,CAAwB,GAApB,CAAoB,  
MAAGB,CAAPB,GAAuB,8BAAiB,SAAXC,GAASD,8BAAiB,Y;UAAAnF,K;aACA,S;UAA8B,OAAjB,8BAAiB,a;U  
AA9B,K;aACA,U;UAA+B,OAAjB,8BAAiB,eAAGB,CAAY,OAA5B,C;UAA/B,K;gBAGQ,6B;YAAsC,OAAjB,8B  
AAiB,kB;eACtC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,2B;YAAoC,OA  
AjB,8BAAiB,gB;eACpC,yB;YAAkC,OAAjB,8BAAiB,c;eAClC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,2B;YAA  
oC,OAAjB,8BAAiB,gB;eACpC,4B;YAAqC,OAAjB,8BAAiB,iB;eACrC,6B;;eACA,sB;YAAkC,OAAjB,8BAAiB,  
W;;YAE9B,kBAAkB,MAAa,gBAAE,CAAF,CAAKB,Y;YAE7C,oBAAgB,MAAhB,C;CAAI,D,OAAjB,8BAAiB,S;i  
BACjD,oBAAgB,KAAhB,C;CAAGD,OAAjB,8BAAiB,e;;cAE5C,cAA0B,W;cAC1B,yBAAkB,OAAIB,C;;UAXBx  
B,K;;MAAA,W;IAAA,C;;MAqCO,Q;MAJP,IAAI,WAAW,MAAF,C;QAA6B,OAAO,8BAAiB,Y;;MAErD,eAAsB,  
MAAY,W;MAE3B,IAAI,gBAAJ,C;QACH,IAAI,QAAS,SAAT,QAAJ,C;UACl,aAAa,qBAAiB,MAAJB,C;UACb,o  
BAAsB,M;UACtB,a;;UAES,OAAT,QAAS,S;;QAGb,4BAAiB,MAAJB,C;;MATJ,W;IAWJ,C;;MCtDA,e;MAGq  
C,kB;MAHrC,iB;MAAA,uB;IAGoC,C;;MAHPC,qC;MAAA,C;MAII,qEACY,GADZ,C;MAEA,iEAIU,GAJV,C;IA  
NJ,C;;MAII,wB;MAAA,uC;IAAA,C;;MAEA,wB;MAAA,qC;IAAA,C;;MANJ,mF;IAAA,C;;MAAA,a;AAA,a;  
UAAA,4C;aAAA,W;UAAA,0C;gBAAA,4D;;IAAA,C;;MAmBoC,kB;IAAD,C;;MAAC,iB;IALpC,C;;MAAA,sB  
AKoC,qCALpC,C;IAAA,C;;MAAA,OAKoC,iDALpC,M;IAAA,C;;MAAA,c;MAKoC,sD;MALpC,a;IAAA,C;;MA  
AA,2IAKoC,sCALpC,G;IAAA,C;;MAoII,6B;MAhHA,eACoC,O;MACpC,eACsD,QAAR,OAAQ,C;M3EmpC/C,k

BAAM,iBAAa,wB2ElpC0B,O3EkpC1B,EAawB,EAaxB,CAAb,C;MAqEA,Q;MAAA,O2EvtCuC,O3EutCvC,W;  
MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAc,I2ExtCuC,M3EwtCrD,C;;M2ExtChB,uBAAoC,WAAO,O  
AAP,EAAYC,e3EytCtE,W2EztCsE,EAAYB,EAazB,CAAzB,GAAwD,GAAxE,C;IAbd,C;;MAiBJ,MAAd,oBAAc,  
C;MACd,YAAY,oBAAc,MAAK,KAAM,WAAx,C;MAC1B,OAAO,iBAAiB,KAAM,MAAN,KAAe,CAAhC,IAA  
qC,oBAAc,UAAAd,KAA2B,KAAM,O;IACjF,C;;MAIkB,MAAd,oBAAc,C;MACd,OAAO,oBAAc,MAAK,KAAM,  
WAAx,C;IACzB,C;;MAQ4C,0B;QAAA,aCIBI,C;MDkBiC,OAAc,SAAd,oBAAc,EAAS,KAAM,WAAf,EAa2B,U  
AA3B,C;IAAd,C;;MAM5D,mB;QAAE,+BAAK,aAAL,EAAY,kBAAZ,C;MAAF,C;IAAA,C;;MAAwC,OAAA,KA  
AM,O;IAAO,C;;MAD3B,0B;QAAA,aCIBI,C;MDmB/C,0BAAiB,6CAAjB,EAa8C,sBAA9C,C;IAAA,C;;MAQA,I  
AAY,aAAR,YAAQ,EAaw,EAAX,CAAR,IAAmC,WAAR,YAAQ,EAAS,EAAT,CAAvC,C;QACI,OAAO,kBAA  
K,KAAL,C;;QAEP,OAAkE,CAA3D,UAAm,MAA2B,UAAf,YAAR,YAAQ,qBAAU,EAaV,EAaE,qBAAQ,EA  
R,EAa3B,MAAN,EAaKd,YAAID,CAA2D,eAAK,KAAL,C;IAC1E,C;;MAO8E,OAAA,KAAM,WjE5Ba,SIe4BY,  
oBjE5BZ,EiE4B2B,WjE5B3B,C;IiE4BnB,C;uGAE9E,yB;MAAA,iE;MAAA,wC;MAAA,mC;QAMI,YAAY,kBAA  
K,KAAL,C;QACZ,IAAI,aAAJ,C;UAAmB,OAAO,KAAM,W;QAEhC,gBAAgB,C;QChB,aAAa,KAAM,O;QACn  
B,SAAS,mBAAc,MAAd,C;;UAEL,iBAAiB,oB;UACjB,EAAG,gBAAO,KAAP,EAAC,SAAd,EAAYB,UAAW,MA  
AM,MAA1C,C;UACH,EAAG,gBAAO,UAAU,UAAV,CAAP,C;UACH,YAAY,UAAW,MAAM,aAAjB,GAAgC,C  
AAhC,I;UACZ,QAAQ,UAAW,O;;QACd,oBAAY,MAAZ,IAAsB,aAAtB,C;QAET,IAAI,YAAY,MAAhB,C;UACI,  
EAAG,gBAAO,KAAP,EAAC,SAAd,EAAYB,MAAZB,C;;QAGP,OAAO,EAAG,W;MACd,C;KAZBA,C;;MAiCmC  
,gBAAR,Y;M3EikCpB,kBAAM,iBAAa,mCAAwB,EAaxB,CAAb,C;MAqEA,Q;MAAA,2B;MAAb,OAAa,cAAb,  
C;QAAa,sB;QACT,WAAY,WAAc,I2EvoCc,M3EuoC5B,C;;M2EvoCZ,uBAAgD,e3EwoC7C,W2ExoC6C,EAAYB,  
EAazB,C;MACHd,OAAO,KAAM,WjEhEgF,SIeGvD,WAAO,YAAP,EAAGB,gBAAhB,CjEhEuD,EiEgEpB,WjE  
hEoB,C;IiEiEjG,C;;MAQ6C,qB;QAAA,QC3ED,C;MDiF1B,Q;MnF7G1B,IAAI,EmFwGQ,SAAS,CnFxGjB,CAAJ,  
C;QACI,cmFuGsB,8C;QnFtGtB,MAAM,gCAAYB,OAAQ,WAAjC,C;;MI8DH,S+EyCW,qBAAQ,KAAR,C;MAAd  
,cAAuC,UAAAS,CAAb,GAAgB,EAAhB,GAA2B,OAAH,EAAG,EAak,QAAQ,CAAR,IAAL,C;MAC9D,avFnDgD  
,gB;MuFoDhD,gBAAgB,C;MAEF,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,MAAO,WAAU,mBAAN,KAAM,  
EAAY,SAAZ,EAauB,KAAM,MAAM,MAAnC,CAA0C,WAApD,C;QACP,YAAY,KAAM,MAAM,aAAZ,GAA2  
B,CAA3B,I;;MAEHb,MAAO,WAAU,mBAAN,KAAM,EAAY,SAAZ,EAauB,KAAM,OAA7B,CAAqC,WAA/C,  
C;MACP,OAAO,M;IACX,C;;MAGyC,OAAA,oBAAc,W;IAAd,C;;MAEzC,+B;MAUI,uBAA4B,WAAO,wBAAP,  
EAakC,GAAIC,C;MAC5B,2BAAgC,WAAO,KAAP,EAaiB,GAAjB,C;IAXpC,C;;MAE4D,oBAAM,oBAAO,OA  
AP,CAAN,C;IAAA,C;;MAGJ,OAAA,OjE/FyC,SIe+FNB,oBjE/FmB,EiE+FJ,MjE/Fl,C;IiE+FzC,C;;MAGW,OAA  
A,OjEIG8B,SIekGR,wBjEIGQ,EiEkGW,MjEIGX,C;IiEkG9B,C;;MARnE,sC;QAAA,qB;;MAAA,+B;IAAA,C;;  
MAvHA,+C;MACKe,kBAAK,OAAL,EAAC,MAAM,MAAN,CAAd,C;MADIE,Y;IAAA,C;;MAGA,+C;MAC6C,k  
BAAK,OAAL,EAAC,UAAAd,C;MAD7C,Y;IAAA,C;;MasI8D,iBAAM,OAAN,EAaE,MAAM,MAAN,CAAf,C;IA  
AA,C;;MAKRb,iBAAM,OAAN,EAaE,UAAf,C;IAAA,C;;MAWIC,kC;MAAA,kC;MAAA,kC;MAAA,kC;MACH,u  
BAA+B,a;MAI/B,sF;MAOA,sBAA0C,I;IAZvC,C;;MACH,2B;IAAA,C;;MAEY,qBAAA,kBE7I8C,CF6IxC,CE7Iw  
C,CF6I9C,C;IAAA,C;;MAEZ,4B;IAAA,C;;MAY2B,kC;MAAS,uB;IAAT,C;;MACoB,OAAA,kBAAM,O;IAAN,C;  
;MACQ,Q;MAAA,eAAA,kBE7JG,CF6JG,KE7JH,CF6JH,mBAAgB,E;IAAhB,C;;MAH/C,IAAI,2BAAJ,C;QACI,  
yH;;MAKJ,OAAO,kC;IACX,C;;MAEGC,OAAc,SAAd,kBAAc,EAAS,kBAAT,EAaOB,kBAAM,UAAV,GAAqB,k  
BAAM,MAAN,GAAc,CAAd,IAArB,GAA0C,kBAAM,aAAN,GAAqB,CAArB,IAA1D,C;IAAd,C;;MApBQ,kC;M  
AA+B,6B;IAA/B,C;;MACT,OAAA,kBAAM,O;IAAN,C;;MAC2C,qB;QAAE,yBAAK,EAAL,C;MAAF,C;IAAA,C  
;;MAAZB,OAAqB,OAAb,aAAR,mBAAQ,CAAa,EAai,IEAAJ,CAAiB,W;IAAtC,C;;MACL,Q;MAAA,eAAA,kBE  
IJU,CFkJJ,KEIJI,CFkJV,YAAoB,oBAApB,O;IAAA,C;;;MAbpD,sBAAiB,I;MACjB,YAAY,eAAK,KAAL,C;MA  
CZ,IAAI,aAAJ,C;QAAMB,OAAO,I;MAC1B,YAAY,aAAA,KAAM,MAAN,EAaA,sBAAy,CAAZ,IAAb,C;MAEZ  
,iE;IA2BJ,C;;MEvLI,sBAAy,C;IACHb,C;;MAiBkE,iBAAy,KAAZ,C;IAAA,C;;MAMJ,gB;IAAA,C;;MCjD1D,qB  
AAwC,Q;IADK,C;;MAI1B,Q;MAAA,yB;MAAA,iB;QAAe,MAAM,6BAAsB,0CAAtB,C;;MAApC,eAAe,I;MACf,  
qBAAc,I;MACd,OAAO,QAAS,W;IACpB,C;;MpECA,OAAJ,MAAW,aAA0B,OAAM,IAAN,EAAY,KAAZ,C;IA  
CrC,C;;MAOW,cAAa,cAAN,KAAM,EAAY,MAAZ,EAaOB,SAAS,MAAT,IAApB,C;MAApB,ORJ,MAAW,aA  
A0B,OAAM,IAAN,EAAY,OAaz,C;IASrC,C;;MAIwD,OAAA,SAAY,c;IAAZ,C;;MAGA,OAAA,SAAY,c;IAAZ,  
C;;MAG4B,OAAA,SAAY,SAAQ,GAAR,EAaA,SAAb,C;IAAZ,C;;MAGI,OAAA,SAAY,aAAY,GAaz,EAaiB,S

AAjB,C;IAAZ,C;;MAGP,OAAA,SAAY,YAAW,CAAX,EAAC,QAAd,C;IAAZ,C;;MAGjB,OAAA,SAAY,UAAS,CAAT,C;IAAZ,C;;MAGK,OAAA,SAAY,WAAU,UAAV,C;IAAZ,C;;MAGe,OAAA,SAAY,WAAU,UAAV,EAASB,QAAtB,C;IAAZ,C;;MAG7B,OAAA,SAAY,QAAO,GAAP,C;IAAZ,C;;MAGS,OAAA,SAAY,OAAM,KAAN,C;IAAZ,C;;MAOf,uB;IAAA,C;;MAGwC,OAAA,SAAY,SAAQ,OAAR,EAAiB,WAAjB,C;IAAZ,C;;MqEvDR,OrEwBe,kBqExBE,oBAAH,EAAG,CrEwBF,EqExBc,SrEwBd,C;IqExBf,C;;MAGI,OrEwBe,sBqExBM,oBAAH,EAAG,CrEwBN,EqExBkB,SrEwBIB,C;IqExBf,C;;MAKx0,0B;QAAA,aAAsB,K;MAC/D,IAAI,CAAC,UAAL,C;QACI,OrEoBqF,qBqEpB7D,MrEoB6D,EqEpBrD,CrEoBqD,C;;;QqElBrF,OAAO,yBAAC,CAAd,EAAiB,MAAjB,EAAyB,CAAzB,EAA4B,MAAO,OAAAnC,EAA2C,UAA3C,C;IACf,C;;MAK8D,0B;QAAA,aAAsB,K;MACHF,IAAI,CAAC,UAAL,C;QACI,OrEUqF,qBqEV7D,MrEU6D,EqEVrD,UrEUqD,C;;;QqERrF,OAAO,yBAAC,UAAAd,EAA0B,MAA1B,EAAkC,CAAIC,EAAqC,MAAO,OAA5C,EAAoD,UAApD,C;IACf,C;;MAK2C,0B;QAAA,aAAsB,K;MAC7D,IAAI,CAAC,UAAL,C;QACI,OrEGoE,mBqEH9C,MrEG8C,C;;;QqEDpE,OAAO,yBAAC,mBAAS,MAAO,OAAhB,IAAd,EAAc,MAAtC,EAA8C,CAA9C,EAAiD,MAAO,OAAxD,EAAgE,UAAhE,C;IACf,C;;MAII,aAAa,SrEQ2D,OqERhD,KrEQgD,C;MqEPxE,OAAO,kBAAkB,MAAO,OAAp,KAAe,C;IAC5C,C;;MAEoD,4BAAU,CAAV,IAA+D,QAA3C,6BAAJ,GAAoB,SAAPB,GAA8B,SAAK,WAAy,EAAQ,eAAR,C;IAA/D,C;;MAGH,0B;QAAA,aH8Fe,K;MG7F5D,Q;MAAA,IAAI,iBAAJ,C;QAAA,OACI,a;;QACC,U;QAAA,IAAI,CAAC,UAAL,C;UAAA,SACD,kBAAQ,KAAR,C;;UAEA,0B;UAAA,W;YAAiB,gBAAA,SrE7B2C,cqE6B3C,EAAcB,KrE7BqB,cqE6B3C,C;;UAHhB,e;;QAFI,a;;MAAA,W;IAAA,C;;MAS8G,0B;QAAA,aHwGxF,K;MGvGtB,oCAAkB,UAAIB,EAA8B,KAA9B,EAAqC,WAArC,EAAkD,MAAID,EAA0D,UAA1D,C;IAAA,C;;MASA,OtEiKmD,mBAAS,CsEjK5D,GrEzB4F,oBqEyBzD,CrEzByD,EqEyBtD,CrEzBsD,CARb5B,cqE8CvC,GrE5BoD,oBqE4BV,CrE5BU,CqE4B7E,GAA2E,S;IAC/E,C;;MAQI,OtEwJmD,mBAAS,CsExJ5D,GrEiC4F,oBqEkCzD,CrEiCyD,EqEkCtD,CrEiCsD,CALB5B,cqEoDvC,GrErCoD,oBqEqCV,CrErCU,CqEqC7E,GAA2E,S;IAC/E,C;;MAQiB,IAAN,I;MvFzDP,IAAI,EUfWDI,KAAK,CvFxDT,CAAJ,C;QACI,cuFuDc,oD;QvFtDd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MuFuDH,QAAM,CAAN,C;aACH,C;UAAK,S;UAAL,K;aACA,C;UAAU,OAAL,SAAK,W;UAAV,K;gBAEI,aAAa,E;UACb,IAAI,EtEoIoC,qBAAU,CsEpI9C,CAAJ,C;YACI,QAAQ,SAAK,W;YACb,YAAy,C;YACZ,OAAO,IAAP,C;cACI,IAAI,CAAC,QAAU,CAAX,MAAiB,CAArB,C;gBACI,UAAU,C;;cAEd,QAAQ,UAAW,C;cACnB,IAAI,UAAS,CAAb,C;gBACI,K;;cAEJ,KAAK,C;;;UAGb,OAAO,M;;MANbF,W;IASBJ,C;;MAGqE,0B;QAAA,aHae,K;MGZhF,OrErDiG,kBqEqDnF,WAAO,6BAAM,gBAAO,QAAP,CAAb,EAAmC,UAAJ,GAAgB,IAAhB,GAA0B,GAAzD,CrErDmF,EqEqDpB,6BAAM,2BAAkB,QAAIB,CrErDc,C;IqEqDjG,C;;MAG2D,0B;QAAA,aHGe,K;MGf1E,OrErDiG,kBqEqDnF,WAAO,6BAAM,gBAAO,QAAP,CAAb,EAAmC,UAAJ,GAAgB,IAAhB,GAAyB,EAAxD,CrE7DmF,EqE6DtB,6BAAM,2BAAkB,QAAIB,CrE7DgB,C;IqE6DjG,C;;MAGgE,0B;QAAA,aHMe,K;MGL/E,OrEjEiG,kBqEiEnF,WAAO,6BAAM,gBAAE,oBAAR,OAAQ,CAAF,CAAb,EAA6C,UAAJ,GAAgB,GAAhB,GAAyB,EAAIE,CrEjEmF,EqEiEJ,oBAAR,OAAQ,CrEjEiC,IqEiEjG,C;;;MCpH8B,uB;QAAA,UAAkB,E;MAOhD,gBAA6B,O;IAPA,C;;MAUjB,OAAO,aAAY,O;IAANb,C;;MAEGC,gCAAO,KAAP,C;IAAA,C;;MAEOC,OAAA,atEqBY,WsErBK,UtEqBL,EsErBiB,QtEqBjB,C;IsErBZ,C;;MAG5E,qCAAU,CAAV,C;MACA,OAAO,I;IACX,C;;MAGI,iBAAC,SAAJ,GAAL,C;MACd,OAAO,I;IACX,C;;MAGI,iBAAC,SAAJ,GAAL,CtEQ0E,WsErRd,KtEQqD,EsER9C,GtEQ8C,C;MsEPxF,OAAO,I;IACX,C;;MAGI,iBAAC,SAAJ,GAAL,C;MACd,OAAO,I;IACX,C;;MAGI,gBAAgB,aAAY,OAAM,EAAAN,CAAU,UAAU,MAAK,EAAL,C;MACHD,OAAO,I;IACX,C;;MAEKc,oB;IAAA,C;;MAXCIC,uD;MAAoC,2B;MAAPC,Y;IAAA,C;;MAEA,uD;MAA4C,0BAAK,OAAQ,WAAb,C;MAA5C,Y;IAAA,C;;MAEA,uD;MAAuB,0BAAK,EAAL,C;MAAvB,Y;IAAA,C;;MCKCqC,qB;QAAA,QAakB,I;MAAM,qB;QAAA,QAakB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,yB;QAAA,YAAsB,I;MAAM,kC;QAAA,qBAA+B,I;MAAM,qC;QAAA,wBAakC,K;MAAO,+C;QAAA,kCAA4C,K;MAAO,4C;QAAA,+BAAYC,K;MACtT,QAAQ,E;MAER,EAAE,OAFA,IAAa,K;MACb,EAAE,OAFA,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,WAAF,IAAiB,S;MACjB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,uBAAF,IAA6B,qB;MAC7B,EAAE,iCAAF,IAAuC,+B;MACvC,EAAE,8BAAF,IAAoC,4B;MAEPc,OA AO,C;IACX,C;;MAy0BwC,6B;QAAA,gBAAyB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/I,QAAQ,E;MAER,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEHb,OAAO,C;IACX,C;;MA2CkF,iBAAy,KAAZ

,C;IAAA,C;;MACa,UAAy,KAAZ,IAAqB,K;IAAO,C;;MAsBxC,iBAAY,KAAZ,C;IAAA,C;;MACa,UAAy,KAAZ,IAAqB,K;IAAO,C;;MAsB/C,iBAAY,KAAZ,C;IAAA,C;;MACa,UAAy,KAAZ,IAAqB,K;IAAO,C;;MAsBxC,iBAAY,KAAZ,C;IAAA,C;;MACa,UAAy,KAAZ,IAAqB,K;IAAO,C;;MAsB5C,iBAAY,KAAZ,C;IAAA,C;;MACa,UAAy,KAAZ,IAAqB,K;IAAO,C;;MAsBxC,iBAAY,KAAZ,C;IAAA,C;;MACa,UAAy,KAAZ,IAAqB,K;IAAO,C;;MAsBtC,iBAAY,KAAZ,C;IAAA,C;;MACa,UAAy,KAAZ,IAAqB,K;IAAO,C;;MAsBxC,iBAAY,KAAZ,C;IAAA,C;;MACa,UAAy,KAAZ,IAAqB,K;IAAO,C;;MC72BjC,iBAAY,KAAZ,C;IAAA,C;;MASV,iBAAY,KAAZ,C;IAAA,C;;MAGCS,iBAAY,KAAZ,C;IAAA,C;;MAGBN,iBAAY,KAAZ,C;IAAA,C;;MCzR1D,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACHJ,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEHb,OAAO,C;IACX,C;;MAGBiC,6B;QAAA,gBAA8B,I;MAAM,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACvL,QAAQ,E;MAER,EAAE,eAAF,IAAqB,a;MACrB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEHb,OAAO,C;IACX,C;;MAKDiC,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACnvB,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEHb,OAAO,C;IACX,C;;MAGDoC,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7IB,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEHb,OAAO,C;IACX,C;;MAKCiC,sB;QAAA,SAAkB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,yB;QAAA,YAAkB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;



B;QAAA,YAAmB,I;MAC1D,QAAQ,E;MAER,EAAE,SAAF,IAAe,S;MAEf,OAAO,C;IACX,C;;MAgC0G,iBAAY, KAAZ,C;IAAA,C;;MA0B1E,4B;QAAA,eAA8B,I;MAAM,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;M AAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAk B,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAA A,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MA AO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA 4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;Q AAA,qBAA+B,K;MAAO,oB;QAAA,OAAGB,I;MAAM,sB;QAAA,SAAE,C;MAAG,uB;QAAA,UAAoB,K;MAAO ,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACtXB,QAAQ,E;MAER,EAAE,cAAF,IAAoB,Y;MACpB, EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;M ACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IA Ae,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE, kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF, IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MA C1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE, MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAC IB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAqDoC,qB;QAAA,QAAC,I;MAAM,uB;QAAA,UAAoB ,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACII,QAAQ,E;MAER,EAAE,OAAF,IAAa,K; MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;I ACX,C;;MAoBsC,sB;QAAA,SAAkB,E;MAAI,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QA AA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC5J,QAAQ,E;MAER,EAAE,QAAF,IAAc,M;MACd,EAAE,QA AF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEh B,OAAO,C;IACX,C;;MAgB0C,yB;QAAA,YAAsB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K ;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MAER,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O; MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MASeiC,uB;QAAA, UAAmB,E;MAAI,wB;QAAA,WAAoB,E;MAAI,sB;QAAA,SAAE,C;MAAG,qB;QAAA,QAAC,C;MAAG,qB;QA AA,QAAC,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjN, QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,E AAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U; MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAoBqE,sB;QAAA,SAAE,I;MAAM,uB;QAAA,UA AoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpK,QAAQ,E;MAER,EAAE,SAAF,IAA e,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,U AAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAiLuF,iBAAY,KAAZ,C;IAAA,C;;MACE,iBAAY,IAAZ,C;IAAA,C ;MAUE,iBAAY,KAAZ,C;IAAA,C;;MACE,iBAAY,IAAZ,C;IAAA,C;;MAaT,iBAAY,KAAZ,C;IAAA,C;;MACE,i BAAY,IAAZ,C;IAAA,C;;MA2CjD,gC;QAAA,mBA8kD8C,M;;MA9kDe,gC;QAAA,mBAuIDT,S;;MAvIDyE,oC; QAAA,uBA8IDjE,S;;MA9ID6I,2B;QAAA,cAAoB,I;MAAM,4B;QAAA,eAAqB,I;MAAM,6B;QAAA,gBAqmDxN ,K;;MApmDvE,QAAQ,E;MAER,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,s BAAF,IAA4B,oB;MAC5B,EAAE,aAAF,IAAmB,W;MACnB,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,eAAF,IAAq B,a;MAErB,OAAO,C;IACX,C;;MAiCmC,oB;QAAA,OAAa,I;MAAM,sB;QAAA,SAAkB,E;MAAI,2B;QAAA,cA AuB,E;MAAI,sB;QAAA,SAAoC,I;MAAM,qB;QAAA,QAA6B,E;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAA A,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACnQ,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAA F,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb, EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C ;MA4BkC,+B;QAAA,kBAA4B,K;MAC1D,QAAQ,E;MAER,EAAE,iBAAF,IAAuB,e;MAEvB,OAAO,C;IACX,C; ;MAoDiC,wB;QAAA,WAAqB,K;MAAO,oB;QAAA,OAAe,C;MAAG,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UA AoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/K,QAAQ,E;MAER,EAAE,UAAF,IAA gB,Q;MAChB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE, YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MA4FgC,oB;QAAA,OA83C6C,S;;

MA93CL,2B;QAAA,cC9zEe,M,;MD+zEnF,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MAEnB,OAAO,C;IACX,C,;MAkDoF,iBAAY,GAAZ,C;IAAA,C,;MACY,UAA,Y,GAAZ,IAAmB,K;IAAO,C,;MA8CvF,mB;QAAA,MAAe,I;MAAM,wB;QAAA,WAAoB,I;MAAM,wB;QAAA,WAAoB,I;MAAM,mB;QAAA,MAAe,E;MAAI,2B;QAAA,cAAwB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACvO,QAAQ,E;MAER,EAAE,KAAF,IAAW,G;MACX,EAAE,UAAF,IAAgB,Q;MACHB,EA AE,UAAF,IAAgB,Q;MACHB,EAAE,KAAF,IAAW,G;MACX,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IA Ae,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C,;MAuF4B,uB; QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACTG,QAAQ,E;MAER,EAAE, SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C,;MAi BkC,sB;QAAA,SAAe,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB, K;MACjI,QAAQ,E;MAER,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U; MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C,;MASuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E;M AER,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C,;MAY0C,uB;QAAA,UAAoB,K;MAAO,oB;QAAA,OAAiB, K;MAAO,uB;QAAA,UAAoB,K;MAC7G,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;M ACZ,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C,;MA2DkF,iBAAY,KAAZ,C;IAAA,C,;MAUS,iBAAY,KAA Z,C;IAAA,C,;MACE,iBAAY,IAAZ,C;IAAA,C,;MAoCtD,yB;QAAA,YAAsB,K;MAAO,0B;QAAA,aAAuB,I;MA AM,6B;QAAA,gBAA0B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,iC;QAAA,oBAA8B,I;MAAM,qC;QAAA,wBA AkC,I;MAAM,+B;QAAA,kBAakC,I;MACTQ,QAAQ,E;MAER,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IA AkB,U;MACIB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,mBAAF,IAAyB,iB;MACzB, EAAE,uBAAF,IAA6B,qB;MAC7B,EAAE,iBAAF,IAAuB,e;MAEvB,OAAO,C;IACX,C,;MAGfQc,wB;QAAA,W AAqB,K;MACtD,QAAQ,E;MAER,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C,;MAwByC,mB;QAAA,M AAe,I;MACpD,QAAQ,E;MAER,EAAE,IAAF,IAAU,G;MAEV,OAAO,C;IACX,C,;MAwHI,QAAQ,E;MAER,EA AE,MAAF,IAAY,I;MAEZ,OAAO,C;IACX,C,;MAesF,iBAAY,KAAZ,C;IAAA,C,;MACW,iBAAY,aAAZ,C;IAAA ,C,;MAiMT,iBAAY,KAAZ,C;IAAA,C,;MAyCzD,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,iB;QAA A,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAC9F,QAAQ,E;MAER,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAA S,C;MACT,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MAET,OAAO,C;IACX,C,;MA0C8B,iB;QAAA, IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,qB;QAAA,QAAiB,G;MAAK,sB;QAAA,SAAkB,G;MACTG,QAAQ,E; MAER,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF, IAAC,M;MAEd,OAAO,C;IACX,C,;MAKwF,iBAAY,KAAZ,C;IAAA,C,;MAkHxD,wB;QAAA,WAuW+C,M,;MA tW3E,QAAQ,E;MAER,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C,;MAYkC,oB;QAAA,OAAgB,I;MAA M,mB;QAAA,MAAe,I;MAAM,wB;QAAA,WaqVE,M,;MApV3E,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ ,EAAE,KAAF,IAAW,G;MACX,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C,;MAiC0C,qB;QAAA,QAAiB ,E;MAAI,uB;QAAA,UAAoB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA, WAAqB,K;MACpK,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,I AAE,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C,;MAiCwC,qB ;QAAA,QA0QyD,Q,;MA1QK,sB;QAAA,SA0QL,Q,;MA1QoE,wB;QAAA,WaiQtF,M,;MAhQ3E,QAAQ,E;MAE R,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX, C,;MAYiC,mB;QAAA,MA+P0C,Q,;MA/PJ,0B;QAAA,aAAsB,I;MACzF,QAAQ,E;MAER,EAAE,KAAF,IAAW,G ;MACX,EAAE,YAAF,IAAkB,U;MAEIB,OAAO,C;IACX,C,;MAY2C,uB;QAAA,UA40gC,Q,;MA5OU,qB;QAA A,QA40V,Q,;MA30vE,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MAEb,OAAO,C;IA CX,C,;MAiDmF,OAAU,S;IAAV,C,;MACI,OAAc,a;IAAd,C,;MACH,OAAW,U;IAAX,C,;MAML,OAAG,E;IAAH ,C,;MACA,OAAQ,O;IAAR,C,;MACG,OAAW,U;IAAX,C,;MAMR,OAAW,U;IAAX,C,;MACF,OAAQ,Q;IAAT,C, ;MACC,OAAU,S;IAAV,C,;MAME,OAAW,W;IAAZ,C,;MACD,OAAW,U;IAAX,C,;MACI,OAAe,c;IAAf,C,;MA CJ,OAAW,U;IAAX,C,;MACA,OAAW,U;IAAX,C,;MAMF,OAAQ,Q;IAAT,C,;MACD,OAAQ,O;IAAR,C,;MACF, OAAM,K;IAAN,C,;MACK,OAAW,U;IAAX,C,;MAMC,OAAU,S;IAAV,C,;MACA,OAAU,S;IAAV,C,;MAMU,O AAM,K;IAAN,C,;MACG,OAAQ,Q;IAAT,C,;MACF,OAAO,M;IAAP,C,;MAMhB,OAAO,M;IAAP,C,;MACC,OA AQ,O;IAAR,C,;MACC,OAAQ,Q;IAAT,C,;MAMC,OAAQ,O;IAAR,C,;MACA,OAAQ,O;IAAR,C,;MACA,OAAQ ,O;IAAR,C,;MAME,OAAQ,O;IAAR,C,;MACF,OAAM,K;IAAN,C,;MACC,OAAO,M;IAAP,C,;MACC,OAAQ,O;

IAAR,C;;MACC,OAAS,Q;IAAT,C;;MAMG,OAAM,K;IAAN,C;;MACI,OAAU,S;IAAV,C;;MACD,OAAS,Q;IAA  
T,C;;MACI,OAAa,Y;IAAb,C;;MACC,OAAC,a;IAAd,C;;MACL,OAAS,Q;IAAT,C;;MAMT,OAAM,K;IAAN,C;;M  
ACA,OAAM,K;IAAN,C;;MACI,OAAU,S;IAAV,C;;MAMC,OOAO,M;IAAP,C;;MACE,OAAS,Q;IAAT,C;;MAM  
J,OOAO,M;IAAP,C;;MACC,OAAQ,O;IAAR,C;;MAMD,OOAO,M;IAAP,C;;MACO,OAAC,a;IAAd,C;;MACJ,OA  
AU,S;IAAV,C;;MAMK,OOAO,M;IAAP,C;;MACG,OAAU,S;IAAV,C;;MAMZ,OOAY,W;IAAZ,C;;MACN,OAA  
M,K;IAAN,C;;MACG,OAAS,Q;IAAT,C;;MACF,OOAO,M;IAAP,C;;MAMN,OOAO,M;IAAP,C;;MACO,OAAC,a  
;IAAd,C;;MAMJ,OAAU,S;IAAV,C;;MACD,OAAS,Q;IAAT,C;;MAMM,OOAO,M;IAAP,C;;MACE,OAAS,Q;IA  
AT,C;;MAMF,OOAO,M;IAAP,C;;MACG,OAAU,S;IAAV,C;;MACD,OAAS,Q;IAAT,C;;MAMa,OAAQ,O;IAAR,  
C;;MACC,OAAS,Q;IAAT,C;;MACH,OAAM,K;IAAN,C;;MACI,OAAU,S;IAAV,C;;MAMvB,OAAS,Q;IAAT,C;;  
MACA,OAAS,Q;IAAT,C;;MACC,OAAU,S;IAAV,C;;MACA,OAAU,S;IAAV,C;;ME94H3B,oB;QAAA,OAAiB,I;  
MAAM,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,uB;QAAA,UAAoB,K;MACpI,QAAQ,E;MA  
ER,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe  
,O;MAEf,OAAO,C;IACX,C;;MAuFuF,iBAAY,KAAZ,C;IAAA,C;;MACe,UAA,Y,KAAZ,IAAqB,O;IAAS,C;;MAG  
BxC,iBAAY,KAAZ,C;IAAA,C;;MACc,UAA,Y,KAAZ,IAAqB,O;IAAS,C;;MAGb5C,iBAAY,KAAZ,C;IAAA,C;;  
MACc,UAA,Y,KAAZ,IAAqB,O;IAAS,C;;MAGG/C,iBAAY,KAAZ,C;IAAA,C;;MACc,UAA,Y,KAAZ,IAAqB,O;I  
AAS,C;;MAmNnC,iBAAY,KAAZ,C;IAAA,C;;MACc,UAA,Y,KAAZ,IAAqB,O;IAAS,C;;MAmHpD,iBAAY,KAA  
Z,C;IAAA,C;;MACc,UAA,Y,KAAZ,IAAqB,O;IAAS,C;;MD/exG,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAm  
B,I;MAAM,oB;QAAA,OAAGB,I;MAAM,wB;QAAA,WAAoB,I;MAAM,8B;QAAA,iBAA0B,I;MAAM,oB;QAAA  
,OAAqB,I;MAAM,2B;QAAA,cAAmC,I;MAAM,qB;QAAA,QAAuB,I;MAAM,wB;QAAA,WAA6B,I;MAAM,yB;  
QAAA,YAAqB,I;MAAM,yB;QAAA,YAAsB,I;MAAM,wB;QAAA,WAAe,I;MACrW,QAAQ,E;MAER,EAAE,QA  
AF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MACHB,  
EAAE,gBAAF,IAAsB,c;MACtB,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,EAAE,OAAF,I  
AAa,K;MACb,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,WAAF,IAAiB,S;MACjB,  
EAAE,QAAF,IAAc,Q;MAEd,OAAO,C;IACX,C;;MA0C+B,sB;QAAA,SAAiB,G;MAAK,0B;QAAA,aAAsB,I;MA  
AM,uB;QAAA,UAAmB,I;MACHG,QAAQ,E;MAER,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MAC  
lB,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAMmE,OAAG,E;IAAH,C;;MACA,OAAQ,O;IAAR,C;;MA  
CD,OOAO,M;IAAP,C;;MACC,OAAQ,O;IAAR,C;;MACC,OAAS,Q;IAAT,C;;MACD,OAAQ,O;IAAR,C;;MACA,  
OAAQ,O;IAAR,C;;MACA,OAAQ,O;IAAR,C;;MAMc,OAAG,E;IAAH,C;;MACG,OAAW,U;IAAX,C;;MACH,O  
AAQ,O;IAAR,C;;MACD,OOAO,M;IAAP,C;;MACC,OAAQ,O;IAAR,C;;MACG,OAAW,U;IAAX,C;;MACH,OA  
AQ,O;IAAR,C;;MACC,OAAS,Q;IAAT,C;;MACA,OAAS,Q;IAAT,C;;MACA,OAAS,Q;IAAT,C;;MACO,OAAGB,  
e;IAAhB,C;;MACD,OAAC,c;IAAf,C;;MACP,OAAQ,O;IAAR,C;;MACC,OAAS,Q;IAAT,C;;MACF,OOAO,M;IA  
AP,C;;MAMV,OAAW,U;IAAX,C;;MACG,OAAC,a;IAAd,C;;MACJ,OAAU,S;IAAV,C;;MACH,OOAO,M;IAAP,  
C;;MAMc,OOAO,M;IAAP,C;;MACO,OAAC,a;IAAd,C;;MACJ,OAAU,S;IAAV,C;;MAMZ,OAAU,S;IAAV,C;;M  
ACC,OAAW,U;IAAX,C;;MACF,OAAS,Q;IAAT,C;;MACE,OAAW,U;IAAX,C;;MACG,OAAC,a;IAAd,C;;MACG  
,OAAiB,gB;IAAjB,C;;MAMF,OAAS,Q;IAAT,C;;MACD,OAAQ,O;IAAR,C;;MACC,OAAS,Q;IAAT,C;;MAMP,O  
AAQ,O;IAAR,C;;MACD,OOAO,M;IAAP,C;;MACG,OAAU,S;IAAV,C;;MACF,OAAQ,O;IAAR,C;;MACC,OAA  
S,Q;IAAT,C;;MACQ,OAAiB,gB;IAAjB,C;;ME1N5C,oB;QAAA,OAAGB,E;MAC9C,QAAQ,E;MAER,EAAE,MA  
AF,IAAY,I;MAEZ,OAAO,C;IACX,C;;MAiBkC,4B;QAAA,eAAqB,I;MAAM,oB;QAAA,OAAGB,E;MACzE,QAA  
Q,E;MAER,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,MAAF,IAAY,I;MAEZ,OAAO,C;IACX,C;;MASKf,iBAAY,K  
AAZ,C;IAAA,C;;MC+B5C,mB;QAAA,MAwGuD,M;;MAxGG,oB;QAAA,OAAGB,E;MAAI,oB;QAAA,OAAGB,  
E;MAAI,mB;QAAA,MAAE,E;MAAI,qB;QAAA,QAAiB,I;MAAM,oB;QAAA,OAAGB,I;MAAM,qB;QAAA,QAA  
iB,I;MAAM,qB;QAAA,QAAiB,I;MAAM,uB;QAAA,UAAmB,I;MAAM,yB;QAAA,YAAqB,I;MAAM,wB;QAAA  
,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,  
sB;QAAA,SAAmB,K;MAAO,oB;QAAA,OAAa,I;MAAM,uB;QAAA,UAAc,E;MACjf,QAAQ,E;MAER,EAAE,  
KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,KAAF,IAAW,G;MA  
CX,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAA  
a,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,WAAF,IAAiB,S;MACjB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE  
,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,QAAF,IAAc,

M;MACd,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAeS,e,oB;QAAA,OA  
AgB,I;MACIF,QAAQ,E;MAER,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY  
,I;MAEZ,OAAO,C;IACX,C;;MASyC,mB;QAAA,MAAe,E;MACpD,QAAQ,E;MAER,EAAE,KAAF,IAAW,G;MA  
EX,OAAO,C;IACX,C;;MAoBqE,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;  
MAAO,wB;QAAA,WAAqB,K;MACrK,QAAQ,E;MAER,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,QAAF,IAAc,M;  
MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;I  
ACX,C;;MAM2F,OAAU,S;IAAV,C;;MACD,OAAS,Q;IAAT,C;;MACC,OAAU,S;IAAV,C;;MAML,OAAO,M;IA  
AP,C;;MACD,OAAM,K;IAAN,C;;MACA,OAAM,K;IAAN,C;;MC9H/C,qB;QAAA,QAAiB,I;MAAM,oB;QAAA,  
OLo0HgB,S;;MKn0HzE,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MAEZ,OAAO,C;I  
ACX,C;;MAGcGd,oB;QAAA,OAAa,I;MAAM,sB;QAAA,SAAkB,I;MAAM,2B;QAAA,cAAuB,I;MAAM,sB;QA  
AA,SAA2C,I;MAAM,qB;QAAA,QAA6B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,  
wB;QAAA,WAAqB,K;MACtR,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EA  
AE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;  
MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MA0CqC,mC;QAA  
A,sBAAGC,K;MAAO,oB;QAAA,OAuSD,Q;;MatSvE,QAAQ,E;MAER,EAAE,qBAAF,IAA2B,mB;MAC3B,EAA  
E,MAAF,IAAY,I;MAEZ,OAAO,C;IACX,C;;MAAsC,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,  
wB;QAAA,WAAqB,K;MACHH,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,E  
AAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAoBI,QAAQ,E;MAER,EAAE,QAAF,IAAc,M;MACd,EAA  
E,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAyBoD,wB;QAAA,WAAoB,I;MAAM,wB;QAAA,WAAqB,K;MA  
AO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpL,QAAQ,E;MAER,  
EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,SAAF,IA  
Ae,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAkB2D,sB;  
QAAA,SAAkB,M;MAAQ,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;M  
AC/J,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,E  
AAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAe4D,sB;QAAA,SAAkB,I;  
MAAM,uB;QAAA,UAA0B,I;MAC1G,QAAQ,E;MAER,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;  
MACd,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAGc6C,oB;QAAA,OAAa,I;MAAM,sB;QAAA,SAAkB,  
I;MAAM,2B;QAAA,cAAuB,I;MAAM,sB;QAAA,SAAmD,I;MAAM,qB;QAAA,QAA6B,I;MAAM,uB;QAAA,UA  
AoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC3R,QAAQ,E;MAER,EAAE,MAAF,IA  
AY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAA  
E,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;  
MAEhB,OAAO,C;IACX,C;;MA+BoC,4B;QAAA,eAAyB,K;MAAO,4B;QAAA,eAAyB,K;MAAO,0B;QAAA,aAA  
uB,K;MAAO,yB;QAAA,YAAqB,I;MACnJ,QAAQ,E;MAER,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,cAAF,IAAo  
B,Y;MACpB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,WAAF,IAAiB,S;MAEjB,OAAO,C;IACX,C;;MAkB5C,oB;Q  
AAA,OAAGB,I;MAAM,uB;QAAA,UAAoB,I;MAAM,wB;QAAA,WAA5B,I;MAAM,uB;QAAA,UAA8B,I;MAC5  
I,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,E  
AAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAuBsF,OAAa,Y;IAAb,C;;MACD,OAAY,W;IAAZ,C;;MACC,OA  
AAa,Y;IAAb,C;;MACD,OAAY,W;IAAZ,C;;MACA,OAAY,W;IAAZ,C;;MAMIB,OAAY,W;IAAZ,C;;MACA,OA  
AY,W;IAAZ,C;;MACH,OAAS,Q;IAAT,C;;MACF,OAAO,M;IAAP,C;;MAMI,OAAS,Q;IAAT,C;;MACA,OAAS,  
Q;IAAT,C;;MACM,OAAe,c;IAAf,C;;MACT,OAAM,K;IAAN,C;;MCtX3B,gC;QAAA,mBAA6B,K;MAAO,sB;Q  
AAA,SAAe,C;MAAG,qB;QAAA,QAAc,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,w  
B;QAAA,WAAqB,K;MACrL,QAAQ,E;MAER,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,QAAF,IAAc,M;MACd  
,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAg  
B,Q;MAEhB,OAAO,C;IACX,C;;MAMiG,OAAG,E;IAAH,C;;MACM,OAAc,a;IAAd,C;;MACP,OAAO,M;IAAP,C  
;;MACI,OAAY,U;IAAX,C;;MACJ,OAAO,M;IAAP,C;;MACA,OAAY,W;IAAZ,C;;MC3GIE,qB;QAAA,8C;MAA  
A,kB;IAAD,C;;MACzB,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,4C;MAAA,C;MAKI,0E;MAEA,sE;IAPJ,C;;M  
AKI,+B;MAAA,0C;IAAA,C;;MAEA,+B;MAAA,wC;IAAA,C;;MAPJ,yF;IAAA,C;;MAAA,a;AAAA,S;UAAA,+  
C;AAAA,O;UAAA,6C;gBAAA,8D;;IAAA,C;;MAWA,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,6C;MAAA,C;M

AEI,oF;MACA,4E;MACA,4E;IAJJ,C;;;MAEI,gC;MAAA,+C;IAAA,C;;;MACA,gC;MAAA,2C;IAAA,C;;;MACA,  
gC;MAAA,2C;IAAA,C;;;MAJJ,4I;IAAA,C;;;MAAA,a;aAAA,a;UAAA,oD;aAAA,S;UAAA,gD;aAAA,S;UAAA,g  
D;gBAAA,+D;IAAA,C;;;MAqBA,8B;IAD4B,C;;;MAQ5B,8B;IADqC,C;;;ICrDO,C;;;MAIiB,c;;;Q5Fu2C7C,Q;QA  
DhB,IAAI,mCAAsB,cAA1B,C;UAAqC,aAAO,K;UAAP,e;;;QACrB,sB;QAaHb,OAAgB,cAAhB,C;UAAgB,2B;U  
AAM,I4Fv2C6C,O5Fu2C/B,S4Fv2C+B,U5Fu2C7C,C;YAAwB,aAAO,I;YAAP,e;;;QAC9C,aAAO,K;;;M4Fx2CsD,  
iB;IAAA,C;;;MAGhD,c;;;Q5F+0CG,Q;QADhB,IAAI,c4F90CA,Q5F80CA,iB4F90CA,Q5F80CsB,UAA1B,C;UAAq  
C,aAAO,I;UAAP,e;;;QACrB,O4F/0CZ,Q5F+0CY,W;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,C4F/0C  
P,oB5F+0CkB,O4F/0CIB,C5F+0CG,C;YAAyB,aAAO,K;YAAP,e;;;QAC/C,aAAO,I;;;M4Fh1CH,iB;IAAA,C;;;MA  
E8B,qBAAQ,C;IAAR,C;;;MAE6B,qB;QAC3D,OAAI,OAAO,uBAAX,GAAiB,mBAAjB,GAA6C,SAAH,EAAG,C;  
MADc,C;IAAA,C;;;MAA7B,4BAaA,IAAb,EAAMb,GAAnB,EAAwB,GAAXb,kBAA6B,wCAA7B,C;IAAA,C;;;M  
AOU,uBAAgB,IAAhB,C;IAAA,C;;;MAMgB,yBAAgB,IAAhB,EAASb,KAAiB,C;IAAA,C;;;MC5BhE,e;MAAA,iB  
;MAAA,uB;IAAA,C;;;MAAA,+B;MAAA,C;MACI,4C;MACA,kD;MACA,0C;MACA,8C;IAJJ,C;;;MACI,kB;MAA  
A,2B;IAAA,C;;;MACA,kB;MAAA,8B;IAAA,C;;;MACA,kB;MAAA,0B;IAAA,C;;;MACA,kB;MAAA,4B;IAAA,  
C;;;MAJJ,sH;IAAA,C;;;MAAA,a;aAAA,O;UAAA,gC;aAAA,U;UAAA,mC;aAAA,M;UAAA,+B;aAAA,Q;UAAA,  
iC;gBAAA,6D;IAAA,C;;;MAYI,mD;MACA,2BAA4B,I;IANhC,C;;;MAUqB,IAAN,I;MrGUX,IAAI,EqGXQ,mDr  
GWR,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;;;MqGZC,QAAM,oBAAN,M;aACH,M;  
UAAc,Y;UAAAd,K;aACA,O;UAAe,W;UAAf,K;gBACQ,wC;UAHL,K;;;MAAP,W;IAKJ,C;;;MAMW,Q;MAHP,IAA  
I,CAAC,cAAL,C;QAAGB,MAAM,6B;MACtB,mD;MAEA,OAAO,2F;IACX,C;;;MAGI,iD;MACA,kB;MACA,OA  
AO,kD;IACX,C;;;MAKBI,2BAAY,K;MACZ,gD;IACJ,C;;;MAMI,+C;IACJ,C;;;MCmCA,oC;MApFgE,6B;IAA1B,C;  
;MAIC,0C;IAAA,C;;;MAEiB,uB;;;Q9FmQ3C,Q;QADb,YAA Y,C;QACC,sB;QAAb,OAAa,cAAb,C;UAAa,sB;UAC  
T,I8FpQmE,O9FoQrD,I8FpQqD,U9FoQnE,C;YACI,sBAAO,K;YAAP,wB;;;UACJ,qB;;;QAEJ,sBAAO,E;;;M8FxQi  
D,0B;IAAA,C;;;MAEI,sB;;;Q9F2R5D,eAAoB,0BAaA,SAAb,C;QACpB,OAAO,QAAS,cAAhB,C;UACI,I8F7RsE,O  
9F6RxD,QAAS,W8F7R+C,U9F6RtE,C;YACI,qBAAO,QAAS,Y;YAAhB,uB;;;QAGR,qBAAO,E;;;M8FjSqD,yB;I  
AAA,C;;;MAEb,+CAAiB,CAAjB,C;IAAA,C;;;MAEU,+CAAiB,KAAjB,C;IAAA,C;;;MAEK,gCAAQ,IAAR,EAAC,  
SAAd,EAAYB,OAAzB,C;IAAA,C;;;MAE8C,uB;MAA/E,kB;MAAmC,4B;MAC5D,eAAyB,C;MAGrB,+DAAkB,g  
BAAIB,EAA6B,OAA7B,EAASc,WAAK,KAA3C,C;MACA,eAAa,UAAU,gBAAV,I;IALO,C;;;MASpB,+DAAkB,  
KAAIB,EAAYB,YAAzB,C;MAEA,OAAO,wBAAK,mBAA Y,KAAZ,IAAL,C;IACX,C;;;MAE+B,mB;IAAA,C;;;M  
AS/B,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,OAAO,2DAAC  
,IAAd,EAAoB,KAApB,C;IACX,C;;;MAK+B,oEAAgB,IAAhB,C;IAAA,C;;;MAE/B,oB;MACI,eACsB,C;IAF1B,C;  
MAIsC,sBAAQ,gB;IAAR,C;;;MAInB,gB;MADX,IAAI,CAAC,cAAL,C;QAAGB,MAAM,6B;MACX,iE;MAAX,O  
AAO,+B;IACX,C;;;MAGJ,oB;MAGwD,iD;MAGhD,gEAAmB,KAAAnB,EAA0B,WAAkB,KAA5C,C;MACA,eAA  
a,K;IAJoB,C;;;MAOC,sBAAQ,C;IAAR,C;;;MAEN,mB;IAAA,C;;;MAG5B,IAAI,CAAC,kBAAL,C;QAAoB,MAAM  
,6B;MAC1B,OAAO,yBAAI,mCAAJ,EAAL,YAAJ,E;IACX,C;;;MAEoC,sBAAQ,CAAR,I;IAAA,C;;;MAGxC,sC;IA  
AA,C;;;MAEQ,IAAI,QAAQ,CAAR,IAAa,SAAS,IAA1B,C;QACI,MAAM,8BAA0B,YAAS,KAAAT,gBAAuB,IAAj  
D,C;;;IAEd,C;;;MAGI,IAAI,QAAQ,CAAR,IAAa,QAAQ,IAAzB,C;QACI,MAAM,8BAA0B,YAAS,KAAAT,gBAAu  
B,IAAjD,C;;;IAEd,C;;;MAGI,IAAI,YAA Y,CAAZ,IAAiB,UAAU,IAA/B,C;QACI,MAAM,8BAA0B,gBAAa,SAAb,  
mBAAkC,OAAIC,gBAAkD,IAA5E,C;;;MAEV,IAAI,YAA Y,OAAhB,C;QACI,MAAM,gCAAYB,gBAAa,SAAb,oB  
AAmC,OAA5D,C;;;IAEd,C;;;MAIc,UACsB,M;MAFhC,iBA Ae,C;MACL,mB;MAAV,OAAU,cAAV,C;QAAU,mB;  
QACN,aAAW,MAAK,UAAAL,SAAiB,6DAAiB,CAaIC,K;;;MAEf,OAAO,U;IACX,C;;;MAMiB,Q;MAHb,IAAI,CA  
AE,KAAAF,KAAU,KAAAM,KAApB,C;QAA0B,OAAO,K;MAEjC,oBAAoB,KAAAM,W;MACb,mB;MAAb,OAAa,c  
AAb,C;QAAa,sB;QACT,gBAAgB,aAAc,O;QAC9B,IAAI,cAAQ,SAAR,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,  
I;IACX,C;;;MAzCJ,6C;QAAA,4B;;;MAAA,sC;IAAA,C;;;MCoCA,mC;MAzCA,uBAC6B,I;MAMC7B,yBACsC,I;I  
ArHE,C;;;MAGpC,OAAO,6BAAC,GAAd,S;IACX,C;;;MAEW,e,gBAAR,Y;MAAQ,c;;;Q/F61CxD,Q;QADhB,IAAI,w  
CAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAP,e;;;QACrB,2B;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UAAM,I+F7  
1CwD,O/F61C1C,O+F71C6C,MAAH,Q/F61CxD,C;YAAwB,aAAO,I;YAAP,e;;;QAC9C,aAAO,K;;;M+F91CyD,i  
B;IAAA,C;;;MAI5D,IAAI,gCAAJ,C;QAA+B,OAAO,K;MACtC,UAAU,KAAAM,I;MACHb,YAA Y,KAAAM,M;M1G  
iIO,Q;M0GhIzB,e1GgI4C,CAAnB,mDAAMb,Y0GhIzB,G1GgIyB,C;M0G9H5C,IAAI,eAAS,QAAT,CAAJ,C;QA  
CI,OAAO,K;;;MAIP,6B;MAAA,W;Q1G0IqB,U;Q0G1ID,U1G0IoB,CAAnB,uDAAMb,oB0G1IP,G1G0IO,C;;;M0G

I15C,W;QACI,OAAO,K;;MAGX,OAAO,I;IACX,C;;MASI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,0BAAJ,C;QAAYB,OAAO,K;MACHC,IAAI,cAAQ,KAAM,KAAlB,C;QAawB,OAAO,K;MAEV,gBAAd,KAAM,Q;MAAQ,c;;Q/FwyCT,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;;QACrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,C+FxyCK,2B/FwyCM,O+FxyCN,C/FwyCT,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;M+FzyCH,iB;IACJ,C;;MAEwC,Q;MAAA,4CAAc,GAAd,8B;IAAA,C;;MAQT,OAAQ,SAR,YAAQ,C;IAAR,C;;MAEG,qBAAQ,C;IAAR,C;;MACH,OAAA,YAAQ,K;IAAR,C;;MAWX,wC;MAAS,sB;IAAT,C;;MACKD,+CAAY,OAAZ,C;IAAA,C;;MAI3C,kD;IAAA,C;;MAC+B,OAAA,0BAAc,U;IAAd,C;;MACT,OAAA,0BAAc,OAAO,I;IAArB,C;;MAH7B,oBAAoB,6BAAQ,W;MAC5B,+F;IAIJ,C;;MAE+B,OAAA,qBAAiB,K;IAAjB,C;;MAZvC,IAAI,4BAAJ,C;QACI,+E;;MacJ,OAAO,mC;IACX,C;;MAMmE,qB;QAAE,2CAAS,EAAT,C;MAAF,C;IAAA,C;;MAArC,OAAQ,eAAR,YAAQ,EAAa,IAAb,EAAmB,GAAnB,EAawB,GAAxB,kBAA6B,iCA A7B,C;IAAR,C;;MAEqB,+BAAS,KAAM,IAAf,IAAsB,GAAtB,GAA4B,wBAAS,KAAM,MAAf,C;IAA5B,C;;MAEf,OAAI,MAAM,IAAV,GAAgB,YAAhB,GAAoC,SAAF,CAAE,C;IAApC,C;;MAWiB,wC;MAAS,6B;IAAT,C;;MACgE,iDAAc,OAAAd,C;IAAA,C;;MAI3D,kD;IAAA,C;;MAC+B,OAAA,0BAAc,U;IAAd,C;;MACT,OAAA,0BAAc,OAAO,M;IAArB,C;;MAH7B,oBAAoB,6BAAQ,W;MAC5B,iG;IAIJ,C;;MAE+B,OAAA,qBAAiB,K;IAAjB,C;;MAZvC,IAAI,8BAAJ,C;QACI,mF;;MacJ,OAAO,qC;IACX,C;;MAK0D,gBAAR,Y;MAAQ,sB;;Q/FwF9C,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,I+FxFsD,O/FwFxC,O+FxF2C,IAAH,M/FwFtD,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;M+FzF+C,yB;IAAA,C;;MAEtD,qC;IAAA,C;;MAEqE,gC;MAAX,OAAU,CAAC,kBAAN,CAAM,0DAAmB,CAApB,KAA4B,oBAAjC,CAAiC,8DAAqB,CAAjD,C;IAAV,C;;MACG,OAAU,SAAL,CAAO,IAAF,mBAAL,CAAY,MAAP,C;IAAV,C;;MAErD,IAAI,gCAAJ,C;QAA+B,OAAO,K;MACtC,OAAO,OAAA,CAAE,IAAF,EAAS,KAAM,IAAf,KAAAsB,OAAA,CAAE,MAAF,EAAW,KAAM,MAAjB,C;IACjC,C;;MAPJ,4C;QAAA,2B;;MAAA,qC;IAAA,C;;MC7GA,mC;MAIB+D,6B;IAA1B,C;;MAQjC,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,0BAAJ,C;QAAsB,OAAO,K;MAC7B,OAAO,sDAAU,IAAV,EAAGB,KAAhB,C;IACX,C;;MAK+B,qEAAkB,IAAiB,C;IAAA,C;;MAE/B,qC;IAAA,C;;MAGwB,Q;MADhB,iBA Ae,C;MACC,mB;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACC,U;QAAb,2BAAa,yEAAuB,CAApC,K;;MAEJ,OAAO,U;IACX,C;;MAGI,IAAI,CAAE,KAAF,KAAU,KAAM,KAAPB,C;QAA0B,OAAO,K;MACjC,OAAO,CAAE,qBAAY,KAAZ,C;IACb,C;;MAZJ,4C;QAAA,2B;;MAAA,qC;IAAA,C;;MCDgB,Q;MhH0nXA,U;MADhB,UAAe,C;MACf,uD;QAAgB,cAAhB,iB;QACI,YAAgB,OgH5nXiB,OhH4nXjC,I;;MgH5nXJ,aAAa,iBhH8nXN,GgH9nXM,C;MACb,wBAAGB,SAAhB,gB;QAAgB,gBAAA,SAAhB,M;QACW,SAAP,MAAO,EAAO,SAAP,C;;MAEX,OAAO,M;IACX,C;;MAWiB,Q;MAFb,YAAY,iBAaA,gBAAb,C;MACZ,YAAY,iBAaA,gBAAb,C;MACZ,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,KAAM,WAAI,IAAK,MAAT,C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,UAAAS,KAAT,C;IACX,C;;M7GzBA,6B;IAAA,C;;MACsC,Y;IAAA,C;;MACI,Y;IAAA,C;;MACN,Q;IAAA,C;;MACI,S;IAAA,C;;MACL,MAAM,6B;IAAN,C;;MACI,MAAM,6B;IAAN,C;;MANvC,oC;QAAA,mB;;MAAA,6B;IAAA,C;;MASA,yB;MACI,+C;IADJ,C;;MAGgD,qCAAoB,KAAM,U;IAA1B,C;;MACb,Q;IAAA,C;;MACG,W;IAAA,C;;MAEH,Q;IAAA,C;;MACG,W;IAAA,C;;MACiB,Y;IAAA,C;;MACgB,OAAA,QAAS,U;IAAT,C;;MAE3B,MAAM,8BAA0B,iDAA8C,KAA9C,MAA1B,C;IAAN,C;;MACM,S;IAAA,C;;MACI,S;IAAA,C;;MAEL,kC;IAAA,C;;MACQ,kC;IAAA,C;;MAEjD,IAAI,UAAAS,CAAb,C;QAAGB,MAAM,8BAA0B,YAAS,KAAAnC,C;MACtB,OAAO,2B;IACX,C;;MAGI,IAAI,cAAa,CAAb,IAAkB,YAAW,CAAjC,C;QAAoC,OAAO,I;MAC3C,MAAM,8BAA0B,gBAAa,SAAb,mBAAkC,OAA5D,C;IACV,C;;MAEiC,8B;IAAA,C;;MA5BrC,gC;QAAA,e;;MAAA,yB;IAAA,C;;MA+B8D,6BAAkB,SAAiB,EAAoC,KAApC,C;IAAA,C;;MAE3B,oB;MAA0B,0B;IAA3B,C;;MACC,OAAA,WAAO,O;IAAP,C;;MACG,OAAA,WH0pL3B,YAAQ,C;IG1pLmB,C;;MACW,OAAO,SAAP,WAAO,EAAS,OAAT,C;IAAP,C;;MACyB,c;;QYuyCtD,Q;QADhB,IAAI,cZtyCyD,QYsyCzD,iBZtyCyD,QYsyCnC,UAA1B,C;UAAqC,aAAO,I;UAAP,e;;QACrB,OZvyC6C,QYuyC7C,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CZvyCkD,oBYuyCvC,OZvyCuC,CYuyCtD,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;MZxyCsD,iB;IAAA,C;;MACtB,OAAO,qBAAP,WAAO,C;IAAP,C;;MAEQ,gBAAP,W;MAAA,OAAwB,cAAxB,GasFpC,SbtFoC,GawFpC,SR0QoB,Q;ILIWgB,C;;MAON,8B;IAAA,C;;MAMe,OAAI,QAAS,OAAT,GAAGB,CAAPB,GAAGC,OAAT,QAAS,CAAhC,GAA8C,W;IAA9C,C;mFAErD,yB;MAAA,qD;MAAA,mB;QAK0C,kB;MAAA,C;KAL1C,C;+FAOA,yB;MAAAA,+D;MAAA,mB;QAMwD,uB;MAAA,C;KANxD,C;2FAQA,yB;MAAA,+D;MAAA,mB;QAMoD,uB;MAAA,C;KANpD,C;;MAaI,OAAI,QAAS,OAAT,KAAiB,CAArB,GAawB,gBAaxB,GAAyC,iBAAU,sBAAkB,QAAIB,E

AAwC,IAAxC,CAAV,C;IAAzC,C;;MAOA,OAAI,QAAS,OAAT,KAAiB,CAArB,GAAwB,gBAAxB,GAAyC,iBA  
AU,sBAaKB,QAAlB,EAawC,IAAxC,CAAV,C;IAAzC,C;;MAMuD,OAAI,eAAJ,GAAqB,OAAO,OAAP,CAArB,  
GAA0C,W;IAA1C,C;;MAMQ,OAAS,cAAT,QAAS,C;IAAT,C;gFAEnE,yB;MASA,gE;MATA,6B;QAIbI,WAAW  
,eAVuE,IAUvE,C;QQRX,iBAAc,CAAd,URFkF,IQEIF,U;URS6B,eAX2D,IAWvD,CQRtB,KRQsB,CAAJ,C;;QAX  
yC,OAY/D,I;MAZ+D,C;KAP1E,C;8FASA,yB;MAAA,gE;MAAA,6B;QAQI,WAAW,eAAa,IAAb,C;QQRX,iBAA  
c,CAAd,URSO,IQTP,U;URS6B,eAAI,KQRtB,KRQsB,CAAJ,C;;QAC7B,OAAO,I;MACX,C;KAXA,C;;MAkBY,u  
BAAG,iBAAO,CAAP,IAAH,C;IAAA,C;;MAQA,OAAA,SAAK,KAAL,GAAy,CAAZ,I;IAAA,C;;MAOgD,QAA  
C,mB;IAAD,C;sFAE5D,yB;MAAA,qD;MAAA,4B;QAKgE,uCAAQ,W;MAAR,C;KALhE,C;sFAOA,yB;MAAA,q  
D;MAAA,4B;QAKoD,uCAAQ,W;MAAR,C;KALpD,C;;MAeoH,OAAA,SAAK,qBAAY,QAAZ,C;IAAL,C;;MAEl  
E,QAAM,cAAN,C;aAC9C,C;UAD8C,OACzC,W;aACL,C;UAF8C,OAEzC,OAAO,sBAAK,CAAL,CAAP,C;gBA  
FyC,OAGtC,S;;IAHsC,C;;MAsBgB,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACjG,WAAW,cAAX,EA  
AiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C  
;QACI,UAAW,GAAy,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,cAAc,MAAd,EAA  
sB,OAAtB,C;QAEV,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UAC  
D,OAAO,MAAM,CAAN,I;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;IACX,C;;MAiB8E,y  
B;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC7G,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAE  
A,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,GAAy,GAAN,IAAM,  
KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,UAAW,SAAQ,MAAR,EAAgB,OAAhB,C;QAErB,IAAI,  
MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;  
;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;IACX,C;kGAEA,yB;MAAA,8D;MAAA,4D;;QA  
sBqC,qB;UAAE,qBAAc,iBAAS,EAAT,CAAd,EAA4B,WAA5B,C;QAAF,C;MAAA,C;MatBrC,+D;QAKbI,yB;U  
AAA,YAAiB,C;QACjB,uB;UAAA,UAAe,c;QAGf,+BAAa,SAAb,EAAwB,OAAxB,EAAiC,oCAAjC,C;MAAA,C;  
KAtBJ,C;;MA4CoC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACnE,WAAW,cAAX,EAAiB,SAAjB,EA  
A4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,  
GAAy,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,WAAW,MAAX,C;QAEV,IAAI,M  
AAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;;  
UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;IACX,C;;MAQQ,gBAAY,OAAZ,C;QAAuB,MA  
AM,gCAAYB,gBAAa,SAAb,mCAAKD,OAAID,OAAzB,C;WAC7B,gBAAY,CAAZ,C;QAAiB,MAAM,8BAA0B,  
gBAAa,SAAb,yBAA1B,C;WACvB,cAAU,IAAV,C;QAAkB,MAAM,8BAA0B,cAAW,OAAx,gCAA2C,IAA3C,O  
AA1B,C;IAEHc,C;;;wF4E3TA,yB;M3E6BA,wE;M2E7BA,uC;QAKbW,kB3EmBiD,oB;Q2EO9C,Q;QAAA,OAA  
K,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAaKB,sBAAY,GAAZ,C;U  
ACIB,W3EwFJ,a2ExFgB,G3EwFhB,E2ErHyC,SA6BIB,CAAU,GAAV,EAAe,WAAf,EAA4B,CAA5B,EAA+B,uB  
AAuB,CAAC,WAAy,mBAAY,GAAZ,CAAnE,C3EwFvB,C;;Q2ErHA,OA+BO,W;MA9BX,C;KAnBA,C;;MA4Cc  
,Q;MAAA,OAAA,SAAK,iB;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;QACV,kBAaK  
B,sBAAY,GAAZ,C;QACIB,W3EwFJ,a2ExFgB,G3EwFhB,E2ExFuB,UAAU,GAAV,EAAe,WAAf,EAA4B,CAA5  
B,EAA+B,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,CAAnE,C3EwFvB,C;;M2EtFA,OAAO,W;IACX,C;iFAEA,y  
B;MAAA,gB;MAAA,8B;M3EvBA,wE;M2EuBA,6D;QAlCW,kB3EmBiD,oB;Q2EO9C,Q;QAAA,OAAK,0B;QAA  
f,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAaKB,sBAAY,GAAZ,C;UA6BwE,U;U  
A5B1F,W3EwFJ,a2ExFgB,G3EwFhB,E2E5DkC,UA5BD,GA4BC,EA5BoB,uBAAuB,CAAC,WAAy,mBAAY,G  
AAZ,CA4BzC,GAAW,qBA5B3B,GA4B2B,EA5BT,CA4BS,CAAX,GAA6C,UA5BxD,WA4BwD,6DAA5D,EA5B  
iB,CA4BjB,C3E4DIC,C;;Q2E7DA,OAzBO,W;MAyBP,C;KAtBJ,C;kFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,0  
E;QAJcC,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBA2  
DQ,WA3DU,WAAy,GAAZ,C;UA2DuF,U;UAAjG,W3E8BZ,a2ExFgB,G3EwFhB,E2E9BiD,UA1DhB,GA0DgB,  
EA1DK,uBAAuB,CA0DjE,WA1D8E,mBAAY,GAAZ,CA0D1B,GAAW,qBA1D1C,GA0D0C,EA1DxB,CA0DwB,  
CAAX,GAA6C,UA1DvE,WA0DuE,6DAA5D,EA1DE,CA0DF,C3E8BjD,C;;Q2E/BA,OACY,W;MADZ,C;KA3BJ,  
C;iFA+BA,yB;MAAA,gB;MAAA,8B;M3E/EA,wE;M2E+EA,qD;QA1FW,kB3EmBiD,oB;Q2EO9C,Q;QAAA,OA  
AK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAaKB,sBAAY,GAAZ,C;  
UA+EiD,U;UA9EnE,W3EwFJ,a2ExFgB,G3EwFhB,E2EVgC,UA9EsB,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,

CA8EhD,kBAA6B,UA9EjC,WA8EiC,6DAAvC,EA9EmB,CA8EnB,C3EUhC,C;;Q2EXA,OA3EO,W;MA2EP,C;K  
AhBJ,C;oFAMBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAnFc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UA  
AU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAuGQ,WAvgU,WAAY,GAZ,C;UAuGgE,U;UAA1E,W3Ed  
Z,a2ExFgB,G3EwFhB,E2Ec+C,UAtGO,uBAuB,CAsGjE,WAtG8E,mBAAY,GAZ,CAsGjC,kBAA6B,UAtGhD,  
WAsGgD,6DAAvC,EAAtGI,CAsGJ,C3Ed/C,C;;Q2EaA,OACY,W;MADZ,C;KArBJ,C;qFAyBA,yB;MAAA,gB;MA  
AA,8B;M3E3HA,wE;M2E2HA,uC;QAtIW,kB3EmBiD,oB;Q2EO9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;  
UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAZ,C;UACC,oB;UA6Hc,U;UAAjC,IA  
7HkD,uBAuB,CAAC,WAAY,mBAAY,GAZ,CA6HtF,C;YADA,mBA5H+C,C;;YA4H/C,mBACKB,UA7HW,  
GA6HX,EAAe,UA7HC,WA6HD,6DAAf,EA7H6B,CA6H7B,C;;UA7HIB,W3EwFJ,a2ExFgB,G3EwFhB,mB;;Q2E  
mCA,OAZHO,W;MAYHP,C;KAIBJ,C;sFAuBA,yB;MAAA,gB;MAAA,8B;MAAA,oD;QAnIc,Q;QAAA,OAAK,0B  
;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAuJQ,WAvgU,WAAY,GAZ,C;  
UACC,oB;UAwJc,U;UAAjC,IAxJkD,uBAuB,CAsJjE,WAtJ8E,mBAAY,GAZ,CawJtF,C;YADA,mBAvJ+C,C;  
;;YAuJ/C,mBACKB,UAXJW,GAwJX,EAAe,UAXJC,WAwJD,6DAAf,EAxJ6B,CAwJ7B,C;;UAFV,W3E9DZ,a2Ex  
FgB,G3EwFhB,mB;;Q2E8DA,OAY,W;MAAZ,C;KAtBJ,C;;MANIc,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,  
C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;QACV,kBAyKG,WAZKe,WAAY,GAZ,C;QAuGgE,U;QAE/E,  
W3EhFP,a2ExFgB,G3EwFhB,E2EgFmC,CAXKmB,uBAuB,CawKtE,WAXKmF,mBAAY,GAZ,CAsGjC,GAK  
ErC,CAIEqC,GAA6B,UAtGhD,WAsGgD,6DAkEnD,IAAM,CAAN,I3EhFnC,C;;M2EgFA,OAAO,W;IAAP,C;;Mk  
C3OkC,kB;MAAuB,kB;IAAxB,C;;MAAC,iB;IANtC,C;;MAM6D,iB;IAN7D,C;;MAAA,wBAMsC,qCANtC,EAM  
6D,qCAN7D,C;IAAA,C;;MAAA,OAMsC,mDANtC,IAM6D,wCAN7D,O;IAAA,C;;MAAA,c;MAMsC,sD;MAAu  
B,sD;MAN7D,a;IAAA,C;;MAAA,4IAMsC,sCANtC,IAM6D,sCAN7D,I;IAAA,C;wFpGEA,yB;MAAA,kC;MAAA  
,4C;;QAMuF,wC;MANvF,C;MAAA,wD;QAO2C,8B;MAAA,C;MAP3C,8E;MAAA,2B;QAMuF,2C;MAAA,C;KA  
NvF,C;;MAcuC,wC;IAAD,C;;MACmB,4BAAiB,wBAajB,C;IAAA,C;;MAQG,OAAI,oCAAJ,GAA2B,SAAK,KA  
AhC,GAA0C,I;IAA1C,C;;MAMc,OAAI,oCAAJ,GAA2B,SAAK,KAAhC,GAA0C,S;IAA1C,C;;MAGrB,wBAAO,  
CAAP,IAAY,mC;IAAZ,C;;MAK7C,kBADE,SACF,O;QADJ,OACc,S;WACV,kBAFE,SAEF,c;QAEQ,yCAAwB,  
MAAO,KAAP,GAAc,CAAtC,C;UAJZ,OAIuD,S;;UAJvD,OAK6B,mBAAL,SAAK,CAAT,GAA+B,sBAA/B,GAA  
gD,S;;QALpE,OAOY,sB;IAPZ,C;;MAaI,kBADE,SACF,O;QADJ,OACc,S;WACV,kBAFE,SAEF,c;QAFJ,OAE8B,  
mBAAL,SAAK,CAAT,GAA+B,sBAA/B,GAAgD,S;;QAFrE,OAGY,sB;IAHZ,C;;MAagB,Q;MADhB,aAAa,gB;M  
ACG,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACL,OAAP,MAAO,EAAO,OAAp,C;;MAEX,OAAO,M;IAC  
X,C;;MAyiB,Q;MAHb,mBAAmB,mCAAwB,EAAXB,C;MACnB,YAAY,iBAAa,YAAb,C;MACZ,YAAY,iBAAa,  
YAAb,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,KAAM,WAAL,IAAK,MAAT,C;QACN,KAAM,WA  
AL,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;IACX,C;;MI3EqE,gB;IAAA,C;;MAOD,4BAAiB,SAajB,C;I  
AAA,C;;MAOhE,OAAgB,mBAAhB,C;QAAgB,8B;QAAM,UAAU,OAAV,C;;IAC1B,C;;MAKuC,0B;MACnC,eA  
AoB,C;IADc,C;;MAEM,OAAA,eAAS,U;IAAT,C;;MACkB,Q;MAAb,yBAAa,mBAAb,EAAa,2BAAb,SAAsB,eA  
AS,OAA/B,C;IAAA,C;;sFiG3BjD,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAUiC,Q;QAA7B,OAA6B,  
wCAAqB,QAAS,aAA9B,0D;MAA7B,C;KAVJ,C;wFAYa,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QA  
WiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;MAA7B,C;KAXJ,C;wFAaA,yB;MAAA,4E;MAAA,gB;MA  
AA,8B;MAAA,+C;QAKiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;MAA7B,C;KALJ,C;;MAeI,SAAK,a  
AAI,QAAS,aAAb,EAAMB,KAAAB,C;IACT,C;;MCjCI,IAAI,wCAAJ,C;QACI,OAAO,SAAK,4BAaqB,GAARb,C;  
MAET,4B;M/GiOI,Q;MALX,YAAY,oB+G5Na,G/G4Nb,C;MACZ,IAAI,iBAAiB,CAAC,4B+G7NG,G/G6NH,CA  
AtB,C;Q+G7NgC,MAAM,2BAuB,wCAAvB,C;;Q/GiOIC,2BAAO,sE;;M+GjOX,+B;IACJ,C;;MAYQ,kBADE,S  
ACF,kB;QADJ,OACkC,YAAT,SAAK,IAAI,EAAY,YAAZ,C;;QADIC,OAEY,uBAAMB,SAANB,EAAYB,YAAZB,  
C;IAFZ,C;;MAGBI,kBADE,SACF,yB;QADJ,OACyC,cAAT,SAAK,IAAI,EAAY,YAAZ,C;;QADzC,OAEY,8BAA  
0B,SAAI,EAAGC,YAAhC,C;IAFZ,C;;MAGBuC,wB;MAAoC,0B;IAArC,C;;MAAC,yB;IAAA,C;;MACK,O  
AAI,OAAJ,QAAI,EAAO,KAAP,C;IAAJ,C;;MACb,OAAI,SAAJ,QAAI,C;IAAJ,C;;MACG,OAAA,QAAI,W;IAAJ,  
C;;MACH,OAAA,QAAI,K;IAAJ,C;;MACG,OAAA,QAAI,U;IAAJ,C;;MACU,OAAA,QAAI,mBAAY,GAZ,C;I  
AAJ,C;;MACoB,OAAA,QAAI,qBAAc,KAAc,C;IAAJ,C;;MACjC,OAAA,QAAI,WAAL,GAJ,C;IAAJ,C;;MACG,  
OAAA,QAAI,K;IAAJ,C;;MACS,OAAA,QAAI,O;IAAJ,C;;MACQ,OAAA,QAAI,Q;IAAJ,C;;MAEA,gBAAJ,Q;M  
AAI,4B;M/GyKx,C;MALX,YAAY,oB+GpKyD,G/GoKzD,C;MACZ,IAAI,iBAAiB,CAAC,4B+GrK+C,G/GqK/C

,CAAtB,C;QACI,2B+GtKwE,mB;;;Q/GyKxE,2BAAO,sE;;M+GzKoC,+B;IAAA,C;;;MAGL,wB;MAA2C,0B;IAA  
5C,C;;MAAC,yB;IAAA,C;;MACE,OAAI,OAAJ,QAAL,EAAO,KAAP,C;IAAJ,C;;MACb,OAAI,SAAJ,QAAL,C;IA  
AJ,C;;MACG,OAAA,QAAL,W;IAAJ,C;;MACH,OAAA,QAAL,K;IAAJ,C;;MACG,OAAA,QAAL,U;IAAJ,C;;MAC  
U,OAAA,QAAL,mBAAY,GAAZ,C;IAAJ,C;;MACoB,OAAA,QAAL,qBAAc,KAAd,C;IAAJ,C;;MACjC,OAAA,QA  
AI,WAAI,GAAJ,C;IAAJ,C;;MACU,OAAA,QAAL,K;IAAJ,C;;MACS,OAAA,QAAL,O;IAAJ,C;;MACsB,OAAA,Q  
AAI,Q;IAAJ,C;;MAE/B,OAAA,QAAL,aAAI,GAAJ,EAAS,KAAT,C;IAAJ,C;;MACP,OAAA,QAAL,cAAO,GAAP,  
C;IAAJ,C;;MACS,QAAL,gBAAO,IAAP,C;IAAJ,C;;MACpB,QAAL,Q;IAAJ,C;;MAE4B,gBAAJ,Q;MAAI,4B;M/G  
oJxC,Q;MALX,YAAY,oB+G/IyD,G/G+IzD,C;MACZ,IAAI,iBAAiB,CAAC,4B+GhJ+C,G/GgJ/C,CAAtB,C;QACI  
,2B+GjJwE,mB;;;Q/GoJxE,2BAAO,sE;;M+GpJoC,+B;IAAA,C;;;M/G1FnD,wB;MACI,8C;IADJ,C;;MAGgD,oCA  
AsB,KAAM,U;IAA5B,C;;MACb,Q;IAAA,C;;MACG,W;IAAA,C;;MAEH,Q;IAAA,C;;MACG,W;IAAA,C;;MAEa,  
Y;IAAA,C;;MACO,Y;IAAA,C;;MACd,W;IAAA,C;;MACoB,6B;IAAA,C;;MACvB,6B;IAAA,C;;MACY,8B;IAA  
A,C;;MAEHb,6B;IAAA,C;;;MAjBrC,+B;QAAA,c;;;MAAA,wB;IAAA,C;;MA0BuE,Q;MAA7B,OAA6B,uE;IAA7  
B,C;;MAetC,OAAI,KAAM,OAAN,GAAa,CAAjB,GAA0B,QAAN,KAAM,EAAM,qBAAc,YAAY,KAAM,OAAI  
B,CAAd,CAAN,CAA1B,GAA6E,U;IAA7E,C;kFAEJ,yB;MAAA,oD;MAAA,mB;QAO8C,iB;MAAA,C;KAP9C,C;  
8FASA,yB;MAAA,wE;MAAA,mB;QAQ4D,2B;MAAA,C;KAR5D,C;;MASBiD,gBAA7C,qBAAoB,YAAY,KAA  
M,OAAIB,CAApB,C;MAAqD,wB;MAArD,OTO,S;IPSP,C;wFAEJ,yB;MAAA,4D;MAAA,mB;QAKsD,qB;MA  
AA,C;KALtD,C;;MAa8G,gBAAvC,eAAc,YAAY,KAAM,OAAIB,CAAd,C;MAA+C,wB;MAA/C,OOxB5D,S;IPw  
B4D,C;4FAEvE,yB;MAAA,wE;MAAA,mB;QAK8D,2B;MAAA,C;KAL9D,C;;MAiB+E,OAAM,QAAN,KAAM,E  
AAM,qBAAc,YAAY,KAAM,OAAIB,CAAd,CAAN,C;IAAN,C;;MAS3E,IAAI,eAAe,CAAnB,C;QACI,OAAO,eA  
Ae,CAAf,I;;MAEX,IAAI,eAAe,UAAAnB,C;QACI,OAAO,gBAAe,eAAe,CAAf,IAAf,K;;MAEX,OAAO,U;IACX,C;  
;;MAM+D,QAAC,mB;IAAD,C;sFAE/D,yB;MAAA,oD;MAAA,4B;QAI2D,uCAAQ,U;MAAR,C;KAJ3D,C;yFAM  
A,yB;MAuBA,kC;MAAA,8B;MAvBA,iC;QA8BiC,Q;QAx2E,OAwBxD,CAAnB,wDAAmB,oBAxB0E,GAWBp  
E,C;MAxBwD,C;KAN5G,C;+EAQA,yB;MAAA,kC;MAAA,8B;MAAA,iC;QAKiC,Q;QAA7B,OAAgD,CAAnB,w  
DAAmB,YAAI,GAAJ,C;MAAhD,C;KALJ,C;;MAYI,sBAAI,GAAJ,EAAS,KAAT,C;IACJ,C;4FAEA,yB;MAAA,k  
C;MAAA,8B;MAAA,iC;QAOiC,Q;QAA7B,OAAgD,CAAnB,wDAAmB,oBAAY,GAAZ,C;MAAhD,C;KAPJ,C;;  
MAGbSg,OAAA,SAAK,qBAAc,KAAd,C;IAAL,C;kFAGtG,yB;MAAA,gD;MAAA,8B;MAAA,iC;QASiC,Q;QAA  
7B,OAAuD,CAA1B,+DAA0B,eAAO,GAAP,C;MAAvD,C;KATJ,C;;MASBoE,oB;IAAA,C;;MAAa,sB;IAAA,C;kF  
AEpE,yB;MAAA,6B;MAAA,4B;QAIgE,qBAAK,aAAL,EAAU,eAAV,C;MAAA,C;KAJhE,C;;MAYiF,Q;MAAA,  
mCAAI,GAAJ,oBAAY,c;IAAZ,C;uGAGjF,yB;MAAA,gB;MAAA,8B;MAAA,+C;QAMe,Q;QALX,YAAY,oBAA  
I,GAAJ,C;QACZ,IAAI,iBAAiB,CAAC,4BAAY,GAAZ,CAAtB,C;UACI,OAAO,c;;UAGP,OAAO,sE;;MAEf,C;K  
ARA,C;;MAoBkD,uCAAqB,GAARb,C;IAAA,C;;MAUvC,Q;MADP,YAAY,oBAAI,GAAJ,C;MACL,IAAI,aAAJ,  
C;QACH,aAAa,c;QACb,sBAAI,GAAJ,EAAS,MAAT,C;QACA,a;;QAEA,Y;;MALJ,W;IAOJ,C;;MAQwF,OAAA,i  
BAAQ,W;IAAR,C;;MAQwB,OAAA,iBAAQ,W;IAAR,C;4FAEHh,yB;MAAA,oD;QWquBoB,Q;QAAA,OXhuBT,  
iBWguBS,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UXhuBa,WWiuBb,aAAGB,OXjuBe,IWiuB/B,EXjuBsC,SWi  
uBZ,CAAE,OAaf,CAA1B,C;;QXjuBhB,OAA6B,W;MACjC,C;KANA,C;wFAQA,yB;MAAA,oD;QW6tBoB,Q;Q  
AAA,OXrtBT,iBWqtBS,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UXrtBa,WWstBb,aXtB0B,SWstBtB,CAAY,  
OAAZ,CAAJ,EAAyC,OXttBC,MWstB1C,C;;QXttBhB,OAA6B,W;MACjC,C;KATA,C;;MAeyB,Q;MAArB,wBA  
AqB,KAARb,gB;QAAqB,aAAA,KAARb,M;QAAK,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,KAAT,  
C;;IAER,C;;MAMyB,Q;MAAA,uB;MAArB,OAAqB,cAArB,C;QAAqB,wB;QAAhB,IAAC,yBAAD,EAAM,2B;Q  
ACP,sBAAI,GAAJ,EAAS,KAAT,C;;IAER,C;;MAMyB,Q;MAAA,uB;MAArB,OAAqB,cAArB,C;QAAqB,wB;QA  
AhB,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,KAAT,C;;IAER,C;wFAEA,yB;MAAA,0D;MAAA,uE  
;MAAA,uC;QASW,kBAAY,mBAAoB,YAAY,cAAZ,CAApB,C;QW8qBH,Q;QAAA,OXhuBT,iBWguBS,W;QAA  
hB,OAAgB,cAAhB,C;UAAgB,yB;UXhuBa,WWiuBb,aAAGB,OXjuBe,IWiuB/B,EX/qB2C,SW+qBjB,CAAE,OA  
af,CAA1B,C;;QX/qBhB,OAlD6B,W;MAmDjC,C;KAVA,C;oFAyA,yB;MAAA,0D;MAAA,uE;MAAA,uC;QAYW,  
kBAAU,mBAAoB,YAAY,cAAZ,CAApB,C;QW+pBD,Q;QAAA,OXrtBT,iBWqtBS,W;QAAhB,OAAgB,cAAhB,  
C;UAAgB,yB;UXrtBa,WWstBb,aXhqByC,SWgqBrC,CAAY,OAAZ,CAAJ,EAAyC,OXttBC,MWstB1C,C;;QXhq  
BhB,OAtd6B,W;MAuDjC,C;KAbA,C;oFAeA,yB;MAAA,wE;MAAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,OA  
AA,SA3FsE,QAAQ,W;QA2F5F,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,KAAM,IAAhB,CAAJ,C;YACI,M

AAO,aAAI,KAAM,IAAV,EAAe,KAAM,MAArB,C;;;QAGf,OAAO,M;MACX,C;KAdA,C;8FAgBA,yB;MAAA,w  
E;MAAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,OAAA,SA3GsE,QAAQ,W;QA2G5F,OAAc,cAAAd,C;UAAc,uB;  
UACV,IAAI,UAAU,KAAM,MAAhB,CAAJ,C;YACI,MAAO,aAAI,KAAM,IAAV,EAAe,KAAM,MAArB,C;;;QA  
Gf,OAAO,M;MACX,C;KAdA,C;MAwBoB,Q;MAAA,OAAA,SA3HoE,QAAQ,W;MA2H5F,OAAgB,cAAhB,C;Q  
AAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;;M  
AGpB,OAAO,W;IACX,C;qFAEA,yB;MAAA,wE;MAAA,uC;QAOW,kBAAS,oB;QAfA,Q;QAAA,OA3HoE,iBA  
AQ,W;QA2H5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAcmC,SAd/B,CAAU,OAAV,CAAJ,C;YACI,WAAY,aAA  
I,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;;QAapB,OAVO,W;MAWX,C;KARA,C;MAiBoB,Q;MAAA,OAAA,S  
ApJoE,QAAQ,W;MAoJ5F,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,CAAC,UAAU,OAAV,CAAL,C;UACI,W  
AAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;;MAGpB,OAAO,W;IACX,C;2FAEA,yB;MAAA,wE;MAAA  
,uC;QAOW,kBAAY,oB;QAFH,Q;QAAA,OApJoE,iBAAQ,W;QAoJ5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAA  
I,CAckC,SAdjC,CAAU,OAAV,CAAL,C;YACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;;QAapB,  
OAVO,W;MAWX,C;KARA,C;MAiBqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAA  
K,iB;YAAL,K;eACA,C;YAAK,aAAU,8BAAJ,GAakB,sBAAK,CAAL,CAAIb,GAA+B,oBAAW,OAAhD,C;YAA  
L,K;kBACQ,0BAAM,qBAAoB,YAAY,cAAZ,CAApB,CAAN,C;YAHL,K;QAAP,W;MAMJ,OAAoC,oBAA7B,  
mBAAM,oBAAN,CAA6B,C;IACx,C;MAMwB,SAApB,WAAoB,Y;MAApB,kB;IAAA,C;MAOyD,QAAM,gB  
AAN,C;aACzD,C;UADyD,OACpD,U;aACL,C;UAFyD,OAEPD,MAAM,UAAK,CAAL,CAAN,C;gBAFoD,OAGj  
D,mBAAM,qBAAoB,YAAY,gBAAZ,CAApB,CAAN,C;IAHiD,C;MAUrC,OAApB,WAAoB,Y;MAApB,kB;IAA  
A,C;MAOwD,OAA6B,oBAA7B,mBAAM,oBAAN,CAA6B,C;IAA7B,C;MAMpC,SAApB,WAAoB,Y;MAApB,k  
B;IAAA,C;MAQiD,QAAM,cAAN,C;aACjD,C;UADiD,OAC5C,U;aACL,C;UAFiD,OYIX8B,uB;gBZkX9B,OAG  
zC,uB;IAHyC,C;MAYc,4BAAc,SAAd,C;IAAA,C;MAO/D,WAAoB,0B;MAApB,kB;IAAA,C;MASA,Q;MAAA  
,IAAI,SAAK,UAAT,C;QAAA,OAAoB,MAAM,IAAN,C;QAAqC,kBAApB,qBAAc,SAAd,C;QAA4B,wBAAS,U  
AAT,EAAqB,WAArB,C;QAAjE,OOhdO,W;MPgdP,W;IAAA,C;MASA,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA  
,OAA0B,MAAN,KAAM,C;QAAiC,kBAApB,qBAAc,SAAd,C;QAA4B,4B;QAAAnE,OOzdO,W;MPyD,P;IAAA,  
C;MASA,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA,OAA0B,QAAN,KAAM,C;QAAiC,kBAApB,qBAAc,SAAd,C;  
QAA4B,0B;QAAAnE,OOleO,W;MPkeP,W;IAAA,C;MASoB,kBAApB,qBAAc,SAAd,C;MAA4B,4B;MAA5B,OA  
A4C,oBO3erC,WP2eqC,C;IAA5C,C;MASoB,kBAApB,qBAAc,SAAd,C;MAA4B,+B;MAA5B,OOpfO,W;IPofP,C  
;MAQA,sBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;IACJ,C;4FAEA,yB;MAAA,gD;MAAA,mC;QAKI,kBAA  
O,KAAP,C;MACJ,C;KANA,C;4FAQA,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;MACJ,C;KANA,C;4  
FAQA,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;MACJ,C;KANA,C;MAaI,yBAAO,GAAP,C;IACJ,C;  
MASwB,kBAaf,aAAL,SAAK,C;MASCL,6B;MAtCA,OAA+C,oBOtiBxC,WPSiBwC,C;IAA/C,C;MAUoB,kBAaf  
,aAAL,SAAK,C;MAqCK,YAAL,gBAAK,O;MArCV,OAAgD,oBOhjbZC,WPgjByC,C;IAAhD,C;MAUoB,kBAaf  
,aAAL,SAAK,C;MAoCK,YAAL,gBAAK,O;MApCV,OAAgD,oBO1jBzC,WP0jByC,C;IAAhD,C;MAUoB,kBAA  
f,aAAL,SAAK,C;MAmCK,YAAL,gBAAK,O;MAnCV,OAAgD,oBOPkBzC,WPokByC,C;IAAhD,C;MAQA,uBA  
AO,GAAP,C;IACJ,C;8FAEA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAK,EAAU,IAAV,C;MACd,C;  
KAPA,C;8FASA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAK,EAAU,IAAV,C;MACd,C;KAPA,C;8FA  
SA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAK,EAAU,IAAV,C;MACd,C;KAPA,C;MAWsD,QAAM  
,cAAN,C;aACID,C;UADkD,OAC7C,U;aACL,C;UAFkD,gB;gBAAA,OAG1C,S;IAH0C,C;oFgH7qBtD,yB;MAA  
A,8D;MAAA,8B;MAAA,qC;QAUiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,eAAO,OAAP,C;MAA3D,C;KAVJ,C;  
wFAYA,yB;MAAA,8D;MAAA,8B;MAAA,sC;QASiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,oBAAU,QAAV,C;M  
AA3D,C;KATJ,C;wFAWA,yB;MAAA,8D;MAAA,8B;MAAA,sC;QASiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,o  
BAAU,QAAV,C;MAA3D,C;KATJ,C;MAiB6D,kCAAS,KAAT,C;IAAA,C;MAOzD,SAAK,WAAL,OAAL,C;IAC  
T,C;4FAEA,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,C;MACT,C;KANA,C;4FAQA,yB;MA  
AA,gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,C;MACT,C;KANA,C;4FAQA,yB;MAAA,gD;MAAA,sC;  
QAKS,OAAL,SAAK,EAAO,QAAP,C;MACT,C;KANA,C;MAaI,SAAK,cAAO,OAAP,C;IACT,C;8FAEA,yB;MA  
AA,sD;MAAA,sC;QAKS,UAAL,SAAK,EAAU,QAAV,C;MACT,C;KANA,C;8FAQA,yB;MAAA,sD;MAAA,sC;  
QAKS,UAAL,SAAK,EAAU,QAAV,C;MACT,C;KANA,C;8FAQA,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,SA  
AK,EAAU,QAAV,C;MACT,C;KANA,C;MAYU,IAIe,I;MAHjB,kBADE,QACF,c;QAAiB,OAAO,yBAAO,QAAP,

C;;QAEpB,aAAsB,K;QACT,0B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,oBAAI,IAAJ,CAAJ,C;YAAe,SAA S,I;;QAC5B,OAAO,M;;IAGnB,C;;MAOiB,Q;MADb,aAAsB,K;MACT,0B;MAAb,OAAa,cAAb,C;QAAa,sB;QAC T,IAAI,oBAAI,IAAJ,CAAJ,C;UAAe,SAAS,I;;MAE5B,OAAO,M;IACX,C;;MAMI,OAAO,yBAAgB,OAAT,QAA S,CAAhB,C;IACX,C;;MAKkF,gCAAc,SAAd,EAAyB,IAAzB,C;IAAA,C;;MAKA,gCAAc,SAAd,EAAyB,KAAzB, C;IAAA,C;;MAG9E,iBAAa,KAAb,C;MzGjGgB,kByGkGX,oB;MACD,OAAO,qBAAP,C;QACI,IAAI,UAAU,kB AAV,6BAAJ,C;UACI,oB;UACA,WAAS,I;;MAGrB,OAAO,Q;IACX,C;;MAK8E,kCAAc,SAAd,EAAyB,IAAzB,C ;IAAA,C;;MAKA,kCAAc,SAAd,EAAyB,KAAzB,C;IAAA,C;;MAI9D,UAGS,MAHT,EAcy,MAzZ,EA6B,M;M AfzC,IAAI,uCAAJ,C;QACI,OAAoC,cAA5B,sEAA4B,EAAC,SAAd,EAAyB,uBAAzB,C;MAExC,iBAAsB,C;MA CD,mC;MAArB,qBAAkB,CAAIb,mC;QACI,cAAc,sBAAK,SAAL,C;QACd,IAAI,UAAU,OAAV,MAAsB,uBAA 1B,C;UACI,Q;QAEJ,IAAI,eAAc,SAAIb,C;UACI,sBAAK,UAAAL,EAAMb,OAAAnB,C;QAEJ,+B;;MAEJ,IAAI,aA Aa,cAAjB,C;QACwB,mC;QAAiB,mB;QAArC,oE;UACI,2BAAS,WAAT,C;QAEJ,OAAO,I;;QAEp,OAAO,K;;IA Ef,C;;MAMW,iBAAMb,gCAAT,QAAS,EAAgC,SAAhC,C;MAnLG,Q;MAmL7B,OAnL2D,CAA9B,sEAA8B,oB AAU,UAAV,C;IAoL/D,C;;MAMI,UAAmB,YAAT,QAAS,C;MACnB,OjHIDwD,CiHkDjD,GjHIDkD,UiHkDID,IA AoB,4BAAU,GAAV,C;IAC/B,C;;MAMI,OpH0jLO,EoH1jLA,QpHk/KA,YAAQ,CAwER,CoH1jLA,IAAyB,4BAA mB,UAAT,QAAS,CAAnB,C;IACpC,C;;MAMW,iBAAMb,gCAAT,QAAS,EAAgC,SAAhC,C;MA9LG,Q;MA8L7 B,OAA9L2D,CAA9B,sEAA8B,oBAAU,UAAV,C;IA+L/D,C;;MAMI,IpH4iLO,EoH5iLH,QpHo+KG,YAAQ,CAwE R,CoH5iLP,C;QACI,OAAO,4BAAmB,UAAT,QAAS,CAAnB,C;;QAEp,OAAO,wB;IACf,C;;MAMI,UAAmB,YA AT,QAAS,C;MACnB,IjHIFwD,CiHkFpD,GjHIFqD,UiHkFzD,C;QACI,OAAO,4BAAU,GAAV,C;;QAEp,OAAO, wB;IACf,C;;MAGI,ajHzFwD,CAAC,mB;MiH0FzD,iB;MACA,OAAO,M;IACX,C;;MCxPgF,uB;MAAjC,0B;IAA D,C;;MACX,OAAA,eAAS,K;IAAT,C;;MACG,mCAAS,0BAAoB,KAApB,CAAT,C;IAAA,C;;MAGgC,8B;MAA xC,0B;IAAD,C;;MACM,OAAA,eAAS,K;IAAT,C;;MACG,mCAAS,0BAAoB,KAApB,CAAT,C;IAAA,C;;MAEX, eAAS,Q;IAAT,C;;MACgB,OAAA,eAAS,kBAAS,0BAAoB,KAApB,CAAT,C;IAAT,C;;MAEO,OAAA,eAAS,aA AI,0BAAoB,KAApB,CAAJ,EAAgC,OAAhC,C;IAAT,C;;MAE1C,eAAS,aAAI,2BAAqB,KAArB,CAAJ,EAAiC,O AAjC,C;IACb,C;;MAIgb,Q;MAAA,iC;MAAhB,IAAa,CAAT,0BAAJ,C;QAAA,OAA2B,6BAAy,KAAZ,I;;QAAu B,MAAM,8BAA0B,mBAAGb,KAAhB,2BAA0C,gBAAG,0BAAH,CAA1C,OAA1B,C;IAAxD,C;;MAGgB,Q;MA AA,qB;MAAhB,IAAa,CAAT,0BAAJ,C;QAAA,OAAsB,iBAAO,KAApB,I;;QAAkB,MAAM,8BAA0B,oBAAiB,KA AjB,2BAA2C,gBAAG,cAAH,CAA3C,OAA1B,C;IAA9C,C;;MAQ2C,gCAAqB,SAArB,C;IAAA,C;;MAQc,wBAA a,SAAb,C;IAAA,C;;;sFvGtC7D,yB;MAAA,kC;MAAA,0C;;QAQuF,wC;MARvF,C;MAAA,wD;QAS2C,8B;MAA A,C;MAT3C,8E;MAAA,2B;QAQuF,2C;MAAA,C;KARvF,C;;MAiBgE,mB;QAAE,sB;MAAF,C;IAAA,C;;MATu B,wC;IARvF,C;IAAA,0D;MAS2C,8B;IAAA,C;IAT3C,gF;;MAiBuD,OAAkB,2CAAT,+BAAS,E;IAAIb,C;;MAO M,OAAI,Qd+qLtD,YAAQ,Cc/qL0C,GAAwB,eAAxB,GAASD,WAAT,QAAS,C;IAAtD,C;;MAKf,kC;IAAA,C;;M AE9C,6B;IAAA,C;;MACiD,kC;IAAA,C;;MACjB,kC;IAAA,C;;MACA,kC;IAAA,C;;MAHhC,oC;QAAA,mB;;M AAA,6B;IAAA,C;;MAWwE,OAAA,EAAG,W;IAAW,C;;MAAxB,4BAAQ,cAAR,C;IAAA,C;;MAQU,OAAA,EA AG,W;IAAW,C;;MAAxB,4BAAQ,gBAAR,C;IAAA,C;;MAMxB,S;IAAG,C;;MAFzB,Q;MADZ,IAAI,8CAAJ,C;Q ACI,OAA4C,CAApC,2EAAoC,kBAAQ,QAAR,C;;MAEHd,OAAO,uBAAMb,SAAnB,EAAyB,gBAAzB,EAAiC, QAAjC,C;IACX,C;;MAYiB,Q;MAFb,YAAy,gB;MACZ,YAAy,gB;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB; QACT,KAAM,WAAl,IAAK,MAAT,C;QACN,KAAM,WAAl,IAAK,OAAT,C;;MAEV,OAAO,UAAAS,KAAT,C;I ACX,C;;MAWI,wB;QAAA,WAAgC,I;MADhC,0B;MACA,0B;MACA,4B;IAH+B,C;;MAMQ,oD;MACnC,gBAAe ,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;IAHgB,C;;MAM/B,OAAO,aAAS,UAAhB,C;QACI,WAAW,a AAS,O;QACpB,IAAI,wCAAU,IAAV,MAAMb,sCAAvB,C;UACI,gBAAW,I;UACX,iBAAy,C;UACZ,M;;MAGR ,iBAAy,C;IACb,C;;MAWW,Q;MARP,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAJ,C;QACI, MAAM,6B;MACV,aAAa,a;MACb,gBAAW,I;MACX,iBAAy,E;MAEZ,OAAO,yE;IACX,C;;MAGI,IAAI,mBAAa ,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;IACxB,C;;MAjCmC,yD;IAAA,C;;MA2C/B,0B;MAAmC,gC;IAA /C,C;;MAC2C,0D;MACnC,gBAAe,oCAAS,W;IADW,C;;MAG/B,OAAO,6CAAY,aAAS,OAAR,C;IACX,C;;MAG I,OAAO,aAAS,U;IACpB,C;;MARmC,4D;IAAA,C;;MAYnC,OAAO,uBAA4B,eAA5B,EAA5C,kBAATC,EAAMd, QAAAnD,C;IACX,C;;MASQ,0B;MAAmC,gC;IAA/C,C;;MAC2C,wE;MACnC,gBAAe,2CAAS,W;MACxB,aAAY, C;IAFuB,C;;MAIZ,Q;MAAnB,OAAO,qDAAY,iBAAZ,EAAy,yBAAZ,SAAQb,aAAS,OAA9B,C;IACX,C;;MAGI, OAAO,aAAS,U;IACpB,C;;MATmC,mE;IAAA,C;;MAkB/B,0B;IAAZ,C;;MAEQ,gBAAe,gCAAS,W;MACxB,aA

AY,C;IAFqC,C;;MAIzB,Q;MAApB,OAAO,kBAaA,iBAAb,EAAa,yBAAb,SAAsB,aAAS,OAA/B,C;IACX,C;;MAGI,OAAO,aAAS,U;IACpB,C;;MATiD,wD;IAAA,C;;MAoBrD,4B;MACA,4B;MACA,4B;IAHJ,C;;MAK2C,gD;MACnB,iBAAgB,gCAAU,W;MAC1B,iBAAgB,gCAAU,W;IAFS,C;;MAI/B,OAAO,sCAAU,cAAU,OAApB,EAA4B,cAAU,OAAtC,C;IACX,C;;MAGI,OAAO,cAAU,UAAV,IAAuB,cAAU,U;IAC5C,C;;MATmC,uD;IAAA,C;;MAEvC,0B;MACA,gC;MACA,0B;IAHJ,C;;MAK2C,sD;MACnB,gBA Ae,kCAAS,W;MACxB,oBAAiC,I;IAFE,C;;MAK/B,IAAI,CAAC,2BAAL,C;QACI,MAAM,6B;MACV,OAAO,gCA Ae,O;IAC1B,C;;MAGI,OAAO,2B;IACX,C;;MAGQ,Q;MAAJ,IAAI,iEAA2B,KAA/B,C;QACI,oBAAe,I;MAEnB,OAAO,yBAAP,C;QACI,IAAI,CAAC,aAAS,UAAAd,C;UACI,OAAO,K;;UAEP,cAAc,aAAS,O;UACvB,uBAAuB,wCAAS,2CAAY,OAAZ,CAAT,C;UACvB,IAAI,gBAAiB,UAArB,C;YACI,oBAAe,gB;YACf,OAAO,I;;MAInB,OAAO,I;IACX,C;;MA/BmC,0D;IAAA,C;;;MAGdVc,0B;MACA,8B;MACA,0B;MPrPA,IAAI,EOyPQ,qBAAc,CPzPtB,CAAJ,C;QACI,cOwP2B,+CAA4C,iB;QPvPvE,MAAM,gCAAYB,OAAQ,WAAjC,C;;MAFV,IAAI,EO0PQ,mBAAY,CP1PpB,CAAJ,C;QACI,gBOyPyB,6CAA0C,e;QPxPnE,MAAM,gCAAYB,SAAQ,WAAjC,C;;MAFV,IAAI,EO2PQ,mBAAY,iBP3PpB,CAAJ,C;QACI,gBO0PkC,0DAAuD,eAAvD,WAAmE,iB;QPzPrG,MAAM,gCAAYB,SAAQ,WAAjC,C;;IOgPe,C;;MAYM,yBAAW,iBAAX,I;IAAA,C;;MAEU,OAAI,KAAK,YAAT,GAAgB,eAAhB,GAAqC,gBAAY,eAAZ,EAA sB,oBAAa,CAAb,IAAtB,EAA sC,eAAtC,C;IAArC,C;;MACA,OAAI,KAAK,YAAT,GAAgB,IAAhB,GAA0B,gBAAY,eAAZ,EAA sB,iBAAtB,EAAkC,oBAAa,CAAb,IAAI,C;IAA1B,C;;MAEf,wC;MAEtB,gBA Ae,2BAAS,W;MACxB,gBA Ae,C;IAHO,C;;MAOIB,OAAO,gBAAW,kCAAX,IAAyB,aAAS,UAAzC,C;QACI,aAAS,O;QACT,qC;;IAER,C;;MAGI,a;MACA,OAAQ,gBAAW,gCAAZ,IAAyB,aAAS,U;IAC7C,C;;MAGI,a;MACA,IAAI,iBAAY,gCAAhB,C;QACI,MAAM,6B;MACV,qC;MACA,OAAO,aAAS,O;IACpB,C;;MAxBsB,mD;IAAA,C;;MAiC1B,0B;MACA,oB;MPrSA,IAAI,EOySQ,gBAAS,CPzSjB,CAAJ,C;QACI,cOwSsB,yCAAsC,YAAtC,M;QPvStB,MAAM,gCAAYB,OAAQ,WAAjC,C;;IOiSgB,C;;MASE,OAAI,KAAK,YAAT,GAAgB,eAAhB,GAAqC,gBAAY,eAAZ,EAA sB,CAAtB,EAAYB,YAAzB,C;IAArC,C;;MACA,OAAI,KAAK,YAAT,GAAgB,IAAhB,GAA0B,iBAAa,eAAb,EAAuB,CAAvB,C;IAA1B,C;;MAGrC,YAAW,yB;MACX,gBA Ae,4BAAS,W;IAFW,C;;MAK/B,IAAI,cAAQ,CAAZ,C;QACI,MAAM,6B;MACV,6B;MACA,OAAO,aAAS,O;IACpB,C;;MAGI,OAAO,YAAO,CAAP,IAAY,aAAS,U;IACHC,C;;MAbmC,oD;IAAA,C;;MAuBvC,0B;MACA,4B;IAFJ,C;;MAI2C,oD;MACnB,gBA Ae,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;IAHgB,C;;MAM/B,IAAI,aAAS,UAAb,C;QACI,WAAW,aAAS,O;QACpB,IAAI,wCAAU,IAAV,CAAJ,C;UACI,iBAAY,C;UACZ,gBAAW,I;UACX,M;;MAGR,iBAAY,C;IACHB,C;;MAQiB,Q;MALb,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aACa,gF;MAGb,gBAAW,I;MACX,iBAAY,E;MACZ,OAAO,M;IACX,C;;MAGI,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;IACxB,C;;MANmC,yD;IAAA,C;;MA4CvC,0B;MACA,oB;MPtXA,IAAI,EOyXQ,gBAAS,CPzXjB,CAAJ,C;QACI,cOwXsB,yCAAsC,YAAtC,M;QPvXtB,MAAM,gCAAYB,OAAQ,WAAjC,C;;IOkXgB,C;;MAQe,wBAAa,eAAb,EAAuB,eAAQ,CAAR,IAAvB,C;IAAA,C;;MACA,uBAAY,eAAZ,EAA sB,YAAtB,EAA6B,eAAQ,CAAR,IAA7B,C;IAAA,C;;MAGrC,gBA Ae,4BAAS,W;MACxB,YAAW,yB;IAFwB,C;;MAM/B,OAAO,YAAO,CAAP,IAAY,aAAS,UAA5B,C;QACI,aAAS,O;QACT,6B;;IAER,C;;MAGI,a;MACA,OAAO,aAAS,O;IACpB,C;;MAGI,a;MACA,OAAO,aAAS,U;IACpB,C;;MApBmC,oD;IAAA,C;;MA8BvC,0B;MACA,4B;IAFJ,C;;MAK2C,oD;MACnB,gBA Ae,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;IAHgB,C;;MAM/B,OAAO,aAAS,UAAhB,C;QACI,WAAW,aAAS,O;QACpB,IAAI,CAAC,wCAAU,IAAV,CAAL,C;UACI,gBAAW,I;UACX,iBAAY,C;UACZ,M;;MAGR,iBAAY,C;IACHB,C;;MAQqB,Q;MALjB,IAAI,mBAAa,EAAjB,C;QACI,a;MAEJ,IAAI,mBAAa,CAAjB,C;QACI,aACa,gF;QACb,gBAAW,I;QACX,iBAAY,C;QACZ,OAAO,M;;MAEX,OAAO,aAAS,O;IACpB,C;;MAGI,IAAI,mBAAa,EAAjB,C;QACI,a;MACJ,OAAO,mBAAa,CAAb,IAAkB,aAAS,U;IACtC,C;;MANmC,yD;IAAA,C;;MAuCL,sB;MAAiC,gC;IAAIC,C;;MACM,4BAAiB,aAAO,WAAxB,EAAoC,kBAAPC,C;IAAA,C;;MAGgE,2B;MAAtE,sB;MAAiC,gC;MACIE,kBAAuB,c;IADS,C;;MAI5B,OAAO,aAAO,UAAAd,C;QACI,WAAW,aAAO,O;QACIB,UAAU,mBAAY,IAAZ,C;QAEV,IAAI,eAAS,WAAI,GAAJ,CAAb,C;UACI,mBAAQ,IAAR,C;UACA,M;;MAIR,W;IACJ,C;;MAIqC,wC;MAAuC,kC;IAAxC,C;;MACG,oD;MACnB,gBAAmB,I;MACnB,iBAAqB,E;IAFc,C;;MAK/B,gBA Ae,mBAAa,EAAjB,GAAqB,+CAArB,GAA4C,2CAAa,4BAAb,C;MACvD,iBAAgB,qBAAJ,GAAsB,CAAtB,GA A6B,C;IAC7C,C;;MAQiB,Q;MALb,IAAI,iBAAY,CAAhB,C;QACI,iB;MAEJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,8D;MAEb,iBAAY,E;MACZ,OAAO,M;IACX,C;;MAGI,IAAI,iBAAY,CAAhB,C;QACI,iB;MACJ,OAAO,mBAAa,C;IACxB,C;;MAzBmC,yD;IAAA,C;;MAwCvC,OAAW,iDAAJ,GAAwC,SAAxC,GAak

D,4BAAwB,SAAXB,C;IAC7D,C;;MAc2C,qB;QAAE,6B;MAAF,C;IAAA,C;;MAAvC,OAA2D,cAApD,sBAAkB, YAAIB,EAAgC,qCAAhC,CAAoD,C;IAC/D,C;;MAoB0B,mB;QAAE,mB;MAAF,C;IAAA,C;;MAHtB,OAAI,YAA J,GACI,2BADJ,GAGI,sBAAkB,+BAAIB,EAA4B,YAA5B,C;IAHJ,C;;MAMBA,6BAAkB,YAAIB,EAAgC,YAAh C,C;IAAA,C;;MTplBJ,wB;MACI,8C;IADJ,C;;MAGgD,oCAAmB,KAAM,U;IAAzB,C;;MACb,Q;IAAA,C;;MAC G,W;IAAA,C;;MAEH,Q;IAAA,C;;MACG,W;IAAA,C;;MACiB,Y;IAAA,C;;MACgB,OAAA,QAAS,U;IAAT,C;;M AEtB,kC;IAAA,C;;MAEZ,6B;IAAA,C;;MAdrC,+B;QAAA,c;;MAAA,wB;IAAA,C;;MASBoC,6B;IAAA,C;;MAQ e,OAAI,QAAS,OAAT,GAAgB,CAApB,GAAgC,MAAT,QAAS,CAAhC,GAA6C,U;IAA7C,C;iFAEnD,yB;MAAA ,mD;MAAA,mB;QAKwC,iB;MAAA,C;KALxC,C;6FAOA,yB;MAAA,uE;MAAA,mB;QAOsD,2B;MAAA,C;KAP tD,C;;MAaiE,OAAAS,aAAT,QAAS,EAAa,qBAAC,YAAY,QAAS,OAArB,CAAd,CAAb,C;IAAT,C;uFAEjE,yB;MA AA,2D;MAAA,mB;QAGgD,qB;MAAA,C;KAHhD,C;;MAM2D,OAAAS,aAAT,QAAS,EAAa,eAAQ,YAAY,QAAS, OAArB,CAAR,CAAb,C;IAAT,C;2FAE3D,yB;MAAA,uE;MAAA,mB;QAGwD,2B;MAAA,C;KAHxD,C;;MASm E,OAAAS,aAAT,QAAS,EAAa,qBAAC,YAAY,QAAS,OAArB,CAAd,CAAb,C;IAAT,C;sFAEnE,yB;MAAA,mD;M AAA,4B;QAEkD,uCAAQ,U;MAAR,C;KAFID,C;;MAIgD,QAAM,cAAN,C;aAC5C,C;UAD4C,OACvC,U;aACL, C;UAF4C,OAEvC,MAAM,oBAAW,OAAjB,C;gBAFuC,OAGpC,S;;IAHoC,C;;MERD5C,IAAI,E+GxBI,OAAO,C AAP,IAAY,OAAO,C/GwBvB,CAAJ,C;QACI,c+GxBI,aAAJ,GACI,yEADJ,GAGI,8C;Q/GsBJ,MAAM,gCAAyB,O AAQ,WAAjC,C;;I+GpBd,C;;MAIoB,mB;QAAE,wBAaiB,gCAAjB,EAA6B,YAA7B,EAAmC,YAAnC,EAAyC,s BAAzC,EAAyD,mBAAzD,C;MAAF,C;IAAA,C;;MxGDmE,wC;IARvF,C;IAAA,0D;MAS2C,8B;IAAA,C;IAT3C, gF;;MwGQI,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,oCAAgB,6EAAhB,C;IACJ,C;;MAIkC,yD;uBAAA,6K;Y AAA,S;iBAAA,Q;;iBAAA,uB;MAAA,C;IAAA,C;;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,wC;MAAA,wC;M AAA,gD;MAAA,sD;MAAA,4D;MAAA,wB;MAAA,0B;MAAA,uB;MAAA,0B;MAAA,wB;MAAA,qB;MAAA,4 B;MAAA,kC;IAkC9B,C;;+BAjCc,0BAAO,uBAAP,I;cACV,IAAI,kBAAO,CAAX,C;oCACiB,iBAAa,uBAAb, C;kCACF,C;gBACD,6C;gBAAV,iB;;sCAaa,eAAc,uBAAd,C;gBACH,+C;gBAAV,gB;;cAAA,KAAU,2BAAV ,C;gBAAA,gB;;cAAU,kC;cACN,mBAAO,WAAI,GAJ,C;cACP,IAAI,mBAAO,SAAX,C;gBACI,gB;gCAAA,iC AAU,8BAAJ,GAAiB,mBAAjB,GAA6B,iBAAU,mBAAV,CAAnC,O;oBAAA,qC;yBAAA,mB;gBAAA,Q;;gBAD J,gB;;cAEI,mBAAO,qBAAy,uBAAZ,C;cAFX,gB;;cAFJ,gB;;cAOA,IAAI,iCAAJ,C;gBACI,gB;;gBADJ,iB;; cACI,IAAO,mBAAO,KAAAd,IAAqB,uBAArB,C;gBAAA,gB;;cACI,gB;8BAAA,iCAAU,8BAAJ,GAAiB,mBAAj B,GAA6B,iBAAU,mBAAV,CAAnC,O;kBAAA,qC;uBAAA,mB;cAAA,Q;;cACA,mBAAO,qBAAy,uBAAZ,C;cA FX,gB;;cAIA,InH+G4C,CmH/GxC,mBnH+GyC,UmH/G7C,C;gBAAyB,gB;gCAAA,iCAAM,mBAAN,O;oBAAA ,qC;yBAAA,mB;gBAAA,Q;;gBAAzB,iB;;cA9BR,W;;cAyBI,iB;;cAxBJ,iB;;cAGI,KAAU,yBAAV,C;gBAAA,i B;;6BAAU,sB;cACN,IAAI,kBAAO,CAAX,C;gBAAgB,oCAAQ,CAAR,I;gBAAW,iB;;gBAA3B,iB;;cACA,iB AAO,WAAI,YAAJ,C;cACP,IAAI,iBAAO,KAAP,KAAe,uBAAnB,C;gBACI,iB;gCAAA,iCAAM,iBAAN,O;oBAA A,qC;yBAAA,mB;gBAAA,Q;;gBADJ,iB;;cAEI,IAAI,8BAAJ,C;gBAAiB,iBAAO,Q;;gBAAa,oBAAS,iBAAU,u BAAV,C;cAC9C,kBAAO,c;cAHX,iB;;cAHJ,iB;;cASA,InHgIgD,CmHhI5C,iBnHgI6C,UmHhIjD,C;gBACI,IAAI, qCAAKB,iBAAO,KAAP,KAAe,uBAArC,C;kBAA2C,iB;kCAAA,iCAAM,iBAAN,O;sBAAA,qC;2BAAA,mB;kB AAA,Q;;kBAA3C,iB;;gBADJ,iB;;cAbJ,W;;cAaI,iB;;cAZJ,iB;;cAgCJ,W;;IAAA,C;;MAnCA,IAAI,C AAC,QAAS,UAAAd,C;QAAYB,OAAO,2B;MACHC,OAAO,cAAuB,0EAAvB,C;IAmCX,C;;MAEiE,uB;MAA7B,k B;MACHC,mBAA6B,C;MAC7B,eAAyB,C;IAFM,C;;MAK3B,+DAAkB,SAaIB,EAA6B,OAA7B,EAAcS,WAAK, KAA3C,C;MACA,mBAAiB,S;MACjB,eAAa,UAAU,SAAV,I;IACjB,C;;MAGI,+DAAkB,KAAIB,EAAyB,YAAzB ,C;MAEA,OAAO,wBAAK,mBAAY,KAAZ,IAAL,C;IACX,C;;MAE+B,mB;IAAA,C;;MASc,uB;MAArB,wB;M/ GrDxB,IAAI,E+GuDQ,iBAAy,C/GvDpB,CAAJ,C;QACI,c+GsDyB,2DAAwD,a;Q/GrDjF,MAAM,gCAAyB,OAA Q,WAAjC,C;;M+GwDV,gBAAqB,gBAAmB,aAAnB,O;MACrB,oBAA8B,C;MAE9B,sBAAyB,C;IARF,C;;MAQv B,0B;IAAA,C;MAAA,0B;IAAA,C;;MAMW,Q;MAFP,+DAAkB,KAAIB,EAAyB,SAAZB,C;MAEA,OAAO,sBAy FmC,CAzF5B,iBAyF6B,GAzFV,KAyFU,IAAD,IAAa,aAzFhD,4D;IACX,C;;MAEe,qBAAQ,a;IAAR,C;;MAEwB,s C;MAAS,2B;MAC5C,eAAoB,oB;MACpB,eAAoB,4B;IAFe,C;;MASnB,Q;MAJZ,IAAI,iBAAS,CAAb,C;QACI,W ;;QAGA,mBAAQ,sCAAO,YAAP,4DAAR,C;QACA,eA0EkC,CA1E1B,YA0E2B,GA1Eb,CA0Ea,IAAD,IAAa,6B; QAzE/C,mC;;IAER,C;;MABmC,kD;IAAA,C;;MAMb0B,UAQ1C,MAR0C,EAE1C,MAf0C,EAqBtD,M;MATBP,a ACQ,KAAM,OAAAN,GAAa,IAAK,KAAtB,GAAkC,UAAN,KAAM,EAAO,IAAK,KAAZ,CAAlC,GAAyD,kD;MA E7D,WAAW,IAAK,K;MAEhB,WAAW,C;MACX,UAAU,iB;MAEV,OAAO,OAAO,IAAP,IAAe,MAAM,aAA5B,

C;QACI,OAAO,IAAP,IAAe,wBAAO,GAAP,gE;QACf,mB;QACA,iB;;MAGJ,MAAM,C;MACN,OAAO,OAAO,IAAAd,C;QACI,OAAO,IAAP,IAAe,wBAAO,GAAP,gE;QACf,mB;QACA,iB;;MAEJ,IAAI,MAAO,OAAP,GAAC,IAAK,KAAvB,C;QAA6B,OAAO,IAAK,KAAZ,IAAoB,I;MAEjD,OAAO,uD;IACX,C;;MAGI,OAAO,qBAAQ,gBAAa,SAAb,OAAR,C;IACX,C;;MAMI,IAAI,aAAJ,C;QACI,MAAM,6BAAsB,qBAAtB,C;;MAGV,cA6B0C,CA7BnC,iBA6BoC,GA7BjB,SA6BiB,IAAD,IAAa,aA7BvD,IAAmC,O;MACnC,6B;IACJ,C;;M/GjIA,IAAI,E+GuIQ,KAAK,C/GvIb,CAAJ,C;QACI,c+GsIkB,wC;Q/GrlIB,MAAM,gCAAYB,OAAQ,WAAjC,C;;MAFV,IAAI,E+GwIQ,KAAK,S/GxIb,CAAJ,C;QACI,gB+GuIqB,wEAA8D,S;Q/GtInF,MAAM,gCAAYB,SAAQ,WAAjC,C;;M+GwIN,IAAI,IAAI,CAAR,C;QACI,YAAAY,iB;QACZ,UAgBsC,CAhB5B,KAgB6B,GAhBf,CAGBe,IAAD,IAAa,a;QAdnD,IAAI,QA AQ,GAAZ,C;UACW,YAAP,aAAO,EA AK,IAAL,EA AW,KAAX,EA AkB,aAAIB,C;UACA,YAAP,aAAO,EA AK,IAAL,EA AW,CAAX,EA Ac,GAAd,C;;UA EA,YAAP,aAAO,EA AK,IAAL,EA AW,KAAX,EA AkB,GAAlB,C;;QAGX,oBAAa,G;QACb,wBAAQ,CAAR,I;;IAER,C;;MAI8C,QAAC,YAAO,CAAP,IAAD,IAAa,a;IAAb,C;;MAGJ,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACzE,eAAY,SAAZ,QAA4B,OAA5B,Q;QACI,UAAK,GAAL,IAAY,O;;IAEpB,C;;M/GnKA,IAAI,EEjBI,SAAU,OAAV,GA AiB,CFiBrB,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;;MEIBV,OAAO,oBAAoB,CAApB,EA AuB,CAAvB,EAA0B,SAA1B,C;IACX,C;;MAGe,Q;MAAX,wBAAW,SAAX,gB;QAAW,SAAA,SAAX,M;QACI,SAAS,GAAG,CAAH,C;QACT,SAAS,GAAG,CAAH,C;QACT,WAAW,cAAc,EAAd,EA AkB,EAAlB,C;QACX,IAAI,SAAQ,CAAZ,C;UAAe,OAAO,I;;MAE1B,OAAO,C;IACX,C;sGA EA,yB;MAAA,8D;MAAA,iC;QASI,OAAO,cAAc,SAAS,CAAT,CAAd,EAA2B,SAAS,CAAT,CAA3B,C;MACX,C;KAVA,C;;MAqBI,OAAO,UAAW,SAAQ,SAAS,CAAT,CAAR,EA AqB,SAAS,CAAT,CAArB,C;IACtB,C;;MAuBY,Q;MALR,IAAI,MAAM,CAAV,C;QAAa,OAAO,C;MACpB,IAAI,SAAJ,C;QA Ae,OA AO,E;MACtB,IAAI,SAAJ,C;QA Ae,OAAO,C;MAGtB,OAA8B,iBAAtB,mDAAsB,EA AU,CAAV,C;IACIC,C;;MA YsB,uB;QAAU,2BAAoB,CAApB,EA AuB,CAAvB,EAA0B,iBAA1B,C;MAAV,C;IAAA,C;;MC7EgF,4C;IAAtG,C;IAAA,6D;MAC4C,+BAAW,CAAX,EA Ac,CAAd,C;IAAA,C;IAD5C,kF;;MHsBI,IAAI,EEsDI,SAAU,OAAV,GA AiB,CFtDrB,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;;MEqDV,oCAAkB,2BAAIB,C;IACJ,C;0FAGA,yB;MAAA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EA Ac,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,2B;QAOI,oCAAW,0BAAX,C;MAAA,C;KAPJ,C;0FASA,yB;;QAQe,uB;UAAU,iBAAsB,kB;UAAAtB,eAAkC,gB;UAAIC,OA1Dd,UAAW,SAAQ,SA0DW,CA1DX,CAAR,EA AqB,SA0DC,CA1DD,CAArB,C;QA0DP,C;MAAA,C;MCIGf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EA Ac,CAAd,C;MAAA,C;MAD5C,kF;MD0FA,uC;QAQI,oCAAW,sCAAX,C;MAAA,C;KARJ,C;4GAUA,yB;MAAA,sC;MAAA,iCAOe,yB;Q AxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EA Ac,CAAd,C;MAAA,C;MAD5C,kF;MDoGA,2B;QAOI,oCAAW,oCAAX,C;MAAA,C;KAPJ,C;8GASA,yB;;QA Ue,uB;UAAU,iBAAsB,kB;UAAAtB,eAAkC,gB;UAAIC,OA/Ed,UAAW,SAAQ,SA+EW,CA/EX,CAAR,EA AqB,SA+EC,CA/ED,CAArB,C;QA+EP,C;MAAA,C;MCvHf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EA Ac,CAAd,C;MAAA,C;MAD5C,kF;MD6GA,uC;QAUI,oCAAW,gDAAX,C;MAAA,C;KAVJ,C;kFAYA,yB;MAAA,sC;MAAA,oBAQe,yB;QA9Gf,8D;;UA8Ge,uB;YACP,sBAAsB,WAA Y,SAAQ,CAAR,EA AW,CAAX,C;YACIC,Q;YAAA,IAAI,oBAAmB,CAAvB,C;cAAA,OAA0B,e;;cAAqB,eAAsB,gB;cAArE,OA vGG,cAAc,SAuG8C,CAvG9C,CAAd,EAA2B,SAuGoC,CAvGpC,CAA3B,C;;YAsGH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EA Ac,CAAd,C;MAAA,C;MAD5C,kF;MDyHA,sC;QAQI,oCAAW,kCAAX,C;MAAA,C;KARJ,C;oFAaA,yB;;QAQe,uB;UACP,sBAAsB,WAA Y,SAAQ,CAAR,EA AW,CAAX,C;UACIC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAAAtB,eAAkC,gB;YAAjF,OA xGG,UAAW,SAAQ,SAwGyC,CAxGzC,CAAR,EA AqB,SAwG+B,CAxG/B,CAArB,C;;UAuGd,W;QADO,C;MAAA,C;MC9If,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EA Ac,CAAd,C;MAAA,C;MAD5C,kF;MDsIA,kD;QAQI,oCAAW,8CAAX,C;MAAA,C;KARJ,C;sGAaA,yB;MAAA,sC;MAAA,8BAQe,yB;QAxIf,8D;;UAwIe,uB;YACP,sBAAsB,qBAAsB,SAAQ,CAAR,EA AW,CAAX,C;YAC5C,Q;YAAA,IAAI,oBAAmB,CAAvB,C;cAAA,OAA0B,e;;cAAqB,eAAsB,gB;cAArE,OA jIG,cAAc,SAiI8C,CAjI9C,CAAd,EAA2B,SAiIoC,CAjIpC,CAA3B,C;;YAgIH,W;UADO,C;QAAA,C;OAAA,C;MC3J

f,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDmJA,sC;QAQI,oCAAW,4CAAX,C;MAAA,C;KARJ,C;wGAaA,yB;;QAQe,uB;UACP,sBAAsB,qBAAsB,SA AQ,CAAR,EAAW,CAAX,C;UAC5C,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAAAtB,eAAkC,gB;YAAjF,OAIIG,UAAW,SAAQ,SAkIyC,CAlIzC,CAAR,EAAqB,SAkI+B,CAlI/B,CAArB,C; ;UAIId,W;QADO,C;MAAA,C;MCxKf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAA X,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDgKA,kD;QAQI,oCAAW,wDAAX,C;MAAA,C;KARJ,C;kGAcA,yB;; QAOe,uB;UACP,sBAAsB,mBAAoB,SAAQ,CAAR,EAAW,CAAX,C;UAA1C,OACI,oBAAmB,CAAvB,GAA0B,e AA1B,GAA+C,mBAAW,CAAX,EAAc,CAAd,C;QAFxC,C;MAAA,C;MCrLf,kC;MAAA,oC;;QAAsG,4C;MAAtG ,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MD8KA,wC;QAOI,oCAAW,4CA AX,C;MAAA,C;KAPJ,C;;MAMBe,uB;QACP,sBAAsB,SAAU,SAAQ,CAAR,EAAW,CAAX,C;QAAhC,OACI,oB AAmB,CAAvB,GAA0B,eAA1B,GAA+C,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;MAFnD,C;IAAA,C;;MAAX,o CAAW,kCAAX,C;IAAA,C;;MAYc,uB;QACV,sBAAsB,mBAAoB,SAAQ,CAAR,EAAW,CAAX,C;QAA1C,OACI ,oBAAmB,CAAvB,GAA0B,eAA1B,GAA+C,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;MAFhD,C;IAAA,C;;MAA d,oCAAc,4CAAd,C;IAAA,C;;MAaW,uB;QAEH,UAAW,CAAN,C;UADJ,OACe,C;aACX,c;UAFJ,OAEiB,E;aCb ,c;UAHJ,OAGiB,C;;UAHjB,OAIY,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;MALhB,C;IAAA,C;;MAAX,oCAA W,6BAAX,C;IAAA,C;4FASJ,yB;MAAA,4D;MAAA,wD;MAAA,mB;QAOqE,kBAAW,cAAX,C;MAAA,C;KAPr E,C;;MAGBe,uB;QAEH,UAAW,CAAN,C;UADJ,OACe,C;aACX,c;UAFJ,OAEiB,C;aACb,c;UAHJ,OAGiB,E;;UA HjB,OAIY,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;MALhB,C;IAAA,C;;MAAX,oCAAW,4BAAX,C;IAAA,C;0F ASJ,yB;MAAA,4D;MAAA,sD;MAAA,mB;QAOoE,iBAAU,cAAV,C;MAAA,C;KAPpE,C;;MAC4F,Q;MAA7B,O AA6B,4F;IAA7B,C;;MAO6B,Q;MAA7B,OAA6B,4F;IAA7B,C;;MAOA,IAEJ,IAFI,EAGJ,M;MAFvD,kBAD2D,S AC3D,sB;QADqD,OAC5B,SAAK,W;WAC9B,WAF2D,SAE3D,wC;QAFqD,OAE4F;WACvD,WAH2D,SAG3D ,wC;QAHqD,OAGE,gG;;QAHF,OAI7C,uBAAmB,SAAnB,C;IAJ6C,C;;MAQRb,4B;IAAD,C;;MACS,OAAA,eAA W,SAAQ,CAAR,EAAW,CAAX,C;IAAX,C;;MAER,sB;IAAA,C;;MAGpC,sC;IAAA,C;;MACwE,OAAE,iBAAF, CAAE,EAAU,CAAV,C;IAAF,C;;MAEtB,2C;IAAA,C;;;MAHID,6C;QAAA,4B;;MAAA,sC;IAAA,C;;MAMA,sC; IAAA,C;;MACwE,OAAE,iBAAF,CAAE,EAAU,CAAV,C;IAAF,C;;MAEtB,2C;IAAA,C;;;MAHID,6C;QAAA,4B ;;MAAA,sC;IAAA,C;;M8G3SI,yC;;MAAA,2C;IAAA,C;;;MAAA,kD;QAAA,iC;;MAAA,2C;IAAA,C;;;MCoBY ,cAAc,GAAl,kBAAS,OAAQ,IAAjB,C;MACIB,IAAI,YAAY,mCAAhB,C;QADA,OACuC,O;;QAEEnC,kBAAkB,o BAAQ,yCAAR,C;QACIB,IAAI,mBAAJ,C;UAJJ,OAI6B,oBAAgB,OAAhB,EAAyB,OAAzB,C;;UACrB,WAAW, OAAQ,kBAAS,yCAAT,C;UAL3B,OAMY,SAAS,mCAAb,GAAoC,oBAAgB,OAAhB,EAAyB,WAAzB,CAApC, GACI,oBAAgB,oBAAgB,IAAhB,EAAhB,EAAtB,CAAhB,EAAGD,WAAhD,C;;IAGhB,C;;MAZJ,OAAI,YAAY, mCAAhB,GAAuC,IAAvC,GACI,OAAQ,cAAK,IAAL,EAAW,4BAAX,C;IADZ,C;;;MAGC0B,Q;MAAtB,OAAI,I AAK,IAAL,KAAa,GAAjB,GAAsB,0EAAtB,GAAqC,I;IAArC,C;;MAGA,iBAAU,OAAV,EAAmB,IAAnB,C;IAA A,C;;MAGA,OAAI,IAAK,IAAL,KAAa,GAAjB,GAAsB,mCAAtB,GAAiD,I;IAAjD,C;;;MCzD0C,wB;IAAD,C; ;MAAC,yB;IAAA,C;;MAEtD,qC;IAAA,C;;MAK6D,W;IAAA,C;;MACmB,c;IAAA,C;;MACJ,c;IAAA,C;;MACV, W;IAAA,C;;MACxB,Q;IAAA,C;;MACG,8B;IAAA,C;;MAV7C,4C;QAAA,2B;;MAAA,qC;IAAA,C;;MAiB+B,g B;MAA4B,sB;IAA7B,C;;MAIIB,Q;MAFJ,UAAU,I;MACV,OAAO,IAAP,C;QACI,YAAA,GAAl,QAAJ,aAAY,GA AZ,W;UAAwB,W;;QACxB,WAAW,GAAl,K;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,iBAAK,GA AL,C;;IAGnB,C;;MAGI,iBAAU,SAAK,cAAK,OAAE,EAAc,SAAd,CAAF,EAAyC,YAAzC,C;IAAA,C;;UAKO,I; MAFP,6BAAQ,GAAR,U;QAAoB,OAAO,S;;MAC3B,cAAc,SAAK,kBAAS,GAAT,C;MAEf,gBAAY,SAAZ,C;QA AoB,W;WACpB,gBAAY,mCAAZ,C;QAAqC,mB;;QAC7B,2BAAgB,OAAhB,EAAyB,YAAzB,C;MAHZ,W;IAKJ ,C;;MAGI,OAAI,yCAAJ,GAA6B,SAAK,SAAL,GAAC,CAAd,IAA7B,GAakD,C;IAAID,C;;MAGA,+BAAl,OAA Q,IAAZ,GAAoB,OAApB,C;IAAA,C;;MAUwB,Q;MAPxB,UAAU,O;MACV,OAAO,IAAP,C;QACI,IAAI,CAAC, gBAAS,GAAl,QAAb,CAAL,C;UAA4B,OAAO,K;QACnC,WAAW,GAAl,K;QACf,IAAI,oCAAJ,C;UACI,MAAM ,I;;UAEN,OAAO,gBAAS,0EAAT,C;;IAGnB,C;;MAGI,gBAAS,KAAT,KAakB,yCAA4B,KAAM,SAAN,KAAG B,aAA5C,IAAsD,KAAM,eAAY,IAAZ,CAA9E,C;IAAA,C;;MAE2B,OAAK,SAAL,SAAK,CAAL,GAA0B,SAAR, YAAQ,CAA1B,I;IAAA,C;;MAIvB,OAAI,GjGgJoC,YAAU,CiGhJID,GAAmB,OAAQ,WAA3B,GAA2C,MAAM,I AAN,YAAa,OAAb,C;IAC/C,C;;MAFA,aAAM,kBAAK,EAAL,EAAS,+BAAT,CAAN,GAEL,G;IAFJ,C;;;ICvDR, C;;MzDJI,oCAAyB,QAAzB,EAAmC,UAAAnC,CAA+C,cAAO,kBAAP,C;IACnD,C;;MAYI,sCAAyB,UAAzB,CA

AqC,cAAO,kBAAP,C;IACzC,C;;MAewB,4BAAiB,oCAAYB,QAazB,EAAMc,UAAnc,CAAjB,EAAiE,mBAAjE,  
C;IAAA,C;;MAcA,4BAAiB,sCAAYB,UAAzB,CAAjB,EAAuD,mBAAvD,C;IAAA,C;;MAYpB,OAAyB,gCAAZB,  
qB;IAAA,C;2FAVJ,yB;MAAA,0F;;QAU6B,oB;UACrB,WAAW,sBAAiB,CAAjB,C;UACX,cAAM,IAAN,C;UAD  
A,OAEA,IAAK,Y;QAHgB,C;MAAA,C;MAV7B,wC;2BAU6B,gC;QAazB,yD;MAAA,C;KAVJ,C;kHA4BI,yB;M  
AAA,2D;MAAA,mB;QACI,MAAM,6BAAoB,0BAApB,C;MACV,C;KAFa,C;4IAMJ,yB;MAAA,yF;MAAA,gE;  
MAAA,8B;MAAA,qB;MAAA,oC;QAMa,Q;;UAHL,aAAa,O;UACb,IAAI,WAAW,mBAAf,C;YAEuC,CAAIC,kE  
AAkC,eAAO,MAAP,C;;;UAezC,gC;YACE,UAAW,6BAAoB,CAApB,C;;;YAPf,O;;MASJ,C;KAXA,C;;M0DIF2  
G,mB;QAAE,qBAAc,qBAAd,C;MAAF,C;IAAA,C;;M7GFpB,wC;IARvF,C;IAAA,0D;MAS2C,8B;IAAA,C;IAT3  
C,gF;;M6GUkG,oCAAS,mCAAT,C;IAAA,C;;MAU9F,eAAe,6B;MACf,oBAAkC,yBAAd,aAAc,EAAoC,QAApC,  
EAA2D,QAA3D,C;MACIC,OAAO,Q;IACX,C;;IAa4C,C;;MAwBpC,IAAI,uCAA0B,QAAS,UAAvC,C;QAAkD,M  
;MACID,OAAO,sBAAS,QAAS,WAAIB,e;IACX,C;;MASqD,6BAAS,QAAS,WAAIB,e;IAAA,C;;MAYd,0B;  
MACvC,eAAoB,C;MACpB,mBAA4B,I;MAC5B,sBAAyC,I;MACzC,gBAAoC,I;IAJxC,C;;MAOQ,OAAO,IAAP,  
C;QACI,QAAM,YAAN,C;eACI,C;YAAA,K;eACA,C;YACI,IAAI,kCAAe,UAAnc,C;cACI,eAAQ,C;cACR,OAA  
O,I;;cAEP,sBAAe,I;;YALvB,K;eAOA,C;YAAc,OAAO,K;eACrB,C;eAAA,C;YAAgC,OAAO,I;kBAC/B,MAAM,  
yB;;QAGIB,eAAQ,C;QACR,WAAW,4B;QACX,gBAAW,I;QACX,IAAK,cAAO,kBAAP,C;;IAEb,C;;MAGU,IASe  
,I;MATrB,QAAM,YAAN,C;aACI,C;aAAA,C;UAAc,OAAO,qB;aAC7C,C;UACI,eAAQ,C;UACR,OAAO,kCAA  
e,O;aAE1B,C;UACI,eAAQ,C;UACR,aACa,mF;UACb,mBAAy,I;UACZ,OAAO,M;gBAEH,MAAM,yB;;IAEtB,C;  
;MAGI,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;;QAA8B,OAAO,W;IAC/D,C;;MAE4C,QAAM,YAAN,C;aACx  
C,C;UADwC,OAC1B,6B;aACd,C;UAFwC,OAExB,6BAAsB,sBAAtB,C;gBAFwB,OAGhC,6BAAsB,uCAAoC,Y  
AA1D,C;;IAHgC,C;;MAUR,oB;QAC5B,wCAAW,C;QAAX,OACA,mB;MAF4B,C;IAAA,C;;MAFhC,mBAAy,K;  
MACZ,eAAQ,C;MACR,OAAgC,0CAAhC,qB;IAIJ,C;;MAMoC,oB;QAC5B,wCAAW,C;QAAX,OACA,mB;MAF  
4B,C;IAAA,C;;MAHhC,IAAI,CAAC,QAAS,UAAc,C;QAAYB,M;MACzB,sBAAe,Q;MACf,eAAQ,C;MACR,OA  
AgC,6CAAhC,qB;IAIJ,C;;MAII,eAAQ,C;IACZ,C;;MAGI,MAAM,S;IACV,C;;MAGY,0C;IAAA,C;;MCRJZ,OAA  
sC,wCAAtC,c;IAAA,C;8GARBJ,yB;;QAqB0C,uB;UAAU,qBAAM,IAAK,OAAX,C;QAAV,C;MAAA,C;MArB1C,  
wC;QAqBI,mBAAc,wCAAtC,6B;QAAA,yD;MAAA,C;KArBJ,C;;MAGCI,MAAM,6BAAoB,sEAApB,C;IAAN,  
C;2HATJ,yB;MAAA,2D;MAAA,sC;QASI,MAAM,6BAAoB,sEAApB,C;MAAN,C;KATJ,C;mHAWA,yB;MAAA,  
2D;MAAA,4B;QAMI,MAAM,6BAAoB,4CAApB,C;MAAN,C;KANJ,C;6ECvCA,yB;MAAA,0B;MAAA,mC;QA  
GsD,OAAiC,OAA3B,SAAL,GAAuB,KAAS,C;MAAjC,C;KAHtD,C;2EAKA,yB;MAAA,0B;MAAA,mC;QAGqD,  
OAAgC,OAA1B,SAAL,GAAuB,KAAS,C;MAAhC,C;KAHrD,C;6EAKA,yB;MAAA,0B;MAAA,mC;QAGsD,OA  
AiC,OAA3B,SAAL,GAAuB,KAAS,C;MAAjC,C;KAHtD,C;6EAKA,yB;MAAA,0B;MAAA,4B;QAGqC,OAAqB,  
OAAp,CAAR,SAAE,C;MAArB,C;KAHrC,C;+EAMA,yB;MAAA,4B;MAAA,mC;QAGyD,OAAiC,QAA3B,SAAL,  
GAAuB,KAAS,C;MAAjC,C;KAHzD,C;6EAKA,yB;MAAA,4B;MAAA,mC;QAGwD,OAAgC,QAA1B,SAAL,G  
AAsB,KAAS,C;MAAhC,C;KAHxD,C;+EAKA,yB;MAAA,4B;MAAA,mC;QAGyD,OAAiC,QAA3B,SAAL,GAA  
uB,KAAS,C;MAAjC,C;KAHzD,C;+EAKA,yB;MAAA,4B;MAAA,4B;QAGuC,OAAqB,QAAP,CAAR,SAAE,C;M  
AArB,C;KAHvC,C;;ICpCA,C;;;IAOA,C;;;IAOA,C;;;IAOA,C;;;IAQA,C;;;IAOA,C;;;IAOA,C;;;IAOA,C;;;MAGCI,u  
B;QAAA,UAAcB,E;MACTB,qB;QAAA,8B;MACA,2B;QAAA,qE;MACA,yB;QAAA,YAAqB,E;MAJrB,sB;MAC  
A,sB;MACA,kB;MACA,8B;MACA,0B;IALmC,C;;MAQvC,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,kD;MAA  
A,C;MAKI,wG;MACA,wG;MACA,8F;IAPJ,C;;MAKI,qC;MAAA,yD;IAAA,C;;MACA,qC;MAAA,yD;IAAA,C;;  
;MACA,qC;MAAA,oD;IAAA,C;;MAPJ,6K;IAAA,C;;MAAA,a;AAAA,kB;UAAA,8D;aAAA,kB;UAAA,8D;aAA  
A,a;UAAA,yD;gBAAA,6E;;IAAA,C;;IAUA,C;;;MCzF4D,oB;QAAA,2C;aAAxD,mG;IAAA,C;;MAGJ,e;MAA  
A,iB;MAAA,uB;IAAA,C;;MAAA,wC;MAAA,C;MAGI,4E;MACA,8E;MACA,4E;MACA,KE;IANJ,C;;MAGI,2B;  
MAAA,2C;IAAA,C;;MACA,2B;MAAA,4C;IAAA,C;;MACA,2B;MAAA,2C;IAAA,C;;MACA,2B;MAAA,sC;IA  
AA,C;;MANJ,+K;IAAA,C;;MAAA,a;AAAA,c;UAAA,gD;aAAA,e;UAAA,iD;aAAA,c;UAAA,gD;aAAA,S;UAA  
A,2C;gBAAA,6E;;IAAA,C;;IAYoE,C;;MCRbPE,yB;IAAA,C;;MAWiE,uB;IAAA,C;2HAE7D,yB;MA  
AA,+D;MAAA,kC;MAAA,0F;MAAA,6F;;QAUI,wC;QAAS,6C;MAVb,C;MAAA,2G;QAWqF,sBAAS,QAAT,EA  
AmB,QAAnB,EAA6B,QAA7B,C;MAAA,C;MAXrF,oG;MAAA,yC;QAUI,wDAA+B,YAA/B,C;MAAA,C;KAVJ,  
C;uHAcA,yB;MAAA,+D;MAAA,kC;MAAA,wF;MAAA,yF;;QACI,wC;QAAS,6C;MADB,C;MAAA,0G;QAE+6B  
AAS,QAAT,EAAMB,QAANB,EAA6B,QAA7B,C;MAAA,C;MAf/F,kG;MAAA,yC;QACI,sDAA+B,YAA/B,C;MA

AA,C;KAdJ,C;;;MA3BJ,gC;QAAA,e;;MAAA,yB;IAAA,C;;MAiDI,eAAwB,I;IADK,C;;MAIIB,Q;MAAA,mB;M  
AAA,iB;QAAS,MAAM,6BAAsB,cAAY,QAAS,aAArB,uCAAtB,C;;MAAtB,OAAO,I;IACX,C;;MAGI,eAAa,K;IA  
CjB,C;;;MCRDA,uBAAoB,Y;IADmB,C;;MASsD,W;IAAA,C;;IAML,C;;MAGpF,OAAO,oB;IACX,C;;MAGI,e  
AAe,IAAK,gB;MACpB,IAAI,CAAC,0BAAa,QAAb,EAAuB,QAAvB,EAAiC,KAAjC,CAAL,C;QACI,M;;MAEJ,u  
BAAa,K;MACb,yBAAY,QAAsB,QAAtB,EAAgC,KAAhC,C;IACJ,C;;;MCPB2C,qCAAiB,UAAjB,EAAw  
B,KAAxB,KAAc,8BAAiB,KAAjB,EAAwB,iBAAXB,C;IAAIC,C;;MACT,QAAC,8BAAiB,UAAjB,EAAwB,iBA  
AxB,C;IAAD,C;;MAYIC,4B;MACA,0C;IAFiD,C;;MACjD,2B;IAAA,C;;MACA,kC;IAAA,C;;MAII,OAAO,0CA  
AgC,kBAAa,KAAM,UAAAnB,KAC/B,mBAAS,KAAM,MAAf,KAawB,0BAAgB,KAAM,aAAtB,CADO,CAAhC,  
C;IAEX,C;;MAGI,OAAW,cAAJ,GAAe,EAAf,GAAuB,MAAW,SAAN,UAAAM,CAAX,QAAqC,SAAb,iBAAa,CA  
ArC,I;IACIC,C;;MAEKc,OAAE,UAAF,qBAAU,iB;IAAV,C;;MAYIC,gBAAqB,K;MACrB,uBAA4B,Y;IALD,C;;  
MAMQ,oB;IAAA,C;;MACO,2B;IAAA,C;;MAEqB,YAAK,C;IAAL,C;;MAEf,gBAAS,aAAT,IAAmB,SAAS,oB;I  
AA5B,C;;MACd,SAAE,iBAAU,oBAAZ,C;IAAA,C;;MAG9B,OAAO,4CAA+B,kBAAa,KAAM,UAAAnB,KAC9B,  
kBAAU,KAAM,SAAhB,IAA0B,yBAAiB,KAAM,gBADnB,CAA/B,C;IAEX,C;;MAGI,OAAW,cAAJ,GAAe,EAA  
f,GAAuB,MAAY,SAAP,aAAO,CAAZ,QAAuC,SAAd,oBAAc,CAAvC,I;IACIC,C;;MAEKc,OAAE,aAAF,qBAA  
W,oB;IAAX,C;;MAUuC,2BAAgB,SAAhB,EAAiB,IAAtB,C;IAAA,C;;MASQ,6BAAkB,SAAIb,EAAwB,IAAxB,  
C;IAAA,C;;MAIjF,IAAI,CAAC,UAAAL,C;QAAiB,MAAM,gCAAYb,iCAA8B,IAA9B,MAAZB,C;IAC3B,C;;MCx  
8D,OAAK,oBAAL,SAAK,CAAL,GAakB,K;IAAIB,C;;MAY1B,0B;QAAA,aAAsB,K;MACTd,IAAI,cAAQ,KAA  
Z,C;QAAMb,OAAO,I;MAC1B,IAAI,CAAC,UAAAL,C;QAAiB,OAAO,K;MAExB,IrFhB8F,UAAIG,MAAoD,cqFg  
B5C,SrFhB4C,CAAgC,cAAc,YAAW,CAAX,EqFgB1F,KrFhB0F,UAAIG,MAAoD,cqFgBtB,KrFhBsB,CAAgC,cA  
Ac,YAAW,CAAX,EqFgB9F,C;QAA+C,OAAO,I;MACTd,IrFpB8F,UAAIG,MAAoD,cqFoB5C,SrFpB4C,CAAgC,  
cAAc,YAAW,CAAX,EqFoB1F,KrFpB0F,UAAIG,MAAoD,cqFoBtB,KrFpBsB,CAAgC,cAAc,YAAW,CAAX,EqF  
oB9F,C;QAA+C,OAAO,I;MACTd,OAAO,K;IACX,C;;MAKyC,QAAQ,cAAA,sCAAK,cAAL,EAAoB,sCAAK,cA  
AzB,CAAR,6B;IAAA,C;;MCDz,4B;QAAA,eAAuB,G;MACHd,wCAAsB,EAAtB,EAA0B,YAA1B,C;IAAA,C;I7H  
AJ,+B;IQ+rCA,iCAOmB,yB;;QAAA,iC;UAAoB,Q;UAAA,8BAAU,KAAV,EAAiB,OAAjB,W;YAA6C,mC;;UAA  
U,a;QAA3E,C;MAAA,C;KAAA,C;;MqH/rCqB,yB;QAAA,YAAoB,E;MAAI,4B;QAAA,eAAuB,G;M7HGnF,IAAI  
,CiBkn+C,CAAC,Q4GpN5C,Y5GoN4C,CjBlNpD,C;QACI,c6HHiC,wC;Q7HijC,MAAM,gCAAYb,OAAQ,WAAj  
C,C;;M6HHV,cAAY,gB;MAEC,yBAAS,mBAAS,YAAA,SAAU,OAAV,EAAMb,OAAM,KAAzB,CAAT,I;MAA  
T,wBAAiD,kBAakB,SAAIb,C;MA0E9D,gBAAgB,gBA1ET,OA0ES,C;MrHumCT,kBAAoB,gB;MAuQd,gB;MA  
Db,YAAy,C;MACC,OqHx7CN,OrHw7CM,W;MAAb,OAAa,cAAb,C;QAAa,sB;QA7PsB,U;QAAA,eA6PT,cA7P  
S,EA6PT,sBA7PS,S;QqH5mC3B,kB;;YAHA,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,QrH42CjB,IqH52CiB,C  
;UAC5C,a;;UAEA,4B;UA9E+B,uB;;Y7G2EzB,kC;YAAA,uBr42CqB,IQ52CrB,C;YAAA,qB;YAAA,oB;YAAA,o  
B;YAAAd,gE;cACI,I6G5EkD,CAAI,aAAH,U7G4ErC,YR22CiB,IQ32CjB,YAAK,OAAL,E6G5EqC,CAAG,C7G4Et  
D,C;gBACI,sBAAO,O;gBAAP,wB;;YAGR,sBAAO,E;;;U6GhFH,iD;UAGI,gCAA2B,EAA3B,C;YAHJ,2BAGqC,I  
;;gBACjC,IAAK,arHm7CsB,IqHn7CtB,gBAAyB,uBAAzB,CAAL,C;YAJJ,2BrHu7C+B,IU96C0C,W2GLI,0BAAu  
C,mBAAvC,I3GKJ,C;;;Y2GTzE,2BAKY,I;;UAYER,iEzHhBD,yByHgBC,4BrHy2C2B,I;;QA7PA,8B;UAA6C,6B;;  
;MqH3rChF,OAiFK,SrH2mCE,WqH3mCF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;IAzET,C;;M  
AiByC,gCAAc,EAAc,C;IAAA,C;;MAKT,yB;QAAA,YAAoB,E;MAM3C,Q;MALL,cAAY,gB;MrHijBL,kBAAS,g  
B;MAyEA,U;MAAA,SqHxnBM,OrHwnBN,W;MAAhB,OAAGB,gBAAhB,C;QAAGB,2B;QAAM,ISzc6B,CAAC,  
QTychB,OSzcgB,CTyc9B,C;UAAwB,WAAY,WAAL,OAAJ,C;;MqHtnBrD,kBrHunBE,W;MAkgBA,oBAAM,iBA  
Aa,qCAAwB,EAAxB,CAAb,C;MAqEA,U;MAAA,+B;MAAb,OAAa,gBAAb,C;QAAa,wB;QACT,aAAY,WsHtwC  
pB,YtHswCkC,IsHtwCIC,CtHswCoB,C;;MqHjsChB,sBAAsB,CAGjB,crH+rCE,aqH/rCF,CAHiB,mBAGR,C;MAE  
D,yBAAS,mBAAS,YAAA,SAAU,OAAV,EAAMb,OAAM,KAAzB,CAAT,I;MAAT,wBAAiD,kBAakB,SAAIb,C  
;MAmC9D,gBAAgB,gBAnCT,OAmCS,C;MrHumCT,oBAAoB,gB;MAuQd,kB;MADb,YAAy,C;MACC,SqHj5C  
N,OrHi5CM,W;MAAb,OAAa,gBAAb,C;QAAa,0B;QA7PsB,U;QAAA,eA6PT,cA7PS,EA6PT,sBA7PS,S;QqH5mC  
3B,kB;QrH4mC2B,cqH/mC3B,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,QrH42CjB,MqH52CiB,CrH+mCjB,Gq  
H9mC3B,IrH8mC2B,GqH5mC3B,oBAxCmG,QrHi5CxE,MqHj5CwE,kBAwCnG,YzHhBD,yByHgBC,4BrHy2C2  
B,MA7PA,U;UAA6C,+B;;MqHppChF,OA0CK,SrH2mCE,aqH3mCF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IA  
A1C,CACA,W;IA1CT,C;;MASa,qB;QAEg,IAAG,QAaH,EAAG,CAAH,C;UAEQ,IAAA,EAAG,OAaH,GAAY,c

AAO,OAAnB,C;YAHZ,OAGyC,c;;YAHzC,OAIoB,E;;UAJpB,OAoY,iBAAS,E;MARpB,C;IAAA,C;;MAFmB,sB;  
QAAA,SAAiB,M;MAC7C,OAYK,eAXA,OADL,uBACK,EAAI,4BAAJ,CAWA,EAAa,IAAb,C;IAZL,C;;MAcoC,  
uB;;Q7GctB,gC;QAAA,+B;QAAA,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,I6Gf+C,CAAI,aAAH,U7GelC,iCA  
AK,KAAL,E6GfkC,CAAG,C7GenD,C;YACI,sBAAO,K;YAAP,wB;;;QAGR,sBAAO,E;;;MZIBA,4B;MyHD6B,O  
AA8C,OAAM,EAAV,GAAc,gBAAd,GAA0B,E;IAApE,C;;MAGE,W;IAAK,C;;MACnC,uB;QAAkB,wBAAS,I;M  
AA3B,C;IAAA,C;;MADR,IAAA,M5GgIgD,YAAU,C4GhI1D,C;QAD4C,OACxB,wB;;QADwB,OAEPc,kC;IAFo  
C,C;mBAKhD,yB;MzHdA,6B;MAAA,sC;MIInCA,+D;MAUA,iCAOmB,yB;;UAAA,iC;YAAoB,Q;YAAA,8BAA  
U,KAAV,EAAiB,OAAjB,W;cAA6C,mC;;YAAU,W;UAA3E,C;QAAA,C;OAAA,C;MqHtnCnB,sF;QAKI,gBAAG  
B,0B;QrHumCT,kBAAoB,gB;QAUqD,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA7PsB,  
U;UAAA,eA6PT,cA7PS,EA6PT,sBA7PS,S;UqH5mC3B,kB;UrH4mC2B,cqH/mC3B,CAAC,YAAS,CAAT,IAAc,q  
BAAf,KAA4C,QrH42CjB,IqH52CiB,CrH+mCjB,GqH9mC3B,IrH8mC2B,GqH5mC3B,sCrHy2C2B,IqHz2C3B,az  
HhBD,yByHgBC,4BrHy2C2B,IA7PA,U;YAA6C,6B;;;QqHhnChF,OAMK,SrH2mCE,WqH3mCF,EAAO,mBAAC,  
kBAAd,CAAP,EAA0C,IAA1C,CACA,W;MACT,C;KAdA,C;qF7D/FA,yB;MAAA,yD;MAAA,gC;QAMoB,gBAA  
hB,oB;QAAsB,a5D0DtB,W;Q4D1DA,O5D2DO,S4D3D8B,W;MAArC,C;KANJ,C;uFAQA,yB;MAAA,iE;MAAA,  
0C;QAO4B,gBAAXB,mBAAC,QAAAd,C;QAA8B,a5DiD9B,W;Q4DjDA,O5DkDO,S4DiDsC,W;MAA7C,C;KAPJ,C  
;;MAAiB,Q;MAAb,wBAAa,KAAb,gB;QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;IACX,C;  
;MAMiB,Q;MAAb,wBAAa,KAAb,gB;QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;IACX,C  
;;MAMiB,Q;MAAb,wBAAa,KAAb,gB;QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;IACX,  
C;;MAKQ,sB;QAAqB,yBAAO,UAAU,OAaV,CAAP,C;WACrB,sD;QAA4B,yBAAO,OAAP,C;WAC5B,2B;QAA  
mB,yBAAO,kBAAP,C;;QACX,yBAAe,SAAR,OAAQ,CAAF,C;IAEhB,C;;MjE1C0C,iCAAqB,EAArB,C;IAAA,C;;  
MAUvB,Q;MAAA,qBAAL,SAAK,EAAY,KAAZ,C;MAAL,iB;QAA2B,OAAO,I;;MAA5C,UAAU,I;MACV,IAAI,  
MAAM,sCAAK,UAAx,IAAwB,MAAM,sCAAK,UAAvC,C;QAAkD,OAAO,I;MACzD,OAAW,OAAJ,GAAL,C;I  
ACf,C;;MAO4C,kCAAsB,EAAtB,C;IAAA,C;;MAUzB,Q;MAAA,qBAAL,SAAK,EAAY,KAAZ,C;MAAL,iB;QA  
A2B,OAAO,I;;MAA5C,UAAU,I;MACV,IAAI,MAAM,uCAAM,UAAZ,IAAyB,MAAM,uCAAM,UAAzC,C;QAA  
oD,OAAO,I;MAC3D,OAAW,QAAJ,GAAL,C;IACf,C;;MAOwC,gCAAoB,EAAPB,C;IAAA,C;;MA0CIB,Q;MAhCl  
B,WAAW,KAAx,C;MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c  
;MACA,S;MAEA,gBAAGB,qBAAK,CAAL,C;MACHB,IAAI,YAAY,EAAhB,C;QACI,IAAI,WAAU,CAAd,C;UA  
AiB,OAAO,I;QAExB,QAAQ,C;QAER,IAAI,cAAa,EAajB,C;UACI,aAAa,I;UACb,QAAQ,W;;cACL,IAAI,cAAa,  
EAajB,C;UACH,aAAa,K;UACb,QAAQ,W;;;UAER,OAAO,I;;;QAEX,QAAQ,C;QACR,aAAa,K;QACb,QAAQ,W  
;;MAIZ,qBAAqB,QAAQ,KAAR,I;MACrB,aAAa,C;MACK,gBAAS,CAAT,I;MAAIB,aAAU,KAAV,iB;QACI,YA  
AY,QAAQ,qBAAK,CAAL,CAAR,EAaiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IAAI,  
SAAS,cAAb,C;UAA6B,OAAO,I;QAEpC,6BAAU,KAAV,C;QAEA,IAAI,UAAS,QAAQ,KAAR,IAAT,CAAJ,C;U  
AA4B,OAAO,I;QAEnc,kBAAU,KAAV,I;;MAGJ,OAAW,UAAJ,GAAGB,MAAhB,GAA4B,CAAC,MAAD,I;IAC  
vC,C;;MAO0C,iCAAqB,EAArB,C;IAAA,C;;MA0CpB,Q;MAhClB,WAAW,KAAx,C;MAEA,aAAa,SAAK,O;MA  
CIB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c;MACA,S;MAEA,gBAAGB,qBAAK,CAAL,C;M  
ACHB,IAAI,YAAY,EAAhB,C;QACI,IAAI,WAAU,CAAd,C;UAAiB,OAAO,I;QAExB,QAAQ,C;QAER,IAAI,cA  
Aa,EAajB,C;UACI,aAAa,I;UACb,gC;;cACG,IAAI,cAAa,EAajB,C;UACH,aAAa,K;UACb,6B;;;UAEA,OAAO,I;;  
;QAEX,QAAQ,C;QACR,aAAa,K;QACb,6B;;MAIJ,qBAAqB,8BAAQ,KAAR,E;MACrB,e;MACKB,gBAAS,CAA  
T,I;MAAIB,aAAU,KAAV,iB;QACI,YAAY,QAAQ,qBAAK,CAAL,CAAR,EAaiB,KAAjB,C;QAEZ,IAAI,QAAQ,  
CAAZ,C;UAAe,OAAO,I;QACtB,IAAI,uBAAS,cAAT,KAAJ,C;UAA6B,OAAO,I;QAEpC,6CAAU,KAAV,E;QAE  
A,IAAI,uBAAS,8BAAQ,KAAR,EAAT,KAAJ,C;UAA4B,OAAO,I;QAEnc,6CAAU,KAAV,E;;MAGJ,OAAW,UA  
AJ,GAAGB,MAAhB,GAA6B,MAAD,a;IACvC,C;uEkBnKA,yB;MAAA,oC;MAAA,uC;QAII,iBAAiB,C;QACjB,e  
AAe,mBAAS,CAAT,I;QACf,iBAAiB,K;QAEjB,OAAO,cAAc,QAAR,C;UACI,YAAGB,CAAC,UAAL,GAaiB,U  
AAjB,GAaiC,Q;UAC7C,YAAY,UAAU,iCAAk,KAAL,EAAV,C;UAEZ,IAAI,CAAC,UAAL,C;YACI,IAAI,CAA  
C,KAAL,C;cACI,aAAa,I;;cAEb,0BAAC,CAAd,I;;YAEJ,IAAI,CAAC,KAAL,C;cACI,K;;cAEA,sBAAY,CAAZ,I;;  
QAIZ,OAAO,8BAAY,UAAZ,EAAwB,WAAW,CAAX,IAAxB,C;MACX,C;KA1BA,C;yEA4BA,yB;MAAA,8B;M  
A5BA,oC;MA4BA,uC;QAik,Q;QAAsB,kBAAtB,2D;QA5BD,iBAAiB,C;QACjB,eAAe,qBAAS,CAAT,I;QACf,iB  
AAiB,K;QAEjB,OAAO,cAAc,QAAR,C;UACI,YAAGB,CAAC,UAAL,GAaiB,UAAjB,GAaiC,Q;UAC7C,YAsB

wB,SAtBZ,CAAU,mCAAK,KAAL,EAAV,C;UAEZ,IAAI,CAAC,UAAL,C;YACI,IAAI,CAAC,KAAL,C;cACI,aA  
Aa,I;;cAEb,0BAAc,CAAd,I;;YAEJ,IAAI,CAAC,KAAL,C;cACI,K;;cAEA,sBAAY,CAAZ,I;;QAWZ,OAPO,gCA  
AY,UAAZ,EAAwB,WAAW,CAAX,IAAxB,CAOgC,W;MAAvC,C;KAJJ,C;iFAMA,yB;MAAA,mD;MAAA,oC;M  
AAA,uC;QAIuB,UAAL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA  
,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAY,KAAZ,EAAM  
,gBAAnB,C;QAEf,OAAO,E;MACX,C;KATA,C;mFAWA,yB;MAAA,8B;MAXA,mD;MAAA,oC;MAWA,uC;QA  
IK,Q;QAAsB,kBAAtB,2D;QAAsB,oB;;UAXJ,kC;UAAA,qBAAL,WAAK,C;UAAL,qB;UAAA,oB;UAAA,oB;UA  
Ad,0D;YACI,IAAI,CAUyB,SAVxB,CAAU,mCAAK,KAAL,EAAV,CAAL,C;cACI,mBAAO,gCAAY,KAAZ,EA  
AmB,kBAAnB,C;cAAP,qB;;UAER,mBAAO,E;;;QAOP,OAA4C,2B;MAA5C,C;KAJJ,C;6EAMA,yB;MAAA,mD;  
MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,  
cAAd,C;UAAc,uB;UACV,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAY,CAAZ,EA  
Ae,QAAQ,CAAR,IAAf,C;;QAEf,OAAO,E;MACX,C;KATA,C;+EAWA,yB;MAAA,8B;MAXA,mD;MAAA,+C;M  
AAA,oC;MAWA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QAAsB,kB;;UAXT,U;UAAA,SAAa,SAAR,YAAL,WAAK,C  
AAQ,CAAb,W;UAAd,OAAc,gBAAd,C;YAAc,yB;YACV,IAAI,CAUuB,SAVtB,CAAU,mCAAK,KAAL,EAAV,C  
AAL,C;cACI,iBAAO,gCAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;cAAP,mB;;;UAER,iBAAO,E;;;QAOP,OAA0  
C,yB;MAA1C,C;KAJJ,C;;MA1DI,iBAAiB,C;MACjB,eAAe,mBAAS,CAAT,I;MACf,iBAAiB,K;MAEjB,OAAO,c  
AAc,QAArB,C;QACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;QAC7C,YA6DgE,4BA7D1C,iCAAK,K  
AAL,EA6D0C,E;QA3DhE,IAAI,CAAC,UAAL,C;UACI,IAAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CA  
Ad,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,CAAZ,I;;MAkDiD,OA9CtD,8BAAY,UAAZ,EAAw  
B,WAAW,CAAX,IAAxB,C;IA8CsD,C;;MAvC5D,Q;MAAsB,kBAAtB,2D;MA5BD,iBAAiB,C;MACjB,eAAe,qB  
AAS,CAAT,I;MACf,iBAAiB,K;MAEjB,OAAO,cAAc,QAArB,C;QACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,G  
AAiC,Q;QAC7C,YAkEoD,4BA1E9B,mCAAK,KAAL,EAkE8B,E;QAhEpD,IAAI,CAAC,UAAL,C;UACI,IAAI,C  
AAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,CA  
AZ,I;;MAuDqC,OAnD1C,gCAAY,UAAZ,EAAwB,WAAW,CAAX,IAAxB,CAOgC,W;IA4CU,C;;MAKiB,oB;;Q  
A3C/C,gC;QAAA,+B;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CA0CsE,4BA1C3D,iCAAK,KAA  
L,EA0C2D,EA1C1E,C;YACI,mBAAO,8BAAY,KAAZ,EAAMB,gBAAnB,C;YAAP,qB;;QAER,mBAAO,E;;;MA  
uC2D,uB;IAAA,C;;MAhCjE,Q;MAAsB,kBAAtB,2D;MAAsB,oB;;QAXJ,kC;QAAA,uBAAL,WAAK,C;QAAL,qB  
;QAAA,oB;QAAA,oB;QAAd,0D;UACI,IAAI,CA+C0D,4BA/C/C,mCAAK,KAAL,EA+C+C,EA/C9D,C;YACI,m  
BAAO,gCAAY,KAAZ,EAAMB,kBAAnB,C;YAAP,qB;;QAER,mBAAO,E;;;MA4C+C,OArCV,2B;IAqCU,C;;M  
AKU,kB;;QApCID,Q;QAAA,OAAa,WAAR,wBAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,CA  
mCkE,4BAAnCvD,iCAAK,KAAL,EAAMCuD,EAnCtE,C;YACI,iBAAO,8BAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,  
C;YAAP,mB;;;QAER,iBAAO,E;;;MAgCyD,qB;IAAA,C;;MAzB/D,Q;MAAsB,kBAAtB,2D;MAAsB,kB;;QAXT,U  
;QAAA,SAAa,WAAR,cAAL,WAAK,CAAQ,CAAb,W;QAAd,OAAc,gBAAd,C;UAAc,yB;UACV,IAAI,CAwCsD,  
4BAxC3C,mCAAK,KAAL,EAwC2C,EAxC1D,C;YACI,iBAAO,gCAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;YA  
AP,mB;;;QAER,iBAAO,E;;;MAqC6C,OA9BV,yB;IA8BU,C;;MA5FpD,iBAAiB,C;MACjB,eAAe,mBAAS,CAAT,  
I;MACf,iBAAiB,K;MAEjB,OAAO,cAAc,QAArB,C;QACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;QA  
C7C,Y6GzBR,uB7GyB8B,iCAAK,KAAL,E6GzB9B,E;Q7G2BQ,IAAI,CAAC,UAAL,C;UACI,IAAI,CAAC,KAA  
L,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,CAAZ,I;;MA  
gF+B,OA5EpC,8BAAY,UAAZ,EAAwB,WAAW,CAAX,IAAxB,C;IA4EoC,C;yEAE/C,yB;MAAA,8B;MAAA,qC;  
MAAA,4B;QAI2C,Q;QAAD,OAAuB,KAAtB,2DAAsB,CAAO,W;MAA9B,C;KAJ1C,C;;MASoD,oB;;QA1E7B,g  
C;QAAA,+B;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,C6GtDZ,uB7GsDuB,iCAAK,KAAL,E6Gt  
DvB,E7GsDQ,C;YACI,mBAAO,8BAAY,KAAZ,EAAMB,gBAAnB,C;YAAP,qB;;QAER,mBAAO,E;;;MASyE,C,u  
B;IAAA,C;mFAEpD,yB;MAAA,8B;MAAA,+C;MAAA,4B;QAIgD,Q;QAAD,OAAuB,UAAtB,2DAAsB,CAAY,  
W;MAAnC,C;KAJ/C,C;;MASKD,kB;;QApEhC,Q;QAAA,OAAa,WAAR,wBAAQ,CAAb,W;QAAd,OAAc,cAAd,C  
;UAAc,uB;UACV,IAAI,C6GvEZ,uB7GuEuB,iCAAK,KAAL,E6GvEvB,E7GuEQ,C;YACI,iBAAO,8BAAY,CAAZ  
,EAAe,QAAQ,CAAR,IAAf,C;YAAP,mB;;;QAER,iBAAO,E;;;MAgEuC,qB;IAAA,C;+EAEID,yB;MAAA,8B;MA  
AA,2C;MAAA,4B;QAI8C,Q;QAAD,OAAuB,QAAtB,2DAAsB,CAAU,W;MAAjC,C;KAJ7C,C;;MAE8C,uB;QAA  
A,UAAgB,E;MAO5C,Q;MANd,IAAI,SAAS,CAAb,C;QACI,MAAM,gCAAYB,oBAAiB,MAAjB,wBAAzB,C;MA

CV,IAAI,UAAU,SAAK,OAAAnB,C;QACI,OAAy,mBAAL,SAAK,EAAY,CAAZ,EAAe,SAAK,OAApB,C;MAEhB,SAAS,mBAAC,MAAd,C;MACK,gBAAS,SAAK,OAAAd,I;MAAd,aAAU,CAAV,iB;QACI,EAAG,gBAAO,OAAP,C;MACP,EAAG,gBAAO,SAAP,C;MACH,OAAO,E;IACX,C;;MAUwC,uB;QAAA,UAAgB,E;MACnD,Q;MAAD,OAAuB,SAAtB,6DAAsB,EAAS,MAAT,EAAiB,OAAjB,CAA0B,W;IAAjD,C;;MAWwC,uB;QAAA,UAAgB,E;MAQ1C,Q;MAPd,IAAI,SAAS,CAAb,C;QACI,MAAM,gCAAyB,oBAAiB,MAAjB,wBAAzB,C;MACV,IAAI,UAAU,SAAK,OAAAnB,C;QACI,OAAy,mBAAL,SAAK,EAAY,CAAZ,EAAe,SAAK,OAApB,C;MAEhB,SAAS,mBAAC,MAAd,C;MACT,EAAG,gBAAO,SAAP,C;MACW,gBAAS,SAAK,OAAAd,I;MAAd,aAAU,CAAV,iB;QACI,EAAG,gBAAO,OAAp,C;MACP,OAAO,E;IACX,C;;MAUsC,uB;QAAA,UAAgB,E;MACjD,Q;MAAD,OAAuB,OAAtB,6DAAsB,EAAO,MAAP,EAAe,OAAf,CAAwB,W;IAA/C,C;yFAEJ,yB;MAAA,4B;QASI,OAAO,qBAAgB,SAAK,OAAAL,KAAe,C;MAC1C,C;KAVA,C;;MAGBoD,4BAAU,C;IAAV,C;;MAMG,0BAAS,C;IAAT,C;mFAMvD,yB;MAAA,2C;MAAA,4B;QAIuD,QAAC,kB;MAAD,C;KAJvD,C;yFAMA,yB;MAAA,2C;MAAA,4B;QASI,OAAO,qBAAqB,QAAL,SAAK,C;MACHC,C;KAVA,C;;MAe4D,kC;MAAS,uB;MACjE,eAAoB,C;IADoC,C;;MAGb,gB;MAAA,iE;MAAJ,4C;IAAA,C;;MAEE,sBAAQ,yB;IAAR,C;;MALe,4C;IAAA,C;;MAUd,uCAAQ,E;IAAR,C;;MAMIC,uBAAG,mBAAS,CAAT,IAAH,C;IAAA,C;;MAMA,OAAA,SAAK,OAAAL,GAAC,CAAd,I;IAAA,C;;MAMW,Q;MAAA,0BAAS,CAAT,I;MAAnB,OAAgB,CAAT,8BACgB,gBAAZ,qBAAK,KAAL,CAAY,CADhB,IAEoB,eAAhB,qBAAK,QAAQ,CAAR,IAAL,CAAgB,C;IAC/B,C;;MAKuD,OCzPyC,oBDyP/B,KAAM,MCzPyB,EDyPIB,KAAM,aAAN,GAAqB,CAArB,ICzPkB,C;IDyPzC,C;;MAKc,qCAAy,KAAM,MAAIB,EAAyB,KAAM,aAAN,GAAqB,CAArB,IAAzB,C;IAAA,C;;MAWM,2BAAy,KAAZ,EAAmB,GAAnB,C;IAAA,C;;MASjB,wB;QAAA,WAAgB,gB;MAAkB,OAAA,8BAAy,UAAZ,EAAwB,QAAxB,CAAKC,W;IAAIC,C;;MAK/B,OAAA,8BAAy,KAAM,MAAIB,EAAyB,KAAM,aAAN,GAAqB,CAArB,IAAzB,CAAiD,W;IAAjD,C;;MAMV,qC;QAAA,wBAAGC,S;MAC/E,YAAy,sBAAQ,SAAR,C;MACZ,OAAW,UAAAS,EAAPB,GAAwB,qBAAxB,GC/R4F,oBD+R/B,CC/R+B,ED+R5B,KC/R4B,C;IDgShG,C;;MAMqD,qC;QAAA,wBAAGC,S;MACjF,YAAy,sBAAQ,SAAR,C;MACZ,OAAW,UAAAS,EAAPB,GAAwB,qBAAxB,GCxS4F,oBDwS/B,CCxS+B,EDwS5B,KCxS4B,C;IDyShG,C;;MAMkD,qC;QAAA,wBAAGC,S;MAC9E,YAAy,sBAAQ,SAAR,C;MACZ,OAAW,UAAAS,EAAPB,GAAwB,qBAAxB,GCjT4F,oBDiT/B,QAAQ,CAAR,ICjT+B,EDiTpB,gBCjToB,C;IDkThG,C;;MAMoD,qC;QAAA,wBAAGC,S;MACHF,YAAy,sBAAQ,SAAR,C;MACZ,OAAW,UAAAS,EAAPB,GAAwB,qBAAxB,GC1T4F,oBD0T/B,QAAQ,SAAU,OAAIB,IC1T+B,ED0TL,gBC1TK,C;ID2ThG,C;;MAMuD,qC;QAAA,wBAAGC,S;MACnF,YAAy,0BAAy,SAAZ,C;MACZ,OAAW,UAAAS,EAAPB,GAAwB,qBAAxB,GCnU4F,oBDmU/B,CCnU+B,EDmU5B,KCnU4B,C;IDoUhG,C;;MAMyD,qC;QAAA,wBAAGC,S;MACrF,YAAy,0BAAy,SAAZ,C;MACZ,OAAW,UAAAS,EAAPB,GAAwB,qBAAxB,GC5U4F,oBD4U/B,CC5U+B,ED4U5B,KC5U4B,C;ID6UhG,C;;MAMsD,qC;QAAA,wBAAGC,S;MACIF,YAAy,0BAAy,SAAZ,C;MACZ,OAAW,UAAAS,EAAPB,GAAwB,qBAAxB,GCv4F,oBDqV/B,QAAQ,CAAR,ICrV+B,EDqVpB,gBCrVoB,C;IDsvH,C;;MAMwD,qC;QAAA,wBAAGC,S;MACpF,YAAy,0BAAy,SAAZ,C;MACZ,OAAW,UAAAS,EAAPB,GAAwB,qBAAxB,GC9V4F,oBD8V/B,QAAQ,SAAU,OAAIB,IC9V+B,ED8VL,gBC9VK,C;ID+VhG,C;;MASI,IAAI,WAAW,UAAf,C;QACI,MAAM,8BAA0B,gBAAa,QAAb,oCAAKD,UAAID,OAAIB,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CAAb,EAAGB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,gBAAvB,C;MACH,OAAO,E;IACX,C;yFAEA,yB;MAAA,8B;MAAA,qD;MAAA,+D;QAOK,Q;QAAD,OAAuB,aAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAGBI,+BAAa,KAAM,MAAnB,EAA0B,KAAM,aAAN,GAAqB,CAArB,IAA1B,EAAkD,WAAID,C;IAAA,C;yFAEJ,yB;MAAA,8B;MAAA,qD;MAAA,gD;QAOK,Q;QAAD,OAAuB,aAAtB,2DAAsB,EAAa,KAAb,EAAoB,WAAP,CAAiC,W;MAAxD,C;KAPJ,C;;MAkBI,IAAI,WAAW,UAAf,C;QACI,MAAM,8BAA0B,gBAAa,QAAb,oCAAKD,UAAID,OAAIB,C;MAEV,IAAI,aAAy,UAAhB,C;QACI,OAAy,mBAAL,SAAK,EAAY,CAAZ,EAAe,gBAAf,C;MAEhB,SAAS,mBAAC,oBAAU,QAAV,GAAqB,UAArB,KAAd,C;MACT,EAAG,gBAAO,SAAP,EAAa,CAAb,EAAGB,UAAhB,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,gBAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QASK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAY,UAAZ,EAAwB,QAAxB,CAAKC,W;MAAZD,C;KATJ,C;;MAGBqE,8BAAy,KAAM,MAAIB,EAAyB,KAAM,aAAN,GAAqB,CAArB,IAAzB,C;IAAA,C;uFAErE,yB;MAAA,8B;MAAA,mD;MAAA,mC;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAY,KAAZ,CAAmB,W;MAA1C,C;KAPJ,C;;MAcI,IAAI,wBAAW,MAAX,CAAJ,C;QACI,OAAO,8BAAy,MAAO,OAAAnB,EAA2B,gBAA3B,C;;MAEX,OAAO,8BAAy,CAAZ,EAAe,gBA

Af,C;IACX,C;;MAOI,IAAI,wBAAW,MAAX,CAAJ,C;QACI,OChdyE,oBDgdxD,MAAO,OChdiD,C;;MDkd7E,O  
AAO,S;IACX,C;;MAOI,IAAI,sBAAS,MAAT,CAAJ,C;QACI,OAAO,8BAAY,CAAZ,EAAe,mBAAS,MAAO,OA  
AhB,IAAf,C;;MAEX,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;IACX,C;;MAOI,IAAI,sBAAS,MAAT,CAAJ,C;QA  
CI,OCnewF,oBDmevE,CCneuE,EDmepE,mBAAS,MAAO,OAAhB,ICneoE,C;;MDqe5F,OAAO,S;IACX,C;;MAQI  
,IAAK,qBAAU,MAAO,OAAP,GAAgB,MAAO,OAAvB,IAAV,CAAD,IAA6C,wBAAW,MAAX,CAA7C,IAAmE,  
sBAAS,MAAT,CAAvE,C;QACI,OAAO,8BAAY,MAAO,OAAhB,EAA2B,mBAAS,MAAO,OAAhB,IAA3B,C;;M  
AEX,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;IACX,C;;MAQI,IAAK,qBAAU,MAAO,OAAP,GAAgB,MAAO,OA  
AvB,IAAV,CAAD,IAA6C,wBAAW,MAAX,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C;QACI,OC3fwF,oBD2fvE  
,MAAO,OC3fgE,ED2fxD,mBAAS,MAAO,OAAhB,IC3fwD,C;;MD6f5F,OAAO,S;IACX,C;;MAOmF,oCAAkB,S  
AAIB,EAA6B,SAA7B,C;IAAA,C;;MAOZ,sCAAkB,SAAIB,EAA6B,SAA7B,C;IAAA,C;;MAMD,qC;QAAA,wBA  
AgC,S;MACIG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA5JvB,U;  
QA4JM,OA5JgB,aAAtB,+DAAsB,EA4JyC,CA5JzC,EA4J4C,KA5J5C,EA4JmD,WA5JnD,CAAgD,W;;MA4JvE,  
W;IACJ,C;;MAMwE,qC;QAAA,wBAAgC,S;MACpG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,E  
AAb,C;QAAA,OAAiB,qB;;QArKvB,U;QAqKM,OArKgB,aAAtB,+DAAsB,EAqKyC,CArKzC,EAqK4C,KArK5C,  
EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,  
SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAaA,QAAQ,CAAR,I;QAAb,eA  
AwB,gB;QA9K1E,U;QA8KM,OA9KgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAAzB,EA8K4D,WA9K5D,CA  
AgD,W;;MA8KvE,W;IACJ,C;;MAMuE,qC;QAAA,wBAAgC,S;MACnG,YAAY,sBAAQ,SAAR,C;MACL,Q;MA  
AA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAaA,QAAQ,SAAU,OAAIB,I;QAAb,eAAuC,gB;QAvLz  
F,U;QAUlM,OAuLgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAAzB,EAuL2E,WAvL3E,CAAgD,W;;MAuLvE,  
W;IACJ,C;;MAM2E,qC;QAAA,wBAAgC,S;MACvG,YAAY,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EA  
Ab,C;QAAA,OAAiB,qB;;QAA2B,iBAaA,QAAQ,SAAU,OAAIB,I;QAAb,eAAuC,gB;QAhMzF,U;QAgMM,OAh  
MgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAAzB,EAgM2E,WAhM3E,CAAgD,W;;MAGmV,E,W;IACJ,C;;MA  
MyE,qC;QAAA,wBAAgC,S;MACrG,YAAY,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,O  
AAiB,qB;;QAA2B,iBAaA,QAAQ,CAAR,I;QAAb,eAAwB,gB;QAzM1E,U;QAYMM,OAzMgB,aAAtB,+DAAsB,E  
AAa,UAAb,EAAYB,QAAzB,EAyM4D,WzM5D,CAAgD,W;;MAYmV,E,W;IACJ,C;;MAM0E,qC;QAAA,wBAAg  
C,S;MACtG,YAAY,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAINvB,U;Q  
AkNM,OAINgB,aAAtB,+DAAsB,EAkNyC,CAINzC,EAkN4C,KAIN5C,EAkNmD,WAINnD,CAAgD,W;;MAkNv  
E,W;IACJ,C;;MAM4E,qC;QAAA,wBAAgC,S;MACxG,YAAY,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,  
EAAb,C;QAAA,OAAiB,qB;;QA3NvB,U;QA2NM,OA3NgB,aAAtB,+DAAsB,EA2NyC,CA3NzC,EA2N4C,KA3N  
5C,EA2NmD,WA3NnD,CAAgD,W;;MA2NvE,W;IACJ,C;;MAcoF,OAAA,KAAM,iBAAQ,SAAR,EAAC,WAAd,  
C;IAAN,C;+EAEPf,yB;MkEtjBI,iE;MAAA,wC;MIesjBJ,8C;QAOU,yB;;UkEvjBF,YIEujBJ,KkEvjBgB,clEujBF,S  
kEvjBE,C;UACZ,IAAI,AAAJ,C;YAAmB,wBIEsjBT,SkEtjBsB,W;YAAb,0B;;UAEnB,gBAAGB,C;UACHB,alEmjB  
U,SkEnjBS,O;UACnB,SAAS,mBAAC,MAAd,C;;Yael,iBAaiB,oB;YACjB,EAAG,gBIE+iBG,SkE/iBH,EAAC,S  
AAd,EAAYB,UAAW,MAAM,MAA1C,C;YACH,EAAG,gBIE8iBS,SkE9iBF,CAAU,UAAV,CAAP,C;YACH,YA  
AY,UAAW,MAAM,AAAJB,GAAgC,CAAhC,I;YACZ,QAAQ,UAAW,O;;UACd,oBAAY,MAAZ,IAAsB,aAAtB,C  
;UAET,IAAI,YAAY,MAAhB,C;YACI,EAAG,gBIEwiBG,SkExiBH,EAAC,SAAd,EAAYB,MAAZB,C;;UAGP,wB  
AAO,EAAG,W;;QIEqiBd,4B;MAAA,C;KAPJ,C;;MAeyF,OAAA,KAAM,sBAaA,SAAb,EAAMB,WAAAnB,C;IAA  
N,C;;MAOnB,OAAA,KAAM,iBAAQ,SAAR,C;IAAN,C;;MAOIE,IAAK,cAAc,CAAf,IAAsB,aAAa,CAAnC,IAA0  
C,cAAa,SAAK,OAAL,GAAC,MAAd,IAAb,CAA1C,IAAiF,eAAc,KAAM,OAAN,GAae,MAAf,IAAd,CAArF,C;Q  
ACI,OAAO,K;;MAGX,iBAAC,CAAd,UAAsB,MAAtB,U;QACI,IAAI,CAA0B,SAAZB,qBAAK,aAAa,KAAb,IAA  
L,CAAYB,EAAO,iBAAM,cAAc,KAAd,IAAN,CAAP,EAAMC,UAAAnC,CAA9B,C;UACI,OAAO,K;;MAEf,OAAO  
,I;IACX,C;;MAK+C,0B;QAAA,aAAsB,K;MACjE,OAAA,SAAK,OAAL,GAAC,CAAd,IAA2B,SAAR,qBAAK,CA  
AL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAA3B,C;;MAKyC,0B;QAAA,aAAsB,K;MAC/D,OAAA,SAAK,OAAL,  
GAAC,CAAd,IAAMC,SAAhB,qBAAK,0BAAL,CAAgB,EAAO,IAAP,EAAa,UAAb,C;IAAnC,C;;MAKqD,0B;QA  
AA,aAAsB,K;MAC3E,IAAI,CAAC,UAAD,IAAE,6BAaf,IAAiC,0BAArC,C;QACI,OAAy,WAAL,SAAK,EAAW,  
MAAX,C;;QAEZ,OAAO,6BAakB,CAAlB,EAAqB,MAArB,EAA6B,CAA7B,EAAgC,MAAO,OAAvC,EAA+C,U  
AA/C,C;IACf,C;;MAK0E,0B;QAAA,aAAsB,K;MAC5F,IAAI,CAAC,UAAD,IAAE,6BAaf,IAAiC,0BAArC,C;QA

CI,OAAy,aAAL,SAAK,EAaw,MAAX,EAaMB,UAAAnB,C;;QAEZ,OAAO,6BAaKB,UAAIB,EAA8B,MAA9B,E  
AAsC,CAAtC,EAAYC,MAAO,OAaHd,EAawD,UAAxD,C;IACf,C;;MAKuD,0B;QAAA,aAAsB,K;MACzE,IAAI  
,CAAC,UAAD,IAAe,6BAAf,IAAiC,0BAArC,C;QACI,OAAy,SAAL,SAAK,EAAS,MAAT,C;;QAEZ,OAAO,6BA  
AkB,mBAAS,MAAO,OAaHb,IAAIB,EAA0C,MAA1C,EAakD,CAAlD,EAAqD,MAAO,0AA5D,EAAoE,UAAp  
E,C;IACf,C;;MAY8D,0B;QAAA,aAAsB,K;MAChF,qBZhkBO,MAAK,KYgkBe,SAAK,OZhkBpB,EYgkB4B,KA  
AM,OZhkBIC,C;MYkkBZ,QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA8B,SAAR,qBAaK,CAAL,CAAQ,EAAO,iB  
AAM,CAAN,CAAP,EAA8B,UAA9B,CAArC,C;QACI,a;;MAEJ,IAAS,mBAAL,SAAK,EAaMB,IAAI,CAAJ,IAA  
nB,CAAL,IAAwC,mBAAN,KAAM,EAaMB,IAAI,CAAJ,IAAnB,CAA5C,C;QACI,a;;MAEJ,OAAO,8BAAY,CA  
AZ,EAAe,CAAf,CAaKB,W;IAC7B,C;;MAS8D,0B;QAAA,aAAsB,K;MAChF,iBAaIB,SAAK,O;MACtB,kBAaK  
B,KAAM,O;MACxB,qBZtlBO,MAAK,KYsIBe,UZtlBf,EYsIB2B,WZtlB3B,C;MYwIBZ,QAAQ,C;MACR,OAAO,  
IAAI,cAAJ,IAA+C,SAAZB,qBAaK,aAAa,CAAb,GAAiB,CAAjB,IAAL,CAAyB,EAAO,iBAAM,cAAc,CAAd,G  
AAkB,CAAIB,IAAN,CAAP,EAAgD,UAAhD,CAAtD,C;QACI,a;;MAEJ,IAAS,mBAAL,SAAK,EAaMB,aAAa,C  
AAb,GAAiB,CAAjB,IAAnB,CAAL,IAAqD,mBAAN,KAAM,EAaMB,cAAc,CAAd,GAaKB,CAAIB,IAAnB,CA  
AzD,C;QACI,a;;MAEJ,OAAO,8BAAY,aAAa,CAAb,IAAZ,EAA4B,UAA5B,CAAwC,W;IACnD,C;;MAaqD,0B;Q  
AAA,aAaKB,C;MAAG,0B;QAAA,aAAsB,K;MAMnE,UAAKB,M;MAL3C,IAAI,CAAC,UAAD,IAAe,KAAM,OA  
AN,KAAC,CAA7B,IAaKc,6BAAtC,C;QACI,WAAiB,SAAN,KAAM,C;QACjB,OCpwBf,kBqExBE,oBtEwxBr  
E,IsExxBqE,CrEwBF,EDgwB7D,UChwB6D,C;;MDmwBnE,uBAAX,UAAW,EAAC,CAAd,C;MAaKB,mC;MAA3  
C,gD;QACI,kBAaKB,qBAAI,KAAJ,C;QACR,c;;UxBolRE,U;UAAhB,4BwBplRQ,KxBolRR,kB;YAAgB,cAAhB,  
UwBplRQ,KxBolRR,S;YAAAsB,IwBplRC,SAAH,UxBolRgB,oBwBplRhB,CAAG,0BxBolRD,C;cAAwB,aAAO,I;c  
AAP,e;;UAC9C,aAAO,K;;QwBrIRH,e;UACI,OAAO,K;;MAEf,OAAO,E;IACX,C;;MAWyD,0B;QAAA,aAaKB,  
0B;MAAW,0B;QAAA,aAAsB,K;MACxG,IAAI,CAAC,UAAD,IAAe,KAAM,OAAN,KAAC,CAA7B,IAaKc,6BA  
AtC,C;QACI,WAAiB,SAAN,KAAM,C;QACjB,OCpxB4F,sBqExBM,oBtE4yBzE,IsE5yByE,CrEwBN,EDoxB7D,  
UCpxB6D,C;;MDwxBhG,iBAAYB,eAAX,UAAW,EAAa,0BAAb,CAAzB,WAAwD,CAAxD,U;QACI,kBAaKB,q  
BAAI,KAAJ,C;QACR,c;;UxB4jRE,Q;UAAhB,wBwB5jRQ,KxB4jRR,gB;YAAgB,cAAhB,UwB5jRQ,KxB4jRR,O  
;YAAAsB,IwB5jRC,SAAH,UxB4jRgB,oBwB5jRhB,CAAG,0BxB4jRD,C;cAAwB,aAAO,I;cAAP,e;;UAC9C,aAA  
O,K;;QwB7jRH,e;UACI,OAAO,K;;MAGf,OAAO,E;IACX,C;;MAG2G,oB;QAAA,OAAGB,K;MAOrG,UAKA,M;  
MAXIB,cAaKB,CAAC,IAAL,GACV,aAAW,gBAAX,UAAW,EAAC,CAAd,CAAX,EAAc,eAAT,QAAS,EAAa,g  
BAAb,CAAtC,CADU,GAGV,SAAW,eAAX,UAAW,EAAa,0BAAb,CAAX,EAAM,D,gBAAT,QAAS,EAAC,CAAd  
,CAAnD,C;MAEJ,IAAI,iCAaKB,yBAAtB,C;QACkB,yB;QAAd,OAAC,cAAd,C;UAAc,uB;UACV,IAAU,cAAN,K  
AAM,EAAC,CAAd,EAAiB,SAAjB,EAAuB,KAAvB,EAA8B,KAAM,OAAPC,EAA4C,UAA5C,CAAV,C;YACI,O  
AAO,K;;QAGD,2B;QAAd,OAAC,gBAAd,C;UAAc,2B;UACV,IAAU,kBAAN,KAAM,EAaKB,CAAIB,EAAqB,S  
AArB,EAA2B,OAA3B,EAaKc,KAAM,OAAXC,EAAgD,UAAhD,CAAV,C;YACI,OAAO,O;;MAGnB,OAAO,E;  
IACX,C;;MAYsB,UAMA,M;MAfIB,IAAI,CAAC,UAAD,IAAe,OAAQ,KAAR,KAAGB,CAAnC,C;QACI,aAAqB,  
UAAR,OAAQ,C;QACrB,YAAgB,CAAC,IAAL,GAAW,sBAaQ,MAAR,EAAGB,UAAhB,CAAX,GAA4C,0BAA  
Y,MAAZ,EAAoB,UAApB,C;QACxD,OAAW,QAAQ,CAAZ,GAAe,IAAf,GAAYB,UAAS,MAAT,C;;MAGpC,cA  
AkB,CAAC,IAAL,GAAW,aAAW,gBAAX,UAAW,EAAC,CAAd,CAAX,EAA6B,gBAA7B,CAAX,GAAoD,SA  
W,eAAX,UAAW,EAAa,0BAAb,CAAX,EAA0C,CAA1C,C;MAEIE,IAAI,6BAAJ,C;QACkB,yB;QAAd,OAAC,cA  
Ad,C;UAAc,yB;UACmB,sB;;YTnoBrB,U;YAAA,SSmoBa,OTnoBb,W;YAAhB,OAAGB,gBAAhB,C;cAAGB,2B;c  
AAM,ISmoBgC,cTnoBIB,OSmoBkB,EAAC,CAAd,sBTnoBIB,OSmoBmD,OAajC,aTnoBhC,C;gBAAwB,qBAAO,  
O;gBAAP,uB;;YAC9C,qBAAO,I;;USkoBC,uC;UACA,IAAI,sBAAJ,C;YACI,OAAO,YAAS,cAAT,C;;QAGD,2  
B;QAAd,OAAC,gBAAd,C;UAAc,2B;UACmB,wB;;YTzoBrB,U;YAAA,SSyoBa,OTzoBb,W;YAAhB,OAAGB,gB  
AAhB,C;cAAGB,6B;cAAM,ISyoBgC,kBTzoBIB,SSyoBkB,EAaKB,CAAIB,sBTzoBIB,SSyoBuD,OAArC,aTzoBh  
C,C;gBAAwB,uBAAO,S;gBAAP,uB;;YAC9C,uBAAO,I;;USwoBC,2C;UACA,IAAI,wBAAJ,C;YACI,OAAO,Y  
AAS,gBAAT,C;;MAInB,OAAO,I;IACX,C;;MAC+D,0B;QAAA,aAaKB,C;MAAG,0B;QAAA,aAAsB,K;MACtG,4  
BAAU,OAaV,EAaMB,UAAAnB,EAA+B,UAA/B,EAaKd,KAAID,C;IAAA,C;;MAC+D,0B;QAAA,aAaKB,0B;M  
AAW,0B;QAAA,aAAsB,K;MACIH,4BAAU,OAaV,EAaMB,UAAAnB,EAA+B,UAA/B,EAaKd,IAAID,C;IAAA,  
C;;MAa4D,0B;QAAA,aAaKB,C;MAAG,0B;QAAA,aAAsB,K;MACvG,gB;MAAA,8CAAU,OAaV,EAaMB,UA  
AnB,EAA+B,UAA/B,EAaKd,KAAID,mDAAM,E,E;IAAnE,C;;MACgE,0B;QAAA,aAaKB,0B;MAAW,0B;QAAA,

aAAsB,K;MACnH,gB;MAAA,8CAAU,OAAV,EAAmB,UAAAnB,EAA+B,UAA/B,EAakD,IAAID,mDAAkE,E;IA  
AIE,C;;MAWwC,0B;QAAA,aAakB,C;MAAG,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBA  
AW,mBAAY,IAAZ,CAAX,EAA8B,UAA9B,EAA0C,UAA1C,CADJ,GCx5B4F,kBqExBE,oBtEm7B5E,IsEn7B4E,  
CrEwBF,ED25BpE,UC35BoE,C;ID45BhG,C;;MASgD,0B;QAAA,aAakB,C;MAAG,0B;QAAA,aAAsB,K;MACv  
F,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,gBAA5B,EAAoC,UAApC,CADJ,GCt6  
B4F,kBDy6B1E,MCz6B0E,EDy6BIE,UCz6BkE,C;ID06BhG,C;;MAUgD,0B;QAAA,aAakB,0B;MAAW,0B;QAA  
A,aAAsB,K;MAC/F,OAAW,cAAc,gCAAzB,GACI,0BAAe,mBAAY,IAAZ,CAAf,EAakC,UAAIC,EAA8C,UAA9  
C,CADJ,GCI7BgG,sBqExBM,oBtE68BhF,IsE78BgF,CrEwBN,EDq7BpE,UCr7BoE,C;IDs7BpG,C;;MAUoD,0B;Q  
AAA,aAakB,0B;MAAW,0B;QAAA,aAAsB,K;MACnG,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,U  
AAhB,EAA4B,CAA5B,EAA+B,UAA/B,EAakD,IAAID,CADJ,GCj8BgG,sBDo8B1E,MCp8B0E,EDo8BIE,UCp8  
BkE,C;IDq8BpG,C;;MAQ+D,0B;QAAA,aAAsB,K;MACjF,OAAI,yBAAJ,GACI,sBAAQ,KAAR,UAA4B,UAA5B  
,KAA2C,CAD/C,GAGI,sBAAQ,KAAR,EAAe,CAAf,EAakB,gBAAlB,EAA0B,UAA1B,KAAyC,C;IAH7C,C;;MA  
akD,0B;QAAA,aAAsB,K;MACxE,6BAAQ,IAAR,UAA2B,UAA3B,KAA0C,C;IAA1C,C;;MAMsE,OAAA,KAAM  
,yBAAgB,SAAhB,C;IAAN,C;;MAOtE,oB;MACA,8B;MACA,oB;MACA,kC;IAJiC,C;;MAOa,gE;MAC1C,iBAAq  
B,E;MACrB,yBAAwC,WAAX,yCAAW,EAAS,CAAT,EAAY,oCAAM,OAAIB,C;MACxC,uBAA2B,sB;MAC3B,  
gBAA0B,I;MAC1B,eAAmB,C;IALuB,C;;MAQtC,IAAI,uBAAkB,CAAtB,C;QACI,iBAAy,C;QACZ,gBAAW,I;;  
QAEX,IAAI,4CAAQ,CAAR,IAAa,uDAAa,yCAA1B,IAAmC,uBAAkB,yCAAM,OAA/D,C;UACI,gBAAW,qCAA  
yB,gBAAN,yCAAM,CAAzB,C;UACX,uBAAkB,E;;UAElB,YAAkB,iDAAN,yCAAM,EAaA,oBAAb,C;UACIB,I  
AAI,SAAS,IAAb,C;YACI,gBAAW,qCAAyB,gBAAN,yCAAM,CAAzB,C;YACX,uBAAkB,E;;YAEIB,IAAK,QA  
AiB,KAAjB,aAAL,EAAY,SAAU,KAAV,a;YACZ,gBAAW,gCAAwB,KAAxB,C;YACX,yBAAoB,QAAQ,MAAR  
,I;YACpB,uBAAkB,0BAAwB,WAAU,CAAd,GAAiB,CAAjB,GAAwB,CAA5C,K;;;QAG1B,iBAAy,C;;IAEpB,C;  
;MAOiB,Q;MAJb,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aA  
Aa,mE;MAEb,gBAAW,I;MACX,iBAAy,E;MACZ,OAAO,M;IACX,C;;MAGI,IAAI,mBAAa,EAAjB,C;QACI,iB;  
MACJ,OAAO,mBAAa,C;IACxB,C;;MA/C0C,+D;IAAA,C;;MAGeU,wC;Qbj/BjD,Sak/BH,sBAAW,kBAAX,EA  
AuB,UAAvB,EAAgD,kBAAhD,C;QAAA,OAASe,KAAK,CAAT,GAAY,IAAZ,GAAsB,OAAM,CAAN,C;MADp  
C,C;IAAA,C;;MAHM,0B;QAAA,aAakB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MjB9iC7H,  
IAAI,EiB+iCI,SAAS,CjB/iCb,CAAJ,C;QACI,ciB8iCkB,oD;QjB7iCIB,MAAM,gCAAyB,OAAQ,WAAjC,C;;MiB+  
iCV,OAAO,4BAAwB,SAAXB,EAA8B,UAA9B,EAA0C,KAA1C,EAAiD,gDAAjD,C;IAGX,C;;MAqB4D,wC;QA  
AgB,Q;QAAA,oCAAU,sBAAV,EAA0B,UAA1B,EAAmD,kBAAnD,EAASe,KAAtE,aAAoF,GAAG,UAAH,EAA  
e,WAAO,OAAtB,CAApF,O;MAAhB,C;IAAA,C;;MAJc,0B;QAAA,aAakB,C;MAAG,0B;QAAA,aAAsB,K;MAA  
O,qB;QAAA,QAAa,C;MjBrkCrI,IAAI,EiBskCI,SAAS,CjBtkCb,CAAJ,C;QACI,ciBqkCb,oD;QjBpkCIB,MAAM,  
gCAAyB,OAAQ,WAAjC,C;;MiBqkCV,qBAAGC,OAAX,UAAW,C;MAEhC,OAAO,4BAAwB,SAAXB,EAA8B,U  
AA9B,EAA0C,KAA1C,EAAiD,sDAAjD,C;IAEX,C;;MAiB8E,qB;QAAE,yCAAU,EAAV,C;MAAF,C;IAAA,C;;M  
ADX,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MACzG,OAASe,OAAtE,+BAakB,UAAIB,UAA2C,UAA  
3C,EAA+D,KAA/D,CAAsE,EAAl,iCAAJ,C;IAAtE,C;;MAaqD,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;  
MAC/F,IAAI,UAAW,OAAX,KAAmB,CAAvB,C;QACI,gBAAgB,WAAW,CAAX,C;QACHB,IAAI,EAAC,SA16B  
uC,YAAU,CA06BID,CAAJ,C;UACI,OAAO,mBAAM,SAAN,EAAiB,UAAjB,EAA6B,KAA7B,C;;MAI2E,kBAA  
b,cAAtE,+BAakB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,C;MT6CtE,kBAAM,iBAAa,qCAAwB,EAA  
xB,CAAb,C;MAqEA,Q;MAAA,6B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WSnHgF,uBTmHIE,ISnHkE,  
CTmHhF,C;;MSnHhB,OToHO,W;ISnHX,C;;MAU8E,qB;QAAE,yCAAU,EAAV,C;MAAF,C;IAAA,C;;MADb,0B;  
QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MACvG,OAASe,OAAtE,6BAakB,UAAIB,UAA2C,UAA3C,EAA+  
D,KAA/D,CAAsE,EAAl,mCAAJ,C;IAAtE,C;;MASmD,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MAC7F  
,IAAI,UAAW,OAAX,KAAmB,CAAvB,C;QACI,OAAO,mBAAoB,oBAAd,WAAW,CAAX,CAAc,CAApB,EAAG  
C,UAAhC,EAA4C,KAA5C,C;;MAG+E,kBAAb,cAAtE,6BAakB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAA  
sE,C;MToBtE,kBAAM,iBAAa,qCAAwB,EAAxB,CAAb,C;MAqEA,Q;MAAA,6B;MAAb,OAAa,cAAb,C;QAAa,s  
B;QACT,WAAy,WS1FgF,uBT0FIE,IS1FkE,CT0FhF,C;;MS1FhB,OT2FO,W;IS1FX,C;;MjB3oCI,IAAI,EiBspCI,S  
AAS,CjBtpCb,CAAJ,C;QACI,ciBqpCb,oD;QjBppCIB,MAAM,gCAAyB,OAAQ,WAAjC,C;;MiBspCV,oBAAoB,  
C;MACpB,gBAAgB,sBAAQ,SAAR,EAAmB,aAnB,EAakC,UAAIC,C;MACHB,IAAI,cAAa,EAAb,IAAmB,UA





# 1.219 nuprocess 2.0.5

## 1.219.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 Brett Wooldridge

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/internal/LibJava10.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 Brett Wooldridge

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/internal/HexDumpElf.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2015 Ben Hamilton, Brett Wooldridge
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-
jar/com/zaxxer/nuprocess/internal/LibJava8.java
```

No license file was found, but licenses were detected in source scan.

```
<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
```

Found in path(s):

```
* /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/META-
INF/maven/com.zaxxer/nuprocess/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
// This is free and unencumbered software released into the public domain.
```

```
// software to the public domain. We make this dedication for the benefit
```

Found in path(s):

```
* /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-
jar/com/zaxxer/nuprocess/windows/WindowsCreateProcessEscape.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2015 Ben Hamilton
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
```

\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-  
jar/com/zaxxer/nuprocess/codec/NuCharsetDecoderHandler.java  
\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-  
jar/com/zaxxer/nuprocess/internal/ReferenceCountedFileDescriptor.java  
\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-  
jar/com/zaxxer/nuprocess/codec/NuCharsetEncoderHandler.java  
\*  
/opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-  
jar/com/zaxxer/nuprocess/codec/NuCharsetEncoder.java  
\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-  
jar/com/zaxxer/nuprocess/codec/NuAbstractCharsetHandler.java  
\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-  
jar/com/zaxxer/nuprocess/codec/NuCharsetDecoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 Brett Wooldridge  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-  
jar/com/zaxxer/nuprocess/linux/EpollEvent.java  
\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-  
jar/com/zaxxer/nuprocess/NuAbstractProcessHandler.java  
\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-  
jar/com/zaxxer/nuprocess/linux/LinProcessFactory.java  
\*  
/opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-  
jar/com/zaxxer/nuprocess/internal/LibC.java

\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/windows/WinProcessFactory.java  
\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/internal/IEventProcessor.java  
\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/osx/LibKevent.java  
\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/osx/OsxProcess.java  
\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/NuProcessBuilder.java  
\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/linux/LibEpoll.java  
\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/internal/BasePosixProcess.java  
\*  
/opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/NuProcessHandler.java  
\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/internal/BaseEventProcessor.java  
\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/windows/WindowsProcess.java  
\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/osx/ProcessKqueue.java  
\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/windows/ProcessCompletions.java  
\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/linux/ProcessEpoll.java  
\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/linux/LinuxProcess.java  
\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/NuProcess.java  
\*  
/opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/NuProcessFactory.java  
\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/osx/OsxProcessFactory.java  
\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/windows/NuKernel32.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 Ben Hamilton

\*

\* Originally from JNA com.sun.jna.platform.win32 package (Apache

\* License, Version 2.0)

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1445875790\_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/windows/NuWinNT.java

# 1.220 apache-commons-text 1.10.0

## 1.220.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Text  
Copyright 2014-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

# 1.221 commons-bcel 6.5.0

## 1.221.1 Available under license :

Apache Commons BCEL  
Copyright 2004-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.222 java-servlet-api 4.0.4

### 1.222.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bundle-License: <http://www.eclipse.org/legal/epl-2.0>, <https://www.gnu.org/software/classpath/license.html>

Bundle-SymbolicName: jakarta.servlet-api

Archiver-Version: Plexus Archiver

Built-By: default

Bnd-LastModified: 1592488669617

Implementation-Vendor-Id: org.eclipse

Bundle-DocURL: <https://www.eclipse.org>

Import-Package: javax.servlet,javax.servlet.annotation,javax.servlet.descriptor

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"

Export-Package: javax.servlet;uses:="javax.servlet.annotation,javax.servlet.descriptor";version="4.0.0",javax.servlet.annotation;uses:="javax.servlet";version="4.0.0",javax.servlet.descriptor;version="4.0.0",javax.servlet.http;uses:="javax.servlet";version="4.0.0"

Bundle-Name: Jakarta Servlet

Extension-Name: javax.servlet  
Bundle-Description: Jakarta Servlet 4.0  
Automatic-Module-Name: java.servlet  
Implementation-Version: 4.0.4  
Bundle-ManifestVersion:  
2  
Specification-Vendor: Eclipse Foundation  
Bundle-Vendor: Eclipse Foundation  
Tool: Bnd-4.0.0.201805111645  
Implementation-Vendor: Eclipse Foundation  
Bundle-Version: 4.0.0  
Created-By: Apache Maven Bundle Plugin  
Build-Jdk: 1.8.0\_202  
Specification-Version: 4.0

Found in path(s):

\* /opt/cola/permits/1473592191\_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 2008, 2018 Oracle and/or its affiliates. All rights reserved.

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at <http://www.eclipse.org/legal/epl-2.0>.

This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception, which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

-->

Found in path(s):

\* /opt/cola/permits/1473592191\_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-jar/javax/servlet/annotation/package.html

No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 1997, 2018 Oracle and/or its affiliates. All rights reserved.

This program and the accompanying materials are made available under the

terms of the Eclipse Public License v. 2.0, which is available at  
<http://www.eclipse.org/legal/epl-2.0>.

This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception, which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

-->

<![CDATA[

Comments to: <a href="mailto:servlet-dev@eclipse.org">servlet-dev@eclipse.org</a>.<br>

Copyright © 1999; 2019 Eclipse Foundation. All rights reserved.<br>

Use is subject to <a href="{ @docRoot }/doc-files/speclicense.html" target="\_top">license terms</a>.]>

Found in path(s):

\* /opt/cola/permits/1473592191\_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-jar/META-INF/maven/jakarta.servlet/jakarta.servlet-api/pom.xml

No license file was found, but licenses were detected in source scan.

/opt/cola/permits/1473592191\_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-jar/javax/servlet/annotation/ServletSecurity\$TransportGuarantee.class: binary file matches

Found in path(s):

\* /bin/grep

No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved.

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at <http://www.eclipse.org/legal/epl-2.0>.

This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception, which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

-->

Found in path(s):

\* /opt/cola/permits/1473592191\_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-jar/javax/servlet/descriptor/package.html

No license file was found, but licenses were detected in source scan.

# Copyright (c) 1997-2018 Oracle and/or its affiliates. All rights reserved.

# Licensed under the Apache License, Version 2.0 (the "License");

# you may not use this file except in compliance with the License.

# You may obtain a copy of the License at

# <http://www.apache.org/licenses/LICENSE-2.0>

# distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

\* /opt/cola/permits/1473592191\_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-jar/javax/servlet/http/LocalStrings\_ja.properties

\* /opt/cola/permits/1473592191\_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-jar/javax/servlet/http/LocalStrings.properties

\* /opt/cola/permits/1473592191\_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-jar/javax/servlet/http/LocalStrings\_fr.properties

\* /opt/cola/permits/1473592191\_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-jar/javax/servlet/LocalStrings\_ja.properties

\* /opt/cola/permits/1473592191\_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-jar/javax/servlet/http/LocalStrings\_es.properties

\*

/opt/cola/permits/1473592191\_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-jar/javax/servlet/LocalStrings.properties

\* /opt/cola/permits/1473592191\_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-jar/javax/servlet/LocalStrings\_fr.properties

No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 1997-2018 Oracle and/or its affiliates. All rights reserved.

Copyright 2004 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1473592191\_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-jar/javax/servlet/http/package.html

\* /opt/cola/permits/1473592191\_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-jar/javax/servlet/package.html

# 1.223 aws-java-sdk 1.11.30

## 1.223.1 Available under license :

Apache License

Version 2.0, January 2004

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright

owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

1. You must give any other recipients of the Work or Derivative Works a copy of this License; and
2. You must cause any modified files to carry prominent notices stating that You changed the files; and
3. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
4. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any

Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

AWS SDK for Java

Copyright 2010-2014 Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by  
Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

#### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.

- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](https://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.

The licenses for these third party components are included in LICENSE.txt

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2024 Cisco Systems, Inc. All rights reserved.